



Osmanthus heterophyllus – opposite, elliptical leaves with exaggerated spines on juvenile plants that become entire with age, leaves much smaller



Osmanthus fragrans – opposite, elliptical leaves with few spines, brown petioles on new growth



Ilex glabra– alternate, oblanceolate, 5 to 7 white-tipped serrations, whitish petiole



Buxus microphylla– opposite, elliptical to ovate, blunt tips, acute leaf angle, white midribs



Buxus sempervirens 'Suffruticosa' – opposite, elliptical to lanceolate leaves, matte green,



Buxus sempervirens – opposite, lanceolate to elliptical, matte green, white midrib underneath



Osmanthus x fortunei – opposite, elliptical leaves with regular spines on juvenile plants,



Osmanthus americanus – opposite, elliptical to oblanceolate, entire margins, brown petioles



Ilex cornuta 'Carissa' – alternate, elliptical to ovate, entire thickened margins, single terminal spine, if any,



Buxus harlandii– opposite, oblanceolate leaves
with emarginate tip



Ilex crenata 'Soft Touch' – alternate, small, elliptical leaves, serrations far down towards base, compact habit



Ilex crenata 'Helleri' – alternate, small, ovate leaves, serrations (5 to 7) towards tip, compact, horizontal habit



Ilex crenata 'Compacta' – alternate, small, oblanceolate leaves, obtuse tips with few serrations, purple new stems, upright growth habit



Osmanthus heterophyllus 'Variegatus' – opposite, elliptical leaves with exaggerated spines, white marbled variegation



Ilex vomitoria 'Pendula' – alternate, elliptical, with crenate margins down to base, gray twigs, translucent berries, weeping habit



Ilex vomitoria 'Nana' – alternate, elliptical, with crenate margins down to base, gray twigs, red pigmentation on new growth



Ilex crenata 'Sky Pencil' – alternate, elliptical, with serrate margins down to base, erect branching and form



Ilex vomitoria– alternate, elliptical, with crenate margins down to base, gray twigs, translucent berries, irregular habit



Ilex cassine – alternate, oblanceolate, entire margins, reddish-brown twigs and petioles



Ilex opaca – alternate, elliptical, with prominent, regular spines, leaves cupped downward at margins



Ilex aquifolium– alternate, elliptical, with prominent spines, and highly glossy leaves



Ilex latifolia– alternate, elliptical, with sawtooth spines, large leaves and berries



Ilex x 'Nellie R. Stevens' – alternate, oblong with typically five spines. Thickened leaves cupped downward at margins



Ilex cornuta 'Burfordi Nana' – alternate, oblong, with thickened leaves, cupped downward at margins, and single, terminal spine



Ilex cornuta 'Rotunda' – alternate, 5 prominent spines, with two minor spines at midpoint tip to base. Vicious plant.



Ilex x attenuata 'Foster's #2' – Alternate, narrowly elliptical, with irregular spines, Red new stems and petioles



Ilex x attenuata 'Savannah' – Alternate, elliptical, with irregular spines, Red new stems and petioles. Leaf blade bends up from midrib into V shape



Ilex x attenuata 'East Palatka' – Alternate, obovate to elliptical, with few spines