

THE RHODODENDRON, CAMELLIA &
MAGNOLIA GROUP

2013
SEED LIST

www.rhodogroup-rhs.org

INSTRUCTIONS FOR ORDERING

Please read carefully – new ordering arrangements apply this year.

1. The 2013 Seed List will remain open throughout the year. Temporary closures will be announced on the website. Updates which reflect current stock and any additions will appear periodically on the website or can be requested by email.
2. In order that the Group can be seen to observe the conditions laid down by the Convention on Biological Diversity (CBD), the Convention on Trade in Endangered Species of Wild Fauna & Flora (CITES), and other laws concerning biodiversity, it should be noted that seed in this list is supplied on the express understanding that it is for the personal use of the member and must not be used for commercial purposes. It should also be noted that we offer the seed as named by the collector and therefore we cannot guarantee the produce.
3. The first figure(s) of the list number indicate the year of collection e.g. list numbers prefixed '4' were collected in 2004, '12' in 2012 and so on. This year the printed list is arranged in alphabetical order but will appear *in alphabetical or year-by-year order* as an Excel file online.
4. Rhododendron seed can be kept stored for 5 years or more if kept at a temperature of around 2°C or less, which ours is.
5. Please use the order form provided and include the item name as well as the List Number, in case of doubt or error.

The seeds are stored and numbered according to the year they were harvested and it is essential that items are entered in LIST NUMBER ORDER. For example, all seeds with a number starting with 4 are listed first, then 5, then 6, then 8, 9, 10, 11, up to 12 which represents seed collected in 2012. Do not fill your order form in alphabetical order. Remember that the seed list is available online in LIST NUMBER ORDER to help you do this. Order forms filled in incorrectly will be left until last or returned.

Continue your order on the back of the order form where necessary. Additional order forms can be downloaded from our website.

Orders may also be placed using a **fillable pdf file, available on the website** which may be emailed or printed and sent to the address below as required.

6. Any number of packets may be ordered (subject to a limit of one packet of any given seed list number). In an attempt to ensure that precious seed collections are distributed as far and as fairly as possible, the quantity of seed per packet will be determined by the amount available.
7. Please note that up to TEN packets of seed collected before 2009 (ie with 4, 5, 6, 7 and 8 prefixes) will be available free of charge, subject to availability and the limit of one packet per seed list number as above. Please include free seed choices in the normal way on the order form.
8. Orders will be dealt with in strict order of receipt, with preference given to those members who have donated seed in the current year. Additionally, the complete seed list will be emailed to members with active email addresses and appear on our website 3 working days after postal dispatch in the United Kingdom. Please be patient – orders will be processed as quickly as possible but return of post is not possible and after the main distribution period it may be a few weeks before they can be dealt with.
9. If the packet of your choice is sold out, we will automatically substitute a packet of the same species and from a similar altitude if available *unless you state that substitutes are not acceptable* by ticking the box on the order form. A list of the seed supplied will accompany your order, which will show details of any substitutes enclosed, but you are advised to keep a copy of your order as the original will be kept in case of queries.

10. Send your order by post or email to the address below with your credit/debit card details. **Please note that we are no longer able to accept cheque payments.** All credit card details are destroyed once the transaction is complete. For security, email card payments should be sent split into three or four separate emails. Please remember to include the card expiry date and security number – credit card payments cannot be processed without this information. Payment may also be made by PayPal, but wait to be emailed with a total amount before sending to rcmgpaypal@woodtown.net

11. Use the order form provided and send it to:

Mrs Julie Atkinson, 184 Crow Lane East, Newton-le-Willows, ST HELENS, Merseyside, WA12 9UA

or email: julie.soundgardenrhododendrons@hotmail.co.uk

12. Prices per packet are as follows:

12 code (Wild Collected) = **£3.00** 12 code (Garden Collected) = **£2.50** 11 code = **£2.00**

10 code = **£1.50** 9 code = **£1.00**

8, 7, 6, 5, 4 code = Up to 10 packets free

Open-pollinated **rhododendron** seed clearly marked (OP) on the list will be charged at the full rate as above but will include a greater quantity of seed

13. An additional charge will be added for postage and packing as follows: UK – £2.50 EU – £3.00
Elsewhere – £4.50 (Airmail)

14. **SEED IMPORTATION REGULATIONS:** Overseas Members requesting seed are responsible for obtaining the necessary documentation to cover their order and for ensuring they do not apply for seed contravening current import legislation in their own countries. Any relevant paperwork should be submitted with the order and the instructions made clear. The Rhododendron, Camellia & Magnolia Group, acting in good faith, cannot be held liable for seeds impounded, confiscated or otherwise lost.

US MEMBERS ONLY: Full details of the USDA requirements are to be found at www.aphis.usda.gov under 'Plant Imports/Small Lots of Seed'. You will need to provide us with **two sets of order forms – one in List Number Order** for the convenience of the Seed Convenor and a second **one in alphabetical order** for the USDA requirements.

NOTES

1. (HP) = Hand pollinated (OP) = Open pollinated (WC) = Wild collected

2. Collectors' references:

AC Alan Clark – Arunachal Pradesh 2004

ACSN Alan Clark and Shelagh Newman – Yunnan 2007*

ACVG Alan Clark and Vaughan Gallavan – Vietnam 2006**

CDHM Peter Cox, Kelly Dodson, Steve Hootman, Sue Milliken – Sichuan 2010

CWT Alan Clark, Hannah Wilson and Jamie Taggart – NE Vietnam 2011

JN Jens Nielsen – Chongqing, Henan, Yunnan & Shaanxi 2011, Hunan, Jiangxi, Sichuan, Yunnan 2012

KR Keith Rushforth – various, including Arunachal Pradesh 2012

NN Jens Nielsen and Remi Nielsen 2009 – SW Guizhou, S Sichuan, NE Yunnan

OJL Ole Jonny Larsen – SBBE Scandinavian Bilouxueshan and Beima Shan Expedition 2010

TDA Timothy Atkinson – Sikkim and Bengal

ZH-G Zha Hong-Guang, Kunming

3. To avoid confusion at a later date, if seed has a Collection Number, grow under that name rather than (or as well as) the RCM Group List Number.

4. Propagation and cultivation notes can be found on the Group website – www.rhodogroup-rhs.org

* May be listed as C&N elsewhere ** May be listed as C&G elsewhere

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
11214	Abelmoschus	CWT6216	Large yellow flowers. Heaven's Gate near Ha Giang. 1150m.
12040	Abies cf. densa	KR10441	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12110	Abies densa agg.	KR10633	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
11011	Abies spectabilis		(M. Miles)
11537	Abies spectabilis	TDA064	As TDA050
12151	Abies spectabilis	TDA137	Bersay rhododendron sanctuary, mixed forest of Lithocarpus pachyphylla, Abies spectabilis and R. grande 2800m, South Sikkim.
10168	Abutilon achrae		(C. Lima) hardy at least to -15C
11096	Aeschynanthus tengchungensis	JN11049	Epiphytic Gesneriaceae. W Yunnan 2100m
12189	Alnus formosana		(M. Miles), Wild collected in Taiwan
12196	Alpinia sp.		(M. Miles), Wild collected in Taiwan
11248	Aralia sp. ?	CWT6250	Spiny tree to 12m. Shiny black seeds. Between Sun La & Ha Giang. N.E. Vietnam 587m.
9040	Arbutus menziesii		(M. Saner) Collection from a more cold hardy, northern source, from cultivated plant in USDA Zone 7, Western Washington
11367	Arisaema sp.	CWT6369	Foliage not seen. En route to Fan Si Pan from Tran Son Pass. 2700m.
12152	Astilbe rivale	TDA189	Above 0.3 mile village near Munpoo village, Darjeeling, West Bengal 1750m.
12191	Begonia formosana		(M. Miles), Wild collected in Taiwan
9127	Berberis jamesiana (OP)		(D. Ryan)
12003	Berberis praecipua?	KR10352	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub 2-3m, evergreen.
8120	Berberis sp.	KR9534	Deciduous shrub, 1-2m, fruit lozenge-shaped. Arunachal Pradesh state, Tawang, around Bangla Jang Gompa campsite 4129m: near camp
12061	Berberis sp.	KR10501	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12067	Berberis sp.	KR10508	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
10253	Betula jacquemontii		From cultivated plants
11098	Betula potaninii	JN11001	Multi stemmed tree less than 5m. NW Henan 2100m
10022	Betula utilis	KR9890	INDIA: Arunachal Pradesh, Anjaw district, Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m) via Lap Ti bridge at 27.48'53.4"N, 96.52'09.9"E, 2861m) & AA4 (27.48'29.7"N, 96.52'18.6"E, 2948m) to Dong La (27.48'03.0"N, 96.52'35.4"E, 3092m): tree
10023	Betula utilis	KR9959	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48'03.0"N, 96.52'35.4"E, 3092m) to Base of Hoot La (27.46'16.3"N, 96.53'12.4"E, 3530m) to Hoot la campsite (27.46'11.9"N, 96.53'11.4"E, 3580m): tree 5-6m, midway to Hoot La base
10024	Betula utilis	KR9988	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46'11.9"N, 96.53'11.4"E, 3580m) via AA5 (27.45'51.6"N, 96.52'28.0"E, 3833m) to Hoot La Summit down (27.45'58.0"N, 96.52'03.2"E, 4081m) to AA6 Abies (27.46'06.2"N, 96.51'50.3"E, 3802m)
12146	Betula utilis	TDA146	Bersay rhododendron sanctuary, near scared lake growing with R. falconeri, berberis species, south Sikkim.
11497	Buddleja sp.	CWT6500	Silvery leaved shrub to 3m. Pink. Lai Chau side of the Tran Son Pass. 2000m
9019	Buddleja sp. ex. KR 7689 (OP)		(D. Ryan) ex. wild collected
12404	Camellia chekiangoleosa		Camellia Forest Nursery
12401	Camellia chrysanthoides		Camellia Forest Nursery
12403	Camellia cuspidata		Camellia Forest Nursery
12400	Camellia parviliba		Camellia Forest Nursery
12402	Camellia sasanqua		Camellia Forest Nursery
11099	Campanumoea javanica?	JN11017	Codonopsis relative with large magenta purple fruit. SE Shaanxi 2200m
11489	Cardamon	CWT6492	Cultivated spice in woodland. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
10159	Cardiocrinum giganteum		(D. Faulkner)
12122	Cardiocrinum giganteum	KR10692	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
12182	Cardiocrinum giganteum		(M. Miles)
11041	Cardiocrinum yunnanense		(J. Marston) (Original plants from seed collected Sichuan, 2004)
12197	Carpinus kawakamii		(M. Miles), Wild collected in Taiwan
12008	Carpinus viminea	KR10357	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); tree 6-8m
12041	Cassiope fastigiatum	KR10449	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
10194	Cercis canadensis		(J. Gregg)
10027	Cirsium sp.	KR10049	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46'11.9"N, 96.53'11.4"E, 3580m) via AA5 (27.45'51.6"N, 96.52'28.0"E, 3833m) to Hoot La Summit down (27.45'58.0"N, 96.52'03.2"E, 4081m) to AA6 Abies (27.46'06.2"N, 96.51'50.3"E, 3802m)
12085	Cirsium sp.	KR10533	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
10195	Clematis heracleifolia		(J. Gregg)
11070	Clematis heracleifolia		(E. Moser)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10172	<i>Clematis rehderiana</i>		(D. Ryan)
12158	<i>Clematis</i> sp.	TDA125	Bersay rhododendron sanctuary, growing over <i>Viburnum erubescens</i> , South Sikkim.
12077	<i>Clematis tongluensis</i>	KR10525	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
11215	<i>Clerodendron</i> sp.	CWT6217	Shrub to 1m. Blue black fruits. Heaven's Gate near Ha Giang. 1150m.
12027	<i>Clethra delavayi</i>	KR10414	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
12263	<i>Clethra delavayi</i>	JN12132	West Yunnan Weixi County 2900m. "yuana"? Few seed. Tree like habit, larger leaves and long flower spikes to 30 cm. Mekong-Salween divide.
12292	<i>Clethra delavayi</i>	JN12177	West Yunnan Lanping County 3300m. Unusual broad obovate leaves with very hairy under side, flower spike 20 cm+. Mekong-Salween divide.
12346	<i>Clethra delavayi</i>	JN12311	South Sichuan Puge County 3100m. Look like the ordinary form.
12392	<i>Clethra delavayi</i>	JN12411	Southeast Hunan Yanling County 1100m. This species is very variable in Hunan but too late in season to observe details.
12178	<i>Clethra monostachya</i>		(M. Miles)
11453	<i>Clethra</i> sp.	CWT6456	Tree to 7m. Upright racemes. So Mi Ti Approx 25km S.E. of Sa Pa 1800m.
11494	<i>Clethra</i> sp.	CWT6497	Tree to 12m. Fruits, 30 cm racemes. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
12397	<i>Clethra</i> sp.	JN12418	Southeast Hunan Yizhang County 1700m. About 6 flower spikes per branch end, probably <i>Clethra barbinervis</i> .
12154	<i>Codonopsis viridis</i>	TDA173	Bersay rhododendron sanctuary, growing over mixed shrub 2500m, South Sikkim.
11303	<i>Cornus</i> sp.	CWT6305	Evergreen tree to 4m. Round fruits. En route to Fan Si Pan from Tran Son Pass. 2100m.
12198	<i>Cotoneaster</i>		(Dan Ryan) Seed collected ex. 04059 AC5526
8145	<i>Cotoneaster</i> cf. <i>bacillaris/gamblei</i>	KR9625	Tree, 6-8m. Arunachal Pradesh state, West Kameng, from the crest of the Se La 4204m down the Se La chu via 2700m to Dirang Dzong 1550m: common at circa 2800-2900m
12005	<i>Cotoneaster</i> cf. <i>simonsii</i>	KR10354	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); shrub 1m, upright habit, leaves small, ovate, apiculate, fruit orange-red
9020	<i>Cotoneaster lucidus</i> (OP)		(D. Ryan) Garden origin
12150	<i>Cotoneaster microphyllus</i>	TDA122	Growing near Bersay trekking huts with <i>Viburnum erubescens</i> , <i>R. falconeri</i> , <i>R. barbatum</i> , <i>R. arboreum</i> ssp. <i>arboreum</i> , South Sikkim.
11433	<i>Cotoneaster</i> sp.	CWT6436	Upright shrub to 3m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
12095	<i>Cotoneaster</i> sp.	KR10604	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 25 (28 33' 55.9" N, 94 05' 12.1" E, 2585m), 24 (28 34' 12.0" N, 94 05' 13.7" E, 2490m), 24 Abies - 1st Abies seen (28 34'
11101	<i>Crawfordia campanulacea</i>	JN11068	Climbing Gentian relative. W Yunnan 3100m
12131	Cyatheaceae	KR10745	INDIA: Arunachal Pradesh, West Siang, drive from Mechuka (Menchukha) (28 35' 57.0" N, 94 08' 20.9" E, 1922m) via 43 CRAWFORDIA (28 32' 29.9" N, 94 14' 17.1" E, 1653m) to Along (Aalo) - Toshi's Palace hotel at 28 09 51.9' N, 94 48' 00.0, 266m: tree fern
11103	<i>Decaisnea fargesii</i>	JN11012	SW Shaanxi 2100m
11104	<i>Desmodium</i> sp.	JN11042	Possibly <i>D. elegans</i> . Midwest Yunnan 2850m
10192	<i>Drimys aromatica</i>		(D. Ryan)
9018	<i>Drimys aromatica</i> (OP)		(D. Ryan) Garden origin
11013	<i>Ehretia thyriflora</i>		(M. Miles)
11204	<i>Emmenopterys henryi</i> aff.	CWT6206	Shrub or tree to 10m. Between Ha Giang and Tuyen, N.E. Vietnam 750m
11061	<i>Enkianthus cernuus rubens</i>		(B. Starling)
11084	<i>Enkianthus chinensis</i>		(E. Moser)
11090	<i>Enkianthus chinensis</i>		(Pam Hayward)
9071	<i>Enkianthus deflexus</i>	NN0930	Variable population here. NE Yunnan 1900m
12004	<i>Enkianthus deflexus</i>	KR10353	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); shrub 2- 3m
12289	<i>Enkianthus deflexus</i>	JN12174	West Yunnan Lanping County 3200m. Scarlet red seed capsules. Mekong-Salween divide.
12395	<i>Enkianthus serrulatus</i>	JN12415	Southeast Hunan Yizhang County 1300m. White flowered species.
9072	<i>Eulalia pallens?</i>	NN0951	Autumn flowering grass, dwarf clumping, about 50cm, new? SW Guizhou 1700m
11105	<i>Euonymus alatus</i> aff.	JN11011	Strong upright leaders very corky winged. SW Shaanxi 2100m
11106	<i>Euonymus alatus</i> aff.	JN11016	Strong upright leaders very corky winged. SE Shaanxi 2200m
11482	<i>Euonymus</i> sp.	CWT6485	Evergreen ? Shrub to 1.5m. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
12107	<i>Euonymus</i> sp.	KR10628	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m), 32 (28 39' 07.3" N, 94 07' 0
10161	<i>Fuchsia excorticata</i>		(D. Rees)
9017	<i>Gaultheria nummularioides</i> (OP)		(D. Ryan) ex. wild collected Himalaya
9073	<i>Gaultheria</i> sp.	NN0953	Arching shrub to 50cm, axillary flower raceme. SW Guizhou 1800m
12006	<i>Gaultheria</i> sp.	KR10355	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); shrub 2m, fruit turquoise
12032	<i>Gaultheria</i> sp.	KR10425	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12064	<i>Gaultheria</i> sp.	KR10505	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12070	<i>Gaultheria</i> sp.	KR10512	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12084	Gaultheria sp.	KR10532	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12094	Gaultheria sp.	KR10601	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 25 (28 33' 55.9' N, 94 05' 12.1' E, 2585m), 24 (28 34' 12.0' N, 94 05' 13.7' E, 2490m), 24 Abies - 1st Abies seen (28 34'
12100	Gaultheria sp.	KR10620	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12101	Gaultheria sp.	KR10621	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
11108	Gaultheria sp.	JN11086	leucocarpa aff. Arching shrub to 60-90 cm. Raceme of white tinged pink fruit. Could be new. W Central Yunnan 2750m
11109	Gentiana cephalantha	JN11067	Flower clustered like Campanula glomerata on spreading stem. W Yunnan 3000m
11110	Gentiana hexaphylla	JN11007	More compact than most autumn Gentian lvs 6-whorled. SC Shaanxi 3400m
11111	Gentiana ternifolia	JN11047	Autumn Gentian lvs 3-whorled. W Yunnan 3000m
11286	Hedychium aff.	CWT6288	Leaves to 1.5m. Basal fruits. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
11016	Hedychium densiflorum		(M. Miles)
12180	Hedychium densiflorum		(M. Miles)
11208	Hedychium sp.	CWT6210	Ginger lily, flower stems to 1.5m. Between Ha Giang and Tuyen, N.E. Vietnam 1020m
11259	Hedychium sp.	CWT6261	To 3m. Pale pink flowers. Sin Ho mountain. N.E Vietnam 500 - 950m.
12155	Hedychium spicatum	TDA169	Bersay rhododendron sanctuary, growing on dead tree trunk near camp 2500m, South Sikkim.
11400	Herb	CWT6403	25cm. flower stem from basal rosette. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
12056	Herb	KR10495	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12058	Herb	KR10498	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12080	Herb	KR10528	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
10193	Hibiscus coccineus		(J. Gregg)
11364	Hydrangea heteromalla	CWT6366	Shrub to 3m. En route to Fan Si Pan from Tran Son Pass. 2700m.
11395	Hydrangea indochinensis	CWT6397	To 3m. Fruits 3 winged. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
12162	Hypericum choisianum aff.	TDA092	Hilley village below Bersay rhododendron sanctuary, growing out off grass banking with mixed perennials 2500m, South Sikkim.
10190	Hypericum pseudohenryi		(D. Ryan)
9128	Hypericum pseudohenryi (OP)		(D. Ryan)
11304	Hypericum sp.	CWT6306	Shrub to 1.2m. Yellow flowers. En route to Fan Si Pan from Tran Son Pass. 2100m.
10044	Hypericum tenuicaule?	KR9765	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50'14.5'N, 96.51'22.3'E, 2525m) to Sayang Jang [SJ] (27.49'18.5'N, 96.51'58.4'E, 2773m): shrub, midway Tongul to SJ, one rogue capsule
12093	Hypericum uralum	KR10598	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 25 (28 33' 55.9' N, 94 05' 12.1' E, 2585m), 24 (28 34' 12.0' N, 94 05' 13.7' E, 2490m), 24 Abies - 1st Abies seen (28 34'
12121	Hypericum uralum	KR10691	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
12183	Idesia polycarpa		(M. Miles), Wild collected in Taiwan
11113	Ilex fargesii	JN11020	Small tree, lanceolate lvs. Lots of berries. SE Shaanxi 2000m
12022	Ilex nothofagifolia	KR10393	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
12103	Ilex nothofagifolia	KR10623	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12065	Ilex or Symplocos	KR10506	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
9076	Ilex pernyi	NN0938	S Sichuan 2800m
12186	Ilex rotunda		(M. Miles), Wild collected in Taiwan
11356	Ilex sp.	CWT6358	12m. Spineless, red fruits. En route to Fan Si Pan from Tran Son Pass. 2600m.
12073	Juniperus squamata	KR10517	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
10152	Juniperus virginiana		(C. Lima) wild collected in Rhode Island, USA
9135	Kalmia latifolia		Wild collected in RI USA, shiny leaves, 3m
12194	Koelreuteria elegans ssp. formosana		(M. Miles), Street tree, collected in Taiwan
9051	Leucothoe davisiae		(O.J. Larsen) California
12261	Leucothoe griffithiana	JN12130	West Yunnan Weixi County 2850m. Very dark green leaves that appear to have a blue cast. Mekong-Salween divide.
9077	Ligularia sp.	NN0905	Very large rounded leaves and tall spike with many small flowers to 1.5m or more. NE Yunnan 2750m
11114	Ligularia sp.	JN11019	1.5-2m flower spike . SE Shaanxi 2200m
11449	Ligustrum sp.	CWT6452	Evergreen? Purple black fruits. So Mi Ti Approx 25km S.E. of Sa Pa 1800m.
8156	Lilium davidii		(Maurice Foster)
12190	Lilium formosanum		(M. Miles), Wild collected in Taiwan

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12081	<i>Lilium nanum</i>	KR10529	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12119	<i>Liriope</i> sp.	KR10688	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2" N, 94 07' 25.2" E, 3878m) via stations 39 (28 40' 22.0" N, 94 07' 23.5" E, 3602m), 38 (28 40' 17.3" N, 94 07' 22.7" E, 3497m), 37 (28 40' 12.4" N, 94 07' 21.1" E, 3497m)
9078	<i>Lobelia seguinii</i>	NN0949	Monocarpic, broad flower spike to 3.5m with long arching side branches, hardness unknown. SW Guizhou 1300m
9079	<i>Lobelia</i> sp.	NN0937	Does not key out, probably monocarpic, straight flower spike to 2.5 m, should be hardy. S Sichuan 2800m
12096	<i>Lonicera</i> sp.	KR10608	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), Yorke stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via Lapka's House (28 37' 50.4" N, 94 06' 25.0" E, 2105m), station 30 (28 38' 11.5" N, 94 06' 30.7" E, 2201m), 31 Oak ridge (28 38' 16.1" N, 94 06' 30.7" E, 2201m)
11115	<i>Lonicera trichosantha</i>	JN11009	Conspicuous orange berries. SE Gansu 2700m
8036	<i>Luculia gratissima</i>	KR9222	Shrub to 5m, flowers deepish pink. Arunachal Pradesh state, between Changwinti & Hayuliang, circa 600m, just west of summit
11228	<i>Luculia</i> sp.	CWT6230	White tinged pink flowers. To 2m. Between Dongvan & Meo Vac N.E. Vietnam 1384m.
11269	<i>Luculia</i> sp.	CWT6271	White tinged pink flowers. To 2m. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
12268	<i>Lyonia doyonensis</i>	JN12139	West Yunnan Weixi County 3100m. Small tree like habit, large rounded leaves to 15 cm and 15 cm flower spikes. Collected at good elevation for this species. Mekong-Salween divide.
11116	<i>Lyonia ovalifolia</i>	JN11083	Semi evergreen . W Central Yunnan 2800m
12272	<i>Lyonia ovalifolia</i>	JN12144	West Yunnan Weixi County 3300m. Long pointed tipped leaves. Mekong-Salween divide.
12381	<i>Lyonia ovalifolia</i>	JN12379	Southwest Hunan Chengbu County 1150m. Deciduous form.
9080	<i>Lyonia ovalifolia</i>	NN0916A	Variable population here, of this variable species, seed from floriferous plants. NE Yunnan 1750m
9081	<i>Lyonia ovalifolia</i>	NN0916B	From same population, but with large (c. 8mm) calyx. NE Yunnan 1750m
9082	<i>Lyonia ovalifolia</i>	NN0950	Small shrubs on recently burnt slope, very floriferous. SW Guizhou 1600m
12048	<i>Lyonia</i> sp.	KR10460	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2" N, 94 05' 28.1" E, 3383m, via 28 (0810) 28 32' 15.5" N, 94 05' 36.7" E, 3458m, 29 Trilectorum (28 32' 10.9" E, 94 05' 36.3" E, 3548m) to 29 Sinjong Camp 3
11117	<i>Lyonia villosa</i>	JN11032	Deciduous, appears to be a good form of the species. S Chongqing 2100m
12275	<i>Lyonia villosa</i>	JN12147	West Yunnan Weixi County 3300m. Compact twiggy deciduous shrub with many short flower spikes. Mekong-Salween divide.
12019	<i>Magnolia (Manglietia) sp</i>	KR10382	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorke stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223)
12007	<i>Magnolia (Michelia) cf. doltsopa</i>	KR10356	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); tree, leaves glabrous, glaucous beneath.
12125	<i>Magnolia (Michelia) doltsopa</i>	KR10725	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5" N, 94 11' 42.9" E, 2060m) to 42 CEPHALO (28 33' 28.8" N, 94 12' 12.2" E, 2057m): tree 20m, in fruit
12177	<i>Magnolia campbelli alba</i>		(M. Miles)
12193	<i>Magnolia (Michelia) compressa</i>		(M. Miles), Garden collected in Taiwan
12204	<i>Magnolia garrettii</i>		(Thinakorn Komkris) Wild collected October 2011 from Mt. Inthanon, Chiang Mai, Thailand at 1500m
12203	<i>Magnolia rajaniana</i>		(Thinakorn Komkris) Original grafted bud from wild tree on Mt. Inthanon, Chiang Mai, Thailand at 1300m
12128	<i>Magnolia rostrata</i>	KR10731	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5" N, 94 11' 42.9" E, 2060m) to 42 CEPHALO (28 33' 28.8" N, 94 12' 12.2" E, 2057m): tree 20m, knocked over when road first built, bowed at base, epicormic stems fruit, cone 15cm, beaked, growing near station 41 beside 10km to Mechuka mile post
12399	<i>Magnolia sieboldii</i>		(John Weagle) from Korea type (WC by Ferris Miller)
12195	<i>Mallotus paniculatus var. formosanus</i>		(M. Miles), Wild collected in Taiwan
8113	<i>Meconopsis paniculata</i>	KR9505	Monocarpic herb, to 1m. Arunachal Pradesh state, Tawang, drive/walk from the crest of the Se La 4204m along the high road back towards Naga GG and the Mande La to Bangla Jang Junction 4163m and then north towards the BJ Gompa campsite 4129m
8116	<i>Meconopsis paniculata (as KR9505)</i>	KR9514	Monocarpic herb, to 1m. Arunachal Pradesh state, Tawang, around Bangla Jang Gompa campsite 4129m: by Gompa
11053	<i>Menziesia cilicalyx x ferruginea (glaucous) (OP)</i>		(B. Starling)
11059	<i>Menziesia multiflora x ferruginea (glaucous)</i>		(B. Starling)
10163	<i>Metrosideros excelsa</i>		(D. Rees)
12192	<i>Miscanthus sinensis</i>		(M. Miles), Wild collected in Taiwan
12149	<i>Neillia rubiflora</i>	TDA206	Above 0.3 mile village near Munpoo village, Darjeeling, West Bengal 1750m.
12157	<i>Neillia rubiflora</i>	TDA136	Bersay rhododendron sanctuary, growing with <i>R. grande</i> 2700m, South Sikkim.
11118	<i>Nomocharis farreri</i>	JN11060	W Yunnan 3300m
11468	<i>Osbeckia</i> sp.	CWT6471	Scandent shrub to 2m. Tran Son Pass, above Ban Khoang 1900 to 2000m.
12163	<i>Osmanthus suavis</i>	TDA133	Bersay rhododendron sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2800m, South Sikkim.
12185	<i>Paulownia kawakamii</i>		(M. Miles), Wild collected in Taiwan
9085	<i>Pennisetum alopecuroides</i>	NN0960	SW Guizhou 1600m
12184	<i>Photinia nitakayamensis</i>		(M. Miles), Wild collected in Taiwan
12016	<i>Photinia</i> sp.	KR10378	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorke stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223)
12126	<i>Photinia</i> sp.	KR10726	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5" N, 94 11' 42.9" E, 2060m) to 42 CEPHALO (28 33' 28.8" N, 94 12' 12.2" E, 2057m): epiphytic shrub on <i>Michelia</i> 10722, fruit ripening to purplish, in large
9053	<i>Phyllodoce tsugaefolia</i>		(O.J. Larsen)
12211	<i>Pieris formosa</i>	JN12014	South Sichuan Huidong County 3200m. Red calyx.
12188	<i>Pinus armandii</i>		(M. Miles), Wild collected in Taiwan
12009	<i>Pinus bhutanica</i>	KR10358	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); trees to 25m+ in vicinity, foliage varies from glaucous green to fresh green, some trees very shapely, cones from 2 trees

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12179	<i>Pittosporum daphniphyloides</i>		(M. Miles)
12102	<i>Polygonatum</i> sp	KR10622	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12090	<i>Polygonatum</i> sp.	KR10558	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 25 (28 33' 55.9' N, 94 05' 12.1' E, 2585m), 24 (28 34' 12.0' N, 94 05' 13.7' E, 2490m), 24 Abies - 1st Abies seen (28 34'
11119	<i>Primula poissonii</i>	JN11035	More robust than usual western Yunnan type. NE Yunnan 2800m
11235	<i>Pyracantha</i> sp.	CWT6237	Shrub to 1.5m. Orange red fruits Sun La N.E. Vietnam 1463m.
11422	<i>Pyrus</i> sp.	CWT6425	Tree to 3m. In woodland. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
12011	<i>R. (boothii) mishmiense</i>	KR10365	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub, epiphyte, either amandum or BOOTHIA, capsule with 6 cells, style bent downwards
12118	<i>R. (boothii) mishmiense</i>	KR10687	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
12124	<i>R. (boothii) mishmiense</i>	KR10716	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
12210	<i>R. aberconwayi</i>	JN12013	South Sichuan Huidong County 3150m. One of the first re-introductions of the species for 70 years and the first record of it from Sichuan. Some more narrow leaved forms in this population.
12364	<i>R. aberconwayi</i>	JN12346	North Central Yunnan Qujing County 2400m. One of the first re-introductions of the species for 70 years. Mostly short compact plants (0.5-1m) growing fully exposed and some hybrids with <i>irroratum</i> were observed in this population.
12304	<i>R. adenogynum</i>	JN12216	Northwest Yunnan Lijiang County 3200m. Few seed.
12226	<i>R. aganiphum</i>	JN12051	West Sichuan Baoxing County 4050m. Thinner indumentum northern type.
12249	<i>R. aganiphum</i>	JN12097	West Sichuan Yajiang County 4300m. Thinner indumentum northern type.
12324	<i>R. aganiphum</i>	JN12266	Southwest Sichuan Jiulong County 4200m. Thinner indumentum northern type.
12362	<i>R. agastum</i>	JN12344	North Central Yunnan Qujing County 2300m. Natural hybrid of <i>delavayi</i> and <i>irroratum</i> , often found growing with <i>delavayi</i> .
12169	<i>R. albrechtii</i> (OP)		(Barry Stirling)
7351	<i>R. ambiguum</i>	ACSN6083	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7398	<i>R. ambiguum</i>	ACSN6130	Emei Shan, Sichuan. Altitude 2500-2900m
7402	<i>R. ambiguum</i>	ACSN6134	Emei Shan, Sichuan. Altitude 2500-2900m
12242	<i>R. ambiguum</i>	JN12085	West Sichuan Kangding County 3000m. Looks most like this taxa but could also be purple flowered <i>concinnum</i> .
12355	<i>R. ambiguum</i>	JN12322	Central Sichuan Emeishan County 2950m. Mostly 5-6 flowers per truss.
12344	<i>R. amundsenianum</i>	JN12304	South Sichuan Mianing County 4100m. Appear to be this species which would mean a new and only second known location.
12354	<i>R. amundsenianum</i>	JN12321	South Sichuan Puge County 3950m. Re-introduction of this newly introduced species from type location.
11145	<i>R. annae</i> ssp. <i>laxiflorum</i>	JN11079	W Central Yunnan 2700m
11517	<i>R. anthopogon</i> ssp. <i>anthopogon</i>	TDA028	Growing with <i>R. fulgens</i> , above Dzongji 3950m, West Sikkim
11528	<i>R. anthopogon</i> ssp. <i>anthopogon</i>	TDA034	Found growing with <i>R. nivale</i> by stream near Dzongri camp 3950m, West Sikkim
12259	<i>R. anthosphaerum</i>	JN12127	West Yunnan Weixi County 2950m.
12294	<i>R. anthosphaerum</i>	JN12187	Midwest Yunnan Heqing County 3200m.
11071	<i>R. anwheense</i> , (OP)		(E. Moser)
7059	<i>R. araiophyllum</i>	ACSN5786	Zibenshan, east facing slopes, Yunnan. Altitude 2000-2500m
7066	<i>R. araiophyllum</i>	ACSN5793	Zibenshan, east facing slopes, Yunnan. Altitude 2000-2500m
11532	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA012	As TDA013
11536	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA013	Tsokha base camp, growing with <i>R. falconeri</i> , <i>R. barbatum</i> and <i>berberis</i> species, 3000m, West Sikkim.
12142	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA088	Hilley village below Bersay rhododendron sanctuary, growing with <i>R. grande</i> and <i>R. griffithianum</i> 2500m, South Sikkim.
12143	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA089	As TDA088
12144	<i>R. arboreum</i> ssp. <i>arboreum</i>	TDA110	As TDA088
9024	<i>R. arboreum</i> ssp. <i>cinnamomeum</i>		Glendoick (HP). High altitude form ex. Nepal, red to pink flowers
12138	<i>R. arboreum</i> ssp. <i>cinnamomeum</i>	TDA096	Road to Hilley Village 2500m, South Sikkim.
11094	<i>R. arboreum</i> ssp. <i>nilagiricum</i>		(Viru & Girija Viraraghavan) Kodaikanal, Palmi Hills, Western Ghats Mountains, Tamil Nadu, India (2300m)
11419	<i>R. arboreum</i> ssp. <i>peramoenum</i> aff.	CWT6422	Tree to 6m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
12199	<i>R. arboreum</i> ssp. <i>zeylanicum</i>		(J. Bronnec) Horton Plains, Sri Lanka
10252	<i>R. arboreum</i> ssp. <i>zeylanicum</i>	AC	Wild collected by AC at Newara Eliya, Sri Lanka at 2000m
7361	<i>R. argyrophyllum</i> ssp.	ACSN6093	Dafengding Shan, Sichuan. Altitude 2900m
7366	<i>R. argyrophyllum</i> ssp.	ACSN6098	Dafengding Shan, Sichuan. Altitude 2900m
7369	<i>R. argyrophyllum</i> ssp.	ACSN6101	Dafengding Shan, Sichuan. Altitude 2900m
7371	<i>R. argyrophyllum</i> ssp.	ACSN6103	Dafengding Shan, Sichuan. Altitude 2900m
10067	<i>R. arizelum</i>	KR9875	INDIA: Arunachal Pradesh, Anjaw district, Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m) via Lap Ti bridge at 27.48'53.4"N, 96.52'09.9"E, 2861m) & AA4 (27.48'29.7"N, 96.52'18.6"E, 2948m) to Dong La (27.48'03.0"N, 96.52'35.4"E, 3092m); tree
10068	<i>R. arizelum</i>	KR9891	INDIA: Arunachal Pradesh, Anjaw district, Sayang Jang [SJ] (27.49'18.5"N, 96.51'58.4"E, 2773m) via Lap Ti bridge at 27.48'53.4"N, 96.52'09.9"E, 2861m) & AA4 (27.48'29.7"N, 96.52'18.6"E, 2948m) to Dong La (27.48'03.0"N, 96.52'35.4"E, 3092m); tree
12104	<i>R. arizelum</i> aff.	KR10624	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12105	<i>R. arizelum</i> aff.	KR10626	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12228	<i>R. asterocnoulm</i>	JN12058	West Sichuan Baoxing County 3100m. A bit of thin indumentum on mid rip and lateral veins which persist for 2-3 years, otherwise like <i>calophyllum</i> .

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10254	<i>R. augustinii</i>	CDHM14576	Luoji Shan, south Sichuan
12345	<i>R. augustinii</i>	JN12310	South Sichuan Puge County 3100m. Few seed.
12370	<i>R. augustinii</i>	JN12352	North Central Yunnan Luquan County 3100m. Small leaved form recalling yunnanense in general appearance and sunny drier habitat. Probably the southern limit of the species.
10251	<i>R. auriculatum</i> (OP)	OP43/10	(Muncaster Castle) late flowering so isolated, likely to come true from seed
9031	<i>R. auriculatum</i> (Selfed)		(A.J. de Boer) Garden origin, isolated so self pollinated
9032	<i>R. auriculatum</i> (Selfed)		(A.J. de Boer) Garden origin, isolated so self pollinated
11072	<i>R. austrinum</i> , (OP, ex Georgia, USA)		(E. Moser)
12213	<i>R. balangense</i>	JN12019	Central Sichuan Wenchuan County 2650m. Very narrow endemic species that prefers very steep slopes and cliffs. Possibly of hybrid origin (<i>watsonii</i> x <i>prattii</i>) but in which case it grows away from either of suggested parents.
12318	<i>R. balfourianum</i> var. <i>aganniphoides</i>	JN12255	Southwest Sichuan Muli County 4000m. Variety with thicker indumentum (with coppery shine in this population) than the species.
12136	<i>R. barbatum</i>	TDA120	Above Hilley Village, 2600m, South Sikkim.
11529	<i>R. barbatum</i>	TDA076	Outstanding trunk, growing near Yak stop between Phedang and Tsokha 3330m, West Sikkim
12253	<i>R. beesianum</i>	JN12103	Northwest Yunnan Zhongdian County 4100m.
12284	<i>R. beesianum</i>	JN12160	Midwest Yunnan Jianchuan County 3900m. Unusual broad leaves population, some approaching the leaf shape of <i>lacteum</i> .
12328	<i>R. beesianum</i>	JN12273	Southwest Sichuan Jiulong County 3950m.
12266	<i>R. brachyanthum</i> ssp. <i>hypolepidotum</i>	JN12136	West Yunnan Weixi County 3000m. Mekong-Salween divide.
4274	<i>R. brachycarpum</i> (Bayport Plant Farm #1)		(John Weagle) Nova Scotia (Isolated)
11513	<i>R. brachycarpum</i> Tigerstedtii Group (Selfed)		(O. J. Larsen)
4275	<i>R. brachycarpum</i> 'Tony Law'		(John Weagle) Nova Scotia (Isolated)
12214	<i>R. bracteatum</i>	JN12020	Central Sichuan Wenchuan County 2650m. Probably the first re-introduction of the real thing for many years. Like a smaller <i>heliopsis</i> , late flowering and very aromatic leaves.
12303	<i>R. bureavii</i>	JN12214	Midwest Yunnan Eryuan County 3900m. First re-introduction from the area where this was first collected by Delavay and introduced by Forrest/Rock. Great foliage form with thick dense rust coloured indumentum. Western type.
12351	<i>R. bureavii</i>	JN12318	South Sichuan Puge County 3900m. From same location as JN12314 but from higher elevation and with no/few glands and more indumentum of the typical more open indumentum of the eastern type.
12373	<i>R. bureavii</i>	JN12358	North Central Yunnan Luquan County 3800m. Typical open indumentum of the eastern (<i>cruentum</i>) type.
12348	<i>R. bureavii</i> aff.	JN12314	South Sichuan Puge County 3750m. <i>bureavioides</i> aff. - a very unusual form where the indumentum is largely replaced by glands, relative large leaves.
12241	<i>R. bureavioides</i>	JN12084	West Sichuan Kangding County 3000m. This is a good match on Wilson's type specimen, has been confused with <i>danbaense</i> in the past.
12358	<i>R. calophytum</i>	JN12325	Central Sichuan Emeishan County 2500m.
10245	<i>R. calophytum</i> (OP)	OP34/10	(Muncaster Castle) will make a good understock for sp. within subsection <i>Falconera</i> , group A
12233	<i>R. calophytum</i> var. <i>openshawianum</i>	JN12067	West Sichuan Tianquan County 1800m. Smaller leaves and fewer flowers than <i>calophytum</i> .
11522	<i>R. campylocarpum</i>	TDA022	As TDA023
12046	<i>R. campylocarpum</i> ssp. <i>caloxanthum</i> ?	KR10458	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
12049	<i>R. campylogynum</i>	KR10461	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
10177	<i>R. campylogynum</i> Myrtilloides Group (HP selfed)		(O.J. Larsen)
12201	<i>R. campylogynum</i> var. <i>myrtilloides</i> (Controlled pollination)		(M. Jorgensen)
11511	<i>R. campylogynum</i> , Myrtilloides Group (Selfed)		(O. J. Larsen)
10164	<i>R. camtschaticum</i>		(M. Jorgensen)
12200	<i>R. camtschaticum</i> (OP)		(M. Jorgensen)
12033	<i>R. cerasinum</i>	KR10426	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12050	<i>R. cerasinum</i>	KR10462	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
12072	<i>R. cerasinum</i>	KR10516	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12115	<i>R. cerasinum</i>	KR10681	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.1' E, 3497m)
12116	<i>R. cerasinum</i>	KR10682	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.1' E, 3497m)
12066	<i>R. cf. concatanans</i>	KR10507	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12071	<i>R. cf. concatanans</i>	KR10515	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12083	<i>R. cf. concatanans</i>	KR10531	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12086	<i>R. cf. concatenans</i>	KR10534	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12390	<i>R. championae</i>	JN12408	Southeast Hunan Yanling County 900m. Few seed.
11092	<i>R. ciliatum</i> (HP selfed)		(Pam Hayward)
11526	<i>R. cinnabarinum</i>	TDA069	Growing in <i>R. hodgsonii</i> forest between Prek chu and Phedang 3500m, West Sikkim
11533	<i>R. cinnabarinum</i>	TDA049	Growing in <i>R. hodgsonii</i> forest between Dzungri and Prek chu 3800m, West Sikkim
12285	<i>R. clementinae</i>	JN12164	Midwest Yunnan Jianchuan/Lanping County 4000m. New collection, indumentum with well developed pellicle like aganiphum but 7 lobed flowers.
9091	<i>R. coeloneuron</i>	NN0926	Nice foliage and seems closely related to <i>R. denudatum</i> . This population was mostly growing in boggy conditions near a stream. NE Yunnan 1800m
11073	<i>R. columbianum</i> (OP, = <i>Ledum columbianum</i>)		(E. Moser)
12333	<i>R. concinnum</i>	JN12290	South Sichuan Mianning County 3500m. Yellow form? Densely scaled underside to leaves, few flowers seen were yellow. Others have reported this form from neighbouring county.
12237	<i>R. concinnum/ambiguum</i>	JN12080	West Sichuan Luding County 2950m. Flowers not seen.
12262	<i>R. coriaceum</i>	JN12131	West Yunnan Weixi County 2850m. Mekong-Salween divide.
12290	<i>R. coriaceum</i>	JN12175	West Yunnan Lanping County 3200m. Mekong-Salween divide.
10239	<i>R. coriaceum</i> (OP)	OP22/10	(Muncaster Castle) good for understock subsection Falconera, group B1
11360	<i>R. crassum</i>	CWT6362	Shrub 2.5m. En route to Fan Si Pan from Tran Son Pass. 2700m.
11421	<i>R. crassum</i>	CWT6424	Shrub 2.5m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
12273	<i>R. crinigerum</i>	JN12145	West Yunnan Weixi County 3300m. Mekong-Salween divide.
12307	<i>R. cuneatum</i>	JN12241	Northwest Yunnan Ninglang County 3750m.
12314	<i>R. cuneatum</i>	JN12249	Southwest Sichuan Muli County 3300m.
6359	<i>R. cyanocarpum</i>	ZH-G079	Tali Region, Yunnan 2800m
11125	<i>R. cyanocarpum</i>	JN11039	Midwest Yunnan 3400m
7174	<i>R. cyanocarpum</i> aff.	ACSN5904	Cangshan, west of Dali, Yunnan. Altitude 3100-4000m
12134	<i>R. dalhousiae</i>	TDA159	Bersay rhododendron sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2600m, South Sikkim.
12135	<i>R. dalhousiae</i>	TDA162	Bersay rhododendron sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2600m, South Sikkim.
12139	<i>R. dalhousiae</i>	TDA158	Bersay rhododendron sanctuary, growing as an epiphyte on <i>Lithocarpus pachyphylla</i> , 2600m, South Sikkim.
12223	<i>R. danbaense</i> aff.	JN12046	West Sichuan Xiaojin County 3350m. Have seen isotype in Chinese herbarium and this is a good match, this differs from type specimen in smaller (almost no) calyx, also this collection has somewhat persistent bud scales (perulae). This species was introduced in early 80s as <i>bureavioides</i> by Warren Berg.
12224	<i>R. danbaense</i> aff.	JN12047	West Sichuan Xiaojin County 3350m. Have seen isotype in Chinese herbarium and this is a good match, this differs from type specimen in smaller (almost no) calyx, also this collection has somewhat persistent bud scales (perulae). This species was introduced in early 80s as <i>bureavioides</i> by Warren Berg.
12232	<i>R. davidsonianum</i>	JN12065	West Sichuan Tianquan County 1450m. Leaves with denser scales.
12240	<i>R. davidsonianum</i>	JN12083	West Sichuan Luding County 2600m.
11126	<i>R. davidsonianum</i> aff.	JN11038	Quite compact with smaller broad dark scaled lvs. NE Yunnan 3200m
6360	<i>R. decorum</i>	ZH-G068	Tali Region, Yunnan 2860m
12239	<i>R. decorum</i>	JN12082	West Sichuan Luding County 2600m. Near northern limit of the species.
12288	<i>R. decorum</i>	JN12173	West Yunnan Lanping County 3150m. Seems more like <i>decorum</i> than <i>diaprepes</i> . Mekong-Salween divide.
12322	<i>R. decorum</i>	JN12263	Southwest Sichuan Jiulong County 3600m. Narrow leaved form from high elevation.
9094	<i>R. decorum</i>	NN0907	From typical habitat for this species, among evergreen oak scrub, quite an eastern population of this species. S NE Yunnan 3000m
7153	<i>R. decorum</i> (as ACSN5882)	ACSN5883	Cangshan, west of Dali, Yunnan. Altitude 2600-3100m
9025	<i>R. decorum</i> (Pink)		Glendoick (HP)
7058	<i>R. decorum</i> aff.	ACSN5785	Zibenshan, east facing slopes, Yunnan. Altitude 2000-2500m
11127	<i>R. decorum</i> aff.	JN11037	Compact round leaf type from top of mountain. NE Yunnan 3200m
7643	<i>R. decorum</i> 'Pale Pink' ex. SBEC		Glendoick (HP)
11128	<i>R. decorum</i> ssp. <i>diaprepes</i>	JN11074	SW Yunnan 2800
11129	<i>R. delavayi</i>	JN11040	Near altitude limit of the species. Midwest yunnan 3200m
12287	<i>R. delavayi</i>	JN12172	West Yunnan Lanping County 2900m. Relative thin indumentum in this collection. Mekong-Salween divide.
12368	<i>R. delavayi</i>	JN12350	North Central Yunnan Luquan County 3100m. Known to be quite hardy from this area.
12383	<i>R. delavayi</i>	JN12387	Southwest Hunan Chengbu County 1650m. This species is very variable in Hunan but too late in season to observe details.
12336	<i>R. dendrocharis</i>	JN12293	South Sichuan Mianning County 3000m. Same population as NN0944.
7287	<i>R. denudatum</i>	ACSN6017	Niu Jiao Ya, Zhaotang County. Altitude 2000m
12334	<i>R. denudatum</i>	JN12291	South Sichuan Mianning County 2900m.
9097	<i>R. denudatum</i>	NN0934	Another collection from a different area, seems closer to <i>denudatum</i> than <i>coeloneuron</i> . S Sichuan 2600m
11133	<i>R. discolor</i>	JN11033	Narrow leaved form. S Chongqing 1600m
12384	<i>R. discolor/maoerense</i> aff.	JN12388	Southwest Hunan Chengbu County 1650m. Differs from <i>discolor</i> in long rachis like and pedicel more densely glandular, but not long glandular hair like <i>maoerense</i> . c.10 flowers per truss.
12385	<i>R. discolor/maoerense</i> aff.	JN12390	Southwest Hunan Xinning County 1200m. Differs from <i>discolor</i> in long rachis like and pedicel more densely glandular, but not long glandular hair like <i>maoerense</i> . c.10 flowers per truss.
12271	<i>R. eclecticum</i>	JN12143	West Yunnan Weixi County 3300m. Mekong-Salween divide.
11074	<i>R. eclecticum</i> , yellow, (OP)		(E. Moser)
4286	<i>R. edgeworthii</i>	AC5264	Chander to Thungri, mean altitude 3100m, West Kamang, Arunachal Pradesh
6362	<i>R. edgeworthii</i>	ZH-G071	Tali Region, Yunnan 2978m
11134	<i>R. edgeworthii</i>	JN11081	W Central Yunnan 2750m

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12026	<i>R. edgeworthii</i>	KR10413	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
12264	<i>R. edgeworthii</i>	JN12133	West Yunnan Weixi County 2950m. Epiphytic, this collection was pendulous in the wild. Mekong-Salween divide.
12306	<i>R. elegantulum</i>	JN12240	Northwest Yunnan Ninglang County 3750m. First re-introduction of this species for many years, only one known location and it has taken 5 attempts to locate the main population. No other <i>Taliensia</i> was found here so not a hybrid. One of the best foliage plants in the genus.
11087	<i>R. elegantulum</i> (Reuthe form x Bovee form, HP)		(C. Staune)
11314	<i>R. emarginatum</i>	CWT6316	Shrub to 60cm. Yellow flowers. En route to Fan Si Pan from Tran Son Pass. 2100m.
12106	<i>R. exasperatum</i>	KR10627	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
11277	<i>R. excellens</i>	CWT6279	Shrub / tree to 3m. White flowers. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
11278	<i>R. excellens</i>	CWT6280	Shrub / tree to 3m. White flowers. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
11279	<i>R. excellens</i>	CWT6281	Shrub / tree to 3m. White flowers. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
11483	<i>R. excellens</i>	CWT6486	Tall form to 4.5m. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
12356	<i>R. faberi</i>	JN12323	Central Sichuan Emeishan County 2950m. Leaves much smaller than prattii.
11135	<i>R. facetum</i>	JN11041	Midwest Yunnan 3150m
11136	<i>R. facetum</i>	JN11055	W Yunnan 2900m
11393	<i>R. facetum</i>	CWT6395	Tree to 5m. En route to Fan Si Pan from Tran Son Pass. 2400m.
12208	<i>R. facetum</i>		(R.Vigrestad) Bijiang, Yunnan 3100m
11530	<i>R. falconeri</i>	TDA080	Tsokha base camp, growing with <i>R. falconeri</i> , <i>R. barbatum</i> and <i>berberis</i> species, 3000m, West Sikkim
12145	<i>R. falconeri</i>	TDA147	Bersay rhododendron sanctuary, near scared lake growing with <i>R.falconeri</i> , <i>berberis</i> species, South Sikkim.
11388	<i>R. fansipanense</i> aff.	CWT6390	Tree to 5m. En route to Fan Si Pan from Tran Son Pass. 2400m.
12301	<i>R. fastigiatum</i>	JN12209	Midwest Yunnan Eryuan County 3700m. Collected from many plants in huge population.
12376	<i>R. fastigiatum</i>	JN12363	North Central Yunnan Luquan County 4000m. Few seed.
12281	<i>R. fictolacteum</i>	JN12155	Midwest Yunnan Jianchuan County 3700m. Seed of plants with many flowered truss.
12300	<i>R. fictolacteum</i>	JN12208	Midwest Yunnan Eryuan County 3600m. Seed of plants with good rust coloured indumentum.
12247	<i>R. flavidum</i>	JN12094	West Sichuan Yajiang County 3650m.
12269	<i>R. floccigerum</i>	JN12140	West Yunnan Weixi County 3300m. Mekong-Salween divide.
10231	<i>R. formosum</i> iteophyllum Group (OP)	OP11/10	(Muncaster Castle) H3 hardy
10227	<i>R. fortunei</i> ssp. <i>Discolor</i> Houlstonii Group (OP)	OP06/10	(Muncaster Castle) a good understock for sp. witin subsection <i>Fortunea</i> group A
7644	<i>R. fortunei</i> ssp. <i>fortunei</i>		Glendoick (HP)
9023	<i>R. fortunei</i> ssp. <i>fortunei</i>		Glendoick (HP)
8123	<i>R. fulgens</i>	KR9538	Shrub, 4-5m. Arunachal Pradesh state, Tawang, from Bangla Jang Gompa campsite 4129m down the BJ chu to 3306m, collections dropping down from 4000m to 3800m
8144	<i>R. fulgens</i>	KR9624	Shrub, 1-3m. Arunachal Pradesh state, Tawang, from Jang 2400m up the Gyele Chu to Se La Tsariense 3793m to crest of the Se La 4204m: at Se La Tsariense site
11524	<i>R. fulgens</i>	TDA023	Phedang camp 3750m, growing with <i>R. thomsonii</i> , <i>R.campylocarpum</i> , <i>Abies spectabilis</i> , <i>Rosa</i> species, <i>Sorbus</i> species, West Sikkim
11527	<i>R. fulgens</i>	TDA024	As TDA023
11531	<i>R. fulgens</i>	TDA038	Growing at side of valley behind Dzongri camp, 3950m, West Sikkim
12280	<i>R. fulvum</i>	JN12154	Midwest Yunnan Jianchuan County 3500m. Few seed.
12299	<i>R. fulvum</i>	JN12207	Midwest Yunnan Eryuan County 3600m. Not recorded from this area before, growing with <i>fictolacteum</i> .
12365	<i>R. fuyuanense</i>	JN12347	North Central Yunnan Qujing County 2400m. New to cultivation, recently described species close to <i>racemosum</i> and <i>spiciferum</i> , flowers white to pink/purple.
12230	<i>R. galactinum</i>	JN12060	West Sichuan Baoxing County 3100m.
12170	<i>R. genestierianum</i> (OP)		(O. J. Larsen)
12043	<i>R. glaucophyllum</i> ssp. <i>tubiforme</i>	KR10455	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
12062	<i>R. glaucophyllum</i> ssp. <i>tubiforme</i>	KR10502	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12075	<i>R. glaucophyllum</i> ssp. <i>tubiforme</i>	KR10521	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12078	<i>R. glaucophyllum</i> ssp. <i>tubiforme</i>	KR10526	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12267	<i>R. glischrum</i>	JN12137	West Yunnan Weixi County 3000m. Few seed. Mekong-Salween divide.
12291	<i>R. glischrum</i>	JN12176	West Yunnan Lanping County 3300m. Mekong-Salween divide.
12021	<i>R. glischrum</i> ssp. <i>rude</i>	KR10388	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
12028	<i>R. glischrum</i> ssp. <i>rude</i>	KR10415	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
12133	<i>R. grande</i>	TDA118	Road to Hilley Village 2500m, South Sikkim.
12137	<i>R. grande</i>	TDA098	Road to Hilley Village, 2500m, South Sikkim.
12140	<i>R. grande</i>	TDA161	Bersay rhododendron sanctuary, mixed forest 2600m, South Sikkim.
7658	<i>R. griersonianum</i> (OP)	OP1	(Alan Clark)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12141	<i>R. griffithianum</i>	TDA90	As TDA088
11138	<i>R. heliolepis</i>	JN11059	W Yunnan 3400m
12283	<i>R. heliolepis</i>	JN12158	Midwest Yunnan Jianchuan County 3900m. High elevation collection.
12372	<i>R. heliolepis</i> var <i>fumidum</i>	JN12357	North Central Yunnan Luquan County 3800m. Mostly pinky purple flowers and less aromatic leaves. Occurring further east than <i>heliolepis</i> .
10228	<i>R. heliolepis</i> var. <i>brevistylum</i> (OP)	OP07/10	(Muncaster Castle) usually comes true from seed
12313	<i>R. hemitrichotum</i>	JN12248	Southwest Sichuan Yanyuan County 3250m. Mostly white flowered, some tinged pink.
12225	<i>R. heteroclitum</i> aff.	JN12050	West Sichuan Baoxing County 4050m. New to cultivation, recently described species belonging to <i>Pogonanthum</i> (anthopogon) and looks a bit like <i>cephalanthum</i> . This collection differs from type description in it has a few scales on calyx. Found quite near type location.
12258	<i>R. hippophaeoides</i> var. <i>occidentale</i>	JN12126	West Yunnan Weixi County 2950m. Might be intermediate with <i>polycladum</i> .
11518	<i>R. hodgsonii</i>	TDA016	Growing in <i>R. hodgsonii</i> and <i>R. barbatum</i> forest with <i>Abies Spectabilis</i> and <i>Acer</i> species, 3300m, West Sikkim
11520	<i>R. hodgsonii</i>	TDA050	Prek chu river near camp, growing with <i>Abies spectabilis</i> , <i>Sorbus</i> species and <i>R. hodgsonii</i> 3700m, West Sikkim
11521	<i>R. hodgsonii</i>	TDA016	Below Phedang, 3500m, West sikkim
11534	<i>R. hodgsonii</i>	TDA015	As TDA016
12015	<i>R. hookeri</i>	KR10377	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
12209	<i>R. huidongense</i>	JN12012	South Sichuan Huidong County 3150m. New to cultivation, recently described species belonging to <i>Parishia</i> from type location. Small 4-8 cm long leaves on compact plants growing fully exposed, further east than other Chinese <i>Parishia</i> and could be harder than others, late flowering. This is not the same as the plant from Vietnam.
12212	<i>R. hunnewellianum</i>	JN12017	Central Sichuan Wenchuan County 2050m. Rarely collected species.
11076	<i>R. hunnewellianum</i> , (OP)		(E. Moser)
12229	<i>R. hybrid</i> (<i>asterochnoum</i> x <i>oreodoxa</i>) (Wild collected)	JN12059	West Sichuan Baoxing County 3100m. No indumentum and small stigma.
5022	<i>R. hybrid</i> (<i>fortunei</i> ssp. <i>discolor</i> x <i>williamsianum</i>)		Netherlands (HP)
5023	<i>R. hybrid</i> (<i>fortunei</i> ssp. <i>fortunei</i> x <i>williamsianum</i>)		Netherlands (HP)
6080	<i>R. hybrid</i> (<i>orbiculare</i> x <i>thomsonii</i>) (HP)		(M Leijdens)
6079	<i>R. hybrid</i> (<i>petrocharis</i> x <i>pemakoense</i>) (HP)		(M Leijdens)
12277	<i>R. hybrid</i> (<i>sinogrande</i> x <i>fiolacteum</i>) (Wild collected)	JN12151	Midwest Yunnan Jianchuan County 3600m. Growing where the two species meet.
6072	<i>R. hybrid</i> { <i>nuttallii</i> x <[(<i>dalhousiae</i> x <i>taggianum</i>) x (<i>dalhousiae</i> x <i>nuttallii</i>)] x <i>lindleyi</i> >} likely selfed (HP)		(John Weagle)
9038	<i>R. hybrid</i> 'Golden Coach' x 'Antonio'		(C. Fleming)
12265	<i>R. hylaeum</i>	JN12135	West Yunnan Weixi County 3000m. From further east than the main range of the species, but seem to fit ok. Mekong-Salween divide.
12168	<i>R. hypoleucum</i> (OP)		(Barry Starling)
11055	<i>R. hypoleucum</i> 'Teshio' (OP but does not cross)		(B. Starling) syn. <i>Ledum palustre</i> v. <i>diversipilosum</i> 'Teshio'
4349	<i>R. intermediate</i> between <i>R. wallichii</i> & <i>flinckii</i>	AC5423	Sanya to Tsomjog. West Kameng, Arunachal Pradesh/Bhutan border area. Alt. 4100m
4403	<i>R. intermediate</i> between <i>R. wallichii</i> & <i>flinckii</i>	AC5426	
12245	<i>R. intricatum</i>	JN12088	West Sichuan Kangding County 3750m.
12325	<i>R. intricatum</i>	JN12267	Southwest Sichuan Jiulong County 4200m.
11142	<i>R. irroratum</i>	JN11045	Midwest Yunnan 2800m
12296	<i>R. irroratum</i>	JN12189	Midwest Yunnan Eryuan County 3200m.
12366	<i>R. irroratum</i>	JN12348	North Central Yunnan Qujing County 2400m. Seen in flower, all cream and pale yellow mostly spotted with purple "ningyuenense".
9101	<i>R. irroratum</i>	NN0961	An eastern collection. SW Guizhou 1700m
11345	<i>R. irroratum</i> aff.	CWT6347	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
12018	<i>R. kasoense</i>	KR10380	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
12091	<i>R. kasoense</i> aff?	KR10577	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 25 (28 33' 55.9" N, 94 05' 12.1" E, 2585m), 24 (28 34' 12.0" N, 94 05' 13.7" E, 2490m), 24 <i>Abies</i> - 1st <i>Abies</i> seen (28 34'
10171	<i>R. kawakamii</i> - <i>pseudovireya</i> (HP)		(Pam Hayward)
12010	<i>R. kendrickii</i>	KR10359	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9" N, 94 09' 58.0" E, 1922m) by Yargyap chu (Siyom chu); small tree, capsule narrow with long style, in forest, 2 collected
12023	<i>R. kendrickii</i>	KR10395	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
4373	<i>R. kesangiae</i> hybrid (Wild Collected)	AC5350	Thungri to Khuthom, West Kameng, Arunachal Pradesh. Altitude range 3100/3500m
12111	<i>R. keysii</i>	KR10649	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m), 32 (28 39' 07.3" N, 94 07' 0
12405	<i>R. kiangsiense</i> (ex EN6053) (HP)		(Pam Hayward)
11344	<i>R. klossii</i>	CWT6346	Tree to 10m. Narrow curved capsules En route to Fan Si Pan from Tran Son Pass. 2600m.
11392	<i>R. klossii</i>	CWT6394	Tree to 6m. Narrow curved capsules En route to Fan Si Pan from Tran Son Pass. 2400m.
12302	<i>R. lacteum</i>	JN12212	Midwest Yunnan Eryuan County 3800m. This is from Delavay's type location and not Cangshan.
12350	<i>R. lacteum</i>	JN12317	South Sichuan Puge County 3900m. Strong growing easier to cultivate eastern type.
12374	<i>R. lacteum</i>	JN12359	North Central Yunnan Luquan County 3900m. Strong growing easier to cultivate eastern type.

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
11077	R. 'Lampion', orange/red Hybr.(OP)		(E. Moser)
11523	R. lanatum	TDA031	As TDA066
11525	R. lanatum	TDA025	As TDA023
12377	R. latoucheae	JN12372	North Guangxi Xing'an County 800m. Variable species often found growing in very exposed conditions.
12380	R. latoucheae	JN12377	Southwest Hunan Chengbu County 1000m. Variable species often found growing in very exposed conditions.
12393	R. latoucheae	JN12412	Southeast Hunan Yanling County 1100m. Variable species often found growing in very exposed conditions.
4382	R. leptocarpum	AC5348	
4384	R. leptocarpum	AC5321	
8058	R. leptocarpum	KR9312	Shrub. Arunachal Pradesh state, West Kameng, walk along road from Chander campsite 2770m to Lagam junction 3003m
11351	R. leptoclodon aff.	CWT6353	Shrub to 1m. En route to Fan Si Pan from Tran Son Pass. 2600m.
12389	R. levinei aff.	JN12403	Southwest Jiangxi Jinggangshan County 1300m. Maddenia didn't quite key out liliiflorum/kiangsiense/levinei in the field. Mostly 50-60 cm tall plants, could be hardy from here.
11091	R. lindleyi 'Geordie Sherriff' (HP selfed)		(Pam Hayward)
12215	R. longesquamatum	JN12021	Central Sichuan Wenchuan County 2650m.
12051	R. ludlowii	KR10481	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m
12082	R. ludlowii	KR10530	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m
12406	R. ludwigianum (HP)		(Pam Hayward) from Rhododendron Species Botanic Garden Collection plant raised from RCMG99124 (wc on Doi Ang Kang, (Limestone Mountain), Chiangmai, Thailand at 1800m)
12260	R. lukiangense	JN12128	West Yunnan Weixi County 2500m. Mekong-Salween divide.
12167	R. luteiflorum (OP)		(Barry Starling)
7279	R. lutescens	ACSN6008	Niu Jiao Ya , Zhaotang County. Altitude 2000m
7285	R. lutescens	ACSN6015	Niu Jiao Ya , Zhaotang County. Altitude 2000m
9104	R. lutescens	NN0935	Quite high elevation for this species. S Sichuan 2600m
11147	R. maculiferum	JN11024	NE Chongqing 2400m
4406	R. maddenii	AC5341	Thungri to Khuthom, West Kameng, Arunachal Pradesh. Altitude range 3100/3500m
6016	R. maddenii	KR8422	Delei valley 1350m
6066	R. maddenii	KR8663	Shergoan 2400m
8082	R. maddenii	KR9418	Shrub to 6m. Arunachal Pradesh state, West Kameng, walk from Tongri 3145m to Chuiem 3365m via Mac Sorbus station 3157m
10098	R. maddenii	KR9725	INDIA: Arunachal Pradesh, Anjaw district, Kapong ledge (27.50°53.0'N, 96.50°54.7'E, 2060m) via AA2-Tsuga (27.50°33.5'N, 96.51°09.6'E, 2309m), AA3 (27.50°34.3'N, 96.51°12.2'E, 2349m) to Tongul [Kapong] (27.50°14.5'N, 96.51°22.3'E, 2525m): shrub 6m, at AA3
4408	R. maddenii (R. polyandrum)	AC5521	Around Se La to Tawang to Dirang, Arunachal Pradesh.
4409	R. maddenii (R. polyandrum)	AC5518	Around Se La to Tawang to Dirang, Arunachal Pradesh.
4410	R. maddenii (R. polyandrum)	AC5519	Around Se La to Tawang to Dirang, Arunachal Pradesh.
10244	R. maddenii crassum var. chapaense (OP)	OP31/10	(Muncaster Castle) ex. AC collection NW Vietnam 1992, controversial distinct species chapaense
4695	R. maddenii ssp. crassum	AC5561	Mt. Japfu. Nagaland. Altitude range 1600/3050m
11148	R. maddenii ssp. crassum	JN11044	Midwest Yunnan 2800m
11149	R. maddenii ssp. crassum	JN11082	W Central Yunnan 2800m
12038	R. maddenii ssp. crassum	KR10435	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12088	R. maddenii ssp. crassum	KR10552	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) down to station 26 FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m), collections from below 3000m: shrub, narrow leaf
10099	R. maddenii?	KR9768A	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50°14.5'N, 96.51°22.3'E, 2525m) to Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m): capsules in same envelope as 9768, presumably from nearby tree ??
12391	R. mariesii	JN12409	Southeast Hunan Yanling County 900m.
7456	R. maximum		(Joe Bruso) (Isolated)
8016	R. maximum (Red picotee)		(Joe Bruso)
12171	R. maximum (white) (HP)		(O. J. Larsen)
11512	R. maximum -white,hardy, easily grown clone (Selfed)		(O. J. Larsen)
12341	R. mianningense	JN12300	South Sichuan Mianning County 4050m. New to cultivation recently described yellow flowered species placed in Maddenia but I feel it fit better in Lapponica, but has longer corolla tube and lager calyx than other Lapponica. This collection is from type location, but main population is at higher elevation than that of type specimen. Very unusual.
12379	R. mitriforme?	JN12376	Southwest Hunan Chengbu County 1000m. Very similar to ovatum but with narrower leaves.
12270	R. monanthum	JN12142	West Yunnan Weixi County 3300m. A good collection of this bright yellow autumn flowering epiphytic species. Mekong-Salween divide.
7246	R. montgianum (Seed from previous season's capsules)	ACSN5975	Jiaozhi Xie Shan, Yunnan. Altitude 3200-3800m
10226	R. montroseanum (OP)	OP05/10	(Muncaster Castle) will make a good understock for sp. within subsection Grandia, group B
5300	R. moumainense ?		
12293	R. neriflorum	JN12178	West Yunnan Lanping County 3200m. Mekong-Salween divide.
11056	R. nipponicum (OP but does not cross)		(B. Starling)
12165	R. nipponicum (OP)		(Barry Starling)
12246	R. nitidulum	JN12089	West Sichuan Kangding County 3750m. Keys out as this species.
12343	R. nitidulum?	JN12303	South Sichuan Mianning County 4050m. Few seed. Seem a fair match but some darker scales and maybe a few hairs on style.

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12219	<i>R. nivale</i> ssp. boreale	JN12037	West Sichuan Xiaojin County 4300m.
11384	<i>R. obtusum</i> ?	CWT6386	1.5m. <i>R. saxicolum</i> ?. En route to Fan Si Pan from Tran Son Pass. 2400m.
12187	<i>R. oldhamii</i>		(M. Miles), Wild collected in Taiwan
12235	<i>R. orbiculare</i>	JN12077	West Sichuan Luding County 3000m. Very few seed
11078	<i>R. orbiculare</i> , (OP)		(E. Moser)
12216	<i>R. oreodoxa</i>	JN12023	Central Sichuan Wenchuan County 3400m. This has a few glands on the capsule, but enough for var <i>fargesii</i> ?
12221	<i>R. oreodoxa</i>	JN12041	West Sichuan Xiaojin County 3350m. This has a few glands on capsule, but enough for var <i>fargesii</i> ?
12331	<i>R. oreodoxa</i>	JN12281	South Sichuan Mianning County 3400m. var <i>oreodoxa</i> no glands.
7316	<i>R. oreodoxa</i> aff.	ACSN6047	Jinpinshan, Leibo, Sichuan. Altitude 2200-2500m
7349	<i>R. oreodoxa</i> aff.	ACSN6081	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7362	<i>R. oreodoxa</i> aff.	ACSN6094	Dafengding Shan, Sichuan. Altitude 2900m
7647	<i>R. oreodoxa</i> var. <i>fargesii</i>		Glendoick (HP)
7648	<i>R. oreodoxa</i> var. <i>fargesii</i>		Glendoick (HP)
11154	<i>R. oreodoxa</i> var. <i>fargesii</i>	JN11026	N Chongqing 2400m
9030	<i>R. oreodoxa</i> var. <i>fargesii</i>		Glendoick (HP)
7415	<i>R. oreodoxa</i> var. <i>fargesii</i> (as ACSN6146)	ACSN6147	Emei Shan, Sichuan. 2500-3000m
7419	<i>R. oreodoxa</i> var. <i>oreodoxa</i>	ACSN6151	Emei Shan, Sichuan. 2500-3000m
7346	<i>R. oreodoxa</i> x <i>decorum</i> ? (Wild collected)	ACSN6078	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
12251	<i>R. oreotrepes</i>	JN12101	West Sichuan Xiangcheng County 3800m.
12309	<i>R. oreotrepes</i>	JN12243	Northwest Yunnan Ninglang County 3700m.
12394	<i>R. ovatum</i>	JN12413	Southeast Hunan Yanling County 1150m.
12297	<i>R. pachypodium</i>	JN12193	Midwest Yunnan Eryuan County 2450m. From good size population growing on cliffs.
7400	<i>R. pachytrichum</i>	ACSN6132	Emei Shan, Sichuan. Altitude 2500-2900m
7409	<i>R. pachytrichum</i>	ACSN6141	Emei Shan, Sichuan. Altitude 2500-2900m
12227	<i>R. pachytrichum</i>	JN12057	West Sichuan Baoxing County 3300m.
12238	<i>R. pachytrichum</i>	JN12081	West Sichuan Luding County 2900m.
7397	<i>R. pachytrichum</i> aff.	ACSN6129	Emei Shan, Sichuan. Altitude 2500-2900m
12252	<i>R. phaeochrysum</i>	JN12102	West Sichuan Xiangcheng County 3800m.
12357	<i>R. pingianum</i>	JN12324	Central Sichuan Emeishan County 2600m.
11079	<i>R. planetum</i> , (OP)		(E. Moser)
12295	<i>R. polycladum</i>	JN12188	Midwest Yunnan Heqing County 3250m. Type location.
7325	<i>R. polylepis</i> aff.	ACSN6057	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7331	<i>R. polylepis</i> aff.	ACSN6063	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7337	<i>R. polylepis</i> aff.	ACSN6069	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7339	<i>R. polylepis</i> aff.	ACSN6071	Pale pink 5-lobed flowers. Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
12382	<i>R. polytrichum</i>	JN12380	Southwest Hunan Chengbu County 1150m. New to cultivation recently described very bristly species in <i>Maculifera</i> , seem to link to <i>Fortunea</i> . Remarkable long rachis and should be very ornamental. From type location where it is endangered by farming. Please try to find homes for surplus seedlings as there may not be a second chance from here, but <i>polytrichum</i> is also know from one collection from Guangxi.
7282	<i>R. praevernum</i> aff.	ACSN6012	Niu Jiao Ya, Zhaotang County. Altitude 2000m
7284	<i>R. praevernum</i> aff. (as ACSN6012)	ACSN6014	Niu Jiao Ya, Zhaotang County. Altitude 2000m
12217	<i>R. prattii</i>	JN12026	Central Sichuan Wenchuan County 3400m. Variable but only collected from plants with good truss.
12222	<i>R. prattii</i>	JN12045	West Sichuan Xiaojin County 3350m. Variable but only collected from plants with good truss.
12164	<i>R. proteoides</i> (closed pollination)		(Claus. J. Staune)
11159	<i>R. pseudociliipes</i> aff.	JN11088	More hairy lvs, 2 flowered inflorescence and much longer capsule. W Central Yunnan 2000m
12316	<i>R. pubescens</i>	JN12253	Southwest Sichuan Muli County 3200m.
10184	<i>R. pumilum</i> (HP selfed)		(O.J. Larsen)
11080	<i>R. purdomii</i> , controlled pollination, ex Quinling Mts., China		(E. Moser)
6368	<i>R. racemosum</i>	ZH-G065	Tali Region, Yunnan 3130m
7029	<i>R. racemosum</i>	ACSN5756	Laujun Shan, Yunnan. Altitude 3000m
11161	<i>R. racemosum</i>	JN11043	Midwest Yunnan 2800m
12256	<i>R. racemosum</i>	JN12110	Northwest Yunnan Zhongdian County 3500m.
10176	<i>R. racemosum</i> (HP selfed)		(O.J. Larsen)
7028	<i>R. racemosum</i> aff.	ACSN5987	Terminal clusters only. Jiaozhi Xie Shan, Yunnan. Altitude 3200-3800m
10174	<i>R. recurvoides</i> ex. KW7184 (best flower x best leaf)		(C. Staune)
12317	<i>R. rex</i>	JN12254	Southwest Sichuan Muli County 3550m. High elevation collection from large leaved tree like plants.
12330	<i>R. rex</i>	JN12278	South Sichuan Mianning County 3300m. Many flowered large truss.
12335	<i>R. rex</i>	JN12292	South Sichuan Mianning County 3250m. Collected from pink flowered plants selected and marked in the spring.
10233	<i>R. rex</i> ssp. <i>ficulacteam</i> (OP)	OP13/10	(Muncaster Castle) good understock for sp. in subsection <i>Falconera</i> , group B
10255	<i>R. rex</i> ssp. <i>rex</i>	CDHM14520	Longzhou Shan, south Sichuan (very dark indumentum)
12298	<i>R. rigidum</i>	JN12199	Midwest Yunnan Eryuan County 2750m. Very Few seed. First introduction for many years found at or near Delavay's type location.
7195	<i>R. rigidum</i> aff.	ACSN5925	Cangshan, west of Dali, Yunnan. Altitude 2600-3100m
12360	<i>R. ririei</i>	JN12334	Central Sichuan Emeishan County 1600m.
12342	<i>R. roxieanum</i> var. <i>cucullatum</i>	JN12301	South Sichuan Mianning County 4050m.
12353	<i>R. roxieanum</i> var. <i>cucullatum</i>	JN12320	South Sichuan Puge County 3950m. Type location.

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
6369	<i>R. rubiginosum</i>	ZH-G076	Tali Region, Yunnan 3120m
12310	<i>R. rubiginosum</i>	JN12244	Northwest Yunnan Ninglang County 3700m.
12347	<i>R. rubiginosum</i>	JN12313	South Sichuan Puge County 3300m. Very densely dark scaled underside to leaves.
12369	<i>R. rubiginosum</i>	JN12351	North Central Yunnan Luquan County 3100m. Eastern form.
12282	<i>R. rupicola</i>	JN12157	Midwest Yunnan Jianchuan County 3700m.
12326	<i>R. rupicola</i> ssp. <i>chryseum</i>	JN12268	Southwest Sichuan Jiulong County 4200m. <i>mulienae</i> with scales on calyx margin.
12206	<i>R. rupicola</i> var. <i>chryseum</i>		(R.Vigrestad) Ba La Laka, Yunnan 3600m
12207	<i>R. saluense</i>		(R.Vigrestad) Sa La Laka, Yunnan 3800m
12205	<i>R. sanguineum</i> var. <i>haemaleum</i>		(R.Vigrestad) Ba La Laka, Yunnan 3800m
12305	<i>R. scabrifolium</i>	JN12225	Northwest Yunnan Lijiang County 2800m.
10182	<i>R. schlippenbachii</i>		(O.J. Larsen)
9002	<i>R. schlippenbachii</i>		(M. Jorgensen) Garden origin self pollinating and incompatible with other sp.
11058	<i>R. schlippenbachii</i> (OP but does not cross)		(B. Starling)
11081	<i>R. schlippenbachii</i> (OP)		(E. Moser)
10250	<i>R. schlippenbachii</i> (selfed)		(Muncaster Castle) usually self-pollinating
11082	<i>R. scyphocalyx</i> , (OP)		(E. Moser)
12279	<i>R. selense</i> ssp. <i>dasycladum</i>	JN12153	Midwest Yunnan Jianchuan County 3600m.
10224	<i>R. semnoides</i> aff. (OP)	OP01/10	(Muncaster Castle) will make a good understock for sp. within subsection Falconera, group A
11280	<i>R. serotinum</i> aff.	CWT6282	Shrub to 3m. White flowers. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
7653	<i>R. serotinum</i> ex. CH7189		Glendoick (HP) Very vigorous and late flowering.
10110	<i>R. sidereum</i>	KR9772	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50°14.5'N, 96.51°22.3'E, 2525m) to Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m): tree 8m but to 15m in vicinity, nearer to Tongul
12024	<i>R. sidereum</i>	KR10396	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
12092	<i>R. sidereum</i>	KR10597	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 25 (28 33' 55.9' N, 94 05' 12.1' E, 2585m), 24 (28 34' 12.0' N, 94 05' 13.7' E, 2490m), 24 Abies - 1st Abies seen (28 34'
7228	<i>R. siderophyllum</i>	ACSN5958	Shizishan, Yunnan. Altitude c.2500m
7239	<i>R. siderophyllum</i>	ACSN5968	Shizishan, Yunnan. Altitude c.2500m
10243	<i>R. siderophyllum</i> (OP)	OP29/10	(Muncaster Castle)
12371	<i>R. sikangense</i> var. <i>exquisitum</i>	JN12354	North Central Yunnan Luquan County 3750m. Broader, shorter leaves than typical <i>sikangense</i> .
12338	<i>R. sikangense</i> var. <i>sikangense</i>	JN12295	South Sichuan Mianning County 3550m.
12319	<i>R. sikangense</i> var. <i>sikangense</i> (<i>cookeanum</i>)	JN12260	Southwest Sichuan Jiulong County 3300m. <i>cookeanum</i> maybe needs to have some status again, appear to have a hairier juvenile phase and seem very floriferous. Collected near Rock's type location.
12321	<i>R. sikangense</i> var. <i>sikangense</i> (<i>cookeanum</i>)	JN12262	Southwest Sichuan Jiulong County 3550m. <i>cookeanum</i> maybe needs to have some status again, appear to have a hairier juvenile phase and seem very floriferous. Collected near Rock's type location.
12388	<i>R. simiarum</i>	JN12402	Southwest Jiangxi Jingtangshan County 1300m. Very rigid leaves, heat tolerant, exposure-loving cliff hanger.
12363	<i>R. simsii</i>	JN12345	North Central Yunnan Qujing County 2350m.
11334	<i>R. sino-falconeri</i>	CWT6336	Tree, 12m. Large leaves. En route to Fan Si Pan from Tran Son Pass. 2600m.
11402	<i>R. sino-falconeri</i>	CWT6405	Spreading tree to 4m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
12276	<i>R. sinogrande</i>	JN12150	Midwest Yunnan Jianchuan County 3300m. Quite small 30 cm long leaves.
12278	<i>R. sinogrande</i>	JN12152	Midwest Yunnan Jianchuan County 3600m. Quite small 30 cm long leaves, high elevation collection with some risk of hybrids with <i>fictolacteum</i> .
7656	<i>R. sinogrande</i> ex SBEC		Glendoick (HP)
10242	<i>R. sinogrande</i> var. <i>boreale</i> (OP)	OP28/10	(Muncaster Castle) will make a good understock for sp. within subsection <i>Grandia</i> , group B
11083	<i>R. smithowii</i> x <i>makinoi</i> , F2		(E. Moser)
12243	<i>R. souliei</i>	JN12086	West Sichuan Kangding County 3500m. Type area.
12339	<i>R. souliei</i>	JN12297	South Sichuan Mianning County 3900m. Flowers not seen but most like this species and have the glandular petiole. Probably easy to grow from this area.
12349	<i>R. souliei</i>	JN12315	South Sichuan Puge County 3800m. Recently introduced from this area and seem more easily cultivated than older collections from type area.
10247	<i>R. souliei</i> x <i>vernicosum</i> (OP)	OP38/10	(Muncaster Castle) a natural hybrid
11404	<i>R. sp.</i>	CWT6407	Shrub to 3m. Crenulate leaf margins. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
12396	<i>R. sp.</i>	JN12417	Southeast Hunan Yizhang County 1700m. sp. nov? Subsection <i>Fortunea</i> showing some similarity to JN12388 and 12390 but larger and more developed calyx. From open grassy hill tops, leaves c.20cm long, 12-17 flower truss long rachis (6-7cm in fruit) capsule and pedicel glandular. Looks an impressive plant.
12120	<i>R. sp. ?exasperatum</i> foliage not seen	KR10690	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
10079	<i>R. sp. cf. campylocarpum</i>	KR9942	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48°03.0'N, 96.52°35.4'E, 3092m) to Base of Hoot La (27.46°16.3'N, 96.53°12.4'E, 3530m) to Hoot la campsite (27.46°11.9'N, 96.53°11.4'E, 3580m): shrub, style glabrous, calyx to 10mm, cupular, lobed, not stipitate glandular, nearer Dong La
10080	<i>R. sp. cf. campylocarpum</i>	KR9973	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48°03.0'N, 96.52°35.4'E, 3092m) to Base of Hoot La (27.46°16.3'N, 96.53°12.4'E, 3530m) to Hoot la campsite (27.46°11.9'N, 96.53°11.4'E, 3580m): shrub, below Hoot La campsite, style glabrous
6064	<i>R. sp. cf. delavayi</i>	KR8653	Manda La 2250m
6065	<i>R. sp. cf. delavayi</i>	KR8662	Shergoan 2365m
10075	<i>R. sp. cf. stewartianum</i> hybrid	KR9995	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
10076	<i>R. sp. cf. stewartianum/campylocarpum</i> aff.	KR9997	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
10078	R. sp. cf. Subsect. Arborea?	KR10078	INDIA: Arunachal Pradesh, Anjaw district, Krang Ti Campsite (27.46°32.5'N, 96.51°16.1'E, 3078m) to AA7 Campsite (27.48°28.3'N, 96.49°48.1'E, 2050m): shrub, on old landslip bank in first part of the descent, leaves felted, capsule slender, hairy
8095	R. sp. 'Lagamensis'	KR9435	Tree 8m, buds with free tips to the scales, pointed. Arunachal Pradesh state, West Kameng, walk from Tongri 3145m to Chuitem 3365m via Mac Sorbus station 3157m
4454	R. sp. not identified	AC5505	Around Se La to Tawang to Dirang, Arunachal Pradesh.
11336	R. sp. Ovata?	CWT6338	1.5m En route to Fan Si Pan from Tran Son Pass. 2600m.
11414	R. sp. Ovata?	CWT6417	Shrub to 50cm. San Sa Ho area. Approx 20km. S.E. of Sa Pa 3000m
11339	R. sp. Pogonostylum?	CWT6341	Tree to 5m. En route to Fan Si Pan from Tran Son Pass. 2600m.
12255	R. sp. Section Pogonanthum	JN12105	Northwest Yunnan Zhongdian County 3350m. Remarkable population of many plants all growing on limestone cliffs, discovered in 1996 (JN220). Suspected from hybrid origin telmateium x trichostomum but now successors occupying different habitat than parents.
4455	R. sp. seed coll. by Guide, plant not seen	AC5290	Chander to Thungri. Mean altitude 3100m West Kameng, Arunachal Pradesh.
12378	R. sp. Subgenus Tsutsusi	JN12373	Southwest Hunan Chengbu County 900m.
12386	R. sp. Subgenus Tsutsusi	JN12393	Southwest Jiangxi Jinggangshan County 1200m. Very few seed. Upright habit, very small leaves and flowers.
11337	R. sp. Subsect. Arborea	CWT6339	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11338	R. sp. Subsect. Arborea	CWT6340	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11349	R. sp. Subsect. Arborea	CWT6351	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
6308	R. sp. Subsect. Arborea	ACVG5705	Seed collected from 15-20 year old plant. No mature plants found, Hong Lien Son Mountain Range 2500 to 2900m
11168	R. sp. Subsect. Boothia	JN11080	Differs from sulfureum in very hairy leaf margin, could be something new. W Central Yunnan 2800m
12029	R. sp. Subsect. Falconera	KR10419	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
7462	R. sp. Subsect. Falconera (OP)	OP42	(Alan Clark) Collected from plant of wild origin, location and current wild status as R. chapaense
12013	R. sp. Subsect. Falconera cf. arizelum	KR10372	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
12030	R. sp. Subsect. Falconera cf. arizelum	KR10420	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12034	R. sp. Subsect. Falconera cf. arizelum	KR10428	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12036	R. sp. Subsect. Falconera cf. arizelum	KR10430	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12039	R. sp. Subsect. Falconera cf. arizelum	KR10438	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0" N, 94 05' 16.3" E, 2667m) via 26 (0805) at 28 33' 35.2" N, 94 05' 21.7" E, 2797m, 27 (28 33' 19.3" N, 94 05' 28.7" E, 2977m) to 28 - Sinjong camp 2 at 28 32'
7278	R. sp. Subsect. Fortunea (Close to R. calophyllum var. openshawianum or sp. nov.)	ACSN6007	Niu Jiao Ya , Zhaotang County. Altitude 2000m
5174	R. sp. Subsect. Grandia	KR8188	Shrub, ovary densely hairy. Arunachal Pradesh, West Kameng district, from 376 to 378: circa 3300m
8071	R. sp. Subsect. Grandia	KR9349	Arunachal Pradesh state, West Kameng, walk along road from Chander campsite 2770m to Lagam junction 3003m and on to Tongri 3145m
8074	R. sp. Subsect. Grandia	KR9352	Arunachal Pradesh state, West Kameng, walk along road from Chander campsite 2770m to Lagam junction 3003m and on to Tongri 3145m
8086	R. sp. Subsect. Grandia	KR9422	Shrub. Arunachal Pradesh state, West Kameng, walk from Tongri 3145m to Chuitem 3365m via Mac Sorbus station 3157m
8091	R. sp. Subsect. Grandia	KR9428	Tree. Arunachal Pradesh state, West Kameng, walk from Tongri 3145m to Chuitem 3365m via Mac Sorbus station 3157m
8093	R. sp. Subsect. Grandia	KR9432	Tree. Arunachal Pradesh state, West Kameng, walk from Tongri 3145m to Chuitem 3365m via Mac Sorbus station 3157m
5165	R. sp. Subsect. Grandia	KR8179	Arunachal Pradesh, West Kameng district, shrub, 3200-3300m
10116	R. sp. Subsect. Grandia cf. magnificum/sinogrande	KR10087	INDIA: Arunachal Pradesh, Anjaw district, Krang Ti Campsite (27.46°32.5'N, 96.51°16.1'E, 3078m) to AA7 Campsite (27.48°28.3'N, 96.49°48.1'E, 2050m): tree to 15m, mid part of the descent
10118	R. sp. Subsect. Grandia cf. magnificum/sinogrande	KR9769	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kapong] (27.50°14.5'N, 96.51°22.3'E, 2525m) to Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m): tree 18m, multi-stemmed on old Tgusa stump, mid way, 2465m
4450	R. sp. Subsect. Heliolipida	AC5514	Around Se La to Tawang to Dirang, Arunachal Pradesh.
7046	R. sp. Subsect. Heliolipida	ACSN5773	Laujun Shan, Yunnan. Altitude 3800m
7202	R. sp. Subsect. Heliolipida	ACSN5932	Cangshan, west of Dali, Yunnan. Altitude 2600-3100m
7216	R. sp. Subsect. Heliolipida	ACSN5946	Cangshan, west of Dali, Yunnan. Altitude 2600-3100m
7273	R. sp. Subsect. Heliolipida	ACSN6002	Niu Jiao Ya , Zhaotang County. Altitude 2000m
6281	R. sp. Subsect. Irrorata	ACVG5678	12-14 flowers per truss. Hong Lien Son Mountain Range 2200 to 2500m
6332	R. sp. Subsect. Irrorata	ACVG5729	Evergreen tree to 3m, capsules tinted pink. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
6333	R. sp. Subsect. Irrorata	ACVG5730	Evergreen tree to 10m. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
11169	R. sp. Subsect. Irrorata	JN11087	Possibly hybrid with R delavayi. W Central Yunnan 2500m
11347	R. sp. Subsect. Irrorata	CWT6349	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11386	R. sp. Subsect. Irrorata	CWT6388	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2400m.
11391	R. sp. Subsect. Irrorata	CWT6393	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2400m.
11401	R. sp. Subsect. Irrorata	CWT6404	Tree to 6m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
11491	R. sp. Subsect. Irrorata	CWT6494	Mengtszense ? Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
6280	R. sp. Subsect. Irrorata (agapetum?)	ACVG5677	Hong Lien Son Mountain Range 2200 to 2500m
11396	R. sp. Subsect. Irrorata ?	CWT6398	Tree to 10m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2400m

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12098	R. sp. Subsect. Irrorata cf. kendrickii	KR10614	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via Lapka's House (28 37' 50.4' N, 94 06' 25.0' E, 2105m), station 30 (28 38' 11.5' N, 94 06' 30.7' E, 2201m), 31 Oak ridge (28 38' 16.1' N, 94
12117	R. sp. Subsect. Irrorata cf. kendrickii?	KR10686	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
7038	R. sp. Subsect. Lapponica	ACSN5765	Laujun Shan, Yunnan. Altitude 3800m
7343	R. sp. Subsect. Lapponica	ACSN6075	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7345	R. sp. Subsect. Lapponica	ACSN6077	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7347	R. sp. Subsect. Lapponica	ACSN6079	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
7030	R. sp. Subsect. Lapponica polycladum ?	ACSN5757	Laujun Shan, Yunnan. Altitude 3800m
8151	R. sp. Subsect. Maddenia	KR9647	Arunachal Pradesh, West Kameng, drive from Bomdila to Assam via Cupressus assamica site 1990m to Shergoan & up the valley (2200m) via Kalaktang to AP border at 257m and Wild Mahseer Tea Estate at Balipan: collected on way down at 2000m
12123	R. sp. Subsect. Maddenia	KR10715	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2' N, 94 07' 25.2' E, 3878m) via stations 39 (28 40' 22.0' N, 94 07' 23.5' E, 3602m), 38 (28 40' 17.3' N, 94 07' 22.7' E, 3497m), 37 (28 40' 12.4' N, 94 07' 21.
11413	R. sp. Subsect. Maddenia ?	CWT6416	Shrub to 1.5m. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
6289	R. sp. Subsect. not determined	ACVG5686	Shrub to 3m. Hong Lien Son Mountain Range 2200 to 2500m
6336	R. sp. Subsect. not determined	ACVG5733	Tree to 5m. East facing Mountain side above track to Ban Khoang Village 2000 to 2800m
6273	R. sp. Subsect. not determined (azalea?)	ACVG5670	45cm, leaves ovate, 1cm long, dark green above, scaly below. Hong Lien Son Mountain Range 2200 to 2500m
11439	R. sp. Subsect. not yet determined	CWT6442	40cm. San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
6272	R. sp. Subsect. Obtusum	ACVG5669	Shrub to 2m. Hong Lien Son Mountain Range 2200 to 2500m
6267	R. sp. Subsect. Parishia	ACVG5664	Tree to 6m, 8-10 flowers per truss. Hong Lien Son Mountain Range 2200 to 2500m
6279	R. sp. Subsect. Parishia	ACVG5676	Hong Lien Son Mountain Range 2200 to 2500m
11346	R. sp. Subsect. Parishia	CWT6348	Tree to 6 m. En route to Fan Si Pan from Tran Son Pass. 2600m.
6268	R. sp. Subsect. Parishia	ACVG5665	Hong Lien Son Mountain Range 2200 to 2500m
6283	R. sp. Subsect. Parishia (facetum?)	ACVG5680	Leaves up to 25 cm long. Hong Lien Son Mountain Range 2200 to 2500m
12025	R. sp. Subsect. Pseudovireya not vaccinioides?	KR10412	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
8125	R. sp. Subsect. Taliensia	KR9543	Shrub, indumentum thinner than aeruginosum but thicker than bhutanense. Arunachal Pradesh state, Tawang, from Bangla Jang Gompa campsite 4129m down the BJ chu to 3306m, collections dropping down from 4000m to 3800m
10124	R. sp. Subsect. Tephropepla	KR10077	INDIA: Arunachal Pradesh, Anjaw district, Krang Ti Campsite (27.46°32.5'N, 96.51°16.1'E, 3078m) to AA7 Campsite (27.48°28.3'N, 96.49°48.1'E, 2050m): shrub, on old landslide bank in first part of the descent
10125	R. sp. Subsect. Tephropepla	KR9833	INDIA: Arunachal Pradesh, Anjaw district, at Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m) campsite and above on ridge to circa 3000m: on cliff edge side of ridge, circa 3000m, shrub 2- 4m
10127	R. sp. Subsect. Thomsonia cf. faucium	KR9941	INDIA: Arunachal Pradesh, Anjaw district, Dong La (27.48°03.0'N, 96.52°35.4'E, 3092m) to Base of Hoot La (27.46°16.3'N, 96.53°12.4'E, 3530m) to Hoot la campsite (27.46°11.9'N, 96.53°11.4'E, 3580m): shrub 2- 4m, common, nearer Dong La
12053	R. sp. Subsect. Thomsonia cf. hookeri NEW?	KR10491	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12057	R. sp. Subsect. Thomsonia cf. hookeri NEW?	KR10497	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12052	R. sp. Subsect. Thomsonia populare?	KR10490	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12074	R. sp. Subsect. Thomsonia populare?	KR10520	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12108	R. sp. Subsect. Thomsonia? & KR10630 R. tsariense trimoense aff. KW8288 Delei species	KR10629	NB MIXED SEED INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.
11165	R. sp. Subsect. Triflora	JN11002	Recently introduced mostly purple flowered, very aromatic lvs. Quite widespread species. NW Henan 2200m
11166	R. sp. Subsect. Triflora	JN11010	Similar to above but one seen flower had long ciliate calyx. SW Shaanxi 2100m
11167	R. sp. Subsect. Triflora	JN11022	Recently introduced cream or yellow flowered un-named species. NE Chongqing 2300m
10111	R. sp. Taliensia	KR9836	INDIA: Arunachal Pradesh, Anjaw district, at Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m) campsite and above on ridge to circa 3000m: on cliff edge at top of ridge, circa 3000m, shrub with lanate leaves, same as 9811
4659	R. sp. unknown	DS318	Deqen, Yunnan
6029	R. sp. unknown	KR8489	Delei valley 3200m
6251	R. sp. veitchianum? (as ACGV5645)	ACVG5648	Hong Lien Son Mountain Range 2000 to 2200m
12340	R. sphaeroblastum	JN12298	South Sichuan Mianing County 4000m. Unusual form with thinner not woolly indumentum.
12352	R. sphaeroblastum	JN12319	South Sichuan Puge County 3800m. Probably a var. wumengense type.
12375	R. sphaeroblastum var. wumengense	JN12360	North Central Yunnan Luquan County 4000m. This collection has a slight pellicle to the indumentum.
10256	R. spinuliferum	CDHM14530	Dahei Shan, south Sichuan
12361	R. spinuliferum	JN12343	North Central Yunnan Qujing County 2200m.
12172	R. spinuliferum (Selfed)		(O. J. Larsen)
12387	R. stamineum	JN12395	Southwest Jiangxi Jinggangshan County 800m.
12042	R. succothii?	KR10454	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3
12045	R. succothii?	KR10457	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2' N, 94 05' 28.1' E, 3383m, via 28 (0810) 28 32' 15.5' N, 94 05' 36.7' E, 3458m, 29 Trilectorum (28 32' 10.9' E, 94 05' 36.3' E, 3548m) to 29 Sinjong Camp 3

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12054	<i>R. succothii?</i>	KR10492	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
11495	<i>R. suoilenhense</i>	CWT6498	Large leaved sp. To 12m. Ban Khoang area, 15Km, N. of Sa Pa. 1500/1800m
11171	<i>R. sutchuenense</i>	JN11023	First recollection from this area in many years. NE Chongqing 2300m
7425	<i>R. sutchuenense</i> aff.	ACSN6157	Emei Shan, Sichuan. 2500-3000m
9022	<i>R. sutchuenense</i> x <i>giraldii</i> x <i>sutchuenense</i>		Glendoick (HP)
12286	<i>R. taliense</i>	JN12166	Midwest Yunnan Jianchuan/Lanping County 4000m. New (to me) location, very large population of which all had attractive yellowish indumentum.
11340	<i>R. tanastylum</i> aff.	CWT6342	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11341	<i>R. tanastylum</i> aff.	CWT6343	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11342	<i>R. tanastylum</i> aff.	CWT6344	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11343	<i>R. tanastylum</i> aff.	CWT6345	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
11348	<i>R. tanastylum</i> aff.	CWT6350	Tree to 6m. En route to Fan Si Pan from Tran Son Pass. 2600m.
12337	<i>R. tatsienense</i>	JN12294	South Sichuan Mianning County 3500m.
12311	<i>R. telmateium</i>	JN12245	Northwest Yunnan Ninglang County 3200m.
12398	<i>R. telmateium</i>	JN12419	Southwest Sichuan Yanyuan County 2700m. Unusually low elevation for this species and not really rhododendron habitat but growing well.
12274	<i>R. tephropeplum</i>	JN12146	West Yunnan Weixi County 3300m. Quite small leaves in this location. Mekong-Salween divide.
10229	<i>R. tephropeplum</i> (OP)	OP08/10	(Muncaster Castle) seldom sets seed in cultivation, should come true from seed
4459	<i>R. thomsonii</i>	AC5431	
4461	<i>R. thomsonii</i>	AC5604	Shugang
11519	<i>R. thomsonii</i>	TDA066	Prek chu river near camp, growing with <i>Abies spectabilis</i> , <i>Sorbus</i> species and <i>R. hodgesonii</i> , <i>R. lanatum</i> 3700m, West Sikkim
11535	<i>R. thomsonii</i>	TDA017	Phedang camp 3750m, growing with <i>R. thomsonii</i> , <i>R. campylocarpum</i> , <i>Abies spectabilis</i> , <i>Rosa</i> species, <i>Sorbus</i> species, West Sikkim
12248	<i>R. thymifolium</i>	JN12095	West Sichuan Yajiang County 3650m.
12234	<i>R. tricanthum</i>	JN12070	West Sichuan Tianquan County 2300m.
4258	<i>R. triflorum</i> var. <i>bauhiniiflorum</i>	AC5552	
4259	<i>R. triflorum</i> var. <i>bauhiniiflorum</i>	AC5569	Mt. Japfu. Nagaland. Altitude range 1600/3050m
12044	<i>R. trilectorum</i>	KR10456	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2" N, 94 05' 28.1" E, 3383m, via 28 (0810) 28 32' 15.5" N, 94 05' 36.7" E, 3458m, 29 Trilectorum (28 32' 10.9" E, 94 05' 36.3" E, 3548m) to 29 Sinjong Camp 3
12047	<i>R. trilectorum</i>	KR10459	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 28 - Sinjong camp 2 at 28 32' 37.2" N, 94 05' 28.1" E, 3383m, via 28 (0810) 28 32' 15.5" N, 94 05' 36.7" E, 3458m, 29 Trilectorum (28 32' 10.9" E, 94 05' 36.3" E, 3548m) to 29 Sinjong Camp 3
12087	<i>R. trilectorum</i>	KR10537	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12113	<i>R. tsariense</i> aff.	KR10679	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2" N, 94 07' 25.2" E, 3878m) via stations 39 (28 40' 22.0" N, 94 07' 23.5" E, 3602m), 38 (28 40' 17.3" N, 94 07' 22.7" E, 3497m), 37 (28 40' 12.4" N, 94 07' 21.
12060	<i>R. tsariense</i> trimoense aff. KW8288 Delei species	KR10500	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9" N, 94 05' 34.6" E, 3616m) to Sinjong (Tokok) La 28 31' 54.0" N, 94 04' 57.3" E, 3725m, then to Beyond Sinjong La (28 32' 03.1" N, 94 04' 48.8" E, 3653m)
12114	<i>R. tsariense</i> trimoense aff. KW8288 Delei species	KR10680	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from DamchinLa High Camp (28 40' 36.2" N, 94 07' 25.2" E, 3878m) via stations 39 (28 40' 22.0" N, 94 07' 23.5" E, 3602m), 38 (28 40' 17.3" N, 94 07' 22.7" E, 3497m), 37 (28 40' 12.4" N, 94 07' 21.
12109	<i>R. tsariense</i> trimoense aff. KW8288 Delei species & KR 10629 R. sp. Subsect. THOMSONIA?	KR10630	NB MIXED SEED INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1" N, 94 07' 09.0" E, 2692m) via stations 31 (28 38' 37.2" N, 94 07' 17.7" E, 2783m), 32 FALCONERA (28 38' 58.9" N, 94 07' 05.2" E, 2940m), 32 (28 39' 07.
12020	<i>R. vaccinioides</i>	KR10383	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8" N, 94 06' 14.2" E, 1937m) via station 21 (28 36' 05.9" N, 94 05' 44.2" E, 2067m), 22 (28 35' 45.6" N, 94 05' 35.3" E, 2100m), 23 (28 35' 28.1" N, 94 05' 31.0" E, 223
12173	<i>R. valentinianum</i> (OP)		(O. J. Larsen)
9050	<i>R. vaseyi</i>		(O.J. Larsen)
11516	<i>R. vaseyi</i> (OP)		(O. J. Larsen)
11069	<i>R. vaseyi</i> (OP, incompatible with other species)		(M. Jorgenson)
8014	<i>R. vaseyi</i> (Pink)		(Joe Bruso)
12244	<i>R. vernicosum</i>	JN12087	West Sichuan Kangding County 3500m. "sheltonii" a smaller leaved type; collected from plants growing fully exposed.
12250	<i>R. vernicosum</i>	JN12099	West Sichuan Xiangcheng County 3900m. Collection with large flower buds.
12308	<i>R. vernicosum</i>	JN12242	Northwest Yunnan Ninglang County 3750m.
9116	<i>R. vernicosum</i>	NN0937	S Sichuan 2800m
10249	<i>R. vernicosum</i> (OP)	OP41/10	(Muncaster Castle) this species is a successful understock
7353	<i>R. vernicosum</i> (Small leaf form)	ACSN6085	Huangmaogeng, Leibo county, Sichuan. Altitude 2500-2800m
10151	<i>R. viscosum</i>		(C. Lima) Wild collected in Rhode Island, USA
11068	<i>R. viscosum</i> , controlled pollination		(M. Jorgenson)
4472	<i>R. wallichii</i>	AC5412	Nagagigi to Sanya West Kameng, Arunachal Pradesh. Altitude range 3800/4100m
4473	<i>R. wallichii</i>	AC5421	Sanya to Tsomjog. West Kameng, Arunachal Pradesh/Bhutan border area. Altitude 4100m
4474	<i>R. wallichii</i>	AC5422	Sanya to Tsomjog. West Kameng, Arunachal Pradesh/Bhutan border area. Altitude 4100m
4475	<i>R. wallichii</i>	AC5470	Tsomjog to Shugang, West Kameng, Arunachal Pradesh/Bhutan border area 4100-3650m
4476	<i>R. wallichii</i>	AC5495	Around Se La to Tawang to Dirang, Arunachal Pradesh.
4477	<i>R. wallichii</i>	AC5603	Nagagigi

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
4478	<i>R. wallichii</i> (Small leaf form)	AC5432	Sanya to Tsomjog. West Kameng, Arunachal Pradesh/Bhutan border area. Altitude 4100m
12254	<i>R. wardii</i>	JN12104	Northwest Yunnan Zhongdian County 4100m. High elevation collection.
12327	<i>R. wardii</i>	JN12272	Southwest Sichuan Jiulong County 4000m. var. <i>puralbum</i> ? Leaves somewhat similar to <i>souliei</i> but larger and petiole not shortly glandular, but flowers not seen. Very impressive and strong looking plants for a <i>wardii</i> type.
12202	<i>R. wardii</i> (Controlled pollination)		(M. Jorgensen)
11054	<i>R. wardii</i> (OP)		(B. Starling)
12063	<i>R. wardii</i> ?	KR10503	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12231	<i>R. wasonii</i>	JN12061	West Sichuan Baoxing County 3100m. Very few seed.
12218	<i>R. watsonii</i>	JN12027	Central Sichuan Wenchuan County 3400m.
12332	<i>R. watsonii</i>	JN12282	South Sichuan Mianning County 3400m. Probably southern limit of the species, particular strong growing and larger leaves to c. 30 cm.
12236	<i>R. wiltonii</i>	JN12078	West Sichuan Luding County 3000m. Very unusual form with extra thick rust coloured indumentum. Not sure if as striking in cultivation as seed has been collected here before.
12359	<i>R. wiltonii</i>	JN12326	Central Sichuan Emeishan County 2500m. Normal form with thinner indumentum underside to rugose leaves.
10235	<i>R. x agastum</i> (OP)	OP15/10	(Muncaster Castle) a natural hybrid between <i>arboreum</i> ssp. <i>delavayi</i> and <i>irroratum</i>
12257	<i>R. x alutaceum</i>	JN12125	Northwest Yunnan Zhongdian County 3700m. <i>roxianum</i> x <i>phaeochrysum</i> hybrid.
11075	<i>R. x geraldii</i> (Controlled pollination)		(E. Moser)
11176	<i>R. xanthostephanum</i>	JN11069	W Yunnan 2900m
12323	<i>R. xichangense</i>	JN12265	Southwest Sichuan Jiulong County 3600m. New to cultivation recently described species. Good match on a specimen (not type) seen in a Chinese herbarium small pink flowered Triflora axillary buds on longer shoots with small rather like a <i>Scabrifolia</i> but no hairs.
12329	<i>R. xichangense</i>	JN12275	South Sichuan Mianning County 2800m. New to cultivation recently described species. Good match on a specimen (not type) seen in a Chinese herbarium small pink flowered Triflora axillary buds on longer shoots with small rather like a <i>Scabrifolia</i> but no hairs.
12312	<i>R. yunnanense</i>	JN12246	Northwest Yunnan Ninglang County 3150m. Neat small quite densely scaled leaf form.
12315	<i>R. yunnanense</i>	JN12250	Southwest Sichuan Muli County 3300m. Neat small quite densely scaled leaf form.
12320	<i>R. yunnanense</i>	JN12261	Southwest Sichuan Jiulong County 3300m. Larger leaves with hairy mid rip, so technically <i>augustinii</i> , but similar but hairless mid rip <i>yunnanense</i> nearby.
12367	<i>R. yunnanense</i>	JN12349	North Central Yunnan Qujing County 2400m. Great evergreen form with large, sometimes scented, very pale lavender flowers, but maybe not as hardy as other collections.
12166	<i>R. yunnanense</i> (OP)		(Barry Starling)
12220	<i>R. zheguense</i>	JN12038	West Sichuan Xiaojin County 4300m. Lapponica collection that seem to key out as this species is known from a site 100km further north.
10148	<i>R. zoelleri</i> x ' <i>Saxon Dawn</i> ' - <i>vireya</i>		(C. Lima)
12129	<i>Rhamnus</i> cf. <i>cathartica</i>	KR10736	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), near station 42 (28 37' 13.4' N, 94 04' 11.4' E, 1960m) up the Yargyap chu beyond Segong village beside the chu: shrub 5m, fruit black, tenor of bush similar to <i>R. catharticus</i>
9120	<i>Rhus chinensis</i>	NN0917	Small tree, with broad crown. NE Yunnan 1750m
10130	<i>Rhus</i> sp.	KR9686	INDIA: Arunachal Pradesh, Anjaw district, Lapkrong (27.51'32.4"N, 96.49.53.6"E, 1495m) via AA1 (27.51'08.9"N, 96.50'35.0"E, 1835m) to Kapong ledge (27.50'53.0"N, 96.50'54.7"E, 2060m); shrub, Lapkrong to AA1
12001	<i>Rosa brunonii</i>	KR10350	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrub 2- 3m, evergreen climber to 5m, side of road on way into/out of Mechuka, 2 collected
11015	<i>Rosa helenae</i>		(M. Miles)
12076	<i>Rosa omeiensis</i>	KR10523	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12161	<i>Rosa sericea</i> ssp. <i>omeiensis</i> f. <i>pteracantha</i>	TDA151	Bersay rhododendron sanctuary, growing on unknown deciduous tree in <i>R. falconeri</i> forest, 2800m, South Sikkim.
9118	<i>Rosa</i> sp. (Climber)	NN0927	NE Yunnan 1800m
9119	<i>Rosa</i> sp. (Climber)	NN0940	S Sichuan 2800m
8128	<i>Salix</i> sp.	KR9547	Tree, 5m. Arunachal Pradesh state, Tawang, from Bangla Jang Gompa campsite 4129m down the BJ chu to 3306m, collections dropping down from 4000m to 3800m
10133	<i>Salix</i> sp.	KR9989	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46'11.9"N, 96.53'11.4"E, 3580m) via AA5 (27.45'51.6"N, 96.52'28.0"E, 3833m) to Hoot La Summit down (27.45'58.0"N, 96.52'03.2"E, 4081m) to AA6 <i>Abies</i> (27.46'06.2"N, 96.51'50.3"E, 3802m)
12079	<i>Salix</i> sp.	KR10527	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m)
12112	<i>Salix</i> sp.	KR10651	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
11216	<i>Sambucus</i>	CWT6218	Shrub to 2m. Small red fruits. Heaven's gate near Ha Giang. 1150m.
12132	<i>Sambucus</i> sp.	KR10748	INDIA: Arunachal Pradesh, West Siang, drive from Mechuka (Menchukha) (28 35' 57.0' N, 94 08' 20.9' E, 1922m) via 43 CRAWFORDIA (28 32' 29.9' N, 94 14' 17.1' E, 1653m) and 44 (28 32' 28.8' N, 94 14' 23.6' E, 1235m) to Along (Aalo) - Toshi's Palace hotel at 28 09 51.9' N, 94 48' 00.0, 266m: shrub to 6m, fruit juicy dark violet black, between stations 43 and 44
12159	<i>Saurauia napaulensis</i>	TDA182	Darjeeling, West Bengal 1800m.
11478	<i>Schefflera</i> sp.	CWT6481	Tree to 7m. 7 leaflets Tran Son Pass, above Ban Khoang 1900 to 2000m.
11178	<i>Schima argentea/wallichii</i>	JN11078	In this area it seem intermediate between the 2 species. SW Yunnan 2800
8012	<i>Schima wallichii</i> ex. <i>Trewithen</i>		(Tim Thornton)
11236	Shrub	CWT6238	Viburnum like leaves, to 1.5m. pink flowers. Sun La N.E. Vietnam 1463m.
12130	Shrub	KR10738	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), near station 42 (28 37' 13.4' N, 94 04' 11.4' E, 1960m) up the Yargyap chu beyond Segong village beside the chu: deciduous shrub 5- 6m
11250	Shrub. Malvaceae	CWT6252	To 1m. Small pink flowers. Sin Ho mountain. N.E Vietnam 500 - 950m.
12031	<i>Skimmia</i> sp.	KR10424	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2 at 28 32'

List No	Species/Variety	Coll No	(Collector if no collection number)/Description/Location Collected
12037	Skimmia sp.	KR10432	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12035	Smilacina sp.	KR10429	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from 26 - FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 26 (0805) at 28 33' 35.2' N, 94 05' 21.7' E, 2797m, 27 (28 33' 19.3' N, 94 05' 28.7' E, 2977m) to 28 - Sinjong camp 2 at 28 32'
12089	Smilax sp.	KR10555	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 26 FALCONERA camp (28 33' 47.0' N, 94 05' 16.3' E, 2667m) via 25 (28 33' 55.9' N, 94 05' 12.1' E, 2585m), 24 (28 34' 12.0' N, 94 05' 13.7' E, 2490m), 24 Abies - 1st Abies seen (28 34'
12099	Sorbus insignis	KR10619	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), DamchinLa Camp 1 (28 38' 32.1' N, 94 07' 09.0' E, 2692m) via stations 31 (28 38' 37.2' N, 94 07' 17.7' E, 2783m), 32 FALCONERA (28 38' 58.9' N, 94 07' 05.2' E, 2940m), 32 (28 39' 07.3' N, 94 07' 0
12059	Sorbus sp.	KR10499	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12014	Sorbus wallichii	KR10376	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
10136	Spiraea arcuata?	KR10023	INDIA: Arunachal Pradesh, Anjaw district, Hoot La campsite (27.46°11.9'N, 96.53°11.4'E, 3580m) via AA5 (27.45°51.6'N, 96.52°28.0'E, 3833m) to Hoot La Summit down (27.45°58.0'N, 96.52°03.2'E, 4081m) to AA6 Abies (27.46°06.2'N, 96.51°50.3'E, 3802m)
10191	Spiraea fritshiana		(D. Ryan)
12068	Spiraea japonica	KR10510	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
11229	Syringa sp. ?	CWT6231	Shrub to 1.2m. Between Dongvan & Meo Vac N.E. Vietnam 1384m.
12002	Temstroemia sp.	KR10351	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), station 20 (28 34' 13.9' N, 94 09' 58.0' E, 1922m) by Yargyap chu (Siyom chu); shrubby tree 5m
11254	Tree	CWT6256	To 15m. Small orange fruits. Sin Ho mountain. N.E Vietnam 500 - 950m.
11222	Tree. Evergreen?	CWT6224	To 10m. Between Dongvan & Meo Vac N.E. Vietnam 1047m.
11231	Tree. Evergreen?	CWT6233	To 5m. Photinia-like foliage Between Dongvan & Meo Vac N.E. Vietnam 1384m.
9054	Tripetaleia paniculata		(O.J. Larsen) Japanese Ericaceae
11181	Tripterospermum discoideum	JN11028	Climbing Gentian relative. N Chongqing 2400m
12181	Trochodendron aralioides		(M. Miles)
12055	Umbelliferae	KR10494	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
11272	Vaccinium glauco-album aff.	CWT6274	Shrub to 1.5m. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
11275	Vaccinium or Gaultheria sp.	CWT6277	Shrub to 2.5m. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
10145	Vaccinium sp.	KR9785	INDIA: Arunachal Pradesh, Anjaw district, Tongul [Kamong] (27.50°14.5'N, 96.51°22.3'E, 2525m) to Sayang Jang [SJ] (27.49°18.5'N, 96.51°58.4'E, 2773m): shrub 3- 5m, stems smell strongly of Methyl salicate when crushed, near Tongul
12017	Vaccinium sp.	KR10379	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via station 21 (28 36' 05.9' N, 94 05' 44.2' E, 2067m), 22 (28 35' 45.6' N, 94 05' 35.3' E, 2100m), 23 (28 35' 28.1' N, 94 05' 31.0' E, 223
9126	Veratrum grandiflorum?	NN0912	Flowers not seen but looks like this species with a white and green centre flower, grassy alpine meadow. S NE Yunnan 3700 m.
12127	Viburnum cylindricum	KR10727	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), along road to Tato, 019 Mesic (28 33' 53.5' N, 94 11' 42.9' E, 2060m) to 42 CEPHALO (28 33' 28.8' N, 94 12' 12.2' E, 2057m): shrub
12156	Viburnum erubescens	TDA191	Above 0.3 mile village near Munpoo village, Darjeeling, West Bengal 1750m.
12069	Viburnum furcatum?	KR10511	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from station 29 Sinjong Camp 3 (28 32' 05.9' N, 94 05' 34.6' E, 3616m) to Sinjong (Tokok) La 28 31' 54.0' N, 94 04' 57.3' E, 3725m, then to Beyond Sinjong La (28 32' 03.1' N, 94 04' 48.8' E, 3653m
12097	Viburnum mullaha	KR10609	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), Yorko stupa (28 36' 25.8' N, 94 06' 14.2' E, 1937m) via Lapka's House (28 37' 50.4' N, 94 06' 25.0' E, 2105m), station 30 (28 38' 11.5' N, 94 06' 30.7' E, 2201m), 31 Oak ridge (28 38' 16.1' N, 94
11492	Viburnum sp.	CWT6495	Tree to 12m. Red fruits. Ban Khoang area, 15Km, N. of Sa Pa.1500/1800m
10173	Viburnum sp. ex. AC4554		(D. Ryan)
9016	Viburnum sp. ex. AC4554 (OP)		(D. Ryan) Black fruit
12148	Viola biflora	TDA094	Entrance to Hilley village.growing on wall by side of road 2500m, South Sikkim.
12153	Viola biflora	TDA095	As TDA094
12012	Zanthoxylum armatum?	KR10368	INDIA: Arunachal Pradesh, West Siang, Mechuka (Menchukha), from Segong village (28 36' 54.9' N, 94 04' 34.5' E, 1950m): shrub, near gomba, circa 1970m, = JA 337
12147	Zanthoxylum oxyphyllum	TDA199	above 1/3rd mile village near Munpoo village, Darjeeling, West Bengal 1750m.
12160	Zanthoxylum oxyphyllum	TDA183	Darjeeling, West Bengal 1800m.