



BluPrairie

Native Plant Nursery 2022 Catalogue  
*Dedicated to Restoring Our Native Plant Heritage*

A photograph of two monarch butterflies with orange and black wings feeding on purple flowers. The background is a soft-focus green field.

[www.bluprairie.com](http://www.bluprairie.com)



## *Dedicated to Restoring Our Native Plant Heritage*

As a symbol of those lazy summer days and of life itself, the iconic Monarch butterfly could become nothing more than a memory. In North America, our natural habitats are declining from the onslaught of urban sprawl, poor land management and climate change. These natural habitats sustain our native plant and animal populations and in turn, help nurture the ecosystems that all life depends on. The milkweeds are what sustain the Monarch populations by providing food for their young. The onslaught on our native plant communities is causing the decline of milkweed populations and are, in turn, affecting the Monarchs' life cycle by providing no food for their young.



While the Monarchs are one of the most recognizable inhabitants of our native plant communities, native bees and other pollinators are dependent upon native plants for food and shelter. Native plants also produce seeds, fruit and cover for a variety of wildlife species. Native plants are important in other roles, as in keeping water clean through filtration and stabilizing soil with lakeshore plantings and rain gardens, while providing shelter for fish and the myriad of inhabitants in and out of the water.

***You can make a difference!*** Plant a native plant garden, incorporate native plants into your new or existing landscape, or create a rain garden or restore a native prairie. By planting native plants, you help provide habitat for our resident and migrating wildlife and help preserve our native plant heritage. Welcome beauty into your yard with native plants!

***Put down roots for future generations, go native!***



## ***WHAT WE DO... ..***

At **BluPrairie** we understand the important role native plants play in establishing native plant communities and for the wildlife that depend on them. We also understand how these plants can add beauty to any home landscape theme or garden by their color and texture, and with the importance of choosing the right plants for any given culture requirement.

We provide our customers with quality native plants grown in our nursery by using only natural methods and integrated pest management practices, providing you with healthy plants ready for any size project



**Instead of raking up all the leaves in the fall, leave a scattering on the ground for caterpillars and other insects to hide under for the winter. Also, rake the leaves into your native plant beds as added mulch benefits for covering and natural fertilizer.**

## ***ABOUT OUR PLANTS....***



We grow plants from seed collected from local sources, using our own or, with permission, from local landowners. The seeds we are not able to collect we purchase from reputable wildflower and grass seed producers.

Our plants are grown in different sized containers for the benefit of the different species we carry and for your project needs. Most of our plants are native to Minnesota. All of them are native to North America. The few native plants we carry that are native to North America and not to the Minnesota state area are marked with an asterisk. The common and popular Purple Coneflower is one example of a plant native to North America and not to the Minnesota region.

## ***GENERAL INFORMATION .....***

We strive to offer a large variety of available species in our nursery. The availability of our plants is subject to season, weather and supply. We carry most of our flowers in 2 ½” pots and 3 ½” or 4” sized pots with some in 6 packs. We also carry quart and gallon sized containers for some species. We carry our grasses in 6 packs or 2 ½” pots. Our trees and shrubs are in larger sized containers. If you are interested in a particular size, please contact us regarding availability. We offer both retail and wholesale sales. We also offer contract growing for those interested in larger quantities or for custom growing of species and quantity.

**Mask Policy:** To protect our employees we request that when you visit us to wear a mask.

**Curbside Pickup:** For those of you who wish to place an order for curbside pickup we offer this service at your convenience. Just give us a call!

**Our normal business hours for contacting our office are Monday through Friday  
8 a.m. to 5 p.m.**

**Our greenhouse opening day is May 07, 2022**

Our greenhouse hours are:

Friday 8:00 a.m. to 12:00 p.m.

Saturday 8:00 a.m. to 5:00 p.m.

Sunday 8:00 a.m. to 5:00 p.m.

We set up appointments outside these hours to accommodate our customers' needs.

**phone: 612-720-7941      phone: 952-955-3631**

**[JDanie@bluprairie.com](mailto:JDanie@bluprairie.com)**

**Map and driving directions are provided on page 27 of the catalogue**

*To assist you better in choosing plants for your native planting, we have added the following recommendations and helpful tips to assist you with your project needs.....*

**Light requirements – sun exposure:**

The sun exposure is at its peak from midday to evening. Plants requiring more shade will do ok with morning sun versus the afternoon sun. Plants requiring more sun will tolerate some morning shade if they get the afternoon sun.

**Soil moisture:**

Many native plants will do well in a garden environment with average soil composition and moisture. Those that do well in drier conditions or thrive in them will do well in sandier types of soil with little moisture. Plants requiring moist or even wet conditions do well in areas of standing water after a rainfall or around water. Several plants that we carry are adapted to having their roots submerged in water.

**Special Note on Rain Gardens:**

The design and layout of rain gardens takes special consideration in which you use plants designed to withstand periodic flooding from rainfall and standing water. The soil composition must encourage good drainage for filtration and the layout of the plants used should bear in mind where water is retained the most in the process.

**Other features of Native Plants:**

Here is where color, height and bloom times become the fun part of designing your prairie garden. When laying out your design, you can incorporate bloom times within your planting or with your new or existing landscape to take advantage of a colorful display of the plants you choose. Take note of other features these plants give such as the foliage color, texture and size. Please take note that some plants may not be as showy but may add just as much if not more to the importance of attracting our native wildlife.

**Attracting Wildlife:**

Nothing is more important than establishing these plants to help our native wildlife survive these trying times. Each plant has a role to help sustain our wildlife, some of which is known and some of what we are just beginning to understand. You be the author and witness what happens in your prairie planting.

*Welcome beauty into your yard with native plants!*

To help attract wildlife to your prairie, take broken sections of clay pots and overturn them in areas on the ground to attract toads. They will love you for providing shade for them in the hot afternoon sun!

## KEY TO THE CULTURAL GUIDE

To help better understand the cultural requirements of the native species we provide, the following is a guide to their cultural preferences and other interesting characteristics of the native plants we offer.

### WETLAND CODE

- SUB** Submergent – Occurs exclusively underwater.  
**FLO** Floating – Either occurs floating freely or rooted in the water with leaves on top.  
**EMR** Emergent – Occurs partially underwater.  
**OBLW** Obligate Wetland – Occurs almost always in wetlands.  
**FACW** Facultative Wetland – Usually occurs under wetland conditions but is occasionally found in non-wetlands.  
**FAC** Facultative – Occurs equally in either wetlands or non-wetlands.  
**FACU** Facultative Upland – Occurs mostly in upland conditions.  
**U** Upland – Occurs exclusively in drier upland situations.

### SOIL MOISTURE

- W** Wet – Soggy or marshy most of the year.  
**WM** Wet Mesic – Excessively wet in winter, spring, and after heavy rains but often dries out during the summer months.  
**M** Mesic – Soil moisture is medium. Water soaks in without any runoff; garden type soil.  
**DM** Dry Mesic – Soil is well drained. Water leaves soil readily but not rapidly.  
**D** Dry – Soil moisture is not retained, drains excessively.

### SUN EXPOSURE

- S** Plants that normally grow in full sun.  
**SH** Plants will tolerate partial shade.  
**WSH** Plants that will tolerate more than 50% shade as in woodland situations

# KEY TO THE CULTURAL GUIDE

~CONTINUED~

## HEIGHT – COLOR – BLOOM TIME

Information given on the plant species height, color and bloom time are given under the cultural guide and plant information description after the **sun exposure** section.

## COMMENTS AND ADDITIONAL INFORMATION

Information given in this section is about any special consideration for each individual species. This includes references to the species growth habit, special suitability requirements, life cycles and other factual information to assist you in planning out your prairie plantings.

## OUR 2022 RETAIL PRICE LIST

|                                |          |
|--------------------------------|----------|
| Six pack – six plants per pack | \$8.50   |
| 2 ½” Pot                       | \$3.90   |
| 3 ½” Pot                       | \$4.95   |
| 4 ½” Pot                       | \$5.25** |
| Quart                          | \$14.50  |

The \*\* denotes the price for more of our specialty items, marked with a blue indicator tag in the pot and identified on our signage.

For our wholesale customers, please contact us for pricing information.

We also offer contract growing and special growing needs



| <b>NAME - FLOWERS (FORBS)</b> |  |                             |  |                |                 |
|-------------------------------|--|-----------------------------|--|----------------|-----------------|
| <b>COMMON</b>                 |  | <b>SCIENTIFIC</b>           |  | <b>WETLAND</b> | <b>SOIL</b>     |
| <b>NAME</b>                   |  | <b>NAME</b>                 |  | <b>CODE</b>    | <b>MOISTURE</b> |
| Sweet Flag                    |  | Acorus americanus           |  | EMR/OBLW       | W to WM         |
| Doll's Eyes                   |  | Actaea pachypoda            |  | FAC            | M               |
| Red Baneberry                 |  | Actaea rubrum               |  | FACW           | W to WM         |
| Anise Hyssop                  |  | Agastache foeniculum        |  |                | M to DM         |
| Purple Giant Hyssop           |  | Agastache                   |  |                | WM to DM        |
|                               |  | scrophulariaefolia          |  |                |                 |
| Wild Garlic                   |  | Allium canadense            |  | FACU           | WM to D         |
| Prairie Onion                 |  | Allium stellatum            |  |                | M to D          |
| Nodding Onion                 |  | Allium cernuum              |  | FAC            | WM to M         |
| Wild Leek                     |  | Allium tricoccum            |  | FACW/FAC       | WM to D         |
| Pearly Everlasting            |  | Anaphalis margaritacea      |  |                | DM to D         |
| Pasque Flower                 |  | Anemone patens              |  |                | DM to D         |
|                               |  | var. wolfgangiana           |  |                |                 |
| Thimbleweed                   |  | Anemone cylindrica          |  | FACU           | M to D          |
| Tall Thimbleweed              |  | Anemone virginiana          |  |                | M to DM         |
| Prairie Pussytoes             |  | Antennaria neglecta         |  | UPL            | DM to D         |
| Pussytoes                     |  | Antennaria plantaginifolia  |  |                | DM to D         |
| Clasping Dogbane              |  | Apocynum sabiricum          |  |                | WM to DM        |
| Spikenard                     |  | Aralia racemosa             |  | FACW/FAC       | M               |
| Stiff Sandwort                |  | Arenaria stricta            |  |                | DM to D         |
| Columbine                     |  | Aquilegia canadensis        |  | FACU           | M to DM         |
| Green Dragon                  |  | Arisaema dracontium         |  |                | WM to M         |
| Jack-in-the-Pulpit            |  | Arisaema triphyllum         |  | FACW           | W to WM         |
| Pale Indian Plantain          |  | Arnoglossum atriplicifolium |  |                | M to DM         |
| Prairie Indian Plantain       |  | Arnoglossum plantagineum    |  | FAC            | WM to M         |
| Great Indian Plantain         |  | Arnoglossum reniforme       |  |                | WM to M         |
| Prairie Sagewort              |  | Artemisia frigida           |  |                | DM to D         |
| Prairie Sage                  |  | Artemisia ludoviciana       |  |                | M to D          |
| Wild Ginger                   |  | Asarum canadense            |  | UPL            | WM to DM        |
| Polk Milkweed                 |  | Asclepias exaltata          |  | UPL            | M to DM         |
| Rose Milkweed                 |  | Asclepias incarnata         |  | EMR/OBLW       | W to WM         |
| Showy Milkweed                |  | Asclepias speciosa          |  | FAC            | M to D          |
| Prairie Milkweed              |  | Asclepias sullivantii       |  |                | WM to M         |



| CULTURAL GUIDE AND PLANT INFORMATION |           |            |               |                                |  |
|--------------------------------------|-----------|------------|---------------|--------------------------------|--|
| SUN                                  | HEIGHT    | COLOR      | BLOOMTIME     | COMMENTS AND                   |  |
| EXPOSURE                             |           |            | A M J J A S O | ADDITIONAL INFORMATION         |  |
| S                                    | 1 - 3'    | Green      | X X X         | Flowers are aromatic           |  |
| SH to WSH                            | 1 - 2'    | White      | X X           | White fruit                    |  |
| SH to WSH                            | 1 - 2'    | White      | X X           |                                |  |
| S to SH                              | 3'        | Purple     | X X X X       | Aromatic                       |  |
| S to SH                              | 6'        | Purple     | X X X X       |                                |  |
| S to SH                              | 18"       | Pink       | X X X         | Butterflies, bees              |  |
| S to SH                              | 14"       | Purple     | X X           | Butterflies, bees              |  |
| S to SH                              | 1 - 2'    | Lavender   | X X           | Butterflies, hummingbird, bees |  |
| SH to WSH                            | 14"       | White      | X X           |                                |  |
| S to SH                              | 2'        | White      | X X X X       |                                |  |
| S to SH                              | 1'        | White      | X X           |                                |  |
| S to SH                              | 2'        | White      | X X           |                                |  |
| S to WSH                             | 2' - 3'   | White      | X X X         |                                |  |
| S to SH                              | 4"        | White      | X X X         |                                |  |
| S to SH                              | 2'        | White      | X X X         |                                |  |
| S                                    | 5'        | White      | X X X X X     | Butterflies, bees              |  |
| SH to WSH                            | 3 - 6'    | White      | X X           | Distinct growth habit          |  |
| S                                    | 4"        | White      | X X X         | Makes a nice groundcover       |  |
| S to WSH                             | 3 - 4'    | Red        | X X X         | Hummingbird magnet             |  |
| SH to WSH                            | 3'        | Green      | X X           |                                |  |
| WSH                                  | 2 - 21/2" | Green      | X X X         | Butterflies, bees              |  |
| S to SH                              | 7'        | White      | X X X         |                                |  |
| S                                    | 4'        | White      | X X           |                                |  |
| S to SH                              | 8'        | White      | X X X X       |                                |  |
| S                                    | 4 - 6"    | Yellow     | X X X         |                                |  |
| S to SH                              | 3'        | Green      | X X X         |                                |  |
| SH to WSH                            | 4" - 6"   | Red        | X X X         | Groundcover uses               |  |
| SH to WSH                            | 5'        | White      | X X           | Butterflies, bees              |  |
| S                                    | 3 - 5'    | Purple/Red | X X X         | Also known as Swamp Milkweed   |  |
| S                                    | 4'        | Purple     | X X X         | Butterflies, bees              |  |
| S                                    | 3'        | Pink       | X X X         | Butterflies, bees              |  |

| <b>NAME - FLOWERS (FORBS)</b> |                                   |                |                 |
|-------------------------------|-----------------------------------|----------------|-----------------|
| <b>COMMON</b>                 | <b>SCIENTIFIC</b>                 | <b>WETLAND</b> | <b>SOIL</b>     |
| <b>NAME</b>                   | <b>NAME</b>                       | <b>CODE</b>    | <b>MOISTURE</b> |
| Common Milkweed               | <i>Asclepia syrica</i>            | FAC/FACU       | WM to D         |
| Butterfly Weed                | <i>Asclepias tuberosa</i>         |                | M to D          |
| Whorled Milkweed              | <i>Asclepias verticillata</i>     | FACU           | M to D          |
| Prairie Milk Vetch            | <i>Astragalus adsurgens</i>       |                | DM to D         |
| Canada Milk Vetch             | <i>Astragalus canadensis</i>      | FACU           | WM to DM        |
| Ground Plum                   | <i>Astragalus crassicus</i>       |                | DM to D         |
| Creamy Milk Vetch             | <i>Astragalus racemosus</i>       |                | DM to D         |
| White Wild Indigo             | <i>Baptisia alba</i>              | FACU           | WM to D         |
| Blue Wild Indigo              | <i>Baptisia australis</i>         |                | WM to M         |
| Cream Wild Indigo             | <i>Baptisia bracteata</i>         | UPL            | M to D          |
| Small Yellow Indigo           | <i>Baptisia tinctoria</i>         | UPL            | M to D          |
| False Aster                   | <i>Boltonia asteroides</i>        | FACW           | W to WM         |
| Decurrent False Aster         | <i>Boltonia decurrens</i>         | FACW           | W to WM         |
| Water Arum                    | <i>Calla palustris</i>            | EMR/OBLW       | W to WM         |
| Clustered Poppy Mallow        | <i>Callirhoe triangulata</i>      |                | DM to D         |
| Marsh Marigold                | <i>Caltha palustris</i>           | OBLW           | W to WM         |
| Harebell                      | <i>Campanula rotundifolia</i>     |                | DM to D         |
| Blue Cohosh                   | <i>Caulophyllum thalictroides</i> | FACW           | WM to W         |
| Turtlehead                    | <i>Chelone glabra</i>             | OBLW           | W to WM         |
| Black Cohosh                  | <i>Cimicifuga racemosa</i>        | FACW           | WM to M         |
| Spring Beauty                 | <i>Claytonia virginica</i>        | FAC            | WM to M         |
| Lance-leaf Coreopsis          | <i>Coreopsis lanceolata</i>       |                | DM to D         |
| Prairie Coreopsis             | <i>Coreopsis palmata</i>          |                | M to D          |
| Honewort                      | <i>Cryptotaenia canadensis</i>    |                | WM to DM        |
| White Prairie Clover          | <i>Dalea candida</i>              |                | M to D          |
| Purple Prairie Clover         | <i>Dalea purpurea</i>             |                | M to D          |
| Silky Prairie Clover          | <i>Dalea villosa</i>              |                | DM to D         |
| Wild Blue Larkspur            | <i>Delphinium carolinianum</i>    |                | M to DM         |
| Prairie Larkspur              | <i>Delphinium virescens</i>       |                | DM to D         |
| Showy Tick Trefoil            | <i>Desmodium canadense</i>        | FACU           | WM to DM        |
| Dutchman's Breeches           | <i>Dicentra cucullaria</i>        |                | WM to M         |
| Amethyst Shooting Star        | <i>Dodecatheon amethystinum</i>   |                | WM to DM        |
| Midland Shooting Star         | <i>Dodecatheon meadia</i>         | FACU           | WM to DM        |

| CULTURAL GUIDE AND PLANT INFORMATION |          |        |            |   |   |              |   |   |   |                                  |
|--------------------------------------|----------|--------|------------|---|---|--------------|---|---|---|----------------------------------|
| SUN                                  | HEIGHT   | COLOR  | BLOOM TIME |   |   | COMMENTS AND |   |   |   |                                  |
| EXPOSURE                             |          |        | A          | M | J | J            | A | S | O | ADDITIONAL INFORMATION           |
| S to SH                              | 3'       | Pink   |            |   | X | X            | X |   |   | Aromatic, rhizomatous            |
| S                                    | 2'       | Orange |            |   | X | X            | X |   |   | Home landscape favorite, Monarch |
| S to SH                              | 2'       | White  |            |   |   | X            | X | X |   | Butterflies, bees                |
| S                                    | 6 - 16"  | Purple |            |   | X | X            |   |   |   |                                  |
| S to SH                              | 3'       | Cream  |            |   | X | X            | X |   |   |                                  |
| S                                    | 1'       | Purple | X          | X |   |              |   |   |   |                                  |
| S                                    | 2'       | Cream  | X          | X |   |              |   |   |   |                                  |
| S to SH                              | 3 - 4'   | White  | X          | X |   |              |   |   |   |                                  |
| S to SH                              | 3 - 4'   | Blue   | X          | X | X |              |   |   |   |                                  |
| S to SH                              | 2'       | Cream  | X          | X |   |              |   |   |   |                                  |
| S to SH                              | 2'       | Yellow |            |   | X | X            | X |   |   |                                  |
| S to SH                              | 3 - 5'   | White  |            |   |   | X            | X | X |   |                                  |
| S                                    | 7'       | White  |            |   |   | X            | X | X |   |                                  |
| S to SH                              | 2 - 3'   | White  | X          | X | X |              |   |   |   | Striking plants and flowers      |
| S to SH                              | 1'       | Pink   |            |   | X | X            | X |   |   | Very tolerant of dry sites       |
| S to SH                              | 18 - 30" | Yellow | X          | X | X |              |   |   |   | Early spring bloomer             |
| S to SH                              | 1'       | Purple |            |   | X | X            | X | X |   | Attracts pollinators             |
| SH to WSH                            | 2'       | Green  | X          | X |   |              |   |   |   |                                  |
| S                                    | 4 - 5'   | White  |            |   | X | X            | X |   |   |                                  |
| SH to WSH                            | 5'       | White  |            | X | X | X            | X |   |   |                                  |
| SH to WSH                            | 5"       | Pink   | X          | X | X |              |   |   |   | Early spring bloomer             |
| S                                    | 2'       | Yellow | X          | X | X | X            |   |   |   |                                  |
| S to SH                              | 2'       | Yellow |            |   | X | X            | X |   |   |                                  |
| WSH                                  | 2'       | White  |            |   | X | X            | X |   |   |                                  |
| S to SH                              | 2'       | White  |            |   | X | X            | X | X |   |                                  |
| S to SH                              | 2'       | Purple |            |   |   | X            | X | X |   |                                  |
| S to SH                              | 18 - 24" | Purple |            |   |   | X            | X |   |   |                                  |
| S to SH                              | 4'       | Blue   | X          | X |   |              |   |   |   |                                  |
| S to SH                              | 4'       | White  |            |   | X | X            |   |   |   |                                  |
| S to SH                              | 4 - 5'   | Purple |            |   |   | X            | X |   |   |                                  |
| WSH                                  | 1'       | White  | X          | X |   |              |   |   |   | Spring ephemeral                 |
| S to WSH                             | 1'       | Purple | X          | X |   |              |   |   |   | Spring ephemeral, dies back      |
| S to SH                              | 1'       | Pink   | X          | X |   |              |   |   |   | Spring ephemeral                 |

| <b>NAME - FLOWERS (FORBS)</b> |                             |                |                 |  |
|-------------------------------|-----------------------------|----------------|-----------------|--|
| <b>COMMON</b>                 | <b>SCIENTIFIC</b>           | <b>WETLAND</b> | <b>SOIL</b>     |  |
| <b>NAME</b>                   | <b>NAME</b>                 | <b>CODE</b>    | <b>MOISTURE</b> |  |
| Robin's Plantain              | Erigeron pulchellus         |                | MD to D         |  |
| Narrow-leaved Coneflower      | Echinacea angustifolia      |                | DM to D         |  |
| Purple Coneflower             | Echinacea purpurea*         | FACU           | WM to DM        |  |
| Rattlesnake Master            | Eryngium yuccifolium        | FACU           | WM to DM        |  |
| Boneset                       | Eupatorium perfoliatum      | OBL            | W to WM         |  |
| Big-leaved Aster              | Eurybia macrophyllus        | FACU           | WM to D         |  |
| Grass-leaved Goldenrod        | Euthamia graminifolia       | FAC            | W to DM         |  |
| Joe Pye Weed                  | Eutrochium maculatum        | OBL            | W to WM         |  |
| Sweet Joe Pye Weed            | Eutrochium purpureum        | FAC            | WM to DM        |  |
| Queen of the Prairie          | Filipendula rubra           | FACW           | W to WM         |  |
| Woodland Strawberry           | Fragaria vesca              |                | WM to M         |  |
| Wild Strawberry               | Fragaria virginiana         |                | WM to DM        |  |
| Bottle Gentian                | Gentiana andrewsii          | FACW           | WM to M         |  |
| Cream Gentian                 | Gentiana flavida            | FACU           | WM to D         |  |
| Wild Geranium                 | Geranium maculatum          | FACU           | M to DM         |  |
| Prairie Smoke                 | Geum triflorum              | FAC            | M               |  |
| Sweet Indian Plantain         | Hasteola suaveolens         | OBLW           | W to WM         |  |
| Sneezeweed                    | Helenium autumnale          | FACW           | W to WM         |  |
| Western Sunflower             | Helianthus occidentalis     | FACU           | M to D          |  |
| Showy Sunflower               | Helianthus pauciflorus      |                | DM to D         |  |
| Early Sunflower               | Heliopsis helianthoides     | FACW/FAC       | M               |  |
| Prairie Alumroot              | Heuchera richardsonii       | FACU           | WM to D         |  |
| Rose Mallow                   | Hibiscus laevis             |                | W to WM         |  |
| Longleaf Bluets               | Houstonia longifolia        |                | D               |  |
| Shrubby St. John's Wort       | Hypericum prolificum        |                | WM to DM        |  |
| Northern Blue Flag            | Iris versicolor             | FAC            | W to M          |  |
| Southern Blue Flag            | Iris virginica var. shrevei |                | W to M          |  |
| Button Blazing Star           | Liatris aspera              |                | M to D          |  |
| Meadow Blazing Star           | Liatris ligulistylis        | FACU           | WM to DM        |  |
| Dotted Blazing Star           | Liatris punctata            |                | DM to D         |  |
| Prairie Blazing Star          | Liatris pycnostachya        | FAC            | W to M          |  |
| Scaly Blazing Star            | Liatris squarrosa           |                | DM to D         |  |
| Michigan Lily                 | Lilium michiganense         | FACW           | WM to M         |  |



| CULTURAL GUIDE AND PLANT INFORMATION |         |          |            |   |   |              |   |   |   |                         |
|--------------------------------------|---------|----------|------------|---|---|--------------|---|---|---|-------------------------|
| SUN                                  | HEIGHT  | COLOR    | BLOOM TIME |   |   | COMMENTS AND |   |   |   |                         |
| EXPOSURE                             |         |          | A          | M | J | J            | A | S | O | ADDITIONAL INFORMATION  |
| S to SH                              | 12"     | White    | X          | X |   |              |   |   |   |                         |
| S                                    | 2'      | Pink     |            |   | X | X            |   |   |   |                         |
| S to SH                              | 3 - 4'  | Purple   |            |   |   | X            | X | X |   |                         |
| S                                    | 4'      | White    |            |   |   | X            | X | X |   |                         |
| S to SH                              | 4'      | White    |            |   |   | X            | X | X |   |                         |
| SH to WSH                            | 1'      | White    |            |   |   |              | X | X | X | Attracts pollinators    |
| S to SH                              | 4'      | Yellow   |            |   |   | X            | X | X |   |                         |
| S to SH                              | 5'      | Pink     |            | X | X | X            |   |   |   |                         |
| SH to WSH                            | 7'      | Pink     |            |   |   | X            | X | X |   |                         |
| S                                    | 5'      | Pink     |            | X | X | X            |   |   |   |                         |
| SH to WSH                            | 6 - 12" | White    | X          | X | X |              |   |   |   |                         |
| S to WSH                             | 5"      | White    | X          | X | X |              |   |   |   | Early bee plant, edible |
| S to SH                              | 2'      | Blue     |            |   |   |              | X | X | X |                         |
| S to SH                              | 3'      | Cream    |            |   |   |              | X | X |   |                         |
| S to WSH                             | 1'      | Purple   | X          | X | X | X            |   |   |   |                         |
| S to SH                              | 6 - 12" | Red/Pink | X          | X | X |              |   |   |   |                         |
| S to SH                              | 6 - 7'  | White    |            | X | X | X            |   |   |   |                         |
| S to SH                              | 2 - 5'  | Yellow   |            |   |   |              | X | X | X |                         |
| S to SH                              | 3'      | Yellow   |            |   |   | X            | X | X |   |                         |
| S to SH                              | 5'      | Yellow   |            |   |   | X            | X | X |   |                         |
| S to SH                              | 5 - 7'  | Yellow   |            | X | X | X            | X |   |   |                         |
| S to SH                              | 2'      | Green    |            | X | X | X            |   |   |   |                         |
| S to SH                              | 5'      | Pink     |            |   |   | X            | X | X |   |                         |
| S to SH                              | 6"      | Pink     | X          | X | X |              |   |   |   |                         |
| S to SH                              | 4 - 5'  | Yellow   |            |   |   | X            | X | X |   |                         |
| S to SH                              | 3'      | Blue     | X          | X | X |              |   |   |   |                         |
| S to SH                              | 3'      | Purple   | X          | X | X |              |   |   |   |                         |
| S to SH                              | 3'      | Purple   |            |   |   | X            | X | X | X | Butterflies             |
| S to SH                              | 5'      | Purple   |            |   |   | X            | X | X |   | Monarch magnet          |
| S to SH                              | 2'      | Purple   |            |   |   | X            | X | X |   | Butterflies             |
| S to SH                              | 4'      | Purple   |            |   |   | X            | X | X |   | Butterflies             |
| S to SH                              | 3'      | Purple   |            |   |   | X            | X | X |   |                         |
| S to SH                              | 3 - 7'  | Orange   | X          | X | X |              |   |   |   |                         |

| <b>NAME - FLOWERS (FORBS)</b> |                                 |                |                 |
|-------------------------------|---------------------------------|----------------|-----------------|
| <b>COMMON</b>                 | <b>SCIENTIFIC</b>               | <b>WETLAND</b> | <b>SOIL</b>     |
| <b>NAME</b>                   | <b>NAME</b>                     | <b>CODE</b>    | <b>MOISTURE</b> |
| Prairie (Wood) Lily           | <i>Lilium philadelphicum</i>    | FAC            | WM to M         |
| Cardinal Flower               | <i>Lobelia cardinalis</i>       | OBLW           | WM to M         |
| Great Blue Lobelia            | <i>Lobelia siphilitica</i>      | FACW           | W to WM         |
| Wild Lupine                   | <i>Lupinus perennis</i>         |                | DM to D         |
| Fringed Loosestrife           | <i>Lysimachia ciliata</i>       | FACW           | WM to M         |
| Prairie Loosestrife           | <i>Lysimachia quadriflora</i>   | FAC            | W to M          |
| Swamp Candles                 | <i>Lysimachia terrestris</i>    | OBLW           | W to WM         |
| Tufted Loosestrife            | <i>Lysimachia thyrsoflora</i>   | OBLW           | W to WM         |
| Winged Loosestrife            | <i>Lythrum alatum</i>           | OBLW           | W to WM         |
|                               |                                 |                |                 |
| Virginia Bluebells            | <i>Mertensia virginica</i>      | FACW           | WM to M         |
| Monkey Flower                 | <i>Mimulus ringens</i>          | OBLW           | W to WM         |
| Bishop's Cap                  | <i>Mitella diphylla</i>         |                | WM to DM        |
| Bradbury's Monarda            | <i>Monarda bradburiana</i>      |                | M to DM         |
| Wild Bergamot                 | <i>Monarda fistulosa</i>        | FACU           | WM to D         |
| Spotted Bee Balm              | <i>Monarda punctata</i>         | UPL            | DM to D         |
| Glade Mallow                  | <i>Napaea dioica</i>            |                | W to WM         |
| Upland White Goldenrod        | <i>Oligoneuron album</i>        |                | DM to D         |
| Stiff Goldenrod               | <i>Oligoneuron rigidum</i>      | FAC            | WM to D         |
| Sweet Cicely                  | <i>Osmorhiza claytonii</i>      |                | WM to DM        |
| Aniseroot                     | <i>Osmorhiza longistylis</i>    |                | WM to M         |
| Purple Locoweed               | <i>Oxytropis lambertii</i>      |                | DM to D         |
| Wild Quinine                  | <i>Parthenium integrifolium</i> |                | WM to DM        |
| Prairie Turnip                | <i>Pedimelum esculentum</i>     |                | DM to D         |
| Showy Beardtongue             | <i>Penstemon cobaea*</i>        |                | DM to D         |
| Foxglove Beardtongue          | <i>Penstemon digitalis</i>      |                | M to DM         |
| Slender Beardtongue           | <i>Penstemon gracilis</i>       |                | DM to D         |
| Large-flowered<br>Beardtongue | <i>Penstemon grandiflorus</i>   | UPL            | DM to D         |
| Pale Beardtongue              | <i>Penstemon pallidus</i>       | UPL            | DM to D         |
| Wild Blue Phlox               | <i>Phlox divaricata</i>         |                | WM to DM        |
| Wild Sweet William            | <i>Phlox maculata</i>           | FACW           | WM to M         |
| Prairie Phlox                 | <i>Phlox pilosa</i>             |                | M to DM         |

| CULTURAL GUIDE AND PLANT INFORMATION |          |        |            |   |   |              |   |   |   |                                 |
|--------------------------------------|----------|--------|------------|---|---|--------------|---|---|---|---------------------------------|
| SUN                                  | HEIGHT   | COLOR  | BLOOM TIME |   |   | COMMENTS AND |   |   |   |                                 |
| EXPOSURE                             |          |        | A          | M | J | J            | A | S | O | ADDITIONAL INFORMATION          |
| S to SH                              | 1 – 3'   | Orange | X          | X |   |              |   |   |   |                                 |
| S to SH                              | 2 – 5'   | Red    |            |   | X | X            | X |   |   | Hummingbirds                    |
| S to SH                              | 1 – 4'   | Blue   |            |   | X | X            | X |   |   |                                 |
| S to SH                              | 2'       | Purple | X          | X | X |              |   |   |   |                                 |
| S to WSH                             | 1 – 3'   | Yellow |            | X | X | X            |   |   |   |                                 |
| S to SH                              | 2'       | Yellow |            |   | X | X            |   |   |   |                                 |
| S                                    | 3'       | Yellow |            | X | X | X            |   |   |   |                                 |
| S to SH                              | 2'       | Yellow | X          | X |   |              |   |   |   |                                 |
| S                                    | 3'       | Purple |            | X | X | X            | X |   |   | Not to be confused with the     |
|                                      |          |        |            |   |   |              |   |   |   | invasive Purple Loosestrife     |
| SH to WSH                            | 2'       | Blue   | X          | X |   |              |   |   |   |                                 |
| S to SH                              | 2'       | Purple |            |   | X | X            | X | X |   |                                 |
| SH to WSH                            | 10 - 12" | White  | X          | X | X |              |   |   |   |                                 |
| S to SH                              | 2'       | Pink   |            | X | X |              |   |   |   |                                 |
| S to SH                              | 4'       | Purple |            | X | X | X            |   |   |   | Pollinators                     |
| S to SH                              | 1'       | Purple |            | X | X | X            |   |   |   | Pollinators                     |
| S to SH                              | 7'       | White  |            | X | X | X            |   |   |   |                                 |
| S                                    | 1'       | White  |            | X | X | X            | X |   |   |                                 |
| S to SH                              | 4'       | Yellow |            |   |   | X            | X | X |   |                                 |
| WSH                                  | 2'       | White  | X          | X |   |              |   |   |   |                                 |
| SH to WSH                            | 2'       | White  | X          | X |   |              |   |   |   |                                 |
| S                                    | 1'       | Purple | X          | X | X |              |   |   |   |                                 |
| S                                    | 4'       | White  |            | X | X | X            | X |   |   |                                 |
| S                                    | 1'       | Blue   | X          | X | X |              |   |   |   |                                 |
| S to SH                              | 2'       | Purple | X          | X | X |              |   |   |   |                                 |
| S to SH                              | 3'       | White  |            | X | X |              |   |   |   |                                 |
| S to SH                              | 2'       | Purple | X          | X | X |              |   |   |   |                                 |
| S to SH                              | 2'       | Purple | X          | X |   |              |   |   |   | Showy, drought tolerant         |
| S to SH                              | 1'       | Cream  | X          | X | X |              |   |   |   |                                 |
| SH to WSH                            | 1'       | Blue   | X          | X | X |              |   |   |   |                                 |
| S to PSH                             | 3'       | Pink   |            | X | X | X            |   |   |   | Butterflies, good for landscape |
| S to PSH                             | 2'       | Pink   | X          | X | X |              |   |   |   |                                 |

| <b>NAME - FLOWERS (FORBS)</b> |                            |                |                 |  |
|-------------------------------|----------------------------|----------------|-----------------|--|
| <b>COMMON</b>                 | <b>SCIENTIFIC</b>          | <b>WETLAND</b> | <b>SOIL</b>     |  |
| <b>NAME</b>                   | <b>NAME</b>                | <b>CODE</b>    | <b>MOISTURE</b> |  |
| Lopseed                       | Phyrma leptostachya        |                | W to M          |  |
| Obedient Plant                | Physostegia virginiana     | FACW           | W to M          |  |
| Jacob's Ladder                | Polemonium reptans         | FAC            | WM to M         |  |
| Solomon's Seal                | Polygonatum biflorum       |                | M to DM         |  |
| Lion's Foot                   | Prenanthes alba            |                | WM to M         |  |
| Rattlesnake Root              | Prenanthes racemosa        | FACU           | WM to M         |  |
| Slender Mountain Mint         | Pycnanthemum tenuifolium   |                | WM to M         |  |
| Hairy Mountain Mint           | Pycnanthemum verticillatum |                | M to DM         |  |
|                               | var. pilosum               |                |                 |  |
| Mountain Mint                 | Pycnanthemum virginianum   |                | WM to DM        |  |
| Long-headed Coneflower        | Ratibida columnifera       |                | M to D          |  |
| Yellow Coneflower             | Ratibida pinnata           |                | M to DM         |  |
| Sweet Black-eyed Susan        | Rudbeckia subtomentosa     | FAC            | WM to M         |  |
| Wild Petunia                  | Ruellia humilis            |                | M to DM         |  |
| Short-beaked Arrowhead        | Sagittaria brevirostra     | EMR            | W               |  |
| Arumleaf Arrowhead            | Sagittaria cuneata         | EMR            | W to WM         |  |
| Common Arrowhead              | Sagittaria latifolia       | EMR            | W               |  |
| Bloodroot                     | Sanguinaria Canadensis     |                | WM to DM        |  |
| Swamp Saxifrage               | Saxifraga pensylvanica     | OBLW           | W to WM         |  |
| Hoary Skullcap                | Scutellaria incana         |                | M to DM         |  |
| Small Skullcap                | Scutellaria leonardii      |                | DM to D         |  |
| Prairie Ragwort               | Senecio plattensis         | FACU           | M to DM         |  |
| Wild Senna                    | Senna hebecarpa            |                | WM to M         |  |
| Snowy Champion                | Silene nivea               |                | WM to M         |  |
| Royal Catchfly                | Silene regia               |                | M to DM         |  |
| Starry Champion               | Silene stellata            | FACU           | WM to DM        |  |
| Compass Plant                 | Silphium laciniatum        | FACU           | WM to D         |  |
| Cup Plant                     | Silphium perfoliatum       | FAC            | WM to M         |  |
| Prairie Dock                  | Silphium                   | FAC            | WM to DM        |  |
|                               | terebinthaceum             |                |                 |  |
| Stout Blue-eyed Grass         | Sisyrinchium               |                | WM to D         |  |
|                               | angustifolium              |                |                 |  |
| Prairie Blue-eyed Grass       | Sisyrinchium campestre     |                | DM to D         |  |



| CULTURAL GUIDE AND PLANT INFORMATION |        |        |            |   |   |              |   |   |   |                        |
|--------------------------------------|--------|--------|------------|---|---|--------------|---|---|---|------------------------|
| SUN                                  | HEIGHT | COLOR  | BLOOM TIME |   |   | COMMENTS AND |   |   |   |                        |
| EXPOSURE                             |        |        | A          | M | J | J            | A | S | O | ADDITIONAL INFORMATION |
| SH to WSH                            | 2'     | Pink   |            |   | X | X            | X |   |   |                        |
| S to SH                              | 4'     | Pink   |            |   |   |              | X | X |   | Good for landscape     |
| S to WSH                             | 1'     | Blue   | X          | X | X |              |   |   |   |                        |
| S to WSH                             | 4'     | Cream  | X          | X |   |              |   |   |   |                        |
| SH to WSH                            | 3'     | White  |            |   |   |              | X | X | X |                        |
| S                                    | 3'     | Pink   |            |   |   |              | X | X | X | X                      |
| S to SH                              | 2'     | White  |            |   | X | X            | X | X |   | Aromatic               |
| S to SH                              | 2'     | White  |            |   |   |              | X | X |   | Aromatic               |
| S to SH                              | 3'     | White  |            |   | X | X            | X | X |   | Aromatic               |
| S to SH                              | 3'     | Yellow | X          | X | X |              |   |   |   | Attracts pollinators   |
| S to SH                              | 4'     | Yellow |            |   |   |              | X | X | X |                        |
| S to SH                              | 4'     | Yellow |            |   |   |              | X | X | X | Attracts pollinators   |
| S to SH                              | 1'     | Purple |            |   | X | X            | X |   |   |                        |
| S                                    | 2'     | White  |            |   |   |              | X | X | X |                        |
| SH                                   | 2'     | White  |            |   |   |              | X | X | X |                        |
| S to SH                              | 3'     | White  |            |   |   |              | X | X | X |                        |
| SH to WSH                            | 1'     | White  | X          | X |   |              |   |   |   |                        |
| S to SH                              | 3'     | Green  |            |   | X | X            |   |   |   |                        |
| SH                                   | 3'     | Blue   |            |   | X | X            | X | X |   |                        |
| S to SH                              | 4"     | Purple | X          | X |   |              |   |   |   |                        |
| S to SH                              | 2'     | Yellow |            |   | X | X            | X |   |   |                        |
| S to SH                              | 5'     | Yellow |            |   |   |              | X | X |   |                        |
| S to WSH                             | 1'     | White  |            |   | X | X            | X |   |   |                        |
| S to SH                              | 4'     | Red    |            |   |   |              | X | X |   | Showy, hummingbirds    |
| S to SH                              | 3'     | White  |            |   |   |              | X | X | X | X                      |
| S                                    | 8'     | Yellow |            |   | X | X            | X | X |   |                        |
| S to SH                              | 8'     | Yellow |            |   |   |              | X | X | X |                        |
| S to SH                              | 9'     | Yellow |            |   |   |              | X | X | X |                        |
| S to SH                              | 6"     | Blue   | X          | X |   |              |   |   |   |                        |
| S to SH                              | 6"     | Blue   | X          | X |   |              |   |   |   |                        |

| <b>NAME - FLOWERS (FORBS)</b>   |                                  |                |                 |
|---------------------------------|----------------------------------|----------------|-----------------|
| <b>COMMON</b>                   | <b>SCIENTIFIC</b>                | <b>WETLAND</b> | <b>SOIL</b>     |
| <b>NAME</b>                     | <b>NAME</b>                      | <b>CODE</b>    | <b>MOISTURE</b> |
| Common Carion Flower            | Smilax lasioneura                |                | M to DM         |
| Zig Zag Goldenrod               | Solidago flexicaulis             | FAC            | W to M          |
| Late Goldenrod                  | Solidago gigantea                | FACW           | W to M          |
| Showy Goldenrod                 | Solidago speciosa                |                | M to DM         |
| Great Bur Reed                  | Sparganium eurycarpum            | EMR            | W               |
| Heart-leaved Aster              | Symphyotrichum<br>cordifolius    |                | M to DM         |
| Shining Aster                   | Symphyotrichum firmus            |                | W to M          |
| Smooth Blue Aster               | Symphyotrichum laeve             | FACU           | WM to DM        |
| Aromatic Aster                  | Symphyotrichum<br>oblongifolium  |                | DM to D         |
| Sky Blue Aster                  | Symphyotrichum<br>oolentangiense |                | M to D          |
| Silky Aster                     | Symphyotrichum sericeum          |                | DM to D         |
| Short's Aster                   | Symphyotrichum shortii           |                | M to DM         |
| Arrow-leaved Aster              | Symphyotrichum<br>urophyllum     |                | M to DM         |
| Yellow Pimpernel                | Taenidia integerrima             |                | M to DM         |
| Goat's Rue                      | Tephrosia virginiana             |                | DM to D         |
| Germander                       | Teucrium canadense               |                | WM to DM        |
| Purple Meadow Rue               | Thalictrum dasycarpum            |                | WM to M         |
| Early Meadow Rue                | Thalictrum dioicum               |                | WM to DM        |
| Prairie Spiderwort              | Tradescantia bracteata           |                | DM to D         |
| Ohio Spiderwort                 | Tradescantia ohiensis            |                | WM to DM        |
| Bellwort                        | Uvularia grandiflora             |                | M to DM         |
| Blue Vervain                    | Verbena hastata                  | FACW           | W to M          |
| Hoary Vervain                   | Verbena stricta                  |                | DM              |
| Common Ironweed                 | Vernonia fasciculata             | FACW           | WM to M         |
| Culver's Root                   | Veronicastrum virginicum         | FACU           | WM to DM        |
| Kittentails                     | Wulfenia bullii                  |                | DM to D         |
| Heart-Leaf Golden<br>Alexanders | Zizia aptera                     |                | M to DM         |
| Golden Alexanders               | Zizia aurea                      | FACU           | WM to DM        |

| CULTURAL GUIDE AND PLANT INFORMATION |        |            |               |                           |  |
|--------------------------------------|--------|------------|---------------|---------------------------|--|
| SUN                                  | HEIGHT | COLOR      | BLOOM TIME    | COMMENTS AND              |  |
| EXPOSURE                             |        |            | A M J J A S O | ADDITIONAL INFORMATION    |  |
| S to WSH                             | 3'     | Green      | X X X         |                           |  |
| SH to WSH                            | 3'     | Yellow     | X X X         |                           |  |
| S to SH                              | 6'     | Yellow     | X X           |                           |  |
| S to SH                              | 5'     | Yellow     | X X X         |                           |  |
| S                                    | 4'     | White      | X X X         |                           |  |
| SH to WSH                            | 3'     | Blue       | X X X         | Pollinators               |  |
| S to SH                              | 7'     | Blue       | X X X         | Pollinators               |  |
| S to SH                              | 3 – 4' | Blue       | X X X         | Pollinators               |  |
| S                                    | 2'     | Purple     | X X X         |                           |  |
| S to SH                              | 3'     | Blue       | X X X         |                           |  |
| S to SH                              | 1'     | Purple     | X X           | Pollinators               |  |
| S to WSH                             | 3'     | Blue       | X X X         |                           |  |
| S to WSH                             | 3'     | Blue       | X X X         |                           |  |
| S to WSH                             | 3'     | Yellow     | X X X         |                           |  |
| S to SH                              | 1'     | Purple/Yel | X X           | Silver green foliage      |  |
| S to SH                              | 3'     | Pink       | X X X         |                           |  |
| S to SH                              | 5'     | Cream      | X X           |                           |  |
| SH to WSH                            | 2'     | Green      | X X           |                           |  |
| S                                    | 1'     | Purple     | X X X         |                           |  |
| S to SH                              | 3'     | Blue       | X X X         |                           |  |
| SH to WSH                            | 1'     | Yellow     | X X           |                           |  |
| S to SH                              | 4'     | Blue       | X X X         | Pollinators               |  |
| S to SH                              | 2'     | Blue       | X X X X       |                           |  |
| S to SH                              | 6'     | Purple     | X X X         |                           |  |
| S to SH                              | 4'     | White      | X X X         |                           |  |
| S to SH                              | 8"     | Yellow     | X X           | Local to Twin Cities area |  |
| S to SH                              | 2'     | Yellow     | X X           |                           |  |
| S to SH                              | 3'     | Yellow     | X X X         |                           |  |

| <b>NAME - GRASSES</b>             |                                |                |                 |
|-----------------------------------|--------------------------------|----------------|-----------------|
| <b>COMMON</b>                     | <b>SCIENTIFIC</b>              | <b>WETLAND</b> | <b>SOIL</b>     |
| <b>NAME</b>                       | <b>NAME</b>                    | <b>CODE</b>    | <b>MOISTURE</b> |
| Big Bluestem                      | <i>Andropogon gerardii</i>     | FAC            | M               |
| Little Bluestem                   | <i>Schizachyrium scoparium</i> | FAC            | M               |
| Side Oats Grama                   | <i>Bouteloua curtipendula</i>  | U              | M to D          |
| Blue Grama                        | <i>Bouteloua gracilis</i>      |                | DM to D         |
| Small Yellow Fox Sedge            | <i>Carex annectens</i>         |                | W to DM         |
| Bebb's Oval Sedge                 | <i>Carex bebbii</i>            |                | WM to M         |
| Awned Graceful Sedge              | <i>Carex davisii</i>           | FAC/FACU       | WM to M         |
| Purple-sheathed<br>Graceful Sedge | <i>Carex gracillima</i>        | FAC/FACU       | WM to M         |
| Palm Sedge                        | <i>Carex muskingumensis</i>    |                | WM to DM        |
| Lance Fruited Oval Sedge          | <i>Carex scoparia</i>          | FACW           | W to M          |
| Long-beaked Sedge                 | <i>Carex sprengeii</i>         |                | WM to M         |
| Narrow-leaved<br>Cattail Sedge    | <i>Carex squarrosa</i>         | FAC/FACU       | W to M          |
| Common Fox Sedge                  | <i>Carex stipata</i>           | OBLW           | W to M          |
| Common Cattail Sedge              | <i>Carex typhina</i>           |                | W to WM         |
| Brown Fox Sedge                   | <i>Carex vulpinoidea</i>       |                | W to DM         |
| Three-way Sedge                   | <i>Dulichium arundinaceum</i>  |                | W to WM         |
| Canada Wild Rye                   | <i>Elymus canadensis</i>       | FAC/FACU       | M to D          |
| Canada Rush                       | <i>Juncus canadensis</i>       | FACW           | WM to M         |
| Common Rush                       | <i>Juncus effusus</i>          | OBLW           | WM to M         |
| Path Rush                         | <i>Juncus tenuis</i>           | FAC            | M to D          |
| Scribner's Panic Grass            | <i>Panicum oligosanthos</i>    | FAC/FACW       | WM to M         |
| Hairy Lens Grass                  | <i>Paspalum setaceum</i>       |                | DM to D         |
| Hardstem Bulrush                  | <i>Scirpus acutus</i>          | OBLW           | W to WM         |
| Dark-green Bulrush                | <i>Scirpus atrovirens</i>      | OBLW           | W to WM         |
| Wool Grass                        | <i>Scirpus cyperinus</i>       | OBLW           | W to WM         |
| Chairmaker's Rush                 | <i>Scirpus pungens</i>         | OBLW           | W to WM         |
| Great Bulrush                     | <i>Scirpus validus</i>         | OBLW           | W to WM         |
| Indian Grass                      | <i>Sorghastrum nutans</i>      | FACU           | M to D          |
| Cord Grass                        | <i>Spartina pectinata</i>      | FACW/FAC       | WM to M         |
| Prairie Dropseed                  | <i>Sporobolus heterolepis</i>  | FACU           | M to D          |
| Seaside Arrowgrass                | <i>Triglochin maritima</i>     | OBLW/FACW      | W to WM         |



| <b>CULTURAL GUIDE AND PLANT INFORMATION</b> |               |  |
|---|---------------|--|
| <b>SUN</b>                                  | <b>HEIGHT</b> | <b>COMMENTS AND</b>                                  |
| <b>EXPOSURE</b>                             |               | <b>ADDITIONAL INFORMATION</b>                        |
| S to SH                                     | 3 – 7'        | Turns to a handsome reddish bronze after first frost |
| S to SH                                     | 2 – 3'        | Forms dense clusters                                 |
| S to SH                                     | 2'            | Ornamental seed heads                                |
| S to SH                                     | 1'            | Ornamental seed heads                                |
| S   | 2'            |  |
| S   | 3'            |  |
| SH to WSH                                   | 2'            | Light shaded woodland setting                        |
| SH to WSH                                   | 3'            | Woodland setting                                     |
| S to WSH                                    | 3'            | Ornamental, great for woodland plantings             |
| S   | 1 – 2'        |  |
| S to WSH                                    | 2'            |  |
| S to WSH                                    | 3'            |  |
| S to WSH                                    | 2 – 3'        |  |
| SH to WSH                                   | 1'            |  |
| S to SH                                     | 3'            |  |
| S to SH                                     | 3'            |  |
| S to SH                                     | 5'            |  |
| S to SH                                     | 2 – 3'        | Calcareous, alkaline soils                           |
| S to SH                                     | 2'            |  |
| S   | 2 – 3'        |  |
| S to SH                                     | 1'            |  |
| S   | 2'            | Ornamental and provides seeds for wildlife           |
| S to SH                                     | 3 – 5'        | Decorative pyramid-like seed heads                   |
| S   | 6'            | Wetland, water's edge                                |
| S   | 5'            | Wetland, water's edge                                |
| S   | 5'            |  |
| S   | 4'            | Wetland, water's edge                                |
| S   | 6'            | Ornamental fall color                                |
| S to SH                                     | 5 – 6'        | Clump forming, stems a bronze orange in the fall     |
| S to SH                                     | 3'            |  |
| S to SH                                     | 12 - 30"      | Wetland, bogs, swamps, interesting seed heads        |

| <b>NAME - TREES, SHRUBS AND VINES</b> |                           |                |                 |  |
|---------------------------------------|---------------------------|----------------|-----------------|--|
| <b>COMMON</b>                         | <b>SCIENTIFIC</b>         | <b>WETLAND</b> | <b>SOIL</b>     |  |
| <b>NAME</b>                           | <b>NAME</b>               | <b>CODE</b>    | <b>MOISTURE</b> |  |
| Lead Plant                            | Amorpha canescens         |                | M to D          |  |
| False Indigo                          | Amorpha fruticosa         | FACU           | WM to DM        |  |
| Fragrant False Indigo                 | Amorpha nana              |                | M to DM         |  |
| New Jersey Tea                        | Ceanothus americanus      |                | M to DM         |  |
| Red Root                              | Ceanothus ovatus          |                | DM to D         |  |
| Buttonbush                            | Cephalanthus occidentalis | OBLW           | W to WM         |  |
| Virgin's Bower                        | Clematis virginiana       | FACU           | WM to M         |  |
| Prairie Ninebark                      | Physocarpus opulifolius   | FACU           | WM to DM        |  |
| Wafer Ash                             | Ptelea trifoliata         |                | M to D          |  |
| Prairie Wild Rose                     | Rosa arkansana            | FACU           | WM to DM        |  |
| Early Wild Rose                       | Rosa blanda               | FACU           | M to DM         |  |
| Swamp Rose                            | Rosa palustris            | FACW           | WM              |  |
| Meadowsweet                           | Spiraea alba              | OBLW           | W to WM         |  |
| Steeplebush                           | Spiraea tomentosa         | OBLW           | W to WM         |  |
| Bladdernut                            | Staphylea trifolia        |                | M               |  |
| Coralberry                            | Symphoricarpos            | FAC            | WM to DM        |  |
|                                       | orbiculatus               |                |                 |  |

| CULTURAL GUIDE AND PLANT INFORMATION |        |        |               |                              |
|--------------------------------------|--------|--------|---------------|------------------------------|
| SUN                                  | HEIGHT | COLOR  | BLOOM TIME    | COMMENTS AND                 |
| EXPOSURE                             |        |        | A M J J A S O | ADDITIONAL INFORMATION       |
| S to SH                              | 3'     | Purple | X X X         | Pollinators                  |
| S to SH                              | 11'+   | Purple | X X X         |                              |
| S                                    | 2'     | Purple | X X X         |                              |
| S to SH                              | 3'     | White  | X X X         | Pollinators                  |
| S to SH                              | 3'     | White  | X X           |                              |
| S to SH                              | 8'     | White  | X X X         | Pollinators, especially bees |
| S to SH                              | 9'     | White  | X X X         | Vine                         |
| S to SH                              | 8'     | White  | X             |                              |
| S to SH                              | 14'+   | Green  | X X           |                              |
| S to SH                              | 2'     | Pink   | X X X         | Pollinators                  |
| S to SH                              | 2'     | Pink   | X X           | Pollinators                  |
| S to SH                              | 5'     | Pink   | X X X         | Pollinators                  |
| S to SH                              | 4'     | White  | X X X X       |                              |
| S to SH                              | 4'     | Pink   | X X X         | Grows in acidic soil         |
| SH to WSH                            | 19'+   | White  | X X           |                              |
| S to SH                              | 4'     | Pink   | X X           |                              |

# *PRAIRIE NOTES*

This section is left blank for your use



*How to Get Involved with Creating and Planting a Pollinator  
Habitat....*


We encourage you to take up on the many resources available to you. One website with Minnesota's BWSR has many sources and programs for you to look into. One that we are excited about is the new Lawns to Legumes program.

You can get involved with the Xerces society where you can learn about the pollinators you attract to your installed habitat.

When designing and planting your habitat there are also programs out there to assist you with that.

*As we learn and understand how important the natural world is to us, more  
resources and programs will become available*

“Cherish the natural world, because you’re a part of it and you depend on it.” —  
*Sir David Attenborough*



### **Directions to our Greenhouse:**

We are located approximately seven miles west of St. Bonifacius. To get to our greenhouse, take Hwy. 7 west from St. Bonifacius to Hwy. 25. Take Hwy. 25 north towards Watertown. When you come to a bridge (approximately 2 miles), look for a gravel road on your right called 32<sup>nd</sup> Street. Make a right there and go down about a 2 blocks, we are on the right hand side. You will see a sign with our name on it. If you cross the bridge on Hwy. 25, you've gone too far.

When coming from the cities, you can take Hwy. 7 due west from 494 and 7 or you can take 394 to Cty. Rd. 6, which then turns to Cty. Rd. 20. Follow that to Watertown, then go north on 10 to Hwy. 25. Follow that south (left hand turn) out of Watertown to 32<sup>nd</sup> Street.





*Native Plant Nursery*

12975 32<sup>nd</sup> Street

P.O. Box 637

Watertown, MN 55388