

Slovenia – Alpine Flowers of Lake Bohinj and the Julian Alps

Naturetrek Tour Report

18 - 25 June 2015



Epipogon aphyllum



Orobanche purpurea

Report and images by Paul Harnes & Paul Tout



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour Participants: Paul Harmes & Paul Tout (Leaders) with 13 Naturetrek clients.

Day 1

Thursday 18th June

Stansted to Ljubljana, transfer to Ribcev Laz

Thirteen tour participants met with Paul H at the departures gate at Stansted Airport for the 12.55pm Easyjet EZY3245 flight to Ljubljana. Upon our arrival, we completed immigration formalities and collected our luggage, before making our way to the arrivals hall where we met up with Paul T, our other tour leader. With luggage loaded into our minibuses, we set off travelling towards Kranj, before joining the motorway northwest to the exit for Bled. Passing through the town, we soon had spectacular views of the lake and the imposing Castle Bled, perched some 130m above the lake on the north shore. As we continued on, the road ran beside the Sava Bohinjka River. Before long, we passed through the small town of Bohinjska Bistrica and the villages of Savica and Polje, before arriving in Ribcev Laz, situated at the eastern end of the beautiful Lake Bohinj, and the Alpinum Hotel Jezero, our base for the duration of the tour. Having settled into our rooms, we gathered for dinner at 7.30pm. After eating, the leaders outlined the programme for the next few days.

Day 2

Friday 19th June

Lake Bohinj from Ribcev Laz to Ukanc.

After breakfast at 8am, we met up in the hotel lobby at 9am, before embarking on our first full day. Our objective was to walk the path along the north side of Lake Bohinj. This route would take us through natural woodland, pastures and planted woodland of *Fagus sylvatica* (Beech) and *Picea abies* (Norway Spruce). We began making our way through natural forest, comprised of *Fagus sylvatica* (Beech), *Ostrya carpinifolia* (Hop Hornbeam), *Corylus avellana* (Hazel), *Fraxinus excelsior* (Ash) and *Juniperus communis* subsp. *communis* (Common Juniper). Early finds included *Petrorhagia saxifraga* (Tunic Flower), *Salvia pratensis* (Meadow Clary), *Cephalanthera rubra* (Red Helleborine), *Epipactis atrorubens* (Dark Red Helleborine), *Genista tinctoria* (Dyer's Greenweed), *Anthyllis vulneraria* subsp. *alpestris* (Kidney Vetch), *Clematis recta* (Erect Clematis) and the dying spikes of *Cephalanthera damasonium* (White Helleborine). Insects were none too active, but a few had started to appear. These included Rose Chafer, and Large Skipper and Woodland Brown butterflies.

The birds were generally quiet also, although Chaffinch, Chiffchaff and Coal Tit were recorded. Moving on, *Scabiosa dipsacifolia* (Wood Scabious), *Rhamnus saxatilis* (Rock Buckthorn), *Rhamnus fallax* (an Alpine Buckthorn) and *Dactylorhiza fuchsii* (Common Spotted Orchid) were added, as well as a rather cold False Heath Fritillary. A flooded cattle grid and a drinking trough both had Yellow-bellied Toad occupying them. We took lunch at a picnic table near where a snow-melt stream emptied into the lake. Excitement was heightened with the spotting of a Short-toed Snake Eagle and a pair of Honey Buzzards patrolling a distant ridge. Wood White butterfly was also added soon after we resumed.

By now it had begun to rain quite heavily, and would continue to do so for the rest of the day. However, we continued to find new species. *Asplenium trichomanes* subsp. *quadrivalens* (Maidenhair Spleenwort), *Asplenium viride* (Green Spleenwort) and *Dryopteris filix-mas* (Male Fern) were added. After crossing a boulder-filled dry river bed, we added *Astrantia bavarica* (Bavarian Masterwort), *Dianthus sternbergii* (Sternberg's Pink), *Cirsium erisithales* (Yellow

Melancholy Thistle), *Silene alpestris* (Alpine Catchfly), *Aconitum angustifolium* (a Monk's-hood) and *Aconitum lycoctonum* subsp. *vulparia* (Wolf's-bane).

We were now nearing the village of Ukanc, our destination, and the point where we planned to catch the boat back to Ribcev Laz. We ended the day with more exciting finds, adding *Campanula glomerata* (Clustered Bellflower), *Lunaria redivida* (Perennial Honesty), *Thalictrum aquilegifolium* (Great Meadow-rue), *Telekia speciosa* (Large Yellow Ox-eye), *Aruncus dioicus* (Goat's-beard Spiraea) and *Orobancha rapum-genistae* (Greater Broomrape).

From Ukanc, we caught the boat back to the jetty at Ribcev Laz, near our hotel, in good time to freshen up for dinner.

Day 3

Saturday 20th June

Pokljuka Plateau

This morning, several of the group joined Paul T for an early bird walk in the woods behind the hotel. Several Wood Warblers and a pair of Honey Buzzards were seen.

After breakfast, in quite heavy cloud, we boarded the buses for the journey to Goreljek, on the Pokljuka plateau, situated north-east of Ribcev Laz. We made our way up through Bohinjska Bistrica, before turning left and beginning to climb. We drove up through Jereka and Gorjuse, before stopping at the Barje Sijec Reserve. We began by exploring the verges and some coniferous woodland on the north side of the road. Early finds included *Equisetum sylvaticum* (Wood Horsetail), *Corallorhiza trifida* (Coralroot Orchid), *Gymnocarpium dryopteris* (Oak Fern), *Phegopteris connectilis* (Beech Fern), *Ranunculus platanifolius*, *Neottia cordata* (Lesser Twayblade) and *Luzula luzuloides* (White Woodrush).

At this point, after a rather heavy shower of rain, we moved to the other side of the road, and an extensive area of peat bog, one of the southernmost in Europe. Here, we found *Vaccinium oxycoccos* (Cranberry), *Dactylorhiza incarnata* subsp. *pulchella* (an Early Marsh Orchid), *Gymnadenia conopsea* subsp. *densiflora* (Marsh Fragrant Orchid), *Andromeda polifolia* (Bog Rosemary), *Pinus mugo* (Dwarf Mountain Pine), *Drosera rotundifolia* (Round-leaved Sundew), and *Eriophorum gracile* (Small Cotton-grass), among many more. We also recorded False Heath Fritillary butterfly, had good views of Goldcrest and heard Robin and Tree Pipit.

We were now subjected to a prolonged period of rain, so we made our way to the Jerek Hotel, where we took warming tea and coffee. As rain appeared to be easing, we moved on to find some shelter for our picnic, stopping under some trees by some summer cottages and a lovely meadow. As it was still raining quite hard, our leaders reversed the vehicles together and prepared our picnic in the back. By the time we were finishing, the rain had also stopped. In the woods we found *Veratrum lobelianum* (Green False Helleborine), *Arctostaphylos uva-ursi* (Bearberry), *Dactylorhiza (Coeloglossum) viridis* (Frog Orchid), *Neottia nidus-avis* (Bird's-nest Orchid) and a good stand of *Phyteuma ovatum* (Dark Rampion). In the meadow we added *Lilium carniolicum* (Carnic Lily), *Silene flos-cuculi* (Ragged Robin) and *Pedicularis verticillata* (Whorled Lousewort).

After our meal, we set off the short distance to explore another area of conifer woodland and meadow. Along the way, we found a good patch of *Rosa pendulina* (Alpine Rose). The wood produced *Moneses uniflora* (One-

flowered Wintergreen), *Maianthemum bifolia* (May Lily), *Homogyne sylvestris*, *Silene alpestris* (Alpine Catchfly), *Corallorhiza trifida* (Coralroot Orchid), *Lathraea squamaria* (Toothwort), *Gymnocarpium robertianum* (Limestone Fern) and *Dactylorhiza viridis* (Frog Orchid). In the meadow we added the fruiting stems of *Gentiana utriculosa* (Bladder Gentian), *Carduus carduelis* (South Eastern Thistle), *Veronica aphylla* (Leafless-stemmed Speedwell) and a solitary spike of *Cephalanthera damasonium* (White Helleborine)

On the return journey, to Ribcev Laz, along a quiet lane, we disturbed a pair of juvenile Hazel Grouse but, unfortunately, we did not get good views.

Day 4

Sunday 21st June

Vogar and Slap Savica

Outside the hotel, as we were joining our vehicles this morning, we saw House Martin, Spotted Flycatcher, Great Spotted Woodpecker and we also heard Greenfinch. A short bus ride found us at Stara Fuzina, where we took the toll road up to the mountain meadows at Vogar (1054m), high above the Bohinj Lake, on the north side. Two-thirds of the way to the top, we stopped to explore some cliffs beside the mountain road. Here we saw the leaves of *Primula auricula* (Bear's-ear), *Saxifraga cuneifolia* (Spoon-leaved Saxifrage), *Rhamnus fallax* (an Alpine Buckthorn), *Linum viscosum* (Sticky Flax), *Scrophularia scopolii* (Scopoli's Figwort), *Campanula rotundifolia* (Harebell) and a good show of *Saxifraga crustata* (Encrusted Saxifrage). Willow Tit was seen and Painted Lady, Large Wall Brown and Woodland Ringlet butterflies were also recorded.

We now moved up to a rough car park in the forest, from where we began to explore. In the first meadow we examined, we found *Gymnadenia conopsea* subsp. *conopsea* (Fragrant Orchid), *Eriophorum angustifolium* (Common Cotton-grass), *Parnassia palustris* (Grass of Parnassus), *Dactylorhiza fuchsii* (Common Spotted Orchid) and *Lilium carnolicum* (Carnic Lily). Great Tit was seen, and Chiffchaff, Blackcap and Robin were heard. As we progressed, butterflies became more active, with Clouded Apollo, Black-veined White, Heath Fritillary, Dark Green Fritillary and Large Skipper all recorded. As we progressed, we added *Lamium orvala* (Balm-leaved Archangel), *Lilium martagon* (Martagon Lily), *Vicia sylvatica* (Wood Vetch), *Trifolium montanum* (Mountain Clover), *Trifolium rubens* (Large Red Trefoil) and *Gentianella germanica* (Chiltern Gentian).

We now moved on, through more forest, to a splendid view-point overlooking the lake and across the valley to Vogel. *Aconitum lycoctonum* subsp. *vulparia* (Wolf's-bane) was seen and Common Heath and Speckled Yellow Moths, Pearly Heath butterfly and Common Buzzard were recorded as we enjoyed our picnic. We now made our way back to the bus, before beginning our descent towards Stara Fuzina. Just before the village, Gill spotted Red-backed Shrike.

From Stara Fuzina we made a short diversion to Studor, where there are some good examples of traditional hay drying racks, which some of the group had asked to photograph. Whilst there, we saw Tree Sparrow, Raven and Serin.

Our final stop of the day was at the Slap Savica Waterfall, just west of Ukanc. At the waterfall car park, we left the buses and made the short walk up to the waterfall, which, due to overnight rain, was quite spectacular. In the

forest, on the way down, we found *Atropa bella-donna* (Deadly Nightshade), *Rhododendron hirsutum* (Hairy Alpenrose) and *Saxifraga rotundifolia* (Round-leaved Saxifrage), before taking some refreshments at the rifugio.

Day 5

Monday 22nd June

Mangart Saddle

Today, we planned to explore the Mangart Saddle, to the north-west of Bohinj. After an early breakfast at 6.30am, we joined the buses and were on the road by 7.30am. Leaving Ribcev, we made our way via Bohinjska Bistrica to Bled, and north to the motorway, which we joined westwards to Jesenice. Here we joined the old road, before turning left at Kranjska Gora, and crossing the Vrsic Pass which, at 1618m, is the highest pass in Slovenia. Along the way, *Clematis alpina* (Alpine Clematis), Buzzard, Magpie, House Martin and Barn Swallows were seen. Continuing on, we passed through Soca, Koritnica and Log Pod Mangartom, before turning up towards our objective. Moving on upwards, we climbed above the tree-line, to the Mangart Saddle (c.2000m), a pass set below the imposing Mangart Peak (2679m). Parking the bus we set off to explore an area of rocky limestone outcrops and grassland, below the Saddle. Here we found *Rhodothamnus chamaecistus* (Dwarf Alpenrose), *Valeriana elongata* (Elongated Valerian), *Saxifraga burseriana* (One-flowered Cushion Saxifrage), *Veronica alpina* (Alpine Speedwell), *Ranunculus alpestris* subsp. *traunfellneri* (an Alpine Buttercup), *Dryas octopetala* (Mountain Avens), *Veronica aphylla* (Leafless-stemmed Speedwell), *Salix reticulata* (Net-leaved Willow), *Thlaspi rotundifolia* (Round-leaved Pennywort), and *Sedum roseum* (Roseroot) and many more. There was no activity on the insect front as the cloud base was constantly changing. However, we did see Water Pipit, Northern Wheatear, Ptarmigan, Alpine Accentor and Alpine Chough.

After enjoying our picnic, with the views coming and going, we set out to explore the area below the rifugio. Here we began a fairly leisurely walk down to where the buses would meet us. Here we found *Soldanella alpina* (Alpine Snowbell), *Pritzelago alpina* (Chamois Cress), *Bartsia alpina* (Alpine Bartsia) *Pinguicula alpina* (Alpine Butterwort), and *Rhododendron hirsutum* (Hairy Alpenrose). Rejoining the buses, we now descended back towards Log Pod Mangartom, returning to Ribcev Laz by the southern route via Bovec and Tolmin, where we stopped for refreshments by the Soca River. Whilst we were here, we saw Robin, Yellow-legged Gull and Starling, not a common bird in this region.

The final leg of the homeward journey took us through Podbrdo, where we saw a Dipper on the river, and Gerry spotted a solitary Hazel Grouse in a freshly cut hay meadow.

On our return to the hotel, all agreed it had been a long but wonderful day.

Day 6

Tuesday 23rd June

(Vintgar Gorge) – Ribcev Laz - Bled

The early morning birders left the hotel at 6am, finding Grey Heron and Green Sandpiper, before returning at 6.10am, owing to the onset of torrential rain. This continued well beyond our normal leaving time and on into the morning. The water level in the lake rose, and all the previously dry streams and gullies soon became swollen. We had been planning to visit the Vintgar Gorge, near Bled, as rain earlier in the week had made the steep path

at the start of the route to Crna Prst too treacherous. However, judging by the amount of water coming off the mountains, a narrow, water-filled gorge was also a non-starter.

The rain was so heavy that the road surface, outside the hotel, was completely obscured, and the noise created on the glass roof of the hotel, thunderous. By now there was also thunder and lightning, so we took the opportunity to complete the previous day's checklist, postponed from last night, and to identify various photographs. After lunch, the rain began to ease off, and it was at this point we discovered that a severe weather warning had been issued for north-east Italy!

After eating, our leaders offered some alternative activities. Paul T led a walk from the hotel finding Common Swift, Crag Martin and, surprisingly, three Black Terns, which had probably been forced down by the extreme weather. They also found *Ornithogalum pyrenaicum* (Bath Asparagus) and *Hacquetia epipactis* (Hacquetia).

Meanwhile, Paul H took the remaining group members into Bled for the afternoon, where they visited the famous castle and the lake margins. Mute Swan, Barn Swallow, Hooded Crow, Kestrel and Song Thrush were all reported together with *Stachys sylvatica* (Hedge Woundwort), *Cardamine bulbifera* (Coralroot Bitter-cress) and *Chelidonium majus* (Greater Celandine). Along the roadside on the return journey to the hotel, we also found *Viscum album* (Mistletoe).

Day 7

Wednesday 24th June

Mostnice Gorge

After breakfast, we boarded the bus for the short journey to the car park above Stara Fuzina. Here we took the track up the beautiful Korita Mostnice Gorge, passing through forest, past wet rocks and also open areas of scrub. Before leaving the car park, we found Marbled White and Large Skipper butterflies, *Verbena officinalis* (Vervain) and *Betonica officinalis* (Betony). As we began to ascend the path, Coal Tit, Nutcracker and Greenfinch were heard. *Vinca minor* (Lesser Periwinkle), *Potentilla caulescens* (Lax Potentilla) and *Homogyne carniolica* (Carnic Colt's-foot) were also recorded. Passing the river gorge at the Devil's Bridge, we made our way on up the west side of the gorge, through the forest. Woodland Brown, Wood White, Small Skipper and Arran Brown butterflies were seen, as well as *Aconitum lycoctonum* subsp. *vulparia* (Wolf's-bane). A small stand of *Epipogium aphyllum* (Ghost Orchid) was spotted by Jenny. Crossing over the river, we emerged from the gorge at Pl. Koca na Vojah, a rifugio, where we had lunch of vegetable or mushroom soup. After our meal we continued up the gently ascending path, passing the seeding heads of *Phyteuma ovatum* (Dark Rampion) and *Stachys alpina* (Alpine Woundwort). Hay meadows now opened up before us and in the margins we found *Campanula glomerata* (Clustered Bellflower), *Gymnadenia conopsea* subsp. *conopsea* (Fragrant Orchid) and *Dactylorhiza fuchsii* (Common Spotted Orchid) together with scattered spikes of *Dianthus barbatus* (Sweet William) and the occasional spike of *Lilium carniolicum* (Carnic Lily). In the pasture and along the trackside, we also saw Purple-edged Copper, Scarce Copper, Clouded Apollo, Heath Fritillary, Clouded Yellow, Duke of Burgundy Fritillary, Dark Green Fritillary, White Admiral and Lesser Marbled Fritillary butterflies.

From the pastures, we re-entered the woodland, where the path took us up to the Slape Mostniski (Mostnice Waterfall). After admiring the falls, which were quite substantial due to the recent rain, we made the descent back

to where we had lunch, to rejoin our minibus to return us to the hotel in time for dinner. Some members of the group chose to walk back to the hotel.

Day 8

Thursday 25th June

Stara Fuzina – Lubljiana - Stansted

Our final day in Slovenia began with a leisurely breakfast, and time for packing. We then took the buses to Stara Fuzina for our last morning, where we spent a leisurely couple of hours exploring the village, the river bank and the adjacent meadows. Common House Martins and Barn Swallow were seen and butterflies included Silver-washed Fritillary, Small White, Wood White and Heath Fritillary. The walls of the village had a good show of *Sedum hispanicum* (a Stonecrop) and elsewhere, *Echium vulgare* (Viper's-bugloss) was growing on the river bank in blue and white flower forms.

After our explorations, we made our way to the 'Domaca Gostilna Mihovc', a traditional Slovenian guesthouse/restaurant, where we had our lunch. It was now time to re-join the vehicles for the journey back to Ljubljana Airport. Here, we bid farewell to Paul T, before catching our Easyjet flight EZY 3246 back to Stansted.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Epipogium aphyllum

Species Lists

Plants (* = Very localised distribution or endemic)

Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

Scientific name	Common name	Location
PTERIDOPHYTES		
FERNS & ALLIES		
Lycophytes		
Clubmosses & Quillworts		
Lycopodiaceae		
<i>Lycopodium clavatum</i>	Stag's-horn Clubmoss	Pokljuka
Selaginellaceae		
<i>Selaginella selaginoides</i>	Lesser Clubmoss	Mangart
<i>Selaginella helvetica</i>	Swiss Clubmoss	Stara Fuzina
Eusporangiate Ferns		
Adder's-tongues & Moonworts		
<i>Botrychium lunaria</i>	Moonwort	Mangart
Calamophytes		
Horsetails		
Equisetaceae		
<i>Equisetum arvense</i>	Common Horsetail	Bohinj
<i>Equisetum palustre</i>	Marsh Horsetail	Pokljuka
<i>Equisetum sylvaticum</i>	Wood Horsetail	Pokljuka
<i>Equisetum telmateia</i>	Great Horsetail	Roadsides
<i>Equisetum variegatum</i>	Variiegated Horsetail	Pokljuka
Leptosporangiate Ferns		
True Ferns		
Aspleniaceae		
<i>Asplenium ruta-muraria</i>	Wall Rue	Bohinj
<i>Asplenium scolopendrium</i>	Hart's-tongue	Vogar
<i>Asplenium trichomanes</i> subsp. <i>quadrivalens</i>	Maidenhair Spleenwort	Bohinj
<i>Asplenium viride</i>	Green Spleenwort	Bohinj
Athyriaceae		
<i>Athyrium alpestre</i> (<i>A. distentifolium</i>)	Alpine Lady-fern	Mangart
<i>Athyrium filix-femina</i>	Lady-fern	Bohinj
Blechnaceae		
<i>Blechnum spicant</i>	Hard-fern	Pokljuka
Cystopteridaceae		
<i>Cystopteris montana</i>	Mountain Bladder-fern	Vogar
<i>Gymnocarpium dryopteris</i>	Oak Fern	Pokljuka
<i>Gymnocarpium robertianum</i>	Limestone Fern	Pokljuka

Scientific name	Common name	Location
Dennstaedtiaceae <i>Pteridium aquilinum</i>	Bracken Family Bracken	Bohinj
Dryopteridaceae <i>Dryopteris affinis</i> agg. <i>Dryopteris dilatata</i> <i>Dryopteris filix-mas</i> <i>Polystichum lonchitis</i> <i>Polystichum setiferum</i>	Buckler-fern Family Golden-scaled Male-fern Broad Buckler-fern Male-fern Holly Fern Soft Shield-fern	Pokljuka Pokljuka Pokljuka Mangart Mostnice
Polypodiaceae <i>Polypodium vulgare</i>	Polypody Family Common Polypody	Bohinj
Thelypteridaceae <i>Phegopteris connectilis</i>	Marsh Fern Family Beech Fern	Pokljuka

GYMNOSPERMS**CONIFERS**

Cupressaceae <i>Juniperus communis</i> subsp. <i>communis</i>	Juniper Family Common Juniper	Bohinj
Pinaceae <i>Larix decidua</i> <i>Picea abies</i> subsp. <i>abies</i> <i>Pinus mugo</i> <i>Pinus sylvestris</i>	Pine Family European Larch Spruce Dwarf Mountain Pine Scots Pine	Bohinj Bohinj Pokljuka Roadsides

ANGIOSPERMS**FLOWERING PLANTS****Pre-Dicots****Primitive Angiosperms**

Aristolochiaceae <i>Asarum europaeum</i>	Birthwort Family Asarabacca	Bohinj
----------------------------------------------------	---------------------------------------	--------

Eu-dicots**True Dicotyledons**

Adoxaceae <i>Sambucus ebulus</i> <i>Sambucus nigra</i> <i>Sambucus racemosus</i> <i>Viburnum lantana</i> <i>Viburnum opulus</i>	Moschatel Family Dwarf Elder Elder Red-berried Elder Wayfaring Tree Guelder Rose	Bohinj Bohinj Vogar Bohinj Bohinj
Anacardiaceae <i>Cotinus coggygria</i>	Sumach Family Smoke-tree	Bohinj
Apiaceae <i>Aegopodium podagraria</i> <i>Angelica sylvestris</i> <i>Astrantia bavarica</i> <i>Astrantia carniolica</i> *	Carrot Family Ground Elder Wild Angelica Bavarian Masterwort Carnic Masterwort	Bohinj Pokljuka Bohinj Mostnice

Scientific name	Common name	Location
<i>Astrantia major</i>	Great Masterwort	Mostnice
<i>Chaerophyllum temulum</i>	Chervil	Bohinj
<i>Daucus carota</i>	Wild Carrot	Bohinj
<i>Hacquetia epipactis</i>	Hacquetia	Ribcev Laz
<i>Heracleum sphondylium</i>	Hogweed	Bohinj
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Bohinj (leaves)
<i>Laserpitium siler</i>	a Sermountain	Bohinj (leaves)
<i>Myrrhis odorata</i>	Sweet Cicely	Vogar
<i>Peucedanum carvifolia</i>	-	Bohinj
<i>Peucedanum venetum</i>	Southern Masterwort	Bohinj
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	Pokljuka
<i>Sanicula europaea</i>	Sanicle	Bohinj
Apocynaceae	Periwinkle Family	
<i>Vinca minor</i>	Lesser Periwinkle	Bohinj
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Bohinj
Balsaminaceae	Balsam Family	
<i>Impatiens parviflora</i>	Small Balsam	Stara Fuzina
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Bohinj
Betulaceae	Birch Family	
<i>Betula pendula</i>	Silver Birch	Pokljuka
<i>Betula pubescens</i>	Downy Birch	Pokljuka
<i>Carpinus betulus</i>	Hornbeam	Bohinj
<i>Corylus avellana</i>	Hazel	Bohinj
<i>Ostrya carpinifolia</i>	Hop Hornbeam	Bohinj
Boraginaceae	Forget-me-not Family	
<i>Echium vulgare</i>	Viper's-bugloss	Bohinj
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Mangart
<i>Myosotis arvensis</i>	Field Forget-me-not	Vogar
<i>Myosotis scorpioides</i>	Water Forget-me-not	Mostnice
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Bohinj
<i>Symphytum x uplandicum</i>	Russian Comfrey	Bohinj
Brassicaceae	Cabbage Family	
<i>Alyssum montanum</i>	Mountain Alyssum	Mangart
<i>Arabis alpina</i>	Alpine Rock-cress	Mangart
<i>Arabis glabra</i>	Tower Mustard	Mostnice
<i>Arabis turrata</i>	Tower-cress	Bohinj
<i>Armoracia rusticana</i>	Horse-radish	Bohinj
<i>Biscutella laevigata</i>	a Buckler Mustard	Bohinj
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Bled
<i>Cardamine bulbifera</i>	Bulbous Bitter-cress	Bled
<i>Cardamine enneaphyllos</i>	Drooping Bitter-cress	Bohinj (fruit)
<i>Cardamine impatiens</i>	Narrow-leaved Bitter-cress	Vogar
<i>Draba aizoides</i>	Yellow Whitlow-grass	Mangart
<i>Kernera saxatilis</i>	Kernera	Vogar (fruit)
<i>Lunaria redivida</i>	Perennial Honesty	Bohinj

Scientific name	Common name	Location
<i>Pritzelago alpina</i>	Chamois Cress	Mangart
<i>Rorippa sylvestris</i>	Creeping Yellow-cress	Bohinj
<i>Thlaspi montanum</i>	Mountain Penny-cress	Mangart
<i>Thlaspi rotundifolia</i>	Rond-leaved Pennycress	Mangart
Campanulaceae	Bellflower Family	
<i>Campanula glomerata</i>	Clustered Bellflower	Ukanc
<i>Campanula latifolia</i>	Giant Bellflower	Bohinj
<i>Campanula patula</i>	Spreading Bellflower	Bohinj
<i>Campanula rapunculoides</i>	Creeping Bellflower	Bohinj
<i>Campanula rotundifolia</i>	Harebell	Pokljuka
<i>Campanula thyrsooides</i> subsp. <i>carniolica</i> *	Carnic Bellflower	Mostnice
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Mostnice
<i>Phyteuma ovatum</i>	Dark Rampion	Pokljuka
<i>Phyteuma zahlbruckneri</i>	a Rampion	Vogar
Caprifoliaceae	Honeysuckle Family	
<i>Knautia arvensis</i>	Field Scabious	Stara Fuzina
<i>Knautia dipsacifolia</i>	Wood Scabious	Bohinj
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Slap Savica
<i>Lonicera xylostemum</i>	Fly Honeysuckle	Bohinj
<i>Scabiosa lucida</i>	-	Vogar
<i>Valeriana dioica</i>	Marsh Valerian	Pokljuka
<i>Valeriana elongata</i>	Elongated Valerian	Mangart
<i>Valeriana montana</i>	Mountain Valerian	Mangart
<i>Valeriana officinalis</i>	Common Valerian	Bohinj
<i>Valeriana saxatilis</i>	Rock Valerian	Bohinj
<i>Valeriana tripteris</i>	Three-leaved Valerian	Bohinj
Caryophyllaceae	Pink Family	
<i>Cerastium arvense</i>	Field Mouse-ear	Mangart
<i>Cerastium fontanum</i>	Common Mouse-ear	Mangart
<i>Dianthus barbatus</i>	Sweet William	Mostnice
<i>Dianthus sternbergii</i>	a Fringed Pink	Bohinj
<i>Dianthus sylvestris</i>	Wood Pink	Mangart
<i>Silene (Lychnis) flos-cuculi</i>	Ragged Robin	Pokljuka
<i>Minuartia sedoides</i>	Mossy Cyphel	Mangart
<i>Moehringia muscosa</i>	-	Bohinj
<i>Petrorhagia saxifraga</i>	Tunic Flower	Bohinj
<i>Silene acaulis</i>	Moss Campion	Mangart
<i>Silene alpestris</i>	Alpine Catchfly	Bohinj
<i>Silene dioica</i>	Red Campion	Bohinj
<i>Silene latifolia</i>	White Campion	Bohinj
<i>Silene italicus</i>	Italian Catchfly	Bohinj
<i>Silene pusilla</i>	-	Slap Savica
<i>Silene vulgaris</i>	Bladder Campion	Bohinj
<i>Stellaria graminifolia</i>	Lesser Stitchwort	Vogar
<i>Stellaria media</i>	Common Chickweed	Stara Fuzina
Celastraceae	Spindle Family	
<i>Euonymus europaeus</i>	Spindle	Bohinj
<i>Euonymus latifolius</i>	Large-leaved Spindle	Slap Savica

Scientific name	Common name	Location
<i>Parnassia palustris</i>	Grass-of-Parnassus	Vogar
Chenopodiaceae	Goose-foot Family	
<i>Chenopodium album</i>	Fat Hen	Bohinj
<i>Chenopodium bonus-henricus</i>	Good King Henry	Vogar
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Common Rock-rose	Bohinj
<i>H.oelandicum</i> subsp. <i>alpestre</i>	Alpine Rock-rose	Mangart
Compositae (Asteraceae)	Daisy Family	
<i>Achillea clavennae</i>	Silvery Millfoil	Mangart
<i>Achillea millefolium</i>	Yarrow	Bohinj
<i>Adenostyles alliariae</i>	Adenostyles	Vogar
<i>Antennaria dioica</i>	Mountain Everlasting	Mangart
<i>Aposeris foetida</i>	Aposeris	Bohinj
<i>Bellidiastrum michelii</i>	False Aster	Pokljuka
<i>Bellis perennis</i>	Daisy	Ribcev Laz
<i>Buphthalmum salicifolium</i>	Yellow Ox-eye	Bohinj
<i>Carduus carduelis</i>	South Eastern Thistle	Pokljuka
<i>Carduus defloratus</i>	Alpine Thistle	Bohinj
<i>Centaurea montana</i>	Perennial Cornflower	E of Ribcev Laz
<i>Centaurea scabiosa</i> subsp. <i>alpestris</i>	a Greater Knapweed	Vogar
<i>Cicerbita alpina</i>	Alpine Sowthistle	Vogar
<i>Cichorium intybus</i>	Chicory	Bohinj
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	Bohinj
<i>Cirsium oleraceum</i>	Cabbage Thistle	Bohinj
<i>Crepis aurea</i>	Golden Hawksbeard	Pokljuka
<i>Doronicum orientale</i>	a Leopard's-bane	Mangart
<i>Erigeron annuus</i>	Annual Fleabane	Bohinj
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Bohinj (leaves)
<i>Galinsoga quadriradiata</i>	Gallant Soldier	Bohinj
<i>Homogyne alpina</i>	Alpine Colts-foot	Mangart
<i>Homogyne sylvestris</i>	a Colt's-foot	Pokljuka
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Bohinj
<i>Matricaria discoidea</i>	Pineapple Weed	Bohinj
<i>Mycelis muralis</i>	Wall Lettuce	Bohinj
<i>Petasites albus</i>	White Butterbur	Pokljuka
<i>Petasites paradoxus</i>	Alpine Butterbur	Bohinj
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	Bohinj
<i>Solidago virgaurea</i>	Goldenrod	Vogar (leaves)
<i>Telekia speciosa</i>	Large Yellow Ox-eye	Bohinj
<i>Tolpis staticifolia</i>	-	Vogar
<i>Tragopogon pratensis</i> subsp. <i>orientalis</i>	Goat's-beard	Bohinj
<i>Tussilago farfara</i>	Colt's-foot	Mangart
Convolvulaceae	Bindweed Family	
<i>Calystegia sepium</i>	Hedge Bindweed	Bled
<i>Convolvulus arvensis</i>	Field Bindweed	Vogar
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Bohinj

Scientific name	Common name	Location
Crassulaceae		
Stonecrop Family		
<i>Sedum album</i>	White Stonecrop	Vogar
<i>Sedum annuum</i>	Annual Stonecrop	Mangart
<i>Sedum atratum</i>	Dark Stonecrop	Mangart
<i>Sedum hispanicum</i>	-	Stara Fuzina
<i>Sedum roseum (Rhodiola rosea)</i>	Roseroot	Mangart
<i>Sedum sexangulare</i>	Tasteless Stonecrop	Bohinj
<i>Sedum telephium</i>	Orpine	
Ericaceae		
Heath family		
<i>Arctostaphylos uva-ursi</i>	Bearberry	Pokljuka
<i>Andromeda polifolia</i>	Bog Rosemary	Pokljuka (leaves)
<i>Erica carnea</i>	Spring Heath	Bohinj (leaves)
<i>Moneses uniflora</i>	One-flowered Wintergreen	Pokljuka
<i>Pyrola minor</i>	Common Wintergreen	Pokljuka
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Slap Savica
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Mangart
<i>Vaccinium myrtillus</i>	Bilberry	Pokljuka
<i>Vaccinium oxycoccus</i>	Cranberry	Pokljuka
<i>Vaccinium vitis-idaea</i>	Cowberry	Pokljuka
Euphorbiaceae		
Spurge Family		
<i>Euphorbia amygdaloides</i>	Wood Spurge	Bohinj
<i>Euphorbia cyparissias</i>	Cypress Spurge	Bohinj
<i>Euphorbia helioscopia</i>	Sun Spurge	Bohinj
<i>Mercurialis perennis</i>	Dog's Mercury	Bohinj
Fagaceae		
Oak & Beech Family		
<i>Fagus sylvatica</i>	Beech	Bohinj
Gentianaceae		
Gentian Family		
<i>Gentiana asclepiadea</i>	Willow-leaved Gentian	Pokljuka
<i>Gentiana clusii</i>	Clusius' Gentian	Mangart
<i>Gentiana cruciata</i>	Cross Gentian	Pokljuka
<i>Gentiana terglouensis</i>	Triglav Gentian	Mangart
<i>Gentiana utriculosa</i>	Bladder Gentian	Pokljuka (fruit)
<i>Gentiana verna</i>	Spring Gentian	Mangart
<i>Gentianella germanica</i>	Chiltern Gentian	Vogar
Geraniaceae		
Geranium Family		
<i>Geranium columbinum</i>	Long-stalked Crane's-bill	Stara Fuzina
<i>Geranium dissectum</i>	Cut-leaved Crane's-bill	Vogar
<i>Geranium phaeum</i>	Dusky Crane's-bill	Pokljuka
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Pokljuka
<i>Geranium robertianum</i>	Herb Robert	Bohinj
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Mangart
Hypericaceae		
St. John's-wort Family		
<i>Hypericum maculosum</i>	Imperforate St. John's-wort	Bohinj
<i>Hypericum montanum</i>	Pale St. John's-wort	Bohinj
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Bohinj

Scientific name	Common name	Location
Juglandaceae		
<i>Juglans regia</i>	Walnut	Bohinj
Lamiaceae		
Dead-nettle Family		
<i>Ajuga genevensis</i>	Blue Bugle	Bohinj
<i>Betonica officinalis</i>	Betony	Bohinj
<i>Clinopodium alpinum</i>	Alpine Basil Thyme	Bohinj
<i>Lamiastrum galeobdolon</i> agg.	Yellow Archangel	Bohinj
<i>Lamium garganicum</i>	Large Red Dead-nettle	Bohinj
<i>Lamium orvala</i>	Balm-leaved Archangel	Vogar
<i>Lamium purpureum</i>	Red Dead-nettle	Vogar
<i>Melittis melissophyllum</i>	Bastard Balm	Vogar
<i>Mentha longifolia</i>	Horse Mint	Mostnice
<i>Mentha spicata</i>	Spearmint	Stara Fuzina
<i>Origanum vulgare</i>	Wild Marjoram	Bohinj
<i>Prunella grandiflora</i>	Large-flowered Selfheal	Bohinj
<i>Prunella vulgaris</i>	Selfheal	Bohinj
<i>Salvia glutinosa</i>	Jupiter's Distaff	Bohinj (leaves)
<i>Salvia pratensis</i>	Meadow Clary	Bohinj
<i>Stachys alopecuroides</i>	Yellow Betony	Bohinj
<i>Stachys alpina</i>	Alpine Woundwort	Mostnice
<i>Stachys recta</i>	Yellow Woundwort	Bohinj
<i>Stachys sylvatica</i>	Hedge Woundwort	Bled
<i>Teucrium chamaedrys</i>	Wall Germander	Bohinj
<i>Teucrium montanum</i>	Mountain Germander	Bohinj
<i>Thymus polytrichus</i>	Wild Thyme	Bohinj
<i>Thymus serpyllum</i>	A Thyme	Pokljuka
Leguminosae (Fabaceae)		
Pea Family		
<i>Anthyllis vulneraria</i> subsp. <i>alpestris</i>	Kidney-vetch	Bohinj
<i>Astragalus depressus</i>	False vetch	Mangart
<i>Astragalus glycyphyllos</i>	Wild Liquorice	Bohinj
<i>Cytisus (Chamaecytisus) hirsutus</i>	Hairy Broom	Bohinj
<i>Dorycnium pentaphyllum</i>	-	Bohinj
<i>Genista radiata</i>	Southern Greenweed	Bohinj
<i>Genista tinctoria</i>	Dyers Greenweed	Bohinj
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Bohinj
<i>Laburnum alpinum</i>	Alpine Laburnum	Vogar
<i>Lathyrus occidentalis</i>	-	Mostnice
<i>Lathyrus pratensis</i>	Yellow Vetchling	Bohinj
<i>Lathyrus vernus</i>	Spring Vetchling	Bohinj (fruit)
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Mangart
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Bohinj
<i>Lotus pedunculatus</i>	Greater Bird's-foot Trefoil	Pokljuka
<i>Medicago sativa</i> subsp. <i>falcata</i>	Sickle Medick	Mostnice
<i>Medicago lupulina</i>	Black Medick	Pokljuka
<i>Melilotus albus</i>	White Melilot	E of Ribcev Laz
<i>Robinia pseudoacacia</i>	False Acacia	Roadsides
<i>Trifolium badium</i>	Brown Clover	Vogar
<i>Trifolium campestre</i>	Hop Trefoil	Bohinj
<i>Trifolium medium</i>	Zigzag Clover	Bohinj
<i>Trifolium montanum</i>	Mountain Clover	Bohinj

Scientific name	Common name	Location
<i>Trifolium pratense</i>	Red Clover	Bohinj
<i>Trifolium repens</i>	White Clover	Bohinj
<i>Trifolium rubens</i>	Red Trefoil	Vogar
<i>Vicia cracca</i>	Tufted vetch	Bohinj
<i>Vicia sepium</i>	Bush Vetch	Pokljuka
<i>Vicia sylvatica</i>	Wood Vetch	Vogar
Lentibulariaceae	Bladderwort Family	
<i>Pinguicula alpina</i>	Alpine Butterwort	Mangart
<i>Pinguicula vulgaris</i>	Common Butterwort	
Linaceae	Flax Family	
<i>Linum perenne subsp. alpinum</i>	Perennial Flax	Mangart
<i>Linum viscosum</i>	Sticky Flax	Vogar
Malvaceae	Mallow Family	
<i>Tilia cordata</i>	Small-leaved Lime	Bohinj
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Bohinj
<i>Fraxinus ornus</i>	Manna or Flowering Ash	Mostnice
<i>Ligustrum vulgare</i>	Wild Privet	Bohinj
Onagraceae	Willowherb Family	
<i>Epilobium fleischeri</i>	-	Roadsides
<i>Epilobium montanum</i>	Broad-leaved Willowherb	Vogar
<i>Oenothera glazioviana</i>	Common Evening Primrose	Stara Fuzina
Orobanchaceae	Broomrape Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Mangart
<i>Lathraea squamaria</i>	Toothwort	Pokljuka
<i>Melampyrum nemorosum</i>	a Cow-wheat	Mostnice
<i>Melampyrum pratense</i>	Common Cow-wheat	Bohinj
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Pokljuka
<i>Orobanche gracilis</i>	Slender Broomrape	Bohinj
<i>Orobanche minor</i>	Common Broomrape	Bohinj
<i>Orobanche rapum-genistae</i>	Greater Broomrape	Bohinj
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Pokljuka
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Bohinj (leaves)
Papaveraceae	Poppy Family	
<i>Chelidonium majus</i>	Greater Celandine	Bled
Plantaginaceae	Plantain Family	
<i>Chaenorhinum minus</i>	Small Toadflax	Stara Fuzina
<i>Digitalis grandiflora (D. ambigua)</i>	Large Yellow Foxglove	Roadsides
<i>Globularia cordifolia</i>	Matted Globularia	Vogar
<i>Plantago lanceolata</i>	Ribwort Plantain	Bohinj
<i>Plantago major</i>	Greater Plantain	Bohinj
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Bohinj

Scientific name	Common name	Location
<i>Veronica alpina</i>	Alpine Speedwell	Mangart
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Pokljuka
<i>Veronica bonarota</i>	Bluish Paederota	Mangart
<i>Veronica chamaedrys</i>	Germander Speedwell	Pokljuka
<i>Veronica lutea</i>	Yellow Paederota	Mangart
<i>Veronica officinalis</i>	Heath Speedwell	Bohinj
<i>Veronica persica</i>	Common Field Speedwell	Bohinj
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Vogar
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Mangart
<i>Polygala serpyllifolia</i>	Heath Milkwort	Pokljuka
<i>Polygala vulgaris</i>	Common Milkwort	Bohinj
Polygonaceae	Knotweed Family	
<i>Persicaria maculosa</i>	Red-shank	Bohinj
<i>Persicaria vivipara</i>	Alpine Bistort	Pokljuka
<i>Rumex alpinus</i>	Monk's Rhubarb	Pokljuka
<i>Rumex conglomeratus</i>	Clustered Dock	Bled
<i>Rumex nivalis</i>	Snow Dock	Bohinj
Primulaceae	Primrose Family	
<i>Cyclamen purpurescens</i>	a Cyclamen	Bohinj
<i>Lysimachia nummularia</i>	Creeping-jenny	Bohinj
<i>Primula auricula</i>	Bear's-ear Primrose	Vogar
<i>Primula elatior</i>	Oxlip	Mangart
Ranunculaceae	Buttercup Family	
<i>Aconitum angustifolium</i>	Narrow-leaved Monk's-hood	Bohinj
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's-bane	Bohinj
<i>Aconitum paniculatum</i>	a Monk's-hood	Vogar
<i>Actaea spicata</i>	Baneberry	Bohinj (leaves)
<i>Anemone trifolia</i>	Three-leaved Anemone	Bohinj (leaves)
<i>Anemone nemorosa</i>	Wood Anemone	Pokljuka (leaves)
<i>Aquilegia atrata</i>	Dark Columbine	Pokljuka
<i>Aquilegia vulgaris</i>	Columbine	Bohinj
<i>Caltha palustris</i>	Marsh Marigold	Pokljuka (leaves)
<i>Clematis alpina</i>	Alpine Clematis	Roadsides
<i>Clematis recta</i>	Upright Clematis	Bohinj
<i>Clematis vitalba</i>	Old-Man's-Beard	Bohinj
<i>Heleborus niger</i>	Christmas Rose	Bohinj (leaves)
<i>Hepatica nobilis</i>	Hepatica	Bohinj (leaves)
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Vogar
<i>Ranunculus acris</i>	Meadow Buttercup	Bohinj
<i>Ranunculus alpestris</i> subsp. <i>traunfellneri</i>	a Buttercup	Mangart
<i>Ranunculus montanus</i>	Mountain Buttercup	Mangart
<i>Ranunculus platanifolius</i>	a Buttercup	Pokljuka
<i>Ranunculus sardous</i>	Hairy Buttercup	Vogar
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Bohinj
<i>Thalictrum minus</i>	Lesser Meadow-rue	Bohinj
<i>Trollius europaeus</i>	Globeflower	Pokljuka

Scientific name	Common name	Location
Rhamnaceae		
Buckthorn Family		
<i>Frangula alnus</i>	Alder Buckthorn	Bohinj
<i>Rhamnus fallax</i>	an Alpine Buckthorn	Bohinj
<i>Rhamnus saxatilis</i>	Rock Buckthorn	Bohinj
Rosaceae		
Rose Family		
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Mangart
<i>Alchemilla glaucescens</i>	Silky Lady's-mantle	Mangart
<i>Amelanchier ovalis</i>	Juneberry	Bohinj
<i>Aruncus dioicus</i>	Goatsbeard Spiraea	Bohinj
<i>Camarum palustris</i>	Marsh Cinquefoil	Pokljuka (leaves)
<i>Crataegus monogyna</i>	Hawthorn	Bohinj
<i>Dryas octopetala</i>	Mountain Avens	Mangart
<i>Fragaria moschata</i>	Hautbois Strawberry	Pokljuka
<i>Fragaria vesca</i>	Wild Strawberry	Bohinj
<i>Geum montanum</i>	Alpine Avens	Mangart
<i>Geum rivale</i>	Water Avens	Pokljuka
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Bohinj
<i>Potentilla alchimilloides</i>	Alchemilla-leaved Cinquefoil	Vogar
<i>Potentilla aurea</i>	Golden Cinquefoil	Pokljuka
<i>Potentilla caulescens</i>	Lax Potentilla	Mostnice
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Mangart
<i>Potentilla erecta</i>	Tormentil	Pokljuka
<i>Poterium sanguisorba</i>	Salad Burnet	Bohinj
<i>Prunus spinosa</i>	Blackthorn	Bohinj
<i>Rosa arvensis</i>	Field Rose	Bohinj
<i>Rosa glauca</i>	Blue-leaved Rose	Bohinj
<i>Rosa pendulina</i>	Alpine Rose	Pokljuka
<i>Rubus fruticosus</i> agg	Bramble	Bohinj
<i>Rubus idaeus</i>	Raspberry	Vogar
<i>Rubus saxatilis</i>	Stone Bramble	Bohinj
<i>Sorbus aria</i> agg	Whitebeam	Vogar
<i>Sorbus aucuparia</i>	Rowan	Bohinj
<i>Sorbus torminalis</i>	Wild Service Tree	Bohinj
Rubiaceae		
Bedstraw Family		
<i>Cruciata glabra</i>	a Crosswort	Bohinj
<i>Galium album</i>	Hedge Bedstraw	Bohinj
<i>Galium saxatile</i>	Heath Bedstraw	Pokljuka
<i>Galium verum</i>	Lady's Bedstraw	Bohinj
<i>Galium x pomeranicum</i>	Hybrid Bedstraw	Bohinj
Salicaceae		
Willow & Poplar Family		
<i>Populus tremula</i>	Aspen	Ribcev Laz
<i>Salix caprea</i>	Goat Willow	Pokljuka
<i>Salix eleagnos</i>	Rosemary Willow	Bohinj
<i>Salix x fragilis</i>	Crack Willow	Bohinj
<i>Salix herbacea</i>	Least Willow	Mangart
<i>Salix reticulata</i>	Net-leaved Willow	Mangart
<i>Salix waldsteiniana</i>	a Mountain Willow	Mangart

Scientific name	Common name	Location
Santalaceae		
<i>Thesium alpinum</i>	Alpine Bastard Toadflax	Bohinj
<i>Thesium linophyllum</i>	Flax-leaved Bastard Toadflax	Bohinj
<i>Viscum album</i>	Mistletoe	Roadsides
Sapindaceae		
<i>Acer campestre</i>	Field Maple	Bohinj
<i>Acer platanoides</i>	Norway Maple	Bohinj
<i>Acer pseudoplatanus</i>	Sycamore	Bohinj
Saxifragaceae		
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden Saxifrage	Mangart
<i>Saxifraga aizoides</i>	Yellow Mountain Saxifrage	Mangart (leaves)
<i>Saxifraga burseriana</i>	One-flowered Cushion Saxifrage	Mangart
<i>Saxifraga caesia</i>	Blue Saxifrage	Mangart (leaves)
<i>Saxifraga crustata</i>	Encrusted Saxifrage	Vogar
<i>Saxifraga cuneifolia</i>	Spoon-leaved Saxifrage	Vogar
<i>Saxifraga hostii</i>	Host's Saxifrage	Near Podbrdo
<i>Saxifraga oppositifolia</i>	Purple Saxifrage	Mangart
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Mangart
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Slap savica
<i>Saxifraga stellatum</i>	Starry Saxifrage	Mangart
Scrophulariaceae		
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Alpine Figwort	Bohinj
<i>Scrophularia nodosa</i>	Common Figwort	Bohinj
<i>Scrophularia scopolii</i>	Scopoli's Figwort	Vogar
<i>Verbascum nigrum</i>	Dark Mullein	Vogar
Solanaceae		
<i>Atropa belladonna</i>	Deadly Nightshade	Slap Savca
<i>Solanum dulcamara</i>	Bittersweet	Vogar
Thymelaeaceae		
<i>Daphne mezereum</i>	Mezereum	Bohinj
Urticaceae		
<i>Urtica dioica</i>	Common Nettle	Ribcev Laz
Verbenaceae		
<i>Verbena officinalis</i>	Vervain	Bohinj
Violaceae		
<i>Viola biflora</i>	Yellow Violet	Mangart
<i>Viola canina</i>	True Dog Violet	Vogar
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Alpine Heartsease	Stara Fuzina
Monocots		
Monocotyledons		
Amaryllidaceae		
<i>Allium suaveolens</i>	Fragrant Onion	Bohinj

Scientific name	Common name	Location
Asparagaceae	Asparagus Family	
<i>Anthericum ramosum</i>	Branched St. Bernard's Lily	Bohinj
<i>Convallaria majalis</i>	Lily-of-the -Valley	Bohinj
<i>Maianthemum bifolium</i>	May Lily	Bohinj
<i>Ornithogalum pyrenaicum</i>	Bath Asparagus	Ribcev Laz
<i>Polygonatum multiflorum</i>	Solomon's Seal	Bohinj
<i>Polygonatum odoratum</i>	Angular Solomon's Seal	Bohinj
<i>Polygonatum verticillatum</i>	Whorlled Solomon's Seal	Vogar
Colchicaceae	Meadow Saffron Family	
<i>Colchicum autumnale</i>	Autumn Crocus (leaves)	Vogar (leaves)
Cyperaceae	Sedge Family	
<i>Carex atrata</i>	Black Alpine-sedge	Mangart
<i>Carex demissa</i>	Common Yellow -sedge	Pokljuka
<i>Carex digitata</i>	Fingered Sedge	Mostnice
<i>Carex dioica</i>	Dioecious Sedge	Vogar
<i>Carex echinata</i>	Star Sedge	Pokljuka
<i>Carex flacca</i>	Glaucous Sedge	Bohinj
<i>Carex flava</i>	Large Yellow-sedge	Mostnice
<i>Carex lepidocarpa</i>	Long-bracted Yellow-sedge	Bohinj
<i>Carex leporina (C. ovalis)</i>	Oval Sedge	Vogar
<i>Carex nigra</i>	Common Sedge	Pokljuka
<i>Carex ornithopoda</i>	Bird's-foot Sedge	Pokljuka
<i>Carex pilulifera</i>	Pill Sedge	Vogar
<i>Carex rostrata</i>	Bottle Sedge	Pokljuka
<i>Carex sylvatica</i>	Wood Sedge	Bohinj
<i>Carex vaginata</i>	Sheathed Sedge	Mangart
<i>Eriophorum angustifolium</i>	Common Cotton-grass	Vogar
<i>Eriophorum gracile</i>	Slender Cotton-grass	Pokljuka
Juncaceae	Rush Family	
<i>Juncus biglumis</i>	-	Mangart
<i>Juncus tenuis</i>	Slender Rush	Bohinj
<i>Juncus trifidus</i>	Three-leaved Rush	Mangart
<i>Luzula luzuloides</i>	White Woodrush	Pokljuka
<i>Luzula nivea</i>	Snowy Woodrush	Pokljuka
<i>Luzula pilosa</i>	Hairy Woodrush	Pokljuka
Liliaceae	Lily Family	
<i>Gagea serotina</i>	Snowdon Lily	Mangart
<i>Lilium carnolicum*</i>	Carnic Lily	Pokljuka
<i>Lilium martagon</i>	Martagon Lily	Bohinj
Melanthiaceae	Herb-paris Family	
<i>Paris quadrifolia</i>	Herb Paris	Pokljuka
<i>Veratrum lobeliana</i>	Green False Helleborine	Pokljuka
Orchidaceae	Orchid Family	
<i>Cephalanthera damasonium</i>	White Helleborine	Pokljuka
<i>Cephalanthera rubra</i>	Red Helleborine	Bohinj
<i>Corallorhiza trifida</i>	Coralroot Orchid	Pokljuka

Scientific name	Common name	Location
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Bohinj
<i>Dactylorhiza incarnata</i> subsp. <i>pulchella</i>	an Early Marsh Orchid	Pokljuka
<i>Dactylorhiza viridis</i> (<i>Coeloglossum viride</i>)	Frog Orchid	Pokljuka
<i>Epipactis atrorubens</i>	Dark Red Helleborine	Bohinj
<i>Epipactis helleborine</i>	Broad-leaved Helleborine	Bohinj (leaves)
<i>Epipogium aphyllum</i>	Ghost Orchid	Mostnice
<i>Gymnadenia albida</i>	Small White Orchid	Pokljuka
<i>Gymnadenia conopsea</i> subsp. <i>conopsea</i>	Fragrant Orchid	Bohinj
<i>Gymnadenia conopsea</i> subsp. <i>densiflora</i>	Marsh Fragrant Orchid	Pokljuka
<i>Neottia cordata</i>	Lesser Twayblade	Pokljuka
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Pokljuka
<i>Neottia ovata</i>	Twayblade	Bohinj
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Ribcev Laz
Poaceae	Grass Family	
<i>Arrhenatherum elatius</i>	False Oat-grass	Bohinj
<i>Brachypodium pinnatum</i>	Tor-grass	Bohinj
<i>Briza media</i>	Quaking Grass	Bohinj
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Bohinj
<i>Dactylis glomerata</i>	Cock's-foot	Bohinj
<i>Festuca arundinacea</i>	Tall Fescue	Mostnice
<i>Festuca rubra</i> agg	Red Fescue	Bohinj
<i>Lolium perenne</i>	Perennial Rye-grass	Pokljuka
<i>Melica uniflora</i>	Wood Melick	Bohinj
<i>Poa alpina</i> var. <i>vivipara</i>	Viviparous Alpine Meadow-grass	Pokljuka
<i>Poa annua</i>	Annual Meadow-grass	Ribcev Laz
<i>Sesleria caerulea</i>	Blue Moor-grass	Mangart
Tofieldiaceae	Scottish Asphodel Family	
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Pokljuka

Birds (✓ = recorded not counted; LO = leader only; H = heard only)

	Common name	Scientific name	June							
			18	19	20	21	22	23	24	25
1	Mute Swan	<i>Cygnus olor</i>						✓		
2	Mallard	<i>Anas platyrhynchos</i>		✓	✓	✓	✓	✓	✓	✓
3	Hazel grouse	<i>Tetrastes bonasia</i>			✓		✓			
4	Rock Ptarmigan	<i>Lagopus muta</i>					✓			
5	Grey Heron	<i>Ardea cinerea</i>	✓	✓				✓	✓	
6	European Honey Buzzard	<i>Pernis apivorus</i>								
7	Short-toed Snake Eagle	<i>Circaetus gallicus</i>		✓						
8	Common Buzzard	<i>Buteo buteo</i>	✓	H	✓	✓	✓		✓	✓
9	Little Ringed Plover	<i>Charadrius dubius</i>					✓			
10	Green Sandpiper	<i>Tringa ochropus</i>						✓		
11	Yellow-legged Gull	<i>Larus michahllis</i>		LO			✓	✓	✓	
12	Black Tern	<i>Chlidonias niger</i>						✓		
13	Common Pigeon	<i>Columba livia (feral)</i>					✓	✓		
14	Common Wood Pigeon	<i>Columba palumbus</i>			✓		✓			
15	Common Cuckoo	<i>Cuculus canorus</i>		H	H	H		H		
16	Common Swift	<i>Apus apus</i>		✓	✓			✓		
17	Lesser Spotted Woodpecker	<i>Dendrocopos minor</i>		✓						

	Common name	Scientific name	June							
			18	19	20	21	22	23	24	25
18	Great Spotted Woodpecker	<i>Dendrocopos major</i>		H	✓	✓		✓		
19	Grey-headed Woodpecker	<i>Picus canus</i>			H	H				
20	Common Kestrel	<i>Falco tinnunculus</i>					✓	✓	✓	
21	Red-backed Shrike	<i>Lanius collurio</i>		✓		✓	✓		✓	
22	Eurasian Jay	<i>Garrulus glandarius</i>	✓	✓	✓		✓	✓	H	
23	Eurasian Magpie	<i>Pica pica</i>					✓			
24	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>							LO	
25	Alpine Chough	<i>Pyrrhocorax graculus</i>					✓			
26	Carrion Crow	<i>Corvus corone</i>	✓							
27	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓	✓	✓	✓	✓	✓
28	Northern Raven	<i>Corvus corax</i>		✓		✓	✓		✓	✓
29	Coal Tit	<i>Periparus ater</i>		✓	✓	✓	H		H	
30	European Crested Tit	<i>Lophophanes cristatus</i>		LO	✓	✓		✓		✓
31	Marsh Tit	<i>Poecile palustris</i>							✓	
32	Willow Tit	<i>Poecile montanus</i>				✓				
33	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>		✓	✓					
34	Great Tit	<i>Parus major</i>		✓	✓	✓		✓	✓	✓
35	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓
36	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>					✓	✓		
37	Common House Martin	<i>Delichon urbicum</i>	✓	✓	✓	✓	✓	✓	✓	✓
38	Common Chiffchaff	<i>Phylloscopus collybita</i>		H	H	H	H	H	H	H
39	Wood Warbler	<i>Phylloscopus sibilatrix</i>			✓	H				
40	Eurasian Blackcap	<i>Sylvia atricapilla</i>		H	H	H	H	H	H	H
41	Goldcrest	<i>Regulus regulus</i>			✓	H				
42	Eurasian Wren	<i>Troglodytes troglodytes</i>				H	H		✓	
43	Eurasian Nuthatch	<i>Sitta europaea</i>		✓	✓	H	H	H		
44	Common Starling	<i>Sturnus vulgaris</i>	LO			H	✓	✓		
45	Ring Ouzel	<i>Turdus torquatus alpestris</i>					✓			
46	Common Blackbird	<i>Turdus merula</i>		✓	✓	✓	✓	✓	✓	✓
47	Song Thrush	<i>Turdus philomelos</i>	H	✓	✓	✓	✓	✓		
48	Mistle Thrush	<i>Turdus viscivorus</i>			✓				✓	
49	Spotted Flycatcher	<i>Muscicapa striata</i>		✓		✓	✓	✓	✓	✓
50	European Robin	<i>Erithacus rubecula</i>		✓	H	H	✓	✓	✓	
51	Black Redstart	<i>Phoenicurus ochruros</i>		LO	✓	✓	✓	✓	✓	✓
52	Common Redstart	<i>Phoenicurus phoenicurus</i>			✓					
53	Northern Wheatear	<i>Oenanthe oenanthe</i>					✓			
54	White-throated Dipper	<i>Cinclus cinclus</i>					✓		✓	
55	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓		✓
56	Eurasian Tree Sparrow	<i>Passer montanus</i>				✓				
57	White-winged Snowfinch	<i>Montifringilla nivalis</i>					✓			
58	Alpine Accentor	<i>Prunella collaris</i>					✓			
59	Dunnock	<i>Prunella modularis</i>			✓		H			
60	Grey Wagtail	<i>Motacilla cinerea</i>				H	✓	✓	✓	
61	White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	✓
62	Tree Pipit	<i>Anthus trivialis</i>			H	✓	✓			
63	Water Pipit	<i>Anthus spinoletta</i>					✓			
64	Common Chaffinch	<i>Fringilla coelebs</i>	✓	✓	✓	✓	✓	✓	✓	✓
65	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>			✓				✓	
66	European Greenfinch	<i>Chloris chloris</i>			✓	H	H	H	H	H
67	European Goldfinch	<i>Carduelis carduelis</i>		✓			✓			

	Common name	Scientific name	June							
			18	19	20	21	22	23	24	25
68	European Serin	<i>Serinus serinus</i>				✓	✓			
69	Red Crossbill	<i>Loxia curvirosta</i>				H				

Mammals (S = signs of)

1	Noctule Bat	<i>Nyctalus noctula</i>			✓	✓	✓			
2	Common Pipistrelle Bat	<i>Pipistrellus pipistrellus</i>			✓	✓	✓			
3	Stone or Beech Marten	<i>Martes foina</i>		S						
4	European Roe Deer	<i>Capreolus capreolus</i>						✓		
5	Red Squirrel	<i>Sciurus vulgaris</i>			✓			✓		✓
6	Brown Hare	<i>Lepus europaeus</i>							✓	

Amphibians & Reptiles

1	Fire Salamander	<i>Salamandra salamandra</i>							✓	
2	Yellow-bellied Toad	<i>Bombina variegata</i>		✓						
3	Common Frog	<i>Rana temporaria</i>		T	✓					
4	Common Wall Lizard	<i>Podarcis muralis</i>								✓

Butterflies

1	Swallowtail	<i>Papilio machaon</i>								✓
2	Clouded Apollo	<i>Parnassius mnemosyne</i>				✓			✓	
4	Black-veined White	<i>Aporia crataegi</i>				✓	✓			
5	Large White	<i>Pieris brassicae</i>							✓	✓
6	Small White	<i>Pieris rapae</i>				✓	✓		✓	✓
7	Green-veined White	<i>Pieris napi</i>							✓	
8	Orange Tip	<i>Anthocharis cardamines</i>					✓			
9	Clouded Yellow	<i>Colias crocea</i>							✓	
10	Brimstone	<i>Gonepteryx rhamni</i>				✓				✓
11	Wood White	<i>Leptidea sinapis</i>		✓	✓	✓			✓	✓
13	Scarce Copper	<i>Lycaena virgaureae</i>							✓	
14	Purple-edged Copper	<i>Lycaena hippothoe</i>							✓	
15	Green-underside Blue	<i>Glaucopsyche alexis</i>							✓	
16	Silver-studded Blue	<i>Plebejus argus</i>							✓	
17	Common Blue	<i>Polyommatus icarus</i>			✓				✓	
19	Duke of Burgundy Fritillary	<i>Hamearis lucina</i>							✓	
21	White Admiral	<i>Limenitis camilla</i>							✓	
22	Common Glider	<i>Neptis sappho</i>							✓	
23	Red Admiral	<i>Vanessa atalanta</i>							✓	
24	Painted Lady	<i>Vanessa cardui</i>				✓			✓	✓
25	Small Tortoiseshell	<i>Aglais urticae</i>							✓	
26	Comma Butterfly	<i>Polygonum c-album</i>							✓	
27	Silver-washed Fritillary	<i>Argynnis paphia</i>								✓
28	Dark Green Fritillary	<i>Argynnis aglaja</i>				✓			✓	
29	Lesser Marbled Fritillary	<i>Brenthis ino</i>							✓	
30	Pearl-bordered Fritillary	<i>Clossiana euphrosyne</i>							✓	
31	False Heath Fritillary	<i>Melitaea diamina</i>		✓	✓					
32	Heath Fritillary	<i>Melicta athalia</i>				✓			✓	✓
34	Marbled White	<i>Melanargia galathea procida</i>		✓		✓			✓	
35	Arran Brown	<i>Erebia ligea</i>							✓	✓
36	Woodland Ringlet	<i>Erebia medusa</i>				✓				

	Common name	Scientific name	June							
			18	19	20	21	22	23	24	25
37	Pearly Heath	<i>Coenonympha arcania</i>				✓			✓	
38	Large Wall Brown	<i>Lasiommata maera</i>				✓			✓	
39	Woodland Brown	<i>Lopinga achine</i>		✓					✓	✓
41	Small Skipper	<i>Thymelicus sylvestris</i>							✓	
42	Large Skipper	<i>Ochlodes venatus</i>		✓		✓			✓	

Moths:

Micros:

1	Crambid	<i>Crambus pratella</i>		✓	✓	✓				
---	---------	-------------------------	--	---	---	---	--	--	--	--

Macros:

1	Forester	<i>Adscita statures</i>					✓			
2	Five Spot Burnet	<i>Zygaena trifolii</i>		✓					✓	
3	Transparent Burnet	<i>Zygaena purpuralis</i>				✓			✓	
4	Argent & Sable	<i>Rheumaptera hastata</i>				✓				
5	Tawny-barred Angle	<i>Macaria wauaria</i>			✓					
6	Speckled Yellow	<i>Pseudopanthera macularia</i>				✓				
7	Common Heath	<i>Ematurga atomaria</i>				✓				
8	Geometrid	<i>Psodos quarifaria</i>					✓			
9	Privet Hawkmoth	<i>Sphinx ligustri</i>								✓
10	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>		✓		✓			✓	✓
11	Garden Tiger	<i>Arctia caja</i>							C	
12	Scarlet Tiger	<i>Callimorpha dominula</i>		✓						
13	Nine-spotted	<i>Amata phegea</i>		✓					✓	
14	Silver Y	<i>Autographa gamma</i>							✓	

Other Invertebrates (W=web)

1	Stonefly	<i>Dinocras cephalotes</i>				✓				
2	Wart-biter Cricket	<i>Decticus verrucivorus</i>				✓				✓
3	Alpine Dark Bush-cricket	<i>Pholidoptera aptera</i>				✓				
4	Field Cricket	<i>Gryllus campestris</i>					H		H	
5	Frog Hopper (Red and Black)	<i>Cercopis vulnerata</i>				✓				
6	Wood Ant	<i>Formica rufa</i>		✓	✓				✓	
7	European Paper Wasp	<i>Polistes gallicus</i>							✓	
8	Carpenter Bee	<i>Xylocopa violacea</i>							✓	
9	Buff-tailed Bumblebee	<i>Bombus terrestris</i>							✓	
10	Red-tailed Bumblebee	<i>Bombus lapidarius</i>		✓						
11	Common Carder Bee	<i>Bombus pascuorum</i>							✓	
12	Honey Bee	<i>Apis mellifera</i>							✓	
13	Chafer	<i>Hoplia caerulea</i>				✓				
14	Bee Beetle	<i>Trichius fasciatus</i>		✓						
15	Garden Chafer	<i>Phyllopertha horticola</i>				✓				
16	Rose Chafer	<i>Cetonia aurata</i>		✓		✓			✓	
17	Chafer	<i>Cetonia aeruginosa</i>								✓
18	Glow-worm	<i>Lampyris noctiluca</i>			✓	✓	✓			
19	Soldier Beetle	<i>Cantharis rustica</i>							✓	
20	Longhorn Beetle	<i>Pachyta quadrimaculata</i>							✓	
21	Longhorn Beetle	<i>Strangalia sp.</i>		✓					✓	

	Common name	Scientific name	June							
			18	19	20	21	22	23	24	25
22	Longhorn Beetle	<i>Gaurotes virginea</i>			✓					
23	Labyrinth Spider	<i>Agelena labyrinthica</i>		W						

Gastropods & Molluscs

1	Dusky Slug	<i>Arion fuscus/subfuscus</i>								
2	Large Black/Orange Slug	<i>Arion ater</i>			✓			✓		
3	Great Grey Slug	<i>Limax maximus</i>							✓	
4	Roman Snail	<i>Helix pomatia</i>				✓		✓	✓	
5	Brown-lipped Banded Snail	<i>Cepaea nemoralis</i>		✓	✓		✓			

*Saxifraga crustata**Paederota lutea**Pinguicula alpina*