

Slovenia – Alpine Flowers of the Julian Alps

Naturetrek Tour Report

16 - 23 June 2016



Gentiana verna



Rhododhamnus chamaecistus



Silene acaulis



Traunsteinera globosa

Report by Paul Harnes
Photos by John Mason



Naturetrek

Mingledown Barn

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

UK

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Paul Harmes (leader) with eight Naturetrek clients

Day 1

Thursday 16th June

Fly Stansted to Ljubljana – Transfer to Ribcev Laz.

Eight tour participants met with Paul at the departures gate at Stansted Airport for the Easyjet EZY3245 flight to Ljubljana. Upon our arrival, we completed immigration formalities and collected our luggage, before making our way to the arrivals hall. With luggage loaded, we set off travelling towards Kranj, before joining the A2 motorway northwest to the exit for Bled. Passing through the town, we soon had spectacular views of Lake Bled and the imposing Castle Bled, perched some 130m above the lake on the north shore. As we continued on, the road ran beside the Sava Bohinjka River. Before long, we passed through the small town of Bohinjska Bistrica and the villages of Savica and Polje, before arriving in Ribcev Laz, situated at the eastern end of the beautiful Lake Bohinj, and the Alpinum Hotel Jezero, our base for the duration of the tour. Having settled into our rooms, we gathered in reception, before going to dinner.

Day 2

Friday 17th June

Northern shore-path of Lake Bohinj.

After breakfast at 7.30am, we assembled in reception at 8.30 before embarking on our first full day. It had been raining consistently since the early hours, but was now drying up, with some sunny periods.

Our objective today, was to walk the path along the north side of Lake Bohinj to the village of Ukanc, and then to catch the lake steamer back to Ribcev Laz. This route would take us through natural woodland, pastures and planted woodland. We began by examining a flowery hay meadow. Here we found *Petrorhagia saxifraga* (Tunic Flower), *Salvia pratensis* (Meadow Clary), *Thymus polytrichus* (Wild Thyme) and *Silene vulgaris* (Bladder Campion), before making our way through natural forest, comprised of *Fagus sylvatica* (Beech), *Ostrya carpinifolia* (Hop Hornbeam), *Corylus avellana* (Hazel), *Fraxinus excelsior* (Ash) and *Juniperus communis* subsp. *communis* (Common Juniper). Early finds included *Cephalanthera damasonium* (White Helleborine), *Cephalanthera rubra* (Red Helleborine), *Genista tinctoria* (Dyer's Greenweed), *Anthyllis vulneraria* agg. (Kidney Vetch), *Clematis recta* (Erect Clematis) and *Salix elegans* (Rosemary-leaved Willow). Insects had also started to appear. These included Rose Chafer, together with Small White, Small Heath, Pearly Heath and, a new species for the trip, Nickerl's Fritillary butterflies.

The birds were generally quiet, although Robin, Chaffinch and Great Tit were all heard. Moving on, *Scabiosa dipsacifolia* (Wood Scabious), *Rhamnus fallax*, *Dactylorhiza fuchsii* (Common Spotted Orchid) and *Rhamnus saxatilis* (Rock Buckthorn) were added, as well as Speckled Yellow and Latticed Heath moths, *Lacerta viridis* (Eastern Green Lizard) and *Bombina variegata* (Yellow-bellied Toad).

We took lunch under the cover of some trees, as by now we had a shower of rain, where a stream emptied into the lake. Further on, we found *Hacquetia epipactis* (Hacquetia), *Gymnocarpium robertianum* (Limestone Fern), *Asplenium trichomanes* subsp. *quadrivalens* (Maidenhair Spleenwort), *Asplenium viride* (Green Spleenwort), *Athyrium filix-femina* (Lady Fern) and *Dryopteris filix-mas* (Male Fern). Several walkers, coming from the Ukanc direction, advised us that the recent inclement weather had caused the formation of the seasonal waterfall high up on the

mountain-side; this empties into the stream across the path, normally shallow but now swollen and impassable. Paul therefore decided that we would retrace our steps back to the hotel, hoping to take the boat on another day.

Day 3

Saturday 18th June

Pokljuka Plateau

Today, we boarded the bus at the hotel after breakfast, for the journey towards Goreljek, on the Pokljuka plateau, situated north-east of Ribcev Laz. We made our way up through Bohinjska Bistrica, before turning left and beginning to climb. We drove up through Jereka and Gorjuse, before stopping at the Barje Sijec Reserve. We began by exploring the verges and some coniferous woodland on the north side of the road. Early finds included *Corallorhiza trifida* (Coralroot Orchid), *Phegopteris connectilis* (Beech Fern), *Ranunculus aconitifolius* (Aconite-leaved Buttercup), *Neottia cordata* (Lesser Twayblade) and *Luzula luzuloides* (White Woodrush). Along the roadside, we added *Arenonia agrimonioides* (Bastard Agrimony), *Equisetum sylvaticum* (Wood Horsetail) and *Geum rivale* (Water Avens).

At this point we moved to the other side of the road, and the Barje Siljic Reserve, an extensive area of peat bog, the southern-most in Europe. Here, we found, *Dactylorhiza incarnata* subsp. *pulchella* (an Early Marsh Orchid), *Dactylorhiza traunsteineroides* (Narrow-leaved Marsh Orchid), *Andromeda polifolia* (Bog Rosemary), *Drosera rotundifolia* (Round-leaved Sundew), the leaves of *Vaccinium oxycoccos* (Cranberry), and *Eriophorum angustifolium* (Common Cotton-grass), among many more.

We now moved on to Goreljek, where we took lunch, before visiting the Sotno Barje peat bog, passing summer cottages and meadows. Here we found *Veratrum lobelianum* (Green False Helleborine), *Melampyrum sylvaticum* (Wood Cow-wheat), *Homogyne discolor* (a purple Colt's-foot), *Pinus mugo* (Dwarf Mountain Pine) and *Vaccinium vitis-idaea* (Cowberry). Searching a small meadow adjacent to the bog, we found *Gymnadenia conopsea* subsp. *conopsea* (Fragrant Orchid), *Pseudorchis albida* (Small White Orchid), *Pedicularis verticillata* (Whorled Lousewort) and *Arnica montana* (Arnica). We also heard Chiffchaff and Blackcap. It was now time to return to the bus.

Retracing our steps back towards Gorjuse, we turn off onto a rough forest track to a point near Za Poljanco. As we parked, we found a good stand of *Gentiana verna* (Spring Gentian), before setting off to explore another meadow and adjacent woodland. *Huperzia selago* (Fir Clubmoss), *Moneses uniflora* (Single-flowered Wintergreen), *Anemone trifolia* (Three-leaved Anemone), *Geranium phaeum* (Dusky Cranesbill), *Lamium garganicum* (Large Red Dead-nettle), *Anemone nemorosa* (Wood Anemone), *Daphne mezereum* (Mezereon), *Lathraea squamaria* (Toothwort), *Primula elatior* (Oxlip) and the fruiting spikes of *Cardamine enneaphyllos* (Dropping Bitter-cress); we also found Dark-veined (formerly Mountain Green-veined) White.

We now moved on towards the village of Gorjuse, making a stop by a stunning hay meadow to photograph a splendid stand of *Vicia sylvatica* (Wood Vetch) on a verge. Whilst we were there, we also added *Phyteuma zahlbruckneri* (a Rampion), *Phyteuma orbiculare* (Round-headed Rampion), *Astrantia major* (Great Masterwort) and *Neotinea ustulata* (Burnt Orchid). Small White, Common Blue and Woodland Ringlet butterflies, and Lead Belle and Burnet Companion moths were also added.

The return journey, to Ribcev Laz, took us through Jereka, Cesnjica, Studor and Stara Fuzina, arriving back at the hotel in good time for dinner.

Day 4

Sunday 19th June

Vogar – Slap Savica.

On a bright morning, of a day that threatened rain later on, we had an early breakfast before taking our bus up to the mountain meadows at Vogar (1054m), high above the Bohinj Lake, on the north side. Two-thirds of the way to the top, we stopped to explore some cliffs beside the quiet mountain road. Here we saw *Primula auricula* (Bear's-ear), although it was well past its best, *Saxifraga cuneifolia* (Spoon-leaved Saxifrage), *Rhamnus alpinus* (Alpine Buckthorn), *Laburnum anagyroides* (Laburnum), *Campanula rotundifolia* (Harebell) and a good show of *Saxifraga crustata* (Encrusted Saxifrage). Blackcap and Chiffchaff were both heard.

We now moved up to a rough car park in the forest, from where we began to explore. Immediately beside the bus we found *Clematis alpina* (Alpine Clematis) and *Cephalanthera longifolia* (Sword-leaved Helleborine). In the first meadow we examined, we found *Gymnadenia conopsea* subsp. *conopsea* (Fragrant Orchid), *Eriophorum angustifolium* (Common Cotton-grass), *Dactylorhiza fuchsii* (Common Spotted Orchid) and our first, solitary *Lilium carniolicum* (Carnic Lily). Barn Swallow and Great Tit were seen, and Chiffchaff and Blackcap were heard. A few insects were on the move, with Clouded Apollo and Woodland Ringlet butterflies and Latticed Heath, Burnet Companion, Common Heath and the Crambid *Pyrausta nigrata* moths as well.

Moving on through more meadows, we found more *Lilium carniolicum* (Carnic Lily), *Vicia sylvatica* (Wood vetch) and *Aconitum lycoctonum* subsp. *vulparia* (Wolf's-bane). Arriving at a splendid view-point overlooking Lake Bohinj and Vogel to the south, we set up of picnic in gathering cloud. During the meal, an adjacent plant of *Laserpitium siler* (a Sermountain) produced two feeding Duke of Burgundy Fritillaries and a solitary Rose Chafer

We now made our way, in light rain, back to the bus for the short journey to the waterfall at Slap Sevica, at the western end of Lake Bohinj. On the way, we added Grey Heron and Common Swift. At the waterfall car park, we left the bus and made the 25-minute walk up through the forest to the waterfall which, due to the recent heavy rain, was quite spectacular. As we progressed, Robin was seen, as well as *Atropa bella-donna* (Deadly Nightshade), *Thesium bavaricum* (Bavarian Bastard Toadflax) and *Rhododendron hirsutum* (Hairy Alpenrose).

It was now time to return to the Hotel, where we had afternoon tea, having avoided getting too wet.

Day 5

Monday 20th June

Vintgar Gorge – East of Bohinjjska Bistrica

Today after a leisurely breakfast, we set off to visit the Vintgar Gorge, near Bled. Joining our bus, we drove eastwards to Bohinjjska Bistrica, and then we took the road to Bled, before turning left towards the villages of Podhom and Vintgar, to the north of the town.

Leaving the vehicle in the car park, we set off along the paths and walkways alongside the Radovna River. Initially, the route took us mainly through forest, but it was not long before imposing limestone cliffs were rising

above us. Once again, due to the recent rain, the river was quiet high and the white water was spectacular. As we went, we recorded *Stellaria nemorum* (Wood Stitchwort), *Polystichum setiferum* and *P. aculeatum* (Soft and Hard Shield Ferns), *Aruncus dioicus* (Goat's-beard Spiraea) and *Asplenium scolopendrium* (Hart's-tongue Fern). Wren, Chaffinch and Blackcap were all heard calling. Further into the gorge, White-throated Dipper, feeding young, and Grey Wagtail were both recorded. After about an hour and a half, the light rain had eased off and we began the return leg of the walk, noting *Astrantia carniolica* (Carnic Masterwort), *Lathyrus vernus* (Spring Pea), *Valeriana saxatilis* (Rock Valerian), *Actaea spicata* (Baneberry) and *Impatiens noli-tangere* (Touch-me-not Balsam). Back at the car park, we took our picnic lunch, during which we noted *Campanula persicifolia* (Peach-leaved Bellflower) and *Digitalis grandiflora* (Large Yellow Foxglove) on the bank behind us.

The afternoon was spent in some meadows surrounded by forest, to the east of Bohinjska Bistrica. Here we added *Aquilegia atrata* (Dark Columbine), *Traunsteinera globosa* (Round-headed Orchid) *Crepis froelichiana* subsp. *dinarica* (a Pink Hawksbeard) and *Gymnadenia conopsea* subsp. *densiflora* (Marsh Fragrant Orchid). This area was also a rich source of insects. Woodland Ringlet, Little Blue, Pearly Heath and Purple-edged Copper Butterflies were seen, together with Burnet Companion, Black-veined, Mother Shipton, Fan-foot, Common Heath, Speckled Yellow and Latticed Heath moths. We also added Roesel's Bush-cricket as well as a Slow Worm, before it was time to make the return journey to Ribcev Laz.

Day 6

Tuesday 21st June

Mangart Saddle - Vrsic Pass

Today, after an early breakfast at 6.30am, we joined our vehicle, and were on the road at 7am, for our visit to the Mangart Saddle. Leaving Ribcev Laz, we made our way via Bohinjska Bistrica to Bled, and north to the E61 motorway, which we joined westwards to Jesenice. We then took the main road 201 to Kranjska Gora, before turning south on the 206, up to the Vrsic pass (1611 metres and the highest road pass in Slovenia). We then drove on down through Trenta towards Bovac, before turning north through Log pod Mangartom. Along the way we recorded Common Swift, House Martin, Jay, Hooded Crow and Barn Swallows.

We now moved on upwards, through forest, emerging above the tree-line, to the Mangart Saddle (c.2000m), a pass set below the imposing Mangart peak (2679m). Parking the bus, we set off to explore the immediate area of rocky limestone outcrops and grassland, below the Saddle. Here we found *Rhodothamnus chamaecistus* (Dwarf Alpenrose), *Ranunculus alpestris* subsp. *traunfellneri* (an Alpine Buttercup), *Dryas octopetala* (Mountain Avens), *Anemone alpina* (Alpine Pasque Flower), *Salix herbacea* (Dwarf Willow), *Selaginella selaginoides* (Lesser Clubmoss) and many more. There was some activity on the insect front with Dark-veined White, Small Tortoiseshell and Green-veined White. Water Pipit, Alpine Swift, Northern Wheatear, Alpine Accentor and Alpine Chough were all present as well. Taking a walk up the snow-blocked road, we added *Polystichum lonchitis* (Holly Fern), *Soldanella alpina* (Alpine Snowbell), *Ranunculus hybridus*, *Ranunculus montanus* (Mountain Buttercup) and *Polygala alpestris* (Mountain Milkwort), before returning to our vehicle for our picnic lunch.

After enjoying our picnic in the warm sunshine, we walked down the access road towards the first tunnel, adding *Bartsia alpina* (Alpine Bartsia) and *Pinguicula alpina* (Alpine Butterwort), before descending to the access road junction at the Passo de Predil. Here, we stopped to try and find Horvath's Rock Lizard, and we were not

disappointed, with three specimens being found. We also saw *Myrrhis odorata* (Sweet Cicely), *Valeriana montana* (Mountain Valerian), *Genista radiata* (Southern Greenweed) and a rather obliging Chequered Skipper butterfly.

On the return journey we made a stop just below the Vrsic pass on the north side, at the Erjavceva Koca, for refreshments and little late-afternoon botanizing, finding *Sorbus chamaemespilus* (False Medlar), *Salix eleagnos* (Rosemary-leaved Willow) and *Gentiana utriculosa* (Bladder Gentian).

It was now time to complete our return journey back to the hotel in time for dinner.

Day 7

Wednesday 22nd June

Mostnice gorge

After breakfast, we boarded the bus for the short journey to the car park above Stara Fuzina. Here we took the track up the beautiful Korita Mostnice Gorge, passing through forest, past wet rocks and also open areas of scrub. Before leaving the car park, we found Meadow Brown, Clouded Yellow, Painted Lady and Pearly Heath butterflies, together with a male Field Cricket.

As we began to ascend the path, Blackcap was heard as well as Robin and Chaffinch. *Stachys recta* (Yellow Woundwort), *Juncus inflexus* (Hard Rush), *Potentilla canescens* (Lax Potentilla), *Astrantia carniolica* (Carnic Masterwort), *Dactylorhiza fuchsii* (Common Spotted Orchid), *Potentilla erecta* (Tormentil) and *Vinca minor* (Lesser Periwinkle) were all recorded. We marveled at the depth of the river gorge by the Devil's Bridge, before continuing up the west side of the gorge, through the forest. *Aruncus dioicus* (Goat's-beard Spiraea), *Epipogium aphyllum* (Ghost Orchid) and *Aconitum lycoctonum* subsp. *vulparia* (Wolf's-bane) were added as we went.

We emerged from the gorge at Pl. Koca na Vojah, a refugio, where we had lunch of barley or mushroom soup. After our meal we continued up the gently ascending path, passing *Phyteuma ovatum* (Black Rampion) and *Pimpinella major* (Greater Burnet Saxifrage). Hay meadows now opened up before us and, in the margins, we found *Dianthus barbatus* (Sweet William), *Campanula glomerata* (Clustered Bellflower), *Gymnadenia conopsea* subsp. *conopsea* (Fragrant Orchid) and *Dactylorhiza fuchsii* (Common Spotted Orchid) and *Campanula thyrsoides* subsp. *carniolica* (Carnic Bellflower). In the pasture and along the trackside we also saw Purple-edged Copper, Woodland Ringlet, Small Skipper, Lesser Marbled Fritillary, Essex Skipper, Large Skipper, Heath Fritillary and Poplar Admiral butterflies.

At this point we retraced our route back to the Koca, before descending back to the car park. Along the way, we added Duke of Burgundy Fritillary and Woodland Brown butterflies, and had clear views of Red-backed Shrike.

We now rejoined our vehicle for the return trip to our hotel, in time for dinner.

Day 8

Thursday 23rd June

Lake Bohinj; Ljubljana to Stansted

Our final day in Slovenia began with a leisurely breakfast, and time for packing. Some of the group chose to spend time around the hotel, whilst the rest of the group took the bus up to Ukanc, where we spent a leisurely

couple of hours exploring the upper end of Lake Bohinj, which we had been unable to reach on our first full day. Birds included Swallow, Song Thrush, Jay and Mallard, together with Painted Lady, Orange Tip, Pearly Heath, Woodland Brown, Dingy Skipper, Red-underwing Skipper and Chequered Skipper butterflies. The lake's marginal vegetation also produced emerging Brilliant Emerald Dragonflies. Plants included *Rumex nivalis* (Snow Dock), *Betonica officinalis* (Betony) in both purple and white forms, *Cardamine impatiens* (Cut-leaved Bitter-cress) and *Dianthus sternbergii* (a Fringed Pink).

We now returned to the hotel to meet up with the rest of the group, before returning to Stara Fuzina and the 'Domaca Gostilna Mihovc', a traditional Slovenian guesthouse/restaurant, where we had our lunch. It was now time to rejoin the vehicle for the journey back to Ljubijana Airport, before catching our Easyjet flight EZY 3246 to Stansted.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Lilium carnolicum



Pedicularis verticillata

Species Lists

Plants (* = Very localised distribution or endemic)

Please Note: Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions

Scientific name	Common name	Location
PTERIDOPHYTES	FERNS & ALLIES	
Lycophytes	Clubmosses & Quillworts	
Lycopodiaceae	Clubmoss Family	
<i>Huperzia selago</i>	Fir Clubmoss	Near Za Poljanco
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Vogar
Selaginellaceae	Lesser Clubmoss Family	
<i>Selaginella selaginoides</i>	Lesser Clubmoss	Mangart Saddle
Calamophytes	Horsetails	
Equisetaceae	Horsetail Family	
<i>Equisetum arvense</i>	Common Horsetail	Mostnice Gorge
<i>Equisetum palustre</i>	Marsh Horsetail	Vintgar Gorge
<i>Equisetum sylvaticum</i>	Wood Horsetail	Barje Sijec (Roadside)
<i>Equisetum variegatum</i>	Variiegated Horsetail	Barje Sijec (Bog)
Leptosporangiate Ferns	True Ferns	
Aspleniaceae	Spleenwort Family	
<i>Asplenium ruta-muraria</i>	Wall Rue	Lake Bohinj path
<i>Asplenium scolopendrium</i>	Hart's-tongue Fern	Vintgar Gorge
<i>Asplenium trichomanes</i> ssp. <i>quadrialeans</i>	Maidenhair Spleenwort	Lake Bohinj path
<i>Asplenium trichomanes</i> ssp. <i>pachyrachis</i>	Maidenhair Spleenwort	Vintgar Gorge
<i>Asplenium viride</i>	Green Spleenwort	Lake Bohinj path
Athyriaceae	Lady-fern Family	
<i>Athyrium filix-femina</i>	Lady-fern	Lake Bohinj path
Blechnaceae	Hard-fern Family	
<i>Blechnum spicant</i>	Hard-fern	Goreljek Bog
Cystopteridaceae	Bladder-fern Family	
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Vogar
<i>Gymnocarpium robertianum</i>	Limestone Fern	Lake Bohinj path
Dennstaedtiaceae	Bracken Family	
<i>Pteridium aquilinum</i>	Bracken	Lake Bohinj path
Dryopteridaceae	Buckler-fern Family	
<i>Dryopteris dilatata</i>	Broad Buckler-fern	Barje Sijec (Woodland)

Scientific name	Common name	Location
<i>Dryopteris filix-mas</i>	Male-fern	Lake Bohinj path
<i>Polystichum aculeatum</i>	Hard Shield-fern	Vogar
<i>Polystichum lonchitis</i>	Holly Fern	Mangart Saddle
<i>Polystichum setiferum</i>	Soft Shield-fern	Vogar
Polypodiaceae	Polypody Family	
<i>Polypodium vulgare</i>	Common Polypody	Vintgar Gorge
Thelypteridaceae	Marsh Fern Family	
<i>Phegopteris connectilis</i>	Beech Fern	Barje Sijec (Woodland)
GYMNOSPERMS	CONIFERS	
Cupressaceae	Juniper Family	
<i>Juniperus communis</i> subsp. <i>communis</i>	Common Juniper	Lake Bohinj path
Pinaceae	Pine Family	
<i>Abies alba</i>	European Silver Fir	E of Bohinjska Bistrica
<i>Larix decidua</i>	European Larch	Lake Bohinj path
<i>Picea abies</i> subsp. <i>abies</i>	Spruce	Lake Bohinj path
<i>Pinus mugo</i>	Dwarf Mountain Pine	Barje Sijec (Bog)
<i>Pinus sylvestris</i>	Scots Pine	Below Mangart Saddle
ANGIOSPERMS	FLOWERING PLANTS	
Pre-Dicots	Primitive Angiosperms	
Aristolochiaceae	Birthwort Family	
<i>Asarum europaeum</i>	Asarabacca	Lake Bohinj path
Eu-dicots	True Dicotyledons	
Adoxaceae	Moschatel Family	
<i>Sambucus ebulus</i>	Dwarf Elder	Lake Bohinj path
<i>Sambucus nigra</i>	Elder	Lake Bohinj path
<i>Viburnum lantana</i>	Wayfaring Tree	Lake Bohinj path
Amaranthaceae	Amaranth Family	
<i>Chenopodium bonus-henricus</i>	Good King Henry	Mangart Saddle
Apiaceae	Carrot Family	
<i>Aegopodium podagraria</i>	Ground Elder	Barje Sijec (Woodland)
<i>Angelica sylvestris</i>	Wild Angelica	Barje Sijec (Bog) (leaves)
<i>Anthriscus sylvestris</i>	Cow Parsley	Roadsides
<i>Astrantia bavarica</i>	Bavarian Masterwort	Vogar
<i>Astrantia carniolica</i> *	Carnic Masterwort	Vintgar Gorge
<i>Astrantia major</i>	Great Masterwort	S of Gorjuse
<i>Chaerophyllum aureum</i>	Golden Chervil	Lake Bohinj path
<i>Chaerophyllum temulum</i>	Rough Chervil	S of Gorjuse
<i>Daucus carota</i>	Wild Carrot	Lake Bohinj path

Scientific name	Common name	Location
<i>Hacquetia epipactis</i>	Hacquetia	Lake Bohinj path
<i>Heracleum sphondylium</i>	Hogweed	Mostnice Gorge
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Lake Bohinj path (leaves)
<i>Laserpitium siler</i>	a Sermountain	Mostnice Gorge
<i>Myrrhis odorata</i>	Sweet Cicely	Vogar
<i>Pimpinella major</i>	Greater Burnet Saxifrage	Lake Bohinj path
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	Vogar
<i>Sanicula europaea</i>	Sanicle	Lake Bohinj path
Apocynaceae	Periwinkle Family	
<i>Vinca minor</i>	Lesser Periwinkle	Lake Bohinj path
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Lake Bohinj path
Balsaminaceae	Balsam Family	
<i>Impatiens glandulifera</i>	Himalayan Balsam	Lake Bohinj path
<i>Impatiens parviflora</i>	Small Balsam	Lake Bohinj path
<i>Impatiens noli-tangere</i>	Touch-me-Not	Vintgar Gorge
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Lake Bohinj path
Betulaceae	Birch Family	
<i>Betula pendula</i>	Silver Birch	Vogar
<i>Carpinus betulus</i>	Hornbeam	Lake Bohinj path
<i>Corylus avellana</i>	Hazel	Vintgar Gorge
<i>Ostrya carpinifolia</i>	Hop Hornbeam	Lake Bohinj path
Boraginaceae	Forget-me-not Family	
<i>Echium vulgare</i>	Viper's-bugloss	Lake Bohinj path
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Mangart Saddle
<i>Myosotis arvensis</i>	Field Forget-me-not	Vintgar Gorge
<i>Myosotis sylvatica</i>	Wood Forget-me-not	Barje Sijec (Woodland)
<i>Pulmonaria officinalis</i>	Lungwort	Vintgar Gorge (leaves)
<i>Symphytum tuberosum</i>	Bulbous Comfrey	Goreljek
<i>Symphytum x uplandicum</i>	Russian Comfrey	Near Za Poljanco
Brassicaceae	Cabbage Family	
<i>Arabis alpina</i>	Alpine Rock-cress	Mangart Saddle
<i>Arabis glabra</i>	Tower Mustard	Lake Bohinj path
<i>Arabis turrita</i>	Tower-cress	Vogar
<i>Biscutella laevigata</i>	a Buckler Mustard	Lake Bohinj path
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Lake Bohinj path
<i>Cardamine enneaphylos</i>	Drooping Bitter-cress	Near Za Poljanco (in fruit)
<i>Cardamine flexuosa</i>	Wavy Bitter-cress	Barje Sijec (Woodland)
<i>Cardamine impatiens</i>	Narrow-leaved Bitter-cress	Vintgar Gorge
<i>Cardamine trifolia</i>	Trefoil Cress	Barje Sijec (Woodland)
<i>Draba aizoides</i>	Yellow Whitlow-grass	Mangart Saddle
<i>Kernera saxatilis</i>	Kernera	Slap Savica
<i>Lunaria rediviva</i>	Perennial Honesty	Lake Bohinj path
<i>Rorippa sylvestris</i>	Creeping Yellow-cress	Lake Bohinj path

Scientific name	Common name	Location
Campanulaceae	Bellflower Family	
<i>Campanula glomerata</i>	Clustered Bellflower	Lake Bohinj path
<i>Campanula patula</i>	Spreading Bellflower	Lake Bohinj path
<i>Campanula persicifolia</i>	Peach-leaved Bellflower	Vintgar Gorge
<i>Campanula rapunculoides</i>	Creeping Bellflower	Lake Bohinj path
<i>Campanula rotundifolia</i>	Harebell	Mostnice Gorge
<i>Campanula scheuchzeri</i>	Scheuchz's Bellflower	Vogar
<i>Campanula thyrsoides</i> subsp. <i>carniolica</i> *	Carnic Bellflower	Mostnice Gorge
<i>Phyteuma orbiculare</i>	Round-headed Rampion	S of Gorjuse
<i>Phyteuma ovatum</i>	Dark Rampion	Vogar
<i>Phyteuma spicatum</i>	Spiked Rampion	Below Vrsic Pass (verge)
<i>Phyteuma zahlbruckneri</i>	a Rampion	S of Gorjuse
Caprifoliaceae	Honeysuckle Family	
<i>Knautia arvensis</i>	Field Scabious	Lake Bohinj path
<i>Knautia dipsacifolia</i>	Wood Scabious	Lake Bohinj path
<i>Lonicera xylosteum</i>	Fly Honeysuckle	Vogar
<i>Scabiosa lucida</i>	-	Lake Bohinj path
<i>Valeriana dioica</i>	Marsh Valerian	Barje Sijec (Bog)
<i>Valeriana montana</i>	Mountain Valerian	Vogar
<i>Valeriana officinalis</i>	Common Valerian	Vogar
<i>Valeriana saxatilis</i>	Rock Valerian	Slap Savica
<i>Valeriana tripteris</i>	Three-leaved Valerian	Lake Bohinj path
Caryophyllaceae	Pink Family	
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Lake Bohinj path
<i>Cerastium arvense</i>	Field Mouse-ear	Below Mangart Saddle
<i>Cerastium fontanum</i>	Common Mouse-ear	Mostnice Gorge
<i>Dianthus barbatus</i>	Sweet William	Mostnice Gorge
<i>Dianthus sternbergii</i>	a Fringed Pink	Lake Bohinj path
<i>Dianthus sylvestris</i>	Wood Pink	Below Vrsic pass (verge)
<i>Minuartia sedoides</i>	Mossy Cyphel	Mangart Saddle
<i>Moehringia muscosa</i>	Mossy Sandwort	Lake Bohinj path
<i>Moehringia trinervia</i>	Three-nerved Sandwort	Vintgar Gorge
<i>Petrorhagia saxifraga</i>	Tunic Flower	Lake Bohinj path
<i>Saponaria ocymoides</i>	Rock Soapwort	Below Vrsic Pass
<i>Silene acaulis</i>	Moss Champion	Mangart Saddle
<i>Silene alpestris</i>	Alpine Catchfly	Vintgar Gorge
<i>Silene dioica</i>	Red Champion	Barje Sijec (Woodland)
<i>Silene (Lychnis) flos-cuculi</i>	Ragged Robin	Lake Bohinj path
<i>Silene latifolia</i>	White Champion	Lake Bohinj path
<i>Silene nutans</i>	Nottingham Catchfly	Lake Bohinj path
<i>Silene pusilla</i>	-	Slap Savica
<i>Silene vulgaris</i>	Bladder Champion	Lake Bohinj path
<i>Stellaria graminifolia</i>	Lesser Stitchwort	Mostnice Gorge
<i>Stellaria media</i>	Common Chickweed	Barje Sijec (Woodland)
<i>Stellaria nemorum</i>	Wood Stitchwort	Barje Sijec (Woodland)
Celastraceae	Spindle Family	
<i>Euonymus verrucosus</i>	Eastern Spindle	Lake Bohinj path

Scientific name	Common name	Location
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Common Rock-rose	Lake Bohinj path
<i>H. nummularium</i> subsp. <i>grandiflorum</i>	Large-flowered Rock-rose	Lake Bohinj path
Compositae (Asteraceae)	Daisy Family	
<i>Achillea clavennae</i>	Silvery Millfoil	Mangart Saddle
<i>Achillea millefolium</i>	Yarrow	Lake Bohinj path
<i>Adenostyles alliariae</i>	Adenostyles	Vintgar Gorge
<i>Antennaria dioica</i>	Mountain Everlasting	Mangart Saddle
<i>Aposeris foetida</i>	Aposeris	Slap Savica
<i>Arnica montana</i>	Arnica	Goreljek (Bog)
<i>Artemisia eriantha</i>	-	Mangart Saddle
<i>Artemisia vulgaris</i>	Mugwort	Lake Bohinj path
<i>Bellidiastrum michelii</i>	False Aster	Vogar
<i>Bellis perennis</i>	Daisy	Lake Bohinj path
<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	Lake Bohinj path
<i>Carduus defloratus</i>	Alpine Thistle	Lake Bohinj path
<i>Centaurea phrygiensis</i> subsp. <i>pseudophrygia</i>	Wig Knapweed	Lake Bohinj path
<i>Centaurea scabiosa</i> subsp. <i>alpestris</i>	a Greater Knapweed	W of Ribcev Laz (verges)
<i>Cichorium intybus</i>	Chicory	Bohinjska Bistrica (verge)
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	Lake Bohinj path
<i>Cirsium oleraceum</i>	Cabbage Thistle	W of Ribcev Laz (verges)
<i>Crepis aurea</i>	Golden Hawksbeard	Goreljek
<i>Crepis froelichiana</i> ssp. <i>dinarica</i> (<i>C. incarnata</i>)	a Pink Hawksbeard	Near za Poljanco
<i>Erigeron annuus</i>	Annual Fleabane	Lake Bohinj path
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lake Bohinj path (leaves)
<i>Homogyne alpina</i>	Alpine Colts-foot	Mangart Saddle
<i>Homogyne discolor</i>	a Colt's-foot	Goreljek
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Lake Bohinj path
<i>Mycelis muralis</i>	Wall Lettuce	Lake Bohinj path
<i>Petasites paradoxus</i>	Alpine Butterbur	Vogar
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	Lake Bohinj path
<i>Telekia speciosa</i>	Yellow Ox-eye	Vogar
<i>Tolpis staticifolia</i>	-	S of Gorjuse
<i>Tragopogon pratensis</i> subsp. <i>orientalis</i>	Goat's-beard	Lake Bohinj path
<i>Tussilago farfara</i>	Colt's-foot	Mangart Saddle
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Lake Bohinj path
Crassulaceae	Stonecrop Family	
<i>Sedum roseum</i> (<i>Rhodiola rosea</i>)	Roseroot	Mangart Saddle
<i>Sedum sexangulare</i>	Tasteless Stonecrop	Lake Bohinj path
<i>Sedum telephium</i>	Orpine	Vintgar Gorge
Ericaceae	Heath family	
<i>Andromeda polifolia</i>	Bog Rosemary	Barje Sijec (Bog)
<i>Erica carnea</i>	Spring Heath	Mangart Saddle
<i>Moneses uniflora</i>	One-flowered Wintergreen	Barje Sijec (Woodland)
<i>Monotropa hypopitys</i>	Yellow Bird's-nest	Mostnice Gorge

Scientific name	Common name	Location
<i>Pyrola minor</i>	Common Wintergreen	S of Vrsic Pass
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Slap Savica
<i>Rhodothamnus chamaecistus</i>	Dwarf Alpenrose	Mangart Saddle
<i>Vaccinium myrtillus</i>	Bilberry	Barje Sijec (Woodland)
<i>Vaccinium oxycoccus</i>	Cranberry	Barje Sijec (Bog) (in bud)
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Barje Sijec (Bog) (leaves)
<i>Vaccinium vitis-idaea</i>	Cowberry	Barje Sijec (Woodland)
Euphorbiaceae	Spurge Family	
<i>Euphorbia amygdaloides</i>	Wood Spurge	Lake Bohinj path
<i>Euphorbia angulata</i>	–	
<i>Euphorbia cyparissias</i>	Cypress Spurge	Lake Bohinj path
<i>Mercurialis perennis</i>	Dog's Mercury	Lake Bohinj path
Fagaceae	Oak & Beech Family	
<i>Fagus sylvatica</i>	Beech	Lake Bohinj path
Gentianaceae	Gentian Family	
<i>Gentiana asclepiadea</i>	Willow-leaved Gentian	Barje Sijec (Bog) (leaves)
<i>Gentiana clusii</i>	Clusius' Gentian	Mangart Saddle
<i>Gentiana cruciata</i>	Cross Gentian	Near Za Poljanco (leaves)
<i>Gentiana utriculosa</i>	Bladder Gentian	Below Vrsic Pass
<i>Gentiana verna</i>	Spring Gentian	Near Za Poljanco
Geraniaceae	Geranium Family	
<i>Geranium phaeum</i>	Dusky Crane's-bill	Near Za Poljanco
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	Near Za Poljanco
<i>Geranium robertianum</i>	Herb Robert	Lake Bohinj path
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Vogar
Hypericaceae	St. John's-wort Family	
<i>Hypericum hirsutum</i>	Hairy St. John's-wort	Vogar
<i>Hypericum maculosum</i>	Imperforate St. John's-wort	Barje Sijec (Woodland)
<i>Hypericum montanum</i>	Pale St. John's-wort	Lake Bohinj path
Juglandaceae	Walnut Family	
[<i>Juglans regia</i>]	Walnut	Lake Bohinj path
Lamiaceae	Dead-nettle Family	
<i>Ajuga genevensis</i>	Blue Bugle	Lake Bohinj path
<i>Clinopodium alpinum</i>	Alpine Basil Thyme	Lake Bohinj path
<i>Lamiastrum galeobdolon</i> agg.	Yellow Archangel	Lake Bohinj path
<i>Lamium gargaricum</i>	Large Red Dead-nettle	Near Za Poljanco
<i>Lamium orvala</i>	Balm-leaved Archangel	Lake Bohinj path
<i>Lamium purpureum</i>	Red Dead-nettle	Lake Bohinj path
<i>Melittis melissophyllum</i>	Bastard Balm	Lake Bohinj path
<i>Mentha longifolia</i>	Horse Mint	Near Za Poljanco
<i>Origanum vulgare</i>	Wild Marjoram	Lake Bohinj path (leaves)
<i>Prunella grandiflora</i>	Large-flowered Selfheal	Vogar
<i>Prunella vulgaris</i>	Selfheal	Lake Bohinj path

Scientific name	Common name	Location
<i>Salvia glutinosa</i>	Jupiter's Distaff	Lake Bohinj path (leaves)
<i>Salvia pratensis</i>	Meadow Clary	Lake Bohinj path
<i>Stachys alopecuroides</i>	Yellow Betony	Lake Bohinj path
<i>Stachys recta</i>	Yellow Woundwort	Mostnice Gorge
<i>Teucrium chamaedrys</i>	Wall Germander	Lake Bohinj path (leaves)
<i>Thymus polytrichus</i>	Wild Thyme	Lake Bohinj path
Leguminosae (Fabaceae)	Pea Family	
<i>Anthyllis vulneraria</i>	Kidney-vetch	Lake Bohinj path
<i>Astragalus glycyphyllos</i>	Wild Liquorice	Lake Bohinj path
<i>Cytisus (Chamaecytisus) hirsutus</i>	Hairy Broom	Lake Bohinj path
<i>Dorycnium pentaphyllum</i>	-	Lake Bohinj path
<i>Genista germanica</i>	Prickly Greenweed	Mostnice Gorge
<i>Genista radiata</i>	Southern Greenweed	Lake Bohinj path
<i>Genista tinctoria</i>	Dyers Greenweed	Lake Bohinj path
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Lake Bohinj path
<i>Laburnum anagyroides</i>	Laburnum	Vogar
<i>Lathyrus pratensis</i>	Yellow Vetchling	Barje Sijec (Bog) (leaves)
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Lake Bohinj path
<i>Medicago falcata</i>	Sickle Medick	Vintgar (verge)
<i>Robinia pseudoacacia</i>	False Acacia	Roadsides
<i>Trifolium medium</i>	Zigzag Clover	Lake Bohinj path (leaves)
<i>Trifolium montanum</i>	Mountain Clover	Lake Bohinj path
<i>Trifolium pratense</i>	Red Clover	Lake Bohinj path
<i>Trifolium repens</i>	White Clover	Lake Bohinj path
<i>Vicia sepium</i>	Bush Vetch	Near Za Poljanco
<i>Vicia sylvatica</i>	Wood Vetch	S of Gorjuse
Lentibulariaceae	Bladderwort Family	
<i>Pinguicula alpina</i>	Alpine Butterwort	Mangart Saddle
<i>Pinguicula vulgaris</i>	Common Butterwort	Barje Sijec (Bog)
Linaceae	Flax Family	
<i>Linum catharticum</i>	Purging or Fairy Flax	Lake Bohinj path
Lythraceae	Purple-loosestrife Family	
<i>Lythrum salicaria</i>	Purple-loosestrife	Vintgar (verge)
Malvaceae	Mallow Family	
<i>Tilia cordata</i>	Small-leaved Lime	Vintgar Gorge
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Lake Bohinj path
<i>Ligustrum vulgare</i>	Wild Privet	Lake Bohinj path
Onagraceae	Willowherb Family	
<i>Oenothera glazioviana</i>	Common Evening Primrose	Near Bled (Motorway) verge
Orobanchaceae	Broomrape Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Mangart Saddle

Scientific name	Common name	Location
<i>Lathraea squamaria</i>	Toothwort	Near Za Poljanco
<i>Melampyrum pratense</i>	Common Cow-wheat	Lake Bohinj path
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Goreljek (Bog)
<i>Orobanche gracilis</i>	Slender Broomrape	Mostnice Gorge
<i>Pedicularis verticillata</i>	Verticillate Lousewort	Near Za Poljanco
<i>Rhinanthus aristatus</i> agg.	Aristate Yellow Rattle	S og Gorjuse
<i>Rhinanthus minor</i> agg.	Rattle	Lake Bohinj path
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Barje Sijec (Woodland)
Papaveraceae	Poppy Family	
<i>Chelidonium majus</i>	Greater Celandine	Vintgar Gorge
Plantaginaceae	Plantain Family	
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	Near Bled (walls)
<i>Digitalis grandiflora</i> (<i>D. ambigua</i>)	Large Yellow Foxglove	Vingar Gorge
<i>Digitalis lutea</i>	Small Yellow Foxglove	Vogar
<i>Globularia cordifolia</i>	Matted Globularia	Lake Bohinj path
<i>Globularia punctata</i>	Common Globularia	Lake Bohinj path
<i>Linaria alpestris</i>	Alpine Toadflax	Mangart Saddle
<i>Plantago lanceolata</i>	Ribwort Plantain	Near Za Poljanco
<i>Plantago major</i>	Greater Plantain	Vintgar Gorge
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Lake Bohinj path
<i>Veronica chamaedrys</i>	Germander Speedwell	Lake Bohinj path
<i>Veronica lutea</i>	Yellow Paederota	Mangart Saddle
<i>Veronica persica</i>	Common Field Speedwell	Mostnice Gorge
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	Goreljek
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Lake Bohinj path
Polygalaceae	Milkwort Family	
<i>Polygala alpestris</i>	Mountain Milkwort	Mangart Saddle
<i>Polygala comosa</i>		Lake Bohinj path
<i>Polygala serpyllifolia</i>	Heath Milkwort	Goreljek (Bog)
Polygonaceae	Knotweed Family	
<i>Persicaria vivipara</i>	Alpine Bistort	Vogar
<i>Rumex acetosa</i>	Sorrel	Near Za Paljanco
<i>Rumex nivalis</i>	Snow Dock	Lake Bohinj path
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Mostnice Gorge
<i>Rumex sanguineus</i>	Wood Dock	Lake Bohinj path
Primulaceae	Primrose Family	
<i>Cyclamen purpurescens</i>	a Cyclamen	Lake Bohinj path
<i>Lysimachia nummularia</i>	Creeping-jenny	Ribcev Laz
<i>Primula auricula</i>	Bear's-ear Primrose	Mangart Saddle
<i>Primula elatior</i>	Oxlip	Near Za paljanco
<i>Soldanella alpina</i>	Alpine Snowbell	Mangart Saddle

Scientific name	Common name	Location
Ranunculaceae	Buttercup Family	
<i>Aconitum lycoctonum</i> subsp. <i>vulparia</i>	Wolf's-bane	Vogar
<i>Actaea spicata</i>	Baneberry	Vintgar Gorge
<i>Anemone trifolia</i>	Three-leaved Anemone	Near Za Paljonco
<i>Anemone nemorosa</i>	Wood Anemone	Barje Sijec (Woodland)
<i>Aquilegia atrata</i>	Dark Columbine	E of Bohinjska Bistrica
<i>Aquilegia vulgaris</i>	Columbine	Mostnice Gorge
<i>Caltha palustris</i>	Marsh Marigold	Barje Sijec (Bog)
<i>Clematis alpina</i>	Alpine Clematis	Below Mangart Saddle
<i>Clematis recta</i>	Upright Clematis	Lake Bohinj path
<i>Clematis vitalba</i>	Old-Man's-Beard	Vintgar Gorge
<i>Heleborus niger</i>	Christmas Rose	Lake Bohinj path (in fruit)
<i>Hepatica nobilis</i>	Hepatica	Lake Bohinj path (leaves)
<i>Pulsatilla alpina</i> subsp. <i>alpina</i>	Alpine Pasqueflower	Mangart Saddle
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Goreljek
<i>Ranunculus acris</i>	Meadow Buttercup	Lake Bohinj path
<i>Ranunculus alpestris</i> subsp. <i>traunfellneri</i>	an Alpine Buttercup	Mangart Saddle
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Mangart Saddle
<i>Ranunculus montanus</i>	Mountain Buttercup	Mangart Saddle
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Lake Bohinj path
<i>Thalictrum flavum</i>	Common Meadow-rue	Lake Bohinj path
<i>Trollius europaeus</i>	Globeflower	Barje Sijec (Bog)
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alpinus</i>	Alpine Buckthorn	Vogar
<i>Rhamnus catharticus</i>	Buckthorn	Mostnice Gorge
<i>Rhamnus fallax</i>	an Alpine Buckthorn	Lake Bohinj path
<i>Rhamnus saxatilis</i>	Rock Buckthorn	Lake Bohinj path
Rosaceae	Rose Family	
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Mangart Saddle
<i>Alchemilla glaucescens</i>	Silky Lady's-mantle	Lake Bohinj path
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	Mangart Saddle
<i>Aremonia agrimonioides</i>	Bastard Agrimony	Barje Sijec (Verge)
<i>Aruncus dioicus</i>	Goatsbeard Spiraea	Vogar
<i>Comarum palustre</i>	Marsh Cinquefoil	Barje Sijec (Bog)
<i>Crataegus monogyna</i>	Hawthorn	Lake Bohinj path
<i>Dryas octopetala</i>	Mountain Avens	Mangart Saddle
<i>Duchesnia indica</i>	Yellow-flowered Strawberry	Lake Bohinj path (leaves)
<i>Filipendula ulmaria</i>	Meadowsweet	Mostnice Gorge
<i>Filipendula vulgaris</i>	Dropwort	Road verges
<i>Fragaria moschata</i>	Hautbois Strawberry	Vogar
<i>Fragaria vesca</i>	Wild Strawberry	Lake Bohinj path
<i>Geum rivale</i>	Water Avens	Lake Bohinj path
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Lake Bohinj path
<i>Potentilla caulescens</i>	Lax Potentilla	Mostnice Gorge
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Mangart Saddle
<i>Potentilla erecta</i>	Tormentil	Barje Sijec (Verge)
<i>Potentilla nitida</i>	Pink Cinquefoil	Mangart Saddle (leaves)
<i>Potentilla reptans</i>	Creeping Cinquefoil	Lake Bohinj path

Scientific name	Common name	Location
<i>Prunus spinosa</i>	Blackthorn	Mostnice Gorge
<i>Rosa glauca</i>	Blue-leaved Rose	Lake Bohinj path
<i>Rosa pendulina</i>	Alpine Rose	Vogar
<i>Rubus fruticosus</i> agg.	Bramble	Lake Bohinj path
<i>Rubus idaeus</i>	Raspberry	Lake Bohinj path
<i>Rubus saxatilis</i>	Stone Bramble	Vogar
<i>Sanguisorba minor</i> (<i>Poterium</i> s.)	Salad Burnet	Lake Bohinj path
<i>Sorbus aria</i> agg.	Whitebeam	Slap Savica
<i>Sorbus aucuparia</i>	Rowan	Barje Sijec (Woodland)
<i>Sorbus chamaemespilus</i>	False Medlar	Below Vrsic Pass
Rubiaceae	Bedstraw Family	
<i>Cruciata laevipes</i>	a Crosswort	Lake Bohinj path
<i>Galium album</i>	Hedge Bedstraw	Lake Bohinj path
<i>Galium verum</i>	Lady's Bedstraw	Lake Bohinj path
Salicaceae	Willow & Poplar Family	
<i>Salix alba</i>	White Willow	Roadsides
<i>Salix caprea</i>	Goat Willow	Goreljek
<i>Salix herbacea</i>	Least Willow	Mangart Saddle
<i>Salix waldsteiniana</i>	a Mountain Willow	Mangart saddle
Santalaceae	Sandalwood Family	
<i>Thesium barvaracum</i>	Barvarian bastard Toadflax	Slap Savica
<i>Thesium linophyllum</i>	Flax-leaved Bastard Toadflax	Lake Bohinj path
<i>Viscum album</i>	Mistletoe	Roadsides
Sapindaceae	Maple Family	
<i>Acer campestre</i>	Field Maple	Lake Bohinj path
<i>Acer platanoides</i>	Norway Maple	Vogar
<i>Acer pseudoplatanus</i>	Sycamore	Lake Bohinj path
Saxifragaceae	Saxifrage Family	
<i>Chrysosplenium alternifolium</i>	Alternate-leaved Golden Saxifrage	Barje Sijec (Woodland)
<i>Saxifraga caesia</i>	Blue Saxifrage	Mangart Saddle (leaves)
<i>Saxifraga crustata</i>	Encrusted Saxifrage	Vogar
<i>Saxifraga cuneifolia</i>	Spoon-leaved Saxifrage	Vogar
<i>Saxifraga paniculata</i>	Live-long Saxifrage	Mangart Saddle (in bud)
<i>Saxifraga rotundifolia</i>	Round-leaved saxifrage	Vogar
<i>Saxifraga stellatum</i>	Starry Saxifrage	Mangart Saddle
Scrophulariaceae	Figwort Family	
<i>Scrophularia canina</i> subsp. <i>hoppii</i>	Alpine Figwort	Mangart Saddle
<i>Scrophularia scopolii</i>	Scopoli's Figwort	Near za Poljanco
<i>Verbascum nigrum</i>	Dark Mullein	S of Gorjuse
Solanaceae	Nightshade Family	
<i>Atropa belladonna</i>	Deadly Nightshade	Slap Savica
<i>Solanum dulcamara</i>	Bittersweet	Mostnice Gorge

Scientific name	Common name	Location
Thymelaeaceae	Mezereon Family	
<i>Daphne mezereum</i>	Mezereon	Near Za Poljanco
Urticaceae	Nettle Family	
<i>Urtica dioica</i>	Common Nettle	Common
Violaceae	Violet Family	
<i>Viola biflora</i>	Yellow Violet	Barje Sijec (Woodland)
<i>Viola canina</i>	True Dog Violet	Vogar
<i>Viola riviniana</i>	Common Dog Violet	Near Za Poljanco
<i>Viola tricolor</i> subsp. <i>subalpina</i>	Alpine Heartsease	Below Vrsic Pass
Monocots	Monocotyledons	
Amaryllidaceae	Daffodil Family	
<i>Allium suaveolens</i>	Fragrant Onion	Lake Bohinj path
Asparagaceae	Asparagus Family	
<i>Convallaria majalis</i>	Lily-of-the-Valley	Vogar
<i>Maianthemum bifolium</i>	May Lily	Barje Sijec (Woodland)
<i>Polygonatum multiflorum</i>	Solomon's Seal	Mostnice Gorge
<i>Polygonatum odoratum</i>	Angular Solomon's Seal	Vogar
<i>Polygonatum verticillatum</i>	Whorled Solomon's Seal	Vogar
Colchicaceae	Meadow Saffron Family	
<i>Colchicum autumnale</i>	Autumn Crocus (leaves)	Lake Bohinj path (in fruit)
Cyperaceae	Sedge Family	
<i>Carex caryophyllea</i>	Spring Sedge	Vogar
<i>Carex demissa</i>	Common Yellow -sedge	Lake Bohinj path
<i>Carex digitata</i>	Fingered Sedge	Lake Bohinj path
<i>Carex dioica</i>	Dioecious Sedge	Barje Sijec (Bog)
<i>Carex echinata</i>	Star Sedge	Barje Sijec (Bog)
<i>Carex flacca</i>	Glaucous Sedge	Lake Bohinj path
<i>Carex flava</i>	Large Yellow-sedge	Mostnice Gorge
<i>Carex lepidocarpa</i>	Long-bracted Yellow-sedge	Lake Bohinj path
<i>Carex leporina</i> (<i>C. ovalis</i>)	Oval Sedge	Barje Sijec (Bog)
<i>Carex nigra</i>	Common Sedge	Goreljek (Bog)
<i>Carex ornithopoda</i>	Bird's-foot Sedge	Lake Bohinj path
<i>Carex pallescens</i>	Pale Sedge	Vogar
<i>Carex paniculata</i>	Greater Tussock-sedge	Lake Bohinj path
<i>Carex pauciflora</i>	Few-flowered Sedge	Barje Sijec (Bog)
<i>Carex remota</i>	Remote Sedge	Mostnice Gorge
<i>Carex strigosa</i>	Thin-spiked Wood-sedge	Mostnice Gorge
<i>Carex sylvatica</i>	Wood Sedge	Lake Bohinj path
<i>Carex vaginata</i>	Sheathed Sedge	Lake Bohinj path
<i>Eriophorum angustifolium</i>	Common Cotton-grass	Barje Sijec (Bog)
<i>Eriophorum vaginatum</i>	Hare's-tail Cotton-grass	Goreljek (Bog)
<i>Trichophorum alpinum</i>	Cotton Deergrass	Barje Sijec (Bog)

Scientific name	Common name	Location
Juncaceae	Rush Family	
<i>Juncus inflexus</i>	Hard Rush	Mostnice Gorge
<i>Juncus tenuis</i>	Slender Rush	Mostnice Gorge
<i>Juncus trifidus</i>	Three-leaved Rush	Mangart Saddle
<i>Luzula luzuloides</i>	White Woodrush	Barje Sijec (Woodland)
<i>Luzula multiflorum</i> agg.	Heath Woodrush	Goreljek
<i>Luzula nivea</i>	Snowy Woodrush	Barje Sijec (Woodland)
<i>Luzula pilosa</i>	Hairy Woodrush	Barje Sijec (Woodland)
<i>Luzula spicata</i>	Spicked Woodrush	Mangart Saddle
<i>Luzula sylvatica</i>	Great Woodrush	Near Za Poljanco
Liliaceae	Lily Family	
<i>Gagea serotina</i>	Snowdon Lily	Mangart Saddle
<i>Lilium bulbiferum</i>	Orange Lily	Roadside
<i>Lilium carnolicum</i> *	Carnic Lily	Vogar
<i>Lilium martagon</i>	Martagon Lily	Lake Bohinj path
Melanthiaceae	Herb-paris Family	
<i>Paris quadrifolia</i>	Herb Paris	Barje Sijec (Woodland)
<i>Veratrum lobelianum</i>	Green False Helleborine	Barje Sijec (Bog)
Orchidaceae	Orchid Family	
<i>Cephalanthera damasonium</i>	White Helleborine	Lake Bohinj path
<i>Cephalanthera longifolia</i>	Narrow-leaved Helleborine	Lake Bohinj path
<i>Cephalanthera rubra</i>	Red Helleborine	Lake Bohinj path
<i>Corallorhiza trifida</i>	Coralroot Orchid	Barje Sijec (Woodland)
<i>Dactylorhiza alpestris</i>	Alpine Broad-leaved Marsh O.	Mostnice Gorge
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Lake Bohinj path
<i>Dactylorhiza fuchsii</i> var. <i>rhodochila</i>	Red-lipped Common Spotted O.	Mostnice Gorge
<i>Dactylorhiza incarnata</i> subsp. <i>pulchella</i>	an Early Marsh Orchid	Barje Sijec (Bog)
<i>Dactylorhiza maculata</i> subsp. <i>maculata</i>	Heath Spotted Orchid	Stefanica
<i>Epipactis atrorubens</i>	Dark Red Helleborine	Roadsides
<i>Epipogium aphyllum</i>	Ghost Orchid	Mostnice Gorge
<i>Gymnadenia albida</i>	Small White Orchid	Goreljek
<i>Gymnadenia conopsea</i> subsp. <i>conopsea</i>	Fragrant Orchid	Goreljek
<i>Gymnadenia conopsea</i> subsp. <i>densiflora</i>	Marsh Fragrant Orchid	Stefanica
<i>Neotinea (Orchis) ustulata</i>	Burnt Orchid	S of Gorjuse
<i>Neottia cordata</i>	Lesser Twayblade	Barje Sijec (Woodland)
<i>Neottia nidus-avis</i>	Bird's-nest Orchid	Lake Bohinj path (over)
<i>Neottia ovata</i>	Twayblade	Lake Bohinj path
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Lake Bohinj path
<i>Traunsteinera globosa</i>	Round-headed Orchid	Stefanica
Poaceae	Grass Family	
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	Lake Bohinj path
<i>Avenula pratense</i>	Meadow Oat-grass	Lake Bohinj path
<i>Brachypodium pinnatum</i>	Tor-grass	Lake Bohinj path
<i>Brachypodium sylvaticum</i>	False Brome	Vintgar Gorge
<i>Briza media</i>	Quaking Grass	Lake Bohinj path
<i>Cynosurus cristatus</i>	Crested Dog's-tail	Goreljek

Scientific name	Common name	Location
<i>Dactylis glomerata</i>	Cock's-foot	Lake Bohinj path
<i>Festuca rubra</i> agg.	Red Fescue	Lake Bohinj path
<i>Koeleria macrantha</i>	Crested Hair-grass	Lake Bohinj path
<i>Lolium perenne</i>	Perennial Rye-grass	Lake Bohinj path
<i>Melica nutans</i>	Mountain Melick	Lake Bohinj path
<i>Milium effusum</i>	Wood Millet	Barje Sijec (Woodland)
<i>Phalaris arundinacea</i>	Reed Canary Grass	Roadside ditches
<i>Phragmites australis</i>	Common Reed	Roadside ditches
<i>Poa alpina</i> var. <i>vivipara</i>	Viviparous Alpine Meadow-grass	Barje Sijec (Woodland)
<i>Poa annua</i>	Annual Meadow-grass	Ribcev Laz
<i>Poa nemoralis</i>	Wood Meadow-grass	Vintgar Gorge
<i>Sesleria caerulea</i>	Blue Moor-grass	Vogar
Tofieldiaceae	Scottish Asphodel Family	
<i>Tofieldia calyculata</i>	Tofield's Asphodel	Barje Sijec (Bog)
Typhaceae	Bulrush Family	
<i>Typha angustifolia</i>	Lesser Bulrush	Roadside ditches

Birds (✓=recorded but not counted; H = heard only; LO = Leader only)

	Common name	Scientific name	June							
			16	17	18	19	20	21	22	23
1	Mute Swan	<i>Cygnus olor</i>	✓				✓	✓		✓
2	Mallard	<i>Anas platyrhynchos</i>	✓	✓	✓	✓	✓	✓	✓	✓
3	Grey Heron	<i>Ardea cinerea</i>				✓	✓			✓
4	Common Buzzard	<i>Buteo buteo</i>	✓		✓		✓			
5	Yellow-legged Gull	<i>Larus michahellis</i>	LO	✓		LO	✓			
6	Rock Dove [Feral]	<i>Columba livia (feral)</i>	✓				✓	✓		✓
7	Common Cuckoo	<i>Cuculus canorus</i>		H	H	H			H	H
8	Tawny Owl	<i>Strix aluco</i>				H				
9	Alpine Swift	<i>Tachymarptis melba</i>						✓		
10	Common Swift	<i>Apus apus</i>				✓		✓		✓
11	Grey-headed Woodpecker	<i>Picus canus</i>						✓		
12	Common Kestrel	<i>Falco tinnunculus</i>	✓				✓	✓		
13	Red-backed Shrike	<i>Lanius collurio</i>							✓	
14	Eurasian Jay	<i>Garrulus glandarius</i>						✓		✓
15	Alpine Chough	<i>Pyrrhocorax graculus</i>						✓		
16	Carrion Crow	<i>Corvus corone</i>								✓
17	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓			✓		✓
18	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>				✓				
19	Great Tit	<i>Parus major</i>		H		✓	H	✓	H	H
20	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓
21	Common House Martin	<i>Delichon urbicum</i>	✓		✓	✓	✓	✓	✓	✓
22	Common Chiffchaff	<i>Phylloscopus collybita</i>		H	H	H	H	H	H	
23	Eurasian Blackcap	<i>Sylvia atricapilla</i>	H	H	H	H	H	H	H	H
24	Eurasian Wren	<i>Troglodytes troglodytes</i>				H	H	H	H	H
25	Common Starling	<i>Sturnus vulgaris</i>						✓		
26	Ring Ouzel	<i>Turdus torquatus alpestris</i>						✓		
27	Common Blackbird	<i>Turdus merula</i>	✓	✓	✓	✓	✓	✓	✓	✓
28	Song Thrush	<i>Turdus philomelos</i>	✓	✓	H	H		H	✓	✓
29	European Robin	<i>Erithacus rubecula</i>		H		✓	H	H	H	H

	Common name	Scientific name	June							
			16	17	18	19	20	21	22	23
30	Black Redstart	<i>Phoenicurus ochruros</i>			✓			✓		
31	Common Redstart	<i>Phoenicurus phoenicurus</i>					LO			
32	Northern Wheatear	<i>Oenanthe oenanthe</i>						✓		
33	White-throated Dipper	<i>Cinclus cinclus</i>					✓			
34	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓
35	Alpine Accentor	<i>Prunella collaris</i>						✓		
36	Grey Wagtail	<i>Motacilla cinerea</i>			✓		✓	✓		
37	White Wagtail	<i>Motacilla alba</i>			✓	✓	✓	✓	✓	✓
38	Water Pipit	<i>Anthus spinoletta</i>						✓		
39	Common Chaffinch	<i>Fringilla coelebs</i>		✓	✓	H	H	H	H	H
40	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>			✓	✓				
41	European Greenfinch	<i>Chloris chloris</i>			H	H	H	H		H
42	European Goldfinch	<i>Carduelis carduelis</i>			✓		✓	✓	✓	✓

Mammals (D = Dead)

1	Common Shrew	<i>Sorex araneus</i>			D					
2	European Roe Deer	<i>Capreolus capreolus</i>					✓			
3	Red Squirrel	<i>Sciurus vulgaris</i>					✓			
5	Alpine Marmot	<i>Marmota marmota</i>						H		

Amphibians & Reptiles

1	Yellow-bellied Toad	<i>Bombina variegata</i>		✓						
2	Common Frog	<i>Rana temporaria</i>							✓	
3	Balkan Green Lizard	<i>Lacerta trilineata</i>								✓
4	Eastern Green Lizard	<i>Lacerta viridis</i>		✓						
5	Common Lizard	<i>Zootoca vivipara</i>		✓						
6	Horvath's Rock Lizard	<i>Iberolacerta horvathi</i>						✓		✓
7	Common Wall Lizard	<i>Podarcis muralis</i>		✓		✓				
8	Slow Worm	<i>Anguis fragilis</i>					✓	✓		

Butterflies (C = caterpillar)

1	Swallowtail	<i>Papilio machaon</i>		C				✓		
2	Clouded Apollo	<i>Parnassius mnemosyne</i>				✓			✓	
3	Small White	<i>Pieris rapae</i>		✓	✓	✓			✓	✓
4	Green-veined White	<i>Pieris napi</i>			✓			✓	✓	
5	Dark-veined White	<i>Pieris bryoniae</i>			✓			✓		
6	Orange Tip	<i>Anthocharis cardamines</i>			✓	✓			✓	✓
7	Clouded Yellow	<i>Colias crocea</i>		✓	✓				✓	
8	Brimstone	<i>Gonepteryx rhamni</i>							✓	
9	Green Hairstreak	<i>Callophrys rubi</i>						✓		
10	Purple-edged Copper	<i>Lycaena hippothoe</i>					✓		✓	
11	Little Blue	<i>Cupido minimus</i>					✓		✓	
12	Silver-studded Blue	<i>Plebejus argus</i>							✓	
13	Brown Argus	<i>Aricia agrestis</i>							✓	
14	Mountain Argus	<i>Aricia artaxerxes</i>							✓	
15	Common Blue	<i>Polyommatus icarus</i>		✓	✓				✓	✓
16	Duke of Burgundy Fritillary	<i>Hamearis lucina</i>				✓			✓	
17	Poplar Admiral	<i>Limenitis populi</i>							✓	
18	Red Admiral	<i>Vanessa atalanta</i>			✓	✓		✓		
19	Painted Lady	<i>Vanessa cardui</i>		✓				✓	✓	✓
20	Small Tortoiseshell	<i>Aglais urticae</i>			✓			✓		

	Common name	Scientific name	June								
			16	17	18	19	20	21	22	23	
21	Comma Butterfly	<i>Polygonum c-album</i>								✓	
22	Lesser Marbled Fritillary	<i>Brenthis ino</i>									✓
23	Heath Fritillary	<i>Mellicta athalia</i>		✓							✓
24	Nickerl's Fritillary	<i>Mellicta aurelia</i>		✓							
25	Woodland Ringlet	<i>Erebia medusa</i>			✓	✓	✓				✓
26	Meadow Brown	<i>Maniola jurtina</i>									✓
27	Small Heath	<i>Coenonympha pamphilus</i>		✓							
28	Pearly Heath	<i>Coenonympha arcania</i>		✓							✓
29	Speckled Wood	<i>Pararge aegeria aegeria</i>			✓						
30	Woodland Brown	<i>Lopinga achine</i>									✓
31	Grizzled Skipper	<i>Pyrgus malvae</i>				✓					✓
32	Red-underwing Skipper	<i>Spialia sertorius</i>		✓							✓
33	Dingy Skipper	<i>Erynnis tages</i>									✓
34	Chequered Skipper	<i>Carterocephalus palaemon</i>						✓	✓	✓	✓
35	Essex Skipper	<i>Thymelicus lineola</i>									✓
36	Small Skipper	<i>Thymelicus sylvestris</i>									✓
37	Large Skipper	<i>Ochlodes venatus</i>									✓

Micros moths

1	Thyme Plume	<i>Merrifieldia leucodactyla</i>					✓			
2	Crambid	<i>Crambus pratella</i>			✓		✓			
3	Crambid	<i>Crambus lathoniellus</i>					✓			
4	Crambid	<i>Chrysocrambus cassentiniellus</i>		✓						
5	Crambid	<i>Pyrausta nigrata</i>				✓	✓			
6	Crambid	<i>Anania coronata</i>					✓			
7	Crambid	<i>Crambus lathoniellus</i>					✓			
8	Tortrix	<i>Orthotaenia undulana</i>					✓			

Macros moths

1	Six-spot Burnet	<i>Zygaena filipendulae</i>									✓
2	Transparent Burnet	<i>Zygaena purpuralis</i>									✓
3	Little Emerald	<i>Jodis lactearia</i>						✓			
4	Ochraceous Wave	<i>Idaea serpentata</i>									✓
5	Tweed Carpet	<i>Xanthorhoe incurvata</i>			✓						
6	Small Argent and Sable	<i>Epirrhoetristata</i>		✓	✓						
7	Lead Belle	<i>Scotopteryx mucronata</i>			✓		✓			✓	✓
8	Laiticed Heath	<i>Semiothisa clathrata</i>		✓		✓	✓			✓	
9	Speckled Yellow	<i>Pseudopanthera macularia</i>									✓
10	Orange Moth	<i>Angerona prunaria</i>							✓		
11	Common Heath	<i>Ematurga atomaria</i>			✓	✓	✓			✓	✓
12	Common Wave	<i>Cabera exanthemata</i>				✓	✓				
13	Black-veined Moth	<i>Siona lineata</i>					✓			✓	
14	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>		✓	✓	✓					
15	Nine-spotted	<i>Amata phegea</i>									✓
16	Silver Y	<i>Autographa gamma</i>		✓						✓	✓
17	Mother Shipton	<i>Callistege mi</i>					✓				
18	Burnet Companion	<i>Euclidia glyphica</i>			✓	✓	✓				
19	Small Purple-barred	<i>Phytometra viridaria</i>							✓		
20	Fan-foot	<i>Zanclognatha tarsipennalis</i>					✓				

	Common name	Scientific name	June						
			16	17	18	19	20	21	22

Other Invertebrates (E = Exuviae; N = Nymph)

1	Blue Hawker	<i>Aeshna cyanea</i>		✓							
2	Brilliant Emerald	<i>Somatochlora metallica</i>									✓
3	Stonefly	<i>Dinocras cephalotes</i>						E		✓	
4	Green Mountain Grasshopper	<i>Miramella alpina</i>						✓			
5	Speckled Bush-cricket	<i>Leptophyes punctatissima</i>					N	N			
6	Wart-biter Cricket	<i>Decticus verrucivorus</i>			✓						
7	Roesel's Bush-cricket	<i>Metrioptera roeselii</i>						✓			
8	Dark Bush-cricket	<i>Pholidoptera griseopaptera</i>					N			N	N
9	Field Cricket	<i>Gryllus campestris</i>	H	H	H				H	✓	
10	Green Shield Bug	<i>Palomena prasina</i>					✓				
11	Fire Bug	<i>Pyrhocoris apterus</i>								✓	
12	Frog Hopper (Red and Black)	<i>Cercopis vulnerata</i>								✓	
13	Scorpion Fly	<i>Panorpa meridionalis</i>			✓	✓					
14	Crane-fly	<i>Nephrotoma crocata</i>								✓	
15	Marmalade Hover-fly	<i>Episyrphus balteatus</i>								✓	
16	Bumblebee Hover-fly	<i>Volucella bombylans</i>								✓	
17	Hornet Hover-fly	<i>Volucella zonaria</i>		✓							
18	Great Pied Hover-fly	<i>Volucella pellucens</i>									
19	Drone-fly	<i>Eristalis tenax</i>									✓
20	Wood Ant	<i>Formica rufa</i>		✓	✓			✓	✓	✓	
21	Carpenter Bee	<i>Xylocopa violacea</i>								✓	
22	White-tailed Bumblebee	<i>Bombus lucorum</i>		✓							
23	Buff-tailed Bumblebee	<i>Bombus terrestris</i>									✓
24	Red-tailed Bumblebee	<i>Bombus lapidarius</i>		✓		✓	✓	✓	✓		✓
25	Common Carder Bee	<i>Bombus pascuorum</i>		✓	✓	✓	✓				
26	Honey Bee	<i>Apis mellifera</i>		✓	✓	✓	✓			✓	
27	Chafer	<i>Hoplia argentea</i>			✓						
28	Chafer	<i>Oxythya funesta</i>								✓	
29	Garden Chafer	<i>Phyllopertha horticola</i>			✓						
30	Chafer	<i>Gnorimus nobilis</i>								✓	✓
31	Rose Chafer	<i>Cetonia aurata</i>		✓		✓				✓	
32	Click Beetle	<i>Ampedus sanguineus</i>							✓		
33	Soldier Beetle	<i>Cantharis rustica</i>						✓		✓	
34	Longhorn Beetle	<i>Morimus funereus</i>									D
35	Wasp Beetle	<i>Clytra arietis</i>								✓	
36	Longhorn Beetle	<i>Pachyta quadrimaculata</i>								✓	
37	Longhorn Beetle	<i>Strangalia maculata</i>								✓	✓
38	Lily Beetle	<i>Lilioceris lili</i>				✓					
39	Pill Woodlouse	<i>Armadillidium vulgare</i>		✓							
40	Labyrinth Spider	<i>Agelena labyrinthica</i>									✓

Gastropods & Molluscs

1	Dusky Slug	<i>Arion fuscus/subfuscus</i>		✓							
2	Large Black/Orange Slug	<i>Arion ater</i>						✓			
3	Roman Snail	<i>Helix pomatia</i>		✓		✓					
4	Brown-lipped Banded Snail	<i>Cepaea nemoralis</i>								✓	