


47

47

47

47

A  
47  
50





Paoleti

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26

2400 40 Gafata MADE IN SPAIN

C. H. Farm. N<sup>o</sup> 941


G-4-3


G-4-3

BIBLIOTECA HOSPITAL REAL	
GRANADA	
Sala:	A
Estante:	047
Numero:	050

✓✓✓✓✓

Paoletti - - - 60





# INDEX DE DOSIBUS MEDICAMENTORUM.




Слово  
о Пасхе  
и Погребении

M. M. 376

D E

# MEDICAMENTORUM DOSIBUS INDEX

OMNIUM, QUI HACTENUS PRODIERINT  
LONGE LOCUPLETISSIMUS.



Adquirido con cargo a la consig-  
nación de Historia de la Farmacia.

Granada Marzo, 1971

José Valverde

BONONIÆ, MDCCXLV.

Ex Typographia Dominici Guidotti, & Jacobi Mellini.

SUPERIORUM PERMISSU.



In artibus magis utilia , quam subtilia  
quærenda sunt.

*Martin. Bogdan. Obs. anat. Chirurg. obser. VIII.*

# LECTORI BENEVOLO

PAULUS ANDREAS PARENTI.

**M**edicamentorum æque doses  
atque delectum a Medicis diligenter  
cognosci oportere nemo, ut  
arbitror, quisquam inficiabitur.  
Difficile est autem Scriptorum li-  
bros, in quibus eæ continentur, ad  
manum omnes habere: difficilius  
etiam singulas memoria comple-  
cti. Quapropter medicæ facultatis  
studiosis commodum acceptum-  
que in primis fore existimavi, si  
multo locupletiorem, quam adhuc  
apparuerit, dosium tam ad sim-  
plicia, quam ad composita medi-  
camenta pertinentium indicem eu-  
ulgarem; eamque insuper curam  
adhiberem, ut quas ex aliorum  
scri.

scriptis colligere minime possem,  
eas ex communi præstantium Me-  
dicorum praxi, qua possem, dili-  
gentia ac fide supplerem. Factum  
proinde est, ut Authorum nomen,  
a quibus dosum notitiam accepe-  
rim, medicamentis apponерem :  
ubi Author nullus suppeteret, ver-  
bum Praxis. Porro autem in nomi-  
nandis Authoribus non illud mihi  
sumpsi, ut ex iis, qui doses tradi-  
derint, omnium primos, vel peri-  
tissimos afferrem; quem immen-  
sum plane laborem haud parem  
utilitatis fructum consecuturum  
esse videbam: tantum animus fuit  
nullam dosum, quæ a nobis pro-  
ponitur, sine gravi aliquo testimo-  
nio, ubi id fieri posset, adducere.  
Fruere interim haud inutili, nisi  
prorsus fallor, opusculo, amice  
Lector, & fave.



## S I M P L I C I U M

Tum exoticorum, tum indigenum

## D O S E S .

Authores:	Pro Infantibus sex vel septem annorum.	Pro Juvenibus de- cem octo annorum circiter.	Pro Adultis,
-----------	---	---	--------------

<b>A</b> Brotanum in substantia cum tantillo nitri. Paulius.	3. ss.	3. ss.	3. i.
Abrotanum in infuso. Praxis.	pug. j. vel ad	pug. ij. instar	m. ss. Thea
Absinthium ponticum recens in infuso. Barbusen.	m. ss.	m. j.	m. iss.
Absinthium vulgare siccum in infuso. Praxis.	ut Thea	adbi.	beatur.
Absinthium vulgare substantia. Geoffroy.	3. ss.	3. i.	3. j.
Absinthium vulgare recens in infuso. Praxis.	ut	Abrota-	mumi
Absinthij vulgaris succus defocatus pro alterante. Geoffroy.	3. j.	3. ii.	3. ss. Absin-

Absinthij vulgaris succus pro emetico.			
Boerhaave.	3. j.	3. ij.	3. iii.
Acacia vera pul.			
Geoffroy.	3. ff.	3. ff.	3. j.
Acaciæ florum infusio pro purgante.			
Junckerus.	3. ij.	3. ff.	3. i.
Acacia nostratis ut supra pul.			
Idem.	3. ff.	3. ff.	3. j.
Acaciæ succus recenter expressus.			
Christianus.	3. ii.	3. β.	3. j.
Acetosæ succus defœcatus.			
Praxis.	Co. — chlea- —	tim.	
Acetosæ folia recentia in infuso, vel decocto.			
Barchusen.	m. ff.	m. j.	m. ijj.
Acetosæ semen in substantia.			
Claudinus.	3. β.	3. j.	3. ij.
Acetosella in infuso.			
Christianus.	m. j.	m. ij.	m. iii.
Acetosellæ succus defœcatus.			
Geoffroy.	3. β.	3. j.	3. ij.
Acetum forte.			
Christianus.	3. ff.	3. vij.	3. j.
Acorus verus pul.			
Geoffroy.	gr. xij.	3. j.	3. ff.
Acorus verus in infuso, vel decocto.			
Idem.	3. ff.	3. j.	3. ij.
Adiantum, seu Capillus Veneris rec. in infuso.			
Barchusen.	m. ff.	m. j.	m. ijj.
Agaricus in substantia pro purgante.			
Bateus, &	3. j.	3. j.	3. ij.
DeleBoe, Sylvius cum			
Juncker.	3. ff.	3. j.	3. ij.
Agaricus in infuso,			
Schrodærus.	3. j.	3. ij.	3. ff.
Weedius,	3. j. ad 3. iv.	3. ijj.	3. ij.
& Junckerus.	3. ff.	3. j.	3. ij.
Ageratum umbræ siccatum in inf.			
Praxis,	pug. j.	pug. ij.	m. ff.
			Agni

Agni Casti semen in emulsionibus.			
Geoffroy.	3. j.	3. ij.	3. jv.
Agni Casti semen in infuso.			
Praxis.	3. ff.	3. j.	3. ij.
Agni Casti semen in substantia.			
Claudinus.	3. j.	3. ij.	3. j.
Agrimonia recens in decocto.			
Christianus.	m. j.	m. ij.	m. iij.
Agrimonij succus defaecatus.			
Geoffroy.	3. jff.	3. iij.	3. jv.
Album græcum pul.			
Lemery.	3. ff. ad 3. j.	3. ij. ad 3. j.	3. jv.
Alcis Ungula rasa, & pul.			
Barchusen.	3. ff. ad 3. j.	3. ff.	3. j.
Alchimilla umbræ siccata & pul.			
Christianus.	3. β.	3. j.	3. ij.
Alchimilla ut supra in infuso.			
Barchusen.	m. β.	m. j.	m. jff.
Alchimillæ succus defaecatus, & similium.			
Geoffroy.	3. jff.	3. iij.	3. jv.
Alkekengi fructus in decocto.			
Mullerus.	pug. j.	pug. ij.	m. j.
Alkekengi fructus in substantia.			
Christianus.	3. j.	3. ij.	3. j.
Alkekengi succus defaecatus.			
Geoffroy.	3. ij.	3. ff.	3. j.
Allium in infuso.			
Geoffroy, &	tertiam bulbi partem.	mediatatem bulbi.	Bulbum.
Paullus.	Bulb. n. j.	bulb. n. ij.	n. iij. ad jv.
Allij succus.			
Idem Paullus.	quantum — mediocris —	ex bulbis — plantæ con- — tuſæ ex- primitur.	unius
Aloes selectior succotrina vel hepatica pro purgante.			
Bateus &	3. j.	3. j.	3. ij.
DeleBoe, Sylvius, &	3. β.	3. j.	3. ij.
Junckerus.	gr. j. g. iij.	gr. xv.	3. j.

Aloes selectior pro aperiente quotidiè, & pro speciali purgante, & per epicrasim.

<i>Paullus.</i>	gr. vj.	θ. ff.	θ. j.
<i>Junckerus.</i>	gr. ij. ad iiij.	gr. x.	θ. j.
Altheæ radix in substantia.			
<i>Barchusen.</i>	θ. ff. ad θ. j.	3. ff.	3. j.
Altheæ radix recens in decocto pro alterante.			
<i>Praxis.</i>	3. β.	3. j.	3. jff.
Altheæ radix taleolatim secta & sic. in decocto pro alter.			
<i>Praxis.</i>	3. j.	3. ij.	3. β.
Altheæ flores, & consimiles in infuso.			
<i>Christianus.</i>	pug. j.	pug. ij.	pug. iij.
Altheæ semen in decocto, & simile.			
<i>Praxis.</i>	pug. j.	pug. ij.	m. ff.
Alumen rupeum pro diuretico.			
<i>Boerhaave.</i>			3. j.
Alumen rupeum crudum in substantia.			
<i>Allen,</i>	in con-	—	serva Ro-
& <i>Barchusen.</i>	gr. vj.		— sarum θ. j.
Ambra grisea.			
<i>Tencke.</i>	gr. j.	gr. ij.	gr. iij.
Ameos in substantia,			
<i>Christianus.</i>	θ. j.	θ. ij.	3. j.
Ammomum pul.			
<i>Idem.</i>	eam.	dem	Dofim.
Ammoniacum Gummi pul.			
<i>Schrodærus.</i>	θ. j.	θ. ij.	3. j.
& <i>Geoffroy.</i>	θ. ff.	3. ff.	3. j.
Amygdalæ dulces decorticatae in emuls. pro alter.			
<i>Praxis.</i>	n. viij. ad x.	n. xv. ad xx.	n. xxx. ad xxx.
A mygdalæ amaræ ad comedendum.			
<i>Paullus.</i>	n. ij. ad iiij.	n. v. ad vj.	ultra.
Amygdalæ amaræ pro emulsion. alterantibus.			
<i>Praxis.</i>	n. iiij. ad xv.	n. vj. ad viij.	n. x. ad xij.
Amylium pul.			
<i>Christianus,</i> &			
<i>Barchusen.</i>	θ. ff.	θ. j.	3. ff.
Anagallis in infuso recens.			
<i>Christianus.</i>	m. j.	m. ij.	m. iij.
			Ana-

Anagallidis succus.			
Geoffroy.	ter in die	3. iiij.	3. jv.
Anagallis in umbra siccata.			
Barchusen.	m. ff.	m. j.	m. jjf.
Anethi semen pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Anethi semen pro emetico.			
DeleBoe, Sylvius.	3. j.	3. ij.	3. iij.
& Boerhaave.	3. j.	3. ij.	3. ff.
Anethi flores pro emetico.			
DeleBoe, Sylvius.	3. j.	3. ij.	3. iij.
Angelicæ Boemiacæ, & Angliae rad. in infuso, &			decot.
Christianus.	3. β.	3. j.	3. ij.
Angelicæ Boemiacæ, & Angliae radix pul.			
Paulus.	3. ff. ad 3. j.	3. ff.	3. j.
Angelicæ nostratis radix in infuso vel decocto.			
Praxis.	3. j.	3. ij.	3. ff.
Anisum in infuso.			
eadem.	3. β.	3. j.	3. ij.
Anisum in substantia.			
Christianus.	3. j.	3. ij.	3. j.
& Claudinus.	3. β.	3. j.	3. ij.
Anisum pro correctivo, & aromatizante.			
Praxis.	3. j.	3. β.	3. j.
Anisum Chinæ seu semen Badian in infuso.			
Non nulli, & ut — Thea —			& Caffe.
Geoffroy.	liquoribus — permiscet —		ad gratiam.
Anisum Chinæ in substantia.			
Praxis.	3. β.	3. j.	3. ff.
Anthoræ radix pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Antimonium pul pro emetico.			
Lemery.	3. ff.	3. j.	3. β.
Antimonium in decocto quotidiè repetendum.			
Praxis.	3. ij.	3. β.	3. j.
Antimonij minera in decocto quotidiè repetenda.			
Praxis.	3. j.	3. ij.	3. ff.
Antimonium pul., & porphyrisatum.			
Praxis.	gr. jv. ad vj.	gr. viij ad x.	3. ff. ad gr. xvij.
			Geof-

<i>Geoffroy in mem. A-</i>				
<i>cad. Real. An. 1734. a grano</i>	— uno	—	ad decem	
<i>Paulus Ermandus, &amp;</i>				
<i>Leonardus a Capua, &amp;</i>			3. j.	
<i>Geoffroy T. j.</i>	3. j.		ad 3. ij.	
<b>Aparinæ succus.</b>				
<i>Geoffroy.</i>	3. ff.	3. j.	3. ii.	
<b>Apes liccatae, &amp; in pulverem redactæ.</b>				
<i>Allen.</i>	n. iii.	ut plu-	suffi-	
	ciunt		rimum.	
<b>Apij succus defœcatus.</b>				
<i>Geoffroy.</i>	3. ij.	3. iv.	3. vi.	
<b>Apij radix incisa, &amp; siccata pro decocto.</b>				
<i>Christianus.</i>	3. β.	3. i.	3. ij.	
<b>Apij semen in infuso.</b>				
<i>Praxis.</i>	3. ff.	3. j.	3. ij.	
<b>Aquilegiæ semen in substantia.</b>				
<i>Paulus.</i>	3. ff.		3. i.	
<b>Argentinæ succus defœcatus.</b>				
<i>Geoffroy.</i>	3. ij.	3. iv.	3. vi.	
<b>Argentinæ semen in infuso.</b>				
<i>Praxis.</i>	ut —	Apij —	semen.	
<b>Ari radix sive sicca sive recens incisa per intus sumpta.</b>				
<i>Geoffroy.</i>	3. ff.	3. j.	3. iv.	
<b>Ari radix decocta recens, &amp; melle excepta.</b>				
<i>Idem.</i>	3. j.	3. ii.	3. ij.	
<b>Aristolochiæ longæ radix, &amp; rotundæ pul.</b>				
<i>Christianus.</i>	3. j.	3. ff.	3. ij.	
<b>Aristolochiæ prædictæ in infuso vel decocto siccatae.</b>				
<i>Idem.</i>	3. ff.	3. j.	3. ij.	
<b>Artemisia, &amp; similia in decocto.</b>				
<i>Burchsen.</i>	m. ff.	m. j.	m. ii.	
<b>Arundinis radix recens incisa in decocto.</b>				
<i>Christianus.</i>	3. ff.	3. j.	3. ij.	
<b>Arundinis radix siccata, &amp; incisa pro decocto.</b>				
<i>Praxis.</i>	3. ij.	3. ff.	3. i.	
<b>Asari radix pul.</b>				
<i>Junckerus cum</i>				
<i>Lemery.</i>	3. ff.	3. β.	3. i.	
<i>DeleBoe, Sylvius.</i>	3. j.	3. ij.	3. iv.	
				Afa-

**A**sari radix in infuso, & decocto.

*Lemery.*      3. β.      3. j.      3. ij.

**A**sari folia in vino infusa.

*Wedelinus.*      n. ij. ad iiij.      n. v. ad vij.      n. viij. ad ix.

**A**sari folia contusa, & addito liquore apto succus exprimatur, atque exhibeat.

*DeleBoe, Sylvius.*      n. vij. vel. viij.      viij.

*vel plura — pro ut majora vel minora.*

**A**sari folia sive pulver. sive in infuso.

*Boerhaave.*      n. ij. ad iiij.      n. v.      n. x.

**A**ffa foetida in substantia.

*Geoffroy.*      gr. xiij.      3. ff.      3. j. ad ij.

**A**sellorum seu milleped. succus express. c. v.

*Jantkius.*      Co-      chlea-      tim.

**A**selii seu millepedes viventes in nodulo linteo involuti pro decocto.

*Praxis.*      n. viij. ad xv. ad xx.      n. xxx.

**A**selii pul. ac pp.

*Capellus.*      3. j.      3. ij.      3. j.

**A**sparagorum radices rec in decocto.

*Christianus.*      3. β.      3. j.

**A**sparagorum radices siccatae in decocto.

*Praxis.*      at Arun- — dinis — Radix.

**A**triplicis radicis succus pro emetico.

*Boerhaave.*      3. j.

**A**triplicis semen, atque radix pro emetico.

*DeleBoe, Sylvius.*      3. ij.      ad 3. iiij.

*semen — autem 3. ij.*

**A**vellanarum Civis.

*Mullerus.*      3. j.      3. ij.      3. j.

**A**venæ farina pro pulmentis quotidiè conficiendis.

*Praxis.*      3. ij.      3. ff.      3. j.

**A**vena mundata pro jusculis quotidiè bis vel ter.

*Praxis.*      3. β.      3. j.      3. ff.

**A**urantiorum cortex pul.

*Barchuffen.*      3. β. ad 3. j.      3. ff.      3. j.

**A**urantiorum cortex in decocto.

*Christianus.*      3. j.      3. ij.      3. ff.

Auran-

Aurantiorum cortex aliquānto adhuc subviridis in decocto.

*Septalius.*

*Cortex unius aurantij in philyras incisa excoquatur in 3. xxviiij. aq. ad duarum part. conf. colatura saccharo edulcur. manē fiat potio.*

Aurantiorum flavedo superficialis pul.

*Praxis.*

*gr. xiij.*

*θ. j.*

*3. ff.*

Aurantiorum acid. succus pro potionibus.

*Geoffroy.*

*3. ff.*

*3. j.*

*3. ij.*

Aurum crudum subtiliss. limatum.

*Hoffmannus.*

*θ. ff.*

*gr. xv.*

*θ. j.*



COM-



## C O M P O S I T O R U M

*Ac præparatorum Therapeuticæ*

D O S E S .

<b>A</b>	Cetum destillatum.		
Capellus.	3. j.	3. ij.	3. ff.
Aceta infusa, & destillata.			
Christianus.	3. β.	3. vi.	3. j.
Acetum rosatum.			
Junckerus.	3. j.	3. ij.	3. ff.
Acetum scilliticum.			
Colleg. bonon. &	3. ff.	3. j.	3. iβ.
Junckerus.	3. j.	3. ij.	3. ff.
cum	—	aquis destil.	latis.
Acetum solutivum.			
Capellus.	3. ff.	3. j.	3. ij.
Acetum theriacale.			
Junckerus.	3. j.	3. ij.	3. ff.
Acetum Terebinthinæ quod à non nullis spiritus Terebinthinæ.			
Lemery.	gut. iv.	gut. viii.	gut. xiij.
& Praxis.	ad gratam —	acidita-	tem.

Aci-

Acidum Citri julebizatum, vulgo Agro di Cedro.			
Praxis.	3. β.	3. j.	3. ij.
Acidum Tartari.			
Christianus.	gr. vj.	3. ff.	3. i.
Aetiops Antimonia lis.			
Schalzius.	gr. v. ad x.	3. j.	3. β. & ultra.
Aetiops mineralis.			
Geoffroy, &	gr. xv.	3. ff.	3. ij.
Schulzius.	gr. v. ad x.	3. j.	3. ff.
Aetiops vegetabilis seu opium affatum &c.			
Hoffmannus.	gr. iiij. v. vj.	3. ff. 3. j.	3. ff.
Agaricus trochiscatus.			
Lemery.	3. j.	3. ij.	3. j.
Alckol Vini seu spiritus Vini.			
Barchusen.	3. j.	3. ijβ.	3. ff.
Alckol Vini Boerhaave per os sumptum.			
Boerhaave.	Vene- num		est.
Allium seu bulbuli unius plantæ saccharo incrustati.			
Paulus.	n. ff.	n. j.	
Alumen dulce.			
Bateus.	gr. iv.	gr. viij.	3. j.
Alumen tinctum.			
Barchusen.	gr. vj.	gr. xij.	3. j.
Alumen saccharinum.			
Idem.	gr. iv.	gr. xii.	3. j.
Aloe lota.			
Rulandus.	3. ff.	3. ff.	3. j.
Aloe rosata Hieronimi ab Aquapendente.			
Schrodærus.	3. j.	3. j.	3. ij.
Amylum affatum pul.			
Praxis.	3. ff.	3. j.	3. ff.
Anodinum minerale.			
Schulzius.	gr. x.	gr. xx.	& ultra.
Antidotus convulsiva Norimberg. sec. Sennertum.			
Fraundorffer.	3. β.	3. j.	3. ij.
Antihæticum Poterij sive diaphoreticum Joviale.			
Lemery, &	gr. x.	3. j.	3. ij.
Geoffroy.	3. ff.	3. j. ad 3. ff.	3. i.
Antimonium diagridatum V. pul. Co. Var.			

Anti-

## Antimonium diaphoreticum.

<i>Christianus.</i>	ং. β.	ং. j.	ং. ff.
<i>Barchusen,</i>	gr. vj.	ং. j.	ং. ij.
& Junckerus.	gr. x.	ং. ff.	ং. j.

## Antimonij hepar in Vino inf. dein filtratum.

<i>Hartmannus.</i>	—	gr. vj.	gr. xij.
--------------------	---	---------	----------

## Antimonij hepar in aq. pluries lotum, deinde siccatum.

<i>Lemery.</i>	gr. ij.	gr. v.	gr. viij.
----------------	---------	--------	-----------

## Antimonium hyacinthinum pul.

<i>Lemery.</i>	—	gr. ij. ad xv.	gr. v. ad vij.
<i>Capellus,</i>	gr. i.	gr. iii.	gr. vj.
& Junckerus.	—	gr. xv.	gr. viij.

## Antimonium rubrum fixum.

<i>Tencke.</i>	gr. i.	gr. ij.	gr. xv.
----------------	--------	---------	---------

## Aqua Absinthij vulgaris destill. &amp; simil.

<i>Geoffroy.</i>	ং. j.	ং. iiuj.	ং. vj.
------------------	-------	----------	--------

Agrimonijs, &amp; similiū destil.

<i>Praxis.</i>	ং. iiuj.	ং. vj.	lib. j.
----------------	----------	--------	---------

Animalis destillata.

<i>Bateus.</i>	ং. j.	ং. ij.	ং. xv.
----------------	-------	--------	--------

Apopletica destill.

<i>Lemery.</i>	ং. j.	ং. ij.	ং. ff.
----------------	-------	--------	--------

Apopletica Mynsicht bis quotidie.

<i>Mynsicht.</i>	Coch. ff.	Coch. j.	Coch. ij.
------------------	-----------	----------	-----------

Baccar. Juniperi sine aq. additione.

<i>Forelus.</i>	ং. iiif.	ং. ff.	ং. j.
-----------------	----------	--------	-------

Baccar. Juniperi cum aq. additione.

<i>Geoffroy.</i>	ং. iiif.	ং. xv.	ং. vj.
------------------	----------	--------	--------

Balsamica destill.

<i>Fuller.</i>	Coch. j.	Coch. ij.	Coch. iii.
----------------	----------	-----------	------------

Belladonæ destill.

<i>Matthiolus.</i>	Coch. j.	Coch. ij.	Coch. iii.
--------------------	----------	-----------	------------

Bellidis destill.

<i>Geoffroy.</i>	ং. ij.	ং. iiuj.	ং. xv.
------------------	--------	----------	--------

Benedicta ter in die per mensem idest aq. Calcis.

<i>Bateus.</i>	ং. iiif.	ং. iiuj.	ং. xv.
----------------	----------	----------	--------

Benedicta Hartmanni, id est inf. Antimonij.

<i>Hartmannus,</i>	ং. ij.	ং. iiuj. ad xv.	ং. v. ad vij.
--------------------	--------	-----------------	---------------

& Barchusen.	ং. ij.	ং. ij.	ং. j.
--------------	--------	--------	-------

Aqua Benedicta Rulandi.			
Junckerus cum			
Schulzio.	3. ij.	3. ff.	3. j.
DeleBoe, Sylvius.			
cum Wedelio.	3. β.	3. j.	3. ij.
Calcis V. aqua benedicta.			
Cephalica Aug.			
Jantkius.	ad — aliquot —	cochlearia.	
Cerasarum nigrar. destil. sine fermentatione.			
Christianus.	3. ij.	3. iij.	3. vij.
Cerasarum nigr. destil. in fermentatione.			
Capellus.	3. β.	3. j.	3. ij.
Cinnamomi destill. cum Vino.			
Lemery.	3. j.	3. ff.	3. j.
Cinnamomi cum Vino, & aq. ros. officinalis.			
Praxis.	Coch. ff.	Coch. j.	Coch. ij.
Cinnamomi Cordialis.			
Schulzius.	3. ii.	3. vij.	3. j., & ultra.
Cinnamomi hordeata.			
Capellus.	3. ff.	3. i.	3. ij.
Cordialis Saxoniæ frigidæ.			
Schulzius.	3. ff.	3. j.	3. iβ.
Schrodærus, &			
Mullerus.	3. j.	3. ij.	3. iii.
Cordialis temperata Saxoniæ.			
Schulzius.	Co- —	blea- —	tim.
Cordialis Claudini.			
Colleg. bonon.	3. j.	3. ij.	3. iiij.
Corticum Aurantiorum destil.			
Praxis,	3. j.	3. ij.	3. iii.
Corticum Aurantiorum cum acido, & saccharo pro pota.			
Praxis.	quan- —	tum —	lubet
Dominarum destill.			
Mynsicht.	Coch. j.	Coch. ij.	Coch. iii.
Epileptica.			
Idem.	Coch. ff.	Coch. j.	Coch. ij.
Epileptica Langij.			
Lemery, &	3. ij.	3. ff.	3. j.
Jantkius.	ad —	aliquot —	cochlearia.

Aqua

## Aqua Florum Aurantiorum.

<i>Lemery.</i>	3. ij.	3. β.	3. j.
Flor. Camomillæ destill., & similiū.			
<i>Donzellus.</i>	<i>Cyathi</i>	<i>Cyathi</i>	<i>Cyatbus</i>
	3. pars.	medietas.	unus.
Flor. Lil. Convallium.			
<i>Schulzius.</i>	3. ij.	3. ss.	3. j.
& <i>Goffroy.</i>	3. j.	3. ij.	3. jv.
Florum omnium.			
<i>Schulzius.</i>	3. j.	3. ij.	3. jv.
Florum Tiliæ.			
<i>Lemery</i> &	3. j.	3. ij.	3. jv.
<i>Donzellus.</i>	<i>Coch. ss.</i>	<i>Lactan-</i>	<i>tibus.</i>
	vix	—	natis.
Fragariæ pro alterante.			
<i>Geoffroy.</i>	3. ss.	3. j.	3. iss.
Contra Gonorrhœam.			
<i>Quercetanus.</i>		<i>Coch. ij.</i>	per aliquot.
Lavendulæ.			
<i>Jantkius.</i>	ad aliquot	—	<i>cochlea</i> — ria.
Melissæ compositæ.			
<i>Lemery.</i>	3. ij.	3. ss.	3. j.
Menthæ, & aliar. plantar. odorat.			
<i>Idem.</i>	3. ss.	3. ij.	3. jv.
Mercurialis idest aq. in qua mercurius vivus fuerit cohobatus.			
<i>Praxis.</i>	ad	lubi-	— tum.
Mulsa facta per coctionem.			
<i>Eadem.</i>	sæpe	—	pro lambiti- vo.
Nucum Viridium seu è tribus Nucibus.			
<i>Geoffroy.</i>	3. j.	3. jv.	3. vij.
Hysterica Quercet.			
<i>Quercetanus.</i>	—	<i>Coch. j.</i>	mane.
Panis destill.			
<i>Donzellus.</i>	3. ij.	3. iij.	3. jv.
Panis Ernesti destill.			
<i>Idem.</i>	<i>Coch. ss.</i>	<i>Coch. j.</i>	<i>Coch. ij.</i>
Radicis Pœoniæ, & similiū destill.			
<i>Cristianus.</i>	3. ij.	3. iij.	3. vj.
			Aqua

Aqua Ranarum B. M. sine ulla additione destill.			
Poterius.	3. j.	3. ij.	3. iiiij.
Reginae Ungheriae.			
Schulzius.	—	3. ff.	3. j.
Capellus, &			
Lemery.	3. ff.	3. j.	3. ij.
Rosarum pallidar.			
Lemery.	3. j.	3. iiij.	3. vij.
Sabinæ.			
Donzellus.	3. j.	3. ij.	3. iiij.
Scorbutica Sydenhamij.			
Fraundorffer.	Coch. ij.	Coch. iv.	Coch. vij.
Simplices destill. ut Cicoreæ, Malvæ &c.			
Christianus.	3. ij.	3. iiij.	3. vij.
Simplices destill. Spirituose.			
Schulzius.	Coch. ff.	Coch. j.	3. i.
Stiptica Lemery.			
Capellus.	3. ff.	3. j.	3. ij.
Ex succis plantarum destill.			
Praxis.	3. j.	3. ij.	3. iv.
Theriacalis Quercetani.			
Quercetanus.	Ex parvo —	Cochleari —	Argenteo.
Theriacalis.			
Lemery.	3. j.	3. iiij.	3. vij.
Theriacalis Petri Salij.			
Donzellus.	3. ij.	3. ff.	3. i.
Theriacalis ejusdem à Colleg. bon. theriacæ aucta 12. Decembris 1726.			
Praxis.	3. ij.	3. ff.	3. i.
Aqua Thermale pro purgante.			
Bateus.	lib. iii.	lib. v.	lib. viii.
Thermale acidulæ.			
Praxis.	ut aq. —	Ther- —	males.
	potu- —	len- —	tæ.
Thermale potulentæ.			
Claudinus.	Archigenes imitati, dabimus barum aquarum bocale unum cum dimidio, vel etiam duo pro diversitate Virium, & paulatim ad duplam quantitatem, idest ad tria, vel quator bocalia ascendemus. Continet au-		
	tem		

tem bocale unumquodque lib. *iiij.* & *3. jv.*  
*Porrò ad hanc mensuram duplam ubi per*  
*uentum non nulli in ea infistunt usque*  
*ad finem. Sed quia experientia docet ra-*  
*ro Ægros ad *4.* aut *v.* dies summam il-*  
*lam quantitatem perferrere, sed incidere in*  
*Vomitum, in labores, & angustias, con-*  
*sultius paulatim retrocedendo descendere*  
*quousque deuentum fuerit ad primam, &*  
*majorem mensuram. Potandæ autem sunt*  
*actu calidæ, ita tamen ne adeo caleant.*

## Aqua Vitæ Mulierum.

*Schrodærus.*

—

*Coch. β.**Coch. j.*

## Aquila alba.

*Donzellus.**gr. viij.**gr. x. ad xv.**gr. xx.*

## Aquila coelestis.

*Hartmannus.**gr. x.**gr. xx.**gr. xxx. ad**3. ff.*

## Aquila imperialis.

*Beguinus.**gr. iii.**gr. vj.**gr. x.*

## Arcanum Corallinum seu merc. præcipit. rub.

*Junckerus,**gr. ff.**gr. jv.**gr. v.**& Bateus.**gr. ff.**gr. iiij.**gr. vj.*

## Arcanum Corallinum Paracelsi.

*Bateus.**gr. ij.**gr. jv.**gr. viij.*

## Arcanum duplicatum.

*Christianus,**θ. ff.**θ. j.**3. ff.**& Junckerus.**θ. j.**θ. ij.**3. j.*

## Arcanum duplicatum Mynsicht purgandi scopo.

*Schulzins.**θ. ff.**3. ff.**3. j.*

## Arcanum duplicat. Mynsicht non purgandi scopo.

*Mynsicht.**gr. viij.**θ. j.**3. ff.*

## Arcanum Joviale sudoriferum magnum.

*Bateus.**gr. iiij.**gr. vj.**gr. viij.*

## Arcanum perlatum.

*Hartmannus.**gr. viij.**gr. xv.**gr. xx.*

## Arcanum Tartari.

*Mullerus.*

—

*gr. j.*

—

## Argenti fini Magisterium.

*Christianus.**gr. ij.**gr. v.**gr. vj.**Argen-*

<b>Argentum potabile.</b>			
<i>Mynsicht.</i>	gut. ij.	gut. v.	gut. x.
<b>Arsenicum dulce.</b>			
<i>Mangetus.</i>	gr. j. ad ij.	gr. v. ad vij.	gr. viij. ad viij.
<b>Aselli præparati, &amp; pul.</b>			
<i>Capellus,</i>	ð. j.	ð. ij.	ð. j.
<i>&amp; Sennertus.</i>	ð. j.	ð. j.	ð. jvi.
<b>Aurum Chartesianum.</b>			
<i>Allen,</i>	gr. j.	gr. ij.	gr. ij.
<i>&amp; Capellus.</i>	—	—	ad gr. v.
<b>Aurum fulminans seu Crocus Auri.</b>			
<i>Schulzius,</i>	gr. ij.	gr. iv.	gr. v.
<i>&amp; Junckerus.</i>	gr. j. ad ij.	gr. vj.	gr. viij.
<i>Jo. Hoffmannus.</i>	Infantibus — aliquot	—	septima-
	narum.	gr. ij. ad iii.	narum. cum lacte.
	Infantibus unius septimanæ	gr. j. cum gr. ij.	nitri.
<b>Aurum Medicorum.</b>			
<i>Lancillottus.</i>	gr. v.	ð. ff.	ð. j.
<b>Aurum Mosaicum.</b>			
<i>Bateus.</i>	gr. iv.	gr. x.	gr. xiij.
<b>Aurum Musicum.</b>			
<i>Geoffroy.</i>	gr. x.	gr. xx.	gr. xxx.
<b>Aurum potabile.</b>			
<i>Mynsicht.</i>	gut. iij.	gut. v.	gut. viij.
<b>Aurum Vitæ.</b>			
<i>Bateus,</i>	gr. iij.	gr. vj.	gr. viij.
<i>&amp; Schroderus.</i>	gr. ju.	gr. viij. ad x.	gr. xij.





**B**accæ Ebuli sive sambuci syl. pro hydragogo.

*Lactantibus.*

Boerhaave.      3. j.      3. ij.      3. v.

Baccarum Ebuli sive sambuci sylvestris succus.

*Lactantibus.*

Boerhaave.      3. ff.      3. ff.      3. j.

Baccæ Juniperi in infuso.

Geoffroy.      3. ff.      3. j.      *ut Thea.*  
vel ad co- — medendum — pug. j.

Baccæ Myrtillorum in infuso.

Praxis.      3. j.      3. ij.      m. ff.

Baccæ Myrtillorum pul.

Christianus.      3. j.      3. ij.      3. j.

Baccæ vel Nuces Cupressi in decocto.

Praxis.      3. j.      3. ij.      3. β.

Baccæ Cupressi pul. cum vino pro antifebrile.

Lemery,      —      3. β.      *quarta.*

qua — que — hora.

& Jantkius.      3. ff.      3. j.      3. ij.

Baccæ Lauri in infuso.

Praxis.      n. ij.      n. ju.      n. vj.

Badian seu anisum Chinæ in substantia.

Eadem.      3. ff.      3. j.      3. β.

Badian in infuso.

Non nulli,      *at* — *Thea,* — *& Caffe.*  
& Geoffroy.      *liquoribus* — *permiscet* — *ad gratiam.*  
Balau-

Balaustia pul.			
Claudinus.	3. ff.	3. ij.	3. ff.
& Geoffroy.	3. i.	3. ij.	3. i.
Balaustia in infuso.			
Idem Geoffroy.	3. j.	3. ij.	3. ff.
Balsamum Asiaticum, Aegyptiacum, Jeruchuntanum, Judaicum sive Opobalsamum, Mephriticum.			
Boerhaave.			
Elem. Chim. T. II.	die significant rem eandem, coloris albi, pag. 130. ad 131.	forma liquida Terebinthinae, odore Citri.	
& Jantkius.	gutt. vj.	gut. viij. ad x.	gut. xv.
Balsamum brasiliense sive Copayba.			
Geoffroy.	gut. v.	gut. xv.	gut. xxx.
Balsamum brasibense sive Copayba pro purgante.			
Idem.	—	3. ij.	3. iiij.
Balsamum Peruvianum sive album, sive fuscum in colica Pictorum facch. cristall. comixtum.			
Sydenham,	guttæ xx. xxx.	xx. xxx.	xl.
& Allen.	in Colica a 3. ij. vel ultra 3. vij. quaque hora succbaro Cristallino instillatum vel aliter exhibeo.		
Geoffroy.	gut. jv.	gut. viij.	gut. xij.
Balsamum Copayba sive brasiliense, Peruvianum sive album si- ve fuscum, Moran, Mechaninn, Americana multiplicita, Liquidambrum peruvianum, Tolutanum, Terebinthina vera Terebinthi ex Chio, Abjetis, Laricis, Pini. Quæ qui- dem omnia calore, destillatione, & tempore, solent fere in eadem principia resolvi, in eadem mutari, similia præ- stare.			
Boerhaave.		Hinc colligi videtur horum Dosis eamdem.	
Elem. Chim. T. II.	statui posse, ac Terebinthinae.		
pag. 130. ad 131.			
& Jantkius.	gut. x. ad xv.	gut. xxv. ad xxx.	gut. xxx. ad xl.
Bardanæ Radix incisa in decocto recens.			
Christianus.	3. ff.	3. j.	3. ij.
			Barda-

Bardanæ foliorum succus defœcatus.			
Geoffroy.	3. iſſ.	3. ij.	3. iu.
Bardanæ radix pul.			
Praxis.	3. j.	3. ij.	3. j.
Bardanæ semen in emulsionibus.			
Eadem.	3. j.	3. ij.	3. ſſ.
Beccabunga in decocto, vel in apozematibus.			
Geoffroy.	m. j.	m. ij.	m. iu.
Beccabungæ succus defœcatus.			
Idem.	3. iſſ.	3. iij.	3. iu.
Bdellium gummi in substantia.			
Barchusen.	gr. vij. ad 3. ſſ.	3. j.	3. ij.
Behen album, & rubrum in decocto.			
Christianus.	3. β.	3. j.	3. ij.
Behen album, & rubrum pul.			
Idem.	3. ſſ.	3. j.	3. ij.
Belemnis Lapis seu Lapis Lyncis pul.			
Geoffroy.	3. ſſ.	3. ſſ.	3. j.
Bellidum succus defœcatus.			
Idem.	3. iβ.	3. ij.	3. iu.
Bellides in decocto.			
Idem.	pug. j.	pug. ij.	m. j.
Benzoinum gummi in substantia.			
Barchusen.	gr. v. ad vij.	gr. xv.	3. β.
Berberis fructus sicc. pro decocto.			
Praxis.	3. ij.	3. ſſ.	3. j.
Berberis succus recenter expressus.			
Geoffroy.	3. ij.	3. ſſ.	3. j.
Berberis acini seu semina pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Bettonica in infuso vel decocto.			
Barchusen.	m. ſſ.	m. j.	m. iſſ.
Bistortæ radix in decocto.			
Christianus.	3. β.	3. j.	3. ij.
Bistortæ radix pul.			
Geoffroy.	3. β.	3. ſſ.	3. j.
Bezoar germanicum seu rupi Capræ bezoar pul.			
Lemery.	gr. x.	gr. xv.	3. j.
Bezoar occident. s. p.			
Idem.	gr. vij.	3. j.	3. β.

Bezoar orient. s. p.			
Schrodærus,	gr. ij.	gr. viij.	gr. xij.
& Lemery.	gr. jv.	gr. x.	gr. xv.
Bezoar hysteris s. p.			
<i>Idem.</i>	gr. ij.	gr. v.	gr. viij.
Bezoar Simiae s. p.			
<i>Idem.</i>	gr. ij.	gr. jv.	gr. vij.
Bezoar Vesicæ Bovis.			
<i>Idem.</i>	gr. vij.	3. ff.	3. j.
Blatta bisantia pul., & levigata.			
Praxis.	—	3. ff.	3. j.
Bolus armena flava.			
Christianus.	3. ff.	3. j.	3. ff.
Bolus armena rubra.			
<i>Idem.</i>	3. ff.	3. j.	3. ff.
Borago, & similia in decocto.			
<i>Idem.</i>	m. j.	m. ij.	m. iij.
Boraginis succus defecatus.			
Geoffroy.	3. ij.	3. jv.	3. vij.
Borax nativa pro diuretico.			
Boerhaave.	—	3. ff.	3. j.
Borax nativa ad expellendum partum.			
Barchusen,	—	3. ff.	3. j.
& Claudinus.	—	3. j.	3. ij.
Borax nativa pro deobstruente.			
Lemery.	gr. jv.	gr. xv.	gr. xx.
Borax nat. exhibita cum croco, Cinnam. pro lubitu mixta.			
Christianus.	—	3. ff.	3. ij.
Botrys pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Botrys in inf.			
<i>Idem.</i>	mane, &	Vespere	ut Thea.
Brasicæ Jus ad Alvum laxandam.			
Bateus.	3. iiij.	3. viij.	lib. j.
Brioniæ radix rec. incisa in infuso pro purg.			
Junckerus.	3. ff.	3. j.	3. ij.
Brioniæ radix pul. pro purgante.			
Bateus,	3. j.	3. ff.	3. j.
& Boerhaave.	Lactantibus gr. ij.		
			Bri-

<i>Brioniæ radicis succus in jusculo pro purg.</i>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. ff.
<i>Junckerus.</i>	3. ij.	3. ff.	3. j.
<i>Jantkius.</i>	3. ij. ad 3. ff.	3. ff. ad i.	3. ijj.
<i>Brioniæ rad. succus sequenti modo collectus ; Luna crescente, tempore in primis verno, rad. Brioniæ terræ adhuc com- missam excava, &amp; semper iterum impone operculum ex superioris radicis parte absissa paratum, &amp; singulis manœ invenies Coch. ij. vel. iij. istius succi, quem exhibe singu- lis matutinis horis Hydropico.</i>			
<i>Allen.</i>	Coch. 1.	Coch. ij.	Coch. iij.
<i>Brioniæ radix in decoct. in Vino, vel lacte.</i>			
<i>Geoffroy.</i>	3. ijj.	3. iij.	3. vj.
<i>Bufo liccatus, &amp; pul.</i>			
<i>Lemery.</i>	gr. viij.	3. j.	3. ij.
<i>Buglossi succus defocatus, &amp; Boraginis, &amp; simil.</i>			
<i>Geoffroy.</i>	3. ij.	3. iv.	3. vi.
<i>Bugula succus, ut illo Boraginis utatur.</i>			
<i>Bursæ Pastoris summitates in infuso.</i>			
<i>Christianus.</i>	m. j.	m. ij.	m. iij.
<i>Bursæ Pastoris summitates pul.</i>			
<i>Barchusen.</i>	3. ff. ad 3. j.	3. β.	3. j.
<i>Bursæ Pastoris succus defocatus.</i>			
<i>Geoffroy.</i>	3. ij.	3. iv.	3. vj.
<i>Butyrhum Vaccinum recens majale.</i>			
<i>Barchusen.</i>	3. j. ad 3. ij.	3. ff.	3. i.
<i>Butua seu Pariera brava pul.</i>			
<i>Geoffroy.</i>	gr. xij.	3. j.	3. ff.
<i>Butua in decocto.</i>			
<i>Idem.</i>	3. j.	3. ij.	3. iij.
<i>Buxum Lignum in decocto.</i>			
<i>Christianus.</i>	3. ij.	3. ff.	3. j.



<b>B</b> alsamus Angelicæ.			
Sculzius.	ad ma- pis, &	gnitu- paulo	dinem amplius.
Balsamus Anodynus.	Bateus.	gut. xxx,	gut. xL.
Balsamus Apoplecticus.	Bateus.	gr. ij.	gr. vij.
Balsamus Lucatelli.	Capellus. & Bateus.	3. β. 3. β.	3. j. ad ij. 3. j.
Balsamus Nephriticus.	Fuller.	gut. x.	gut. xxx.
Balsamus Parreir. bravæ.	Jantkius.	gut. x. ad xv.	gut. xv. ad xx. gut. xx. ad xxx.
Balsamus Samech Paracelsi.	Capellus, & Jantkius.	gut. x.	gut. xD.
Balsamus Succini.	Praxis.	gut. iiij.	gut. viij.
Balsamus Sulphuris.	Beguimus.	gut. ij.	gut. jv.
Balsamus sulphuris anilatus.	Capellus. & Jantkius.	gut. jv. gut. v.	gut. viij. gut. x.
			Bal-

Balsamus sulphuris Bateanus.			
Bateus.	gut. viij.	gut. xv.	gut. xx. & ultra.
Balsamus sulphuris Knæphelij.			
Bateus.	gut. iv.	gut. viij.	gut. xij.
Balsamus sulphuris Succinatus.			
Idem.	gut. iv.	gut. viij.	3o. j.
Balsamus sulphuris Terebinthinatus.			
Schulzius.	gut. vj.	gut. x.	gut. xij.
Balsamus Terebinthinæ.			
Lemery.	gut. iv.	gut. viij.	gut. xij.
Balsamus Vitæ Hoffmanni.			
Schulzius.	gut. x.	gut. xv.	gut. xx.
Benedicta laxativa.			
Colleg. bonon.	3. j.	3. iiij.	3. vj.
Bezoar animale.			
Lemery.	gr. vj.	3. j.	3. β.
Bezoar Joviale.			
Bateus.	gr. j.	gr. iii.	gr. vij.
Bezoar lunare.			
Lancillottus,	gr. iii.	gr. vj.	gr. viij.
& Hartmannus.	gr. iv.	gr. vj.	gr. xiij.
Bezoar martiale.			
Lancillottus.	gr. v.	gr. viij.	gr. x.
Bezoar minerale.			
Geoffroy.	3. ff.	3. j.	3. ff.
Bezoar minerale pro diaphoretico.			
Christianus.	gr. v.	gr. x.	gr. xv.
Bezoar minerale solare.			
Hartmannus.	gr. iiij.	gr. vij.	gr. xiij. & ultra.
Bezoar saturni.			
Bateus.	gr. ii.	gr. iv.	gr. vij.
Bezoar solare.			
Schulzius.	3. j.	3. ff.	3. ij.
Bezoarticum Veneris.			
Capellus.	gr. ii.	gr. iv.	gr. vij.
Butyrhum majale recenter præparatum.			
Barchusen.	3. j. ad ij.	3. β.	3. i.

Buty-

Butyrhum amygdalinum Batei.			
<i>Praxis.</i>	<i>Co.</i>	<i>clea-</i>	<i>tim.</i>
Butyrhum ex Cacaos.			
<i>Capellus.</i>	θ. j.	3. j.	3. ij.
Butyrhum Ceræ edulcatum.			
<i>Bateus.</i>	θ. II.	3. β.	3. j.
Butyrhum Jovis.			
<i>Lancillottus.</i>	gr. jv.	gr. vj.	gr. viij.
Butyrhum Succini Batei.			
<i>Lemery.</i>	gut. j.	gut. iiij.	gut. vj.
<i>&amp; Bateus.</i>	gr. jv.	gr. viij.	θ. j.
Butyrhum sulphuris.			
<i>Capellus.</i>	gr. vj.	θ. β.	gr. xx.
Butyrhum Saturni ita a Lancillotto dictum, lege Sal Saturni.			



Cacaos



<b>C</b> acaos Caraque ad comedendum.			
Praxis.	n. ij. ad iiij.	n. jv. ad vij.	n. viij.
Calamintha montana, & similia pul.			
Barchusen.	3. ff. ad 3. j.	3. ff.	3. j.
Calamintha montana in iufuso, & similia.			
Praxis.	ut Theæ — modo	— assumpta.	
Calamus aromaticus verus pul.			
Geoffroy.	gr. xij.	3. j.	3. ff.
Calamus aromat. verus in infuso.			
Idem.	3. ff.	3. j.	3. ij.
Calamus aromat. conditus.			
Junckerus.	3. β.	3. j.	3. ij.
Calendulae sylvestris, & hortensis succus.			
Geoffroy.	3. j.	3. ij.	3. jv.
Calcanthum pro emetico.			
Boerhaave.	—	—	3. j.
	& catharti-	cum est —	ad gr. vj.
Calcitrapæ radicis cortex seu Cardi stellati cortex radicis in de-			
cocto.			
Christianus.	3. β.	3. j.	3. ij.
Calcitrapæ semen in substantia.			
Geoffroy.	—	3. ff.	3. j.
Calcitrapæ succus defœcatus.			
Idem.	3. ij.	3. jv.	3. vj.
Calcitrapæ radicis cortices sic. & pul.			
Barchusen.	3. β ad 3. j.	3. ff.	3. j.
Camphora rasa.			
Christianus.	gr. j.	gr. jv.	3. β. Cam.

<b>Camphora</b> in gonorrhæis, & in fluore albo.			
<i>Geoffroy.</i>	—	gr. iiiij. ad	θ. j.
<b>Camphorata</b> in infuso.			
<i>Praxis.</i>	<i>ut Thea</i>	<i>adhi-</i>	<i>beatur.</i>
<b>Canchri</b> fluviatiles in clybano sicc., & pul.			
<i>Claudinus.</i>	θ. j.	θ. ij.	θ. jv.
<b>Canchri</b> fluviatiles pro jusculis bis terve in die repetendis.			
<i>Praxis.</i>	3. ijj.	3. iij.	3. jv.
<b>Cannabis</b> semen in infuso, & in emulsionibus.			
<i>eadem.</i>	3. j.	3. ij.	3. ff.
<b>Cannabis</b> semen in substantia.			
<i>Lemery.</i>	θ. j.	θ. ij.	3. j.
<b>Cantharides.</b> Rx pul. Cantharid. θ. j infundatur in Vini renas- ni 3. iij. vel jv. infusum stet per aliquot dies, & noctes in loco tepido: post filtretur liquor, & sub usu miscean- tur Coch. vj vij. vel viij. cum cantharo Vini, & Cochlea- rium sufficiat (ascendendo tamen in dies) ad expellendam urinam, & Calculum.			
<i>Ettmullerus.</i>	<i>ut</i>	<i>doctum</i>	<i>cst.</i>
<b>Cantharides</b> pro veneris stimulo.			
<i>Barchusen.</i>			
<b>Cantharides</b> in hydrophobia cum piper. nigro gr. v. in summa dosi pro vice tantum.			gr. β.
<i>Praxis.</i>	n. j.	n. ij.	n. ijj.
<b>Caparum</b> cortices radicis pul.			
<i>Geoffroy.</i>	θ. j.	θ. ij.	3. j.
<b>Caparum</b> cortices radicis in decocto.			
<i>Idem.</i>	3. ij.	3. ff.	3. j.
<b>Capillus</b> Veneris idest adiantum Verum.			
<i>Barchusen.</i>	m. β.	m. j.	m. jj.
<b>Capræ</b> sterlus siccatus, & pul.			
<i>Praxis.</i>	θ. ff.	θ. j.	3. β.
<b>Cardamomum</b> minus cortice exempto pul.			
<i>Geoffroy.</i>	gr. vj.	θ. ff.	θ. j.
<b>Cardamomum</b> minus in infuso.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. β.
<b>Cardiaca</b> in infuso.			
<i>Christianus.</i>	m. j.	m. ij.	m. iiij.
<b>Carduus</b> benedictus in infuso,			
<i>Barchusen.</i>	m. ff.	m. j.	m. jj. β.
			Car.

<b>Cardui benedicti succus defæcatus.</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. iv.
<b>Cardui benedicti succus non defæcatus pro emetico.</b>			
<i>Boerhaave.</i>	3. j.	3. ij.	3. iij.
<b>Cardui benedicti semen in emulsionibus.</b>			
<i>Praxis.</i>	3. ff.	3. j.	3. ij.
<b>Caricæ pingues in decocto.</b>			
<i>Geoffroy.</i>	n. ij.	n. iv.	n. vij.
<b>Carlinæ radix pro diaphoretico pulverisata.</b>			
<i>Christianus.</i>	3. j.	3. j.	3. ij.
<b>Carpobalsamum pul.</b>			
<i>Geoffroy.</i>	3. ff.	3. j.	3. ii.
<b>Carpobalsamum in infuso.</b>			
<i>Idem,</i>	3. ij.	3. iii.	3. ff.
& <i>Sennertus.</i>	3. iff.	3. iii.	3. v.
<b>Carthami semen pro purgante.</b>			
<i>Bateus.</i>	3. j.	3. β.	3. vij.
<b>Carthami semen in infuso.</b>			
<i>Claudinus.</i>	—	—	3. j.
& <i>DeleBoe, Sylvius.</i>	3. iff.	3. iij.	3. vij.
<b>Carthami semen mundatum pro emulsione in sero lactis vel juscu-</b>			
<b>lo gallinaceo.</b>			
<i>Geoffroy.</i>	3. ij.	3. vij.	3. j.
<b>Carvi semen in Vino infusum.</b>			
<i>Idem.</i>	3. ff. ad 3. i.	3. ff.	3. j.
<b>Carvi semen pul.</b>			
<i>Idem.</i>	3. j.	3. ij.	3. j.
<b>Caryophyllatæ radix pul.</b>			
<i>Christianus.</i>	3. j.	3. ff.	3. ij.
<b>Caryophyllatæ radix sicc. in decocto.</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. β.
<b>Caryophyllatæ radix recens in decocto.</b>			
<i>Idem.</i>	3. ij.	3. β.	3. j.
<b>Caryophylli flores cum toto in decocto.</b>			
<i>Pauillus,</i>			
& <i>Praxis.</i>	pug. j.	m. β.	m. j.
<b>Caryophylli aromatici pul.</b>			
<i>Geoffroy.</i>	gr. iij.	3. β.	3. j.
<b>Caryophylli aromatici in infuso,</b>			
<i>Idem.</i>	3. ff.	3. j.	3. ij.
	E		Casca-

Cascarilla pul.				
Geoffroy.	gr. vi.	3. ff.	3. j.	
Cascarilla in infuso.				
Idem.	3. j.	3. ff.	3. j.	
Cassiae pulpa id est flos Cassiae pro purgante.				
Sennertus.	3. ff.	3. j. 3. jj.	ad 3. ij.	
Bateus.	3. ff.	3. j.	3. ij.	
DeleBoe, Sylvius.				
& Jantkius.	3. ff.	3. j.	3. jj.	
Cassiae pulpa quibus Alvus est natura pigrior ante prandium vel ante cenam.				
Redi.	quotidie	3. ij.	—	
Cassia cum toto in decocto pro potionē solutiva.				
Praxis.	3. j.	3. ij.	3. iii.	
Cassiae pulpa in Clystere.				
Schrodærus,	3. ff.	3. jj.	3. ij.	
Cassia lignea in substantia.				
Christianus.	3. j.	3. ff.	3. ii.	
Castanearum membrana int. rubens in decoct.				
Geoffroy.	3. ff.	3. j.	3. ij.	
Castanearum membrana int. rubens pul.				
Barchusen.	3. β. ad 3. j.	3. ff.	3. j.	
Castoreum pul.				
Claudinus,	3. ff.	3. β.	3. j.	
& Sennertus.	3. ff.	3. j.	3. ff.	
Barchusen.	gr. vij.	gr. xv.	3. β.	
Cassumniar Anglorum pul.				
Geoffroy.	3. β.	3. j.	3. β.	
Cataputiæ maj. nuclei.				
Lemery.	n. j.	n. jv.	n. vj.	
Cataputiæ maj. sive radix sive semen.				
DeleBoe, Sylvius.	—	3. j.	3. ff.	
Boerhaave.	3. j.	3. ij.	3. j.	
Cataputiæ folia in infuso pro purgante.				
Bateus.	n. ij.	n. jv.	n. v.	
Catechu seu Terra japonica.				
Lemery.	gr. xx.	3. ff.	3. j.	
Centaurium minus pul.				
Geoffroy.	3. j.	3. ij.	3. j.	

Cen-

Centinodia idest Poligonum.			
Barchusen.	m. β.	m. j.	m. iff.
Centinodiæ succus dœfecatus.			
Praxis.	3. i.	3. ij.	3. iv.
Ceparum bulbi, & folior. succus cum Sacch.			
Geoffroy.	3. iβ.	3. iij.	3. vj.
Cerebrum humanum recens.			
Lemery.	3. ff.	3. i.	3. ij.
Cerefolum in infuso.			
Barchussen.	m. ff.	m. j.	m. iff.
Cerefolum pul.			
Idem.	θ. ff. ad θ. j.	3. ff.	3. j.
Cervi sanguis sicc. & pul., ita de Priapo Cervi.			
Lemery.	θ. ff.	3. ff.	3. j.
Ceterach. ut cæteris herbis capill. utitur.			
—	—	—	—
Calcitis pul.			
Praxis.	—	θ. ff.	θ. j.
Chamæbalani radix in substantia.			
Barchusen.	θ. ff.	3. ff.	3. j.
Chamæbalani radix in decocto recens.			
Christianus.	3. ff.	3. j.	3. ij.
Chamedrys in decocto sive in infuso.			
Praxis.	pug. j.	m. ff.	m. j.
Chamedrys pul.			
Christianus.	θ. j.	3. j.	3. ij.
Chamæmelum in infuso.			
Praxis.	pug. j.	m. ff.	vel ut Thea — — —
Chamæmelum pul.			adbibeatur.
Geoffroy.	θ. ff.	3. β.	3. j.
Chamæmelum pul. in febribus intermit.			
Non nulli.	ac	China	China.
Chamæli succus expressus, & dœfecatus.			
Geoffroy.	3. ij.	3. iij.	3. iv.
Chamepitys pul.			
Idem.	θ. j.	θ. ij.	θ. iij.
Chamepitys sive in infuso, sive in decocto.			
Barchusen.	m. ff.	m. j.	m. iff.

<b>Chelæ Canchrorum pul.</b>				
<i>Lemery,</i>	θ. ff.	θ. j.	3. ff.	
<b>Chermes succus in apozematibus.</b>				
<i>Praxis.</i>	3. ff.	3. j.	3. ij.	
<b>Chermes sicc. &amp; pul. in ovo forbili.</b>				
<i>Eadem.</i>	—	θ. j. ad θ. ij.	3. j.	
<b>Chærefolium in decocto.</b>				
<i>Barchusen.</i>	m. β.	m. j.	m. ij.	
<b>Chærefolii succus.</b>				
<i>Jantkius.</i>	per	—	—	cochlearia.
<b>Chinæ radix in decocto.</b>				
<i>Geoffroy.</i>	3. j.	3. ij.	3. β.	
<b>Chinæ radix in substantia.</b>				
<i>Geoffroy.</i>	3. ff.	3. j.	3. ijβ.	
<b>China China pul. quotidie.</b>				
<i>Idem.</i>	3. β.	3. j.	3. ij.	
<b>China China pul. 3. j. Vini generosi albi 3. xij. m.</b>				
<i>Idem.</i>	3. ij.	3. xv.	3. vij.	
<b>China China pul. 3. j. aquæ lib. jff. bull. ad tertiae partis con-</b>				
<b>sumptionem.</b>				
<i>Idem.</i>	3. ij.	3. xv.	3. vij.	
<b>China China in spasmis hystericis miras habet vires per aliquot</b>				
<b>septimanias manè, &amp; serò sumpta.</b>				
<i>Sydenhamius.</i>	—	θ. j.	—	
<b>China China pul. in clysteribus decocta in Vino ut supra.</b>				
<i>Geoffroy.</i>	3. vij.	3. viiiij.	lib. j.	
<b>China China aromatica v. Cascarilla.</b>				
—	—	—	—	
<b>Chrysolcolla v. Borax.</b>				
—	—	—	—	
<b>Cicada pul.</b>				
<i>Lemery.</i>	gr. viij.	gr. xij.	gr. xv.	
<b>Cicer rubrum in decocto.</b>				
<i>Praxis.</i>	3. ij.	3. ff.	3. j.	
<b>Cichorea sylvestris in decocto.</b>				
<i>Christianus.</i>	m. j.	m. ijff.	m. iij.	
<b>Cichorea sylvestris pul., &amp; similia.</b>				
<i>Geoffroy,</i>	θ. j.	θ. ij.	3. j.	
<i>&amp; Paullus.</i>	bis quotidie	3. ff.	3. j.	

Cicho-

<i>Cichoreæ sylvestris succus.</i>			
<i>Geoffroy.</i>	3. ij.	3. iiij.	3. iv.
<i>Cichoreæ sylvestris semen, &amp; similia pul.</i>			
<i>Christianus.</i>	3. i.	3. ij.	3. i.
<i>Cicindela pul.</i>			
<i>Mangetus.</i>	3. ff.	3. j.	3. ij.
<i>Cicutæ radix in substantia.</i>			
<i>Geoffroy.</i>	3. ff.	3. j.	3. ff.
	<i>cante tamen tali medicamento utendum esse censemus.</i>		
<i>Cicutæ radix in infuso.</i>			
<i>Idem.</i>	3. ff.	3. j.	3. ij.
<i>Cinaræ radix in decocto.</i>			
<i>Christianus.</i>	3. ff.	3. j.	3. ij.
<i>Cinnabaris nativa pul, &amp; lævigatus.</i>			
<i>Bartschusen,</i>	gr. v.	3. ff.	3. j.
<i>&amp; Jantkius.</i>	gr. v. ad viii.	3. ff. ad 3. j.	3. i. ad 3. ff.
<i>Cinnamomum in substantia.</i>			
<i>Geoffroy,</i>	3. j.	3. ff.	3. j.
<i>&amp; Claudinus.</i>	ad expellen- dam secundi- num.	3. j.	3. j.
<i>Cinnamomum in infuso.</i>			
<i>Geoffroy.</i>	3. ff.	3. j.	3. ij.
<i>Cinnamomum caryophyllum sen Cassia caryophyllata in infuso.</i>			
<i>Christianus.</i>	3. j.	3. ij.	3. ff.
<i>Cinnamomum caryophyllum pul.</i>			
<i>Praxis.</i>	3. j.	3. ff.	3. j.
<i>Cinis Avellanarum.</i>			
<i>Mullerus.</i>	3. j.	3. ij.	3. j.
<i>Cinis Genistæ</i> 3. jff., <i>Vini renani</i> 3. vij. & ultra stent simul fri- gidè, dein per cartam bibulam filtrantur, & <i>Vini fil- trati.</i>			
<i>Sydenhamius.</i>	bis quoti- diè.		3. iiij.
<i>Cinis Bufonum.</i>			
<i>Allen.</i>	3. β.	3. j. &	ultra.
<i>Circæa monspiliensis v. dulcamara.</i>			
<i>Citri Cortex sicc. &amp; pul.</i>		—	—
<i>Christianus.</i>	3. j.	3. ff.	3. ij.
			Citri

Citri Cortices recentes in infuso.			
<i>Christianus.</i>	3. j.	3. ij.	3. ff.
Citri Cortex saccharo condita.			
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
Citri succus cum saccharo, & aqua pro potu ægris, & sanis.			
<i>Eadem.</i>	omnia ad —	gratiam, —	&
	ad —	lubi- —	tum.
Citri semina contusa in infuso.			
<i>Eadem.</i>	3. ff.	3. j.	3. ij.
Citri semina in emulsionibus.			
<i>Eadem.</i>	3. β.	3. j.	3. ij.
Citri folia in infuso.			
<i>Eadem.</i>	n. ij.	n. xv.	n. vij.
	vel —	ut —	Thea.
Citri folia tenella saccharo condita.			
<i>Eadem.</i>	3. j.	3. ij.	3. ff.
Citrulli semina in emulsionibus.			
<i>Eadem.</i>	3. β.	3. j.	3. iff.
Cnicus v. Carthami semen.			
—	—	—	—
Coagulum Leporis.			
<i>Lemery.</i>	θ. ff.	3. ff.	3. j.
Coccinella pul.			
<i>Idem, cum</i>	gr. xij.	θ. j.	3. β.
	<i>Jantkio.</i>	—	—
Cochlearia recens in decocto vel in inf.			
<i>Praxis.</i>	pug. j.	pug. ij.	m. j.
Cochleariae succus defæcatus per cartam bibulam.			
<i>Eadem,</i>	3. j.	3. ij.	3. iij.
	<i>&amp; Jantkius.</i>	Co- —	blea- —
	vel ad 3. ff.	3. j.	tim. ad 3. iff.
Coccognidium pul.			
<i>Sennertus,</i>	gr. v.	gr. x.	gr. xx.
	<i>&amp; Geoffroy.</i>	θ. ff.	3. ff.
Colocynthidis pulpa in infuso, vel decocto.			
<i>Geoffroy.</i>	θ. ff.	3. ff.	3. j.

Colo-

**Colocynthidis pulpa in substantia.**

<i>Rondeletius.</i>	gr. ij.	gr. vij.	gr. xij.
<i>Bateus,</i>	gr. vij.	3. ff.	3. j.
<i>Geoffroy,</i>	gr. v.	3. ff.	3. j.
& Junckerus.	gr. ij.	gr. vij.	3. ff.

**Colocynthidis pulpa in nodulo linteo involuta in decocto pro Clystere tantum.**

<i>Forestus,</i>			
& Geoffroy.	3. j.	3. ff.	3. j.

**Colocynthis ut supra adhibita pro Clystere fortissimo.**

<i>Rondeletius,</i>	—	3. j.	3. iss.
& Geoffroy.	—	3. iss.	3. ij.

**Colopharia idest Pix præca pul., & inbolis redacta aliquo Jupatio.**

<i>Praxis.</i>	3. j.	3. ij.	3. j.
----------------	-------	--------	-------

**Colubrinum Lignum pul.**

<i>Lemery.</i>	—	3. j.	3. ff.
----------------	---	-------	--------

**Conchæ præparatæ.**

<i>Jantkius.</i>	3. ff.	3. j.	3. ff.
------------------	--------	-------	--------

**Consolida major idest Symphit. major in decocto.**

<i>Geoffroy.</i>	3. ij.	3. ff.	3. j.
de radice semper intelligendum est.			

**Consolida major idest Symphit. major radix pul.**

<i>Idem.</i>	3. j.	3. ij.	3. j.
--------------	-------	--------	-------

**Contrayerva in decocto.**

<i>Idem.</i>	3. β.	3. j.	3. ij.
--------------	-------	-------	--------

**Contrayerva pul.**

<i>Geoffroy.</i>	3. ff.	3. ff.	3. j.
------------------	--------	--------	-------

**Corallina pul.**

<i>Idem.</i>	3. j.	3. ff.	3. j.
--------------	-------	--------	-------

**Corallum rubrum pul., & lævigatum.**

<i>Lemery,</i>			
& Jantkius.	gr. viij.	3. j.	3. ff.

**Corallum album pul., & lævigatum.**

<i>Lemery,</i>	3. ff.	3. ff.	3. j.
----------------	--------	--------	-------

& Jantkius.	gr. viij.	3. j.	3. ff.
-------------	-----------	-------	--------

**Coriandrum in infuso.**

<i>Praxis.</i>	3. ff.	3. j.	3. iss.
----------------	--------	-------	---------

**Coriandrum pul.**

<i>Christianus.</i>	3. j.	3. ij.	3. j.
---------------------	-------	--------	-------

Cor.

Cornalina pul., & lævigata.			
<i>Lemery.</i>	3. ss.	3. j.	3. ss.
Cornus fructus sicc., & pul.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. j.
Cortex Citri saccharo condita.			
<i>Junckerus.</i>	3. ss.	3. j.	3. ij.
Cortex madianus ebuli five sambuci sylvestris.			
<i>Boerhaave.</i>	<i>Lactantibus.</i>		
Cortex mali punicæ pul.	3. ss.	3. ij.	3. ss.
<i>Geoffroy.</i>	3. j.	3. ss.	3. j.
Cortex mali punicæ in decocto.			
<i>Idem.</i>	3. j.	3. ij.	3. ss.
Cortex radicum Capparum in decocto.			
<i>Christianus.</i>	3. j.	3. ij.	3. ss.
Cortex radicum Capparum pul.			
<i>Idem,</i>	3. j.	3. ss.	3. ij.
<i>&amp; Junckerus.</i>	3. ss.	3. j.	3. ss.
Cortex caryophyllatus v. Cinnam. caryoph.			
<i>Praxis.</i>	3. j.	3. ij.	3. j.
Corticis medianæ sambuci succus pro purgante.			
<i>Claudinus.</i>	3. ss.	3. iiij.	3. v.
Cortex Peruvianus. v. China China.			
—	—	—	—
Cortex Winteranus pul.			
<i>Geoffroy.</i>	3. ss.	3. ss.	3. j.
Cortex Winteranus in infuso.			
<i>Idem.</i>	3. ss.	3. j.	3. ij.
Cornu Cervi subt. limat. deinde pul.			
<i>Barchusen.</i>	3. ss. ad 3. j.	3. ss.	3. j.
Cornu Monocerontis ut supra pul.			
<i>Idem.</i>	3. ss. ad 3. j.	3. ss.	3. j.
Cornu Leoncorni ut supra rasum, & pul.			
<i>Barchusen.</i>	3. ss. ad 3. j.	3. ss.	3. j.
Costus arabicus pul.			
<i>Geoffroy.</i>	3. ss.	3. j.	3. ss.
Costus arabicus in infuso.			
<i>Idem.</i>	3. j.	3. ij.	3. ss.
Costus hortorum in infuso.			
<i>Praxis.</i>	ut	Thea	usurpetur.
			Coto.

## Cotonaria v. Gnaphalium.

Cranium human. non humatum rasum, & pul.			
Lemery.	gr. ij. ad x.	θ. j.	θ. ii.
Creta alba pul.			
Jantkius.	θ. ff.	θ. j.	3. β.
Crocus austriacus.			
Idem.	gr. v.	θ. ff.	θ. j.
Crocus orientalis pul.			
Claudinus.	θ. j.	θ. ii.	3. j. &
Geoffroy.	θ. ff.	θ. i.	3. ff.
Crocus orientalis in infuso.			
Praxis.	θ. j.	θ. ii.	3. j.
Cristallus montana pul., & lævigata.			
Lemery.	θ. ff.	3. ff.	θ. ii.
Cubebe in infuso.			
Geoffroy.	3. ff.	3. j.	3. ij.
Cubebe in substantia.			
Geoffroy.	gr. iii.	θ. ff.	θ. i.
Cucurbitæ semina, & similia in emulsion.			
Praxis.	3. ff.	3. j.	3. iff.
Cuminoides pul.			
Christianus.	ut Cu-	— minum.	
Cuminum pul.			
Christianus.	θ. j.	θ. ii.	3. j.
Cuminum dulce v. anisum.			
Cuminm in infuso.			
Praxis.	3. ff.	3. j.	3. ij.
Cupressi fructus seu Galbuli pul.			
Geoffroy.	θ. j.	θ. ii.	3. j.
Curcuma pul.			
Idem,	θ. j.	θ. ii.	3. j.
& Christianus.	θ. j.	3. ff.	θ. ii.
Curcuma recens in decocto.			
Pavillus.	3. v.	3. x.	3. xx.
Curcuma siccata in decocto.			
Geoffroy.	3. j.	3. iff.	3. ij.
Cuscuta in infuso.			
Idem.	pug. j.	pug. ii.	pug. iii.
			Cya-

<b>Cyani flores una cum Capitibus pul.</b>			
<i>Geoffroy.</i>	3. j.	3. ss.	3. j.
<i>cum</i>	—	<i>Vino per</i>	<i>aliquot dies.</i>
<b>Cyclaminis succus pro purgante.</b>			
<i>Mesues,</i>	—	3. viii.	3. ss.
<i>&amp; Junckerus.</i>	3. ij.	3. ss.	3. j.
<b>Cyclamen pul.</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. j.
<b>Cyclamen in decocto.</b>			
<i>Idem.</i>	3. j.	3. ij.	3. ss.
<b>Cydonij semina in emulsionibus.</b>			
<i>Praxis.</i>	3. ss.	3. j.	3. ij.
<b>Cydonij semina pro infusione mucilaginosa unius libræ.</b>			
<i>Eadem.</i>	—	—	3. ss.
<b>Cynoglossum ejus radix in decocto.</b>			
<i>Geoffroy.</i>	3. ij.	3. ss.	3. j.
<b>Cynoglossi folia in infuso.</b>			
<i>Idem.</i>	pug. j.	pug. ij.	m. j.
<b>Cynorodon in decocto.</b>			
<i>Christianus.</i>	pu.	gila-	tim.
<b>Cyperus longus, ac rotundus pul.</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. j.
<b>Cyperus sive longus, sive rotundus in infuso.</b>			
<i>Idem.</i>	3. ij.	3. ss.	3. j.



COM-



<b>C</b> affè ustulatum pul. in infuso,			
Lemery.	3. j.	3. ij.	3. xv.
Caffè ut supra rhabarbaratum.			
Praxis			
Addit rhabarbari.	3. ij.	3. xv.	3. viij.
Caffè ut supra fennatum.			
Eadem addit fennæ.	3. j.	3. ij.	3. x.
Caffè ut supra chinatum bis, terve in die.			
Eadem addit Chi- nae Chinæ.	3. ij.	3. v.	3. viij.
Caffè ut supra rosoliatum.			
Eadem addit rosoli gut. xxv.	3. j.	3. ij.	
Calybs præparatus.			
Claudinus.	3. j.	3. ij.	3. i.
Calx Auri.			
Bateus.	gr. j.	gr. iiij.	gr. xv.
Calx Jovis.			
Idem.	gr. iiij.	gr. viij.	3. ff.
Calx Lunæ.			
Idem.	gr. iiij.	gr. viij.	3. ff.
Calx Mercurij seu Mercurius præcipitatus per se.			
Geoffroy.	—	gr. iiij.	gr. vij.
Carlinæ radix saccharo condita.			
Praxis.	3. ij.	3. ff.	3. i.

<b>Cassia</b> potabilis clarificata.			
<i>Nigrifolius.</i>	3. ij.	3. xv.	3. vi.
<b>Cassia</b> potabilis solutiva clarificata.			
<i>Nigrofolius.</i>	3. iv.	3. viii.	lib. i.
<b>Catechu</b> sive <b>Terra Japonica</b> præparata P. Bocconi.			
<i>Cappellus.</i>	3. j.	3. ii.	3. i.
<b>Cera</b> hyspanica pul. sine minio facta.			
<i>Praxis.</i>	—	3. i.	3. ff.
<b>Cerevisia</b> aperiens bis in die.			
<i>Fuller.</i>	3. iiij.	3. viii.	lib. j.
<b>Cerevisia</b> arthritica ut supra sumpta.			
<i>Idem.</i>	3. iiij.	3. viii.	lib. i.
<b>Cerevisia</b> hydropica.			
<i>Bateus.</i>	pro	pota	ordinario.
<b>Cerevisia</b> Jovialis.	uti	supra-	dicta.
<i>Idem.</i>	—	—	
<b>Cerevisia</b> oxydorcica.			
<i>Idem.</i>	pro	pots	ordinario.
<b>Cerevisia</b> purgans pueris.			
<i>Fuller.</i>	3. ij.	plus	minus.
<b>Cerevisia</b> scorbutica.			
<i>Bateus.</i>	pro	pota	ordinario.
<b>Cerevisia</b> scrophularia.			
<i>Idem.</i>	Ea-	dem	Dosis.
<b>Cerevisia</b> splenetica bis in die.			
<i>Fullerus.</i>	3. ij.	3. iv.	3. vi.
<b>Cerusa</b> Antimonij.			
<i>Barchusen.</i>	gr. vi.	3. i.	3. ij.
& <i>Christianus.</i>	3. ff.	3. i.	3. ff.
<b>Chalybs</b> præparatus.			
<i>Claudinus.</i>	3. j.	3. ij.	3. i.
<b>Chermes</b> minerale.			
<i>Allen,</i>	gr. i.	gr. ii.	gr. iii.
& <i>Capellus.</i>	gr. i.	gr. ii.	gr. v.
<b>Chinæ</b> <b>Chinæ</b> extractum.			
<i>Lemery.</i>	gr. xij.	3. i.	3. ff.
<b>Chinæ</b> <b>Chinæ</b> sal.			
<i>Idem.</i>	gr. vi.	3. ff.	3. i.
<b>Chinæ</b> <b>Chinæ</b> Tinctura.			
<i>Idem,</i>	gut. x.	3. ff.	3. i.
			Cho-

**Chocolatum in infuso pro alterante.**

<i>Praxis.</i>	3. ii.	3. j.	3. ijj.
<b>Claretum Absinthij laxativum Mynsicht.</b>			
<i>Jantkius.</i>	3. j. ad ij.	3. ij. ad iii.	3. iii. ad iv.
<b>Clysteres in qua dosi sunt instituenda.</b>			
<i>Christianus,</i>	3. vi.	3. xii.	3. xvij.
<i>&amp; Schrodærus.</i>	3. i. ad 3. ii.	infantibus	trium aërorum.
<b>Clyffus Antimonij.</b>			
<i>Barchusen,</i>	gr. iii.	gr. x.	3. i.
<i>&amp; Jantkius.</i>	gut. x.	gut. x. ad xx.	ad xxxx.

**Cicera Tartari quotidiè.**

<i>Mynsicht.</i>	—	3. j.	3. ijj.
------------------	---	-------	---------

**Cinis Avellanarum.**

<i>Mullerus.</i>	3. j.	3. ij.	3. j.
<b>Cinis Genistæ</b>	3. j.	Vini renani 3. vj., & ultra: stent simul frigidè, dein filtrantur, & Vini filtrati sic &c.	
<i>Sydenhamius.</i>	bis quoti-	—	3. iii.

**Cinis Bufonum.**

<i>Allen.</i>	3. ff.	3. j.	3. ultra.
---------------	--------	-------	-----------

**Cinis Canchrorum floviatilium.**

<i>Jantkius.</i>	3. ff.	3. j.	3. ff.
------------------	--------	-------	--------

**Cinis Leporis.**

<i>Idem.</i>	3. ff.	3. j.	3. ff.
--------------	--------	-------	--------

**Cinis Spongiarum.**

<i>Hartmannus.</i>	3. j.	3. ij.	3. j.
--------------------	-------	--------	-------

**Cinnabaris antimoniij.**

<i>Lancillottus,</i>	gr. v.	gr. x.	gr. xv.
<i>Barchusen,</i>	gr. v.	3. ff.	3. j.
<i>&amp; Jantkius.</i>	gr. v. ad viij.	3. ff. 3. j.	3. ff.

**Cinnabaris factitia v. Cinnabaris in simplicibus C.**

**Cinnabaris artificialis Cathart. Paracelti.**

<i>Beguinus.</i>	gr. ij.	gr. iii.	gr. vj.
------------------	---------	----------	---------

**Cinnabaris vulgaris, factitia dicta anteponenda est alijs Cinnabaribus, loquente Friderico Hoff. pag. 273.**

*Quum itaque evinci possit, quod sulphur antimoniij à sulphure vulgari ratione indolis, & virtutum, nullo modo differat, recte ex hisce colligitur, cinnabarim antimoniij,*

monij, quæ cum magno labore, & pre-  
tio etiam non mediocri præparatur, cinn-  
abari vulgari, quæ ex depurato argento  
vivo, & sulphure vulgari stillatitio fa-  
cili, & compendioso labore conficitur, non  
præstantiorem ratione usus, & virtutum es-  
se, & huic optime substitui posse, quod  
etiam ipsa experientia, atque attenta ob-  
servatio multis ab hinc annis nubi con-  
firmavit. Taceo quod Cinnabaris vulga-  
ris pulcheriori colore etiam se se commen-  
det, quam cinnabaris antimonii.

Hæc quæ de factitia cinnabari rite à Phar-  
macopolis parata tradit Offmannus, no-  
ità facile adaptari possunt vulgari cinnabari,  
quæ in officinis vulgo venalis pro-  
stat quamque speciosioris coloris gratia  
adjecto arsenico vel minio reddunt dete-  
riorem.

Cinnamomum laxativum Coburgensium.

Fraundorffer. 3. ss. 3. j. ad 3. jv. 3. iss.

Coagulum Afari Vomitivum.

Hartmannus. 3. j. 3. ii. 3. j.

Condita saccharo.

Christianus. 3. ij. 3. ss. 3. j.

Condita ut fructus, Cortices, radices saccharo.

Barchusen. ad — lubi — tum.

Confectio alchermes s. o. Mesues.

Schulzius. 3. β. 3. j. 3. ij.

Confectio Alchermes c. o. Mes.

Idem. 3. ss. 3. j. 3. ss.

Confectio Alchermes Herculis Saxonie.

Mullerus. 3. j. 3. ii. 3. j.

Confectio Alchermes amara ejusdem.

Idem. 3. j. 3. ii. 3. j.

Confectio Amech.

Colleg. bonon. 3. ij. 3. β. 3. j.

Confectio Anacardina.

Schulzins. 3. β. 3. j. 3. ij.

Con-

<b>Confectio cordialis.</b>			
<i>Sculptus.</i>	3. j.	3. ij.	3. iij.
<b>Confectio diacartami in tabellis.</b>			
<i>Lemery.</i>	3. j.	3. β.	3. j.
<b>Confectio hyacinthina s. o.</b>			
<i>Colleg. bonon.</i>	3. j.	3. i.	3. iij.
<b>Confectio hyacinthina c. o.</b>			
<i>Lemery.</i>	3. j.	3. i.	3. iij.
<b>Confectio Liberans.</b>			
<i>Colleg. bonon.</i>	3. i.	3. ij.	3. iij.
<b>Confectio pretiosa.</b>			
<i>Mynsicht.</i>	3. j.	3. ss.	3. ii.
<b>Confectio Catholica simplex Fernelij.</b>			
<i>Lemery.</i>	3. j.	3. ss.	3. i.
<b>Confectio Papalis, &amp; Glycyrrhyzae.</b>			
<i>Christianus.</i>	3. ij.	3. β.	3. i.
<b>Confectio styptica.</b>			
<i>Mynsicht.</i>	3. j.	3. ij.	3. ss.
<b>Confectio Universalis cum dupl. rheo.</b>			
<i>Lemery.</i>	3. ij.	3. ss.	3. j.
<b>Conserva Absinthij pontici.</b>			
<i>Barchusen.</i>	3. ij.	3. β.	3. i.
<i>Absinthij romani.</i>			
<i>Matthiolus,</i>	—	—	3. ss.
<i>&amp; Christianus.</i>	3. ij.	3. ss.	3. i.
<i>Beccabungæ florum.</i>			
<i>Geoffroy.</i>	3. ij.	3. ss.	3. i.
<i>Baccarum Juniperi.</i>			
<i>Praxis.</i>	Co. —	blea- —	tim.
<i>Cassiae Donzelli.</i>			
<i>Donzellus.</i>	3. ij.	3. ss.	3. i.
<i>Cornu fructus.</i>			
<i>Colleg. bonon.</i>	3. jβ.	3. iii.	3. β.
<i>Cydoniorum.</i>			
<i>Christianus.</i>	3. ij.	3. ss.	3. i.
<i>Cynosbati.</i>			
<i>Lemery.</i>	3. j.	3. iij.	3. vj.
<i>Enulae Campanæ.</i>			
<i>Capillus.</i>	3. ij.	3. iij.	3. vj.

Conserva Gratiolæ pro purgante,			
<i>Hoffmannus.</i>	3. ij.	3. vij.	3. j.
<i>Florum Malvæ.</i>			
<i>Capellus.</i>	3. β.	3. i.	3. ij.
<i>Florum Calendulæ.</i>			
<i>Geoffroy.</i>	3. ij.	3. β.	3. j.
<i>Florum Caryophyllorum.</i>			
<i>Idem.</i>	3. ij.	3. ff.	3. j.
<i>Florum Lillior. convallium.</i>			
<i>Idem.</i>	3. ij.	3. iiij.	3. ff.
<i>Florum papaver. rhead.</i>			
<i>Christianus.</i>	3. ij.	3. ff.	3. j.
<i>Florum Persicorum.</i>			
<i>DeleBoe, Sylvius.</i>			
<i>Geoffroy.</i>	3. ij.	3. β.	3. j.
<i>Capellus,</i>	3. ij.	3. j.	3. ijβ.
<i>&amp; Junckerus.</i>	3. j. ad 3. ij.		
<i>Florum Rorismarini.</i>			
<i>Capellus.</i>	3. ij.	3. β.	3. i.
<i>Florum Salviæ.</i>			
<i>Barchusen.</i>	3. ij.	3. ff.	3. j.
<i>Florum Tilliæ.</i>			
<i>Lemery.</i>	3. j.	3. ij.	3. iiiij.
<i>Florum Rosarum seu sacch. rosum.</i>			
<i>Praxis,</i>	3. ij.	3. β.	3. i.
<i>&amp; Capellus.</i>	3. ff.	3. j.	3. ij.
<i>Florum Rosarum pallidar. solutiva.</i>			
<i>Capellus,</i>	3. ff.	3. j.	3. ij.
<i>&amp; DeleBoe, Sylvius.</i>	3. i.	3. iii.	3. iu.
<i>Florum Violarum.</i>			
<i>Praxis.</i>	3. ij.	3. ff.	3. i.
<i>Sympthiti majoris.</i>			
<i>Geoffroy.</i>	3. i.	3. ij.	3. ff.
<i>Totius Citri.</i>			
<i>Christianus.</i>	3. ij.	3. ff.	3. j.
<i>Vulgares.</i>			
<i>Barchusen.</i>	3. ij.	3. ff.	3. j.
<i>Cornus Epilepticus.</i>			
<i>Bateus,</i>	3. i.	3. ij.	3. i.

Cor-

Corau Cervi ustum pul. & laevigatum.			
<i>Claudinus,</i>	3. j.	3. ij.	3. j.
& <i>Christianus.</i>	3. β.	3. j.	3. ss.
Cornu Cervi philosophicum sub. pul.			
<i>Mynsicht.</i>	3. ss.	3. j.	3. ss.
Cortices Citri faccharo conditæ.			
<i>Junckerus.</i>	3. ss.	3. j.	3. ij.
Cranium humanum philosoph. præparatum, ac pul.			
<i>Schulzius.</i>	gr. viij. ad 3. ss.	3. j.	3. ss.
Cremor sive pulpa hordei tam perlata, quam nostratis recentes per cribrum tractus.			
<i>Barchusen,</i>	3. i. ad ij.	3. ss.	3. j.
& <i>Praxis.</i>	3. ss.	3. j.	3. ss.
<i>bis terve</i> —	<i>quoti-</i> —	—	<i>die.</i>
Cremor sive pulpa, ut supra tracta Oryzæ.			
<i>Barchusen.</i>	3. j. ad ij.	3. ss.	3. j.
& <i>Praxis.</i>	3. ss.	3. j.	3. ss.
<i>pluries</i> —	<i>m</i> —	—	<i>die.</i>
Cremor Tartari seu Cristallus Tartati pul. pro purgante.			
<i>Bateus,</i>	3. ij.	3. iiij.	3. ss.
& <i>Geoffroy una cum</i>			
<i>Praxi bonon.</i>	3. ss.	3. vij.	3. j.
Cremor Tartari pro deobstruente quotidie si aperiendi tantum sit animus, vel cum aliis purgantibus exhibitus loco sti- muli.			
<i>Lancillottus,</i>			
& <i>Geoffroy.</i>	3. ss.	3. j.	3. ij.
Cremor Tartari ad apetitum ciendum.			
<i>Schulzius.</i>	—	3. j.	—
Cremor Tartari chalibeatum.			
<i>Tencke,</i>	gr. viij.	3. j.	3. ss.
& <i>Lemery.</i>	gr. xv.	3. j.	3. ij.
Cristallus præparata.			
<i>Claudinus.</i>	—	3. ss.	3. j.
Cristallus mineralis seu Lapis prunellæ.			
<i>Beguinus.</i>	3. ss.	3. ss.	3. j.
Cristalli Martis.			
<i>Hartmannus.</i>	gr. j.	gr. ij.	gr. iiij.

Cristalli Lunæ pro emetico in pil. forma.

*DeleBoe, Sylvius*  
*cum Schulzio,* gr. ij. gr. jv. gr. vij.  
*& Junckerus.* gr. i. gr. ij. ad iii. gr. jv.

Cristalli Lunares Boyleani.

*Jantkius.* gr. i. gr. ij. ad iii. gr. jv.

Cristallus Jovis.

*Lemery.* gr. ij. gr. jv. gr. vij.

Cristallus Tartari v. Cremor Tartari.

Cristallus Tartari chalibeatus.

*Lemery,* gr. xv. 3. j. 3. ij.  
*& Tencke.* gr. viii. 3. j. 3. ff.

Crocus Auri v. Aurum fulminans.

Crocus Martis adstringens,

*Lancillottus.* gr. v. gr. x. gr. xx.  
*&* — ultra.

Martis aperiens.

*Hoffmannus.* gr. vij. 3. ff. ad gr. xv. 3. j.

Martis Crollij.

*Lancillottus.* gr. jv. gr. viii. gr. xv.  
*Martis Cœlestis.*

*Lemery.* gr. x. 3. j. 3. ij.

Martis Quercetani.

*Lancillottus.* gr. iij. gr. v. gr. x.

Martis antimoniatus Stahlij.

*Jantkius.* gr. ij. gr. jv. ad vj. gr. viii.

Martis sulphuratus.

*Christianus.* 3. ff. 3. j. 3. ff.

Martis Vitriolatus.

*Hoffmannus.* gr. iij. gr. v. ad vj. 3. ff.

Jovis.

*Bateus.* gr. jv. gr. vij. gr. x.

Metallorum nimirum in conf. Rosarum.

*Grulingius, cum* gr. ij. gr. iiij. gr. jv.

*DeleBoe, Sylvio,* cum — aqua vel — vino.

*& Lemery.* gr. ij. gr. vij. gr. viij.

Metallorum Rulandi.

*Junckerus.* gr. ij. gr. vj. gr. viij. Cro-

C O M P . C.

51

*Crocus Metallorum in infuso.*

<i>Hartmannus,</i>	gr. <i>iiij.</i>	gr. <i>vij.</i>	gr. <i>xij.</i>
<i>Jantkius,</i>	gr. <i>iiij.</i>	gr. <i>vij ad viij.</i>	gr. <i>x.</i>
<i>&amp; Fabritius.</i>	—	—	gr. <i>vij.</i>
Metallorum absinthiacus.			
<i>Mynsicht.</i>	—	gr. <i>iiij. ad xv.</i>	gr. <i>v. ad vij.</i>
<i>Solis.</i>			
<i>Barchusen.</i>	gr. <i>j.</i>	gr. <i>v.</i>	gr. <i>xij.</i>





<b>D</b>	A&tyli in decoctione.		
Praxis.	n. jv. ad v.	n. vij. ad viij.	v. x. ad xiij.
Dauci cretici semen in Vino infusum.			
Geoffroy.	3. ff.	3. j.	3. ij.
Dauci vulgaris semen in Vino infusum.			
Idem.	3. ff.	3. j.	3. ij.
Dauci cretici, & Vulgaris semen pul.			
Barchusen,	3. ff.	3. ff.	3. i.
& Claudinus.	usque —	ad —	3. ij.
Dentes Apri limati, & subtilit. pul.			
Christianus.	3. j.	3. ff.	3. j.
Dens Lamiæ pul., & lævigatus.			
Lemery.	3. ff.	3. j.	—
Dens Leonis sive Taraxacum in infuso.			
Christianus.	m. j.	m. ij.	m. iii.
Dentis Leonis sive Taraxaci succus.			
Geoffroy.	3. ff.	3. iiij.	3. xv.
Dictamnus creticus in infuso.			
Idem.	3. j.	3. ij.	3. ff.
Dictamnus creticus in substantia.			
Idem.	3. j.	3. ff.	3. j.
Dictamnus albus pul.			
Idem.	3. ff.	3. j.	3. ij.
Dictamnus albus in infuso.			
Idem.	3. ij.	3. ff.	3. j.
			Doro-

Doronici folia, & flores in infuso.			
Geoffroy.	Pro robustis.	pug. j.	pug. ij.
Dracunculi esculenti radix sicc. & pul.			
Idem.	3. ff.	3. j.	3. ij.
Drachenæ radix pul.			
Lemery.	3. ff.	3. j.	3. ij.
Dulcamarae folia in decocto.			
Barbusen.	m. ff.	m. j.	m. ij.
Dulcamarae lignum in decocto.			
Christianus.	3. j. ad 3. ij.	3. ff.	3. j.



Deco




<b>D</b> ecoctum album Sydenhamij.			
<i>Sydenhamius.</i>	<i>pro</i>	<i>potu</i>	<i>ordinario,</i>
Decoctum Mercurij in aqua Graminis.			
<i>Praxis.</i>	<i>ad</i>	<i>lubi-</i>	<i>tum.</i>
Destillatum Caponis.			
<i>Lemery.</i>	$\frac{3}{2}.$ <i>ff.</i> <i>ad</i> $\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>
Destillatum Caponis Quercetani.			
<i>Idem.</i>	$\frac{3}{2}.$ <i>vj.</i>	$\frac{3}{2}.$ <i>β.</i>	$\frac{3}{2}.$ <i>j.</i>
Destillatum Cornu Cervi recentis			
<i>Idem.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>
Destillatum Canchrorum stuviatilium sine aqua additione, &			
B. M. factum.			
<i>Praxis.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>	$\frac{3}{2}.$ <i>vj.</i>
Destillatum Limacum cum aqua additione per B. M. factum.			
<i>Praxis.</i>	$\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>vj.</i>	$\frac{3}{2}.$ <i>vij.</i>
Destillatum Ranarum.			
<i>Lemery.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>vj.</i>
Destillatum Sanguinis Silli.			
<i>Praxis.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>	$\frac{3}{2}.$ <i>vj.</i>
Destillatum Secundinæ.			
<i>Lemery.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>
Diacassia.			
<i>Colleg. bonon.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>vj.</i>
Diacassia cum Manna.			
<i>Idem.</i>	$\frac{3}{2}.$ <i>β.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ijf.</i>
			Dia-

Diacatholicon.			
<i>Schulzius.</i>	3. ij.	3. ff.	3. j.
Diacarthamum.			
<i>Rondeletius.</i>	3. iff.	3. iiij.	3. vj.
Diacodium sive Syr. Pap. albi.			
<i>Praxis bonon.</i>	3. ff.	3. j.	3. iff.
Diacodium Sydenhamij.			
<i>Sydenhamius.</i>	3. ij.	3. ff.	3. j.
Diacorum.			
<i>Colleg. bonon.</i>	3. iff.	3. iiij.	3. ff.
Diacridium idest Scammonea succo		Cydon. præparata.	
<i>Horstius,</i>	gr. iv.	gr. x.	gr. xv.
& <i>Capellus.</i>	gr. iiij.	gr. x.	gr. xvij.
Diacridium pro stimulo.			
<i>Praxis.</i>	gr. ij.	gr. vj.	gr. viij.
Diacridium glycyrrhisatum.			
<i>Lemery.</i>	gr. vj.	3. ff.	3. j.
Diacridium rosatum.			
<i>Lemery,</i>	gr. vj.	3. ff.	gr. xx.
& <i>Jantkius.</i>	gr. iv.	gr. vj.	3. ff.
Diacridium rosatum Mynsicht.			
<i>Mynsicht.</i>	gr. vj.	gr. xiij. ad xvij.	gr. xx.
Diacridium Sulphuratum.			
<i>Jantkius,</i>	gr. iv.	gr. vj.	ad 3. ff.
& <i>Capellus,</i>	gr. iv.	gr. xiij.	gr. xx.
Diacydonium Solutivum Zvvelf.			
<i>Jantkius.</i>	3. j.	3. ij.	3. ff.
Diamanna.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
Diamargarithon.			
<i>Idem.</i>	3. ff.	3. j.	3. ij.
Diamargaritum simplex.			
<i>Idem.</i>	3. j.	3. iiij.	3. ff.
Diamargarithon simplex.			
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
Diamespillus.			
<i>Colleg. bonon.</i>	3. j.	3. iiij.	3. ff.
Diambra.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.

Diamoron e. g. in 3. xij. aquæ sive hordei sine alicujus.			
Praxis.	pro gar-	garismate.	3. j. ad 3. iff.
Diamoscum dulce.			
Lemery.	3. ss.	3. j.	3. ij.
Diaphenicum.			
Montagnana,	3. j.	3. ij.	3. ss.
& Colleg. bonon.	3. j.	3. iij.	3. vj.
Diaphoreticum Antimonij.			
Christianus.	3. ss.	3. j.	3. ss.
Barchusen,	gr. vj.	3. j.	3. ij.
& Lemery.	gr. vj.	3. j.	gr. xxx.
Diaphoreticum Joviale sive antihecticum Poterij.			
Lemery.	gr. x.	3. j.	3. ij.
& Geoffroy.	3. ss.	3. j. ad 3. ss.	3. j.
Diaphoreticum martiale.			
Christianus.	3. ss.	3. j.	3. ss.
Diaphoreticum maximum Joviale P. Fabri.			
Idem.	gr. iij.	gr. vi.	gr. x.
Diaphoreticum minerale V. Antim. diaphoret. vel diaphoreticum Antimonij.			
—	—	—	—
Diaphoreticum minerale Joviale.			
Lemery.	gr. x.	3. j.	3. ij.
Diaprunum simplex.			
Idem.	3. ss.	3. j.	3. iff.
Diaprunum solutivum.			
Morellus.	3. ij.	3. ss.	3. j.
Diarodon Abbatis.			
Colleg. bonon.	3. j.	3. ij.	3. iv.
Diasenna.			
Montagnana.	3. ij.	3. vj.	3. j.
Diasorbis.			
Praxis.	3. ij.	3. ss.	3. j.
Diasulphur.			
Colleg. bonon.	3. ss.	3. j.	3. ij.
Diatartatum.			
Bateus.	3. j.	3. ij.	3. iij.
Diatragacanthum frigidum.			
Lemery.	3. ss. ad 3. j.	3. ss.	3. j.

Dia-

Diatragacanthum calidum.			
Lemery.	3. j.	3. ij.	3. j.
Diatragacanthum cum bolo.			
Idem.	3. j.	3. ij.	3. j.
Diatragacanthum usuale.			
Capellus.	ad —	lubi-	— tans.
Diaturbith minerale.			
Mynsicht.	—	3. j.	3. ijj.
Dtaco mitigatus seu sublimatum dulce purgans Quercetani.			
Beguinus.	gr. xiij.	gr. xx.	gr. xxx.
Dulcedo Martis.			
Capellus.	gr. iiij.	gr. ix.	gr. xiij.





**E**buli corticis medianæ tum radicis, tum plantæ succus pro purgante.

<i>DeleBoe, Sylvius.</i>	3. j.	3. ij.	3. ss.
Ebuli radicis Cortex recens in decocto.			
<i>Praxis.</i>	3. ij.	3. ss.	3. j.
Ebuli radicis Cortex siccata in infuso.			
<i>Bateus,</i>			
<i>&amp; Junckerus.</i>	3. j.	3. iss.	3. ij.
Ebuli baccar. succus, qui sola decoctione in rob veritetur pro purgante.			
<i>DeleBoe, Sylvius.</i>	—	3. j.	3. ij.
Ebuli semen pro purgante pul.			
<i>Bateus.</i>	3. j.	3. ij.	3. j.
Ebuli semen recens in Vini 3. vi. infusum.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. ss.
Ebuli semen recens in aq. infus. 3. vij.			
<i>Idem.</i>	3. iiij.	3. vij.	3. j.
Ebuli succus pro purgante.			
<i>Bateus.</i>	3. ss.	3. v.	3. vj.
Echinus marinus sic. & pul.			
<i>Christianus.</i>	3. j.	3. ij.	3. j.
Echini terrestris caro sic. & pul.			
<i>Lemery.</i>	3. i.	3. ss.	3. j.
Ebur rafum, & pulverisatum.			
<i>Barchusen.</i>	3. ss. ad 3. j.	3. ss.	3. j.
Ebur rafum in decocto pro alterante.			
<i>Praxis.</i>	3. j.	3. ij.	3. ss.

Ele-

Electrum sive album, sive flavum pul. ac lævigatum.			
Geoffroy.	θ. j.	θ. ij.	θ. iij.
Ellebori nigri radix pul. pro purgante.			
Bateus,	gr. xv.	θ. j.	θ. ij.
& Claudinus.	gr. x.	θ. j.	θ. ijj.
Ellebori nigri radix in infuso.			
Christianus,			
& DeleBoe, Sylvius.	θ. iij.	z. ij.	z. ss.
Ellebori nigri folia in infuso.			
Idem.	θ. iij.	z. ij.	z. ss.
Ellebori nigri folia pul.			
Idem.	θ. ss.	θ. j.	θ. ij.
Endivia in infuso.			
Barchusen.	m. ss.	m. j.	m. ijj.
Endiviae semen in emulsionibus.			
Praxis.	θ. ijj.	θ. iij.	θ. vj.
Endiviae succus pluries in die.			
Geoffroy.	z. ijj.	z. iij.	z. iv.
Enulæ campanæ radix sic. pro decocto.			
Christianus,	θ. ijj.	θ. iij.	θ. vj.
& Praxis.	θ. iiij.	z. ij.	z. ss.
Enulæ campanæ radix recens in decocto pro jusculis, & apo-			
zematisbus.			
Geoffroy.	θ. vj.	z. ss.	z. j.
Enulæ campanæ radix pul.			
Idem.	θ. j.	θ. iij.	θ. vj.
Epithymum pul. pro purgante.			
DeleBoe, Sylvius,			
& Morellus cum	θ. iiij.	θ. vj.	θ. jx.
Junckero.	θ. ijj.	θ. vj.	z. ss.
Epithymum in infuso pro purgante.			
DeleBoe, Sylvius,	θ. vj.	z. vj.	z. j.
& Sinnertus.	z. ss.	z. j.	z. ij.
Equisetum in infuso.			
Barchusen.	m. ss.	m. j.	m. ijj.
Equiseti succus.			
Geoffroy.	z. ss.	z. j.	z. ij.
Equiseti radix in substantia.			
Geoffroy.	θ. j.	θ. ij.	θ. iij.

Erysimi semen pul.			
Idem.	3. j.	3. ij.	3. iii.
Erysimi folia in infuso.			
Idem.	m. ss.	m. j.	m. ii.
Eringij radix recens in decocto.			
Christianus.	3. ss.	3. j.	3. ij.
Erucæ folia in infuso pro apozemate, & pro alterante.			
Praxis.	p. i.	p. ij.	p. iii.
Erucæ semen pul.			
Praxis.	at —	finapi —	semen.
& Geoffroy.	gr. viii.	gr. xv.	gr. xx.
Esulæ radix præparata, dein siccata, & pul. pro purgante.			
Geoffroy, & Boerhaave.	3. j.	3. ij.	3. iii.
Lactantibus			
gr. iii. ad viii.			
in infuso			
gr. vi. ad xvij.			
Esulæ radix præparata, & sicc. in infuso pro purgante.			
Geoffroy.	3. iss.	3. iii.	3. vij.
Esulæ cortex radicis pul. pro purgante.			
Bateus,	gr. vij.	3. ss.	gr. xv.
& DeleBoe, Sylvius.	gr. vij.	gr. x.	gr. xiij.
Esulæ radicis cortex in infuso pro purgante.			
Praxis.	3. ss.	3. j.	3. ij.
Esulæ succus idest Lac pro purgante.			
DeleBoe, Sylvius.	—	gut. iii.	ad viij.
Esulæ semen vehementem catharsim movent.			
Geoffroy.	—	n. x.	n. xiij.
Euphorbium pro purgante phlegmagogo.			
DeleBoe, Sylvius,	gr. ij.	gr. vij.	gr. viij.
Bateus.	gr. iiij.	gr. vij.	gr. xiij.
& Horstius.	gr. i.	gr. iiij.	gr. viij.
Euphrasia pul.			
Geoffroy.	3. j.	3. ij.	3. iii.
Euphrasia in infuso.			
Christianus.	m. j.	m. ij.	m. ii.
Eupatorium vulgare canabini folij in infuso?			
Geoffroy.	ut Thea sæpius in die propinetur.		
Eupatorijs succus defœcatus.			
Idem.	3. j.	3. ij.	3. iii.
			Ebus



# F

Bur calcinatum pul., ac lævigatum.			
Praxis,	ac Cornu	Cervi	ustum.
& Jantkius.	θ. ss.	θ. i.	θ. iss.
Elaterium seu extractum Cucumeris asinini.			
Bateus	gr. j.	gr. ij.	gr. iii.
Barchusen,	gr. ss.	gr. j.	gr. iv.
& Boerhaave.	Lactantibus		
	gr. ss.	gr. vij.	gr. xiij.
	aliis gr. j.		
Junckerus,	gr. iv.	gr. vij.	gr. x.
& DeleBoe, Sylvius.	gr. ij.	gr. iiij. adjv.	gr. vij.
Elleborus niger præparatus, ac pul.			
Capellus.	3. j.	3. ij.	3. iii.
Electuarium Adstringens.			
Fuller.	3. iss.	3. iii.	3. ss.
	Benedicta laxativa in Clystere.		
Poterius.	3. ij.	3. β.	3. j.
	Benedicta laxativa.		
Colleg. bonon.	3. j.	3. iiij.	3. vij.
	Cardiacum calidum ter in die.		
Fuller.	3. j.	3. ij.	3. ss.
	Catharrale brandenburg.		
Schulzins.	3. ij.	3. ss.	3. j.
	Catholicum.		
Jantkius.	3. j. ad 3. ij.	3. ij. ad 3. iiij.	3. ss.
	De Citro solutivum.		
Lemery.	3. j.	3. ss.	3. vij.
			Elo.

## Electuarium Colagogum Quercetani.

<i>Idem.</i>	3. ij.	3. β.	3. vi.
Colagogum seu Diaprun. Sylvij.			
<i>Idem.</i>	3. j.	3. ij.	3. ff.
Contra Abortum bis in die.			
<i>Fuller.</i>	—	3. ff.	—
Diacarthami.			
<i>Wedelius.</i>	—	3. ff.	—
Diacastoreum.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
Diacori.			
<i>Sculzius.</i>	3. ij.	3. ff.	3. j.
Diacatholicon.			
<i>Idem.</i>	3. ij.	3. ff.	3. j.
Diasatirion.			
<i>Schalzius.</i>	—	3. iij.	3. ff.
Diascordij Fracastorei pro paregorico.			
<i>Schroderus.</i>			
& <i>Capellus.</i>	3. ff.	3. j.	3. vj.
Diafenicon Mesues.			
<i>Poterius.</i>	3. ij.	3. ff.	3. j.
Diaprunum simplex.			
<i>Lemery.</i>	3. β.	3. j.	3. iff.
Diaprunum Sylvij.			
<i>Idem.</i>	3. j.	3. ij.	3. ff.
Diacydonium simplex.			
<i>Colleg. bonon.</i>	3. ij.	3. ff.	3. j.
Elescoph.			
<i>Poterius.</i>	3. ij.	3. xv. ad vj.	3. x.
Ad fluorem album Sydenhamij.			
<i>Fraundorffer.</i>		Ad magnit. nucis mosc. maj. mane, hora V. pomeridiana, & nocte per mensam.	
Pro Gravidis.			
<i>Schulzius.</i>	—	3. vj.	3. j.
Hjeræ pic. Galeni.			
<i>Poterius.</i>	3. vj.	3. ff.	3. j.
Humain.			
<i>Colleg. bonon.</i>	3. j.	3. ij.	3. iiij.
Hydragogum.			
<i>Zwelfer.</i>	3. j.	3. ij.	3. iiij.
			Ele-

Electuarium Hydragogum.	Willis.		
Jantkius.	3. j.	3. ij.	ad 3. ff.
Hydragogum Sylvij.			
Fraundorffer.	3. ij.	3. iii.	3. β.
Hydropicum Mynsicht.			
Jantkius.	3. j.	3. ij.	3. β.
Letificans.			
Lemery.	3. j.	3. ij.	3. iii.
Lenitivum Pharmac. paris.			
Idem.	3. ff.	3. j.	3. ijj.
Lenitivum Florenzolæ.			
Sculzius.	3. iiij.	3. j.	3. ij.
Lenitivum usuale.			
Capellus.	3. ff.	3. j.	3. ijj.
De limato Chalbe tertio.			
Colleg. bonon.	—	3. ff.	—
Ad Memoriam debilem Met.			
Fraundorffer.	3. ff.	3. iiij.	3. vj.
De Manna.			
Schulzius.	3. ij. ad iiij.	3. j. &	ultra.
Martis.			
Fuller.	—	3. iiij.	mane, & quarta pomeridiana quotidie.
Netij.			
Praxis.	3. j.	3. j.	3. ijj.
Opiatum Rhenodei.			
Capellus.	3. iiij.	3. vij.	3. ix.
Orvietanum.			
Schulzius.	3. ijj.	3. iiij.	3. vj.
De Ovo Jo. Bapt. Gemmæ.			
Schulzius.	3. vj.	3. xv.	3. j.
Panchymag.	Zvvelfer.		
Jantkius.	3. j. ad ij.	3. ij. ad iiij.	3. ff.
Peruvianum Epileptic.	Fulleri.		
Allen.	3. j.	3. ij.	3. iii.
per tres — vel quatuor			menses.
Ad Pestem Cratonis.			
Fraundorffer.	3. ijj.	3. iiij.	3. ijj.
Contra Phthyfin.			
Schulzius.	3. iβ.	3. iiij.	& ultra. Ele.

## Electuarium De Prunis lenitivum.

<i>Idem.</i>	3. ij.	3. v.	3. j.
De Psilio Montagnanæ.			
<i>Idem.</i>	3. ij.	3. ff.	3. j.
De Rhabarbaro Mes.			
<i>Lemery.</i>	3. iij.	3. vij.	3. jx.
Rosatum Mes.			
<i>Colleg. bonon.</i>	3. vij.	3. v.	3. vij.
Schenckij.			
<i>Fraundorffer.</i>	3. jj.	3. iii.	3. vij.
Scorbuticum calidum.			
<i>Fuller.</i>	—	3. ff. bis —	in die.
Scorbuticum temperatum.			
<i>Idem.</i>	in eadem	—	Dofsi.
De succo Rosarum.			
<i>Barchusen.</i>	3. iff.	3. iff.	3. β.
& <i>Capellus.</i>	3. iiij.	3. vij.	3. jv.
Terebinthinatum bis in die.			
<i>Fuller.</i>	3. iij.	3. vij.	3. jx.
De Tribus.			
<i>Capellus.</i>	3. β.	3. i.	3. iff.
Vermifugum.			
<i>Bateus.</i>	3. ij.	3. jv.	3. ij.
Zinziberis bis in die.			
<i>Fuller.</i>	quantum —	nucistæ.	—
Elaeolacchara quæcunque.			
<i>Christianus.</i>	gr. vij.	3. ff.	3. j.
Elixir Anticolicum Schenckij.			
<i>Fraundorffer.</i>	—	gut. xxv.	gut. xxx.
Antifebrile Wedelij.			
<i>Schulzius.</i>	gut. xxv.	xxx.	gut. xL.
Antiscorbuticum.		—	ultra.
<i>Hoffmannus.</i>	gut. x.ad xv.	gut. xxxx.	gut. L.
ad xxxx.			
Antiepilepticum Cratonis.			
<i>Lemery.</i>	3. iff.	3. iiij.	3. jx.
Antiepilepticum insigne.			
<i>Idem.</i>	gut. jv.	gut. xv.	gut. xx.
			Elixir

Elixyr Aperitivum Clauderi.

*Capellus.* gut. vj. gut. xx. gut. xxx.

Aperitivum Claudini.

*Jantkius.* gut. xx ad xv. gut. xxx. ad xl. gut. L.  
ad Lx.

Apopleticum.

*Lemery.* gut. jv. gut. xij. gut. xx.

Absinthiacum Cnoffelij.

*Fraundorffer.* gut. x. gut. xv. gut. xx.

Asthmaticum Zwelfferri.

*Lemery.* 3. iii. 3. vij. 3. iii.

Camphoratum Batei.

*Bateus.* gut. vj. gut. xv. 3. i.

Camphoræ sive Spiritus Vini camphoratum.

*Lemery.* gut. vj. gut. xij. gut. xx.

Cinnamomi.

*Fraundorffer.* gut. iii. gut. vij. gut. xv.

Cinnamomi Stomachicum.

*Fuller.* gut. v. gut. xv. gut. xx.

Ducalis.

*Capellus.* 3. i. 3. ii. 3. iv.

Garyophyllaceum.

*Idem.* gut. v. gut. xv. gut. xx.

Guttæ Angelicæ Regiæ.

*Lemery.* gut. jv. gut. xij. gut. xx.

Martis.

*Bateus.* gut. v. gut. x. gut. xv.

Proprietatis Paracelsi. c. a.

*Capellus.* gut. jv. gut. viij. gut. xij.

Proprietatis Paracelsi. s. a.

*Idem.* gut. viij. gut. xv. gut. xxx.

Proprietatis Antiscorbuticum.

*Schulzins.* gut. x. gut. xxx. gut. xl.

Proprietatis Rhabarbarinum.

*Knucker.* 3. ff. 3. i. 3. ii. &

ultra.

Pestilentialis Crollij ad præcavendum.

*Schulzins.* — gut. j. gut. ij.

alias gut. vij. gut. x.

## Elixyr Vitæ Donzelli.

<i>Donzellus.</i>	—	aliquot	guttæ.
Vitæ Helmontij.			
<i>Barchusen.</i>	gut. vj.	3. j.	3. ij.
Vitæ Matthioli.			
<i>Schulzius.</i>	3. j.	3. ij.	3. j.
Vitæ Fioravanti.			
<i>Lemery.</i>	3. ff.	3. j.	3. ii.
Vitæ Quercetani.			
<i>Lemery.</i>	3. j.	3. ij.	3. iii.
Vitæ Uterinum Crollij.			
<i>Capellas.</i>	—	gut. x.	gut. xxx.
Vitæ Vitrioli Mynsicht.			
<i>Schulzus.</i>	gut. iv.	3. ff.	3. j.
Emulsiō Warlophij, videlicet. Rx. sem. melon. 3. ff. aquæ Vio-			
lar. aut fontis lib. 1. n. fiat emulsiō, cui adde Unicornu-			
veri, bezoar min., nitri an. 3. j. camphoræ rasæ 3. ij.			
sacchari q. s. ad gratiam.			
<i>Comerc. litter. norim-</i>			
berg. 1734. pag.		ad duo Cochlearia singulis biboriis	
259.		danda est.	
Emulsiō cannabina.			
Mynsicht.	—	3. ij.	3. iii.
Ens Veneris.			
<i>Bateus.</i>	gr. iv.	gr. viii.	gr. xii.
Ens Veneris Bojlei,			
<i>Bojleus.</i>	gr. ij. ad iij.	usque ad x.	& xij., &
	aliquando	usque ad xx.	ad xxx.
Epar Antimonij pul.			
<i>Lemery.</i>	gr. ij.	gr. vi.	gr. viii.
Epar Antimonij in Vino infusum pul. pro Vino emeticō 3. j.			
3. ij. 3. iii.			
<i>Idem.</i>	3. j.	3. ij.	3. j.
<i>Vini Dosis.</i>	3. j.	3. ij.	3. ii.
Eringij radix saccharo condita.			
<i>Mefues.</i>	3. ij.	3. j.	3. ij.
Effentia aperitiva Michaelis.			
<i>Fraundorffer.</i>	gut. x.	gut. xxx.	gut. xl.
Camphoræ in spiritu vini facta.			
<i>Christianus.</i>	gut. vi.	gut. xii.	Coch. j. Essen-

## Essentia Castorei.

Jantkius. gut. x. ad xv. gut. xxx. gut. xL.  
ad L.

Citri sine igne facta.

Lemery. gut. j. gut. ij. gut. iij.

Helenij in spiritu vini facta.

Christianus. gut. x. gut. xx. Coch. ff.

Ligni aloes.

Jantkius. gut. x. ad xv. gut. xxx. gut. xL.  
ad L.

## Myrrhæ.

Idem. gut. ij. gut. vij. gut. xv.

Lithontriptica Cnofelij.

Fraundorffer. Cobc. ff. Coch. j. Coch. if.

Regia composita.

Idem. gut. iij. gut. vij. gut. xv.

Extractum Absinthij pontici.

Praxis. 3. j. 3. ij. 3. iij.

Absinthij Romani.

Geoffroy. 3. j. 3. iff. 3. iij.

Agarici.

Tencke. 3. ff. 3. j. 3. iff.

& Junckerus. 3. ff. 3. j. 3. iff.

Aloes.

Colleg. bonon. gr. xv. 3. ij. 3. iij.

& Capellus. gr. x. 3. j. gr. xxx.

Aperitivum Mynsicht.

Mynsicht. 3. ff. 3. β. 3. j.

Aperitivum.

Lemery. gr. x. 3. j. 3. ij.

Angelicæ radicis.

Praxis. 3. ff. 3. j. 3. iff.

Asari pro emetico.

Jantkius. — gr. xv. 3. j.

Baccarum Cupressi.

Praxis. 3. j. 3. iff. 3. iij.

Baccarum Ebuli.

Christianus. 3. ff. 3. j. 3. ff.

Baccarum Juniperi.

Lemery. 3. j. 3. ij. 3. iij.

## Extractum Baccarum Sambuci.

<i>Praxis.</i>	3. ff.	3. j.	et ultra.
Balsami Peruviani.			
<i>Jantkins.</i>	gut. x. ad xv.	gut. xxx.	gut. xL, ad L.
Beccabungiæ.			
<i>Geoffroy.</i>	θ. j.	θ. ij.	θ. iij.
Brioniæ radicis.			
<i>Idem.</i>	θ. β.	3. ff.	3. j.
Caccarillæ.			
<i>Idem.</i>	gr. iiij.	gr. vj.	gr. viij.
Camedrios.			
<i>Christianus.</i>	θ. ff.	θ. j. ad 3. β.	3. j.
Cardui benedicti, & similium.			
<i>Geoffroy.</i>	θ. ff.	θ. j.	3. β.
Catholicum Francofurt.			
<i>Tencke.</i>	gr. ij. ad vj.	gr. x. ad xvj.	θ. j.
Catholicum Paracelsi.			
<i>Ernestus.</i>	gr. ij. ad vj.	gr. x. ad xvj.	θ. j.
Casumarax Anglorum.			
<i>Geoffroy.</i>	gr. vj.	gr. x.	gr. xv.
Castorei.			
<i>Barbusen,</i>	gr. j.	gr. v.	θ. ff.
& <i>Praxis.</i>	gr. iv.	gr. viij.	θ. ff.
Centaureæ minoris.			
<i>Christianus.</i>	θ. β. θ. j.	θ. iff.	θ. iij.
Chalybis.			
<i>Bateus.</i>	θ. j.	3. β.	3. j.
Chinæ Chinæ.			
<i>Lemery.</i>	gr. xiij.	θ. j.	3. ff.
Cinnamomi.			
<i>Praxis.</i>	θ. ff.	θ. j.	θ. iff.
Cichoreæ Sylvestris.			
<i>Geoffroy.</i>	θ. β.	θ. iff.	θ. iij.
Cochleariæ.			
<i>Praxis.</i>	θ. ff.	θ. j.	θ. ij.
Colocynthidis in aq. factum, & stimuli loco datum.			
<i>Barbusen,</i>	gr. ff.	gr. j.	gr. iv.
& <i>Praxis.</i>	gr. i.	gr. ij.	gr. iv.

Extra.

Extractum Colocynthidis ut supra loco purgantis.

*Schulzius.* gr. ij. ad iiij. gr. vj. gr. x.

Colocynthidis in Vino factum pro basi.

*Colleg. bonon.* gr. vi. 3. ff. 3. i.

Croci.

*Barchusen.* gr. j. ad ij. gr. v. 3. f.

Cucumeris Asinini pro basi.

*Barchusen.* gr. ff. gr. j. gr. xv.

*Bateus,* & gr. j. gr. ij. gr. iiij.

*Wedelinus.* minor — Dosis gr. v.

Cucumeris Asinini stimuli loco.

*Geoffroy.* gr. ff. gr. i. gr. ij.

Diacarthami.

*Tencke.* gr. xv. 3. ff. 3. i.

Ebuli radicis pro purgante.

*Junckerus.* 3. i. 3. ij. 3. iiij.

Enulæ campanæ.

*Geoffroy.* 3. i. 3. iff. 3. iiij.

Efulæ.

*Tencke.* 3. ff. 3. iff. 3. iiij.

Efulæ in Vino vel in spiritu vini factum.

*Geoffroy.* 3. ff. 3. i. 3. iff.

Euphorbij.

*Tencke.* gr. xv. gr. x. gr. xv.

Elaterij v. Cucum. Asinini.

— Febrifugum. — — — —

*Bateus.* 3. ff. 3. i. 3. iff.

Florum Calendulæ.

*Geoffroy.* 3. iff. 3. iiij. 3. vj.

Florum Camomillæ.

*Praxis.* 3. i. 3. ij. 3. iiij.

Florum hyperici.

*Eadem.* 3. i. 3. ij. 3. iiij.

Florum Papaveris rubri.

*Eadem.* 3. ff. 3. iff. 3. ij.

Gentianæ rad.

*Geoffroy.* 3. ff. 3. i. 3. ij.

Hermodactylorum.

*Junckerus.* 3. i. 3. ij. 3. i. Extra

Extractum Hederæ terrestris.

<i>Christianus.</i>	3. ff. ad 3. j.	3. ff.	3. j.
	Hellebori nigri in aq. pluv. paratum.		
<i>Geoffroy.</i>	gr. xij.	3. j.	3. ff.
	Hellebori nigri in Vino paratum.		
<i>Colleg. bonon.</i> ,			
<i>&amp; Junckerus.</i>	gr. v.	3. ff.	3. j.
	Hellebori nigri loco stimuli in melangolicis, matia-		
	cis, morbis capitis gravioribus, quartana, & aliis		
	rebellibus locum habet.		
<i>Wedelius.</i>	—	gr. v.	3. ff.
	Jalappæ.		
<i>Tencke.</i>	gr. iiij.	gr. vij.	3. ff.
	Iridis nostratis.		
<i>Schulzius.</i>	gr. vij.	gr. xv.	3. j.
	Ivæ arteticæ, & similiūm.		
<i>Christianus.</i>	3. ff. ad 3. j.	3. ff.	3. j.
	Lapidis Lazuli.		
<i>Hartmannus.</i>	gr. vij.	3. ff.	3. j.
	Ligni Sancti.		
<i>Claudinus.</i>	—	3. ff.	3. j.
	Ligni Sancti in spiritu vini factum.		
<i>Donzellus.</i>	3. ff.	3. β.	3. j.
	Ligni sassafras.		
<i>Praxis.</i>	3. j.	3. iiij.	3. j.
	Lentisci ex Chio.		
<i>Eadem.</i>	ut —	su. —	pra.
	Ligni Visci quercini.		
<i>Colleg. bonon.</i>	3. j.	3. iiij.	3. iiij.
	Maracostinum.		
<i>Schulzius.</i>	3. ff.	3. β.	& ultra,
	plus — minus —		ue.
	Martis adstringens.		
<i>Lemery.</i>	gr. x.	3. j.	3. iiij.
	Martis aperitivum. Mgnſicht.		
<i>Capellus.</i>	3. β.	3. ff.	3. j.
	Melissæ.		
<i>Idem.</i>	3. j.	3. iiij.	3. j.
	Menthæ, & similiūm.		
<i>Praxis.</i>	3. β. ad 3. j.	3. ff. ad 3. iiij.	3. j.
	Extra-		

## Extractum Mechian.

<i>Tencke.</i>	gr. xv.	3. ff.	3. j.
	Myrrhæ in spiritu vini factum.		
<i>Christianus.</i>	gr. ij.	gr. v.	3. ff.
	Myrobalanorum.		
<i>Tencke.</i>	gr. xv.	3. ff.	3. i.
	Nasturtij aquatici.		
<i>Christianus.</i>	3. ff. ad 3. j.	3. ff.	3. j.
	Nicotianæ.		
<i>Schulzius.</i>	gr. ij.	gr. v.	gr. vij.
	Omphatij.		
<i>Praxis.</i>	3. ff.	3. i.	3. ijj.
	Opj.		
<i>Schulzius.</i>	gr. ff.	gr. i.	gr. ijj.
	Panchimagogum.		
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
	Panchimagogum Crollij.		
<i>Jantkius.</i>	3. ff.	3. i.	3. ff.
	Panchimagogum Hartmanni, Crollij, Quercet., schrod., & Glander.		
<i>Tencke.</i>	3. ff.	3. i.	3. ij.
	Plantaginis cum floribus hyperici.		
<i>Praxis.</i>	3. i.	3. ijj.	3. i.
	Plantarum vulgarium.		
<i>Junckerus,</i>			
& <i>Christianus.</i>	Dosis	— que	— supra.
	Radicis Angelicæ.		
<i>Praxis.</i>	3. ff.	3. i.	3. ff.
	Radicis Consolidæ majoris.		
<i>Donzellus,</i>	—	3. i.	—
& <i>Praxis.</i>	3. ff.	3. i.	3. ff.
	Radicis Gentianæ.		
<i>Idem.</i>	3. i.	3. ijj.	3. i.
	Radicis Pœoniæ.		
<i>Praxis.</i>	3. ff.	3. ff.	3. ijj.
	Radicis Polipodij.		
<i>Colleg. bonon.</i>	3. ff.	3. i.	3. ijj.
	Radicis Salsæ perillæ.		
<i>Ipsum Colleg.</i>	gr. xvij.	3. ff.	3. i.
	Radis Scorzoneræ.		
<i>Praxis.</i>	3. ff. ad 3. i.	3. ff.	3. i. Ex.

<b>Extractum Radicis Tormentillæ.</b>			
<i>Christianus.</i>	3. ff. ad 3. j.	3. ff.	3. i.
Rhabarbari.			
<i>Capellus cum</i>			
<i>Junckero.</i>	gr. x.	3. j.	gr. xxx.
<i>Grulingius.</i>	gr. xv.	3. j.	3. ff.
<i>Lancillottus,</i>	gr. xv.	3. ff.	3. j.
& Lemery.	gr. x.	3. ff.	3. ij.
Ribesorum.			
<i>Praxis.</i>	ad instar — illud	—	Omphatij.
Rosarum.			
<i>Poterius.</i>	3. j.	3. ff.	3. j.
Rubiæ Tinctorum radicis.			
<i>Praxis.</i>	3. j.	3. ij.	3. j.
Sabinæ in Vino factum.			
<i>Eadem.</i>	—	3. j. ad 3. ff.	3. ij.
Sabinæ in aqua paratum.			
<i>Junckerus,</i>			
& Christianus.	3. j.	3. ff.	3. j.
Salsæ perillæ,			
Colleg. bonon.	gr. xvij.	3. ff.	3. j.
Scammonij.			
Tencke.	gr. v.	3. ff.	gr. xv.
Sennæ or.			
<i>Poterius.</i>	—	Corb. ff.	—
Colleg. bonon.,	3. j. ad 3. ff.	3. j.	3. iff.
& Lancillottus.	3. ff.	3. jv.	3. ij.
Glycyrrhysæ.			
<i>Praxis.</i>	pro	eclegma —	te.
Turpethi.			
<i>Grulingius.</i>	3. ff.	3. j.	3. ff.
Vincetoxicæ.			
<i>Geoffroy.</i>	3. ff.	3. j.	3. iff.
Urticæ.			
<i>Praxis.</i>	3. j.	3. ij.	3. j.
Urucu.			
<i>Lemery.</i>	gr. xvij.	3. ff.	3. j.
Utherinum specificum.			
<i>Myrsicht.</i>	—	3. j.	3. ff.



<b>F</b>	Aba S. Ignatij ad Vomitum excitandum.			
Lemery.	gr. <i>iij.</i>	gr. <i>viiij.</i>	gr. <i>xij.</i>	
Faba S. Ignatij, si non sit Vomitus ciendus.				
Geoffroy.	gr. <i>i.</i>	gr. <i>iiiij.</i>	gr. <i>ix.</i>	
Faba S. Ignatij pro antifebrile.				
Jantkius.	—	—	—	—
Farina hordei pro pulmento conficiendo ad instar fœcul. Saxonie.				
Praxis.	3. <i>ij.</i>	3. <i>ff.</i>	3. <i>j.</i>	
&	—	ampli-	—	us.
Farina Oryzæ pro ut supra dictum est.				
Eadem.	3. <i>ij.</i>	3. <i>ff.</i>	3. <i>i.</i>	
&	—	ampli-	—	us.
Fel Vipéræ sic. & pul.				
Jantkius.	—	—	—	—
Fel Anguillæ sic. & pul.				
Jantkius.	—	—	—	—
Foeniculorum radicum Cortices sicc. in decoct.				
Christianus.	3. <i>j.</i>	3. <i>ij.</i>	3. <i>ff.</i>	
Foeniculorum radicum Cortices pul.				
Geoffroy.	—	—	—	—
Foeniculi semen in infuso.				
Praxis.	3. <i>ff.</i>	3. <i>ff.</i>	3. <i>i.</i>	
Foeniculi semen in substantia.				
Christianus.	3. <i>i.</i>	3. <i>ff.</i>	3. <i>i.</i>	

Fœniculi semen saccharo confectum.

*Praxis.* 3. ij. 3. ss. 3. j.

Fœniculorum radicum succus.

*Geoffroy.* saccharo — edulcatus. 3. jv.

Filicis maris radix in substantia. Pro cæteris fœmina præ mar  
scepius elicetur.

*Idem.* — 3. j. — Filicis fœminæ radix in pul. redacta, & in aqua mulsa lumbri-  
cos tutò enecat.

*Paulus.* ad 3. j. —

Filicis maris, & fœmin. radix recens in dec.

*Christianus.* 3. ss. 3. j. 3. ij.

Filicis floridæ seu Osmundæ regalis pars illa radicis media sub  
candida pul.

*Praxis.* 3. j. ad 3. ss. 3. ss. ad 3. j. 3. j. ad 3. ij.  
Filicis floridæ seu osmundæ regalis pars recens ut supra assignata  
pro decocto.

*Christianus.* 3. ss. 3. j. 3. ij.

Filicis floridæ &c. summitates fructif. pro decocto in lacte quo-  
tidie summendo.

*Geoffroy.* m. j. —

Ficus passæ in decocto.

*Idem,* n. ij. n. v. n. vi.

& Junckerus. n. ij. n. iii. n. xv.

Filipendulæ radix pul.

*Paulus.* — 3. j. —

Filipendulæ radix in decocto.

*Christianus.* 3. j. 3. ij. 3. ss.

Flambues succus in apozematibus, vel in aqua dilutus.

*Idem.* 3. ij. 3. ss. 3. j.

Flores Borag., Acac., Anthos, buglossi, & similes præscribun-  
tur.

*Junckerus.* pug. i. pug. ii. m. ss.

Flores Nimpheæ siccati in infuso.

*Christianus.* pug. i. pug. ii. m. ss.

Flores Papaver. rubr. siccati in infuso.

*Praxis.* ut Thea — adhibeantur.

& Junckerus. pug. i. pug. ii. m. ss.

Flores Papaver. rubr. siccatae & pulverisatae.

*Praxis.* 3. ss. ad 3. j. 3. j. ad 3. ij. 3. ss. ad 3. j.

Fla-

Florum Persicorum succus defoecatus.			
Geoffroy.	3. ff.	3. j.	3. ij.
Flores Persicor. in vino inf. per noctem ad alvum laxandam & vomitum movendum.			
Sennertus.	m. j.	m. ijj.	
Flores Violarum vernal. sicc. in infuso.			
Praxis,	ut Thea — usurpen — tur.		
& Junckerus.	pug. j.	pug. ij.	m. ff.
Flores Violarum vernal. sicc. & pulver.			
Praxis.	3. ff. ad 3. j.	3. i. ad 3. ij.	3. β. ad 3. j.
Florum Violar. dictarum succus pro purgante.			
Bateus.	3. j.	3. ij.	3. ij.
Folia Auri.			
Claudinus.	gr. jv.	gr. viij.	3. ff.
Fragariæ radix in decocto.			
Christianus.	3. j.	3. ij.	3. ff.
Fragariæ succus defoecatus.			
Praxis.	3. j.	3. ij.	3. ijj.
Fragariæ folia sive in decocto, sive in infuso.			
Barchusen.	m. ff.	m. j.	m. ijj.
Frangulæ cortex interna radicis pul. pro purgante.			
Schroderus,	3. i.	3. jv.	3. ij.
& Bateus.	3. i.	3. ijj.	3. ij.
Fraxinellæ radix seu rad. dict. albi pul.			
Geoffroy.	3. ff.	3. j.	3. ij.
Fraxinellæ radix in infuso.			
Idem.	3. ij.	3. ff.	3. j.
Fraxini Ligni Calix capacitatis 3. vi vel viij.			
Veterorum non nulli.	Vinum per noctem infundebant, & mane id dabant ad potandum.		
Fraxini cortex rec. ramorum, ac Fraxini Lignum pro decocto.			
Praxis.	3. ff.	3. j.	3. ij.
Fraxini cortex sive ramor. sive radicum pul.			
Juncker s.,	3. β.	3. j.	3. β.
& Christianus.	3. j.	3. ij.	3. i.
Fraxini semen pulverisatum.			
Geoffroy.	3. j.	3. ij.	3. j.
Fuligo cristallina pul.			
Lemery.	gr. xij.	3. j.	3. ij.

Fumariæ succus pro leniente,			
Hoffmannus.	3. v.	3. x.	3. xij.
Fumariæ succus defœcatus pro alterante,			
Montagnana	3. j.	3. ij.	3. iiii.
Geoffroy, &	3. ii.	3. ii.	3. viii.
Praxis.	3. j.	3. ii.	3. iii.
Fumaria recens in decoctione levi.			
Christianus.	m. j.	m. ij.	m. iii.
Fumaria, & similes pul.			
Idem.	3. ff.	3. f.	3. ij. &
		vix	ultra.
Fungus militensis pul.			
Boccon.	3. ff.	3. j.	& ampliss.
	vino vel —	juscule	dilutus.
Fungus militensis minutum sextus pro infusis vel pro apozematibus,			
Praxis.	3. j.	3. ii.	3. i.



COM



<b>F</b> œcula Aronis.			
Barbusen,	gr. v.	gr. xij.	3. ff.
& Praxis.	3. ff.	3. j.	3. ff.
Brioniæ.			
<i>Idem.</i>	Doses — us —		supra.
Cyclaminis.			
Christianus.	gr. xv.	3. ff.	3. i.
Iridis nostratis.			
<i>Idem.</i>	gr. xv.	3. ff.	3. t.
Radicis Peconiæ.			
Praxis.	3. ff.	3. j.	3. ff.
Tritici seu Amyli, & similium.			
<i>Eadem.</i>	3. ff.	3. ff.	3. j.
Fœniculi semina saccharo condita.			
<i>Eadem.</i>	3. ij.	3. ff.	3. j.
Fœrculum Saxonæ, ex farinæ hordei lib. iij. sacch. finiss. totidem, & s. a. factum fœrculum in cibano, ut ab Hercul. Saxon. &c.			
<i>Eadem.</i>	3. ff.	3. j.	3. ij.
Fœrculum Vulgare cum radice Chinæ.			
Capellus.	3. ff.	3. j.	3. ij.
Flores Antimonij pro emetico.			
Junckerus.	gr. j.	gr. ij.	gr. xv.

Flores Antimonij pro ægro robusto.

<i>Poppius.</i>	—	gr. ij.	gr. v.
<i>Bateus.</i>	gr. ff.	gr. ii.	gr. jv.
<i>Tencke.</i>	gr. i.	gr. iv.	gr. vij.
Flores Antimonij correcti.			
<i>Hartmannus.</i>	gr. ii.	gr. v.	gr. vj. ad vij.
Flores Antimonij albi vomitorij.			
<i>Barchusen.</i>	gr pars sexta.	gr. i.	gr. iii.
Flores Antimonij albi vomitorij, rubri, ac colorati.			
<i>Beguinus.</i>	gr. ff.	gr. ii.	gr. iii.
Flores Antimonij albi, rubri, & colorati correcti ut Beguinus docet.			
<i>Idem.</i>	gr. iii.	gr. vj. ad vij.	gr. viij. ad x.
Flores Antimonij diaphoretici.			
<i>Bateus.</i>	gr. ff.	gr. ij.	gr. iv.
Flores Antimonij rubri.			
<i>Lemery.</i>	gr. i.	gr. ii.	gr. iv.
Flores Argentei Antimonij seu nix reguli Antimonij.			
<i>Idem.</i>	ff. i.	3. i.	3. ij.
Flores Auri.			
<i>Beguinus.</i>	gr. i.	gr. iiij.	gr. vj.
<i>&amp; Mangetus.</i>	gr. ij.	gr. vj.	gr. jx.
Flores Benzues.			
<i>Geoffroy.</i>	gr. iiij.	gr. viij.	gr. xij.
<i>&amp; Junckerus.</i>	gr. iv.	gr. viij.	ff. ff.
<i>Mullerus in Peste.</i>	ff. i.	ff. ij.	3. i.
Flores Calcanthi.			
<i>Colleg. bonon.</i>	gr. vj.	ff. ff.	ff. ff.
Flores Cassiae recenter tracti &c. pro purgante.			
<i>Geoffroy.</i>	3. ij.	3. i.	3. iff.
Flores Cassiae rec. tracti in alvo styptica cum cena, vel ante prandium.			
<i>Redi.</i>	quotidie	3. ij.	—
Flores Cassiae rec. tracti per intervalla purgare.			
<i>Praxis.</i>	3. i.	3. ij.	3. iiij.
Flores Cassiae in Clystere.			
<i>Schroderus.</i>	3. i.	3. iff.	3. ij.
Flores Entis Veneris.			
<i>Lemery.</i>	gr. vj.	ff. ff.	ff. ff.

## Flores Joviales in utheri suffocatione.

Bateus.	—	gr. ij.	gr. vi.
Flores Nitri.			
Mynsicht.	θ. ff.	3. ff.	3. j.
Flores Nitri fixi.			
Christianus.	gr. ij. ad v.	gr. x.	gr. xv.
Flores reguli Antimonij seu nix Antimonij.			
Lemery.	gr. ij.	gr. jv.	gr. vj.
Flores Salis.			
Bateus.	gr. vj.	gr. xij.	θ. j.
Flores Salis Ammoniaci.			
Idem.	gr. v.	gr. x.	gr. xv.
Flores Salis ammon. martiatii.			
Schulzius.	gr. v.	gr. x.	gr. xv.
Flores Salis ammon. urinosi.			
Christianus.	gr. v.	gr. x.	gr. xv.
Flores Salis tartari.			
Idem.	gr. v.	gr. x.	gr. xv.
Flores Stimmi.			
Colleg. bonon.	gr. i.	gr. iiij.	gr. vj.
Flores Sulphuris.			
Lancillottus.	θ. ff.	θ. j.	3. j.
Schulzius,	gr. x.	gr. xx.	gr. xxx.
& Junckerus.	gr. jv.	gr. viij.	θ. ff.
Flores Sulphuris albi.			
Bateus.	θ. ff.	θ. j.	3. ff.
Flores Sulphuris myrrhati.			
Schulzius,	gr. ij.	gr. jv.	gr. vj.
& Mangetus.	gr. vj.	θ. ff.	θ. j.
Flores Sulphuris Vitriolati.			
Mangetus.	θ. ff.	3. ff.	3. j. &
	in preserva-	tione.	θ. ff.
Fuliginis Spiritus rectificatus.			
Praxis	ut Spiritus.	Cornu —	Cervi.
Fuliginis Sal Volatilis.			
Praxis.	ut Spiritus.	Cornu —	Cervi.
Fumariæ Syruppus maj: com. pro purgante.			
Rulandus.	3. j.	3. ij.	3. jv.
Fumariæ Syruppus min. ad Epatis obstruc.			
Mesues.	3. β.	3. j.	3. ij.
			Gaga.



<b>G</b>	Agates sive Succinum nigrum præparatum.		
Lemery.	θ. ff.	3. ff.	3. i.
Galanga min. pul.	gr. viii.	gr. xv.	3. ff.
Geoffroy.	gr. viii.	gr. xv.	3. ff.
Galanga min. in infuso.			
Idem.	3. ff.	3. i.	3. ij.
Gala pul.	3. ff.	3. ff.	3. i.
Idem.	3. ff.	3. ff.	3. i.
Galbanum in substantia.			
Bärhusen.	gr. viii.	θ. i.	θ. ii.
Galbuli Cupressi pul.			
Geoffroy.	θ. i.	θ. ii.	θ. iii.
Galega in infuso.	m. ff.	m. i.	m. iij.
Bärhusen.	m. ff.	m. i.	m. iij.
Galegæ succus defæcatus.			
Geoffroy.	Co- — chlea- — rim.		
Gallinæ tunica int. Ventriculi sic. & pul.			
Claudinus.	θ. ff.	θ. i.	3. ff.
Gallinæ ovorum putamina s. p.			
Lemery.	θ. β.	θ. i.	3. ff.
Galli genitales partes sic. & pul.			
Lemery.	θ. i.	3. ff.	3. i.
Gallij succus defæcatus.			
Geoffroy.	3. i.	3. ii.	3. iij.
Genistæ semen pro emetico.			
Deleboe, Sylvius.	3. i.	3. ij. ad iij.	3. ff.

Genit-

Genistæ Cinis 3. jff., Vini renani 3. vi. & ultra: stent simul frigidè, dein per cartam bibulam filtrantur, & Vini fil- trati.			
Sydenhamius.	bis quo- — tidiè.	3. iii.	
Genistæ florum succus pro laxativo.			
Bateus.	3. ff.	3. vj.	3. i.
Gentianæ radix pul. in feb. int. ineunte paroxismo.			
Geoffroy.	3. i.	3. ii.	3. iii.
Gentianæ radix in decocto.			
Idem.	3. ff.	3. jff.	3. ii.
Genistæ folia, ac flores pro emeticô & purgante.			
Deleboe, Sylvius.	3. i.	3. ii. ad 3. iii.	3. ff.
Geranium Columbinum in infuso.			
Burchufen.	m. ff.	m. i.	m. ii.
Geranium robertianum in infuso.			
Idem.	Eadem	— Dosis.	—
Geranij robertiani pulvis.			
Geoffroy.	3. i.	3. iii.	3. i.
Glandium Cupulæ pul.			
Lemery.	3. i.	3. ii.	3. iii.
Glans Arboris ex qua Chermes s. p.			
Idem.	3. i.	3. ii.	3. iii.
Glans Suberi pul.			
Lemery.	3. i.	3. ff.	3. i.
Glans quercina pul.			
Idem.	3. i.	3. ff.	3. i.
Glossopetra idest dens Linæ pul. & lævig.			
Idem.	gr. vj.	3. ff.	3. i.
Glycyrrhysa pul.			
Praxis,	3. ff.	3. ff.	3. i.
& Paulus.			
	Certe si Cassiae fistulæ tantillum pulveris glycyrrhysæ inspersitis, aut ex terebin- thina studiose cocta, & glycyrrhysa pi- lulas formaveritis, admirandos sope ef- fectus in calculi medela edi &c.		

Glycyrrhysa siccata prius in externo purgata, dein contusa, & in filament. divis. in Ptisanis, & omnibus fere decoctis prescribitur.

Geoffroy.

*Ad Saporem jucundum ipsis conciliandum,  
vel ad contemperandam utrum medicamentorum  
quantum sufficiat.*

Gnaphalium seu pes Cati in infuso.

Barchusen. m. ff. m. j. m. iij.

Gnaphalium vulgare seu Filago in inf.

Geoffroy. pug. j. pug. ii. m. j.

Graminis radix in decocto.

Christianus. 3. ff. 3. i. 3. ij.

Graminis radix in substantia.

Geoffroy. 3. i. 3. ii. 3. iii.

Grana granatorum torrefacta, & pul.

Claudius. 3. ff. 3. i. 3. ff.

Granatus Lapis pul., & lœvigatus.

Lemery. gr. x. 3. i. 3. ii.

Grana Kermes in infuso pro apozematibus.

Praxis. 3. i. 3. ii. 3. iii.

Grana Kernes pul.

Geoffroy. 3. ff. 3. i. 3. ff.

Granum gnidium pro purgante.

Sennertus. — a gr. viii. ad xx.

Granum gnidium pro purg. in infuso.

Idem. — 3. ff. ad 3. i.

Gratiolæ folia in infuso.

Schrodærus. 3. ff. 3. iij. 3. iij.

& DeleBoe, Sylvius. 3. i. 3. ij. 3. iij. ad 3. v.

Gratiolæ folia in infuso.

Wedelius. 3. ff. 3. i. 3. iij. ad 3. ij.

Geoffroy. — m. ff.

& Boerbaeve. 3. ff. ad 3. i. 3. i. 3. ij.

Gratiolæ folia pul. pro purgante.

DeleBoe, Sylvius. — — —

cum Bateo. 3. i. 3. ii. 3. i.

& Junckero. pro emetico 3. i. 3. ij.

Gratiolæ radix pul.

Morellus. 3. ff. 3. i. 3. ff.

Gra-

Gratiolæ radix in decocto.			
Dodonæus.	3. j.	3. ij.	3. ii.
Guajaci cortex in decocto.			
Geoffroy.	3. ij.	3. ff.	3. i.
Guajaci cortex pul.			
Christianus.	3. j.	3. ff.	3. ij.
Guajaci Lignum rasum in decocto.			
Geoffroy.	3. ij.	3. ff.	3. i.
Guaiaci Lignum rasum, & pul.			
Christianus.	3. j.	3. iij.	3. i.
Gummi Arabicum pul.			
Geoffroy.	3. j.	3. i.	3. ii.
Gummi Arabicum in decocto.			
Fuller.	3. j.	3. ij.	3. ff.
Gummi Ammoniacum pul.			
Africanus.	cum oximelle	3. ff.	3. i.
Geoffroy.	3. ff.	3. ff.	3. i.
& Schroderus.	3. j.	3. ij.	3. i.
Gummi Caranna.			
Junckerus.	—	3. ff.	3. j.
Gummi Cerasarum, gummi amygd: & gummata alia mucilaginosa pul.			
Praxis.	3. j.	3. ij.	3. iii.
Gummi dicta mucilaginosa in decocto.			
Eadem.	ut gummi — Ara- — bicam	—	—
	vel Tra- — gacan- — thum.		
Gummi Guajacum pro purgante.			
Bateus.	3. j.	3. iv.	3. ij.
Gummi Guajacum, si non sit purgandum.			
Geoffroy.	gr. viii.	3. j.	3. ii.
Gummi Gutta sine vomitu purgat.			
Boerbaeve.	Lactantibus		
	gr. ff.		
	Inf. gr. j.	gr. ij.	gr. iv.
Geoffroy,	gr. i.	gr. ij.	gr. iv.
& Dele Boe, Sylvius.	gr. j. ad ij.	gr. iv.	gr. vi.
	Quamvis aliqui parum prudenter ipsam		
	ad 3. ff. exhibeant.		

Gummi Gutta pro purgante per inferiora, & superiora absq[ue] violentia copiosè purgat, sed blandè purgat.			
Geoffroy,	gr. iij.	gr. viii.	gr. x.
& Wedelius cum Junckero.	gr. iiij.	gr. vij.	3. ff.
Gummi hedera.			
Idem Junckerus.	—	3. ff.	3. j.
Gummi Galbanum in substantia.			
Barchusen.	gr. viii.	3. i.	3. ij.
Gummi Oppoponax in substantia.			
Geoffroy.	3. ff.	3. ff.	3. j.
Gummi Sagapenum in substantia.			
Barchusen.	gr. viii.	3. i.	3. ij.
Gummi Sagapenum pro purgante.			
Bateus.	3. ff.	3. ij.	3. j.
Gummi Tragacanthum pul.			
Geoffroy.	3. ff.	3. i.	3. ij.
Gummi Tragacanthum in decocto.			
Fuller.	3. i.	3. ii.	3. ff.
Gutta gamba v. gummi Gutta.	—	—	—
Guytidis amygdalæ.	—	—	—
Lemery.	—	3. i.	—



COM.



# G

Elatina	Cornu Cervi in quacunque aq. facta.		
Praxis.	Co- — clea- — tim.		
	Eburis pluries in die.		
Capellus,	3. ff.	3. j.	3. ij.
& Praxis.	vel per —	Coclea-	ria.
	Ichthyocolla bis quotidie.		
Bateus.	3. iii.	3. viii.	lib. j.
	Omphatij in aqua diluta, vulgo gelo.		
Praxis.	Coch. ff.	Coch. j.	Coch. ij.
	Radicis Chinæ.		
Eadem.	Co- — clea- — tim.		
	Ribium, vulgo gelo, & similes, ut de Limonibus &c.		
Capellus,	3. ff.	3. j.	3. ij.
& Sennertus.	3. j.	3. ij.	3. ff.
	Viperæ.		
Lemery.	3. ij.	3. ff. &	altra.
	Vngulæ Alcis.		
Praxis.	3. j.	3. ij.	3. iii. is
	Die.	—	—
Gemma Vitæ.			
Mynsicht.	gr. ij.	gr. vij.	3. ff.
Gilla Teophrasti pro.			
Crollius.	3. ff.	3. j.	3. ff.
Gilla Vitrioli.			
Lemery.	gr. xiij.	3. ij.	3. i.
			sil.

Gilla Vitrioli Paracelsi.

Baerbaate.

Vomitum — brevis arcessit. gr. i.

Gilla Paracelsi pro emetico.

Junckerus,

gr. ij.

gr. iiiij.

& DeleBoe, Sylvius.

gr. ff.

gr. ff.

Gingiber saccharo conditum.

Colleg. bonon.

gr. i.

gr. ff.

Guetae Anglicanæ regiae.

Lemery.

gr. ij.

gr. xx.

gr. xij.



SIM.



<b>H</b>	Æmatites Lapis pul. ac levigatus.		
Geoffroy.	3. j.	3. ij.	3. xv.
Hedera terrestris in infuso.			
Barchusen.	m. ss.	m. i.	m. iss.
Hedera terrestris rec. in infuso.			
Christianus,	m. j.	m. ij.	m. iiiij.
& Junckerus.	m. ss.	m. i.	m. ij.
Hederae terrestris succus defœcatus.			
Geoffroy.	3. j.	3. ij.	3. iiiij.
Hedera terrestris pul.			
Christianus.	3. ss.	3. i.	3. iiij.
Helenij radix pul.			
Barchusen.	3. ss.	3. ss.	3. i.
Helenij radix in decocto.			
Christianus.	3. j.	3. ij.	3. ss.
Helenij radix recens in decocto.			
Praxis.	3. ss.	3. i.	3. iiij.
Hellianthemum.			
Eadem.	Aliarum Consolidarum more usurpari potest.		
Hellebori albi radix pul. violentia extremè purgat.			
Boerbaave.			3. ss.
Hellebori nigri radix pul. pro purgante.			
Bateus.	gr. xv.	3. i.	3. ij.
Lemery.	3. ss.	3. ss.	3. i.
Boerbaave cum			
Sennerto.	3. j.	3. ij.	3. iiiij.
			Helle-

Hellebori nigri radix in infuso.

Geoffroy,	3. ff.	3. i.	3. ij.
& Wedelius cum non nullis aliis.	3. β.	3. j. ad 3. ij.	3. iiij.
cum	—	corrigenti —	bns.

Hellebori nigri folia pul.

Christianus.	3. ff.	3. j.	3. ij.
Idem.	3. j.	3. ij.	3. ff.

Hellebori nigri folia in infuso.

Idem.	3. j.	3. ij.	3. ff.
Hepar Anguillæ cum felle sic & pul.	3. ff.	3. j.	3. ff.

Hepatica in infuso in jusculis aperientibus.

Geoffroy.	pug. i.	pug. ij.	m. i.
Herbae Paris baccæ pul.	—	3. β.	3. i.

Matthiolus,	—	3. β.	3. i.
& Geoffroy.	—	n. v.	n. jc.

Herba Trinitatis in infuso, & in alio modo d.

Praxis.	ut he-	dera ter.	refris.
Hermodactylus pul. pro purgante.	—	—	—

Deleboe, Sylvius,	3. ij.	3. iv.	3. iff.
& Bateus cum	—	—	—

Junckero.	3. ij.	3. iv.	3. ii.
Hermodactyli in infuso	—	—	—

Geoffroy,	3 i. ad 3 ij.	3. iv.	3. j.
& Schrodærus.	3. i.	3. ij.	3. vi.

Herniaria pul.

Geoffroy.	—	3. ff.	3. j.
Herniaria in infuso.	—	—	—

Praxis.	ut	Thea	adhibetur.
Hippolati radix pul.	—	—	—

Lemery.	3. ff.	3. β.	3. ij.
Hippolati radix in decocto.	—	—	—

Idem.	3. β.	3. i.	3. ij.
Hippolitus pul. & lœvigatus.	—	—	—

Lemery.	3. ff.	3. j.	3. ij.
Hippopotami dens præparatus.	—	—	—

Janikius.	3. ff.	3. j.	3. β.
Hirci Sanguis pul.	—	—	—

Christianus.	3. j.	3. ij.	3. iii.
Holeitum in infuso.	—	—	—

Praxis.	ut	bernia-	ria.
Homi-	—	—	—

Hominis sterlus sicc. & pul.			
Lemery.	3. j.	3. β.	3. j.
Hordei farina pro pulmento conficiendo ad instar fœcul. Saxonie.			
Praxis.	3. ij. am-	3. ss. pli-	3. j. & us.
Hordeum non decortic. pro lib. j. decocti pro gargarismate.			
Eadem.	—	3. jj.	—
Hordeum decorticatum in decocto pro alterante.			
Eadem.	3. ij.	3. β.	3. vi.
Hormini seu sclareæ folia cum floribus in infuso.			
Eadem.	ut <i>Salvia</i> <i>vel</i> —	—	<i>Theba</i>
ad <i>bibiae</i> —	—	—	<i>tur.</i>
Hyacinthus Lapis pul. & lavigatus.			
Lemery.	3. ss.	3. j.	3. ii.
Hyacinthi semen pul.			
Idem.	3. j.	3. β.	3. j.
Hydrargyrus in Ilyaca, & in mulieribus gravidis abortum sibi machinantibus.			
Matthiolus, & Lemery.	—	lib. i.	& ultra.
Hydrargyrus in oleo sumptus ad tollendas obstructions, & fœces propellendas.			
Geoffroy.	—	lib. ii.	ad lib. iii.
Hydrargyrus vivus cum duplo sacchari subigendus ad lumbricos &c.			
Christianus.	3. j. ad	3. j.	
Donzellus, & Libavius.	3. j.	3. j.	3. v.
Hyosciami Semen pul.			
Geoffroy.	—	3. ss.	3. j.
Hypopocoanna pul. pro emetico.			
Junckerus.	3. ss.	3. j.	3. ij.
Fuller,	3. ss.	3. ss.	3. ii.
& Barchusen cens			
Praxi.	gr. vij.	3. j.	3. ii.
Hypopocoanna pul. pro cathartico, & emetico.			
Lemery.	3. ss.	3. j.	3. ss.

Hypopocoanna pul. data per epierasim ad purgandum.

*Lemery cum*

*Praxi Neapolitanæ.* gr.  $\text{ij}.$  gr.  $\text{x}.$  gr.  $\text{xij}.$

Hypopocoanna pul.

*Geoffroy.*

— gr.  $vij.$  gr.  $x.$

*non minus* purgas — vebe

*menter* — quam. —  $\vartheta. j. vel \vartheta. ij.$

Hypopocoanna in infuso.

*Lemery.* 3.  $ff.$  3.  $j.$  3.  $ij.$

Hypopocoanna bigia pul. pro purgante.

*Idem.*  $\vartheta. j.$  3.  $j.$  3.  $ij.$

Hypopocoanna bigia in infuso vel decocto.

*Idem.* 3.  $ff.$  3.  $ij.$  3.  $ij.$

Hypopocoanna bigia in Clystesibus.

*Idem.* 3.  $j.$  3.  $ij.$  3.  $ff.$

Hyerici flores pul.

*Geoffroy.*  $\vartheta. j.$   $\vartheta. ij.$  3.  $j.$

Hyperici flores in infuso.

*Praxis.* pug.  $j.$  pug.  $ij.$  m.  $j.$

Hypocistidis succus concret. sicc. & pul.

*Geoffroy.*  $\vartheta. j.$   $\vartheta. ij.$  3.  $j.$

Hyrundinis sterlus pul.

*Christianus.*  $\vartheta. ff.$   $\vartheta. j.$  3.  $ff.$

Hyssopus pul., & in infuso.

*Praxis,* ut by. — perici — flores.

& Junckerus. m.  $ff.$  m.  $j.$  m.  $ij.$

Hyssopus umbræ siccatus in infuso.

*Barchusen.* m.  $ff.$  m.  $j.$  m.  $ij.$

Hystricis Bezoar pul.

*Lemery.* gr.  $ij.$  gr.  $v.$  gr.  $vij.$



**H**amec Confectio maj: Pharmac. Prisensis.

Lemery. 3. j. 3. jv. 3. vj.  
Hepar Antimonij sive pul. sive in infuso v. Epar.

Hjera simplex seu Picra Galeni pro purgante.

Duncanus,			
& Colleg. bonon.	3. ff.	3. i.	3. ij.
Hjera simplex ut supra per epicrasim data,			
Praxis.	gr. vj.	3. j.	3. ff.
Hjera simplex ut supra in Elect. confecta.			
Colleg. bonon.	3. ij.	3. v.	3. i.
Hjera simplex ut supra in Clystere.			
Praxis.	3. j.	3. ij.	3. ff.
Hjera Logadij.			
Lemery.	3. j.	3. ij.	3. iii.
Hjera picra cum Agarico.			
Colleg. bonon.	3. j.	3. ij.	3. β.
Hjera picra Mes:			
Lemery.	3. j.	3. iii.	3. vi.
Hydromel vinosum.			
Idem.	3. ff.	3. j..	3. ij. & altra.

Hydromellis Spiritus.			
Praxis.	at Spiritus	Vini usurpe-	tur.
Hippocras Stomachicum.			
Fraundorffer.	ʒ. i.	ʒ. iii.	ʒ. iv.
Hyrundines ustæ, & pul.			
Christianus.	gr. v. ad 3. ff.	3. i.	3. ff.



H

SIM-



# J

Acea pul.

*Geoffroy.*

θ. i.

θ. ii.

θ. iii.

Jacea cum floribus in infuso.

*Praxis.*

ut aliis

— plantis

— vulnerarijs.

*Junckerus.*

gr. xx.

— utatur.

—

*Christianus.*

gr. xx.

— purgante.

—

*DeleBoe cum*

*Bateo.*

θ. i.

θ. i.

3. ff.

*Wedelinus.*

gr. xx.

θ. i.

θ. i.

Iberis in infuso.

*Barchusen.*

m. ff.

m. i.

m. iff.

Jecur Anguillæ sic, & pul.

*Jantkinus.*

θ. ff.

θ. i.

3. ff.

Jecur

θ. ij. ad 3. j. θ. iv.  
gr. ij. gr. ij. gr. iv. in infantibus, quo-  
rum tormenta, & dolores à meconij impa-  
ritatibus ortos felicissime extergit. In de-  
bilibus, tenerioribus, & facile mobilibus  
gr. vi. θ. ff. datum sæpe sufficit.

Jecur Viperæ sic. & pul.			
Jantkius.	3. ff.	3. j.	3. β.
Imperatoriæ radix in infuso,			
Geoffroy.	3. β.	3. ij.	3. ij.
Imperatoriæ radix in substantia.			
Idem.	3. ff.	3. ff.	3. j.
Indicum pul. in fluoribus albis.			
Praxis bonon.	—	3. j.	3. ff.
Intestinum Lupi pul.			
Lancillotus.	—	3. j.	—
Lemery,	3. ff.	3. ij.	3. j.
& Barchusen.	3. ff.	3. β.	3. j.
Jovis naturalis limatus.			
Geoffroy,	3. ff.	3. j. ad 3. ij.	3. j.
& Alestonius.	3. j. ad 3. j.	3. ff.	ad 3. j.
Ipecacuanna lege Hypopocoanna.			
Iridis vulgaris radicis succus pro hydragogo.			
Bateus.	3. ff.	3. ij.	3. ij.
Iris nostra pul.			
Boerhaave.	3. j.	—	—
Iridis nostratis succus.			
Idem.	3. ff.	—	—
Trinchavellus	3. ff.	3. ff.	3. j.
cum DeleBoe, Sylvio.	3. ij.	3. ju.	3. vi.
Iridis florentiæ radix pul.			
Christianus,	Pro infantibus recenter natis, aut aliquor septimanarum gr. ij. ad gr. ju. vomitum excitant.		
& Junckerus.	gr. ij. ad gr. ju.	3. ff.	
Iridis florentiæ radix pul.			
Geoffroy.	3. j.	3. ij.	3. i.
Jujubæ siccæ pro aqua ad potandum.			
Praxis.	3. j. in — lib. vj. aquæ bul; ad remansionem lib. v.	lib. vj. aquæ bul; ad remansio-	circiter.

Juniperi baccae contusæ in infuso.

*Praxis.* n. xv. n. xxx. n. L.

Juniperi Lignum in decocto.

*Barchusen.* 3. ij. 3. ff. 3. j.

Juglandes rec. cum cortice viridi saccharo, vel melle conditæ.

*Praxis,* n. j. n. ij. n. iiij.

Juli Juglandum siccata, & pulverisati.

*Geoffroy,* & *Duncanus.* 3. ff. 3. ff. 3. j.

Jupiter naturalis limatus.

*Geoffroy,* & *Alestonius.* 3. ff. 3. i. ad 3. ij. 3. j.



COM-



# J

<i>Alapij radicis Resina.</i>			
<i>Christianus.</i>	gr. jv.	gr. x.	gr. xx.
<i>Juniperi Conserva.</i>			
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
<i>Juniperi baccarum extractum.</i>			
<i>Lemery.</i>	3. j.	3. ij.	3. j.
<i>Infusio Antimonij, alias aqua benedicta.</i>			
<i>Hartmannus.</i>	3. ij.	3. iii. ad jv.	3. v. ad 3. vi.
<i>Infusio benedicta Batei.</i>			
<i>Bateus.</i>	3. jß.	3. jv.	3. vj.
<i>Infusio benedicta Hartmanni.</i>			
<i>Barchusen.</i>	3. ij. ad 3. j.	3. ij. ad 3. ff.	3. j.
<i>Infusio Cathartica Communis.</i>			
<i>Lemery.</i>	3. ij.	3. iiij.	3. v.
<i>Infusio Corticis Peruviani Thomæ Sydenhamij.</i>			
<i>Fraundorffer.</i>	—	3. iiij. tertia vel quartaquaque hora.	
<i>Infusio pluries reiterata rosarum pallidarum saccharo edulc.</i>			
<i>Praxis.</i>	3. iiij.	3. vj.	3. viij.
<i>Infusio Violarum solutiva pluries repetita, &amp; saccharo edulcata,</i>			
<i>Eadem.</i>	ut supra — dictum — est.		
<i>Infusio Theæ cum, &amp; sine saccharo.</i>			
<i>Praxis.</i>	3. iiij.	3. vj.	lib. j.
	bis —	tertio —	quotidie.
			Jovis

Jovis Amalgama.	gr. iij.	gr. iiij.	gr. vi.
Bateus.	—	gr. iij.	gr. vi.
Julapium Alexandrinum seu Julap.	regium.		
Lemery.	3. ff.	3. j.	3. ff.
Camphoratum Fuller.			
Fuller.	3. i.	3. ii.	3. iii.
Carminatium ejusdem.			
Idem.	3. iiij.	3. iii.	3. iiiij.
Cordiale.			
Mynsicht.	3. ii.	3. ff.	3. j.
Coralliorum Quercetani.			
Capellas.	3. iii.	3. i.	3. iiij.
Gemmatum.			
Praxis.	3. ff.	3. i.	3. iiij.
Chalybeatum.			
Fuller.	Coch. ii.	Coch. vii.	Coch. viij.
Hystericum Affæ foetidæ.			
Bateus.	in paroxismo	Coch. i.	quod reponit tatur post finitum
			eius.
Hystericum.			
Fuller.	—	3. iiij.	3. iiiij.
Hystericum mithridaticum.			
Bateus.	—	Coch. i.	Coch. ii.
Magistrale aperitiv. & purgans Riverij.			
Fraundorffer.	3. j.	3. ii.	3. iii.
Perlarum or.			
Mynsicht.	3. ii.	3. ff.	3. i.
Perlarum Sydenhamij.			
Sydenham.	Coch. i.	Coch. iv.	Coch. v.
Perlatum cordiale.			
Fuller.	Coch. ii.	Coch. vi.	Coch. vij.
Perlatum Batei.			
Bateus.	Coch. ii.	Coch. v.	Coch. vij.
Ad Rachithidem bis in die.			
Bateus.	Coch. ii.	—	—
Regium seu Alexandrinum.			
Lemery.	3. ff.	3. j.	3. ii.
Scorbuticum bis in die.			
Fuller.	3. j.	3. ii.	3. iv.

Julapium Terebinthinæ cum odore, colore, & sapore.

*Praxis bonon.* 3. ii. 3. β. 3. i.

*dam non — adsit — febris.*

Jupiter Diaphoreticus.

*Mullerus,* gr. ii. gr. ju. gr. vi.

*& Batens.* gr. vii. gr. viii. gr. vi.

Jupiter nitratus.

*Bateus.* gr. iii. gr. viii. gr. vi.

Jusculum Limacum.

*Fuller.* 3. iij. 3. iii. 3. iij.

*& vide — lemaces —*

Jusculum Cancerorum: lege: Cancri fluviatiles.

Jusculum Ranarum: lege: Ranæ.

Jusculum Testudinum: lege: Testudines.

Jusculum Viperatum: lege: Vipera.





**K**Arabe pul. ac levigatum.

Lemery.	gr. x.	3. j.	3. ff.
Geoffroy.	3. j.	3. ij.	3. l.
& Clandinus.	—	3. j.	3. ij.
Kina King v. China Chine.	—	—	—
Kermes pul.	—	—	—
Geoffroy.	3. ff.	3. j.	3. ff.
Keiri folia, & flores.	pug. i.	pug. ii.	m. j.
Idem.	—	—	—
Keiri semina pul.	3. ff.	3. j.	3. ij.
Idem.	—	—	—
Kermes minerale.	gr. i.	gr. ij. &	Capeilus; gr. o.
Allen.	—	—	—





**L**ac Asinum, Caprinum, Ovillum, & Bubulum.  
Claudius.

Si ad refrigerandum, atque detergendum eo utendum sit minor Asinini copia, quam Caprini, & hujus minor, quam ovilli, & ovilli minor, quam bubuli, satis est: si ad nutriendum, minus bubuli quam ovilli, & hujus minus quam Caprini, requiritur. Si ad cohibendum fluxum, minor itidem bubuli, quam ovilli, & hujus quam Caprini quantitas exhibenda est. Fere tamen Dosis est Latetis ab 3. ij. ad lib. j. quemadmodum eorum, que admiscentur a cochleari dimidio ad integrum.

Lac actu calidum suo naturali calore dampnum est.

Lac Mulieris.

Praxis.

Aegri, ut Lactantes, a sana Muliere exsangant.

Lac Vaccicum recenter multum pro laxante.

Bateus.

— 3. viii.

lib. j.

Lac Vaccinum ebutyrhatum pro laxativo.

Bateus.

— lib. ij.

lib. iii.

Lac Esulæ pro purgante.

Deleboe, Sylvius.

—

gut. iiij.

ad viij.

La-

Lactis serum pro laxante.			
Bateus.	lib. ij.	lib. iii.	lib. iv.
Lacca Gummi pul.			
Praxis.	3. j.	3. ff.	3. j.
Lacryma Job, seu Lithosperma maj: in emulsione.			
Eadem.	3. ijj.	3. j.	3. ij.
Lacryma Job in decocto.			
Praxis.	3. ff.	3. j.	3. ij.
Lactuca in decocto.			
Barchusen.	m. ff.	m. j.	m. ijj.
Junckerus.	m. ff.	m. j.	m. ij.
Lactucæ succus dœfecatus.			
Geoffroy.	3. ff.	3. j.	3. ij.
Lactucæ semen in emulsione.			
Praxis.	3. ff.	3. j.	3. ijj.
Ladanum pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Lamium album in infuso pluries in die.			
Idem.	ut Thea — usurpe — tur vel ut lactuca.		
Lamium rubrum in infuso pluries in die.			
Idem.	ut — su — — pra.		
Lapati acuti folia in infuso.			
Barchusen.	m. ff.	m. j.	m. ijj.
Lapati acuti succus.			
Praxis.	—	3. ij.	3. ijj.
Lapati maj: radices, sive Rhabarbarum Monachorum pul.			
Geoffroy.	3. ij.	3. iv.	3. vi.
Lapis armenus non lotus pro purgante.			
Sennertus.	—	3. ff.	3. j.
Bateus,	3. ff.	3. j.	3. ijj.
& DeleBoe, Sylvius.	3. ff.	3. j.	3. iv.
Lapis armenus lotus, ac porphyrisatus.			
Mattbiolus,	3. ij.	3. v.	3. vij.
& Sennertus.	3. ij.	3. j.	3. ij.
Lapis Bezoar or. pul. & lævigatus.			
Lemery.	gr. jv.	gr. x.	gr. xvij.
Lapis Bezoar oc. ut supra pul.			
Idem.	gr. vj.	3. j.	3. ff.

Lapis

Lapis Bezoar hystricis pul.			
<i>Lemery.</i>	gr. ij.	gr. v.	gr. viij.
Lapis Bezoar germanicum, seu rupi capreæ Bezoar.			
<i>Idem.</i>	gr. vij.	gr. x.	3. j.
Lapis Bezoardicus fossilis pul.			
<i>Geoffroy.</i>	gr. xiij.	3. ff.	3. i.
Lapis Bezoar simiae pul.			
<i>Lemery.</i>	gr. ij.	gr. ix.	gr. vij.
Lapis de Goa vel de Coa.			
<i>Bateus.</i>	3. ff.	3. j.	3. ff.
Lapis hematites pul. & porphyrisatus.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. iij.
& <i>Jantkius.</i>	3. ff.	3. j.	3. ff.
Lapis Judaicus pul. & lœvigatus.			
<i>Lemery.</i>	3. ff.	3. j.	3. ff.
Lapis Lazulus pul. pro purgante.			
<i>Africanus.</i>	—	3. j.	—
<i>Bateus,</i>	3. ff.	3. j.	3. iij.
& <i>DeleBoe, Sylvius.</i>	3. ff.	3. j.	3. xv.
Lapis Lazulus lotus ac lœvigatus.			
<i>Lemery.</i>	3. β.	3. ff.	3. j.
& <i>Hörstius.</i>	gr. vij.	3. ff.	gr. xv.
Lapis Lyncis pul.			
<i>Geoffroy.</i>	3. β.	3. ff.	3. j.
Lapis manatis pul. ac porphyrisatus.			
<i>Lemery.</i>	gr. iv.	gr. viij.	3. ff.
Lapis Malaca sive Bezoar hystricis.			
<i>Lemery.</i>	gr. ij.	gr. v.	gr. viij.
Lapis moroethus pul. ac porphyrisatus.			
<i>Idem.</i>	3. ff.	3. j.	3. j.
Lapis nephriticus pul. ac lœvigatus.			
<i>Idem.</i>	gr. iv.	gr. xiij.	gr. xv.
Lapis Ossifragus seu Osteocolla pul.			
<i>Mangetus.</i>	3. j.	3. j.	3. iij.
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
<i>Hoffmannus.</i>	3. β.	3. ff.	3. j.
Lapis Panthera.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
Lapis Percæ.			
<i>Janckeras.</i>	as	—	supra.
			Lapis

## Lapis Phagri.

Lemery.

3. ff.

3. j.

3. ff.

## Lapis Pumpæ contritus in decoctis &amp;c.

Praxis.

3. ff.

3. j.

3. ij.

quotidie in dose jam præscripta renovetur,  
nec mos eorum servandus, qui eo , jam  
ebullito, iterum, ac sepius utuntur, quod  
& de Antimonio præceptum intelligatur.

## Lapis Prunellæ.

Schroderus.

3. ff.

3. i.

3. iff.

## Lapis Sardonicus pul. &amp; porphyrifatus.

Lemery.

3. i.

3. ij.

3. iii.

## Lapis Saphyrus pul. ac loevigatus.

Idem.

3. ff.

3. j.

3. ij.

## Lapis Turchesius seu Turcicagemma pul. &amp;c.

Idem.

gr. vij.

gr. xv.

3. j.

## Lavandulæ flores in infuso.

Praxis.

ut

Thea.

—

## Lavandulæ flores pul.

Geoffroy.

3. j.

3. ii.

3. iii.

## Lavandulæ semen in infuso.

Geoffroy.

3. j.

3. ff.

3. i.

## Lavignon pul:, &amp; porphyrifatum.

Lemery.

gr. x.

3. j.

3. ff.

## Lavreolæ Cortex, &amp; folia pul.

Geoffroy.

—

gr. vij.

3. ff.

## Lavreolæ baccæ ad deglutiendum.

Idem,

n. j.

n. ii.

n. iii. adj.

&amp; DeleBoe, Sylvius.

gr. ij.

gr. v. ad viij.

3. ff.

## Lavri folia in infuso vel decocto.

Geoffroy.

ad instar.

Thea.

—

## Lavri folia pul.

Claudinus.

3. j.

3. ii.

3. iii.

## Lavri baccæ in infuso.

Geoffroy, &amp;

Praxi.

3. j.

3. j.

## Lavri Alexandrinæ radix pul.

Lemery.

3. ff.

3. j.

3. ij.

## Lentisci Lignum ex Chio in substantia.

Christianus.

3. j.

3. ff.

3. j.

Len.

Lentisci Lignum ex Chio in decocto.

*Christianus cum*

*Junckero.*      3. ij.

3. ff.

3. j.

Leoncornu v. Narval.

Leonis Sanguinis sic. & pul.

*Lemery,*

& *Barchusen.*      3. ff.

3. ff.

3. j.

Leopardi Testiculi pul.

*Lemery.*

3. i.

3. ff.

3. j:

Lepidij folia pul.

*Geoffroy.*

3. j.

3. ij.

3. ff.

Leporis pulmones sic. & pul.

*Barchusen.*

3. ff.

3. ff.

3. j.

Leporis Testiculi sic. ac pul:

*Lemery.*

3. i.

3. ij.

3. j.

Leporis coagulum in bolis &c.

*Barchusen.*

3. ff.

3. ff.

3. j.

Leucopiper in infuso.

*Geoffroy.*

—

3. ff.

3. j.

Leucopiper idest Piper album pul.

*Idem.*

gr. ij.

gr. vij.

gr. xx.

Levisticci foliorum succus.

*Forestus.*

—

3. iiij.

—

Levisticci radix pul.

*Geoffroy.*

3. ff.

3. ff.

3. j.

Levisticci semen pul.

*Idem.*

3. ff.

3. i.

3. ff.

Lichen arboreus quercinus in infuso.

*Barchusen.*

m. ff.

m. j.

m. iff.

Lichen arboreus quercinus pul.

*Geoffroy.*

3. j.

3. ij.

3. iiiij.

Lignum aloes pul.

*Christianus,*

3. j.

3. ff.

3. j.

& *Geoffroy.*

3. ff.

3. j.

3. ff.

Lignum Colubrinum in vino absinthiaco maceratum.

*Idem.*

—

3. ij.

3. ff.

Lignum Sanctum pul.

*Christianus.*

3. j.

3. ff.

3. j.

Lignum Sanctum rasum in decocto.

*Geoffroy.*

3. ij.

3. ff.

3. j.

Ligni

Ligni Sancti cortex in decocto.

*Geoffroy.*      3. ij.      3. ff.      3. j.

Ligni Sancti cortex contrita in vino infusa.

*Praxis.*      3. ff.      3. i.      3. ij.

Ligni Sancti cortex pul.

*Christianus.*      3. j.      3. ff.      3. ij.

Lignum Cydonium, & similia in decocto.

*Junckerus,*      —      —      3. j.

& *Christianus.*      3. ij.      3. ff.      3. j.

Ligni ferri cortex in decocto.

*Idem.*      3. j.      3. ij.      3. ff.

Ligni ferri cortex pulverisata.

*Barchusen.*      3. j.      3. ij.      3. iii.

Lignum Indicum in decocto.

*Idem.*      3. ij.      3. ff.      3. j.

Lignum Juniperinum incisum in decocto.

*Praxis.*      —      Lignum — Cydonij.

Lignum molucense in infuso.

*Lemery.*      gr. xv.      gr. xx.      gr. xij.

Lignum nephriticum incisum in aqua frigida infusum, donec aqua  
tincturam aquirat cæruleam. Aquæ dictæ dosis.

*Geoffroy.*      —      —      3. vij.

Lignum Rhodium ad gratum odorem conciliandum in decoctis.

*Junckerus.*      3. ff.      3. j.      3. ij.

Lignum Sassafras in infuso vel decocto.

*Geoffroy.*      3. ff.      3. j.      3. ij.

Lignum Sassafras rasum, & pul.

*Idem.*      3. j.      3. ij.      3. iii.

Lignum santalum album in decocto.

*Junckerus,*      3. ij.      3. ff.      3. i.

& *Geoffroy.*      3. j.      3. ij.      3. ff.

Lignum Santalum Citrinum pul.

*Geoffroy.*      3. j.      3. ff.      3. i.

Lignum Santalum Citrinum in decocto.

*Idem.*      3. j.      3. ij.      3. ff.

Paratur autem Santalorum decoctam, at  
decoctum Guajaci.

Lignum Santalum rubrum in decocto.

*Idem,*      3. j.      3. ij.      3. ff.

& *Junckerus.*      3. ij.      3. ff.      3. i.

Lignum Santalum rubrum pul.			
Geoffroy.	3. ff.	3. j.	3. ff.
Lignum Visci quercini in decocto.			
Christianus,			
& Junckerus.	3. ff.	3. ff.	3. j.
Lignum Visci quercini pul.			
Christianus.	3. j.	3. ff.	3. j.
Ligustri semen pul.			
Geoffroy.	3. ff.	3. j.	3. ff.
Ligustri foliorum, & florum succus.			
Idem.	—	3. jv.	—
Ligustri folia, & flores.			
Barbusen.	m. ff.	m. j.	m. iff.
Lilium Convallium in infuso.			
Praxis,	at	—	Thea
& Junckerus.	p. j.	p. ij.	m. ff.
Liliorum Convallium pulvis.			
Geoffroy.	3. j.	3. ii.	3. j.
Limaces in decocto pro alterante bis terva quotidie.			
Praxis.	m. ij. ad iii.	v. jv. ad vij.	v. viij.
		magnitudinis	mediocris.
Limaces in Clybano ficcatæ, & pul.			
Barbusen,	3. ff. ad	3. ff.	3. j.
& Praxis.	3. j.	3. ij.	3. j.
	etiam bis	in die.	—
Limacum opercula pul.			
Jantkins,			
& Praxis.	3. ff.	3. j.	3. ff.
Limonum succus vel solus vel in aqua dilutus una cum saccharo.			
Claudinus.	3. j.	3. ff.	3. j.
	ad	plures	dies.
Limonis Cortex sic. & pul.			
Christianus.	3. j.	3. ff.	3. ij.
Limonum semina in emulsione.			
Idem.	3. j.	3. ij.	3. iiij.
& Praxis.	satis	ultro.	—
Lingua Cervina pulverisat.			
Geoffroy.	3. j.	3. ij.	3. iiij.
Lingua Cervina in infuso.			
Barbusen,	m. ff.	m. j.	m. iff.
& Junckerus.	m. ff.	m. j.	m. iff.

Lini semen in decocto vel in aqua maceratum.

*Praxis.* pug. ff. pug. j. pag. ij.

Lini semen pro emulsionibus.

*Eadem.* 3. j. 3. ij. 3. ff.

Lini Cathartici folia recentia contusa, & redacta sub forma bo-

li.

*Geoffroy.* — 3. j. —

Lini Cathartici folia pul. pro purgante cum tantillo tartari,  
& sem. Anisi.

*Idem.* — 3. ij. —

Lithospermī sive milij solis semen in emulsionibus.

*Idem,* 3. iii. 3. vi. 3. ff.

& *Praxis.* 3. ijj. 3. iiij. 3. vj.

Lithospermum in decocto.

*Praxis.* 3. iii. 3. vi. 3. ff.

Lithospermī sive milij solis semen pul.

*Geoffroy.* 3. j. 3. ff. ad 3. ij. 3. iii.

Lithospermum maj: seu Lacryma Job pul.

*Christianus.* 3. j. 3. ij. 3. iii.

Lithospermum maj: seu Lacryma Job in emuls.

*Praxis.* 3. ijj. 3. iiij. 3. vi.

Lithospermum sive Lacryma Job in decocto.

*Eadem.* Dosis ut — supra. —

Locusta siccata, & pulverisat.

*Lemery.* gr. viii. 3. ff. gr. xx.

Loti summitates floridæ in Vino infuse.

*Geoffroy.* 3. i. 3. ij. 3. iii.

Lucij Mandibulæ pulverisatæ.

*Christianus.* 3. j. 3. ijj. 3. iii.

Lumbrici terrestres sic. & pul.

*Idem,* 3. ff. 3. i. 3. ff.

& *Barchusen.* 3. ff. 3. ff. 3. i.

Lumbricorum ter. succus expressus cum vino.

*Jantius.* Co- — clea- — tis.

Lunariae semen pul.

*Lemery.* 3. i. 3. ij. 3. iii.

Lunariae semen, & similia in infusione.

*Praxis.* ad dicti — ponderie — duplum.

Lupini pulverisati.

*Claudinus.* 3. i. 3. ij. 3. iii.

O — Lapi-

Lupini contusi in decoctione.			
Praxis.	3. ff.	3. j.	3. ij.
Lupulorum succus defoecatus.			
Eadem.	3. ij.	3. ii.	3. iij.
Lupulorum summitates in decocto.			
Barbusen,	m. ff.	m. j.	m. ij.
& Junckerus.	m. ff.	m. i.	m. ij.
Lupulorum semen pulverisat.			
Geoffroy.	—	3. ff.	—
Lupulorum flores in infuso.			
Praxis.	pug. j.	pug. ij.	m. j.
Lupi hepar sicc. & pul.			
Lemery.	3. j.	3. ij.	3. iij.
Lupi cor sic. & pulverisat.			
Idem.	3. ff.	3. ij.	3. i.
Lupi intestina sic. & pulverisata.			
Lancillotus.	—	3. j.	—
Lemery,	3. j.	3. ij.	3. i.
& Barbusen.	3. ff.	3. ff.	3. j.
Lupi ossa subtiliter pulverisata.			
Lemery.	3. j.	3. ij.	3. iij.
Lutrae testiculi siccata. & pulverisati.			
Lemery.	3. j.	3. ij.	3. iij.
Lychnis vulgaris semen pul.			
Idem.	3. j.	3. ij.	3. iij.
Lychnis Sylvestris semen pro purgante.			
Idem.	—	3. ij.	—
Lycopodium in infuso.			
Praxis.	pug. j.	pug. ij.	m. ff.
Lycopodij pulvis in hecticis puerorum.			
Ettmullerus.	3. ff.	—	—
Lycopodij pulvis naturalis sive semen.			
Jantkias,			
& Lemey.	3. ff.	3. j.	3. ff.
Lyra Piscis sicc. & pul.			
Idem.	3. j.	3. ij.	3. iij.

COM-



# L

Lac Gummi Bdellij.

Praxis.      ut lac — assē — fœtidæ.

Lac Gummi Ammoniaci.

Bateus.      saepe pro vi- ce Cochlea- re. j.  
Lac Gummi Ammoniaci cum Acido, videlicet Rx. Acidi Citri  
destill. 3. ij. Gummi Ammon: 3. iiiij. m. fiat lac.

Bartholettus,      —      —      —  
& Praxis.      fatis — ultra.

Lac Gummi Ammoniaci in aqua Pulegij, vel hyssopi paratum,  
simili pondere, ac proportione ut superius a Bartholetto &c.  
Praxis.      Cochlea- — tim.

Lac Aluminis ter in die.

Bateus.      Coch. j.      Coch. ij.      Coch. iiij.

Lac Assē fœtidæ in paroxismo.

Idem.      —      —      —      —      —      —  
re. — petr. — quod  
tur.

Lac Scammonij.

Bateus.      —      —      —      —      —      —  
re. j.

Lac Sulphuris.

Christiana,      —      —      —      —      —  
& Schulzius.      gr. v.      gr. xv.      —      —  
gr. ultras.

Lapis de Coa vel de Goa.

Bateus.      —      —      —      —      —  
gr. ff.      gr. j.      —      —      —  
3. ff. & altra.

Lapis

Lapis infernalis sive Vitriolum Lunæ,  
Boerhaave.

	Lactantibus		
	gr. p. sexta;		
	Infantibus		
	gr. ij.	gr. jv.	gr. vij.
Lapis prunellæ pul.			
Beguinus.	3. ff.	3. ff.	3. i.
Laudanum Cydoniatum.			
Capellus.	gut. jv.	gut. xij.	gut. xx.
Laudanum hystericum di le Febure.			
Capellus.	gr. j.	gr. ij.	gr. jv.
Laudanum liquidum Sydenhamij.			
Idem.	gut. vj.	gut. xv.	gut. xxv.
Laudanum solidum ejusdem.			
Jantkius.	gr. j.	gr. ij.	gr. iiij.
Laudanum Nepentes Verum Quercet. cum gemmis.			
Quercetanus.	ad magnitudinem —— piperis.		
	grani idest gr. v.	vel vj.	
Laudanum Nepentes Quercetani, multis ab hinc annis a Praxis emendatum.			
Capellus.	gr. j.	gr. ij.	gr. iiij.
Laudanum opiatum Ludovici.			
Janikius.	gr. ff.	gr. j.	gr. ij.
Laudanum Helmontianum.			
Idem.	gr. ff.	gr. j.	gr. ij.
Laudanum sine Opio.			
Hartmannus.	gr. ij.	gr. vj.	gr. x.
Laudanum Virginianum.			
Schulzius.	gr. x.	gr. xx.	3. j.
Laudanum urinarium.			
Capellus,	gr. x.	gr. xx.	gr. xxx.
& Jantkius.	gut. x. ad xx.	gut. xxx. ad xL.	gut. L.
Lixivium.			
Claudinus.	—	3. iiij.	—
Lixivium diureticum.			
Minficht.	3. j.	3. ij.	3. iiij.
Lixivium diureticum Sydenhamij.			
Jantkius.	3. j. ad ij.	3. iiij.	3. jv.

Lix-

## Lixivium ex quavis Cinere.

*Praxis.*      3. j.      3. ij.      3. iij.

## Liquor Aureus.

*Bateus.*      —      *Cocbl.*      unum.

## Liquor cardiacus excellens Riverij.

*Fraundorffer.*      gr. j.      gr. iij.      gr. vj.

## Liquor Cordialis.

*Mynsicht.*      *Coch. ff.*      *Coch. j.*      *Coch. ij.*

## Liquor Cornu Cervi Succinatus.

*Barchusen.*      gut. vj.      gut. xvij.      3. ij.

*Junckerus,*      gut. iv.      gut. viij.      gut. xij.

*& Jantkius.*      gut. x.      gut. xx.ad xxx. gut. xl.

ad L.

## Liquor Cristalli Montanæ.

*Mullerus,*      —      gut. iij.      gut. iv.

*& Beguinus.*      gut. vj.      gut. x.      gut. xvij.

## Liquor Lithontripticus Cnoffelij.

*Jantkius.*      —      gut. xij.      xv.

## Liquor ex Millepedibus contra tussim Puerorum Willis.

*Fraundorffer.*      *Coch. ij.*      ad iiij. bis      in die.

## Liquor Martialis Stipticus.

*Wedelius*      —      —      —

## Liquor Nitri fixi.

*Junckerus.*      gut. x.      gut. xx.      gut. xxx.

## Liquor Praecipitatus Clauderi.

*Sculzius.*      gut. xv.      gut. xxx.      gut. L.

& ultra.

## Liquor ex Sale Vitri Antimonij per deliquium paratus.

*Poppius.*      gut. iv.      3. ff.      3. j.

*Junckerus.*      gut. x.      gut. xx.      gut. xxx.

## Liquor Salis tartari.

*Schrodærus.*      3. ff.      3. j.      3. ff.

## Liquamen Sulphuris.

*Bateus.*      gut. x.      gut. xx.      gut. xxx.

## Liquor, &amp; Spiritus perlarum.

*Ernestus.*      gut. iij.      gut. viij.      —  
ad iv.

Liquor Terræ foliatæ Tartari.				
Jantkius.	gut. xv.	gut. xxx. ad xL.	gut. L.	
Hoffmannas	gut. x.	gut. xv. ad	ad Lx.	
cum Junckero.	xx. ad	gut. xxx.		
Lohoch Dosis generalis.				
Junckerus.	quantum —	cultri cuspis	capit.	
Lohoch Radicis Altheæ.				
Barchusen.	3. j. ad	3. ff.	3. j.	
Christianus,	3. ij.	3. ff.	3. j.	
& Praxis.	quantum cultri cuspis capit	successivæ ad		
		lambendum.		
Lohoch Antiphthisicum pluries in die.				
Mynsicht.	3. j.	3. ii.	3. j.	
Lohoch Farfaræ radicis, & similium.				
Christianus.	3. ij.	3. ff.	3. j.	
Lohoch de Allijs, & de similibus.				
Lemery.	3. i.	3. ij.	3. iii.	
Lohoch de Papavere.				
Schulzius.	ad lamben-	dum successi-	ad demissi	
		debet.		
Lohoch de Passulis.				
Idem.				
	Infantibus,			
	& Puerulis			
		præberi debet ad		
Lohoch Pulmonis Vulpis.		lambendum.		
Donzellus.	3. ij.	3. β.	3. i.	
Lohoch sanum, & expertum, & similia.				
Schulzius.	3. v.	3. vi.	success-	
		fvæ —— lambendum.	—	
Luna potabilis,				
Batens.	gr. iij.	gr. iv.	gr. vj.	



<b>M</b> Acis pulverisata.			
Geoffroy.	θ. ff.	θ. j.	3. ff.
Macropiper idest Piper longum pul.			
Idem.	gr. ij.	gr. vij.	gr. x.
Macropiper in infuso.			
Idem.	—	θ. ff.	θ. i.
Madreporeæ omnes pul., & lœvigateæ.			
Lemery.	θ. β.	θ. i.	3. ff.
Mater perlarum pul., & porphyrisata.			
Idem.	θ. ff.	θ. j.	θ. ij.
Majoranæ Vulgaris succus defœcatus.			
Praxis.	3. ff.	3. j.	3. iss.
Majorana Vulgaris in infuso.			
Eadem.	pug. j.	pug. ij.	m. j.
	vel ut Thea	adhibeatur:	
Majorana Vulgaris pulveris.			
Geoffroy.	θ. ff.	θ. j.	3. ff.
Malabatum pulveris.			
Praxis.	θ. ff.	θ. j.	3. ff.
Malabatum in infuso.			
Eadem.	folium. j.	fol. ij.	fol. iii.
Malachites pul. & porphyrisat.			
Lemery.	—	gr. vij.	—
Malicorium in substantia.			
Geoffroy.	θ. j.	3. ff.	3. i.
Malicorium in infuso.			
Idem.	3. j.	3. ij.	3. ff. Mah

Mali punicæ vel granatæ ossicula pul.			
Geoffroy.	3. ff.	3. i.	3. ij.
Mali punicæ succus vel Vinum.			
Praxis.	3. i.	3. ij.	3. ju.
	vel Cochlear.	tim.	
Mali persicæ folia in infuso.			
Geoffroy.	pug. j.	pug. ij.	m. j.
Mali persicæ florum succus expressus, & defœcatus pro purgante.			
Bateus,	3. ff.	3. vij.	3. j.
& Geoffroy.	3. ff.	3. j.	3. ij.
Mandibulæ Lucij Piscis, & ossa pul. subtiliter.			
Christianus.	3. i.	3. ff.	3. i.
Malvæ succus depuratus.			
Geoffroy.	3. ij.	3. vij.	3. viij.
Malvæ infusum.			
Idem.	Theæ ad inf. star ad — libram unam.		
Malva pro confiendo decocto multum emolliente.			
Barbusen,	m. ff.	m. j.	m. fff.
& Junckerus.	m. ff.	m. j.	m. ff.
Malvæ semen pul.			
Christianus.	3. j.	3. ij.	3. i.
Malvæ semen in infuso.			
Praxis.	3. ii.	3. iii.	3. ii.
Malvæ flores in infuso.			
Eadem.	ad — instar —	Theæ.	
Malvæ radix recens in decocto.			
Christianus.	3. ff.	3. j.	3. ij.
Malvæ radix præparata, & siccata.			
Praxis.	3. j.	3. ij.	3. ff.
Malvæ radix pulverisata.			
Barbusen.	3. ff ad 3. j.	3. ff.	3. j.
Manati Lapis pul., & loevigatus.			
Lemery.	gr. jv.	gr. viij.	3. ff.

Manna Calabrensis.				
Claudinus.	3. i.	3. ij.	3. iiiij. ff.	
Sennertus,	3. i.	3. ij.	3. iiiij.	
& DeleBoe, Sylvius.	blandum me- cum Rofincio.	dicameis. — appellant.	tum	
Praxis,	3. iss.	3. iiij.	3. vi.	
& Jantcius.	3. i.	3. ij. ad 3. iiij.	3. iv.	
Manna Calabrensis vulgo canellata ad lambendum ad raucedi- nes, & pro demuiciente.				
Praxis.	3. i.	3. ij.	3. ff.	
Mandragoræ Cortex radicis pul.				
Geoffroy.	—	3. ff.	3. i.	
Mandragoræ Cortex in infuso.				
Idem.	3. ff.	3. ff.	3. i.	
Margaritæ or. pul., & porphyrisatæ.				
Lemery.	gr. vj.	3. i.	3. ff.	
Margaritæ occident. ut supra præparatæ.				
Praxis.	3. ff.	3. ff.	3. i.	
Marubbij albi succus.				
Geoffroy.	3. ff.	3. i. ad 3. iiij.	3. iiiij.	
Marubbium album in infuso, & decocto.				
Barchusen,	m. ff.	m. j.	m. iss.	
& Junckerus.	m. β.	m. j.	m. iiij.	
Marubbium album pul.				
Geoffroy.	3. i.	3. ij.	3. i.	
Marum pul.				
Idem.	3. ff.	3. i.	3. ff.	
Mars limat: dein: pul., & porphyrisatus.				
Geoffroy.	gr. xij.	3. i.	3. ff.	
Martis Scorizæ pul. & lœvigate sup. porphyrit.				
Lemery.	3. ff.	3. i.	3. iiij.	
Martis ærugo super porphyrit. lœvigata.				
Lemery.	gr. x.	3. ff.	3. iiij.	
Masticæ in lac. pulverifata.				
Barchusen.	gr. v. ad viiij.	gr. xv. ad 3. i.	— 3. ff.	
Matalista emulatur colore fere Bryoniam, nisi quod fusca ma- gis est, & lignosa, virtutibus mechozannam.				
Vedelius.	—	—	3. i.	

Matricariæ succus defœcatus.			
Geoffroy.	—	3. j.	3. ij.
Matricariæ succus pro purgante.			
Paulus.	—	3. ij.	3. iv.
Matricaria pulverisata.			
Geoffroy.	3. ff.	3. j.	3. ij.
Matricaria in infuso.			
Praxis.	ut —	Thea —	usurpetur.
DeleBoe, Sylvius.	3. ff.	3. jv. ad 3. ij. β.	3. ij.
Mechoacana pul. pro purgante.			
Bateus.	3. ff.	3. iff.	3. ij.
Boerhaave,	3. j.	3. j.	3. ij.
& Wedelius	3. j.	3. ff.	—
Mechoacana in infuso.			
Hoffmannus.	3. j.	3. iij.	3. iv.
Wedelius,	3. j.	3. iff.	3. ij. & am- plus.
& Junckerus.	3. j.	3. ij.	3. ff.
Melanopiper idest Piper nigrum pul.			
Geoffroy.	gr. ij.	gr. vj.	gr. x.
Melanopiper in intermittentibus à plurimis Authoribus comenda- tur ante paroxismum.			
Idem.	gr. ij.	gr. viij.	gr. ix.
Mel album Narbonæ.			
Barchusen.	3. j. ad 3. β.	3. j.	3. ij.
Mel italicum.			
Praxis.	ad Cochlearia in aqua fo- latum.		
& Barchusen.	3. ff.	3. j.	3. ij.
Mel italicum pro leniente.			
Praxis.	3. ij.	3. jv.	3. vj.
Menthæ succus defœcatus.			
Praxis.	3. β.	3. j.	3. iff.
Mentha recens in infuso.			
Barchusen.	m. ff.	m. j.	m. iff.
Mentha siccata in infuso.			
A' non nullis — ut Thea — usurpatur.			—
Mercurialis recens pro leniente in brodio cocta.			
Bateus.	pug. j.	m. ff.	m. j.

Mercurius vivus cum duplo sacchari subigendus pro lumbricis ab infantibus.			
<i>Christianus.</i>	θ. i. ad 3. j.	—	
<i>Donzelus,</i>			—
& <i>Libavius.</i>	θ. j. ad 3. j.	θ. v.	—
Mercurius vivus in Ilyaca.			
<i>Allen.</i>	ad untias	aliquot.	—
<i>Matthiolus.</i>	—	lib. j.	—
<i>Lemery.</i>	lib. j.	—	—
Mercurius vivus in oleo sumptus ad tollendas obstructiones, & fœces propellendas.			
<i>Geoffroy.</i>	—	lib. ij.	ad lib. iii.
Merlucij lapis pul.			
<i>Lemery.</i>	gr. x.	θ. j.	3. ff.
Mezereum vid Laureola.			
—	—	—	—
Meum athamanticum pul.			
<i>Geoffroy.</i>	θ. ff.	3. ff.	3. i.
Meum athamanticum in infuso.			
<i>Idem.</i>	3. β.	3. j.	3. ij.
Mezerei folia, & Cortices pul.			
<i>Bateus.</i>	gr. vij.	gr. xii.	gr. xv.
Millepedæ pul.			
<i>Capellus.</i>	θ. j.	θ. ij.	3. j.
Millepedarum succus expressus cum Vino.			
<i>Jantkius.</i>	Co- — chlea- — tim.		
Millepedæ vivæ in nodulo linteo cnvolut. pro decocto.			
<i>Praxis.</i>	n. viij.	xv. ad	n. xxx.
	ad x.	xx.	
Milij solis semen in emulsionibus.			
<i>Praxis.</i>	3. β.	3. j.	3. ij.
Milij solis semen pulverisatum.			
<i>Geoffroy.</i>	θ. j.	3. ff. ad θ. ij.	3. j.
Mori Cortex radicis in substantia.			
<i>Christianus,</i>	θ. i.	3. ff.	θ. ij.
& <i>Junckerus.</i>	θ. ff.	θ. j.	3. ff.
Mori Cortex radicis in infuso.			
<i>Barbnsen.</i>	3. j.	3. ij.	3. ff.

More-

Morochthus lapis pul., & porphyrisatus.			
Lemery.	3. ff.	3. ff.	3. iii.
Morsus Gallinæ succus.	—	3. j. iij.	jnsculo.
Geoffroy.	—	3. j. iij.	
Morsus Gallinæ pul.			
Idem.	3. j.	3. ii.	3. iii.
Moscata idest Nux moscata in substantia.			
Idem.	3. ff.	3. j.	3. ff.
Moschus in epilepsia valde utilis.			
Barchusen.	gr. β. ad	gr. ii.	gr. iij.
	gr. j.		
Muli Stercus sic., & pul.			
Lemery.	3. j.	3. ii.	3. iii.
Muli unguis rasa sive limata.			
Idem.	3. ff.	3. j.	3. ii.
Mumia nat. pul.			
Claudinus.	3. ff.	3. ff.	3. j.
Muris Stercus seu muscerda pul.			
Lemery.	3. ff.	3. ff.	3. j.
Muscus arboreus quercinus præcique pul.			
Geoffroy.	3. j.	3. ii.	3. iii.
Muscus arboreus quercinus in infuso.			
Barchusen.	m. ff.	m. j.	m. ijj.
Muscus terrestris repens.			
Idem.	Dosis	ut supra.	—
Myrobalani pul.			
DeleBoe, Sylvius.	3. ff.	3. ijj.	3. ii.
Myrobalani in infuso vel in decocto læviore.			
Boerhaave.	3. ii.	3. iv.	3. vi.
Sennertus,	3. j.	3. ii.	3. ff.
& DeleBoe, Sylvius.	3. ij. ad 3. ff.	3. i.	3. ijj.
Myrrha treglodytica pulverisata.			
Geoffroy.	3. ff.	3. j.	3. ff.
Christianus.	3. j.	3. ii.	3. ff.
& Schrodærus cum non nullis aliis.	3. j.	3. ii.	3. iii.
Myrrhis ut supra in infuso.			
Praxis.	pug. j.	pug. ii.	m. ff.

Myr.

Myrrhidis succus defæcatus.

*Christianus.*      3. ij.      3. ff.      3. i.

Myrthillorum baccæ pul.

*Claudinus.*      3. i.      3. ii.      3. iii.

Myxis in decocto pro potionibus ad instar Theæ bis, terve,  
quaterve in die.

*Praxis.*      *A multis decoquitur cum jujubis ad num.  
jv.*      *ad viij.*      *ad xij.*



COM.



<b>M</b> Acis oleum destillatum?			
Barchusen.	gut. ss. ad j.	gut. ij.	gut. jv.
Tencke,	ad ss.	gut. j.	gut. ij.
& Ernestus.	gut. j.	gut. iii.	gut. jv.
Magisterium Agarici.			
Capellus,	gr. ij.	gr. vij.	gr. jx.
& Barchusen.	gr. v.	3. ss.	3. j. ad 3. ss.
	Antimonij.		
Lemery.	gr. iij.	gr. viij.	3. ss.
	Antimonij Diaphoretici.		
Bateus.	gr. v.	gr. x.	3. j.
	Argenti fini.		
Christianus.	gr. ij.	gr. v.	gr. vij.
	Benzoini.		
Bateus.	gr. v.	3. ss.	3. j.
	Chinæ Chinæ cum Spiritu vini factum.		
Praxis.	3. ss.	3. j.	3. ss.
	Coralliorum rubrorum.		
Colleg. bonon.	gr. vij.	gr. xiij.	3. j. & ultra.
	Coralliorum rubrorum rosatum.		
Mynsicht.	—	gr. jv.	gr. vij.
	Cordialis Michaelis.		
Capellus.	gr. x.	gr. xx.	gr. xxx.
	Cornu Cervi, Eboris, & similium.		
Schulzius.	3. ss.	3. j.	3. ss.
			Magi-

Magisterium Corticum ovorum.

*Barchusen.* gr. *vij.* Θ. *ff.* 3. *β.*  
ad Θ. *ff.* ad Θ. *j.* —

Cranij humani.

*Schulzius.* Θ. *ff.* Θ. *j.* 3. *β.*

Epilepticum Michaelis.

*Capellus.* gr. *jv.* gr. *xii.* gr. *xxi.*  
Gummi Guttæ.

*Mynsicht.* gr. *vj.* gr. *xv.* Θ. *j.*

*Jantkius.* gr. *ij.* gr. *vj.* gr. *vij.*  
Gummi Guajaci.

*Barchusen.* gr. *v.* ad *vij.* Θ. *ff.* ad Θ. *j.* 3. *ff.*  
Jalappæ radicis.

*Capellus.* gr. *jv.* gr. *xii.* gr. *xvj.*  
Jovis.

*Bateus.* gr. *jv.* gr. *v.* gr. *vj.*  
Lapidis Percarum.

*Schulzius.* Θ. *j.* Θ. *ij.* 3. *j.*  
Lapidis Judaici.

*Quercetanus.* — gr. *ij.* gr. *ij.*  
Ligni Sancti.

*Capellus.* gr. *vj.* gr. *xv.* gr. *xxx.*  
Lithargyrites v. Sal Litharg.

Lunæ.

*Bateus.* gr. *ij.* gr. *jv.* gr. *vj.*

*Lancillottus.* — gr. *j.* —

Margaritarum or.

*Sculzius.* Θ. *j.* Θ. *ij.* 3. *j.*

Margaritarum Riverij.

*Hartmannus.* gr. *vj.* Θ. *β.* Θ. *j.*

Margaritarum Chemicum.

Martis aperitivum.

*Mynsicht.* Θ. *ff.* 3. *β.* 3. *j.*

Martis Batei v. Elect. Chalybis Batei.

Martis perlarum, & simil.

*Schulzius.* Θ. *j.* Θ. *ij.* Θ. *ij.*

## Magisterium Mecoccoacan.

<i>Barchusen.</i>	gr. ij.	gr. jv.	ð. β.
<i>Christianus.</i>	gr. iiij.	gr. vj.	ð. ff.

## Oculorum Cancrorum:

<i>Lemery.</i>	ð. i.	ð. ij.	z. i.
	Philosophicum v. magnes. alba.		

## Saturni.

<i>Bateus.</i>	gr. ij.	gr. jv.	gr. vj.
Scammonææ.			

<i>Tencke.</i>	gr. v.	ð. β.	gr. xv.
Solubile oculor. Canc.			

<i>Capellus.</i>	gr. jv.	gr. xi.	gr. xvij.
Succini.			

<i>Mangetus,</i>	gr. iiij.	gr. viij.	ð. ff.
& Beguinus.	gr. jv.	gr. x.	gr. xv.

Succini de quo Helmontius &c.			
<i>Donzellus,</i>	gr. jv.	gr. x.	gr. xx.

& Beguinus.	gr. v.	gr. x.	gr. xv.
Sulphuris.			

<i>Beguinus.</i>	Cochle-	—	are —
	mane,	—	& Vef- —

## Tartari.

<i>Lancillottus,</i>	gr. xiij.	gr. xx.	gr. xxx.
& Mullerus.	gr. vj.	ð. ff. ð. j.	& ultra.

Tartari purgans.			
<i>Mangetus,</i>			

& Schröderus.	gr. v.	gr. viij.	ð. ff.
Turpethi.			

<i>Bateus.</i>	gr. jv.	ð. β.	gr. xv.
Ungulæ Alcis.			

<i>Schulzius.</i>	ð. β.	ð. j.	z. β.
Magnesia alba pro purgante.			

<i>Junckerus.</i>	z. i.	z. ij.	z. ff.
<i>Capellus,</i>	z. β.	z. j.	z. ij.

& Schulzius.	ð. j.	ð. ij.	z. j.
Magnesia alba pro absorbente, pro diuretico nec non diaphore-			

tico, & digestivo.			
<i>Schulzius,</i>	ð. ff.	ð. j.	z. ff.

& Jantkius.	ð. ff.	ð. j.	z. β.
			Magne-

Magnesia opalina	ideſt rubinum Antimonij.		
Lemery.	gr. v.	gr. x.	gr. xv.
Magnesia Saturnina	metheorifata Poterij seu flores	Poterij seu flores	Antimonij.
Idem.	gr. ij.	gr. jv.	gr. vij.
Manus Christi.			
Lemery.	3. j.	3. iiij.	3. ff.
Manna Mercurij.			
Donzillus.	gr. x.	gr. xv.	gr. xx.
Mullerus,	gr. v.	gr. x.	gr. xv.
& Beguinus.	gr. v.	gr. x.	gr. xv.
Mars pul. & lœvigatus sup.	porphyr.	cum aqua	Cinnamomi.
Praxis bonon.	3. ff.	3. j.	3. ff.
Mars Diaphoreticus.			
Bateus.	gr. v.	3. β.	3. i.
Mars Sulphuratus seu Crocus martis	Sulphuratus.		
Christianus.	3. ff.	3. i.	3. ff.
Mars fulminans.			
Idem.	3. j.	3. ff.	3. j.
Mars potabilis.			
Praxis,			
& Christianus.	3. ff.	3. i.	ad 3. ff.
Mars solubilis.			
Capellus.	gr. vij.	gr. xiij.	gr. xvij.
Marsus Panis: vulgo Marzapano.			
Lemery.	3. ij.	3. vj.	3. i.
Mechochoan Extractum.			
Hartmannus.	3. ff.	3. j.	3. iiij.
Mel Mercuriale.			
Lemery.	3. j.	3. ij.	3. iiiij.
Mel paſſulatum.			
Fuller.	Cochleatim.	—	—
Mel paſſulatum solutivum.			
Praxis.	Coch. j.	Coch. ij.	3. ij.
Mel paſſulatum faccharinum.			
Eadem.	ut supra.	—	—
Mel pectorale.			
Fuller.	Coch. unum	sæpe.	—

Mel rosatum simplex ex succo rosarum factum.

*Praxis.*                    3. ss.                    3. i.                    3. ii.

*Et ut plurimum externe, & in collutionibus eo utitur.*

Mel rosatum solutivum.

*Capellus,*                    3. iii.                    3. v.                    3. viij.

*& DeleBoe, Sylvius.*            3. iiij.                    3. iii.                    3. iij.

Mel rosatum solutivum aureum.

*Donzellus.*                    3. iii.                    3. vij.                    3. viij.

Mel Saturni v. Sal Saturni.

— — — — —

*Praxis.*                    Sæpe pro lambitivo.

Mellis Spiritus.

*Hoffmannus.*                    gut. iij.                    gut. x.                    3. j.

Mercurius cum sole.

*Hartmannus.*                    gr. iii.                    gr. vij.                    gr. ix.

Mercurius Diaphoreticus v. Mercur: præcip: viol:

— — — — —

Mercurius Diaphoreticus jovialis.

*J. M. Hoffmannus,*            gr. iii.                    gr. vij.                    3. ss. ad

3. ss.

*& DeleBoe, Sylvius.*            Sumatur, quo usque ptyalismas, uti a reliquis  
mercurialibus excitetur.

Mercurius dulcis pul.

*Lemery.*                    gr. v.                    gr. viij.                    3. ss. ad

gr. xv.

*Jo. M. Hoffm. cum Junckero,*            pro purgante                    3. ss. ad                    3. j &

*& Jantkio.*                    cum aliis —                    purgant. as-                    sociat.

*Wedelius.*                    gr. ij.                    gr. x.                    gr. xiij.

*Cl. Fridericus Hoffmannus dissert. select. Dissert. iij de prudenti medica-*

*ment. continuatione paragraph. xx.*                    gr. v.                    gr. xv.

Primo sciendum, Mercurium probe edulcora-

tum, & a spiculis corrosivis, quod opti-

mè fit per lenem coctionem cum aqua, li-

beratum in usum ducendum esse. Deinde

ille ipse neutiquam largiori dosi, ut vul-

garis, eaque pessima est consuetudo, ad

Scrupulum vel ultra, sed valde modera-

ta dosi ad gr. iij.                    vel vi.

per aliquot dies continuando exhiberi debet,

jun-

*jungendo gr. vij. vel viij. pul: absorbent: —  
augeatur dosis ad unum vel alterum gra-  
num, si minus recte salivatio procedit.  
Alii — Mercurium interne exhibent —  
hoc modo:*

Mercurij dulcis ritè parati jv. vel v. gr., cum Antimonij dia-  
phoret. & cancer. lapidum eadem quantitate in Pul. reda-  
cta cum cons. rosar. in juscuso avenaceo, vel infuso. Thei-  
formi propinant, augendo circa alteram diem Mercurij do-  
sim ad ij. vel iij. grana, & paulatim ita ascendendo do-  
nec ad 3. ss. perventum sit, & salivæ fluxus oriatur.

*Idem Cl. Fridericus Hoffmannus cap. jv. de  
Lue Venerea s. x &c.*

Mercurius dulcis infantibus &c. ob luem gallicam a vitiatis pa-  
rentibus vel nutricibus contractam cum ulceribus in ore,  
crustulis in cute favi instar flavescentibus, permolesta pru-  
rigine, & alui fluxu emacrescentibus.

*Macoppe. Infantibus viginti dies, aut paullo amplius na-  
tis. gr. iiij. ad jv. per dies xxx. in la-  
ete cum saccharo alternis diebus.*

*Pueris anno- rum sex gr. v. per dies xx.  
in lacte cum saccharo. —*

Mercurius dulcis si grosso modo exhibeatur hydragogus est.  
*Boerhaave.*

<i>Lactantibus</i>			
gr. vij.	vj.	3. ii.	
<i>Infantibus</i>			
gr. ijj.			

Mercurius è cinnabari revivificatus cum duplo sacchari subigen-  
dus ad lumbricos.

<i>Christianus.</i>	vj. ad	3. i.	
<i>Libavius,</i>	v.	3. i.	vj.
<i>&amp; Donzellus.</i>	vj. ad 3. v.	vj.	

Mercurius Laxativus.

<i>Hartmannus.</i>	gr. iiij.	gr. vij.	gr. x.
--------------------	-----------	----------	--------

Mercurius Veneris Diaphoreticus.

<i>Mullerus.</i>	—	gr. i.	gr. ii.
------------------	---	--------	---------

Mercurius Vitæ idest Pul. Algarot.			
Lemery.	gr. ij.	gr. v.	gr. viij.
Sculptus,	gr. iiij.	gr. vi.	gr. x.
& Tencke.	gr. ij.	gr. iij.	gr. vij.
Mercurius Vitæ correctus à Crollio, Senerto, Schrodero, Gla-			
tero, Sylvio &c.			
Tencke,	gr. iij.	gr. vi.	gr. viij.
& Bateus.	gr. ij.	gr. iij.	gr. vij.
Mercurius Vitæ purgans.			
Idem.	gr. iij:	gr. vi.	gr. xiij.
Mercurius præcipitatus albus.			
Boerhaave.			
Lemery,	ad pthyalit-	sinum promo-	gr. j.
& Geoffroy.	—	gr. iij. ad	vendum.
Mercurius præcipitatus ruber vehementer purgat.			xv.
Boerhaave cum	gr. j. ad ijj.	gr. iij.	gr. vij.
Junckero.	gr. j. ad ijj.	gr. iij.	gr. vi.
Mercurius præcipitatus correctus.			
Bateus.	gr. ij.	gr. vi.	gr. x.
Mercurius præcipitatus ex Falopio.			
Claudinus.	—	gr. iij. ad v.	gr. x.
Mercurius præcipitatus coloris rosei.			
Lemery.	gr. ij.	gr. iij.	gr. x.
Mercurius præcipitatus flavus idest Turpeth. minerale.			
Tenke.	gr. j.	gr. iij.	gr. vi.
Geoffroy.	gr. ij.	gr. iij.	gr. vij.
Bateus.	gr. ij.	gr. vi.	gr. x.
DeleBoe, Syl.	gr. ij.	gr. iij. ad iij.	gr. vi. ad vij.
& Lemery.	gr. ij.	gr. iij.	gr. vij.
Mercurius præcipitatus fixus.			
Bateus.	gr. x.	gr. xx.	gr. xxx.
Mercurius præcipitatus griseus.			
Idem.	gr. j	gr. iij.	gr. viij.
Mercurius præcipitatus laxativus.			
Idem.	gr. iij.	gr. vi.	gr. x.
Mercurius præcipitatus Paracel: id est præcipitatus per se.			
Idem.	gr. ijj.	gr. iij.	gr. vij.
Mercurius præcipitatus per se seu Calx Mercurij.			
Geoffrey.	—	gr. iij.	gr. vij.

Mer-

Mercurius præcipitatus rubeus fixus.

*Tencke.* gr. iij. gr. iiij. gr. vj.

Mercurius præcipitatus rubeus seu Arcanum corallinum.

*Bateus,* gr. jj. gr. iiiij. gr. vij.

& *Juckerus.* — gr. iv. gr. v.

Mercurius præcipitatus violaceus vel niger.

*Geoffroy.* gr. xij. 3. j. 3. ff.

Mercurius præcipitatus viridis.

*Lemery.* gr. ij. ad iv. gr. vij.

*Bateus.* — gr. ij. ad iij. gr. viij.

Mercurius sublimatus corrosivus.

*DeleB'e, Sylvius.* ad grani quartam partem, & ad summum  
medianum.

Millepedes s. a. præparati pul.

*Capillus.* 3. j. 3. ij. 3. i.

Miftura Ammoniaca.

*Fuller.* Co- — chlea- — tim.

Aromatica.

*Idem.* gr. x. gr. xx. gr. xxx.

Apopletica.

*Idem.* Co- — chlea- — tim.

Aurea.

*Idem.* — Coch. j. bis in die.

Balsamica cephalica.

*Idem.* Coch. j. Coch. ij. Coch. iij.

Balsamica peruviana.

*Idem.* — Coch. ff. Coch. j.

Carminativa.

*Idem.* Coch. j. Coch. iij. Coch. v.

Carminativa anodyna.

*Idem.* 3. j. 3. iv. 3. vj.

Hysterica Spirituosa.

*Idem.* — gut. xx. gut. xxx.

Juniperina bis terve in die.

*Idem.* — Coch. ff. Coch. j.

Oleosa.

*Idem.* 3. j. 3. iij. 3. iv.


Paralytica.

*Idem.* — gut. xx. gut. xxx.

Mithri-

## Mithridatum Democratis.

<i>Colleg. bonon.</i>	3. ff.	3. β.	3. j.
<i>Lemery,</i>	3. i.	3. i.	3. ij.
<i>&amp; Janckius.</i>	3. i. ad 3. ff.	3. i.	3. jv. 3. ij.
Morsuli ad sodam seu ad ardorem Ventriculi Dolei.			
<i>Fraundorffer.</i>	3. i.	3. ij.	3. ff.
Morsuli Cordiales.			
<i>Schulzius.</i>	3. ff.	3. j.	3. ij.
Morsuli ad urinæ Acrimoniam mitig: Langij.			
<i>Fraundorffer.</i>	3. i.	3. i.	3. iff.
Morsuli contra Pestem.			
<i>Schulzius.</i>	3. ff.	3. i. &	ultra.
Morsuli imperiales.			
<i>Idem.</i>	3. ff.	3. i.	3. ij.
Morsuli de Rhabarbaro.			
<i>Idem.</i>	3. ij.	3. vj.	3. j.
Muccharum rosatum solutivum.			
<i>Capellus.</i>	3. i. ad 3. ij.	3. jv.	3. vij.
Muccharum violatum solutivum.			
<i>Antidot: bonon:</i>	3. ij.	3. jv.	3. vj.
<i>&amp; Capellus.</i>	3. i. ad 3. ij.	3. jv.	3. vij.
Mulsa aqua v. Mellicratum.			
— Mumia Mineralis. — — — —			
— Myva Cydoniorum. — — — —			
<i>Lemery.</i>	3. β.	3. i.	3. iff.



<b>N</b>	Ardus celtica pul. <i>Geoffroy.</i>	<i>Virium earumdem cum nardo indica.</i>
Nardus indica idest Spica Nardi pul.	<i>Idem.</i>	3. ss.      3. j.      3. ij.
Nardus indica in infuso.	<i>Idem.</i>	3. j.      3. ij.      3. ss.
Nardus montana in infuso.	<i>Praxis.</i>	<i>ut</i> — <i>Thea usurpari pot est.</i>
Nasturtium aquaticum in infuso.	<i>Barchusen.</i>	m. ss.      m. j.      m. iss.
Nasturtij aquatichi succus defœcatus.	<i>Praxis,</i> & <i>Jantkius.</i>	3. ss.      3. j.      3. ij.
Nasturtium aquaticum pul.	<i>Barchusen.</i>	3. ss ad 3. j.      3. ss.      3. j.
Nasturtium hortense in infuso.	<i>Praxis.</i>	pug. j.      pug. ij.      m. j.
Nicotianæ fol. in infus. pro emetico.	<i>Jantkius.</i>	—      3. ss.      3. j.
		Nico <sup>2</sup>

Nicotiana siccata in infuso pro Clystere.			
Eadem.	—	pug. ss.	pug. i.
Nicotianæ decoctum pro emetico.			
Junckerus.	3. j.	3. ij. ad iiij.	3. ss.
Nicotiana pro emetico. Rx. Tabaci minut. incisi 3 viij. affundatur an:phlegm: vitriol: digerant: in cucurbita vitrea, igne arenæ per diem, & noctem: destill. 3.v. & afflerventur seorsim. Vomitorium insigne est hic liquor.			
Etmullerus.	3. j. 3. ij.	ad 3. iv.	3. vj.
Nigellæ semen pul.			
Barchusen,	3. j.	3. ij.	3. iiij.
& Claudinus.	—	3. j.	3. ij.
Nigellæ semen in infuso.			
Praxis.	3. j.	3. iss.	3. iiij.
Ninzin in infuso.			
Geoffroy.	3. ss.	3. j.	3. ij.
Ninzip radix pulverisata.			
Lemery.	3. ss.	3. j.	3. ij.
Nisi v. Ninzin.			
—			
Nitrum purissimum in aquæ lib. j. dissolutum.			
Lemery.	gr. x. ad xx.	3. j. ad 3. ss.	3. ij. ad 3. i.
Christianus,	3. j.	3. ij.	3. iii.
& Schrodærus.	3. ss.	3. j.	3. iss.
Noctua siccata, & pulverisata.			
Lemery.	3. ss.	3. ss.	3. j.
Nucis cortex Ligni secunda pulverisata.			
Idem.	3. β.	3. ss.	3. j.
Nuclei Persicorum in substantia.			
Geoffroy.	—	3. j.	—
Nuclei Persicorum in emulsione.			
Praxis.	n. iii.	n. v. ad vj.	n. viij. ad x.
Nuclei Pineorum in emulsionibus.			
Geoffroy.	3. ij.	3. iiij.	3. β.
Nucum putamina sive Testæ, & lignea intermedia siccata in decocto.			
Praxis.	n. v.	n. x.	n. xv.
Nummularia recens in infuso.			
Christianus.	m. j.	m. ij.	m. iiij.
			Nutm.

**Nummulariæ succus defœcatus.**

*Praxis.*      3. ij.      3. ij.      3. iiij.

Nux Cupressi seu fructus Cupressi pul:

*Geoffroy,*      3. j.      3. ij.      3. iiiij.

Nux Cupressi in decocto.

*Praxis.*      3. ij.      3. jv.      3. vi.

Nux Pipita seu faba S. Ignatii ad vomitum excitandum.

*Lemery.*      gr. iiij.      gr. viij.      gr. xij.

Nux Pipita, si non sit Vomitus ciendus.

*Geoffroy,*      & *Praxis.*      gr. j.      gr. iiij.      gr. jv.

Nymphaeæ flores siccati, & pulverisati.

*Barchusen.*      3. ff. ad 3. j.      3. ff.      3. j.

Nymphaeæ flores siccati in infuso.

*Christianus.*      pug. j.      pug. ij.      mo. ff.

Nymphaeæ radices in decocto.

*Idem.*      3. j.      3. ij.      3. ff.

Nymphaeæ radix siccata, & pul:

*Idem,*      3. j.      3. ff.      3. ij.

& *Barchusen.*      3. ff. ad 3. j.      3. ff.      3. j.





<b>N</b> itrum Antimoniatum.			
<i>Schulzius,</i>	gr. <i>xij.</i>	3. <i>ff.</i>	& <i>ultra.</i>
& <i>Capellus.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
<b>Nitrum Antimoniatum Batei.</b>			
<i>Bateus.</i>	gr. <i>ij.</i>	gr. <i>v.</i>	gr. <i>vij.</i>
<b>Nitrum Ammoniacale fixum,</b>			
<i>Hoffmannus.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>β.</i>
<b>Nitrum antifebrile.</b>			
<i>Idem.</i>	gr. <i>vij.</i>	gr. <i>xv.</i>	3. <i>ff.</i>
<b>Nitrum Cacheticum.</b>			
<i>Bateus.</i>	gr. <i>vij.</i>	gr. <i>xv.</i>	gr. <i>xx.</i>
<b>Nitrum Catharticum.</b>			
<i>Idem.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ff.</i>
<b>Nitrum Clarificatum,</b> id est Sal prunellæ.			
<i>Eguinus.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ff.</i>
<b>Nitrum Coralliatum,</b> seu specif. Travaini.			
<i>Schulzius,</i>	gr. <i>v.</i>	gr. <i>x.</i>	3. <i>ff.</i>
& <i>Capellus,</i>	gr. <i>x.</i>	gr. <i>xx.</i>	gr. <i>xxx.</i>
<b>Nitrum Depuratum.</b>			
<i>Lemery.</i>	3. <i>ff.</i>	3. <i>ff.</i>	3. <i>ff.</i>
<b>Nitrum Erbenianum.</b>			
<i>Capellus.</i>	3. <i>ff.</i>	3. <i>ff.</i>	3. <i>ff.</i>
<b>Nitrum Fixum.</b>			
<i>Hoffmannus.</i>	gr. <i>vij.</i>	gr. <i>xv.</i>	gr. <i>xx.</i>

Ni-

Nitrum Fixum granulatum.			
<i>Christianus.</i>	3. ff.	3. j.	3. ff.
Nitri Flores.			
<i>Hoffmannus.</i>	3. ff.	3. j.	3. ff.
Nitrum Hermaphroditicum.			
<i>Bateus.</i>	gr. viij.	gr. xx.	gr. xxx.
Nitrum Martiatum.			
<i>Capellus.</i>	gr. x.	gr. xx.	gr. xxx.
Nitrum Nitratum.			
<i>Bateus.</i>	3. ff.	3. j.	3. β.
Nitrum Papaveratum.			
<i>Capellus.</i>	3. ff.	3. j.	3. ij.
Nitrum Perlatum.			
<i>Bateus.</i>	gr. x.	gr. xv.	3. j.
Nitrum Saturnisatum.			
<i>Idem.</i>	gr. ij.	gr. v.	gr. viij.
Nitrum Stibiatum, id est Antimoniatum.			
<i>Schulzius,</i>	gr. xij.	3. ff.	gr. ultra.
& <i>Capellus.</i>	3. β.	3. j.	3. ij.
Nitrum Vitriolatum Mysicht.			
<i>Mysicht.</i>	gr. iv.	gr. v. ad viij.	gr. x.
Nitrum Vitriolatum, seu Arcanum duplicatum.			
<i>Christianus.</i>	3. ff.	3. j.	3. ff.
Nix Antimonialis, seu flores reguli Antimonij.			
<i>Lemery.</i>	gr. ij.	gr. iv.	gr. vij.
Nix reguli Antimonij, seu flores argenti Antimonij.			
<i>Idem.</i>	3. j.	3. j.	3. ij.
Nix Martis.			
<i>Capellus.</i>	gr. vij.	gr. xx.	gr. xxx. gr. ultra.
Nuces recentiores saccharo conditæ.			
<i>Praxis.</i>	n. j.	n. ij.	n. iiij.
Nux Moscata torrefacta, & pulv.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. iiij.
<i>Praxis fortasse rectius.</i>	3. β.	3. j.	3. ff.
Nux Moscata ustulata, & pul.			
<i>Praxis.</i>	3. j.	3. ij.	3. j.
<i>Hinc forte Geoffroy videtur Nuci Moscate Torrefacte ejusdem-</i>			
<i>ustulatae Dufim apposuisse.</i>			
Nux Moscata saccharo condita.			
<i>Junckerus.</i>	3. ff.	3. j.	3. ij. SIM-



<b>O</b> culi Cancrorum pul:, & lavigatorum.			
<i>Christianus.</i>	3. j.	3. ij.	3. iiij.
<b>Olibarium Selectum pul:</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. j. ad 3. ij.
<b>Omphacij succus in aquæ dilutus lib.</b>	<i>jss.</i>	pro portione.	
<i>Praxis.</i>	3. ss.	3. j.	3. ij.
<b>Omphacij succus percolatus.</b>			
<i>Barchusen.</i>	Succus vero	Cochleatim.	
<b>Omphaloides pul:</b>			
<i>Christianus.</i>	3. ss.	3. j.	3. ij.
<b>Omphaloides in infuso.</b>			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. ijj.</i>
<b>Ononidis Cortex in decocto.</b>			
<i>Christianus.</i>	3. β.	3. j.	3. ij.
<b>Ononidis Cortex radicis pul:</b>			
<i>Geoffroy.</i>	3. j.	3. ij.	3. iiij.
<b>Opercula Cochlearum pulveris:</b>			
<i>Jantkius.</i>	3. β.	3. j.	3. jj.
<b>Ophioglossum in infuso.</b>			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. ijj.</i>
<b>Ophioglossum pul:</b>			
<i>Claudinus.</i>	3. j.	3. ij.	3. j.
<b>Opium crudum rasum.</b>			
<i>Geoffroy,</i>	<i>gr. ss.</i>	<i>gr. j. ad ij.</i>	<i>gr. ij. ad ijj.</i>
& <i>Wedelius.</i>	<i>gr. pars iv.</i>		
	<i>vel tertia.</i>	<i>gr. j. ad ij.</i>	<i>gr. ijj.</i>

Oppo-

Opopanax gummi pro purgante.

*Buteus,*      3. ff.      3. ij.      3. j.  
*& Sennertus.*      3. ff.      3. j.      3. ij.

Opopanax gummi in menium suppressione quotidie.

*Praxis.*      —      3. i.      3. ff.

Opobalsamum in cronicis febribus, & in crudis frigidisque humo-  
ribus, nec non in obstructionibus quotidie.

*Geoffroy.*      3. i.      3. ij.      3. j.  
*in vulneratis*      —      3. i.      3. ff.  
*gut. vij.*      3. i.      3. ff.      3. ff.  
*in gonorrhœa.*      —      gut. xij.      gut. xx.

Orchis radix pulverisata.

*Lemery.*      3. j.      3. ij.      3. j.

Organum pulverisatum.

*Barchusen.*      3. ff.      3. ff.      3. j.

Organum in infuso.

*Christianus.*      pug. i.      pug. ij.      m. i.  
*vel ut Thea usurpetur.*

Orobanche pulveris:

*Lemery.*      3. j.      3. ij.      3. j.

Orizæ farina pro pulmento conficiendo ad instar færculi Saxo-  
niæ.

*Praxis.*      3. ij.      3. ff.      3. j. &  
*amplius.*

Ossa è corde Cervi rasa, & pulverisata.

*Lemery.*      3. j.      3. ij.      3. iii.

Ossa calcanei Cervi rasa, ac pulverisata.

*Christianus.*      3. j.      3. ff.      3. j.

Ossa Lucij piscis ex capite, & quorundam aliorum ut Truta-  
rum &c.

*Idem.*      3. j.      3. ff.      3. j.

Ossifragæ intestinum sic: & pul:

*Lemery.*      3. j.      3. ij.      3. j.

Osmundæ regalis pars media radicis subcandida pul:

*Praxis.*      3. i. ad      3. ij. ad      3. j. ad  
*3. ij.*      3. ff.      3. ij.

Osmundæ

Osmundæ regalis pars media radicis sub candida in dec.

*Geoffroy,*

& *Praxis.*

*E. g. in rachitide Geof.*

*B. Osmundæ reg. p. m. radicis*

3. ff

3. j.

3. iff.

*Capit. Vener.*

*m. j.*

*aqua lib. iiij. f. f. a. decoct.*

—

Osmundæ regalis summitates fructifer. pro decoctione quotidie  
in lacte facienda.

*Geoffroy.*

*m. j.*

Osteocolla pulverisata, & porphyrisata.

*Mangetus.*

3. β.

3. j.

3. iff.

*Lemery.*

3. ff.

3. j.

3. ij.

*Hoffmannus cum*

*Hildano.*

3. j.

3. ff.

3. j.

Ostrea pul: & lœvigata.

*Praxis.*

*ut matres per-*

*larum.*

Oxyacanthæ Lignum in decocto.

*Christianus.*

3. ij.

3. ff.

3. j.

Oxyacanthæ fructus siccatai, & pul:

*Barchusen.*

3. ff.

3. ff.

3. j.

Oxytriphyllo succus.

*Geoffroy.*

3. ff.

3. j.

3. ij.

Oxytriphyllo in infuso.

*Barchusen.*

3. ff.

3. j.

3. ij.

Barchusen.

*m. ff.*

*m. j.*

*m. iff.*





# O

Ffa Helmontij.

Boerhaave.      3. ff.      3. j.      3. ff.

Oleum Absinthij destill: &amp; similia.

Schulzius.      gut. j.      gut. iiiij. ad iijv.      gut. viij.

Absinthij. destill: in quartanis febribus.

Hartmannus.      —      3. j. mi —      nus ve.

Amygdalal: dulc: s. i. rec. express: pro leniente.

Geoffroy.      3. j. ad 3 ij.      3. iiij. ad 3. jv.      3 v. ad 3. viij.

Amygdal. dulc. s. i. ut supra pro Clystere.

Idem.      3. ij.      3. jv.      3. viij.

Amygdal. dulc. s. i. ut supra pro emolliente loco pran-  
dij, vel cœne dandum.

Praxis,      3. j.      3. ij.      3. iiij.

et Jantkius.      Cocbleatim.      —      —

Amygd. dulc. s. i. ut supra pro alterante emolliente  
quotidiè.

Praxis.      3. ff.      3. j.      3. ff.

Amygd. dulc. pro emetico.

Jantkius.      ad uncias —      plures.      —

Amygdal. amar. s. i. rec. expressum.

Lemery.      3. ij.      3. ff.      3. j.

Anethi destillatum.

Geoffroy.      gut. j.      gut. ij.      gut. iijv.

Oleum

Oleum Angelicæ destillatum.			
Jantkius.	gut. j.	gut. ij. ad iiij.	gut. jv.
	Anisorum destillatum.		
Idem.	gut. ij.	gut. x.	gut. xx.
	Antimonij Saccharatum.		
Bateus.	gut. ij.	gut. iiij.	gut. vj.
	Ex Nucleis Armeniacarum s. i. per expressionem recenter paratum.		
Geoffroy.	ȝ. j.	ȝ. iiij.	ȝ. v.
	Baccarum Juniperi destillatum.		
Ernestus.	gut. vij.	gut. xij.	ȝ. j.
	Baccarum essentiale Lauri.		
Geoffroy.	gut. ij.	gut. iiij. ad jv.	gut. vj.
	Balsamicum.		
Bateus.	ȝ. j.	ȝ. ij.	ȝ. j.
	Benzues destillatum.		
Christianus.	gut. j. ad ij.	gut. ij. ad iiij.	gut. iiij. ad ȝ. jj.
	Buxi destillatum.		
Jantkius.	ad aliquot guttas.		—
	Cadivum, sive Ligni Cedri s. i. factum.		
Lemery.	gut. j.	gut. iiij.	gut. vj.
	Camphoræ destillatum.		
Ernestus,	gut. ij.	gut. jv.	gut. v.
& Bateus.	gut. iiij.	gut. vj.	gut. x.
	Caryophyllorum destillatum.		
Ernestus,	gut. j.	gut. ij.	gut. iiij.
& DeleBoe, Sylvius.	in pari dosi ad frigus febrium intermittentium.		
	Ceræ destillatum.		
Donzellus,	—	gut. jv.	gut. v.
& Hartmannus.	gut. j. ad ij.	gut. iiij.	gut. jv.
	Cinnamomi destillatum.		
Donzellus,	gut. j.	gut. iiij.	gut. jv.
& Geoffroy.	gut. j.	gut. ij.	gut. iiij.
	Corylorum destillatum.		
Jantkius.	gut. j. ad ij.	gut. iiij.	gut. jv.
	Corticum Aurantiorum s. i expressum.		
Lemery.	gut. j.	gut. jv.	gut. vj.
	Corticum Citri s. i. elicitum.		
Idem.	gut. j.	gut. jv.	gut. vj.

Oleum

Oleum Cydoniorum per infusionem factum per os sumendum.			
Colleg. bonon. 3. ij.	3. iiij.	3. iij.	
Deppelij.			
Schulzius.	gut. x.	gut. xx.	gut. xxx.
Ethereum Terebinthinæ destill.			
Lemery.	gut. jv.	gut. viij.	gut. xiij.
& Hoffmannus.	gut. jv.	gut. viij. ad xiij.	gut. xv.
Heraclejum.			
Bateus.	gut. ij.	gut. iiij.	gut. jv.
Hypericonis simplex per infusionem.			
Praxis.	3. ff. ad 3. i.	3. ij.	—
Juniperi destillatum.			
Jantkius.	ad aliquot	guttas.	—
Karabis destillatum.			
Lancillotus.	gut. iiij.	gut. jv. ad vj.	gut. x.
Karabis ter quaterve rectificatum.			
Praxis.	gut. j.	gut. iiij.	gut. v.
Lavendulæ destillatum.			
Geoffroy.	gut. ij.	gut. iiij. ad jv.	gut. vij.
Ligni Aloes essentiale.			
Idem.	gut. iiij.	gut. x.	gut. xx.
Ligni Cedri seu oleum Cadivum.			
Lemery.	gut. i.	gut. iiij.	gut. vij.
Ligni Corylorum destillatum.			
Ernestus.	gut. jv.	gut. viij.	gut. xiij.
Macis destillatum.			
Idem.	gut. j.	gut. iiij.	gut. jv.
Barchusen,	gut. ff. ad j.	gut. ij.	gut. jv.
& Tencke.	gut. β.	gut. j.	gut. ij.
Majoranæ destillatum.			
Geoffroy.	—	gut. j.	gut. ij.
Martis.			
Bateus.	gut. ij.	gut. jv.	gut. v.
Masticæ destillatum.			
Ernestus.	gut. jv.	gut. x.	gut. xiij.
Matricariæ destillatum.			
Schrodærns.	gut. ij.	gut. x.	gut. xv.
	S 2		Oleum

Oleum Mercurij album, idest Spiritus mercurij albus in aq.  
theriac. sumendus.

*Donzellus.* — gut. j. ad iiij. gut. iiiij.

Mercurij rubrum idest Spiritus mercurij rubeus in aq.  
ther. sumendus ut supra.

*Hartmannus.* — gut. j. gut. iiij.

Mercurij Diaphoreticum.

*Hartmannus.* gut. j. gut. ij. ad iiij. gut. vij.

Nitri quotid. e.

*Idem.* — gut. ij. gut. iiiij.

Myrrhae idest essentia cum Vini spiritu, & nitro fixo de-  
stillatum.

*Christianus.* gut. ij. ad vij. gut. ix. gut. xv.

Nucis per expressionem c. i. factum.

*Geoffroy.* 3. ff. 3. j. 3. ij.

Nucis per expressionem s. i. factum.

*Fuller.* ut amygdali num.

Nucis Moscatæ per expressionem.

*Lemery.* gr. jv. gr. vij. gr. x.

Nuciflæ.

*Ernestus.* — — — gut. j.

Oculorum Canc. ad calculos Hartmanni.

*Christianus.* — — gut. jv. gut. vij.

Olivarum pro emetico.

*Jantkius.* ad uncias — plures.

Pineorum per expressionem.

*Claudinus.* 3. iff. 3. iiij. 3. jv.

& Praxis. ut amygdali num.

Piperis nigri destillatum.

*Hartmannus.* gut. j. gut. iiij. gut. vi.

Philosophorum destillat.

*Capellus.* guttæ — aliquot.

& Lemery. — — gut. ij. ad iiij. gut. jv.

Rhabarbari per infusionem.

*Fuller.* 3. ff. — —

Rorismarini destillatum.

*Schrodærus.* gut. ij. gut. x. gut. xv.

& Praxis. gut. ij. gut. jv. gut. vij.

Rosarum destillatum.

*Hartmannus.* gut. j. gut. ij. gut. iiij.

Oleum

Oleum Rutæ destillatum.			
Christianus.	gut. iii.	gut. vij.	gut. x.
Sabinæ destillatum.			
Schroderus,	gut. ij.	gut. x.	gut. xv.
& Praxis.	gut. ij.	gut. xv.	gut. vij.
Sacchari compositi.			
Beguinus.	Elegmatis	instar affum- ptum.	
Sacchari simplex.			
Idem.	Cochleare se- mis.		—
Sacchari simplex destillatum.			
Lancillottus,	Cochleare se- mis.		—
& Donzellus.	—	3 j per —	aliquot dies.
Salis communis seu spiritus salis com. defl. gnatius.			
Beguinus.	gut. iv.	gut. viij.	gut. xiij.
Salis Nitri.			
Hartmannus.	quotidiè	gut. ij.	gut. iii.
Santalorum citrinor. destill.			
Praxis.	gut. iii.	gut. vij.	gut. x.
Seminum Lini s. i. facti pro sedanda tussi, & pro ex- pectoratione.			
Geoffroy,	3. ij.	3. iiij.	3. iv.
& Jantkius.	Cochleatim,	—	—
Seminum Lini pro purgante.			
Bateus.	3. iiij.	3. iv.	3. vij.
Seminaum Lini pro Clystere.			
Praxis.	3. iv.	3. vij.	3. viij.
Succini tantum destillatum.			
Lancillottus.	gut. iii.	gut. iv.	gut. x.
Succini rectificatum.			
Capellus.	gut. ij.	gut. vij.	gut. x.
Sulphuris per Campanam.			
Beguinus,	gut. ij.	gut. iv.	gut. vij.
& Praxis.	parum ultra.	—	—
Sulphuris destill.			
Ernestus.	gut. j.	gut. ij.	gut. iii.
Sulphuris anilatum, & similium.			
Bateus.	gut. iiij.	3 ff.	3 j.
Sulphuris terebinthinatum.			
Lemery.	gut. j.	gut. iv.	gut. vij.
Oleum			

Oleum Tanaceti destillatum.			
Jantkius.	gut. j.	gut. ij. ad iiij.	gut. iiii.
Tartari destillatum.			
Ernestus.	—	θ. β.	θ. j.
Tartari fœtidum.			
Jantkius.	gut. j.	gut. ij. ad iiiij.	gut. iiii.
Tartari per deliquium.			
Junckerus.	gut. viiij.	gut. xx.	gut. xxx.
Schroderus,	θ. β.	θ. j.	θ. ff.
& Jantkius.	gut. x. ad xv.	gut. xxx. ad xl.	gut. xl. ad L.
Thymi destillatum.			
Barchusen,			
& Donzellerus.	gut. j.	gut. ij.	gut. iiii.
Vitrioli destillatum.			
Lemery.	ut Spiritus	Vitrioli adhi-	beatur.
Vitrioli dulce.			
Bateus.	θ. β.	θ. j.	θ. ij.
Opiata Renodei.			
Capellus.	3. j.	3. ij.	3. iiiij.
Opium assatum, idest Aethiops mineralis.			
Idem.	gr. iiii.	gr. xiij.	gr. xx.
Opium præparatum, idest opium assatum.			
Opium cydoniatum.			
Jantkius.	gr. j.	gr. ij.	gr. iiiij.
Orizæ tremor.			
Barchusen,	3. j.	3. ff.	3. iiii.
& Praxis.	3. β.	3. j.	3. iiii.
Ovietanum.			
Lemery,	θ. ff.	θ. ij.	3. j.
& Schulzius.	3. ff.	3. j.	3. ij.
Ovietanum Charas.			
Capellus.	θ. ff.	θ. ij.	θ. iiii.
Oxycratum.			
Idem.	pro collutio-	& garga-	rismate.
Oxymel asthmaticum	ne,	rismate.	
bis quotidie.			
Fuller.	Coch. ff.	Coch. ij.	Coch. iiiij.
Compositum.			
Lemery.	3. ij.	3. ff.	3. j.
			Oxyq.

## Oxymel de Peto.

*Quercetanus.*

Simplex.

*Capellus,**& Praxis.*

Purgans.

*Fuller.*

Scilliticum pro incisivo.

*Lemery,**& Capellus.*

Scilliticum pro emetico.

*Boerhaave.**& Junckerus.**Cochleatim.**j.**iij.**ff.**iij.**ff.**ad j.**iij.**ff.**ff.**iij.**j.**infantes pur-**iij.**ff.**gat per al-**vum.*

## Oxysaccharum compositum.

*Lemery.*

Emeticum.

*Bateus.*

Emeticum Angeli Salæ.

*Junckerus.*

Emeticum Ludovici.

*Idem.**Dosis eadem.**Mynsicht.*

Emeticum Mynsicht.

*Mynsicht.*

Emeticum Christiani.

*Christianus.**trimestribus**gr. ij.**anniculis**gr. vij ad viii.*

Simplex.

*Lemery.**iij.**ff.**j.*

SIM.



<b>P</b>	Aguri Lapis pul:, & lœvigatus.			
Lemery.	θ. β.	θ. iij.	3. ij.	
Pagurus in decocto.				
Praxis.	ut cancri flu-	vatiiles.	—	
Panthera Lapis pul,	& lœvigatus.			
Lemery.	θ. ff.	θ. j.	θ. ij.	
Pœoniæ maris radix pul.				
Barbusen.	θ. ff ad θ. j.	3. β.	3. j.	
Pœoniæ maris radix in decocto.				
Christianus.	3. j.	3. ij.	3. ff.	
Pœoniæ semen in infuso.				
Praxis.	3. ij.	3. β.	3. j.	
Pœoniæ semen in emulsione.				
Eadem.	3. j.	3. ij.	3. ff.	
Papaver rhæas pulver.				
Christianus.	θ. j.	3. β.	3. j.	
Papaver rhæas in infuso.				
Praxis,	ut Thea usur-	petur.	—	
& Christianus.	pug. j.	pug. ij.	m. ff.	
Papaveris semen album in emulsione.				
Praxis.	3. j.	3. ij.	3. ff.	
Parieræ Bravæ radix pulverisata.				
Geoffroy.	gr. xij.	θ. j.	3. ff.	

Paris.

Parieræ Bravæ radix in infuso.			
Geoffroy.	3. j.	3. ij.	3. iii.
Parietaria recens in infuso.			
Christianus.	m. j.	m. ij.	m. iii.
Parietariae succus defœcatus.			
Donzellus.	3. j.	3. ij.	3. iii.
Paronichia in infuso.			
Praxis.	ut aliæ plantæ capillares usurpetur.		
Pastinacæ radix in decocto.			
Christianus.	3. β.	3. j.	3. ii.
Passulæ Damascenæ, & aliæ pro qualibet liquoris libra.			
Geoffroy.	—	3. j.	—
Pavonis Stercus pulverisatum.			
Lemery.	θ. ff.	3. ff.	3. j.
Pedicularis in infuso.			
Bartschusen.	ut Paronychia.		
Pellicula idest tunica interna Ventriculi Gallinæ pul.			
Claudinus.	θ. j.	θ. ij.	3. j.
Pentaphylli radices in dec.			
Christianus.	3. j.	3. ij.	3. β.
Pentaphylli radices pul.			
Idem.	θ. j.	3. ff.	θ. ij.
Peponis semina pro emulsionibus.			
Praxis.	3. ff.	3. j.	3. ij.
	in f. q. aquæ	etiam pluries	in die.
Percæ Lapis pul., & levigatus.			
Lemery.	gr. viii.	θ. j.	θ. ij.
	ad θ. ff.		
Periclymenum in infuso.			
Bartschusen,	m. ff.	m. j.	m. ijj.
& Junckerus.	m. ff.	m. j.	m. ij.
Pericariæ flores pro emetico			
Boerhaave.	3. ij.	3. β.	3. i.
Pericaria maculata in infuso.			
Bartschusen.	m. ff.	m. j.	m. iβ.
Perici mali folia in infuso.			
Geoffroy.	pug. j.	pug. ij.	m. j.
Perici mali florum succus expressus, & defœcatus.			
Bateus.	3. ff.	3. vij.	3. i.
& Geoffroy.	3. ff.	3. i.	3. ij.
			Per.

Pervinca in infuso.				
Barchusen.	ut Persicaria.	—	—	—
Petasitidis radix sicc. in decocto.				
Christianus.	3. j.	3. ij.	3. ff.	—
Petasitidis radix recens in decocto.				
Idem.	3. ff.	3. j.	3. ij.	—
Petasitidis folia in infuso.				
Barchusen.	m. ff.	m. j.	m. ij.	—
Petroleum ad vermes Puerorum.				
Lemery,	guttæ ali-	quot.		
& Vallisnerius cum	guttæ ij. ad ij.	cum modico	juscui,	si non
Praxi.	ad sit febris.	—	—	—
Petroleum in mensium suppressione.				
Geoffroy.	—	gut. x.	gut. xv.	
Petrocellini vulgaris, & macedonici radices siccatae in decocto.				
Christianus.	3. j.	3. ij.	3. ff.	—
Petrocellini vulgaris, & macedonici radices recentes in decocto.				
Idem.	3. β.	3. j.	3. ij.	—
Petrocellini succus.				
Jankius.	3. ij. ad 3. β.	3. ff. ad 3. j.	3. ff.	—
Peucedani radix sicc. in decocto.				
Christianus,	ut rad. Petrocellini sicc.			
& Praxis.	ut rad. Enulae Campanæ siccatae.			
Phragmites Lapis pul., & lœvigatus.				
Lemery.	3. β.	3. j.	3. β.	—
Phalaris semen pulverisatum.				
Christianus.	3. j.	3. ff.	3. ij.	—
Phellandryum seu cicutaria palust. in infuso.				
Barchusen.	m. ff.	m. j.	m. jj.	—
Phellandryum alpinum. Radix ejus pul.				
Christianus.	3. j.	3. ff.	3. ij.	—
Phellandryum Alpinum. Radix ejus in dec.				
Idem.	3. β.	3. j.	3. ij.	—
Phu Dioscoridis sive Valerianæ Sylvestris radix pulverisata collecta in loco Sylvestri, & antequam folia emittat. in Epilepsia laudatur.				
Columna,	binis vicibus	Cochl. dimi-	dium.	—
& Lemery.	—	3. j.	3. ij.	—
	sexta quaque	die in Vino.	—	—

Pilosella montana recens, & similes in infuso.			
<i>Barbusen,</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. jff.</i>
& <i>Junckerus.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ij.</i>
Pilosella ut supra pul.			
<i>Christianus.</i>	<i>3. ff.</i>	<i>3. j.</i>	<i>3. ij.</i>
Pimpinella in infuso vel decocto.			
<i>Barbusen,</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. jff.</i>
& <i>Junckerus.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ij.</i>
Pimpinellæ succus defœcatus.			
<i>Praxis,</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. iiij.</i>
& <i>Jantkius.</i>	<i>Cocbleatim.</i>	—	—
Piper album pulverisatum.			
<i>Geoffroy.</i>	<i>gr. ij.</i>	<i>gr. vij.</i>	<i>gr. x.</i>
Piper album in infuso.			
<i>Idem.</i>	—	<i>3. ff.</i>	<i>3. j.</i>
Piper longum pulverisatum.			
<i>Idem.</i>	<i>gr. ij.</i>	<i>gr. vij.</i>	<i>gr. x.</i>
Piper longum in infuso.			
<i>Idem.</i>	—	<i>3. ff.</i>	<i>3. j.</i>
Piper nigrum pul.			
<i>Idem.</i>	<i>gr. ij.</i>	<i>gr. vij.</i>	<i>gr. x.</i>
Piper nigrum in infuso.			
<i>Geoffroy.</i>	—	<i>3. ff.</i>	<i>3. j.</i>
Piper nigrum in intermittentibus à plurimis maximè prædicatur ante paroxysnum.			
<i>Idem.</i>	—	<i>gr. viij.</i>	<i>gr. viij. ad jx.</i>
Pisselæum indicum ter in die per longum tempus.			
<i>Allen.</i>	<i>3. ff.</i>	<i>3. j.</i>	<i>3. ij.</i>
Pistacia decorticata pro emulsione.			
<i>Geoffroy.</i>	<i>n. x.</i>	<i>n. xiij.</i>	<i>Praxis ultra.</i>
Pix græca pul. sive in bolos redacta.			
<i>Praxis.</i>	<i>ut Therebin-</i>	<i>thina ustula-</i>	<i>ta.</i>
Pix liquida cum melle accepta ad vulnera pulmonum curanda.			
<i>Africanus.</i>	<i>Cochleare.</i>	<i>j.</i>	—
Pix Navalis in bolis.			
<i>Praxis veneta.</i>	<i>ut supra de pice græca.</i>	—	—

Plantagines omnes in decocto.			
<i>Christianus,</i>	<i>m. j.</i>	<i>m. ij.</i>	<i>m. iij.</i>
& <i>Barchusen cum Junckero.</i>			<i>m. ijj. ad ij.</i>
Plantaginis succus defaecatus.			
<i>Praxis.</i>	<i>3. ff.</i>	<i>3. iiij.</i>	<i>3. v.</i>
Plantaginis semen.			
<i>Claudinus.</i>	<i>3. ff.</i>	<i>3. j.</i>	<i>3. ij.</i>
Planta marina retiformis pul. & lœvigata.			
<i>Lemery.</i>	<i>- D. f.</i>	<i>3. ff.</i>	<i>3. i.</i>
Polij montani summitates in inf.			
<i>Barchusen.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ijj.</i>
Polygonati seu sigilli Salomonis radix in decocto.			
<i>Christianus.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. ff.</i>
Polygonati radix pulverisata.			
<i>Idem,</i>	<i>D. j.</i>	<i>3. ff.</i>	<i>D. ij.</i>
& <i>Barchusen.</i>	<i>D. ff. ad D. j.</i>	<i>3. ff.</i>	<i>3. j.</i>
Polygonum pulverisatum.			
<i>Christianus.</i>	<i>D. j.</i>	<i>3. ff.</i>	<i>D. ij.</i>
Polygonum seu Centinodia in decoctione.			
<i>Barchusen.</i>	<i>m. f.</i>	<i>m. j.</i>	<i>m. ijj.</i>
Polygoni succus defaecatus.			
<i>Praxis.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. iij.</i>
Polypodij radix in decocto.			
<i>Bateus cum DeleBoe, Sylvio.</i>	<i>3. ij.</i>	<i>3. vij.</i>	<i>3. i.</i>
Polypodij radix pulveris.			
<i>Sennertus cum DeleBoe, Sylvio.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. iij.</i>
Polytricum in infuso.			
<i>Praxis.</i>	<i>ut ceteræ herbæ capillares adbibeatur.</i>		
Populi cortex in decocto.			
<i>Christianus.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. ff.</i>
Populi cortex pulverisatus.			
<i>Idem,</i>	<i>D. i.</i>	<i>3. ff.</i>	<i>D. ij.</i>
& <i>Barchusen.</i>	<i>D. ff. ad D. i.</i>	<i>3. ff.</i>	<i>3. j.</i>
Porri succus defaecatus.			
<i>Claudinus.</i>	<i>Succus porri ex jure vel porrum integrum ex aqua dilutum.</i>		

Por-

Portulacæ recens in decocto.			
<i>Christianus.</i>	<i>m. j.</i>	<i>m. ij.</i>	<i>m. iii.</i>
Portulacæ succus defæcatus.			
<i>Praxis.</i>	<i>ʒ. lff.</i>	<i>ʒ. iij.</i>	<i>ʒ. v.</i>
Portulacæ semen pulveris.			
<i>Barchusen.</i>	<i>Θ. ff ad Θ. j.</i>	<i>Θ. ij.</i>	<i>ʒ. j.</i>
Potentilla pul.			
<i>Christianus,</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>	<i>ʒ. ij.</i>
& <i>Barchusen.</i>	<i>Θ. ff. ad Θ. j.</i>	<i>ʒ. ff.</i>	<i>ʒ. ijj.</i>
Potentilla in infuso.			
<i>Christianus.</i>	<i>m. j.</i>	<i>m. ijj.</i>	<i>m. iiij.</i>
Primulaveris in infuso.			
<i>Barchusen,</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ijj.</i>
& <i>Junckerus.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ij.</i>
Primulæveris succus defæcatus.			
<i>Praxis.</i>	<i>ʒ. j.</i>	<i>ʒ. ij.</i>	<i>ʒ. iij.</i>
Pruni gummi.			
<i>Eadem.</i>	<i>ut gummi a- rabicum.</i>		—
Pruna Damascena macerata pro leniente in aqua calida per no-			
tem, & jejuno stumaco sumpta.			
<i>Bateus.</i>	<i>n. xij.</i>	<i>n. xvij.</i>	<i>n. xx.</i>
Pruni Sylvestris succus sic., & pul.			
<i>Lemery.</i>	<i>Θ. ff.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Pruni Sylvestris florum succus pro leniente.			
<i>Bateus.</i>	<i>ʒ. ii.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Psittaci sterlus pulverisatum.			
<i>Lemery.</i>	<i>gr. viij.</i>	<i>Θ. j.</i>	<i>ʒ. ff.</i>
Psilij seminum mucilago s. a. facta.			
<i>Mesues.</i>	<i>ʒ. j.</i>	<i>ʒ. ij.</i>	<i>ʒ. iij.</i>
Psilij semen pul.			
<i>Claudinus.</i>	<i>Θ. ff.</i>	<i>Θ. j.</i>	<i>Θ. ij.</i>
Pulegium mont. pulverisatum, & simil.			
<i>Idem.</i>	<i>Θ. j.</i>	<i>Θ. ij.</i>	<i>Θ. iiij.</i>
Pulegium mont. in infuso, & simil.			
<i>Barchusen.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ijj.</i>
Pulmo Vulpis sicc., & pulverisatus.			
<i>Idem.</i>	<i>Θ. ff.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Pulmonaria in infuso.			
<i>Idem.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. ijj.</i>

Pul.

Pulmonariæ succus decoctus.

*Christianus.*      3. ij.      3. ss.      3. j.

Pumex Lapis tritus in decocto.

*Praxis.*      3. ss.      3. j.      3. ij.

quod idem in dosi jam prescripta renovetur,  
nec nos eorum servandus, qui eo, jam  
ebullito, iterum, ac sepius utuntur, quod  
et de Antimonio præceptum intelligatur.

Punicæ mali succus.

*Praxis.*      3. j.      3. ij.      3. iv.

Punicæ mali cortex in decocto.

*Geoffroy.*      3. j.      3. ij.      3. ss.

Punicæ mali cortex pulverisata.

*Idem.*      3. j.      3. ss.      3. j.

Pyrethrum pulverisatum.

*Praxis.*      ut *Piper ni-* grum. —


Pyrola in infuso.

*Barchusen.*      m. ss.      m. j.      m. iss.

Pyrola pul. in polinem redacta.

*Idem,*      3. ss. ad 3. j.      3. ss.      3. j.

et *Christianus.*      3. ss.      3. j.      3. ij.





**P**

Anacea seu Sulphur Antimonij fixum.			
Hartmannus.	gr. <i>jv.</i>	gr. <i>x.</i>	gr. <i>xvi.</i>
Panacea Antimonij cathartica.			
Donzellus.	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>v.</i>
Panacea Antimonij emetica.			
Lemery.	gr. <i>vj.</i>	gr. <i>xvj.</i>	gr. <i>xvj.</i>
Panacea Antimonij famosissima.			
Beguinus.	gr. <i>ij.</i>	gr. <i>vj.</i>	gr. <i>vij.</i>
Panacea alba mercurij.			
Hartmannus.	gr. <i>v.</i>	gr. <i>x.</i>	gr. <i>xvj.</i>
Panacea antifebrilis.			
Fraundorffer.	gr. <i>vijj. ad D. ss.</i>	gr. <i>xij. ad</i>	D. <i>j.</i>
Panacea Hartmanni.			
Bateus.	gr. <i>vj.</i>	gr. <i>x.</i>	gr. <i>xx.</i>
Panacea Holsatica vid. Arcanum dupl.			
—	—	—	—
Panacea Mercurialis.			
Capellus.	gr. <i>vj.</i>	gr. <i>x.</i>	gr. <i>xv.</i>
Panacea Quercetani sive sublimatum dulce purgans.			
Beguinus.	gr. <i>xij.</i>	gr. <i>xx.</i>	gr. <i>xxxx.</i>
Panacea Schroderi vid. Mercurius præcipitatus fixus.			
—	—	—	—
Panacea Sulphuris Antimonij sive magist., vel præcipit. Antimonij.			
Lemery.	gr. <i>jv.</i>	gr. <i>vijj.</i>	gr. <i>xij.</i>

Pana-

## Panacea Vitrioli.

Mullerus,	gr. ij.	gr. iij.	gr. v. ad v.
& Lemery.	gr. ijj.	gr. v.	gr. vij.

## Panchimagogum.

Mullerus,	θ. ff.	θ. j.	3. ff.
& Lemery.	θ. ff.	θ. j.	θ. ij.

## Panchimagogum Crolij poster. descriptionis.

Crollius.	gr. x.	gr. xv.	gr. xx.
Praxis.	ad —	lubi- —	tum.

## Panis farinæ hordei.

Eadem.	ad pulmenta confienda.	—	—
--------	------------------------	---	---

## Panis martius Vulgo Marzapano.

Lemery.	3. ij.	3. vj.	3. j.
---------	--------	--------	-------

## Panis martius laxativus Sennerti.

Fraundorffer.	3. iij. ad 3. β.	3. vj.	3. j.
---------------	------------------	--------	-------

## Passulæ anthelminthicæ.

Fuller.	Cochle- —	are —	unum.
---------	-----------	-------	-------

## Passulæ præparat. sive Elect. de Passulis.

Lemery.	3. ff.	3. j.	3. ijj.
---------	--------	-------	---------

## Passulæ laxativæ Mynsicht.

Mynsicht.	3. ij.	3. ff.	3. vj.
-----------	--------	--------	--------

## Penidium seu saccharum Penidiatum.

Lemery,	pro eclegmate ad gratum saporem conciliandam	—	—
& Praxis.	pulveribus &c.	—	—

## Percarum Magisterium.

Beguinus.	gr. v.	gr. xi.	gr. xv.
-----------	--------	---------	---------

## Petroleum, sive Oleum Saxi.

Valisnerius cum	gut. ij.	gut. jv.	—
-----------------	----------	----------	---

Praxi.	cum modico jufculi, si non sit febris.	—	—
--------	--	---	---

## Perchepejer Anglorum seu Precepierre, idest Rompipietra.

Capellus.	—	—	gr. Lvi.
-----------	---	---	----------

## Pilulæ absorbentes.

Schulzius.	θ. ff.	θ. j.	3. ff.
------------	--------	-------	--------

ad longam Vitam.	—	—	—
------------------	---	---	---

Lemery.	θ. ff.	θ. j.	3. ff.
---------	--------	-------	--------

## Aetiopicæ.

Bateus.	θ. ff.	3. ff.	3. ij.
---------	--------	--------	--------

de Agarico.	—	—	—
-------------	---	---	---

Schulzius.	θ. ff.	3. ff.	3. ij.
------------	--------	--------	--------

Pilu.	—	—	—
-------	---	---	---

Pilulæ Aggregativæ.			
Schulzius.	3. j.	3. ij.	3. j. & ultra.
Alefanginæ.			
Idem.	3. ff.	3. i.	3. ij. & ultra.
de Aloe lota.			
Rulandus.	3. β.	3. ff.	3. i.
de Aloe rosatæ.			
Schulzius, & Jantkius.	pauca grana.	3. ff.	3. i.
de Aloe violatæ.			
Idem.	—	3. β.	3. i.
de Ammoniaco Quercetani.			
Lemery.	3. i.	3. ij.	3. iii.
de Ammoniaco magistralis Batei, & pro leni purgante.			
Bateus,	3. ff.	3. j.	3. ff.
& Lemery.	3. β.	3. i.	3. ij.
Antimoniales.			
Bateus.	3. β.	3. ij.	3. i.
Angelicæ Bejeri aut Francofurtenes vocatae, atque per universam Europam satis notæ.			
Lemery.	3. β.	3. i.	3. ff.
Angelicæ.			
Bateus,	3. ff.	3. i.	3. β. & ultra.
& Donzellus.	3. ff.	3. i.	3. ij.
Arthriticæ Schæfer.			
Lemery.	gr. vi.	3. ff.	3. i.
Aureæ.			
Capellus.	3. i.	3. i.	3. iv.
ad obstrunctiones contumaces Riverij.			
Fraundorffer.	3. ff.	3. i.	3. ff.
bis in Septimana.			
Balsami Sulphuris Poterij.			
Fuller.	3. β.	3. β.	3. i.
de Bdellio.			
Riverius.	3. i.	3. ij.	3. i.

Pilulæ Becher.			
<i>Pharmac. Vienens.</i>	—	θ. β.	θ. j.
Cacheticæ Fuller.			
<i>Fuller.</i>	θ. j.	ʒ. j.	θ. jv.
Capitales Paracelſi.			
<i>Capellus.</i>	gr. ij.	gr. xij.	gr. xx.
de Creta Palmarij.			
<i>Bateus.</i>	gr. xv.	θ. ij.	ʒ. j.
quotidie hora ſomni per dies	xv.		
Catharræles.			
<i>Schulzius.</i>	θ. ff.	θ. j.	ʒ. ff.
Catholicæ Galeni.			
<i>Colleg. bonon.</i>	θ. ff.	θ. j.	ʒ. ff.
Cochiæ Rasis.			
<i>Idem.</i>	ʒ. ff.	ʒ. j.	ʒ. iff.
de Cynogloſſo.			
<i>Lemery,</i>	gr. jv.	gr. x.	gr. xx.
& <i>Capellus.</i>	gr. xij.	gr. xx.	gr. xxx.
de Cynogloſſo Fr. deleBoe, Sylvius.			
<i>Schulzius.</i>	gr. iff.	gr. ij.	gr. jv.
Detergentes Cortesij.			
<i>Lemery.</i>	ʒ. ff.	ʒ. j.	ʒ. iff.
Dekers.			
<i>Barbette.</i>	n. ij.	n. iij.	n. jv.
Divinæ seu Angelicæ.			
<i>Donzellus.</i>	θ. ff.	θ. j.	θ. ij.
Diureticæ Cloſſæ.			
<i>Lemery.</i>	θ. j.	θ. ij.	θ. jv.
Dysentericæ.			
<i>Fuller.</i>	—	θ. j.	—
Elvetij ad Sang. fluxum &c.			
<i>Nigrifolus.</i>	pluries in die	θ. j. ad 3. ff.	—
Francofurtenſes, ideſt Angelicæ Bejeri atque per uni-			
versam Europam ſatis notæ.			
<i>Lemery.</i>	θ. β.	θ. j.	ʒ. ff.
Gellijs.			
<i>Nigrifolus.</i>	θ. ij.	ʒ. iff.	ʒ. ij.
Hermodactylorum.			
<i>Claudinus.</i>	θ. i.	ʒ. ij.	θ. jv.

Pili-

## Pilulae Hydropicæ Bontij.

*Allen,* —  $\varnothing. ss.$   $\varnothing. jj.$   
*& Lemery.*  $\varnothing. j.$   $3. ss.$   $\varnothing. ij.$

## Hydropicæ Batei.

*Bateus.*  $gr. xv.$   $3. ss.$   $\varnothing. ij.$   
*&*  $\varnothing. ultra.$

## Hystericæ Fuller.

*Fuller.* —  $\varnothing. ss.$   $\varnothing. j.$

## Hystericæ Fr. Hoffmanni.

*Fraundorffer.* —  $gr. vij.$   $\varnothing. ss.$

## Imperiales.

*Lemery.*  $\varnothing. ss.$   $3. ss. ad \varnothing. ij.$   $3. j.$

## Indæ.

*Claudinus,* —  $\varnothing. ss.$   $\varnothing. ij.$   $ad \varnothing. jv.$   
*& Lemery.*  $\varnothing. j.$   $\varnothing. ij.$   $3. j.$

## Lucis maj.

*Lemery.*  $\varnothing. j.$   $3. j.$   $3. iss.$

## Lucis min.

*Idem.*  $Dosis eadem.$  — —

## Marocostinæ.

*Bateus.*  $\varnothing. j.$   $\varnothing. ij.$   $3. j.$

## Martiales solutivæ.

*Lemery,*  $\varnothing. ss.$   $3. ss.$   $3. j.$   
*& Capellus.*  $3. j.$   $3. ij.$   $3. iii.$

## Mathei, alias Starkij.

*Bateus.*  $gr. vij.$   $\varnothing. ss.$   $\varnothing. j.$

Mercuriales in morbis venereis, nec non in rheumatismo,  
mesenterij, & viscerum obstructionibus.

*Geoffroy.*  $\varnothing. j.$   $3. j.$   $ad 3. iss.$   
*quotidie vel alternis diebus exhibentur.*

## Mercuriales ad excitand. salivationem.

*Capellus.* —  $n. ij.$   $n. v.$

## Mercuriales ad gonorrhœam.

*Nigrisulus.*  $descripta dosis ab Authore toties re-$   
*petenda.*

## de Mercurio crudo.

*Fuller.*  $\varnothing. ss.$   $3. ss.$   $\varnothing. ij.$

## de Myrrha.

*Idem.*  $\varnothing. ss.$   $\varnothing. j.$   $\varnothing. ij.$

<b>Pilulæ Polychrestæ Aquæ Pendentis.</b>			
<i>Grulingius.</i>	3. ss.	3. j.	3. ij.
de Pice.			
<i>Bateus.</i>	—	3. ss. bis quo-	tidie.
Plebani, idest S. Fuscæ.			
<i>Praxis Veneta.</i>	pro purgante in acutis mor-	3. ss. bis.	3. j. gr. x. gr. xv.
	pro purgante per intervalla ante cenam n.ij.		
	n. ij. ad v.		
de Rhabarbaro.			
<i>Morellus,</i>	3. j.	3. ij.	3. jv.
& <i>Claudinus.</i>	3. ss.	3. j.	3. ij.
Rondeletij.			
<i>Lemery.</i>	3. ss.	3. j.	3. ss.
Ruffi.			
<i>Idem.</i>	3. j.	3. ij.	3. jv.
S. Fuscæ, vulgo del Pievano.			
<i>Praxis Veneta.</i>	pro purgante in acutis mor-	3. ss. bis.	3. j. gr. x. gr. xv.
	pro purgante per epicrasim ante cenam. n.ij.		
	n. ij. ad n. v.		
fine quibus esse nolo.			
<i>Lemery.</i>	3. j.	3. ij.	3. j.
de Succino Cratonis.			
<i>Capellus.</i>	3. j.	3. ij.	3. j.
Starkij, seu pil. Mathei.			
<i>Bateus.</i>	gr. vij.	3. ss.	3. j.
Stomachicæ.			
<i>Lemery.</i>	3. j.	3. ij.	3. j.
ad fistendam gonorrhæam Charaz.			
<i>Nigrisolus.</i>	per plures dies.	3. ss.	3. j.
Stypticæ Mynsicht.			
<i>Mynsicht.</i>	3. ss.	3. j.	3. ss.
Stypticæ Helvetij.			
<i>Nigrisolus.</i>	pluries in die.	3. j.	3. ss.
Tartareæ Bontij.			
<i>Bateus,</i>	3. ss.	3. j.	3. ss.
& <i>Lemery.</i>	3. ss.	3. j.	3. ij.
Tartareæ sive Cicera Tartari.			
<i>Minsicht.</i>	3. ss.	3. j.	3. ss.
			Pilu.

Pilulæ Tartareæ Quercetani.			3. ff.
Lemery.	θ. ff.	θ. i.	3. ff.
Tartareæ Schrodæri.			
Idem.	θ. i.	θ. ij.	3. i.
de Terebinthina Mynsicht.			
Mynsicht.	θ. i.	3. ff.	θ. ij.
Trium Dæmonum.			
Capellus.	—	3. ff.	3. i.
de tribus cum rhabarbaro.			
Lemery,	θ. i.	θ. ij.	3. i.
& Capellus.	3. ff.	3. i.	3. ij.
Vaticanæ.			
Bateus.	gr. x.	θ. i.	3. ff.
Vermifugæ.			
Idem.	θ. ff. gr. xij.	—	—
Vomitoriae.			
Idem.	3. ff.	θ. iv.	θ. viij.
Uterinæ.			
Mynsicht.	—	θ. i.	3. ff.
Pilus Leporis præparatus.			
Lemery.	θ. ff.	θ. i.	3. ff.
Philonium Romanum.			
Sculzius.	θ. ff.	θ. i.	3. ff.
Perficum.			
Idem.	θ. i.	3. ff.	3. i.
Phosphorus.			
Bateus.	gr. iv.	gr. viij.	θ. ff.
Polipodij extractum.			
Colleg. bonon.	θ. i. ad 3. ff.	3. i.	3. ij.
Posca.			
Capellus,			
& Praxis.	pro gargarismate, & collitione.		
Poterij Stomachicum, seu Pulvis Poterij.			
Praxis,	gr. x.	gr. xx.	gr. xxx.
& Lemery.	gr. vij. ad x.	gr. xx.	gr. xxx.
Potio ex Millepedibus ad timpanitidem Willis.			
Fraundorffer.	3. ff.	3. ij.	3. iv.
bis	—	in	die.
Potio solutiva magistralis.			
Capellus.	3. iiij.	3. v.	3. viij.
			Præ.

Præcipitatus albus,			
<i>Lancillottus</i> ,	gr. <i>jv.</i>	gr. <i>jix.</i>	gr. <i>xij.</i>
& <i>Barchusen</i> .	gr. <i>iij.</i>	gr. <i>jix.</i>	gr. <i>xvj.</i>
<i>Lemery</i> .	Antimonij, seu magist. Antimonij.	gr. <i>vij.</i>	θ. <i>ss.</i>
<i>Beguinus</i> ,	gr. <i>iiij.</i>	gr. <i>vij.</i>	
& <i>Mullerus</i> .	—	gr. <i>jv.</i>	gr. <i>vj.</i>
<i>Schrodærus</i> .	Diaphoreticus.	gr. <i>vj.</i>	gr. <i>x.</i>
<i>Idem Beg.</i>	—	gr. <i>jv. ad vj.</i>	gr. <i>vij.</i>
<i>Beguinus</i> .	Martis.	gr. <i>vij.</i>	gr. <i>xij.</i>
<i>Schrodærus</i> .	Viridis seu Venereus.	gr. <i>ij. ad v.</i>	gr. <i>vj.</i>
Pruna præparata solutiva.			
<i>Capellus</i> .	ʒ. <i>ss.</i>	ʒ. <i>j.</i>	ʒ. <i>ij.</i>
<i>Ptisana Madame Fauquet</i> .	bis in die lib.	una, & ultra.	—
<i>Praxis</i> .			
<i>Ptisana solutiva</i> .			
<i>Nigrisolus</i> .	ʒ. <i>iv.</i>	ʒ. <i>x.</i>	ʒ. <i>xij.</i>
<i>Pulpa Cassiæ</i> recenter parata.			
<i>Geoffroy</i> .	ʒ. <i>ij.</i>	ʒ. <i>j:</i>	ʒ. <i>ij.</i>
<i>Pulpa Cassiæ</i> rec. tracta in alvo styptica ante prandium vel ante cenam.			
<i>Redi</i> .	quotidie	ʒ. <i>ij.</i>	—
<i>Pulpa</i> sive <i>Cremor hordei</i> perlati vel nostratis per secernibulum recenter tractus.			
<i>Barchusen</i> ,	ʒ. <i>j. ad 3. ij.</i>	ʒ. <i>ss.</i>	ʒ. <i>j.</i>
& <i>Praxis</i> .	ʒ. <i>β.</i>	ʒ. <i>j.</i>	ʒ. <i>ij.</i>
<i>Pulpa</i> seu <i>Cremor Orizæ</i> ut supra paratus.	bis terze —	quotidie.	—
<i>Barchusen</i> ,	ʒ. <i>j. ad 3. ij.</i>	ʒ. <i>ss.</i>	ʒ. <i>j.</i>
& <i>Praxis</i> .	ʒ. <i>ss.</i>	ʒ. <i>j.</i>	ʒ. <i>ij.</i>
<i>Pulpa Passularum</i> pro leniente ut supra.	bis terze —	quotidie.	—
<i>Praxis</i> .	ʒ. <i>ss.</i>	ʒ. <i>ij.</i>	ʒ. <i>ij.</i>
<i>Pulpa Prunorum</i> pro leniente ut antea.			
<i>Jankius</i> .	ʒ. <i>ss.</i>	ʒ. <i>j.</i>	ʒ. <i>ij.</i>
			Pulpa

Pulpa rad. Altheæ per cibrum recenter tracta.			
Jantkius.	3. ij.	3. ff.	3. i.
	<i>bis terve in die.</i>		
Pulpa radicis Tussilaginis ut supra parata.			
Praxis.	3. ij.	3. ff.	3. i.
Pulpa Tamarindorum ut supra par. pro leniente.			
Fulginas.	3. ff.	3. i.	3. ff.
Pulvis absorbens Wedelij descriptus in sua opologia una cum gutta olei caryophyllor. vel Cinnamomi.			
Wedelius.	gr. iv.	gr. viii.	gr. xii.
Albus optimus.			
Mullerus.	gr. ii.	gr. vi.	gr. viij. ad gr. viii.
Algarot vel Algorethi.			
Lemery.	gr. ii.	gr. v.	gr. viii.
Angelicus vid. pul. Algarot.			
Anover.			
Capellus.	gr. vij.	gr. xij.	gr. xx.
Anticacheticus vid. pul. Cacheticus Chesnaov.			
Antilethargicus Dolæi.			
Fraundorffer.	3. j.	3. ii.	3. i.
Antiepilepticus nobilissimus Bartolini.			
Praxis.	3. j.	3. ii.	3. i.
Artheticus Paracelsi.			
Capellus.	3. j.	3. ii.	3. i.
Artheticus Turneri.			
Bateus.	3. j.	3. ii.	3. i.
Basilicus.			
Idem.	3. j.	3. ii.	3. i.
Bezoarticus.			
Lemery.	gr. viii.	3. ii.	3. ff.
Bezoarticus Wedelij.			
Junckerus.	gr. x.	gr. xv.	3. ff.
Bezoarticus imperialis.			
Mynsicht.	gr. vij.	3. ff.	3. j.
Bezoarticus animalis.			
Tencke.	gr. vij.	3. ff.	gr. xv.
			Pulvis

Pulvis Bezoarticus lunaris.

*Begutinus.* gr. iiij. gr. vij. gr. viiiij.

Bezoarticus solaris.

*Zwelfer.* 3. j. 3. ff. ad 3. ij. 3. j.

ad Calculum Mayhern.

*Bateus.*

Cacheticus Cheinaov.

*Cheinaov.*

ter in die qualibet vice sumendus ex Cacheticis, aut mucrone gladii quantum sufficiente capere potest, idque quindecim, vi ginta, & plurimum dierum spatio.

Cacheticus Quercetani.

*Poterius.*

*Lemery,*

& *Capellus.*

Cacheticus Hartmanni.

*Lemery.*

Cantianus.

*Bateus.*

*Cinnabaris comp. ad Epilepsiam.*

*Idem.*

*Cinnamomi Antepilepticus.*

*Beguinus.*

*Comitis Warvich seu Cornachinus.*

*Lemery,*

*Com. Warvich.*

*Cordialis pro Cibo.*

*Colleg. bonon.*

*Fraundorffer.*

*Idem.*

*Lemery.*

*Coll. bonon.*

*Cornachinus vid.*

*Diasennæ Hartmanni.*

*Diasennæ in infuso.*

*Diarodon Abbatis.*

*Polyg.*

*gr. iiij.*

*3. ff.*

*3. j.*

Pulvis Diatragacanthi calidi.			
Lemery.	θ. j.	θ. ij.	θ. iij.
Diatragacanthi frigidi.			
Idem.	θ. ff.	3. β.	3. i:
Digestivus scorbuticus Mollenbrocij.			
Fraundorffer.	θ. ff.	θ. i.	3. ff.
Diureticus Deckers.			
Jantkius.	θ. β.	θ. j.	3. ff.
Dysentericus Crollij.			
Junckerus.	gr. x.	gr. xv.	3. ff.
Dominarum ad menstrua retenta.			
Fraundorffer.	—	3. i.	cum Vine,
dulcificativus Wepfer.			
Wepfer.	—	3. ff.	3. i.
mande, & ve- spere.			—
Emeticus vid. pulvis Algaroth.			
—	ad febres malignas Viennensis.	—	—
Fraundorffer.	θ. j.	3. i.	3. ff.
febrifugus certus.			
Bateus.	θ. j.	θ. ij.	3. i.
ad foetum mortuum pellendum Sennerti.			
Fraundorffer.	—	—	3. i.
Gutteta Monspeliensis.			
Jantkius.	θ. ff.	θ. i.	3. ff.
Gutteta Riverij.			
Capellus.	gr. x.	gr. xx.	gr. xxx.
Gutteta Majerve.			
Idem.	θ. j.	θ. ij.	3. i.
Kanthianus idest Comitissæ Kanth. seu pulvis è Chelis			
Cancrorum.			
Lemery.	θ. β.	θ. i.	3. ff.
& Capellus.	gr. xx.	gr. xl.	gr. Lx.
Haly Abbatis rec. parati.			
Capellus.	3. j.	θ. iv.	3. ij.
Hieræ picræ simplex Galeni.			
Lemery.	θ. β.	3. ff.	3. i.
Hieræ picræ per epicrasim datus.			
Praxis.	—	θ. β.	θ. i.

Pulvis Lithontripticus Lentil.			
Jantkius.	—	3. j.	3. ff.
Lithontripticus Wepfer.			
Jantkius.	—	3. j.	3. β.
Ludovici.			
Jantkius.	gr. vj.	3. ff.	3. j.
Martialis pro Mulieribus, & Virginibus.			
Bateus.	—	3. ff. ad 3. j.	3. ij.
Melanagogus Quercet.			
Quercetanus.	3. iii.	3. vj.	3. j.
mitigans Wepfer.			
Wepfer & in Ephem.	—	3. ff.	3. j.
A. N. C. cent. jx. manè, & ve- spere.			—
obs. 2. Jo. Cont. a Cum cremore hordei vel lacte recenti.			
Brunn.			
Monsieur Desoult. vid. Pul. Palmarius.			
— — — — —			
Nephriticus.			
Lemery.	3. ff.	3. ij.	3. j.
Palmarius Monsieur Desoult.			
Fraundorffer.	3. ff.	3. j.	3. ff.
in Vino cum duplo saccha- ri.			
Panchimagogus.			
Fuller.	3. j.	3. ij.	3. iiij.
Panchimagogus Salæ, & Quercetani.			
Tencke.	3. ff.	3. ff.	3. j.
Panonicus rubeus.			
Capellus.	gr. xij.	3. ff.	3. ij.
Pleuriticus Francofurtensis.			
Schulzius.	3. ff.	3. j.	3. ff.
Purpureus pro Variolis.			
Bateus.	3. ff.	3. j.	3. ij.
Pro mingentibus involuntariè.			
Mullerus.	3. j.	cum —	Vino.
Stagnoticus idest aethiops vegetabilis.			
Capellus.	gr. vj.	3. ff.	gr. xx.
Stomachicus Quercet.			
Capellus.	3. j.	3. ij.	3. jv.
Stomachicus Mynsicht.			
Mynsicht.	3. ff.	3. ff.	3. j.
			Pulvis

Pulvis Stomachicus Cacheticus Quercet.

*Quercetanus.*      *Semi cochlea-*      *re argentea*      *am.*

Stomachicus Cacheticus Tournefortij.

*Capellus.*      *Ω. j.*      *Ω. ij.*      *Ω. ii.*

Stomachicus Batei.

*Bateus.*      *3. ff.*      *3. j.*      *3. ii.*

Stomachicus Poterij.

*Capellus.*      *gr. vj.*      *Ω. β.*      *gr. xx.*

ad Strumas.

*Bateus.*      *3. β.*      *Ω. i.*      *Ω. ii.*

*bis* —

*in* —

*die.* —

Syrius Officinarum.

*Christianus.*      *gr. vj.*      *Ω. ff.*      *gr. xv.*

Temperat. Stahl.

*Jantkius.*      *Ω. ff.*      *Ω. i.*      *3. ff.*

de tribus Comitis Warvich.

— — — — — in virium languore, & sincope Etmulleri.

*Fraundorffer.*      *Ω. ff.*      *3. ff.*      *3. j.*

Vermifugus.

*Bateus.*      *Ω. ff.*      *Ω. i.*      *3. ff.*

Viperinus.

*Christianus.*      *Ω. ff.*      *3. ff.*      *3. j.*

Viperinus cum hepate, & corde.

*Lemery.*      *gr. viii.*      *Ω. i.*      *Ω. ii.*





<b>Q</b> uadrifolium in infuso.			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. iss.</i>
<i>Quercus glans pul.</i>			
<i>Lemery.</i>	<i>3. ss.</i>	<i>3. ss.</i>	<i>3. j.</i>
<i>Quercus folia, &amp; summitates in decocto.</i>			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. iss.</i>
<i>Quinque folij radices seu Pentaphilon rad. pul.</i>			
<i>Christianus,</i>	<i>3. j.</i>	<i>3. ss.</i>	<i>3. ij.</i>
<i>&amp; Barchusen.</i>	<i>3. ss.</i>	<i>3. ss.</i>	<i>3. j.</i>
<i>Quinque folij radices in decocto.</i>			
<i>Christianus.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. ss.</i>
<i>Quinquina vid. China Chinæ.</i>			

COM-



<b>Q</b> uinquinæ Tinetur in Spiritu Vini facta.			
Lemery.	gut. x.	3. ff.	3. j.
Quinquinæ Extractum.			
Idem.	gr. xij.	3. i.	3. ff.
Quinquinæ sal.			
Idem.	gr. vij.	3. ff.	3. i.
Quinta essentia Coraliorum.			
Beguinus.	gut. ii.	gut. v.	gut. x.
Quinta essentia Perlarum.			
Idem.	gut. xv.	gut. viij.	gut. xij.
Quintæ essentiæ foliorum, radicum &c. legentur in Tincturis;			



**R** Adix Ari sive recens sive siccata incisa internè exhibetur.

<i>Geoffroy.</i>	3. ss.	3. j.	3. ij.
Radix Ari recens decocta, & melle excepta.			
<i>Idem.</i>	3. j.	3. ij.	3. ij.
Radix Bistortæ pul.			
<i>Paullus.</i>	3. ss. ad 3. j.	3. β.	3. j.
Radix Bistortæ in decocto, & apozematibus.			
<i>Geoffroy.</i>	3. ij.	3. ss.	3. j.
Radix Carli Sancti. ejus Cortex pul.			
<i>Christianus.</i>	—	3. j. ad 3. ss.	3. ij.
Radix Carli Sancti in infuso vel decocto.			
<i>Praxis.</i>	ut radix Cur-	cumæ.	—
Radix Curcumæ pul.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. j.
Radix Curcumæ in decocto.			
<i>Idem.</i>	3. ij.	3. jv.	3. ij.
Radix Ipecacuanha fusca pul. pro emetico.			
<i>Fuller,</i>	3. ss.	3. iss.	3. ij.
& <i>Beguinus.</i>	gr. vij.	3. j.	3. ij.
Eadem pro Cathartico, & emetico.			
<i>Lemery.</i>	3. j.	3. j.	3. ss.
& <i>Geoffroy.</i>	3. j.	3. ij.	3. j.
Eadem dato in purgante per Epicrasim.			
<i>Praxis neapolitana,</i>			
& <i>Lemery.</i>	gr. iij.	gr. viii.	3. ss.
			Eadem

Eadem pul. <i>Geoffroy.</i>	—	gr. vi.	gr. x.
		non minus purgat vehementer quam $\vartheta$ . j. vel $\vartheta$ . ii.	
Eadem in infuso vel decocto. <i>Lemery.</i>	3. ss.	3. i.	3. ii.
Radix Ipecacuanha bigia pul. pro Cathartico, & Emetico. <i>Lemery.</i>	$\vartheta$ . j.	3. i.	3. iss.
Eadem pro Clystere. <i>Idem.</i>	3. j.	3. ii.	3. ss.
Eadem in infuso. <i>Idem.</i>	3. ss.	3. iss.	3. iii.
Radix Sanctæ Helenæ pul. <i>Barchusen.</i>	$\vartheta$ . ss.	3. ss.	3. i.
Rajæ dens pul. <i>Lemery.</i>	$\vartheta$ . ss.	3. ss.	3. ii.
Ranarum hepata sic. & pul. <i>Bateus,</i>	$\vartheta$ . ss.	3. i.	3. ss.
Ranarum fel incineratum. <i>Etmullerus.</i>	—	3. i.	3. ss.
Ranæ sic. & pul. <i>Poterius.</i>	$\vartheta$ . i.	3. β.	3. i.
Ranæ pro jusculis mediocrae. <i>Praxis.</i>	3. iss.	3. iii.	3. iv.
	bis terva in die repetantur Juscula.		
Rapa in decocto. <i>Praxis.</i>	ut potio sit grata.		
Raphani radix fortis recens in decocto pro alterante. <i>Eadem.</i>	—	3. i.	3. iss.
Raphani succus pro Emetico. <i>DeleBoe, Sylvius.</i>	—	3. i.	3. ii.
Raphani radicis succus pro diuretico. <i>Praxis.</i>	—	3. ss.	3. i.
	cum juscule carnis.		
Raphani semen pul. <i>Lemery.</i>	3. ss.	3. i.	3. ii.
Raphani semen pro Emetico. <i>Boerhaave,</i>	3. i.	3. ii.	3. ss.
& DeleBoe, <i>Sylvius.</i>	3. i.	3. ii.	3. iii.
	Raphas		

Raphani rusticani radix pul.			
<i>Christianus.</i>	3. j.	3. ss.	3. ij.
Raphani rusticani radix recens in dec.			
<i>Praxis.</i>	—	3. ss.	3. i.
Raphani rusticani succus.			
<i>Jantkius.</i>	per <i>Cochlearia.</i>		—
Rasuræ Eboris pul.			
<i>Barchusen.</i>	3. ss.	3. ss.	3. i.
Reduvius pul.			
<i>Lemery.</i>	gr. iiij.	gr. viij.	3. ff.
Resedæ Radix in decocto.			
<i>Christianus.</i>	3. j.	3. ij.	3. ss.
Rhabarbarum pro purgante pul.			
<i>Barchusen cum</i>			
<i>Juncker.</i>	3. ss. ad 3. j.	3. ss.	3. i.
<i>Claudinus,</i>			
& <i>Bateus cum</i>	3. j.	3. j.	3. ij.
<i>DeleBoe, Syl.</i>	3. j.	3. j. ad 3. ij.	3. ij.
Rhabarbarum datum per Epicrasim.			
<i>Praxis.</i>	gr. viij.	gr. xv.	3. j.
<i>Claudinus cum</i>			
<i>Wedelius.</i>	3. j.	3. ij.	3. iiiij.
Rhabarbarum in infuso.			
<i>Geoffroy,</i>	3. ss.	3. j.	3. ij.
& <i>DeleBoe, Syl.</i>	3. ij.	3. ss.	3. vij.
quandoque leviter decoquitur.			
Rhabarbarum Monachorum pul. pro purgante.			
<i>Juncker.</i>	3. j.	3. ij.	3. β.
Rhabarbarum Monachorum in infuso pro deterviso.			
<i>Lemery.</i>	3. ss.	3. j.	3. iff.
Rhabarbarum Monachorum pul. pro deterviso.			
<i>Idem.</i>	3. β.	3. β.	3. ij.
Rhamni Cathartici baccæ pro purgante.			
<i>Bateus.</i>	n. xxx.	n. xl.	n. L.
Rhamni Cathartici baccarum succus.			
<i>Idem,</i>	3. ij.	3. β.	3. vj.
& <i>Boerhaave.</i>	3. ij.	3. β.	3. j.
Rhaponticum pul.			
<i>Geoffroy.</i>	3. j.	3. ij.	3. ss.

Rha-

Rhaponticum in infuso vel decocto.			
Geoffroy.	3. β.	3. j.	3. ij.
Rhinoceros. — Cornu limat. & pul.			
Lemery,	3. j.	3. ff.	3. ij.
& Barchusen.	3. ff.	3. β.	3. j.
Rhinoceros. — Ungulæ rasæ.			
Iidem Authores.	ut supra.	—	—
Rhus pul.			
Christianus.	3. j.	3. ij.	3. j.
Ribesiorum succus in aqua dilutus.			
Idem.	3. ij.	3. ff.	3. j.
Ricini nuclei decorticati pro purgante.			
Bateus.	n. xv.	n. viij.	n. xij.
Fernelius,	n. ij.	n. v.	n. viij.
& Geoffroy.	gr. x.	gr. xv.	gr. xx.
Ricini nuclei in infuso.			
Idem.	3. j.	3. ij.	3. ij.
Ricini americanæ nuclei decorticati.			
Lemery.	n. ff.	n. j.	n. ij.
Ros.			
Praxis.	3. iij.	3. vj.	lib. j.
Rosæ Damascenæ pul.			
Barchusen.	3. ff. ad 3. j.	3. ff. ad 3. ij.	3. j.
Rosæ damascenæ siccæ in infuso.			
Praxis.	3. ff.	3. j.	3. ij.
Rosarum damascenarum succus pro purgante.			
Bateus.	3. β.	3. ff.	3. ij.
Rosarum pallidarum succus pro purgante.			
Fulginas,	3. j.	3. ij.	3. ij.
& DeleBoe, Sylvius.	3. j.	3. ff.	3. ij.
Rosmarinus in infuso rec. & similes.			
Praxis.	p. j.	p. ij.	m. ff.
Rosmarinus siccatus in decocto levi.			
Eadem.	ut Thea usur-	petur.	—
Rosmarinus pul.			
Barchusen.	3. ff.	3. ff.	3. j.
Rubiæ Tinctorum radix pul.			
Christianus,	3. j.	3. ff.	3. ij.
& Barchusen.	3. ff. ad 3. j.	3. ff.	3. j.

Rubiæ Tinctorum radix sic. in decocto.			
<i>Christianus.</i>	3. j.	3. ij.	3. ff.
Rubi comæ pul.			
<i>Claudinus.</i>	3. j.	3. ij.	3. j.
Rubi comæ in infuso.			
<i>Barchusen.</i>	m. ff.	m. j.	m. ij.
Rubi fructus sic. & pul.			
<i>Claudinus.</i>	3. j.	3. ij.	3. j.
Rubinus pul. & lœvigatus.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
Rubi Idei succus fructuum.			
<i>Christianus.</i>	3. ij.	3. ff.	3. j.
Rupi Capræ bezoar s. pul.			
<i>Lemery.</i>	gr. vij.	3. ff.	3. j.
Rusci radix in decocto recens.			
<i>Christianus.</i>	3. ff.	3. j.	3. ij.
Ruta Capraria in infuso.			
<i>Barchusen.</i>	m. ff.	m. j.	m. ij.
Rutæ Caprariæ succus defæcatus.			
<i>Praxis.</i>	3. j.	3. ij.	3. iij.
Ruta hortensis in infuso.			
<i>Eadem.</i>	ut Thea.	—	—
Ruta hortensis pul.			
<i>Barchusen.</i>	3. ff. ad 3. j.	3. ff.	3. j.
Ruta muraria in infuso.			
<i>Paullus.</i>	at plantæ capillares usurpetur.		





<b>R</b> Adix Eryngij faccharo condita.			
Mefues.	3. ij.	3. j.	3. ii.
Regulus Antimonij in infuso pro emetico.			
Jantkins.	gr. iiij.	gr. vij. ad viii.	gr. x.
Regulus Antimonij medicinalis pro emetico.			
Junckerus.	gr. v.	3. ff.	3. j.
Requies Nicolai.			
Poterius.	3. ff. ad 3. j.	3. ff.	3. j.
Requie Nicolai pulvis.			
Lemery.	3. ff.	3. j.	3. ii.
Resina Agarici.			
Barchusen.	gr. vij.	3. ff.	3. j. ad 3. ff.
Guajaci.			
Capellus,	gr. vij.	3. ff.	3. j. ad gr. xxx.
& Barchusen.	gr. vij.	3. ff. ad 3. j.	3. β.
DeleBoe , Sylvius.	gr. iu.	gr. vij. ad viii.	gr. x.
Jalapæ.			
Lemery.	gr. iu.	gr. viij.	gr. xiij.
Capellus,	gr. iu.	gr. x.	gr. xvij.
& Christianus.	gr. iu.	gr. x.	gr. xv.

## Resina Mechiocan.

<i>Barchusen,</i>	gr. <i>jv.</i>	gr. <i>viii.</i>	ð. <i>ff.</i>
& <i>Praxis.</i>	gr. <i>v.</i>	gr. <i>x.</i>	gr. <i>xv.</i>
<i>Scammonææ.</i>			

<i>Lemery.</i>	gr. <i>jv.</i>	gr. <i>viii.</i>	ð. <i>ff.</i>
<i>Jantkius.</i>	gr. <i>vj.</i>	gr. <i>xij.</i>	gr. <i>xv.</i>
& <i>Capellus.</i>	gr. <i>jv.</i>	ð. <i>ff.</i>	gr. <i>xv.</i>

Succini seu Tinctura Succini.

<i>Lemery.</i>	gut. <i>x.</i>	ð. <i>ff.</i>	ð. <i>j.</i>
----------------	----------------	---------------	--------------

## Resina Turbith.

<i>Geoffroy,</i>			
& <i>Junckerus.</i>	gr. <i>vj.</i>	gr. <i>x.</i>	gr. <i>xv.</i>

## Rhabarbari Extractum.

<i>Schrodærus.</i>	ð. <i>ff.</i>	ð. <i>ff.</i>	ð. <i>j.</i>
& <i>Lemery.</i>	gr. <i>x.</i>	ð. <i>j.</i>	ð. <i>ij.</i>

## Rhabarbarum torrefactum pul. in alvi fluxu.

<i>DeleBoe, Sylvius.</i>	ð. <i>j.</i>	ð. <i>j.</i>	ð. <i>jv.</i>
--------------------------	--------------	--------------	---------------

Rob baccar. Sambuci cum sexta parte faccari albi &c.

<i>Capellus.</i>	ð. <i>j.</i>	ð. <i>ij.</i>	ð. <i>j.</i>
cum tertia parte facch.			

<i>Colleg. bonon.</i>	ð. <i>j.</i>	ð. <i>ij.</i>	ð. <i>ff.</i>
-----------------------	--------------	---------------	---------------

## Rob Berberis.

<i>Christianus.</i>	Coch. <i>ff.</i>	Coch. <i>j.</i>	Coch. <i>ij.</i>
---------------------	------------------	-----------------	------------------

## Cornis.

<i>Barchusen.</i>	ð. <i>j. ad 3. ij.</i>	ð. <i>β.</i>	ð. <i>j.</i>
-------------------	------------------------	--------------	--------------

## Cydoniorum.

<i>Idem.</i>	Dosis eadem.	—	—
--------------	--------------	---	---

Cynosbati Zwelf. cum tertia parte facch.

<i>Christianus.</i>	Coch. <i>ff.</i>	Coch. <i>j.</i>	Coch. <i>ij.</i>
---------------------	------------------	-----------------	------------------

## Ebulinum.

<i>Colleg. bonon.</i>	ð. <i>j.</i>	ð. <i>ij.</i>	ð. <i>ff.</i>
-----------------------	--------------	---------------	---------------

Juniperinum cum Vino factum.

<i>Geoffroy.</i>	ð. <i>j.</i>	ð. <i>ij.</i>	ð. <i>j.</i>
------------------	--------------	---------------	--------------

Juniperinum cum melle factum.

<i>Praxis.</i>	Coch. <i>ff.</i>	Coch. <i>j.</i>	ð. <i>j.</i>
----------------	------------------	-----------------	--------------

Juniperi sine melle, & allio, seu Germanorum Theriaca.

<i>Barchusen.</i>	ð. <i>j.</i>	ð. <i>ij.</i>	ð. <i>j.</i>
-------------------	--------------	---------------	--------------

## Mororum.

<i>Idem.</i>	ð. <i>j. ad 3. ij.</i>	ð. <i>ff.</i>	ð. <i>j.</i>
--------------	------------------------	---------------	--------------

Rob

## Rob Nucum.

*Lemery.*      3. j.      3. ss.      3. ss.

Omphacij, & similiū.

*Barchusen.*      3. j. ad 3. ij.      3. ss.

3. j.

Prunorum Sylvestrū.

*Idem.*      *Dosis eadem.* —

Ribesiorum in aqua dilutum.

*Praxis.*      3. ij. ad 3. ss.      3. ss. ad 3. j.

3. j. ad 3. ss.

Rubi Idei.

*Eadem.*      *ut supra.* —

Sumach.

*Barchusen.*      3. j. ad 3. ij.      3. ss.

3. j.

## Rosa Solis.

*Bateus.*      3. j.      3. ij.

3. iij.

## Rosa mineralis Angeli Salæ.

*Junckerus*      gr. j.      gr. ij.

## Rosa Vitæ mindralis.

*Fraundorffer.*      gr. ij.      gr. iv.

## Rosarum Damascenarum Conserva.

*Praxis.*      3. ij.      3. ss.

3. j.

& *Capellus.*      3. ss.      3. j.

3. ij.

## Rosarum pallidarum Conserva solutiva.

*Capellus.*      3. ss.      3. j.

## Rosata novella Nicolai.

*Colleg. bonon.*      3. j.      3. ij.

## Ros mineralis.

*Mynsicht.*      3. ij.      3. ss.

## Ros Vitrioli.

*Bateus.*      3. ss.      3. j.      3. ij.

Rosolium febrifugum ex China China in Spiritu Vini factum,  
& saccharo edulcatum S. A.

*Praxis.*      *circiter.*      3. ij.

## Rotulæ Alchermes.

*Lemery.*      3. j.      3. ij.

3. iij.

Cordiales.

*Mynsicht.*      n. ij.      n. iij.

n. iv.

Florum Pap. rubr.

*Praxis.*      3. ij.      3. β.

3. j.

Glycyrrhyzæ.

*Eadem.*      *ad lubitum.* —

— Rotulae

<i>Rotulæ Papales seu rad.</i>	<i>Altheæ Nigrisoli.</i>		
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
de Papavere albo.			
<i>Lemery.</i>	3. j. ad 3. ij.	3. iv.	3. vij.
Pectorales albæ.			
<i>Mynsicht.</i>	" j.	" ij.	" iiij.
Purgantes Bierlingij.			
<i>Fraundorffer.</i>	3. j.	3. ij.	3. j.
Rosaceæ seu cum rosis siccis Damascenis pul.			
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
de Scammonio Sylvij.			
<i>Fraundorffer.</i>	3. β. ad 3. j.	3. ij. ad iij.	3. ff.
Violaceæ idest cum pulvere fol. Violar. ver. ut Cæ			
pellus.			
<i>Praxis.</i>	3. ij.	3. ff.	3. j.
Rubinus Antimonij sive Magnesia Opalina.			
<i>Lemery.</i>	gr. v.	gr. x.	gr. xv.



SIM.



<b>S</b> Abdariffa in infuso.			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. ii.</i>	<i>m. iij.</i>
Sabina vulgaris pul.			
<i>Donzellus.</i>	—	<i>z. β.</i>	<i>z. i.</i>
<i>Matthiolus.</i>	<i>ad partum</i>	<i>facilitandum.</i>	—
<i>Allen.</i>	—	<i>z. j.</i>	<i>z. ij.</i>
<i>Sabina</i> in infuso.		<i>z. ss.</i>	—
<i>Barchusen.</i>	<i>m. β.</i>	<i>m. i.</i>	<i>m. iss.</i>
Sabinæ bacciferæ fructus semifinales.			
<i>Claudinus.</i>	—	<i>θ. ss.</i>	<i>θ. i.</i>
Saccharum album in infuso.			
<i>Praxis.</i>	<i>ad gratum saporem conciliandum.</i>		
Saccharum rubrum pro leniente.			
<i>Eadem.</i>	<i>z. i.</i>	<i>z. ii.</i>	<i>z. iv.</i>
<i>cum Juscuso.</i>	—	—	—
Saccharum rubrum in Clystere.			
<i>Eadem.</i>	<i>z. ii.</i>	<i>z. iv.</i>	<i>z. v.</i>
Sagapenum pro deobstruente.			
<i>Barchusen.</i>	<i>gr. vij.</i>	<i>θ. i.</i>	<i>θ. ii.</i>
<i>DeleBoe, Sylvius,</i>			
<i>cum Sennerto.</i>	—	<i>z. β.</i>	<i>z. i.</i>
Sagapenum pro purgante.			
<i>Batens.</i>	<i>z. β.</i>	<i>θ. ii.</i>	<i>z. i.</i>
			<i>Sal</i>

Sal Armoniacum pro diuretico.

Boerhaave,	θ. ff. ad θ. j.	θ. ij.	3. j.
& Geoffroy.	θ. β.	θ. j.	3. ff.

Sal Armoniacum in febribus intermittentibus.

Mays.	In Adultis.	3. j. θ. v.	3. ij.
	Annorum 11. vel 12.	3. j. ad θ. jv.	

Annorum 8. 3. j. ad θ. iiij. ff.

Infantibus trium Annorum θ. ij. ad θ. iij. β.  
Puerulis unius anni θ. ff. ad gr. xjv. in  
aque destill. solut. 3. j. dimidiam circi-  
ter horam ante paroxysmum, vel ex ini-  
tio ejusdem. Sæpe unica Dosis febrem de-  
pulit, Verum ad majorem securitatem an-  
te adventum sequentis paroxysmi altera  
Dosis est exhibenda.

Sal Armoniacum ad alvum laxandam.

Boerhaave,	—	—	3. ff.
Jantkius.	3. ij. ad 3. ff.	3. vij.	3. j.

Sal Armoniacum pro incisivo, & codiuante solyente.

Lemery,	gr. vj.	θ. ff.	gr. xx.
& Capellus.	gr. vj.	gr. viij.	gr. xiij.

Sal Catharticum amarum.

Lemery.	3. ij.	3. vij.	3. ijj.
Sal Commune pul.	—	—	—

Junckerus.	θ. ff.	3. ff.	3. j.
Sal fossile v. Sal gemmeum.	—	—	—

Sal Gemmeum pul.	—	—	—
Barchusen,	gr. vij. ad θ. ff.	θ. j.	θ. ij.

& Junckerus.	θ. ff.	3. ff.	3. j.
Sal Gemmeum ut vices eccoprotici gerat.	—	—	—

Idem.	—	—	3. iiij.
Sal Gemmeum in Clysteribus.	—	—	—

Praxis.	3. j. ad 3. ij.	3. ij. ad 3. ff.	3. ff. ad 3. j.
Sal Petrae sive Nitrum in aquæ lib. j. dilutum.	—	—	—

Schrodærus,	3. ff.	3. j.	3. ijj.
& Christianus.	θ. j.	θ. ij.	3. j.

Sal Marinum in Clysteribus.			
Praxis.	ut Sal gem- mæ.		—
Sal Marinum pro eccoprotico.			ʒ. ii.
Boerhaave.	—		
Sal Marinum cum decoctionibus diureticis, & deobstruentibus.			
Praxis malpighiana.	θ. ff.	θ. i.	3. ff.
Salicis folia in infuso vel decocto.			
Praxis.	ut Olivæ fo- lia.		—
Salicis cortex siccatus in decocto.			
Christianus.	3. j.	3. ii.	3. ff.
Salvia in infuso.			
Praxis.	ut Thea usur- petur.		—
	vel		
	pug. j.	m. ff.	
Salvia pul., & similes.			
Christianus.	θ. j.	3. ff.	3. j.
Sambuci baccar. succus, qui sola decoctione in rob vertitur pro purgante.			
DeleBoe, Sylvius.	—	3. j.	3. ii.
Sambuci cortex in decocto pro emolliente.			
Christianus.	3. j.	3. ii.	3. ff.
Sambuci corticum medianarum succus pro purgante.			
Claudinus.	3. iff.	3. ii.	3. v.
Sambuci flores in infuso.			
Christianus.	pug. j.	pug. ij.	m. ff.
Sambuci Gemme exsiccat. pro emetico.			
Jantkius.	—	—	3. ff.
Sambuci turiores pul. pro leniente.			
Bateus.	3. ff.	3. j.	3. ii.
Sandracca pul.			
Geoffroy.	θ. j.	θ. ii.	θ. iii.
Sanguis Asini, & similium Animal. sicc., & pul.			
Lenery.	θ. j.	θ. ii.	3. j.
Sanguis Cervi siccatus, & pul.			
Idem.	θ. β.	3. ff.	3. i.
Sanguis Draconis in lachr. pul.			
Geoffroy.	θ. ff. ad θ. j.	3. ff.	3. j.
Sanguis Hyrci sicc., & pul.			
Christianus.	θ. j.	θ. ii.	3. i.

Sangui Humanus sic., & pul. <i>Lemery.</i>	3. ff.	3. ij.	3. ij.
Sanguis Leporis præparatus. <i>Jankius.</i>	3. ff.	3. ij.	3. ff.
Sanicula in infuso. <i>Barchusen.</i>	m. ff.	m. ij.	m. ijj.
Santalum Album pul. <i>Geoffroy.</i>	3. j.	3. ij.	3. j.
Santalum Album in decocto. <i>Idem.</i>	3. j.	3. ij.	3. j.
Santalum Citrinum rasum, & pul. <i>Idem.</i>	3. j.	3. ij.	3. ff.
Santalum Citrinum in decocto. <i>Idem.</i>	3. j.	3. ij.	3. j.
Santalum rubrum limatum, & pul. <i>Idem.</i>	3. j.	3. ij.	3. ff.
Santalum rubrum incisum in decocto. <i>Idem.</i>	Dosis ut su- pra.	—	—
Santolina cum floribus in decocto. <i>Praxis.</i>	Dosis ut su- pra. ut Thea adbi- beatur.	—	—
Santolina pul. cum floribus. <i>Barchusen.</i>	3. ff. ad 3. j.	3. ff.	3. ij.
Saphyrus pul., & lœvigatus. <i>Lemery.</i>	3. ff.	3. ij.	3. ij.
Saponariae viridis folia in decocto e. g. ex sequenti dosi in lib. viii, aquæ, quod inservire debet pro alterante mane, & pro potu cum cibis, additis passulis pro edulcoratione quotidie.	—	—	—
Septalium.	—	—	m. ij.
Sarcocolla pro purgante oleo amygdalino temperata. <i>Geoffroy.</i>	3. j.	3. ij.	3. iii.
Schrodærus. <i>Sardonicus lapis pul., &amp; lœvig: Lemery.</i>	3. j. alio scopo data.	3. ij.	3. iiij.
Salsa parilla elect. in decocto. <i>Geoffroy.</i>	3. ff.	3. ff.	3. j.
	3. ij.	3. ff.	3. j.
	Sal.		

Salsa parilla electa, & pul.			
Geoffroy.	3. ff.	3. i.	3. ii.
Sassafras limatum, & pul.			
Geoffroy.	3. j.	3. ii.	3. j.
Sassafras in decocto.			
Idem.	3. ff.	3. i.	3. ii.
Satureja in infuso.			
Praxis.	ut Thea usur- petur.		—
Satureja pul.			
Barchusen.	3. ff.	3. ii.	3. ii.
Satyri radix sic., & pul.			
Lemery.	3. ff.	3. ff.	3. i.
Satyri radix saccharo condita.			
Idem.	quotidie	3. i.	3. ii.
Saxifraga in infuso.			
Barchusen.	m. ff.	m. i.	m. iij.
Scabiosa in infuso.			
Christianus.	m. i.	m. ii.	m. iij.
Scabiosæ succus defæcatus.			
Praxis.	3. i.	3. ii.	3. iii.
	cum junculo.	—	—
Scammonium stimuli loco.			
Christianus,	gr. i.	gr. ii.	gr. iii.
& Wedelius.	gr. ii.	gr. iii.	gr. iij. vel v.
Scammonium pro basi.			
Montagnana.	gr. vi.	gr. x.	gr. xv.
Bateus cum			
Junckero.	gr. vii.	gr. x.	gr. xx.
Geoffroy,			
& Wedelius.	gr. ij. ad iij.	gr. x.	gr. xiij.
Mesues.	gr. vi.	gr. xiij.	gr. xv.
Scammonium in Clysteribus in Spiritu Vini solutum.			
Wedelius.	—	3. ff.	gr. xiij.
	purgans satis iucundum.	—	
Scarabeus siccatus, & pul.			
Lemery.	3. ff.	3. ff.	3. i.
Scarabeus stridulus ut supra pul.			
Idem.	gr. vi.	3. i.	3. ff.
Schenanthum pul.			
Geoffroy.	3. j.	3. ii.	3. j.

Schenanthum in decocto.				
Geoffroy.	3. ff.	3. j.	3. ij.	
Sclarea. ejus summitates in infuso.				
Praxis.				
	ut Thea usurpetur vel ea Vinum aromati-			
	tizetur.			
Scolymi radix rec.				
Christianus.	3. β.	3. j.	3. ij.	
Scordium in infuso vel decocto.				
Barchusen.	m. ff.	m. j.	m. ij.	
Scordium pul.				
Christianus.	3. ff.	3. j.	3. ij.	
Scordij succus defecatus.				
Idem.	3. ij.	3. ff.	3. j.	
Scorpio siccatus, & pul.				
Lemery.	θ. ff.	θ. j.	3. ff.	
Scorzonerae radix pul.				
Barchusen.	θ. ff. ad θ. j.	3. ff.	3. j.	
Scorzonerae radix in decocto.				
Praxis.	pug. j.	pug. ij.	3. ff.	
Scrophulariae radix in decocto.				
Praxis.		uti radix Scorzonerae &c.		
Sebesten seu Myxis in decocto pro potionibus ad instar Theæ				
bis terve quaterve in die.				
Eadem,	n. vj.	n. xij.	n. xxv.	
& Non nulli	cum Jujubis	surpant.		
Secundina Mulieris sic., & pul				
Bateus.	θ. j.	θ. ij.	3. j.	
Securidacæ semen pul.				
Christianus.	θ. j.	θ. ij.	3. j.	
Sedum vermiculare — folia pro emetico.				
Junckerus.	—	—	3. ff.	
Sedi vermicularis decoctum pro emetico.				
Idem.	—	—	3. ij.	
Semen Agni Casti in infuso.				
Praxis.	3. ff.	3. j.	3. ij.	
Semen Agni Casti pul.				
Claudinus.	θ. j.	θ. ij.	3. j.	
Semen Agni Casti in emulsionibus.				
Geoffroy.	3. j.	3. ij.	3. jv.	

Se-

Semen Angelicæ Boemiae, & Angliae pul.	3. j.	3. ij.	3. iiij.
<i>Christianus.</i>	3. j.	3. ij.	3. iiij.
Semen Anisi pul.	3. ff.	3. j.	3. ij.
<i>Claudinus,</i>	3. ff.	3. j.	3. ij.
& <i>Geoffroy.</i>	3. j.	3. ij.	3. i.
Semen Anisi in infuso.	Praxis.	3. ff.	3. j.
<i>Christianus.</i>	3. ff.	3. j.	3. ij.
Semen Badian seu Anisum Chinæ in infuso.	Non nulli.	ut Thea, & Caffe liquoribus permiscent ad	gratiam.
Semen Badian pul.	<i>Christianus.</i>	3. j.	3. j.
<i>Geoffroy.</i>	—	3. ff.	3. j.
Semen Carvi in Vino infusum.	<i>Geoffroy.</i>	—	3. ff.
Semen Carvi in substantia.	<i>Idem.</i>	3. j.	3. ij.
Semen Carthami pro purgante.	<i>Bateus.</i>	3. j.	3. ff.
<i>Geoffroy.</i>	—	3. ff.	3. vj.
Semen Carthami in infuso.	<i>Claudinus.</i>	—	3. ff.
<i>Geoffroy.</i>	—	3. ff.	3. j.
Samen Colocynthidis in infuso.	<i>Barchusen.</i>	3. ff.	3. ij.
Semen contra Vermes pul.	<i>Lemery.</i>	3. ff. ad 3. j.	3. ff.
Semen Cocognidij in infuso.	<i>Barchusen.</i>	3. ff. ad 3. j.	3. ij.
Semen Cumini in infuso.	Praxis.	ut semen Car-	vi.
Semen Comini pul.	<i>Christianus.</i>	3. j.	3. ij.
<i>Geoffroy.</i>	3. ff.	3. j.	3. ij.
Semen Dauci vulgaris in infuso.	<i>Barbusen.</i>	3. ff. ad 3. j.	3. ff.
& <i>Claudinus.</i>	—	3. j.	3. ij.
Semen Dauci Cretici in infuso in Vino.	<i>Geoffroy.</i>	3. ff.	3. j.
			Semen

Semen hyosciami in substantia.

*Mattiolius*, — θ. β. cum sem. pao.

*paver. albi* — proponebat. —

& *Geoffroy*. — θ. ss. θ. j.

vel solum vel cum aliis remedij &c.

Semen Papaveris album in substantia.

*Praxis*, 3. ss. 3. j. 3. iss.

Semen Papaveris album in emulsione.

*Praxis*, θ. iii. θ. vij. 3. iii. ad 3. ss.

et vix somnum inducit.

Semen Tilli,

*Barchusen*, pro robustis granum dimidium.

Semen Plantaginis, Portulacæ, & similiū in substantia.

*Praxis*, 3. β. θ. iiij. θ. vij.

Semen Plantaginis, Portulacæ, & similiū in decoct.

*Eadem*, θ. iiij. θ. vij. 3. ss.

Sempervivi major succus.

*Jantkius*, 3. ij. ad 3. ss. 3. j. ad 3. iss.

Senecio in infuso.

*Barchusen*, m. ss. m. j. m. iss.

Senecka. Radix pul.

*Geoffroy*, — — — gr. xv.

Senna orient, rec. in infuso alchali aliquo corrigenda.

*Christianus*, 3. ij. 3. iv. 3. vij.

*Wedelius*, cum stimulantisibus θ. j. 3. ss.

Sennæ folia or. pul.

*Heurnius*, — — —

& *DeleBoe*. θ. i. θ. iiij. θ. vij.

*Bateus*, θ. ii. 3. iβ. 3. ij.

Sennæ folia or. pul. ad alvum solvendam per intervalla.

*Praxis*, θ. j. θ. ii. θ. iii.

Sennæ folia or. siccatae in infuso cum correctivo aliquo.

*Wedelius*, 3. j. 3. iss. 3. ij. 3. β. ad 3. vij.

*Christianus*,

& *DeleBoe*, *Sylvius*. θ. iiij. θ. vij. 3. β.

Sennæ folia or. pro coadiuvante purgante.

*Praxis*, 3. ss. θ. iiij. θ. vij.

Seppiæ ossa pul.

*Lemery*, θ. β. θ. j. 3. ss.

Seri-

Seriphium Absinthium.			
Barchusen.	m. β.	m. j.	m. iſſ.
Serpillum in infuso.			
Praxis.	ut Theſſ.	—	—
Serpillum pul.			
Christianus.	θ. j.	θ. ii.	θ. iii.
Seratulae radix pul.			
Lemery.	θ. ſſ.	3. ſſ.	θ. iii.
Serban semen.			
Christianus.	θ. j.	θ. ii.	θ. iii.
Serpentaria Virginiana pul.			
Geoffroy.	gr. x.	θ. j.	3. ſſ.
Serpentaria Virginiana in infuso.			
Idem,	3. ſſ.	θ. iii.	θ. vi.
Serum Caprile pro alterante quotidie.			
Praxis.	3. i. ad 3. iv.	3. v. ad 3. viii.	3. viii. ad xi.
Serum Lactis ad ducendam Alvum.			
Bateus,	lib. ij.	lib. iii.	lib. iv.
& Claudinus.	lib. ij.	3. xL.	3. Lx.
Serum Vaccinum in disenterijs.			
Donzellus,	ad lib. unam,	—	—
& Praxis.	ad duplum.	—	—
Serum Vaccinum pro alterante.			
Claudinus.	3. iv.	3. viii.	3. xij.
	que admiscentur.		3. iij.
Serum pro diuretico.			
Idem.	—	ad	3. xxx.
	que admi-	scentur.	3. iij.
Idem.	3. i.	3. ij.	3. iij.
	actu calidum est dandum.		—
Serum in affuetis frigidæ.			
Idem.	concedi potest actu frigidum.		
Serum in summo æstu.			
Idem.	concedi potest actu frigidum.		
Serum in febribus æstuosis.			
Claudinus.	concedi potest actu frigidum.		
Serum natura robustioribus.			
Idem.	concedi potest actu frigidum.		
Seseli pul.			
Barchusen.	θ. ſſ. ad θ. j.	3. ſſ. ad θ. ij.	θ. iii.

Sili.

Silices præparati.

<i>Bateus.</i>	gr. v.	gr. x.	gr. xx.
Simarrouba —	Cortex minutim secta in decoct.		
<i>Geoffroy.</i>	θ. iff.	θ. iii.	θ. vij.
Simarrouba rasa subtiliter in substantia.			
<i>Idem.</i>	θ. ff.	θ. j.	θ. iff.
Sinapi semen pul.			
<i>Barchusen,</i>	θ. ff.	θ. iff.	θ. iii.
& Schröderus.	—	—	θ. iii.
	exhib. in calculo ante paroxismum.		
Sincus marinus pul.			
<i>Lemery.</i>	—	θ. iff.	θ. iii.
Sifarum in infuso.			
<i>Barchusen.</i>	m. ff.	m. j.	m. iff.
Sifymbrium in decocto.			
<i>Idem.</i>	ut Sifarum.	—	—
Sisyrinchium — radix in decocto recens.			
<i>Christianus.</i>	ʒ. ff.	ʒ. j.	ʒ. iſ.
Sium Succus defæcatus.			
<i>Geoffroy.</i>	ʒ. iff.	ʒ. iii.	ʒ. iſ.
Smaragdus pul., & loevigatus.			
<i>Lemery cum</i>			
Jantkio.	gr. vj.	θ. j.	θ. iff.
Smilax aspera in decocto.			
<i>Praxis.</i>	θ. vij.	θ. ff.	ʒ. i.
Smyrnij radix sic. in decocto.			
<i>Christianus.</i>	θ. iii.	θ. vj.	ʒ. ff.
Smyrnij semen pul.			
<i>Idem.</i>	—	θ. j. ad θ. ij.	θ. iii.
Soldanella in infuso.			
<i>Wedelius.</i>	ʒ. ff.	ʒ. j. ʒ. iff. ad	ʒ. ij.
Soldanella pul.			
<i>Fernellius,</i>	θ. ff.	θ. iff.	θ. iii.
& Bateus.	θ. ff. ad θ. j.	θ. iff ad θ. ij.	θ. ii.
Soldanellæ succus pro purgante.			
<i>DeleBoe, Sylvius,</i> θ. j.	θ. iii.	ʒ. ff.	
<i>Sennertus.</i>	—	θ. iii.	ʒ. iff.
Soleæ caput sicc., & pul.			
<i>Lemery.</i>	θ. j.	θ. ij.	θ. iii.

Som.


Sonchus sive lœvis, sive asper in decocto.			
Barchusen.	m. ss.	m. j.	m. iss.
Sophiae semen pul.			
Lemery.	θ. ss.	θ. iss.	θ. iiij.
Sonchorum succus defœcatus,			
Praxis.	ʒ. j.	ʒ. ij.	ʒ. iiij.
Sorbi fructus acerbi sicc., & pul.			
Eadem.	θ. j.	θ. ij.	θ. iiij.
Spartij comæ, & flores in decocto.			
Lemery.	ut Helleborus.	—	—
Spartij fructus, & semen in decocto.			
Idem.	ut Helleborus.	—	—
Sperma Ceti.			
Barchusen.	θ. ss.	θ. iss.	θ. iiij.
Mangetus,	θ. j.	θ. ij.	θ. vij.
& Hofman.	θ. ss.	θ. j.	θ. iiij.
& Lactantibus gr. j. gr. xv. ad θ. ss.			
Spica Nardi pul.			
Geoffroy.	ʒ. ss.	ʒ. j.	ʒ. ij.
Spica odorata pul.			
Claudinus.	θ. ss. ad θ. j.	θ. ij.	θ. iiij.
Spinæ albæ radices rec. in decocto.			
Christianus.	ʒ. ss.	ʒ. j.	ʒ. ij.
Spinæ Cervinæ baccæ recentes.			
Bateus.	n. xxx.	n. xL.	n. L.
Spinæ Cervinæ baccarum succus.			
Idem,	ʒ. ij.	ʒ. β.	ʒ. vij.
& Boerhaave.	ʒ. ij.	ʒ. β.	ʒ. j.
Spinacia recens in decocto.			
Christianus.	m. j.	m. ij.	m. iiij.
Spinaciæ succus.			
Praxis.	ʒ. ss.	ʒ. iiij.	ʒ. v.
Spina solstitialis in decocto.			
Barchusen.	m. ss.	m. j.	m. iss.
Spongia Canina pul.			
Lemery,	θ. β.	ʒ. β.	θ. ij.
& Jankius.	θ. β.	θ. j.	ʒ. ss.
Squatinæ ova sic.			
Idem,	θ. j.	θ. ij.	ʒ. j.

Squila pro jusculis bis terve in die repetendis.			
Praxis.	3. ff.	3. j.	3. ijj.
Stannum naturale limatum.			
Geoffroy,	3. ff.	3. j. ad 3. ij.	3. j.
& Alestonius.	3. i. ad 3. j.	3. β. ad	3. i.
Stæchas pul.			
Barchusen.	3. ff.	3. ff.	3. j.
Stæchas in infuso.			
Christianus.	pug. j.	pug. ij.	m. ff.
Stercus Dæmonis idest Affa foetida.			
Geoffroy.	gr. xij.	3. ff.	3. i ad 3. ij.
Stercoris Afini succus expressus.			
Praxis.	3. ff.	3. ii.	3. vj.
Stercus Afini sicc., & pul.	3. ijj.		
Barchusen.	3. ff. ad 3. j.	3. ff.	3. j.
Stercus Muris pul.			
Idem.	3. ff. ad 3. j.	3. ff.	3. j.
Stercus humanum sicc., & pul.			
Lemery.	3. ff. ad 3. j.	3. β.	3. j.
Stercus Pavonis pul.			
Schroderus.	3. j.	3. ii.	3. iiij.
Stricis caro siccata, & pul.			
Lemery.	3. ff. ad 3. j.	3. ff. ad 3. ij.	3. j.
Struthij membrana Ventriculi sic., & pul.			
Barchusen.	3. β. ad 3. j.	3. ij.	3. iii.
Sturionis ossa pul.			
Lemery.	3. β. ad 3. i.	3. ff. ad 3. ij.	3. j.
Styrax liquida.			
Geoffroy.	gut. iij.	gut. viij.	gut. xij.
Styrax solida.			
Idem.	3. β.	3. i.	3. ff.
Subuteonis testiculi sic., & pul.			
Lemery.	—	3. j. ad 3. ff.	3. iiij.
Suberi glans pul.			
Idem.	3. j.	3. ij.	3. iiij.
Succinum album pul. ac lœvigatum.			
Geoffroy.	3. j.	3. ij.	3. iiij.
Lemery,	gr. x.	3. i.	3. ff.
& Jantkins.			

Suc-

Succinum nigrum v. Gagates.

Succfa in infuso.			
Barchusen.	m. ff.	m. j.	m. jj.
Sulphur vivum pul.			
Christianus, & Lemery.	θ. β. gr. xv.	θ. j. ad 3. ff.	3. ff. θ. ij.
Suis pinguedo non salita loco olei amygd. dulc.			
Praxis.	3. j.	3. ii.	3. iv.
Symphonia in decocto.			
Barchusen.	ut succifa.		
Sympyti radix in decocto vel in infuso.			
Geoffroy.	3. ij.	3. ff.	3. i.
Sympyti radix pul.			
Idem.	θ. i.	θ. ij.	θ. iii.





<b>S</b>	Accharum Aluminis Dolæi.		
Fraundorffer.	gr. v.	gr. x.	gr. xv.
Fuller.	Antiscorbuticum, & simile.		
Lemery.	quantum capiat cuspis cultri.		
Capellus.	Hordeatum.		
	Lactis.	ad instar eclegmatis.	—
—	—	Lactis.	—
Capellus.	gr. ii.	gr. jv.	gr. vj.
	—	Lactis essentialis.	—
—	Martis.	—	—
Capellus.	gr. vj.	gr. viij.	gr. xij.
Lemery.	Penidiatum.		
Idem.	ad instar e-	clegmatis.	—
Idem.	Perlatum.		
Idem.	3. j.	3. ij.	3. ff.
Idem.	Rosatum perlatum.		
Idem.	3. j.	3. ij.	3. ff.
Capellus,	Rosatum tabellatum.		
& Praxis.	3. j.	3. iij.	3. vj.
	3. β.	3. j.	3. ij.
	3. ij.	3. ff.	3. j.
			Sac-

## Saccharum Saturni.

<i>Lemery.</i>	—	gr. ij.	gr. jv.
<i>Capellus,</i>	gr. ij.	gr. jv.	gr. x.
& Hoffmannas.	gr. iij.	gr. vij.	gr. xij.
<i>Boerhaavius,</i>			
& Fridericus Hoffmannus.			

*usum internum improbant.*

Violatum tabellatum.

<i>Lemery.</i>	3. j.	3. iij.	3. vij.
		Violatum idest Conserva fol. Violarum.	
<i>Praxis.</i>	3. ij.	3. β.	3. i.

## Sacchari Oleum simplex.

<i>Beguinus.</i>	Cochleare se- mis.	—
	Oleum Compositum.	

*Idem.* Eclegmatis instar assumptum.

## Sal Absinthij.

<i>Geoffroy.</i>	3. ff.	3. j.	3. ff.
<i>Capellus,</i>	gr. x.	3. j.	gr. xL.
& Schrodærus.	3. j.	3. ij.	3. j.

Absinthij Chalibeati.

<i>Barchusen,</i>	gr. v.	gr. xv.	3. ff.
& Praxis.	3. β.	3. j.	3. ff.

Absinthij essentialis, &amp; aliar. plantarum.

<i>Capellus.</i>	gr. vj.	gr. xij.	gr. xx.
Aceti essentialis.			

<i>Bateus.</i>	gr. ij.	gr. v.	gr. x.
Alembrot artificialis.			

<i>Lemery.</i>	3. ff.	3. ff.	3. j.
Aluminis.			

<i>Bateus.</i>	gr. ii.	gr. v.	gr. x.
Antimonij v. Sulphur Auratum.			
<i>Boerhaave,</i>	3. ff. ad 3. j.	3. ij.	3. j.
& Geoffroy.	3. ff.	3. j.	3. ff.

<i>Boerhaave.</i>	—	—	3. ff.
<i>Janthius.</i>	3. ij. ad 3. ff.	3. vj.	3. i.
Sal Armoniacum depuratum pro incisivo, & pro coadiuvante solvente.			

<i>Lemery,</i>	gr. vj.	3. ff.	gr. xxv.
& Capellus.	gr. vj.	gr. viij.	gr. xij.

Sal

Sal Armoniacum fixatum.			
<i>Bateus.</i>	gr. ij.	gr. v.	gr. xi.
Armoniacum Volatile.			
<i>Bateus.</i>	gr. iij.	gr. vi.	gr. x.
Armoniacum Volatile oleosum.			
<i>Idem.</i>	gr. vij.	gr. x.	gr. xv.
Armoniacum sublimatum seu flores salis Armoniaci.			
<i>Beguinus.</i>	gr. jv.	gr. xij.	gr. xvij.
Sal Artemisiæ, Millefolij, & similiū solitaria vel simultanea,			
sive pure lixiviosa, sive aliqualiter sulphurata &c.			
<i>Schroderus,</i>	3. j.	3. ij.	3. ss.
& Christianus.	3. ss.	3. j.	3. ss.
Sal cujuslibet vegetabilis fixum artificiale, nimirum quod ex plantæ			
combustæ cinere extrahitur.			
<i>Boerhaave.</i>	3. j.	3. j.	3. iss.
Sal, quod a qualibet planta igne valido combusta educitur cor-			
rosivum est, ideoque sumi debet in aquæ satis larga copia.			
<i>Boerhaave.</i>	gr. jv.	3. j.	3. ss.
Sal Cacheticum Calybeatum.			
<i>Manetus.</i>	gr. vj ad 3. ss.	3. ij.	3. j.
Chalybis.			
<i>Bateus.</i>	gr. j.	gr. v.	& ultra.
Centum herbarum.			
<i>Praxis.</i>	ut Sal Artemisiæ.		—
Colchotharis.			
<i>Nonnulli.</i>	gr. ss.	gr. iss.	gr. iij.
Coraliorum.			
<i>Bateus.</i>	gr. vj.	3. ss.	3. j.
<i>Morellus,</i>	gr. x.	3. j.	3. ij.
Cornu Cervi Succinatum.			
<i>Bateus.</i>	gr. vj.	gr. xij.	3. j.
Cristalli montanæ.			
<i>Donzellus.</i>	3. ss.	3. j.	3. ss.
Diureticum.			
<i>Bateus.</i>	3. ss.	3. j.	3. ss.
Febrifugus Sylvij qui sumptus bihorio ante futurum paro-			
ximum calefacto simul corpore saepe febrim tollit.			
<i>Boerhaave,</i>	—	3. j.	—
& Geoffroy.	3. ss.	3. j.	3. ij.

Sal

<i>Sal Febrile Mynsicht.</i>			
<i>Schulzius.</i>	gr. v.	gr. x.	gr. xx.
<i>Hydropicum.</i>			
<i>Mynsicht.</i>	3. j.	3. ij.	3. j.
<i>Jovis.</i>			
<i>Bateus,</i>	gr. j.	gr. iii.	gr. iv.
<i>&amp; Geoffroy.</i>	gr. j. ad ij.	gr. ij. ad iv.	gr. vi.
<i>Ligni guajaci, &amp; similium.</i>			
<i>Colleg. bonon.</i>	3. ff.	3. i.	3. ff.
<i>Lythargyrites.</i>			
<i>Bateus.</i>	gr. viii.	3. j.	3. ff.
<i>Martis.</i>			
<i>Lancillottus.</i>	gr. i. vide Sal Cha-	gr. ij. ad iii. lybis.	gr. v.
<i>Martis catharticum pro purgante.</i>			
<i>Bateus.</i>	gr. v.	gr. x.	gr. xij.
<i>Nasturtij aquat., &amp; plant. simil.</i>			
<i>Tencke.</i>	3. ff.	3. i.	3. ff.
<i>Nephriticum.</i>			
<i>Mynsicht.</i>	—	3. i.	3. ff.
<i>Nitrum depuratum.</i>			
<i>Lemery,</i>	gr. x. ad xx.	3. j. ad 3. ff.	3. ij. ad 3. i.
<i>Christianus,</i>	3. j.	3. ij.	3. j.
<i>&amp; Schrodærus.</i>	in lib. una aquæ dissolutum.		
	3. ff.	3. j.	3. ijj.
<i>Nucum alkali fixum.</i>			
<i>Lemery.</i>	gr. vi.	gr. xv.	3. j.
<i>Ononidij.</i>			
<i>Jantkius.</i>	3. ff.	3. j.	3. ff.
<i>Philosophicum.</i>			
<i>Bateus.</i>	gr. iv.	gr. viii.	gr. xi.
<i>Polichrestum quotidie.</i>			
<i>Junckerus.</i>	3. i.	3. ij.	3. i.
<i>Polichrestum pro purgante.</i>			
<i>Lemery.</i>	3. ff. ad 3. i.	3. iv.	3. vij.
<i>Polichrestum in aq. lib. ij. solutum ut fiat acidularum in-</i>			
<i>star.</i>			
<i>Bateus.</i>	3. j.	3. ij.	3. ijj.

<i>Sal Prunellæ pul.</i>			
<i>Capellus,</i>	gr. xiij.	gr. xxx.	gr. Lx.
& Schrodærus.	3. ff.	3. j.	3. iff.
<i>Quinquinæ.</i>			
<i>Lemery.</i>	gr. x.	gr. xvij.	3. j.
Saccharinum martis.			
<i>Lancillottus,</i>	gr. iv.	gr. x.	gr. xiij.
Sanguinis humani.			
<i>Barchusen.</i>	3. ff.	3. j.	3. ff.
Saturni sive faccharum Saturni.			
<i>Lemery.</i>	—	gr. ij.	gr. iv.
<i>Capellus,</i>	gr. ij.	gr. iv.	gr. x.
& Hoffmannus.	gr. iiij.	gr. vij.	gr. xiij.
Solis brasiliandum.			
<i>Mangetus.</i>	gr. j.	gr. ij. ad iiij.	gr. iv.
Succini fixum.			
<i>Hartmannus.</i>	3. ff.	3. j.	3. ff.
Sulphuris.			
<i>Bateus.</i>	gr. iiij.	gr. v.	gr. x.
Tamarisci.			
<i>Barchusen.</i>	gr. v.	gr. xv.	3. β.
Tartari essentiale.			
<i>Christianus.</i>	3. ff.	3. j.	3. ff.
Tartari essentialis in forma liquida.			
<i>Idem.</i>	gr. x.	gr. xx.	gr. xxx.
Tartari fixum cum Sulphure.			
<i>Capellus.</i>	gr. x.	gr. xxx.	gr. xL.
Tartari fixum.			
<i>Lemery.</i>	gr. x.	gr. xx.	gr. xxx.
Tartari Vitriolatum.			
<i>Idem.</i>	gr. x.	gr. xx.	gr. xxx.
Tartari foliatum.			
<i>Idem.</i>	gr. xiij.	3. j.	3. ij.
Tartari Volatilis.			
<i>Bateus.</i>	gr. iv.	gr. x.	gr. xx.
Tartari Volatilizatus.			gr. ultra.
<i>Christianus.</i>	gr. iiij.	3. β.	gr. xx.
idem est cum antecedente.			gr. ultra.

Sal

## Sal Tartari Volatilis Colleg. Leid.

<i>Capellus.</i>	—	gr. v.	gr. x.
<i>Theriacalis Quercet.</i>			
<i>Quercetanus.</i>	gr. vi.	gr. xvij.	3. j.
Thymi, & similium.			
<i>Barchusen.</i>	gr. v.	gr. xv.	3. ff.
Vegetabile sive Tartarum solubile.			
<i>Lemery,</i>	gr. x.	3. j.	3. ij.
& <i>Capellus.</i>	3. iij.	3. i.	3. iv.
Vegetabile seu Tart. solub. pro purgante.			
<i>Praxis.</i>	3. ij.	3. ff.	3. vi.
Veneris Vitriolatum.			
<i>Hoffmannus.</i>	—	—	—
Viperae fixum.			
<i>Praxis.</i>	3. ff.	3. j.	3. ff.
Vitrioli pro emetico.			
<i>Junckerus</i>	gr. vij.	gr. xv.	3. j.
Vitrioli fixum.			
<i>Capellus.</i>	3. j.	3. j.	3. iv.
Vitrioli vel Gilla Paracelsi.			
<i>DeleBoe, Sylvius.</i>	3. ff.	3. j.	3. ff.
Vitriolum Vitratum.			
<i>Manetus.</i>	3. j.	3. ii.	3. iii.
Vitrioli Vomitivum.			
<i>Beguinus.</i>	3. ff.	3. ff.	3. j.
Vitrioli Vomitivum salæ.			
<i>Idem.</i>	gr. ii.	gr. v.	gr. x.
Sal Volatile Armoniacum.			
<i>Capellus.</i>	gr. ii. ad iv.	gr. iv. ad vi.	gr. viii. ad gr. x.
Aromaticum.			
<i>Sculzius.</i>	gut. viii.	gut. xv.	xxv.
Cornu Cervi, & similium.			
<i>Idem.</i>	gr. v.	gr. x.	gr. xx.
Cornu Cervi succinatum.			
<i>Bateus.</i>	gr. vi.	gr. xij.	3. j.
Cranij humani, & simil.			
<i>Lemery.</i>	gr. ii. ad iv.	vij. ad x.	gr. xvij.
Volatile Fuliginis.			
<i>Capellus.</i>	gr. ii. ad iv.	gr. iv. ad vi.	gr. viii. ad xi. B b Sal

Sal Volatile Oleosum Armoniaci.			
Lemery.	gr. jv.	gr. xx.	gr. xv.
	Oleosum Cinnamomi.		
Schulzius.	gr. x.	gr. xx.	& ultra.
	Oleosum Sylvij.		
Idem.	gut. vj.	xij.	xx.
	Sanguinis humani.		
Lemery.	gr. ij. ad jv.	gr. vj. ad x.	gr. x. ad xvij.
	Scorpionum.		
Tencke.	gr. iii.	gr. vj.	3. ff.
	Spongiae.		
Bateus.	gr. v.	gr. viii.	gr. xij.
	Succini.		
Lemery,	gr. jv.	gr. viii.	gr. xvij.
& Boerhaave.	—	ad —	3. j.
	Viperæ.		
Bateus,	gr. iii.	gr. vj.	3. ff.
& Lemery.	gr. ij. ad jv.	gr. jv. ad x.	gr. x. ad xvij.
	Ungulæ Alcis.		
Capellus.	gr. ij. ad jv.	gr. jv. ad vj.	gr. vj. ad x.
	Urinæ hominis Sani.		
Bateus.	gr. x.	gr. xx.	gr. xxx.
Sanguis Hyrci Selectior pul.			
Praxis Neapolitana.	3. ff.	3. j.	3. ij.
Sanguis Hyrci modo Helmont. paratus.			
Sculzius,	3. j.	3. ij.	3. iii.
& Capellus.	3. ff.	3. j.	3. ij.
	bis —	in —	die.
	cum decocto Cardui benedicti.		
Saparum Dosis.			
Schroderus,	3. j.	3. ij.	3. iii.
& Christianus.	Coch. ff.	Coch. j.	Coch. ij.
Sapa Vomitoria Sylvij.			
Junckerus.	—	3. ij.	3. ff.
Sapo Venetus sub pilul. forma.			
Boerhaave,	ita ut in die.	3. j.	ad 3. ij.
& Jantkius.	Dosim eamdem præbet in Vino vel lacte.		

Sapo.

Sapo hispanicus albissimus seu Alicanthe in Epilepsia filiae Simonis Comitis de Pas &c. miratu dignum erat remedio assumpto paroxysmum in dies gradatim, denique ex hora in horam ita ivisse imminutum, ut trigesimo die plenissime curata exiverit, manseritque restituta &c.

Barbette.                    3. ff.                    coque ex  
lacte Vaccino: hujusque colati 3 iiij. dentus  
quotidiè. —

Sapo Venetus.

DeleBoe, Sylvius. ad magnitudinem Nucis Moscatæ.

Saponacea.

Boerhaave.                    3. ff.                    3. j.                    3. ff.

Saponea in forma molli.

Praxis.                        Cochlearium. — —

Saponea in forma liquida.

Eadem.                        Cochlearium. — —

Scammonium Cydoniatum.

Bateus,                      gr. vij.                    gr. xx.                    gr. xxxv.

& Capellus.                  gr. iiij. ad vij.            gr. jx. ad xij.            gr. xvij.

Scammonium glycyrrhisatum.

Lemery.                      gr. v. ad vij.            gr. x. ad xv.            3. j.

Scammonium limoniatum.

Idem.                         Dosis eadem cum priori. — —

Scammonium præparatum idest Dyacridium.

Idem.                         Dosis eadem cum priori. — —

Scammonium rosatum.

Grulingius.                  gr. vij.                    gr. x. ad xvij.            gr. xvij.

Mynsicht,                    gr. vij.                    gr. x. ad xij.            gr. xij.

& Lemery.                   gr. vij.                    gr. x. ad xij.            gr. xv.

ad xx.

Scammonium Vitriolatum Hartmanni.

Tencke.                      gr. vij.                    gr. x.                    gr. xx.

Semina Saccharo condita ut facilius ab infantibus comedantur  
ut semen sanctum.

Praxis.                      3. iiij.                    3. ff.                    3. j.

Serum Aluminatum Plateri seu Vomitivum Aluminis.

Hartmannus.                3. ff.                    3. ijj.                    3. iii.

Serum Aluminatum emeticum.			
Bateus.	ʒ. ii.	ʒ. jv.	ʒ. vj.
Serum Vaccin. destillatum quot.			
Praxis.	ʒ. vi.	lib. j.	lib. jj.
Serum Vaccin. destill. cum Cycoreaceis.			
Eadem.	ʒ. jv.	ʒ. viij.	lib. j.
Serum Vaccin. depuratum pro alter. quotidie.			
Eadem.	ʒ. jv.	ʒ. viij.	lib. j.
Serum Sennatum.			
Claudinus.	ʒ. i.	ʒ. ii.	ʒ. ff.
Serum Epithymatum.			
Idem.	<i>Dosis eadem cum priori.</i>		
Serum Mannatum.			
Idem.	ʒ. i.	ʒ. ii.	ʒ. iii.
	<i>actu calidum est dandum.</i>		
Serum cum melle rasato solutivo.			
Idem.	ʒ. j.	ʒ. ii.	ʒ. iii.
	<i>actu calidum est dandum.</i>		
Serum cum melle Violato.			
Idem.	ʒ. i.	ʒ. ii.	ʒ. iii.
	<i>actu calidum est dandum.</i>		
Serum cum Syrupo Polipodij.			
Idem.	<i>actu calidum est dandum.</i>		
Serum diæticum pro alter. per mensem.			
Fuller.	ʒ. jv.	ʒ. viij.	lib. j.
Serum hepaticum bis in die.			
Bateus.	ʒ. jv.	ʒ. viij.	lib. j.
Serum Scorbuticum.			
Idem.	<i>Dosis eadem cum priori.</i>		
Solare Bezoarticum.			
Beguinus.	gr. iiij.	gr. vj.	gr. x.
Species Aromaticæ Caryophyll.			
Sculzius.	gr. xij.	ʒ. ff.	ʒ. ij.
	<i>Aromat. ros. Mesue.</i>		
Colleg bonon.	ʒ. j.	ʒ. ij.	ʒ. jv.
	<i>Aromat. Gabriel.</i>		
Lemery.	ʒ. ff.	ʒ. j.	ʒ. ij.

Species

## Species Cacheticæ Chesnaov.

*Chesnaov.*      *ter in die qualibet vice sumendus ex Coa  
chleari, aut mucrone cultri quantum acies  
capere potest, idque quindecim, viginti,  
& plurimum dierum spatio.*

Cacheticæ siimpl. Hartmanni.			
<i>Lemery.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
Cacheticæ Quercetani.			
<i>Idem.</i>	3. <i>j.</i>	3. <i>ij.</i>	3. <i>j.</i>
Cephalicus Dosei.			
<i>Jantkius.</i>	3. <i>ff.</i>	3. <i>j.</i>	3 <i>ff.</i>
Confectionis de hyacinthro.			
<i>Tencke.</i>	gr. <i>viij.</i>	3. <i>ff.</i>	3. <i>j.</i>
Ad Bronchocelem.			
<i>Colleg. bonon.</i>	—	3. <i>ij.</i>	3. <i>iv.</i>
Cordiales temperatæ.			
<i>Capellus.</i>	gr. <i>vj.</i>	gr. <i>xv.</i>	gr. <i>xxx.</i>
Cordiales pro Cibo.			
<i>Colleg. bonon.</i>	3. <i>j.</i>	3. <i>β.</i>	3. <i>j.</i>
Codiales pro cibo Sanorum.			
<i>Idem.</i>	3. <i>j.</i>	3. <i>ff.</i>	3. <i>j.</i>
De Cynogloss.			
<i>Jantkius.</i>	gr. <i>ij.</i>	gr. <i>iiij.</i>	gr. <i>iv.</i>
Diacymini.			
<i>Lemery.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
Daireos simplicis.			
<i>Idem.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
Diamargariton calidæ.			
<i>Idem.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
Diamargariton frigidæ.			
<i>Idem.</i>	Doſis eadem cum prioribus.	—	—
Diacosti Amari.			
<i>Idem.</i>	ut dictum eſt.	—	—
Diacrocy.			
<i>Schulzius.</i>	gr. <i>xij.</i>	gr. <i>xxv.</i>	gr. <i>vL.</i>
Diacrocy. cum melle.			
<i>Idem.</i>	3. <i>j.</i>	3. <i>ij.</i>	3. <i>ij.</i>

## Species Dialappæ.

<i>Jantkius.</i>	gr. <i>xx.</i>	gr. <i>xx.</i>	gr. <i>xxx.</i>
Diapenidij.	gr. <i>xv.</i>	gr. <i>xx.</i>	gr. <i>xx.</i>
<i>Idem.</i>	gr. <i>xv.</i>	gr. <i>xx.</i>	gr. <i>xx.</i>
Dianthos.	gr. <i>xij.</i>	gr. <i>xij.</i>	gr. <i>xij.</i>
<i>Idem.</i>	gr. <i>xij.</i>	gr. <i>xij.</i>	gr. <i>xij.</i>
Diarrhodon Abb.	sine feminibus frigidis, quæ hodie omittuntur.		
<i>Schulzius.</i>	gr. <i>viii.</i>	gr. <i>viii.</i>	gr. <i>viii.</i>
Diatartari.	gr. <i>viii.</i>	gr. <i>viii.</i>	gr. <i>viii.</i>
<i>Jantkius.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Diatragacanthi frigidi.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Lemery.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Diatragacanthi frigid. cum bolo.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Capellus.</i>	<i>Dosis eadem cum priori.</i>	—	—
Diatragacanthi Calidi.	—	—	—
<i>Lemery.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Diatrion Santalorum.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Capellus.</i>	gr. <i>x.</i>	gr. <i>xx.</i>	gr. <i>xxx.</i>
& <i>Lemery.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Diaturbith Cumrihabarbaro.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Schulzius.</i>	gr. <i>x.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>
<i>Wedelius.</i>	gr. <i>viii.</i>	gr. <i>xv.</i>	gr. <i>j.</i>
& <i>Jantkius.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>
Diaxylaloes.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Idem.</i>	gr. <i>x.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>
Elescof.	gr. <i>x.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>
<i>Barchusen.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>
Febfrifugæ.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>
<i>Mynsicht.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>
Haly Abbas.	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>
<i>Sculzius.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Haly Dekers.	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Capellus.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
Hieræ picræ Simpl. Galeni ad alvum purgandum per Epicrasim.	gr. <i>iiij.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
<i>Idem.</i>	gr. <i>x.</i>	gr. <i>xx.</i>	gr. <i>xxx.</i>
Hieræ picræ Simpl. Galeni pro purgante.	gr. <i>x.</i>	gr. <i>xx.</i>	gr. <i>xxx.</i>
<i>Colleg. bouon.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>	gr. <i>iiij.</i>
& <i>Praxis.</i>	gr. <i>iiij.</i>	gr. <i>j.</i>	gr. <i>iiij.</i>
			Species

## Species de Hyacintho.

<i>Jantkius.</i>	θ. ff.	θ. ij.	ζ. ff.
Impinguantes.			
<i>Colleg. bonon.</i>	ζ. j.	ζ. ij.	ζ. ff.
Imperiales.			
<i>Capellus.</i>	gr. vij.	gr. x.	gr. xx.
Lœtificantes Galeni.			
<i>Sculzius.</i>	gr. vij.	gr. xv.	θ. j.
Marchionis.			
<i>Jantkius.</i>	θ. ff.	θ. ij.	ζ. ff.
Pleuriticæ.			
<i>Mynsicht.</i>	θ. j.	ζ. ff.	ζ. j.
pro Epilepsia Marchionis.			
<i>Capellus.</i>	gr. x.	gr. xxv.	gr. xl.
pro Epilepticis.			
<i>Colleg. bonon.</i>	—	ζ. j.	ζ. ij.
pro Epilepsia Puerorum.			
<i>Colleg. bonon.</i>	θ. j. cum lacte muliebri in infantibus unius anni.		
Resumptivæ Fernelij.			
<i>Lemery.</i>	θ. j.	ζ. j.	ζ. ij.
Stomachicæ.			
<i>Mynsicht.</i>	θ. j.	ζ. ff.	ζ. j.
Trium Piperum.			
<i>Capellus.</i>	gr. x.	gr. xx.	gr. xxx.
Trium Santalorum.			
<i>Lemery.</i>	θ. β.	θ. j.	θ. ij.
Specificum Anodinum Paracelsi.			
<i>Jantkius.</i>	gr. v.	θ. β.	gr. xij.
Specificum antifebrile Crollij.			
<i>Sculzius.</i>	gr. xv.	ζ. ff.	θ. ij.
Specificum Morton. Flor. Camomillæ θ. j. (plus minus pro æstate)			
stibij diaphoretici θ. ff. Salis Absinthij θ. ff. m. fiat pul. sum-			
mendus in haustu posceturæ, vel cujuscumque Julapij tempe-			
ratus, aut in forma boli cum Syr. Caryophyllor., vel in for-			
ma pilul. cum mucilag. Tragacanthi redactum.			
<i>Morton.</i>	<i>sexta quaque hora per biduum repetendum in dosi descripta.</i>		
Cephalicum Michaelis.			
<i>Capellus cum</i>			
<i>Jantkio.</i>	gr. x.	gr. xx.	gr. xxx.
			Specifi-

Specificum Dulcificaticum Travaini, seu nitrum coraliatum.			
Capellus.	gr. x.	gr. xx.	gr. xxx.
Specificum Helvetij.			
Geoffroy.	3. j.	3. ij.	3. j.
quatuor horarum intervallo.			
Specificum Stomachium Poterij.			
Capellus.	gr. vij.	gr. xv.	gr. xx.
Sperniola Crollij.			
Sculzius.	—	gr. iii.	gr. iij.
Spodium Eburis præparatum.			
Lemery.	3. β.	3. j.	3. ij.
Spongiae Cinis.			
Idem.	gr. viij.	3. i.	3. ff.
Spiritus Aceti.			
Lemery.	gut. xv.	Cochleare se- gut. xxx.	mis, vel gut. L.
Acidus Salis Armoniaci.			
Lemery.	ad gratiam ac- gut. vij.	ciditatem, gut. x.	vel gut. xx.
Aluminis.			
Bateus.	gut. ij.	gut. iij.	gut. v. ad vij.
Aluminis dulcis.			
Idem.	gut. iii.	gut. iij. ad vi.	gt. vij. ad viij. ce.
pro unica —			
Ambræ.			
Idem.	gut. ij.	gut. iij.	gut. vij.
Angelicæ cum saccharo.			
Schulzius.	3. j.	3. ij.	3. ff.
Antiscorbuticus.			
Fuller.	3. β. ad 3. j.	3. j. ad 3. ij.	3. j.
Asthmaticus.			
Schulzius.	gut. x.	gut. xx.	gut. xxx.
Aurantiorum.			
Barchusen.	3. ff.	3. ff.	3. j.
Aureus Vitæ Rulandi.			
Fraundorffer.	3. j.	3. ij.	3. ff.
Spiritus baccarum Juniperi sicc. in Spiritu Vini factus, & similes.			
Schroderus.	3. ff.	3. j.	3. ij.

Spiritus

Spiritus Camphoræ in Spiritu Vini factus.			
Bateus.	3. ff.	3. ij.	3. ff.
Carabis seu Karabis.			
Lemery.	gut. x.	gut. xvij.	gut. xxij.
Carminativus Sylvij.			
Idem.	3. ff.	3. j.	3. ij.
Cartæ, & similes.			
Lemery.	gut. vij.	gut. xij.	gut. xx.
Castorei.			
Barchusen.	3. ff.	3. ff.	3. i.
Cerasarum nigrar.			
Bateus.	3. ij.	3. ff.	3. i.
Ceræ.			
Lemery.	gut. v.	gut. x.	gut. xx.
Cephalicus Kirsteno.			
Schulzius.	gut. xv.	3. ff.	& ultra.
Citrorum.			
Barchusen.	3. β.	3. ff.	3. i.
Cochleariæ.			
Bateus.	gut. xx.	gut. xxx.	& ultra.
Cochleariæ Sale Volatili Saturatus.			
Christianus.	gut. v.	gut. x.	gut. xx.
Coralliorum.			
Bateus.	gut. v.	gut. x.	gut. xx.
Cornu Cervi, Alcis, Cranij hum., & similes.			
Sculzius.	gut. x.	gut. xx.	gut. xxx.
Cornu Cervi essentialis.			
Schulzius.	gut. x.	gut. xx.	gut. xxx.
Cornu Cervi Succinatus.			
Bateus.	gut. v.	gut. x.	gut. xv.
Dracunculi cum Sacch. pro vice.			
Idem.	3. j.	3. ij.	3. iv.
Embrionum.			
Idem.	Coch. ff.	Coch. ij.	Coch. iii.
Eruginis.			
Schulzius.	gut. v.	gut. x.	gut. xv.
Philosophicus idest Sp. Vitrioli philosophicus.			
Mllerus.	ad gratam aciditatem.		—
Formicarum.			
Barchusen.	3. ff.	3. ff.	3. i.
	C c		Spiritus

Spiritus Fuliginis,			
Hoffmannus.	gut. jv.	gut. viij.	θ. β.
Capellus,	gut. jv.	gut. xij.	gut. xx.
& Boerhaave.	Clandem debet Dosim habere cum illo C. C.		
Fumariæ.			
Schulzius.	θ. j.	3. j.	& amplius.
Gummi Ammoniaci.			
Lancillottus,	gut. jv.	gut. viij.	gut. xij.
Hordei ardantis.			
Praxis.	ut Spiritus Vini.	—	—
Hydromellis.			
Lemery.	ut Spiritus Vini.	—	—
Hydromellis vinosi.			
V.	Spiritus Mel-	lis.	—
Juniperi baccarum,			
Schulzius.	θ. ff.	3. ff.	3. j.
Ligni Sancti.			
Idem.	—	gut. xxx.	gut. xl.
Lilior. Convallium.			
Geoffroy.	3. ij.	3. ff.	3. j.
Lumbricorum.			
Beguinus.	θ. ff.	3. β.	3. j.
Lumbricorum magistralis.			
Lemery.	3. ff.	3. j.	3. ij.
Lythontripticus.			
Mynsicht.	Coch. β.	Coch. j.	Coch. ij.
Mannæ.			
Bateus.	gr. xv.	Coch. ff.	Coch. j.
Masticis, & similium.			
Ernestus.	Coch. pars	Coch. ff.	Coch. j.
	quarta.	—	—
Mellis acidi.			
Praxis.	ut Spiritus	Aceti.	—
Mellis ardantis.			
Eadem.	ut Spiritus	Vini.	—
Melissæ.			
Barchusen.	θ. β.	3. ff.	3. j.
Melissæ seu Aqua Melissæ magistralis, & Carmelitarum,			
Lemery,	3. ij.	3. ff.	3. j.
& Praxis,	θ. ff. ad θ. j.	3. j.	3. ij.
			Spiritus

Spiritus Mercurij albus	five	Oleum Mercurij album Hartmanni.	
Hartmannus,	—	gut. i.	gut. ij.
& Donzellus.	—	gut. ij.	gut. ii.
Mercurij rubeus idest Oleum Mercurij rubeum.			
Hartmannus.	—	gut. i.	gut. ij.
Nasturtij aquatici.			
Lemery.	gut. xv.	3. ff.	3. ij. ad 3. i.
Nitri.			
Hoffmannus,	—	gut. ii.	gut. jv.
in Cochleari	Vini.		
& Ernestus.	gut. j.	gut. ii.	gut. jv.
Nitri Batei.			
Bateus.	3. ff.	3. i.	3. ij.
Nitri dulcis.			
Schrodærus.	3. ff.	3. ff.	3. i.
Nitri dulcificatus.			
Lemery.	gut. jv.	gut. vii.	gut. viii.
Nitri Anticolicus.			
Idem.	3. ff.	3. ff.	3. i.
Rosarum.			
Lancillottus.	3. j.	3. ij.	3. ii.
Rosarum ardantis.			
Colleg. bonon.	ad minimas	guttas.	—
Sacchari.			
Lemery.	gut. jv.	gut. vii.	gut. x.
vel ad gratam aciditatem.			—
Salis Armoniaci.			
Bateus.	gut. ij.	gut. vi.	gut. xi.
Salis Armoniaci cum calce factus.			
Lemery.	gut. vi.	gut. xij.	gut. xx.
Salis Armoniaci dulcificatus.			
Idem.	gut. xij.	gut. xxvj.	gut. xxx.
Salis Armoniaci acidus.			
Christianus.	gut. ij.	gut. x.	gut. xv.
Salis Armoniaci anisatus.			
Schalzius,	gut. ij.	gut. x.	gut. xxx. & amplius.
& Hoffmannus.	gut. vj.	gut. xij.	gut. xv.
Salis Armoniaci calybeatus.			
Bateus.	gut. v.	gut. x.	gut. xv.
C c 2			Spiritus

Spiritus Salis Armoniaci succinatus.			
<i>Schulzius,</i>	gut. vij.	gut. xv.	gut. xx.
& <i>Hffmannus.</i>	gut. vi.	gut. xij.	gut. xx.
Salis Armoniaci urinosi.			
<i>Christianus.</i>	gut. ij.	gut. vj.	gut. x.
Salis Armoniaci tartarifati.			
<i>Bateus.</i>	gut. ij.	gut. vj.	gut. xij.
Salis communis.			
<i>Lemery.</i>	gut. iv.	gut. viij.	gut. xij.
Salis coagulatus.			
<i>Mynsicht.</i>	gut. v. ad vij.	gut. x.	gut. xv.
Salis communis rectificatus.			
<i>Schulzius.</i>	aliquot guttulas offert.		—
Salis communis calybeatus.			
<i>Praxis,</i>	ut Spiritus Salis, & param ultra.		
& <i>Bateus.</i>	gut. v.	gut. x.	gut. xv.
Salis dulcis.			
<i>Schulzius.</i>	gut. viij.	gut. xx.	gut. xxx.
Salis tertari.			
<i>Christianus.</i>	gut. v.	gut. x.	gut. xxx.
Sambuci.			
<i>Bateus.</i>	Coch. β.	Coch. j.	Coch. ij.
Sanguinis humani putrefacti, & per arenam destil. ac rectific.			
<i>Idem.</i>	—	gut. x.	gut. xx.
	vel ultra per mensem.		—
Sanguinis humani, & simil. per retortam elicitus.			
<i>Lemery.</i>	gut. x.	gut. xx.	gut. xxx.
Saturni.			
<i>Bateus.</i>	gut. j.	gut. ij.	gut. iii.
Saturni ardentis.			
<i>Donzellus.</i>	gut. j.	gut. ij.	gut. iii.
Scorponum.			
<i>Lemery.</i>	ut Spiritus	Viperæ.	—
Serici crudi.			
<i>Capellus.</i>	gut. iv.	gut. xij.	gut. xx.
Sulphuris.			
<i>Beguinus.</i>	gut. ij.	gut. iv.	gut. v. ad vj.

Spiritus

## Spiritus Sulphuris per Campanam.

Hoffmannus. gut. viij. gut. xij. gut. xvij.

Capellus, gut. ij. gut. iv. gut. vij.

& Lemery. ad gratam aciditatem. —

Sulphuris dulcificatus.

Praxis. ut Spiritus Salis dulcis. —

Tabaci pro emetico.

Bateus. 3. β. 3. j. 3. iii.

Tanaceti, & similium.

Barchusen. 3. i. 3. jj. 3. ff.

Tartari.

Lancillottus, 3. β. 3. β. 3. j.

& Tencke. 3. β. 3. j. 3. ii.

Tartari rectificatus.

Ernestus. gr. iiij. gut. viij. adjx. gut. xv.

Terebinthinæ rectif. idest Oleum æthereum Terebinthæ.

Tencke, gut. iv. gut. viij. gut. x.

& Lancillottus. gut. v. gut. xv. gut. xxvjv.

Theriacalis camphorati.

Bateus. 3. ff. 3. β. 3. i.

Tuberæ.

Praxis. ut Spiritus Tanaceti. —

Veneris.

Bateus. gut. iij. gut. v. gut. x.

Vini.

Lemery. Coccoleare semis. —

Vini antosatus sive aq. Reginæ Ungheriæ.

Lemery. 3. j. 3. ij. 3. iii.

Vini Camphoratus.

Capellus, gut. iv. gut. x. gut. xx.

& Lemery. gut. vi. gut. xv. gut. xxx.

Vini Tartarisatus.

Beguinus, gut. iiij. gut. vi. gut. x.

& Lemery. 3. ff. 3. j. 3. ij.

Vini Aromaticus.

Mysicht. — — — —

## Spiritus Vini Theriacalis.

Mynsicht.	Coch. j.	Coch. ii.	Coch. iii.
	In curatione aperte.	—	—
	In præservatione verd.	—	—
	Coch. ff.	Coch. i.	Coch. ii.
Viperæ.			
Lemery.	gut. x.	gut. xx.	gut. xxx.
Vitæ aureus Rulandi.			
Fraundorffer.	3. j.	3. ii.	3. ff.
Vitæ aureus Batei.			
Bateus.	3. ii.	3. vi.	3. iiii.
Vitrioli Martis.			
Idem.	gut. v.	gut. x.	gut. xv.
Vitrioli coagulatus.			
Mynsicht.	<i>Dosis est saporis in acidum mutatio.</i>		
Vitrioli dulcis.			
Tencke.	3. ff.	3. j.	3. ii.
Vitrioli rosatus.			
Lemery.	<i>ad gratam aciditatem.</i>		
Vitrioli Sulphureus.			
Lemery.	gut. iiiij. ad xv.	gut. viij.	gut. x.
Vitrioli deflegmatus sive acidior.			
Idem.	<i>ad gratam aciditatem.</i>		
Vitrioli Diaphoreticus.			
Bateus.	gut. vij.	3. j.	3. β.
Vitrioli philosophicus.			
Idem.	gut. v.	gut. x.	gut. xv.
Vitrioli tartarisatus.			
Idem.	3. ff.	3. j.	3. ff.
Stibium Diaphoreticum.			
Christianus.	3. ff.	3. j.	3. ff.
Barchusen,	gr. vij ad 3. ff.	3. j.	3. ii.
& Junckerus.	gr. x.	3. ff.	3. j.
Stibium martiale Cachecticum.			
Jantkius.	3. ff.	3. j.	3. ff.
Stomachicus Poterij V. species.			
Praxis,	gr. x.	gr. xx.	gr. xxx.
& Lemery.	gr. vij. ad x.	gr. xx.	gr. xxx.

Stypti-

## Stypticum Regis.

*Bateus.* gr. v. gr. x. gr. xx.

Sublimatus dulcis purgans *Querc.* seu *Panacea Quercetani.*

*Mullerus cum*

*Beguino,* gr. xij. gr. xx. gr. xxx.

& *Geoffroy.* gr. vij. gr. xv. gr. xxx.

## Succini Magisterium.

*Beguinus,* gr. iv. gr. x. gr. xv.

& *Mangetus.* gr. iij. gr. vij. 3. ff.

## Succus albns glycyrrhyzae.

*Praxis.* pro eclegmate ut rotulae glycyrrhyzae.

## Succus Caponis.

*Colleg. bonon.* tum in Cibariis, tum seorsim ad 3. ff. vel  
unam pro arbitrio.

## Succus depuratus plantarum vulgarium.

*Capellus.* 3. i. 3. ij. 3. iii.

## Succus rosarum pallidarum pro purgante.

*Praxis.* 3. j. 3. iiij. 3. jv.

## Succus rosarum damascenar. pro purgante.

*Bateus.* 3. ff. 3. ff. 3. ij.

## Succus concretus absinthij rom., &amp; similiuum.

*Geoffroy.* 3. j. 3. β. 3. j.

## Succus concretus Acetosae.

*Claudinus.* 3. j. 3. ij. 3. j.

Agrimonij, & similiuum.

*Capellus.* 3. j. 3. ij. 3. j.

Cicoreæ, & simil.

*Idem.* 3. j. 3. ij. 3. iiiij.

Glycyrrhyzae niger.

*Lemery.* pro eclegmate. —

Sive Extractum Marubbij.

*Burches.* 3. ff. ad 3. j. 3. ff. 3. j.

Nasturtij aquatici.

*Praxis.* Eadem Dosis. —

Omphatij.

*Eadem.* 3. β. 3. j. 3. ff.

## Sudoriferum Joviale P. Fabri.

*Christianus.* gr. iiij. gr. vij. gr. x.

## Sulphur Antimonij pro purgante.

*Bateus.* gr. ij. gr. v. gr. x. Sulphur

**Sulphur Antimonij pro emetico.**

*Junckerus.* gr. j. gr. jv. gr. vij.

Pro diaphoretico.

*Christianus.* gr. v. gr. x. gr. xv.

Auratum ultim. sublim.

*Jantkius.* gr. ij. gr. jv. gr. vij.

Auratum.

*Lemery.* gr. ij. gr. v. gr. viij.

Fixatum pro diaphoretico.

*Frid. Hoffmannus.* — gr. j. gr. ij.

**Sulphur Auratum.**

*Lancillotus,* gr. v. Θ. β. Θ. j.

& *Bateus.* gr. v. gr. x. gr. xv.

Cinnabaris Antimonij.

*Lemery.* — gr. viij. gr. x.

Lunæ Sennerti.

*Fraundorffer.* gr. ij. gr. vij. gr. viij.

Narcoticum Vitrioli pro hora somni.

*Bateus.* gr. ij. gr. jv. gr. vij.

Vitrioli.

*Mangetus.* gr. v. gr. x. gr. xv.

*Lancillottus,* gr. vij. gr. xiij. Θ. j.

& *Bateus.* gr. v. gr. x. gr. xx.

Vitrioli matricalis.

*Mangetus.* gr. v. gr. x. gr. xv.

**Sulphuris Balsamum.**

*Lemery.* gut. j. gut. jv. gut. xij.

**Sulphuris Buthyrum.**

*Capillus,* gr. vij. gr. xiij. gr. xx.

& *Lemery.* gr. vij. gr. x. gr. xvij.

**Sulphuris flores simplices.**

*Capillus,* gr. jv. gr. x. gr. xvij.

& *Lemery.* gr. x. gr. xx. gr. xxx.

**Sulphuris Lac.**

*Lemery.* gr. vij. gr. x. gr. xvij.

**Sulphur Vitrioli anodynum.**

*Jantkius.* gr. ij. gr. iij. gr. jv.

**Sulphuris magisterium.**

*V.* Sulphuris butyrum vel Sulphuris Lac.

Syrup.

Syrupus Absinthij	rom. simplex.		
<i>Capellus.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ j.	$\frac{3}{3}.$ j $\beta$ .
	rom. Compositus.		
<i>Lemery.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.
	Pontici.		
<i>Praxis.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.	$\frac{3}{3}.$ j $\beta$ .
	Acetosus Diarhodon.		
<i>Lemery.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.
	Acetosæ.		
<i>Praxis.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.	$\frac{3}{3}.$ iff.
	Acetosus simplex.		
<i>Lemery.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.
	Acetositatis Citri, & limonum.		
<i>Praxis.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ j.	$\frac{3}{3}.$ iff.
	Alchermes.		
<i>Geoffroy.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ vi.	$\frac{3}{3}.$ i.
	Altheæ Fernellij.		
<i>Schulzius,</i> & <i>Lemery.</i>	Cochleatim. $\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.	$\frac{3}{3}.$ iff.
	Altheæ simplex, & similium.		
<i>Praxis.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.	$\frac{3}{3}.$ iff.
	Angelicus solutivus.		
<i>Eadem.</i>	$\frac{3}{3}.$ iff.	$\frac{3}{3}.$ iv.	$\frac{3}{3}.$ vi.
	Antiscorbuticus v. Syr. scelotirbiclus Burnet.		
—	Artemisiæ, & simil.	—	
<i>Praxis.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ i.	$\frac{3}{3}.$ iff.
	Aureus solutivus.		
<i>Capellus,</i> & <i>Praxis.</i>	$\frac{3}{3}.$ j. ad $\frac{3}{3}.$ ij.	$\frac{3}{3}.$ v.	$\frac{3}{3}.$ vij.
	Aureus solut. ex senna, Manna, & Tartaro.		
<i>Colleg. bonon.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ v.	$\frac{3}{3}.$ vi.
	Aureus cum Cassia.		
<i>Idem.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ v.	$\frac{3}{3}.$ vij ad $\frac{3}{3}.$ vij.
	Aureus regius.		
<i>Idem.</i>	$\frac{3}{3}.$ iff.	$\frac{3}{3}.$ iii.	$\frac{3}{3}.$ v.
	Bezoardicus.		
<i>Donzellus.</i>	$\frac{3}{3}.$ ij.	$\frac{3}{3}.$ iv.	$\frac{3}{3}.$ vij.
	Bettonicæ Bauderonij.		
<i>Lemery.</i>	$\frac{3}{3}.$ ff.	$\frac{3}{3}.$ iff.	$\frac{3}{3}.$ ij.
	D d		Syrupus

Syrupus Bizantinus comp.			
<i>Schulzius.</i>	3. j.	3. ij.	3. iij.
ex Cassia.			
<i>Praxis.</i>	ut Syr. aureus solutivus.	—	—
Cardui benedicti.			
<i>Schulzius.</i>	3. β.	3. j.	3. ij.
Chalybeatus.			
<i>Bateus.</i>	3. β.	3. j.	3. iij.
Chalybeatus coraliatus,			
<i>Idem.</i>	3. ij.	3. ff. ad 3. vj.	3. j.
Syrupus Chalybis Claudini.			
<i>Donzellus.</i>	3. j.	3. ij.	3. iij.
Chamedrios, & similes.			
<i>Praxis.</i>	ut Syr. Absintbij. rom.	—	—
Chinæ Chinæ.			
<i>Lemery.</i>	3. β.	3. j.	3. ij.
Cichorij cum Rhabarbaro.			
<i>Schulzius,</i>	per cochlearia.	—	—
& <i>Capellus,</i>	3. j.	3. jjβ.	3. ij.
Cichorij simplex &c.			
<i>Praxis.</i>	3. ff.	3. j.	3. jj.
Cinnamomi.			
<i>Geoffroy.</i>	3. ij.	3. ff.	3. j.
Contrayerbae.			
<i>Christianus.</i>	Coch. β.	Coch. j.	Coch. ij.
Cordialis.			
<i>Mynsicht.</i>	3. ij.	3. ff.	3. j.
Coralliorum Quercet.			
<i>Capellus.</i>	3. iij.	3. j.	3. jj.
Coralliorum Beguini.			
<i>Beguinus,</i>	in omni fluxu hepatico cochleare unum.		
& <i>Mynsicht.</i>	3. ij.	3. ff.	3. j.
Corticium Citri, & similium.			
<i>Capellus.</i>	3. ij.	3. β.	3. j.
Corticium Aurant. Amaror.			
<i>Lemery.</i>	3. ff.	3. j.	3. ijj.
De Croco.			
<i>Bateus.</i>	3. j.	3. ij.	3. iij.
Croci Metallorum.			
<i>Grulingius.</i>	3. ij.	3. vj.	3. jjβ.
			Syrupus

## Syrupus Cydoniorum.

<i>Schulzius.</i>	3. ij.	3. vi.	3. iij.
Diacnicus sive sem. Carthami.			
<i>DeleBoe, Sylvius.</i>	3. β.	3. jβ.	3. ij.
Diamoron in aquæ hordei vel alterius lib. j. dilutus.			
<i>Capellus,</i>	—	3. i.	ad 3. iij.
& <i>Praxis.</i>	pro gargari-	smate.	—
Ebuli pro purgante.			
<i>Lemery.</i>	3. ff.	3. iij.	3. iii.
Emeticus.			
<i>Idem.</i>	3. ij.	3. i.	3. iβ.
Erysimi Lobellij.			
<i>Geoffroy.</i>	3. ij.	3. ff.	3. i.
Emeticus Angeli Salæ.			
<i>Capellus,</i>	3. ij.	3. ff.	3. i.
& <i>Lemery.</i>	3. ff.	3. i.	3. ij.
Emeticus Brandemburgen.			
<i>Schulzius.</i>	3. i.	3. iiij.	3. vij.
pro clysteri-	bus.		—
3. ff.	3. i.	3. ij.	
Febrifugus Chinæ Chinæ.			
<i>Geoffroy.</i>	3. i.	3. ii.	quotidiè
pro infantibus praesertim.			—
Florum Tunicæ.			
<i>Lemery.</i>	3. ij.	3. ff.	3. i.
Florum Persicorum una tantum florum infusione.			
<i>Capellus.</i>	3. ij.	3. v.	3. vij.
Florum Persicor. pluribus florum infusionibus.			
<i>Poterius.</i>	3. i.	3. iij.	3. ij.
<i>DeleBoe, Sylvius,</i>			
& <i>Schulzius.</i>	Cochleatim puerulis.		—
In Clysteribus puerulis.			—
3. ff. ad 3. i. 3. iiij.		3. v.	
Faceæ.			
<i>Schulzius,</i>	per Cochlea-	ria.	—
Gummi Ammoniaci.			
<i>Praxis.</i>	Cochleatim.	—	—
Gemmatus.			
<i>Eadem.</i>	3. ij.	3. ff.	3. i.
vel Cochlea-	tim.		
D d 2			Syrupus

Syrupus Hellebori nigri major.			
<i>Quercetanus.</i>	3. ff.	3. j.	3. ij.
Hellebori nigri minor.			
<i>Idem.</i>	Dosis eadem cum priori.		—
Kermes.			
<i>Geoffroy.</i>	3. ff.	3. vij.	3. j.
Limacum.			
<i>Bateus.</i>	Singulis horis Cochli. j.		—
Mastichinum.			
<i>Schulzius.</i>	3. β.	3. j.	3. ijj.
de Meconio Sydenhamij.			
<i>Sydenhamius.</i>	3. ij.	3. ff.	3. j.
de Meconio vulgaris sive de pepavere albo.			
<i>Praxis,</i>	3. ij.	3. j.	3. ijj.
& Lemery.	3. ij.	3. ff.	3. j.
de Mucilaginibus.			
<i>Colleg. bonon.</i>	3. β.	3. j.	3. ijj.
una cum decoct. radicis altheæ 3. viii.			
Mororum simplex v. Diamoron.			
—	—	—	—
Myrtillorum simplex.			
<i>Praxis.</i>	3. ff.	3. j.	3. ijj.
De Myrrha.			
<i>Bateus.</i>	3. ff.	3. j.	3. ij.
de Myva Cydoniorum.			
<i>Lemery.</i>	3. ff.	3. j.	3. ijj.
Nimpheæ.			
<i>Tencke.</i>	3. ij.	3. ff.	3. vij.
Omphatij in apozematibus.			
<i>Donzellus,</i>	3. ff.	3. j.	3. ij.
& Lemery.	3. ff.	3. j.	3. ijj.
Papavcris albi vulgaris.			
<i>Praxis,</i>	3. ij.	3. j.	3. ijj.
& Lemery.	3. ij.	3. ff.	3. i.
Papaveris albi sive de Meconio Sydenhamij.			
<i>Sydenhamius.</i>	3. ij.	3. ff.	3. j.
Papaveris Rhæados.			
<i>Poterius.</i>	3. ff.	3. j.	3. ij.
Passularum Laxativus.			
<i>Schulzius.</i>	3. ff.	3. j.	3. ij.
Syrupus			

<b>Syrupus Pæoniæ.</b>			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
de Peto pro emetico.			
<i>Janthius,</i>	3. ij.	3. iii.	3. ff.
& <i>Bateus.</i>	Coccb. ff.	Cocb. j.	Cocb. ij.
per plures dies.		—	—
Perlatus.			
<i>Mynsicht.</i>	3. ij.	3. ff.	3. vij.
de Polypodio.			
<i>Lemery.</i>	3. ff.	3. i.	3. iff.
de Polypodio solutivus.			
<i>Colleg. bonon.</i>	3. ij.	3. iv.	3. v.
Pomorum helleboratus.			
<i>Lemery.</i>	3. ff.	3. j.	3. iff.
Pomorum granatorum.			
<i>Lemery.</i>	3. ff.	3. j.	3. iff.
Præffij compositus.			
<i>Idem.</i>	3. ff.	3. i.	3. iff.
Præffij simplex.			
<i>Geoffroy.</i>	3. ff.	3. i.	3. ii.
Quinque radicum, & simil.			
<i>Praxis.</i>	3. ff.	3. i.	3. iff.
Regius seu Julap. Alexandrin.			
<i>Lemery.</i>	3. ff.	3. i.	3. ij.
Rhamni Cathartici v. Syr. spinæ Cervinæ.			
—	Ribesiorum rubrorum.	—	—
<i>Donzellus.</i>	3. ff.	3. i.	3. ij.
Rosarum siccarum.			
<i>Praxis.</i>	3. ff.	3. i.	3. iff.
Rosatus solutivus.			
<i>Capellus.</i>	3. j. ad 3. ij.	3. vi.	3. viij.
Rosatus ex Infusione.			
<i>Scalzius.</i>	3. j.	3. ij.	3. iii.
Rub. Idaei emetici.			
<i>Junckerus.</i>	—	3. i.	3. ij.
Salviæ, & similium.			
<i>Praxis.</i>	ut Syrup. Pæoniæ.	—	
de Scammonio.			
<i>Bateus.</i>	3. ff.	3. i.	3. iff.
			Syrupus

Syrupus de senna, manna, & Tart.

<i>Collegi bonon.</i>	3. ij.	3. v.	3. vi.
<i>Spinæ Cervinæ.</i>			
<i>Donzellus,</i>	3. j.	3. ii.	3. iii.
& Boerbaave.	3. ss.	3. iss.	3. ij.
<i>Scelotirbictus Burnet.</i>			
<i>Capellus.</i>	3. ss.	3. i.	3. ii.
de succo Limomum, & Citri.			
<i>Praxis,</i>	3. ss.	3. i.	3. iss.
de succo hederæ terrestris.			
<i>Lemery.</i>	3. ss.	3. i.	3. ii.
de succo Papaver. rheados.			
<i>Poterius.</i>	3. ss.	3. i.	3. ii.
de succo flor. Violarum.			
<i>Lemery.</i>	3. ij.	3. ss.	3. i.
de succo nicotianæ v. de Peto.			
—	de Sulphure.	—	—
<i>Bateus.</i>	3. ij.	3. ss.	3. i.
de Stechade Fernellij.			
<i>Lemery.</i>	3. ij.	3. ss.	3. i.
<i>Stypticus.</i>			
<i>Mysicht.</i>	3. ss.	3. i.	3. ij.
<i>Symphti Boylei.</i>			
—	Symphti Fernellij.	—	—
<i>Lemery.</i>	3. ss.	3. i.	3. iss.
Terebinthinæ cum odore, colore, & sapore.			
<i>Praxis bonon.</i>	3. ij.	3. ss.	3. i.
Terebinthinæ.			
<i>Capellus.</i>	3. ss.	3. i.	3. ij.
Tiliæ florum.			
<i>Praxis.</i>	3. ss.	3. i.	3. iss.
Tolutanus.			
<i>Bateus.</i>	3. ij.	3. ss.	3. i.
de toto Citro.			
<i>Praxis.</i>	3. ss.	3. i.	3. iss.

Syrupus

Syrupus de Tunica.

<i>Geoffroy,</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
<i>&amp; Lemery.</i>	3. <i>iij.</i>	3. <i>ff.</i>	3. <i>j.</i>
Violatus simplex, & simil.			
<i>Idem.</i>	3. <i>ij.</i>	3. <i>ff.</i>	3. <i>j.</i>
Violatus rosatus.			
<i>Mynsicht.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>ij.</i>
Vrticæ, & similium.			
<i>Praxis.</i>	3. <i>ff.</i>	3. <i>j.</i>	3. <i>iff.</i>
Vermifugus.			
<i>Bateus.</i>	<i>Coch.</i> <i>j.</i>	<i>bis in die.</i>	—



SIM-



<b>T</b> Alpæ hepar sicc., & pul.			
Lemery.	3. ff. ad 3. j.	3. ff.	3. j.
Talpæ Cinis.			
Idem.	3. ff.	3. j.	3. ff.
Tamarindi in decocto pro purgante.			
Sennertus cum			
Schrodæro,	3. j.	3. ij.	3. iij.
& Geoffroy cum			
DeleBoe, Syl.	3. j.	3. ij.	3. iii.
Tamarindi pulpa pro ut supra d.			
Idem.	3. ij.	3. j.	3. ijj.
Sennertus ,	3. ff.	3. j.	3. ij.
& Praxis .	3. ff.	—	—
Tamarisci Cortex in decocto.			
Christianus .	3. j.	3. ij.	3. β.
Tamarisci Cortex pul.			
Idem ,	3. j.	3. ff.	3. ij.
& Nonnulli .	Dosis eadem ac Chinæ.		Chinæ.
Tamarisci folia vel in dec. vel inf.			
Barbusen .	m. ff.	m. j.	m. ijj.
Tamarisci radix in decocto.			
Christianus .	3. j.	3. ij.	3. ff.

Tamm

Tamni radix in decocto.			
Barbusen.	3. ff.	3. j.	3. ij.
Tamni radix pul.			
Idem.	3. ff. ad 3. j.	3. ff.	3. j.
Tanacetum in infuso vel decocto.			
Praxis.	pug. j.	pug. ij.	m. j.
Tartarum selectius pul. pro purgante.			
Allen,	3. ij.	3. vj.	
& Sala.	3. ij.	3. vj.	3. j. in aa. colicis dolores.
Tartarum selectius pro purgante perintervallo.			
Praxis,	3. j.	3. ij.	3. iii.
Tartarum selectius pro diuretico, &c detergente.			
Christianus.	3. j.	3. ff.	3. j.
Tauri priapus sic., & pul.			
Lemery.	3. ff. ad 3. j.	3. ij.	3. j.
Taxi sanguis sic., & pul.			
Idem.	3. ff. ad 3. j.	3. ff.	3. j.
Terebinthina in Clystere ovi luteo soluta lactis 3. viij. addita in alvi fluxu.			
DeleBoe, Sylvius.	3. j.	3. ij.	3. ff.
Terebinthina ex Chio, vel veneta in bolis redacta cum 1. q. pul. glycyrrhizæ quotidiè &c.			
Lemery,	3. j.	3. ff.	3. j.
& Geoffroy.	3. β.	3. j.	3. ijβ.
Terebinthina Veneta pro purgante.			
Sennertus.	3. ij.	3. ff.	3. vj.
Bateus,	3. iiij.	3. β.	3. vj.
& Junckerus.	3. ij.	3. iii.	3. β.
Terebinthum ex Cypro.			
Praxis.	ut Terebin-	thina.	—
Terebinthi Cortex pul.			
Christianus.	3. j.	3. β.	3. ij.
Terra Chia pul.			
Lemery.	ac Terra sigil-	lata.	—
Terra Cathecu pul.			
Idem.	gr. xx.	3. β.	3. j.
Terra Lignicensis seu Golbergensis pul.			
Geoffroy.	3. ff.	3. j.	3. ij.

Terra melitensis.			
Praxis.	3. ff. ad 3. j.	3. i. ad 3. ij.	3. ff. ad 3. j.
Terra merita idest rad. Curcumæ pul.			
Geoffroy.	3. j.	3. ij.	3. j.
Terra merita in decocto.			
Paullus.	3. v.	3. x.	3. xx.
Terra nocerina pul.			
Praxis.	3. j. sive solitaria sive in apozematibus.	3. ij.	3. j.
Tetra nocerina in aqua pro potu ordinario.			
Eadem.	3. β.	3. j.	3. ij.
Terra sammia, & consimiles terræ.			
Lemery.	3. ff.	3. j.	3. ij.
Terra sigillata.			
Idem.	3. ff.	3. j.	3. ij.
Jantkius.	3. ff.	3. j.	3. β.
Terra sigillata data ut Diaphoreticum experientia comprobata.			
Christianus.	3. ff.	3. j.	3. ij.
Terra sigillata strigonensis vel strigensis.			
Geoffroy.	3. β.	3. j.	3. ij.
Testæ Cochlearum calcinat.			
Jantkius.	3. β.	3. j.	3. ff.
Testæ, & ligna intermedia nucum pro decocto.			
Praxis.	n. x.	n. xx.	n. xxx.
Testæ occorum Calcinat.			
Jantkius.	3. β.	3. j.	3. ff.
Testes equi siccati, & pul.			
Bateus,	—	3. j.	bis in die.
& Claudinus.	—	3. j.	—
Testes Apri siccati, & pul.			
Bateus.	bis in die.	—	3. j.
Testudinis nemorensis caro pro jusculis nec non nemorensis.			
Praxis.	3. iff.	3. iii.	3. iv.
	—	quotidie.	—
Testudinis aquæ dulcis caro sicc., & pul. nec non nemorensis.			
Barchusen,	3. j.	3. ff.	3. j.
& Praxis.	bis in die.	—	—
Testudinum Sanguis sicc., & pul.			
Lemery.	3. ff. ad 3. j.	3. ff.	3. j.
			Teu-

Teucrij folia in decocto vel in infuso.			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. ijj.</i>
Teucrij folia pul.			
<i>Idem.</i>	<i>θ. ss. ad θ. j.</i>	<i>3. ss.</i>	<i>3. i.</i>
Talitrici semen.			
<i>Lemery.</i>	<i>θ. ss.</i>	<i>3. ss.</i>	<i>3. j.</i>
Thea pul.			
<i>Christianus.</i>	<i>3. ss.</i>	<i>3. j.</i>	<i>3. ii.</i>
Thea in infuso in ȝ. iv. in ȝ. viii. in lib. j. Aquæ.			
<i>Donzellus,</i>	<i>θ. j.</i>	<i>θ. ij.</i>	<i>3. i.</i>
& <i>Geoffroy.</i>	<i>in usu delectabili.</i>		
Thea pul. ȝ. ss. cum sach. ȝ. ij. Lactis ȝ. viii. m. digerantur, donec lactis fervor imminentus fuerit, in alvi fluxu.			
<i>Geoffroy,</i>	<i>ita in usu medico.</i>		
& <i>Praxis.</i>	<i>3. ss.</i>	<i>3. j.</i>	<i>3. ij. s. p.</i>
<i>Lacti additur.</i>			
Thereniabin.			
<i>Lemery.</i>	<i>ut Manna.</i>		
Thlaspij semen.			
<i>Idem.</i>	<i>θ. ss.</i>	<i>θ. i.</i>	<i>θ. ij.</i>
Thlaspidium in infuso vel decocto.			
<i>Barchusen.</i>	<i>ut folia Tamarisci.</i>		
Thus pul.			
<i>Geoffroy.</i>	<i>θ. j.</i>	<i>θ. ij.</i>	<i>3. i. ad 3. ij.</i>
Thugæ folia.			
<i>Barchusen.</i>	<i>m. ss.</i>	<i>m. j.</i>	<i>m. ijj.</i>
Thugæ lignum in decocto.			
<i>Christianus.</i>	<i>3. ij.</i>	<i>ȝ. ss.</i>	<i>ȝ. i.</i>
Thugæ lignum pul.			
<i>Idem.</i>	<i>θ. j.</i>	<i>ȝ. ss.</i>	<i>ȝ. i.</i>
Thymbra.			
<i>Praxis.</i>	<i>ac Thymus.</i>		
Thymileæ semen seu granum gnidium pro purg.			
<i>Sennertus.</i>		<i>gr. viij. ad</i>	<i>xx.</i>
Thymileæ semen in decocto.			
<i>Idem.</i>		<i>ȝ. ss.</i>	<i>ad ȝ. i.</i>
Thymus in infuso.			
<i>Praxis.</i>	<i>ut Thea.</i>		
Thymus pul.			
<i>Barchusen.</i>	<i>θ. ss. ad θ. j.</i>	<i>ȝ. ss.</i>	<i>ȝ. j.</i>
	<i>E e 2</i>		<i>Thys-</i>

Thysselinorum radices siccatae in decocto.				
<i>Christianus.</i>	3. j.	3. ij.	3. ff.	
Tiliae flores in infuso.				
<i>Idem.</i>	pug. j.	pug. ij.	m. ff.	
Topazius pul. ac loevigatus.				
<i>Lemery.</i>	gr. x.	3. j.	3. ff.	
Tordylij semen pul.				
<i>Christianus.</i>	3. j.	3. ij.	3. j.	
Tordylij radix in decocto.				
<i>Praxis.</i>	ut radix <i>Enulae Camp.</i>		—	
Tomentillæ radix pul.				
<i>Barchusen.</i>	3. ff. ad 3. j.	3. ff.	3. j.	
Tomentillæ radix in decocto silicet siccata.				
<i>Christianus.</i>	3. j.	3. ij.	3. ff.	
Tragacanthum pul.				
<i>Geoffroy.</i>	3. ff. ad 3. j.	3. j.	3. ij.	
Tragacanthum in decocto.				
<i>Fuller,</i>				
& <i>Praxis.</i>	3. j.	3. ij.	3. ff.	
Tragopogon radices in decocto.				
<i>Praxis.</i>	ut radix <i>Malvae.</i>		—	
Tragoselinorum folia vel in decocto, vel in infuso.				
<i>Eadem.</i>	pug. j.	pug. ij.	m. j.	
Tragoselinorum radices rec. in decocto,				
<i>Christianus.</i>	3. j.	3. ij.	3. ff.	
Tragum in infuso.				
<i>Praxis.</i>	ac <i>Thea.</i>	—	—	
Tribuli semen pul.				
<i>Lemery.</i>	3. ff. ad 3. j.	3. ff.	3. j.	
Tribuli aquatichi fructus contusi in decocto.				
<i>Praxis.</i>	n. iiij.	n. vij.	n. viiij.	
Tribuli aquatichi decortic., & pul.				
<i>Barchusen.</i>	3. ff. ad 3. j.	3. ff.	3. j.	
Trifolium pratense in infuso, &c simil.				
<i>Idem.</i>	m. ff.	m. j.	m. ijj.	
Trifolij pratensis radix in decocto.				
<i>Christianus.</i>	3. j.	3. ij.	3. ff.	
Trifolij pratensis rad. pul.				
<i>Idem,</i>	3. j.	3. ff.	3. j.	
& <i>Barchusen,</i>	3. ff.	3. ff.	3. j.	
			Trifo-	

Trifolium fibrinum in infuso, sive in alio modo exhibitum.

*Praxis.* *ut Nasturtium aquaticum.* —

Triticum pro jusculis Pueribus.

*Eadem.* *3. ss. ad 3. j.* —

Trochus pul., & lœvigatus.

*Lemery.* *gr. x.* *3. j.* *3. ij.*

Tubera recens in infuso.

*Praxis.* *3. j.* *3. ij.* *3. ss.*

Tubera siccata, & pul.

*Geoffroy.* *3. ss.* *3. i.* *3. iss.*

Tubularia pul., & lœvigata.

*Lemery.* *gr. x.* *3. j.* *3. ss.*

Tunica interna Ventriculi Gallinarum pul.

*V. Pelicula.* —

Turchesia pul., & lœvigata.

*Lemery.* *gr. vij.* *3. ss.* *3. i.*

Turpethum gummosum pul. pro purgante.

*Barchusen.* *gr. vij. ad 3. ss.* *3. j.* *3. ij.*

*Boerhaave.* *gr. x.* *3. j.* *3. ij.*

*Bateus,* *3. ij.* *3. j.* *3. iv.*

& *DeleBoe, Sylvius.* *3. ij.* *3. iv.* *3. iss.*

Turpethum gummosum in infuso.

*Paullus,* *3. ss.* *3. iss.* *3. iiij.*

& *DeleBoe, Sylvius.* *3. ss.* *3. iss.* *3. iiij.*

Tussilaginis folia in infuso, vel decocto.

*Barchusen.* *m. ss.* *m. j.* *m. iss.*

Tussilaginis radix recens in decocto.

*Praxis.* *3. ss.* *3. j.* *3. ij.*



# T

Abellæ Alchermes.

Lemery.	3. j.	3. ij.	3. iiij.
	Angelicæ præservativæ pro gravidis.		
Idem.	3. j.	3. ij.	3. iiij.
	de Berber.		
Idem.	3. ff.	3. ij.	3. iiij.
	Cattharrales.		
Mynsicht.	3. ff.	3. j.	3. ij.
	Dyasulphuris sublinguaes.		
Praxis.		pro eclegmate.	—
	Dyacimini.		
Mynsicht.	3. ff.	3. j.	3. ij.
	Emeticæ.		
Bateus.	gr. xvij.	gr. xxv,	gr. xL.
	Hyacinthinæ.		
Mynsicht.	3. j.	3. ij.	3. iiij.
	Infantium ad Vermes.		
Bateus.	n. ij. iiij. ad	jv.	—
	Lætificantes.		
Lemery.	3. j.	3. j.	3. ij.
	Pectorales albæ.		
Mynsicht.	quavis hora pro una vice.		—
	n. j.	n. ij.	n. ij.

Tabel-

Tabellæ Pectorales Gedeonis.			
Lemery.	3. j.	3. ij.	3. ss.
de Papavere albo.			
Lemery.	3. ss.	3. j.	3. ij.
Radicis Altheæ.			
Idem.	pro eclegmate.	—	—
de Rebecha.			
Idem.	Dosis eadem cum priori.	—	—
Roborantes Renodei.			
Idem.	3. ss.	3. j.	3. ij.
Rosaceæ anodinæ.			
Idem.	pro eclegmate.	—	—
de Scammonio Sylvij.			
Fraundorffer.	3. ss. ad 3. j.	3. j. ad 3. ij.	3. iii. ad 3. ss.
de Thure.			
Lemery.	3. j.	3. ij.	3. iii.
Vermifugæ.			
Bateus.	n. iii.	bis in die.	—
Tamarindorum pulpa sive in aqua diluta, sive in bolis.			
Schrodærus.	3. j. ad 3. ss.	3. i.	3. ss.
Tartarum Absinthiacum.			
Praxis.	3. j.	3. ij.	3. j.
Tartarum album Vitriolatum calcinatum.			
Mullerus.	gr. vij.	3. ss.	3. j.
Tartarum Antimoniatum.			
Bateus.	3. ss.	3. j.	3. ss.
Tartari Arcanum Philosophicum.			
Bequinus.	—	guttulæ ali-	quot. ad 3. ss.
Tartarum Chalybeatum.			
Barchusen.	gr. vij.	3. ss.	3. ss.
Lancillottus,	3. ss.	3. ss.	3. j.
& Bateus.	3. j.	3. ij.	3. j.
Tartari Cremor pro purgante.			
Geoffroy.	3. ss.	3. vij.	3. j.
Tartari Cremor si aperiendi tantum sit animus.			
Lancillottus.	3. ss.	3. j.	3. ij.
Tartari Cremor si cum alijs purgantibus associetur pro coadiu-			
vante.			
Praxis.	3. j.	3. ij.	3. ss.
			Tarta-

Tartarum emeticum Mynsicht.			
<i>Mynsicht.</i>	gr. iij.	gr. jv. ad v.	gr. vj.
Emeticum Batei.			
<i>Bateus.</i>	gr. iiij.	gr. vj.	gr. xiij.
Emeticum Lemery.			
<i>Lemery.</i>	gr. iiij.	gr. viij.	gr. x.
Emeticum Christiani.			
<i>Christianus.</i>	gr. j.	gr. ij.	gr. iiij.
Essentificatum Crollij.			
<i>Donzellus.</i>	gr. iiij.	θ. ff.	θ. j.
Joyale.			
<i>Lancillottus.</i>	θ. ff.	θ. j.	θ. ij.
Laxativum,			
<i>Bateus.</i>	gr. vj.	θ. ff.	θ. j.
Martiatum extemporaneum per Vitrioli martis cum Acido tartari commixtionem.			
<i>Christianus.</i>	gr. v.	gr. x.	gr. xv.
Martiatum.			
<i>Capellas.</i>	gr. xv.	θ. ijj.	θ. ij.
Tartari magisterium.			
<i>Schrodærus.</i>	gr. jv.	θ. ff.	θ. j.
Tartarum nitratum.			
<i>Mynsicht,</i>			
& <i>Lancillottus.</i>	3. ff.	3. j.	3. ij.
Tartari oleum per deliquium.			
<i>Schrodærus.</i>	gut. v.	θ. ff.	θ. j.
Tartarum regeneratum Sennerti.			
— — — — —			— —
Tartari sal essentiale.			
<i>V.</i>	Cremor Tartari.		
Tartari sal fixum.			
<i>Christianus.</i>	θ. ff.	θ. j.	3. ff.
Tartarum solubile pro deobstruente.			
<i>Praxis cum</i>			
<i>Junckero.</i>	θ. ff. ad θ. j.	3. ff. ad θ. ij.	3. j.
Tartarum solubile pro purgante.			
<i>Capellas,</i>	θ. j.	3. i.	3. ij.
& <i>Praxis bonon.</i>	3. j.	3. ijj.	3. vj.

Tarta-

Tartarum solubile pro coadiuvante purgante.			
Praxis bonon.	3. β.	3. j.	3. ij.
Tartarum solubile seu sal vegetabilis Lemery.			
Lemery.	gr. x.	θ. j.	θ. ij.
Tartari Spiritus.			
Beginius.	θ. ff.	θ. j.	θ. ij.
Tartari tintura sine Acido.			
Lemery,	gut. x.	gut. xxv.	gut. xL.
& Myrsicht.	Coc tert. pars.	Cochl. ff.	Coch. 1.
Tartarum Tartarisatum.			
Sculzius.	θ. ff.	θ. j.	3. ff.
Tartarum tartarisatum liquidum Citratum.			
Idem.	gr. xv.	3. ff.	3. j.
Tartarum Vitriolatum.			
Donzellus.	gr. vij.	θ. β.	θ. j.
Lancillottus,			
& Praxis.	gr. xiij.	θ. j.	3. ff.
		& ultra.	—
Tartarum Vitriolatum emeticum purgans.			
Bateus.	gr. iiij.	gr. vij.	gr. viij.
Terra Cathecu trochiscata.			
Capellus.	in ore detinenda.		—
Terra Cathecu preparata Patris Bocconi.			
Idem.	θ. j.	θ. ij.	3. j.
Terra foliata salis Nitri.			
Mangetus.	θ. ff.	θ. j.	3. β.
foliata Tartari.			
Hoffmannus,	gr. vij.	θ. ff.	θ. j.
& Junckerus.	θ. j.	θ. ij.	3. j.
	Sancta Marthini Rulandi.		
V.	Crocus Metallorum.		—
Vitrioli dulcis.			
Bateus.	θ. β.	θ. j.	3. ff.
Testaces Ovuorum preparati:			
Praxis.	θ. ff.	θ. j.	3. β.
Thea Helvetica wepferi in decocto.			
Capellus.	ut Thea japonensis.		—
Theriaca Antimoniata chimica Rolfinij.			
Fraundorffer.	gr. iv.	gr. vij.	θ. ff.
			Theriaca

## Theriaca Andromaci pro paregorico.

<i>Lemery,</i>	3. j.	3. ij.	3. j.
& Colleg. bonon.	3. j.	3. j.	3. ij.

Andromaci pro Diaphoretico si corpus sit dispositum.

<i>Boerhaave.</i>	3. ij.	3. ff.	3. j.
-------------------	--------	--------	-------

*Cœlestis.*

<i>Jantkius.</i>	gr. j.	gr. ij.	gr. iii.
------------------	--------	---------	----------

*Chimica.*

<i>Donzellus.</i>	gr. vij.	gr. xv.	3. j.
-------------------	----------	---------	-------

*Diatefferon.*

<i>Claudinus,</i>	3. j.	3. ij.	3. j.
& Colleg. bonon.	3. j.	3. j.	3. ij.

## Theriaca Saxoniae.

<i>Mynsicht.</i>	Nucis Moscatæ quantitatem plus minusve pro sumentium etate.	—	—
------------------	--	---	---

Germanorum.

<i>Capellus,</i>	3. j.	3. ff.	3. ij.
& Lemery.	3. j.	3. ij.	3. j.

## Terebinthina Veneta, vel cyprea ustullata.

<i>Praxis.</i>	3. j.	3. ij.	3. j.
----------------	-------	--------	-------

## Terebinthinæ Oleum destil. secundum, &amp; tertium simul commixt.

<i>Eadem.</i>	gut. vij.	gut. xiiij.ad xv.	gut. xx.
---------------	-----------	-------------------	----------

Oleum ethereum.

<i>Hoffmannus,</i>	gut. iij.	gut. xiiij.ad xvij.	gut. xiiij.ad xv.
& Lemery.	gut. iij.	gut. viij.	gut. xij.

Acetum.

<i>Lemery,</i>	gut. iij.	gut. viij.	gut. xij.
& Praxis.	vel ad gratam aciditatem.	—	—

## Terebinthina cocta.

<i>Capellus.</i>	3. j.	3. j.	3. iij.
------------------	-------	-------	---------

## Tinctura seu Acidum tartari.

<i>Tencke.</i>	3. ff.	3. j.	3. ff.
----------------	--------	-------	--------

Absintij in Spiritu Vini facta.

<i>Geoffroy.</i>	3. ff.	3. j.	3. j.
------------------	--------	-------	-------

Anodina Ludovici noctu data.

<i>Schulzius.</i>	gut. vij.	gut. x.ad xij.	gut. xvij.
-------------------	-----------	----------------	------------

Antimonij Tartarisata.

<i>Capellus.</i>	goc. xv.	goc. L.	goc. Lx.
------------------	----------	---------	----------

Antimonij Paracelsi.

<i>Beguinus.</i>	gut. ij.	gut. iij.	gut. v.ad vi.
------------------	----------	-----------	---------------

Tinctu-

Tinctura Antimonij emetica.			
Bateus.	gut. iii.	gut. vi.	gut. x.
Antimonij purgans.			
Idem.	gut. iii.	gut. vi.	gut. x.
Antimonij Patris Lanæ.			
Capellus.	gut. iv.	gut. xii.	gut. xx.
Aperitiva Moeb.			
Jantkius.	gut. x. ad xv.	gut. xx. ad xxx.	gut. xL. ad L.
Affæ fœtidæ.			
Schulzius.	3. i.	3. i.	3. ii.
Aurantiorum corticum.			
Idem.	3. i.	3. i.	3. ii.
Auri.			
Lancillottus.	gut. i.	gut. iii.	gut. v.
Auri Helvetij.			
Capellus.	gut. viii.	gut. xx.	gut. xxx.
Bezoartica.			
Bateus.	3. iii.	3. vi.	3. i.
Cascarillæ in Spiritu Vini.			
Geoffroy.	gut. v.	gut. x.	gut. xx.
Cardamomi, Cent. min. Cinnam. de quibus Schulzius loquitur sub nomine effentiarum.			
Schulzius.	gnt. x.	gnt. xxx.	gut. xL.
Cardamomi.			
Bateus.	3. i.	3. ii.	3. iii.
Castorei.			
Schulzius.	gut. x.	gut. xx.	gut. xxx.
Castorei comp. Lond.			
Jantkius.	gut. x. ad xv.	gut. xx.	gut. xL. ad L.
Casmunar.			
Geoffroy.	gut. x.	gut. xx.	gut. xxx.
Caryi.			
Bateus.	3. i.	3. ii.	3. iii.
Cathartica Ridlei.			
Idem.	Coch. ij.	Coch. iii.	Coch. iv.
Catechu.			
Schulzius,	gut. x.	gut. xx.	gut. xL.
& Geoffroy.	gut. xx.	gut. xL.	gut. Lx.
Catechu ambrat.			
Jantkius.	gut. x. ad xv.	gut. xx.	gut. xL. ad L.
F f 2			Tinetu-

Tinctura cephalica Sennerti.			
<i>Lemery.</i>	3. β.	3. j.	3. ij.
Chamæmelli.			
<i>Bateus.</i>	3. j.	3. ij.	3. iiij.
Chinæ Chinæ.			
<i>Capellus.</i>	3. ij.	3. vj.	3. x.
Chinæ Chinæ Schulzij.			
<i>Schulzius.</i>	gut. x.	gut. xx.	gut. xxx.
Cinnamomi Lemery.			
<i>Lemery.</i>	3. ff.	3. j.	3. ij.
Cochleariae.			
<i>Bateus.</i>	3. j.	3. ij.	3. iij.
<i>bis in die per dies xx. xxx. xL. in deplorata Hydrope</i>			
Coralliorum Helvetij.			
<i>Capellus.</i>	3. j.	3. ij.	3. iiij.
Coralliorum Schulzij.			
<i>Schulzius.</i>	gut. x.	θ. j.	3. ff.
Corticum Citri.			
<i>Idem.</i>	θ. j.	3. j.	3. ij.
Croci.			
<i>Idem.</i>	gut. x.	gut. xx.	gut. xxx.
Croci in aq. Cinnamomi facta.			
<i>Praxis.</i>	θ. j.	θ. ij.	3. j.
Emetica D. Corn a Bontekoe.			
<i>Fraundorffer.</i>	3. ff.	3. j.	3. ij.
Epileptica Dolæi.			
<i>Jantkius.</i>	gut. x. ad xv.	gut. xxx.	gut. xL. ad L.
Epileptica mirabil. le Mort.			
<i>Idem.</i>	Dosis eadem.	—	—
Fuliginis.			
<i>Schulzius.</i>	gut. x.	gut. xx.	gut. xxx.
Galbaneti.			
<i>Bateus.</i>	gut. x.	gut. xx.	gut. xxx.
Gentianæ.			
<i>Faller.</i>	3. β.	3. iff.	3. iiij.
<i>bis quotidie.</i>		—	—
Guajaci:			
<i>Idem.</i>	3. ff.	3. j.	3. ij.
Gummi lacæ Mynsicht.			
<i>Jantkins.</i>	gut. x.	gut. xv. ad xx	gut. xxx.
			Tinctu-

## Tinctura Hematites.

<i>Fuller.</i>	3. ff.	3. i.	3. ii.
Hematites Hoffmanni.			
<i>Hoffmannus.</i>	gut. iii.	gut. x. ad xiij.	gut. xv.
Hydropica Hoffmanni.			
<i>Jantkius.</i>	gut. xx.	gt. xxx. ad xL.	gut. xL. ad L.
Hysterica.			
<i>Fuller.</i>	—	gut. xv.	gut. xxx.
Juniperi.			
<i>Schrodærus.</i>	3. jff.	Coch. β.	Coch. j.
Laccæ.			
<i>Mysicht.</i>	ad fricandas gingivas.		—
Laccæ cum Spiritu Cochleariæ.			
<i>Capellus.</i>	ad eundem usum.		—
Ligni aloes in Spiritu Vini facta.			
<i>Geoffroy.</i>	3. β.	3. i.	3. ii.
Ligni Sassafras.			
<i>Jantkius.</i>	gut. x. ad xv.	gut. xxx.	gut. xL. ad L.
Lumbricorum ter. anodyna c. o.			
<i>Hoffmannus.</i>	gut. x.	gut. xv.	gut. xxv.
& Schulzius.	gut. vij.	gut. xv.	gut. xx.
Lumbricorum ter. anodyna f. o.			
<i>Hoffmannus.</i>	gut. xL.	gut. L.	gut. Lx.
& Schulzius.	gut. xv.	gut. xL.	gut. L.
Lunæ.			
<i>Beguinus.</i>	gut. ij.	gut. iii. ad iv.	gut. iv. ad vj.
Ex Magisterio Argenti fini.			
<i>Christianus.</i>	gut. ij.	gut. iv.	gut. x.
Martis Pomata.			
<i>Jantkius.</i>	gut. x. ad xx.	gut. xxx. ad xL.	gut. L.
Martis.			
<i>Colleg. bonon.</i>	3. β.	3. i.	3. iv.
Martis adstringentis Wedel.			
<i>Jantkius.</i>	gut. x.	gut. xv ad xx.	gut. xxx.
Martis Ellebor. Wedelij.			
<i>Idem.</i>	gut. x. ad xv.	gut. xx. ad xxx.	gt. xxx. ad L.
Martis Tartarisata.			
<i>Lemery.</i>	3. i.	3. ii.	3. ff.
Martis è Croco Zwelfer.			
<i>Sculzius.</i>	gut. xvij.	3. ij.	3. j. & ultra.
			Tinctura

Tinctura Martis aurea.			
Bateus.	gut. v.	gut. x.	gut. xx.
Martis cum Acido.			
Barchusen.	Cochleare unum.		—
Martis sine Acido.			
Idem.	Dosis eadem.	—	—
Martis Aromatizata wedelij.			—
—	Martis Cydoniata.		
Capellus.	gut. xv.	gut. xL.	gut. Lx.
Martis Tachenij.			
Idem.	gut. iv.	gut. viii.	gut. xii.
Martis Tartarisata.			
Bateus.	3. i.	3. ii.	3. iii.
Lemery,	3. i.	3. ii.	3. ff.
& Schulzius.	3. i.	3. ii.	3. ii.
pro gradu saturationis.			—
Matallica le Mort.			
Jantkius.	gut. x.	gut. xx.	gut. xxx.
Myrrhae.			
Lemery.	gut. vi.	gut. xij.	gut. xv.
Nicotianæ in Spiritu Vini factæ folijs paululum exsic-			
catis.			
Boerhaave,	3. i.	3. ii.	3. i.
& Jantkius.	gut. x.ad xv.	gut. xxx.	gut. xL.ad L.
Karabis,			
Hoffmannus,	gut. vi.	gut. xvij.	gut. xx.
& Schalzius.	gut. xv.	gut. xxx.	gut. Lx.
Panis.			
Schulzius.	—	Cochl. β.	Coch. i.
Papaver. erat. fine spiritus Vitrioli additione.			
Poterius,	3. i.	3. ii.	3. ii.
& Hoffmannus.	3. β.	3. i.	3. ii.
Rhabarbari.			
Tencke,	Coch. i.	Coch. ij.	Coch. iii.
& Bateus.	Coch. ij.	Coch. iii.	Coch. iv.
Rhabarbari Brandenburg.			
Jantkius.	3. i.	3. ii.	3. β.

## Tinctura Rosarum Damascenarum.

Lemery,	interpolate ad Cyathum unum.		
& Hoffmannus,	Coch. ij.	Coch. iij.	Coch. jv.
	ad 3. j.	ad 3. ij.	3. iij.
& Lancillottus cum Bateo.	3. j. ad 3. jff.	3. ij.	3. jv.
Rosarum in Spiritu Vini.			
Jantkius.	gut. x. ad xv.	gut. xxx.	gut. xL ad L.
Sacchari.			
Schulzius.	Coch. β.	Cochl. j.	& ultra.
Sacra.			
Bateus.	3. j.	3. ij.	3. jv.
Sacra Listeri.			
Jantkius.	gut. xx.	g. xxx. ad xL.	gut. xL ad L.
Salis Armoniaci.			
Bateus.	gut. iij.	gut. vj.	gut. xij.
Salis Tartari.			
Lemery,	gut. x.	gut. xxx.	gut. xL.
& Jantkius.	gut. x. ad xv.	gut. xxx.	gut. xL ad L.
Salis Tartari essentialis.			
Christianus.	gut. viij.	gut. xv.	gut. xxx.
Salutis Langij.			
Jantkius.	gut. x.	gut. xx.	gut. xxx.
Santalorum.			
Bateus.	Cochl. β.	Cochl. j.	Coch. ij.
Sassafras.			
Idem.	Dosis eadem.	—	—
Saturni.			
Idem.	gut. j.	gut. iij.	gut. v.
Boerhaavius,			
& Frid. Hoffmannus.	quaslibet Saturni præparationes improbant.		
Scorbutica.			
Bateus.	3. β.	3. j.	3. ij.
Sennæ.			
Tencke.	Coch. j.	Coch. ij.	Coch. iij.
Serpilli.			
Bateus.	gut. v.	gut. xo.	gut. xv.
Succini.			
Hoffmannus,	gut. vj.	gut. xvij.	gut. xx.
& Schulzius.	gut. xv.	gut. xxx.	gut. Lx.
			Tip.

Tinctura Stomachica.			
Bateus.	Coch. j.	Coch. ij.	Coch. iii.
	Sulphuris Antimonij.		
Christianus.	—	—	gut. v.
	Sulphuris Antimonij Diaphoret.		
Idem.	gut. iiij.	gut. v.	gut. x.
	Sulphuris.		
Lancillottus,	θ. ff.	θ. j.	θ. ij.
& Bateus.	gut. iv.	gut. viij.	gut. xij.
	Tartari anisata.		
Schulzius.	gut. x.	gut. xxx.	gut. xL.
	Tartari Tartarisata.		
Christianus.	gut. x.	gut. xx.	gut. xxx.
	Theriacalis.		
Schulzius.	gut. xx.	gut. xL.	gut. Lx. & ultra.
	Theriacalis camphorata.		
Jantkius.	gut. x ad xv.	gut. xxx.	gut. xL. ad L.
	Veneris Helvetij.		
Hoffmannus,	gut. v.	gut. x.	gut. xv.
& Jantkius.	gut. x.	gut. xx.	gut. xxx.
	Violarum Vitriolata.		
Idem.	Dosis eadem.	—	—
	Virginiana.		
Bateus.	3. j.	3. ij.	3. iii.
	Vitri Antimonij B. Valentini.		
Barchusen.	gut. ij.	gut. iv.	gut. vij.
	Vitrioli Martis.		
Jantkius.	gut. x.	gut. xx.	gut. xxx.
	Utherina.		
Mynsicht.	—	Coch. ff.	Coch. j.
Tragea Antipleuritica.			
Hartmannus.	θ. j.	θ. ij.	3. j.
Alba.			
Schulzius.	3. ij.	3. ff.	3. j.
	Granorum Actes.		
Bateus.	θ. j.	θ. ij.	3. j.
	Ophtalmica.		
Schulzius.	3. j.	3. iiij.	3. ff.

<b>Triphera Fenonis.</b>			
<i>Mesues.</i>	3. j.	3. ij.	3. iij.
Magna cum Opio.			
<i>Capellus.</i>	θ. β.	θ. j.	θ. ij.
Magna sine Opio.			
<i>Idem.</i>	θ. j.	θ. ij.	θ. iu.
Saracenica.			
<i>Mesues.</i>	3. j.	3. ij.	3. iij.
Perfica.			
<i>Lemery.</i>	3. ij.	3. β.	3. j.
Trochisci Absinthij.			
<i>Colleg. bonon.</i>	3. ff.	3. j.	3. ij.
Agarici.			
<i>Lemery.</i>	θ. j.	θ. ij.	3. j.
Alchechengi			
<i>Mesuæ.</i>			
<i>Capellus.</i>	θ. j.	θ. iij.	3. j.
Alkandal.			
<i>Tencke.</i>	gr. ij.	gr. vj.	gr. x.
<i>DeleBoe, Sylvius,</i>	gr. iij.	gr. x.	gr. xv.
& Jantkius.	gr. ij.	gr. iu.	gr. vj.
Alkandal loco stimuli.			
<i>Praxis.</i>	gr. j.	gr. iij.	gr. iu.
Berberis.			
<i>Colleg. bonon.</i>	3. ff.	3. j.	3. ij.
Capparum.			
<i>Capellus.</i>	θ. j.	θ. ij.	θ. iu.
Cordiales.			
<i>Mynsicht,</i>	n. ij.	n. iij. adjv.	n. v.
& Lemery.	θ. j.	θ. ij.	3. j.
de Aniso.			
<i>Colleg. bonon.</i>	3. ff.	3. j.	3. ij.
de Papavere.			
<i>Mynsicht.</i>	n. j.	n. ij.	n. iij.
alter	---	nis	horis.
de Karabe.			
<i>Capellus.</i>	θ. j.	θ. ij.	3. j.
Diarhodon.			
<i>Colleg. bonon.</i>	3. ff.	3. j.	3. ij.
Gordonij.			
<i>Lemery.</i>	θ. ff. ad θ. j.	θ. ij.	θ. iu.
	G	g	Tra-

Trochisci ad Gonorrhæam.			
<i>Lemery.</i>	—	3. j. 43. β.	3. j.
Hædychori.			
<i>Christianus.</i>	3. j.	3. ff.	3. i.
Myrrhæ.			
<i>Capellus.</i>	3. j.	3. ij.	3. i.
Narcotici Platerij.			
<i>Jantkius.</i>	gr. vij.	gr. xv.	3. j.
de Nitro.			
<i>Mynsicht.</i>	3. β.	3. j.	3. ij.
Ramich.			
<i>Donzellus.</i>	3. ff.	3. j.	3. ij.
Rhabarbari.			
<i>Lemery.</i>	3. j. ad 3. β.	3. j.	3. iv.
de Spodio.			
<i>Mesues.</i>	3. j.	3. ij.	3. j.
Terræ sigillatæ.			
<i>Idem.</i>	3. j.	3. ij.	3. j.
Theriacales.			
<i>Lemery</i>	3. ff.	3. ff.	3. j.
Viperini idest Theriacales.			
—	—	—	—
Violarum fine Dyagridio.			
<i>Colleg. bonon.</i>	3. j.	3. ij.	3. iii.
Violarum cum Diagridio.			
<i>Idem.</i>	3. ff.	3. j.	3. iff.
Turpetum minerale.			
<i>Lemery.</i>	gr. ij.	gr. xv.	gr. vj.
Tencke.	gr. j.	gr. iii.	gr. v.
DelleBoe, Sylvius.	gr. ij.	gr. ij. ad iiij.	gr. v. ad vj.
Lancillottus,	gr. ij.	gr. xv.	gr. viii.
& Junckerus.	gr. iff.	gr. iiij.	gr. vj.
Turpetum minerale methodo Zwelferiano.			
<i>Christianus.</i>	gr. j.	gr. iiij.	gr. vj.



# V

Alerianæ radix major in pul. redacta.

Lemery. 3. ff. 3. j. 3. ij.

Valeriana Sylvestris idest Phu dioscordij radix pul. collecta in  
loco Sylvestri, & antequam folia mittat. in Epilepsia lau-  
datur.

*Columna*, binis vicibus Coch. dimidium.

& Lemery. — 3. j. ad 3. ij.

Vanilla seu Aracus Aromaticus pul.

Geoffroy. gr. xij. 3. j. 3. ff.

Vanilla in infuso, vel decocta cum lacte &c.

Idem. 3. ff. 3. j. 3. ij.

Verbascum in infuso, vel decocto.

Barchusen. m. ff. m. j. m. ij.

Verbena in infuso, vel decocto.

Idem. m. β. m. j. m. ijj.

Verbesina.

Praxis. ut nasturtium aquat.

Veronica spicata in infuso.

Junckerus. m. ff. m. j. m. ij.

Barchusen. m. ff. m. j. m. ijj.

Veronica spicata pul.

Idem. 3. ff. ad 3. j. 3. ff. 3. j.

Viburnum in decocto,

Praxis. pro gargarisme.

## Vistorialis in infuso.

<i>Praxis.</i>	<i>pug. j.</i>	<i>pug. ij.</i>	<i>m. β.</i>
Vincetoxici radix in decocto.			
<i>Geoffroy.</i>	<i>ʒ. ij.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Vincetoxici radix pul.			
<i>Schroderus.</i>	<i>θ. j.</i>	<i>θ. ij.</i>	<i>ʒ. i.</i>
Violæ martiæ rec. in infuso.			
<i>Praxis.</i>	<i>ut Thea.</i>	—	—
Violæ martiæ sicc., & pul.			
<i>Barchusen.</i>	<i>θ. β. ad θ. j.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Violarum dictarum succus pro leniente.			
<i>Bateus.</i>	<i>ʒ. j.</i>	<i>ʒ. iff.</i>	<i>ʒ. ij.</i>
Violarum dictarum semen pro emulsione.			
<i>Schroderus.</i>	<i>ʒ. ij.</i>	<i>ʒ. ff.</i>	<i>ʒ. i.</i>
	<i>de qua nota, quod plerunque vomitum ac secessum moveat.</i>		
Vipera recens d'Enter. pro iusculo quotidie.			
<i>Praxis.</i>	<i>Quarta pars ad tertiam.</i>	<i>Tertia pars ad medietatem.</i>	<i>Medietas bis quotidie.</i>
Viperæ pulvis.			
<i>Christianus.</i>	<i>θ. ff. ad θ. j.</i>	<i>ʒ. ff.</i>	<i>ʒ. i.</i>
Viperæ pulvis cum hepate, & corde.			
<i>Lemery.</i>	<i>gr. viii. ad θ. ff.</i>	<i>θ. j.</i>	<i>θ. ij.</i>
Viperæ pinguedo.			
<i>Idem.</i>	<i>gut. j.</i>	<i>gut. jv.</i>	<i>gut. vj.</i>
Viperæ cor, & hepar sicc., & pul.			
<i>Idem.</i>	<i>gr. vij. ad θ. ff.</i>	<i>θ. j.</i>	<i>ʒ. ff.</i>
Viperæ fel sic., & pul.			
<i>Idem.</i>	—	<i>gr. j.</i>	<i>gr. ij.</i>
Viperinæ radix pul.			
<i>Lemery.</i>	<i>θ. ff. ad θ. j.</i>	<i>ʒ. ff. ad θ. ij.</i>	<i>ʒ. j.</i>
Viperinæ radix rec. in decocto.			
<i>Praxis.</i>	<i>ʒ. ij.</i>	<i>ʒ. β.</i>	<i>ʒ. j.</i>
Virga aurea in infuso vel decocto.			
<i>Barchusen.</i>	<i>m. β.</i>	<i>m. j.</i>	<i>m. iff.</i>
Visci quercini lignum in decocto.			
<i>Christianus.</i>	<i>ʒ. ij.</i>	<i>ʒ. ff.</i>	<i>ʒ. j.</i>
Visci quercini lignum pul.			
<i>Idem.</i>	<i>θ. j.</i>	<i>ʒ. β.</i>	<i>ʒ. j.</i>

Viscus

**Viscus arboreus** in substantia.

*Allen.*

— 3. β. vel ultra sexta quaque  
hora superbibendo haustum infusionis eju-  
sdem plantæ.

**Vitriolum album** in aq solut. pro emetico.

*Jantkius.*

— 3. β.

3. j.

**Vitriolum Anglicum**, rom., & com. pro deterg., nec non deob-  
struente in decoctis &c.

*Praxis.*

gr. iii. gr. vi. gr. ix.

**Vitriolum commune** pro hydragogo, & pro emetico.

*Boerhaave,*

θ. i.

& *Beguinus.*

θ. i. 3. ff. 3. j.

**Vitis** idææ baccæ in infuso.

*Praxis.*

θ. i. 3. i. 3. j.

**Ulmaria** in infuso.

*Barchusen.*

m. ff. m. j. m. iff.

**Umbilicus marinus** pul.

*Lemery.*

θ. ff. θ. i. 3. ii.

**Ungula Alcis** limata, & pul.

*Barchusen,*

θ. β. ad θ. i. 3. ff. 3. j.

& *Jantkius.*

θ. ff. θ. i. 3. ff.

**Ungulæ hominis** Scobs in substantia.

*Lemery.*

— 3. i.

**Unguium humanarum** Scobs in Vini inf. 3. ii. vel in 3. iii.

*Idem.*

— 3. ii.

**Unicornu fossile** pul., & lœvigatum ut Diaphor.

*Christianus.*

θ. i. 3. ii. 3. j.

alias

*Lemery cum*

*Jantkius.*

gr. viii. θ. i. 3. ff.

**Unifoglij** radix pul.

*Lemery.*

θ. β. ad θ. i. 3. β. ad θ. ii. 3. i.

**Urna Juvenis** sani.

*Lemery.*

3. ii. 3. v. 3. vi.

**Ursi fel** sicc & pul.

*Idem.*

gr. i. gr. iv. gr. viii.

**Urticarum succus** defœcatus.

*Praxis.*

3. iff. 3. iii. 3. v.

**Urtica** in decocto.

*Christianus.*

m. i. m. iii.

Usnea

Usnea Cranij hūmāni.			
Praxis.	gr. vi.	θ. β.	θ. i.
Uvæ Damascenæ.			
Uvæ Passæ.	in decocto.		
Uvæ Corinthiacæ.			
Geoffroy.	3. ij.	3. β.	3. j.
Uvæ passæ pulpa rec. per cribrum tracta pro leniente.			
Praxis.	3. ff.	3. ijβ.	3. ij.
Uvæ ursi baccæ.			
Eadem.	θ. ff.	θ. j.	3. ff.
Uvæ ursi radix in decocto.			
Christianus.	3. ff.	3. j.	3. ij.
Uvæ ursi radix pul.			
Idem.	θ. j.	3. ff.	θ. ij.
Uvæ ursi folia in inf., vel dec.			
Barchusen.	m. β.	m. j.	m. iff.
Uvæ ursi folia pul.			
Idem.	θ. ff. ad θ. j.	3. β.	3. j.
Vulpis pulmo sicc., & pul.			
Barchusen.	θ. ff. ad θ. j.	3. ff.	3. j.
Vulturis caro sicc., & pul.			
Idem.	θ. ff. ad θ. j.	3. ff.	3. j.





# V

Ermes seu lumbrici terrestres præparati , & pul. <i>Christianus .</i>	3. ff.	3. j.	3. ff.
Vina generosa pro Cordiali in infirmis. <i>Praxis .</i>	per Cochlearia .		
Vina generosa in Convalescentibus. <i>Eadem .</i>	—	Cyathum semisse .	Cyathum .
Vini Spiritus . <i>Eadem .</i>	—	Cochleare	semis .
Vinum Absinthiacum . <i>Donzellus , &amp; Geoffroy .</i>	3. ff. 3. iff.	3. i. 3. iv.	3. iu. 3. vij.
Absinthiacum Zedoariatum . <i>Praxis .</i>	ut Vinum absinthij .	—	
Amarum . <i>Fuller .</i>	Cochl. ij.	Cochl. v.	Cochl. viij.
Angelicæ . <i>Donzellus .</i>	Cyathum semisse .	—	
Antiscorbuticum . <i>Mynscht .</i>	3. ff.	3. ij.	3. iu.
Arthriticum . <i>Bateus .</i>	3. ff.	3. i.	3. ij.
Arthriticum purgans . <i>Idem .</i>	3. ff.	3. ij.	3. iu.

Vinum

<b>Vinum Chalybeatum,</b>			
<i>Donzellus.</i>	$\frac{3}{2}.$ <i>β.</i>	$\frac{3}{2}.$ <i>iij.</i>	$\frac{3}{2}$ <i>jv.</i>
Chalybeatum simplex Sennerti.			
<i>Sennertus.</i>	$\frac{3}{2}.$ <i>iiij.</i>	$\frac{3}{2}.$ <i>vij.</i>	$\frac{3}{2}$ <i>vij.</i>
Chalybeatum Fuller bis quotidie.			
<i>Fuller.</i>	<i>Coch.</i> <i>iij.</i>	$\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>iiij.</i>
Cerasarum Acidularum.			
<i>Praxis.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>iiij.</i>
vel per <i>Cochlearia.</i>			—
Cydoniorum, & similium.			
<i>Eadem.</i>	<i>Dosis eadem cum priori.</i>		
Diureticum ad Hydrop. Senn.			
<i>Jantkius.</i>	$\frac{3}{2}.$ <i>j.</i> ad $\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>iiij.</i>	$\frac{3}{2}$ <i>jv.</i>
Ecphracticum Diureticum nobile.			
<i>Bateus.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>iiij.</i>
ter — in —			die.
Emeticum.			
<i>Lemery.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>jβ.</i>	$\frac{3}{2}.$ <i>iiij.</i>
Emeticum Lusitani.			
<i>Fraundorffer.</i>	$\frac{3}{2}.$ <i>ii.</i>	$\frac{3}{2}.$ <i>v.</i>	$\frac{3}{2}$ <i>vij.</i>
Granatorum Acidulorum.			
<i>Praxis.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>iiij.</i>
vel per <i>Cochlearia.</i>			—
Helleboratum.			
<i>Poterius.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}.$ <i>jv.</i>	$\frac{3}{2}.$ <i>vij.</i>
quo — — — —			die.
Hypocraticum.			
<i>Donzellus.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>iiij.</i>	$\frac{3}{2}.$ <i>v.</i>
Hydropicum.			
<i>Fuller.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}$ <i>jv.</i>
Hydrop. Juncken.			
<i>Jantkius.</i>	$\frac{3}{2}.$ <i>j.</i> ad $\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>ij.</i>	$\frac{3}{2}$ <i>jv.</i>
Ictericum.			
<i>Fuller.</i>	$\frac{3}{2}.$ <i>ff.</i> <i>bis</i> — —	$\frac{3}{2}.$ <i>ij.</i> quoti — —	$\frac{3}{2}$ <i>jv.</i> die.
Martiatum D. M.			
<i>Fraundorffer.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>j.</i>	$\frac{3}{2}.$ <i>ij.</i>
Martiale com. Salæ.			
<i>Donzellus.</i>	$\frac{3}{2}.$ <i>ff.</i>	$\frac{3}{2}.$ <i>ijj.</i>	$\frac{3}{2}.$ <i>iiij.</i>

Vinum

Vinum Medicatum contra gonorrhæam.			
<i>Capellus.</i>	—	3. jv.	3. viij.
Purgans ad Hydrop. Barb.			
<i>Jantkius.</i>	3. j. ad 3. ijj.	3. iiij.	3. jv.
Rhabarbaratum hoc modo paratum. Rhabar. triti 3. ff.			
Vini. 3. viij. stent simul in vase vitro per aliquot horas in cinerario calido. dein coletur.			
<i>Praxis.</i>	3. j. ad 3. ijj.	3. ij. ad 3. iiij.	3. iiij. ad 3. jv.
Sennatum.			
<i>Donzellus.</i>	3. j.	3. iiij.	3. vij.
Stomachicum ante, & post pastum.			
<i>Fuller.</i>	—	bau-	stulus.
Viperinum.			
<i>Bateus.</i>	3. ijj.	3. iiij.	3. iv.
Zedoariatum.			
<i>Donzellus.</i>	ut illud Angelicæ.		—
Violarum infusio saturata valde.			
<i>Praxis.</i>	3. iiij.	3. v.	3. viij.
Viride æris pro emetico.			
<i>Boerhaave.</i>	gr. ff.	gr. j.	gr. ij.
Vitriolum album depuratum pro Vomit. in aq. vel Vino.			
<i>DeleBoe, Sylvius.</i>	3. ff.	3. j.	3. ff. ad 3. ij.
<i>Mangetus.</i>	3. j.	3. ij.	3. j.
<i>Tencke,</i>			
<i>&amp; Junckerus.</i>	3. ff.	3. j.	3. ff.
pro — eme — tico.			
<i>Jovis.</i>			
<i>Beginus.</i>	gr. ff.	gr. ij.	gr. iiij.
Lunæ seu magist. Lunæ.			
<i>Boerhaave.</i>	gr pars sexta.	gr. ij.	gr. jv. ad vj.
<i>Bateus.</i>	gr. j.	gr. ij. adjv.	gr. vj.
Martis.			
<i>Bateus,</i>	gr. ij.	gr. jv.	gr. vj.
<i>&amp; Wedelius cum</i>			
<i>Sennerto.</i>	pro lenissimo Vomitivo.	gr. j. ad gr. ij.	
Martis pro Hydragogo.			
<i>Boerhaave.</i>	3. j.	3. ff.	3. j. ad 3. jv.
Veneris.			
<i>Idem.</i>	— aquas violenter edicit	gr. j.	

H h

Vitrio-

## Vitriolum Vomitivum.

<i>Beguinus,</i>	3. ss.	3. ss.	3. j.
& Mullerus,	gr. x.	3. j.	3. ss. cum Vino.

## Vitrioli ros ante cœnam vel prandium.

<i>Schulzius.</i>	gr. vij.	gr. xv.	gr. xx.
-------------------	----------	---------	---------

Spiritus Sulphureus.

<i>Lemery.</i>	gut. iiij. adj. v.	gut. viij.	gut. x.
----------------	--------------------	------------	---------

Spiritus Acidior.

<i>Idem.</i>	ad gratam aciditatem.	—
--------------	-----------------------	---

## Vitrum Antimonij in infuso.

<i>Jantkius.</i>	gr. iii.	gr. vij. ad viij.	gr. x.
------------------	----------	-------------------	--------

## Vitrum Antimonij pul. pro emetico.

<i>Capellus.</i>	gr. j.	gr. iii.	gr. vij.
------------------	--------	----------	----------

<i>Lamery,</i>	gr. j. ad iij.	gr. iii. ad gr. iv.	gr. vi. ad vij.
----------------	----------------	---------------------	-----------------

& Junckerus.	—	gr. iv.	gr. viij.
--------------	---	---------	-----------

pro varia ægri ætate, affectu, robore, vi-  
tæ genere, aut consuetudine exhibeantur.

Antimonij correctum.

<i>Lemery.</i>	gr. iv.	gr. viij. ad x.	gr. xv.
----------------	---------	-----------------	---------

Antimonij Joviale pro emetico in Epilepsia.

<i>Lemery.</i>	gr. j.	gr. iii.	gr. iv.
----------------	--------	----------	---------

## Vomitorium Aluminis seu Serum Aluminatum Platerij.

<i>Hartmannus.</i>	3. iss.	3. vij.	3. ss.
--------------------	---------	---------	--------

## Urucu.

<i>Lemery.</i>	3. ss.	3. ss.	3. j.
----------------	--------	--------	-------





# X

*Xanthij folia in infuso.*

<i>Barchusen.</i>	<i>m. ff.</i>	<i>m. j.</i>	<i>m. iss.</i>
-------------------	---------------	--------------	----------------

*Xanthij folia pul.*

<i>Idem.</i>	<i>θ. ff. ad θ. j.</i>	<i>3. ff.</i>	<i>3. j.</i>
--------------	------------------------	---------------	--------------

*Xanxus pul., & lœvigatus.*

<i>Lemery.</i>	<i>θ. ff.</i>	<i>θ. j.</i>	<i>3. ff.</i>
----------------	---------------	--------------	---------------

*Xylobalsamum pul.*

<i>Christianus,</i> & <i>Geoffroy.</i>	<i>θ. j.</i>	<i>3. ff.</i>	<i>3. j.</i>
---	--------------	---------------	--------------

*Xylobalsamum in decocto.*

<i>Idem.</i>	<i>3. j.</i>	<i>3. ij.</i>	<i>3. ff.</i>
--------------	--------------	---------------	---------------

*Xylon semen pul.*

<i>Christianus.</i>	<i>θ. j.</i>	<i>3. ff.</i>	<i>3. j.</i>
---------------------	--------------	---------------	--------------

*Xylon semen in decocto.*

<i>Praxis.</i>	<i>pug. ff.</i>	<i>pug. j.</i>	<i>pug. ij.</i>
----------------	-----------------	----------------	-----------------

*Xyridis semen pul. pro diuretico, & purgante.*

<i>Matthiolus.</i>	<i>θ. ff.</i>	<i>θ. j.</i>	<i>3. j.</i>
--------------------	---------------	--------------	--------------

*Zedoariarum radices pul.*

<i>Geoffroy,</i> & <i>Barchusen.</i>	<i>gr. vj.</i>	<i>θ. j.</i>	<i>3. ff.</i>
---	----------------	--------------	---------------

*Zedoariarum radices in infuso.*

<i>Geoffroy.</i>	<i>3. ff.</i>	<i>3. j.</i>	<i>3. ij.</i>
------------------	---------------	--------------	---------------

Zibetum.			
Praxis.	gr. <i>ss.</i> <i>vel</i> —	gr. <i>ij.</i> <i>ut Mo-</i> —	gr. <i>ijj.</i> <i>jchus.</i>
Zingiber pul.			
Geoffroy.	gr. <i>v.</i>	gr. <i>x.</i>	- gr. <i>xv.</i>
Zingiber in infuso vel decocto.			
Praxis.	3. <i>i.</i>	3. <i>i.</i>	3. <i>ij.</i>
& Geoffroy.	3. <i>ss.</i>	3. <i>ij.</i>	3. <i>ss.</i>
Zingiber laxativum.			
Lemery.	3. <i>i.</i>	3. <i>ij.</i>	3. <i>ss.</i>
Zingiber rosatum.			
Mynsicht.	—	Castaneæ —	quantitas.
Zingiber Saccharo confectum.			
Geoffroy.	3. <i>i.</i>	3. <i>ss.</i>	3. <i>i.</i>

F I N I S.

Vidit

*Vidit D. Aurelius Castanea Clericorum Regularium S. Pauli, & in Ecclesia Metropolitana Bononiæ Pœnitentiarius pro ss. D. N. BENEDICTO XIV., Archiepiscopo Bononiæ.*

17. Julij 1745.

**IMPRIMATUR.**

*Fr. Cæsar Antoninus Velaſtius Provicarius S. Offitii Bononiæ.*

## ERRATA CORRIGE.

- Pag. 20 *Achigenes* — *Archigenes*.  
Pag. 49 *tractus* — *tracta*.  
Pag. 50 *Chalibeatus* — *Chalybeata*.  
Pag. 54 *stuviatilium* — *fluviatilium*.  
Pag. 56 *alicujus* — *alicujus alterius*.  
Pag. 90 *Epierasim* — *Epicrasim*.  
Pag. Eadem. *Clystesibus* — *Clysteribus*.  
Pag. Eadem. *Hyerici* — *Hyperici*.  
Pag. 94 *Jiovis* — *Jovis*.  
Pag. Eadem. *Iridis nostratis succus*. *Infantibus*. ubi 3. ff. 3. ij.  
Pag. 116 *Mechocana pul.* pro *purgante*. ubi *Bateus* 3. ff. 3. ij.  
Pag. Eadem. *Mechocana pul.* pro *purgante*. ubi *Wedelius*. *Infantibus*. — *Juvenibus*. 3. j. *Adultis*. 3. ff.  
Pag. 118 *tregloditica* — *trogloditica*.  
Pag. 126 *Glatero* — *Glasero*.  
Pag. 134 *lœvigatorum* — *lœvigati*.  
Pag. Eadem. *pro portione* — *pro potionē*.  
Pag. 166 *Radix Ari* sive *recens*, sive *siccata internē exhibeatur*.  
ubi 3. ij. 3. jv.  
Pag. 185 ubi. *Idem* — *Lemery*.  
Pag. 199 *F.* — *Fernelij*.  
Pag. 206 *apertē* — *a peste*.  
Pag. 214 *Syrpus Symphiti Boylei* — *Boyleus*. 3. ij. 3. ff. 3. j.  
Pag. 217 *in ad colicis dolores* — *ad colicos dolores*.  
Pag. 218 *Occorum* — *Ovorum*.  
Pag. Eadem. *nec non nemorensis* — *& non nemorensis*.

