




APPENDIX A: HABITATS & FLORA OF THE HERITAGE PARK


1. Thornveld & mixed bushveld of the plains

1.1. Thornveld on black clay soils



1.2. Thornveld on red to brown loams





Thorny bushveld



Coccinia sessilifolia



Coccinia sessilifolia



Cyphostemma lanigerum




Ipomoea papilio



Ipomoea gracilisepala



Heliotropium strigosum



Raphionacme hirsuta



Tephrosia plicata

1.3. Mixed bushveld



**Mixed Bushveld on
rocky soil**



Xerophyta retinervis



Xerophyta retinervis



**Mixed bushveld on
hillslope**



Aptosimum lineare



Ledebouria apertiflora



Semi-open bushveld



Boophane disticha



Oxalis smithiana



Cucumis zeyheri



Closed bushveld



Hirpicium bechuanense



Oxalis depressa




Aptosimum elongatum



Lippia javanica

2. Kloofs, ravines & rocky mountain sites of the Dwarsberg Range

2.1. Mountain footslopes



Rocky footslope



Striga gesnerioides



Oldenlandia herbacea

2.2. Rocky mountain kloofs & ravines



Mountain kloof



Ficus sp.




Hibiscus sp



Pavonia sp.




Kloof




Rocky ravine

2.3. Middle and upper slopes



Midslopes



Closed mountain bushveld



Abutilon grandiflorum



Plumbago zeylanica



Acalypha indica



Acalypha indica



Abutilon ramosum



Abutilon ramosum



Ipomoea magnusiana



*Acalypha glabrata var.
pilosa*



*Acalypha glabrata var.
pilosa*



Abutilon angulatum



Upper slope



Raphionacme galpinii



Pavonia transvaalensis



Barleria pretoriensis



Polygala sphenoptera



Triumfetta petandra



Upper slope






Waltheria indica




**View upper slope
downhill**

2.4. Mountain top





3. Disturbed bushveld of the local cement mine & farming area

3.1. Cement mine





3.2. Farming area



APPENDIX B: HABITATS & FLORA OF THE IMPALA PLATINUM MINING AREA

1. Thornveld





Turf thornveld




Blepharis leendertziae




Aptosimum indivisum

2. Norite koppies & noritic rocky outcrops

2.1. Norite koppies




Norite koppie



Ficus abutifolia




Hill top



Norite koppie slope




Euphorbia cooperi



Myrothamnus flabellifolius




Upper hill slope



Bedrock



Kohautia caespitosa




Upper hill slope



Rocky slope



Barleria pretoriensis



Noritic rocky ridge




Aloe marlothii (front)




Hibiscus subreniformis




Norite koppie footslope



Momordica cardiospermooides



Momordica cardiospermooides



Densely forested footslope



Sansevieria aethiopica



Sansevieria aethiopica



Norite koppie kloof



Tragia okanyua



Thunbergia neglecta



Middle hill slope



Philyrophyllum schinzii




Bonatea speciosa

2.2. Norite rocky outcrop




Bird's eye view on
norite outcrop



Norite bedrock



Jasminum breviflorum



Norite bedrock



Ledebouria luteola



Commelina africana



Aloe marlothii



Merremia palmata



Sesamum triphyllum



Norite dome



Huernia transvaalensis



Huernia transvaalensis




Norite rocky outcrop




Acalypha villicaulis



Helichrysum setosum



Norite bedrock



Hibiscus cannabinus



Hermannia modesta

3. Rehabilitated sedimentation dams


3.1. Old tailing dam



Plateau




Semi-open *Acacia* woodland




Acacia galpinii



Slopes



Mixed bushveld



Thornveld

3.2. New tailing dam



Plateau



Acacia galpinii–*Chloris guyana* thornveld



Chloris guyana



Imperata cylindrica–
Tamarix ramosissima
community




Pennisetum setaceum



Seriphium plumosum



Slopes



Chamaechrista–
Cenchrus ciliaris
thornveld



Arundo donax

4. Old fields



Rehabilitated thornveld



Rehabilitated thornveld



Ruellia cordata




Heliotropium ovalifolium



Laggera decurrens



Laggera decurrens




Gomphocarpus fruticosus



Old field




Striga gesneroides



Old field



Berkeyha radula



Old field



Polygala sphenoptera



Selago densiflora



Hermannia depressa

APPENDIX C: ANNOTATED SPECIES CHECKLIST

a) Heritage Park

ACANTHACEAE

Asystasia schimperi

Kurzweg, S. 425
2526BB

Barleria macrostegia

Kurzweg, S. 27, 322a ,411, 482, 492, 512, 528
2426CB, 2426DC 2426DD, 2526BB

Blepharis integrifolia var *integrifolia*

Kurzweg, S. 32, 151, 259
2426CB

Blepharis subvolubilis

Kurzweg, S. 178
2426DA

Crabbea hirsuta

Kurzweg, S. 365
2426DC

Ruellia cordata

Kurzweg, S. 226, 330, 495, 498
2426DA, 2426DC, 2526BB

Ruellia patula

Kurzweg, S. 23
2426CB

Ruelliosis setosa

Kurzweg, S. 141a
2426CB

Siphonoglossa linifolia

Kurzweg, S. 276, 409
2426CB, 2526BB

AMARANTHACEAE

Aerva leucura

Kurzweg, S. 84, 205
2426CB

<i>Alternanthera pungens</i>	APOCYNACEAE
Kurzweg, S. 490, 500	
2426DD, 2526BB	
<i>Gomphrena celosioides</i>	
Kurzweg, S. 220	<i>Ancylobotrys petersiana</i>
2426DA	Kurzweg, S. 519
<i>Kyphocarpa angustifolia</i>	
Kurzweg, S. 22, 58, 141b	2426DD
2426CB, 2426AD, 2426CB	<i>Gomphocarpus tomentosus</i> subsp <i>tomentosus</i>
<i>Pupalia lappacea</i> var <i>lappacea</i>	Magodielo, M.M. 9
Kurzweg, S. 137	2626DC
2426CB	<i>Pentarrhinum insipidum</i>
	Magodielo, M.M. 11
	2626DC
	ASPARAGACEAE
ANACARDIACEAE	
<i>Sclerocarya birrea</i> subsp <i>birrea</i>	
Magodielo, M.M. 56, 61	<i>Asparagus suaveolens</i>
2626DC	Magodielo, M.M. 54, 72
<i>Searsia leptodictya</i>	2626DC
Kurzweg, S. 422	ASPHODELACEAE
2526BB	<i>Aloe greatheadii</i> var <i>davyana</i>
	Magodielo, M.M. 14
	2626DC

<i>Aloe marlothii</i> subsp <i>marlothii</i>	Kurzweg, S. 18, 234, 250
Magodielo, M.M. 12	2426CB, 2426DA
2626DC	
ASTERACEAE	
<i>Acanthospermum hispidum</i>	<i>Kleinia longiflora</i>
Kurzweg, S. 203	Magodielo, M.M. 64
2426DA	2626DC
<i>Cosmos bipinnatus</i>	<i>Laggera decurrens</i>
Kurzweg, S. 183	Kurzweg, S. 359
2426DA	2526BA
<i>Dicoma gerrardii</i>	<i>Nidorella resedifolia</i> subsp <i>resedifolia</i>
Kurzweg, S. 172, 410	Kurzweg, S. 185
2426DA, 2526BB	2426DA
<i>Dicoma macrocephala</i>	<i>Schkuhria pinnata</i>
Kurzweg, S. 272	Kurzweg, S. 25, 210; Magodielo, M.M. 7
2426CB	2426CB, 2426DA, 2626DC
<i>Flaveria bidentis</i>	<i>Tagetes minuta</i>
Kurzweg, S. 265, 294	Kurzweg, S. 186
2426CB, 2426DA	2426DA
<i>Hirpicium bechuanense</i>	<i>Vernonia fastigiata</i>
	Kurzweg, S. 29
	2426CB
	<i>Vernonia oligocephala</i>
	Götze, A.R. 357; Kurzweg, S. 108b, 357, 362, 403

2426CB, 2426DC, 2526BA, 2526BB	Kurzweg, S. 68
<i>Vernonia poskeana</i> subsp <i>botswanica</i>	2426CB
Kurzweg, S. 212	<i>Cleome rubella</i>
2426DA	Kurzweg, S. 286
<i>Xanthium spinosum</i>	2426CB
Kurzweg, S. 491	
2426DD	CARYOPHYLLACEAE
<i>Xanthium strumarium</i>	
Kurzweg, S. 293	<i>Pollichia campestris</i>
2426DA	Kurzweg, S. 217, 254
<i>Zinnia peruviana</i>	2426CB, 2426DA
Kurzweg, S. 24	
2426CB	COMBRETACEAE
BORAGINACEAE	
<i>Ehretia rigida</i> subsp <i>nervifolia</i>	<i>Combretum apiculatum</i> subsp <i>apiculatum</i>
Magodielo, M.M. 71	Kurzweg, S. 100, 477, 487
2626DC	2426CB, 2426DD
CAPPARACEAE	
<i>Cleome monophylla</i>	<i>Combretum hereroense</i>
	Kurzweg, S. 46, 424, 476, 486
	2426CB, 2426DD, 2526BB, 2426DD
	<i>Combretum molle</i>
	Kurzweg, S. 316; Magodielo, M.M. 5, 58

2426DC	<i>Commelina eckloniana</i>
<i>Combretum zeyheri</i>	Kurzweg, S. 49
Kurzweg, S. 371, 509, 522	2426AD
2426DC, 2426DD	<i>Commelina livingstonii</i>
<i>Terminalia sericea</i>	Kurzweg, S. 356
Magodielo, M.M. 6	2526BA
2426DC	<i>Cyanotis speciosa</i>
COMMELINACEAE	Kurzweg, S. 373, 524, 540
<i>Commelina africana</i> var <i>barberae</i>	2426DC, 2426DD
Kurzweg, S. 219	CONVOLVULACEAE
2426DA	<i>Evolvulus alsinoides</i>
<i>Commelina africana</i> var <i>krebsiana</i>	Kurzweg, S. 2
Kurzweg, S. 162, 248, 332; Magodielo, M.M. 18	2426CB
2426CB, 2426DA, 2426DC	<i>Ipomoea bolusiana</i>
<i>Commelina africana</i> var <i>lancispatha</i>	Kurzweg, S. 158
Kurzweg, S. 365	2426CB
2426DC	<i>Ipomoea coptica</i>
<i>Commelina benghalensis</i>	Kurzweg, S. 331
Kurzweg, S. 122, 364	2426DC
2426CB, 2426DC	<i>Ipomoea coscinosperma</i>

Kurzweg, S. 109	2426CB	
		<i>Seddera suffruticosa</i>
<i>Ipomoea crassipes</i>		Kurzweg, S. 326, 481, 517
Kurzweg, S. 402, 414		2426DC, 2426DD
2526BB		
<i>Ipomoea gracilisepala</i>		CRASSULACEAE
Kurzweg, S. 94, 202, 280, 468, 478,		
2426CB, 2426DD		<i>Kalanchoe lanceolata</i>
<i>Ipomoea magnusiana</i>		Magodielo, M.M. 27
Kurzweg, S. 281, 289, 369, 391		2426DC
2426BB, 2426CB, 2426DC		<i>Kalanchoe paniculata</i>
<i>Ipomoea obscura</i> var <i>obscura</i>		Kurzweg, S. 149, 343
Kurzweg, S. 54, 240, 336, 493, 506		2426CB, 2426DC
2426AD, 2426DA, 2426DC, 2426DD, 2526BB		<i>Kalanchoe paniculata</i>
<i>Ipomoea papilio</i>		Kurzweg, S. 343
Kurzweg, S. 222, 232, 235, 297		2426DC
2426DA		<i>Kalanchoe rotundifolia</i>
<i>Merremia palmata</i>		Kurzweg, S. 224
Kurzweg, S. 121		2426DA
2426CB		CUCURBITACEAE
<i>Merremia verecunda</i>		
Kurzweg, S. 133		

<i>Coccinia sessilifolia</i>	DRACAENACEAE
Kurzweg, S. 393	
2426BB	
<i>Cucumis hirsutus</i>	
Kurzweg, S. 249, 264	
2426CB, 2426DA	
<i>Kedrostis hirtella</i>	EUPHORBIACEAE
Magodielo, M.M. 66	
2426DC	
<i>Momordica balsamina</i>	
Kurzweg, S. 123	
2426CB	
CYPERACEAE	
<i>Bulbostylis burchellii</i>	
Kurzweg, S. 510, 523; Magodielo, M.M. 1	
2426DC, 2426DD	
<i>Cyperus marlothii</i>	
Kurzweg, S. 334	
2426DC	
	<i>Acalypha villicaulis</i>
	Kurzweg, S. 324
	2426DC
	<i>Bridelia mollis</i>
	Kurzweg, S. 366; Magodielo, M.M. 40
	2426DC
	<i>Croton gratissimus</i> var <i>gratissimus</i>
	Kurzweg, S. 315; Magodielo, M.M. 3
	2426DC
	<i>Euphorbia clavariooides</i> var <i>truncata</i>
	Magodielo, M.M. 31
	2426DC
	<i>Euphorbia heterophylla</i>
	Kurzweg, S. 512

2426DD	<i>Alistilus bechuanicus</i>
<i>Jatropha zeyheri</i>	Kurzweg, S. 313; Magodielo, M.M. 37
Kurzweg, S. 37, 238, 263, 408	2426DC
2426CB, 2426DA, 2526BB	<i>Bauhinia petersiana</i> subsp <i>petersiana</i>
<i>Tragia rupestris</i>	Kurzweg, S. 343
Magodielo, M.M. 39	2426DC
2626DC	<i>Burkea africana</i>
FABACEAE	Magodielo, M.M. 34
<i>Acacia burkei</i>	2426DC
Magodielo, M.M. 60	<i>Crotalaria lotoides</i>
2426DC	Kurzweg, S. 355, 501, 514
<i>Acacia caffra</i>	2426DC, 2426DD, 2526BB
Kurzweg, S. 417	<i>Dichrostachys cinerea</i> subsp <i>africana</i> var <i>africana</i>
2526BB	Magodielo, M.M. 53
<i>Acacia hebeclada</i> subsp <i>hebeclada</i>	2426DC
Kurzweg, S. 350; Magodielo, M.M. 67	<i>Dichrostachys cinerea</i> subsp <i>cinerea</i>
2426DC	Kurzweg, S. 13, 61, 357
<i>Acacia karroo</i>	2426CB, 2426AD, 2526BA
Kurzweg, S. 420	<i>Elephantorrhiza burkei</i>
2526BB	Magodielo, M.M. 2
	2426DC
	<i>Indigofera circinnata</i>

Magodiyo, M.M. 20, 25
2426DC

Indigofera cryptantha var *cryptantha*

Kurzweg, S. 239a, 239b
2426DA

Otoptera burchellii

Magodiyo, M.M. 24
2426DC

Peltophorum africanum

Kurzweg, S. 314; Magodiyo, M.M. 52
2426DC

Senna italica subsp *arachoides*

Kurzweg, S. 494; Magodiyo, M.M. 70
2426DC, 2526BB

Stylosanthes fruticosa

Kurzweg, S. 34, 190, 379
2426CB, 2426DA, 2426DC

GERANIACEAE

Monsonia angustifolia

Kurzweg, S. 10, 60, 193; Magodiyo, M.M. 28

2426AD, 2426CB, 2426DA, 2426DC

HYACINTHACEAE

Drimia altissima

Magodiyo, M.M. 22
2426DC

Eucomis autumnalis subsp *clavata*

Magodiyo, M.M. 23
246DC

Ledebouria graminifolia

Magodiyo, M.M. 65
2426DC

Ornithogalum tenuifolium subsp *tenuifolium*

Magodiyo, M.M. 21
2426DC

IRIDACEAE

Gladiolus permeabilis subsp *edulis*

Kurzweg, S. 415, 529
2426DD, 2526BB

LAMIACEAE

Becium obovatum subsp *obovatum* var *obovatum*

Magodielo, M.M. 8

2426DC

Leonotis randii

Kurzweg, S. 526; Magodielo, M.M. 16

2426DC, 2426DD

Leucas capensis

Kurzweg, S. 352, 502

2426DC, 2526BB

Leucas neuflizeana

Kurzweg, S. 129

2426CB

Leucas sexdentata

Kurzweg, S. 36, 208

2426CB, 2426DA

Salvia reflexa

Kurzweg, S. 103, 192, 360

2426CB, 2426DA, 2526BA

Tetradenia brevispicata

Kurzweg, S. 370

2426DC

Teucrium trifidum

Kurzweg, S. 433

2426DD

Vitex zeyheri

Kurzweg, S. 96, 171

2426CB, 2426DA

MALPIGHIACEAE

Sphedamnocarpus pruriens subsp *pruriens*

Kurzweg, S. 9, 80

2426CB

MALVACEAE

Abutilon galpinii

Kurzweg, S. 419

2526BB

Abutilon piloso-cinereum

Kurzweg, S. 2

2426CB	<i>Sida chrysantha</i>
<i>Abutilon pycnodon</i>	Kurzweg, S. 469
Kurzweg, S. 340	2426DD
2426DC	<i>Sida cordifolia</i>
<i>Hibiscus cannabinus</i>	Kurzweg, S. 67
Kurzweg, S. 114, 262	2426CB
2426CB	<i>Sida dregei</i>
<i>Hibiscus engleri</i>	Kurzweg, S. 5b, 19
Kurzweg, S. 287	2426AD, 2426CB
2426CB	<i>Sida rhombifolia</i> subsp <i>rhombifolia</i>
<i>Hibiscus pusillus</i>	Kurzweg, S. 485
Kurzweg, S. 16, 246, 251, 435	2426DD
2426CB, 2426DA, 2426DD	<i>Sida spinosa</i> var <i>spinosa</i>
<i>Hibiscus trionum</i>	Kurzweg, S. 12a, 159
Kurzweg, S. 51, 113	2426CB
2426AD, 2426CB	MOLLUGINACEAE
<i>Malvastrum coromandelianum</i>	<i>Corbicichonia decumbens</i>
Kurzweg, S. 106	Kurzweg, S. 50
2426CB	2426AD
<i>Pavonia burchellii</i>	<i>Limeum viscosum</i> subsp <i>viscosum</i> var <i>viscosum</i>
Kurzweg, S. 14, 256, 425	
2426CB, 2526BB	

Kurzweg, S. 376	2526BB
2426DC	<i>Commicarpus pentandrus</i>
<i>Mollugo nudicaulis</i>	Kurzweg, S. 117, 236, 400
Kurzweg, S. 47	2426BB, 2426CB, 2426DA
2426AD	
	OLACACEAE
MORACEAE	
<i>Ficus abutilifolia</i>	<i>Ximenia americana</i> var <i>microphylla</i>
Kurzweg, S. 320; Magodielo, M.M. 63	Kurzweg, S. 66
2426DC	2426CB
<i>Ficus glomosa</i>	OLEACEAE
Magodielo, M.M. 62	
2426DC	<i>Jasminum breviflorum</i>
	Kurzweg, S. 45, 56, 351
NYCTAGINACEAE	2426AD, 2426CB, 2426DC
<i>Boerhavia diffusa</i> var <i>diffusa</i>	<i>Menodora heterophylla</i> var <i>australis</i>
Kurzweg, S. 460, 470	Kurzweg, S. 404
2426DD	2546BB
<i>Boerhavia erecta</i>	OROBANCHACEAE
Kurzweg, S. 497	<i>Striga asiatica</i>

Kurzweg, S. 1, 367	2426CB
2426CB, 2426DC	
<i>Striga bilabiata</i> subsp <i>bilabiata</i>	
Kurzweg, S. 405	Kurzweg, S. 35, 392; Magodielo, M.M. 29
2526BB	2426BB, 2426CB, 2426DC
<i>Striga forbesii</i>	<i>Harpagophytum zeyheri</i> subsp <i>zeyheri</i>
Kurzweg, S. 457; La Grange, M. 570	Kurzweg, S. 153, 426; Magodielo, M.M. 74
2427CC	2426CB, 2426DC, 2526BB
<i>Striga gesnerioides</i>	PLUMBAGINACEAE
Kurzweg, S. 97, 283	
2426CB	<i>Plumbago zeylanica</i>
PASSIFLORACEAE	Magodielo, M.M. 17, 69
	2426DC
<i>Adenia digitata</i>	POACEAE
Kurzweg, S. 193	
2426DA	<i>Cynodon dactylon</i>
PEDALIACEAE	Magodielo, M.M. 30
	2426DC
<i>Ceratotheca triloba</i>	<i>Enneapogon cenchroides</i>
Kurzweg, S. 285	Kurzweg, S. 368
	2426DC

<i>Enneapogon pretoriensis</i>	PTERIDACEAE
Kurzweg, S. 389	
2526BB	
<i>Eragrostis ciliaris</i>	
Kurzweg, S. 111	<i>Pellaea calomelanos</i> var <i>calomelanos</i>
2426CB	Magodielo, M.M. 51
<i>Polygonarthria squarrosa</i>	2426DC
Kurzweg, S. 89	PTERIDACEAE
2426CB	
<i>Sorghum versicolor</i>	
Kurzweg, S. 112	<i>Pellaea calomelanos</i> var <i>calomelanos</i>
2426CB	Kurzweg, S. 71
<i>Themeda triandra</i>	2426CB
Magodielo, M.M. 35	PUNICACEAE
2426DC	
PORTULACACEAE	
<i>Talinum caffrum</i>	RANUNCULACEAE
Magodielo, M.M. 36	
2426DC	<i>Clematis brachiata</i>
	Kurzweg, S. 191, 209
	2426DA

RHAMNACEAE		<i>Pappea capensis</i>
		Magodielo, M.M. 59
		2426DC
<i>Ziziphus mucronata</i> subsp <i>mucronata</i>		
Kurzweg, S. 221, 230, 360, 496; Magodielo, M.M. 55	SAPOTACEAE	
2426DA, 2426DC, 2526BA, 2526BB		
RHAMNACEAE		<i>Mimusops zeyheri</i>
		Magodielo, M.M. 73
		2426DC
<i>Ziziphus zeyheriana</i>	SCROPHULARIACEAE	
Kurzweg, S. 386		
2526BB		
RUBIACEAE		<i>Aptosimum elongatum</i>
		Kurzweg, S. 26
		2426CB
<i>Spermacoce senensis</i>	SCROPHULARIACEAE	
Kurzweg, S. 39		
2426CB		
<i>Vangueria infausta</i> subsp <i>infausta</i>		<i>Aptosimum elongatum</i>
Magodielo, M.M. 57		Kurzweg, S. 160, 388
2426DC		2426CB, 2526BB
SAPINDACEAE		<i>Aptosimum indivisum</i>
		Kurzweg, S. 201

2426DA	<i>Melhania prostrata</i>
<i>Aptosimum lineare</i> var <i>lineare</i>	Kurzweg, S. 11, 98
Kurzweg, S. 76, 344, 464	2426CB
2426CB, 2426DC, 2426DD	<i>Waltheria indica</i>
<i>Jamesbrittenia burkeana</i>	Kurzweg, S. 3, 175; Magodielo, M.M. 4
Kurzweg, S. 180	2426CB, 2426DA, 2426DC
2426DA	
SOLANACEAE	TILIACEAE
<i>Solanum panduriforme</i>	<i>Corchorus asplenifolius</i>
Kurzweg, S. 7, 156, 157	Kurzweg, S. 130, 357b, 413
2426CB	2426CB, 2526BA, 2526BB
<i>Withania somnifera</i>	<i>Grewia bicolor</i>
Kurzweg, S. 269, 428; Magodielo, M.M. 13	Kurzweg, S. K423
2426DC, 2526BB	2526BB
STERCULIACEAE	<i>Grewia flava</i>
<i>Hermannia floribunda</i>	Kurzweg, S. 135, 155; Magodielo, M.M. 26, 33
Magodielo, M.M. 15	2426CB, 2426DC
2426DC	<i>Grewia monticola</i>
	Kurzweg, S. 101
	2426CB
	<i>Triumfetta rhomboidea</i> var <i>rhomboidea</i>

Kurzweg, S. 317	2426CB
2426DC	
<i>Triumfetta sonderi</i>	
Kurzweg, S. 181	Kurzweg, S. 17, 227, 304
2426DA	2426CB, 2426DA, 2426DC
VELLOZIACEAE	
<i>Xerophyta humilis</i>	
Magodielo, M.M. 10	
2426DC	
<i>Xerophyta retinervis</i>	
Kurzweg, S. 187	Kurzweg, S. 93; Magodielo, M.M. 32
2426DA	2426CB, 2426DC
VERBENACEAE	
<i>Chascanum hederaceum</i> var <i>hederaceum</i>	VITACEAE
Kurzweg, S. 4, 194, 258	
2426AD, 2426CB, 2426DA	
<i>Chascanum pinnatifidum</i> var <i>pinnatifidum</i>	
Kurzweg, S. 28	
	<i>Rhoicissus tridentata</i> subsp <i>cuneifolia</i>
	Magodielo, M.M. 38
	2426DC
	ZYGOPHYLLACEAE

<i>Tribulus terrestris</i>	2527CB
Kurzweg, S. 48	
2426AD	
b) Impala Platinum	
<i>ACANTHACEAE</i>	
<i>Barleria galpinii</i>	
Kurzweg, S. 1133	
2527CA	
<i>Barleria macrostegia</i>	
Kurzweg, S. 1075	
2527CA	
<i>Barleria pretoriensis</i>	
Kurzweg, S. 686, 828, 914	
2527CB	
<i>Blepharis integrifolia</i> var <i>integrifolia</i>	
Kurzweg, S. 1085	
2527CB	
<i>Blepharis leendertziae</i>	
Kurzweg, S. 1094	
<i>AIZOACEAE</i>	
<i>Blepharis subvolubilis</i>	
Kurzweg, S. 1149	
2527AC	
<i>Crabbea hirsuta</i>	
Kurzweg, S. 668	
2527CB	
<i>Hypoestes forskaolii</i>	
Kurzweg, S. 606, 799	
2527CB	
<i>Justicia flava</i>	
Kurzweg, S. 1084	
2527CA	
<i>Ruellia cordata</i>	
Kurzweg, S. 815, 1147	
2527AC, 2527CB	
<i>Thunbergia neglecta</i>	
Kurzweg, S. 608, 645, 680, 867	
2527AD, 2527CB	

<i>Zaleya pentandra</i>	Kurzweg, S. 935, 983
Kurzweg, S. 681, 1154	2527CA, 2527CB
2527AC, 2527AD	<i>Pupalia lappacea</i> var <i>lappacea</i>
	Kurzweg, S. 907
AMARANTHACEAE	2527CB
<i>Achyranthes aspera</i> var <i>aspera</i>	ANACARDIACEAE
Kurzweg, S. 853, 974, 1187	
2527AC, 2527CA, 2527CB	<i>Searsia lancea</i>
<i>Achyropsis leptostachya</i>	Kurzweg, S. 1167
Kurzweg, S. 1151	2527AC
2527AC	<i>Searsia pyroides</i> subsp <i>pyroides</i>
<i>Amaranthus hybridus</i> subsp <i>hybridus</i> var <i>erythrostachys</i>	Kurzweg, S. 1183
Kurzweg, S. 990, 1065	2527AC
2527CA	
<i>Amaranthus thunbergii</i>	APOCYNACEAE
Kurzweg, S. 956	
2527CB	<i>Carissa bispinosa</i>
<i>Gomphrena celosioides</i>	Kurzweg, S. 1146
Kurzweg, S. 625	2527AC
2527CB	<i>Gomphocarpus fruticosus</i> subsp <i>decipiens</i>
<i>Kyphocarpa angustifolia</i>	Kurzweg, S. 1009, 1073

2527CA	<i>Asparagus laricinus</i>
<i>Huernia transvaalensis</i>	Kurzweg, S. 1060, 1064
Kurzweg, S. 629	2527AC
2527CB	<i>Asparagus setaceus</i>
<i>Orbea lutea</i> subsp <i>lutea</i>	Kurzweg, S. 546
Kurzweg, S. 640	2527CB
2527CB	<i>Asparagus suaveolens</i>
<i>Raphionacme galpinii</i>	Kurzweg, S. 585
Kurzweg, S. 899	2527CB
2527CB	<i>Asparagus virgatus</i>
<i>Sarcostemma viminale</i> subsp <i>viminale</i>	Kurzweg, S. 888
Kurzweg, S. 847	2527CB
2527CB	ASTERACEAE
ARALIACEAE	
<i>Cussonia paniculata</i> subsp <i>sinuata</i>	<i>Aster squamatus</i>
Kurzweg, S. 813, 845	Kurzweg, S. 1078, 1182
2527CB	2527AC, 2527CA
ASPARAGACEAE	<i>Berkheya radula</i>
	Kurzweg, S. 1103
	2527CB
	<i>Bidens pilosa</i>

<i>Kurzweg</i> , S. 1141	2527CA, 2527CB
2527CA	<i>Felicia muricata</i> subsp <i>muricata</i>
<i>Cirsium vulgare</i>	<i>Kurzweg</i> , S. 918
Kurzweg, S. 942	2527CB
2527CB	<i>Felicia muricata</i> subsp <i>strictifolia</i>
<i>Conyza bonariensis</i>	Kurzweg, S. 653, 800, 971
Kurzweg, S. 592	2527CA, 2527CB
2527CB	<i>Flaveria bidentis</i>
<i>Conyza canadensis</i>	Kurzweg, S. 945, 978
Kurzweg, S. 1080	2527CA, 2527CB
2527CA	<i>Geigeria elongata</i>
<i>Conyza scabrida</i>	Kurzweg, S. 612, 822
Kurzweg, S. 1181	2527CB
2527AC	<i>Helichrysum nudifolium</i> var <i>nudifolium</i>
<i>Crepis hypochaeridea</i>	Kurzweg, S. 796
Kurzweg, S. 850	2527CB
2527CB	<i>Helichrysum setosum</i>
<i>Dicoma gerrardii</i>	Kurzweg, S. 580, 900
Kurzweg, S. 992, 1022	2527CB
2527CA	<i>Helichrysum witbergense</i>
<i>Dicoma macrocephala</i>	Kurzweg, S. 1006
Kurzweg, S. 655, 993	2527CA

<i>Hirpicium bechuanense</i>	Kurzweg, S. 881, 1125 2527CA, 2527CB
<i>Hypoestes forskaolii</i>	<i>Pseudognaphalium oligandrum</i> Kurzweg, S. 591 2527CB
<i>Lactuca inermis</i>	<i>Pseudognaphalium undulatum</i> Kurzweg, S. 931 2527CB
<i>Laggera decurrens</i>	<i>Psiadia punctulata</i> Kurzweg, S. 1140 2527CA
<i>Nidorella anomala</i>	<i>Pulicaria scabra</i> Kurzweg, S. 1180 2527AC
<i>Nidorella resedifolia</i> subsp <i>resedifolia</i>	<i>Senecio inornatus</i> Kurzweg, S. 1177 2527AC
<i>Pegolettia senegalensis</i>	<i>Senecio harveianus</i> Kurzweg, S. 985 2527CA
<i>Philyrophyllum schinzii</i>	<i>Senecio pleistocephalus</i> Kurzweg, S. 980, 1139

2527CA		2527CA, 2527CB
<i>Seriphium plumosum</i>		<i>Xanthium strumarium</i>
Kurzweg, S. 987, 1004		Kurzweg, S. 1066
2527CA		2527CA
<i>Sonchus oleraceus</i>	AYTONIACEAE	
Kurzweg, S. 1019		
2527CA	<i>Asterella</i> sp.	
<i>Tarchonanthus camphoratus</i>		Kurzweg, S. 795
Kurzweg, S. 1145		2527CB
2527AC	BORAGINACEAE	
<i>Tarchonanthus parvicapitulatus</i>		
Kurzweg, S. 690, 913		<i>Heliotropium ovalifolium</i>
2527CB		Kurzweg, S. 1070
<i>Vernonia fastigiata</i>		2527CA
Kurzweg, S. 1097		<i>Heliotropium strigosum</i>
2527CB		Kurzweg, S. 929
<i>Vernonia oligocephala</i>		2527CB
Kurzweg, S. 1123		
2527CA	CACTACEAE	
<i>Vernonia poskeana</i> subsp <i>botswanica</i>		<i>Opuntia ficus-indica</i>
Kurzweg, S. 904, 989, 1000		

Kurzweg, S. 868	<i>Pollichia campestris</i>
2527CB	Kurzweg, S. 970
CAMPANULACEAE	2527CA
<i>Wahlenbergia undulata</i>	<i>Polygala amatymbica</i>
Kurzweg, S. 1008	Kurzweg, S. 1110
2527CA	2527CA
CAPPARACEAE	<i>Polygala hottentotta</i>
<i>Boscia foetida</i> subsp <i>rehmanniana</i>	Kurzweg, S. 981
Kurzweg, S. 558	2527CA
2527CB	<i>Polygala sphenoptera</i> var <i>sphenoptera</i>
<i>Cleome monophylla</i>	Kurzweg, S. 1121
Kurzweg, S. 619	2527CA
2527CB	CELASTRACEAE
<i>Cleome rubella</i>	<i>Maytenus undata</i>
Kurzweg, S. 905	Kurzweg, S. 602, 791, 941
2527CB	2527AD, 2527CB
CARYOPHYLLACEAE	COMBRETACEAE
	<i>Combretum molle</i>

Kurzweg, S. 547, 903

2527CB

Combretum zenkeri

Kurzweg, S. 962

2527CB

COMMELINACEAE

Commelina africana var *lancispatha*

Kurzweg, S. 805

2527CB

Commelina benghalensis

Kurzweg, S. 607, 869

2527CB

Commelina subulata

Kurzweg, S. 626

2527CB

Cyanotis speciosa

Kurzweg, S. 1091

2527CB

CONVOLVULACEAE

Evolvulus alsinoides

Kurzweg, S. 613

2527CB

Ipomoea bathycolpos

Kurzweg, S. 1130

2527CA

Ipomoea coscinosperma

Kurzweg, S. 1035

2527AC

Ipomoea dichroa

Kurzweg, S. 873, 997

2527CA, 2527CB

Ipomoea gracilisepala

Kurzweg, S. 996

2527CA

Ipomoea magnusiana

Kurzweg, S. 908, 928

2527CB

Ipomoea oblongata

Kurzweg, S. 1131

2527CA

Ipomoea papilio

Kurzweg, S. 1152

2527AC

Merremia palmata

Kurzweg, S. 930

2527CB

Seddera capensis

Kurzweg, S. 1087

2527CB

CRASSULACEAE

Kalanchoe neglecta

Kurzweg, S. 1093

2527CB

Kalanchoe paniculata

Kurzweg, S. 1137

2527CA

Kalanchoe rotundifolia

Kurzweg, S. 1052

2527AC

CUCURBITACEAE

Acanthosicyos naudinianus

Kurzweg, S. 601

2527CB

Cucumis anguria var *longaculeatus*

Kurzweg, S. 587, 627

2527CB

Cucumis myriocarpus subsp *myriocarpus*

Kurzweg, S. 1061

2527AC

Kedrostis hirtella

Kurzweg, S. 839

2527CB

Momordica boivinii

Kurzweg, S. 972

2527CA

Momordica cardiospermoides

Kurzweg, S. 939, 1014

2527CA, 2527CB

CYPERACEAE

Bulbostylis burchellii

Kurzweg, S. 986	2527AC
2527CA	
<i>Cyperus brevis</i>	DRACAENACEAE
Kurzweg, S. 1106	
2527CB	<i>Sansevieria aethiopica</i>
<i>Cyperus congestus</i>	Kurzweg, S. 560, 837
Kurzweg, S. 1158	2527CB
2527CA	
<i>Cyperus marginatus</i>	EBENACEAE
Kurzweg, S. 1104	<i>Diospyros lycioides</i> subsp <i>lycioides</i>
2527CB	Kurzweg, S. 559
<i>Cyperus marlothii</i>	2527CB
Kurzweg, S. 590	<i>Euuclea crispa</i> subsp <i>crispa</i>
2527CB	Kurzweg, S. 798, 1047
<i>Cyperus rupestris</i> var <i>amnicola</i>	2527AC, 2527CB
Kurzweg, S. 634	
2527CB	
<i>Cyperus rupestris</i> var <i>rupestris</i>	EQUISETACEAE
Kurzweg, S. 818	<i>Equisetum ramosissimum</i>
2527CB	Kurzweg, S. 1174
<i>Fimbristylis ferruginea</i>	2527AC
Kurzweg, S. 1168	

EUPHORBIACEAE

Acalypha glabrata var *pilosa*

Kurzweg, S. 840

2527CB

Acalypha indica var *indica*

Kurzweg, S. 842

2527CB

Acalypha segetalis

Kurzweg, S. 624, 1002, 1136

2527CA, 2527CB

Acalypha villicaulis

Kurzweg, S. 678, 898

2527AD, 2527CB

Bridelia mollis

Kurzweg, S. 921, 1188

2527AC, 2527CB

Clutia pulchella var *pulchella*

Kurzweg, S. 578, 877

2527CB

Coccinia rehmannii

Kurzweg, S. 1071

2527CA

Croton gratissimus var *gratissimus*

Kurzweg, S. 556, 687

2527CB

Euphorbia griseola subsp *griseola*

Kurzweg, S. 897

2527CB

Euphorbia heterochroma subsp *heterochroma*

Kurzweg, S. 1173

2527AC

Euphorbia heterophylla

Kurzweg, S. 857

2527CB

Euphorbia inaequilatera var *inaequilatera*

Kurzweg, S. 884, 959

2527CB

Jatropha schlechteri subsp *setifera*

Kurzweg, S. 937

2527CB

Phyllanthus incurvus

Kurzweg, S. 833, 1090

2527CB

<i>Phyllanthus maderaspatensis</i>	Ayres, P. 2; Kurzweg, S. 670
Kurzweg, S. 1127	2527CA, 2527CB
2527CA	<i>Acacia nilotica</i> subsp <i>kraussiana</i>
<i>Phyllanthus parvulus</i> var <i>garipensis</i>	Ayres, P. 3; Kurzweg, S. 669
Kurzweg, S. 648	2527CA, 2527CB
2527CB	<i>Acacia polyacantha</i> subsp <i>campylacantha</i>
<i>Ricinus communis</i> var <i>communis</i>	Kurzweg, S. 854
Kurzweg, S. 1067	2527CB
2527CA	<i>Acacia robusta</i> subsp <i>robusta</i>
<i>Tragia incisifolia</i>	Ayres, P. 4; Kurzweg, S. 988
Kurzweg, S. 672, 1124	2527CA
2527CA, 2527CB	<i>Acacia sieberiana</i> var <i>woodii</i>
<i>Tragia okanyua</i>	Ayres, P. 6; Kurzweg, S. 926
Kurzweg, S. 571	2527CA, 2527CB
2527CB	<i>Acacia tortilis</i> subsp <i>heteracantha</i>
FABACEAE	Ayres, P. 7
<i>Acacia galpinii</i>	2527CA
Ayres, P. 1; Kurzweg, S. 927	<i>Chamaecrista mimosoides</i>
2527CA, 2527CB	Kurzweg, S. 617, 948
<i>Acacia karroo</i>	2527CB
	<i>Crotalaria distans</i> subsp <i>distans</i>
	Kurzweg, S. 933, 1020

2527CA, 2527CB	<i>Indigofera melanadenia</i>
<i>Elephantorrhiza elephantina</i>	Kurzweg, S. 1099
Kurzweg, S. 1041	2527CB
2527AC	<i>Indigofera verrucosa</i>
<i>Faidherbia albida</i>	Kurzweg, S. 1143
Ayres, P. 5	2527CA
2527CA	<i>Lotononis corymbosa</i>
<i>Indigofera circinnata</i>	Kurzweg, S. 1120
Kurzweg, S. 1109	2527CA
2527CA	<i>Mundulea sericea</i>
<i>Indigofera hedyantha</i>	Kurzweg, S. 860, 1013
Kurzweg, S. 671	2527CA, 2527CB
2527CB	<i>Neonotonia wightii</i>
<i>Indigofera holubii</i>	Kurzweg, S. 889
Kurzweg, S. 950, 1027	2527CB
2527CA, 2527CB	<i>Rhynchosia caribaea</i>
<i>Indigofera leendertziae</i>	Kurzweg, S. 646, 654
Kurzweg, S. 832	2527CB
2527CB	<i>Rhynchosia confusa</i>
<i>Indigofera lydenbergensis</i>	Kurzweg, S. 920
Kurzweg, S. 1032	2527CB
2527AC	<i>Rhynchosia densiflora</i> subsp <i>chrysadenia</i>

<i>Rhynchosia minima</i> var <i>minima</i>	Kurzweg, S. 836	2527CA, 2527CB
	2527CB	<i>Sesbania transvaalensis</i>
<i>Rhynchosia minima</i> var <i>prostrata</i>	Kurzweg, S. 1186	Kurzweg, S. 666, 809, 943
	2527AC	2527CB
<i>Rhynchosia pentheri</i> var <i>pentheri</i>	Kurzweg, S. 1185	<i>Tephrosia burchellii</i>
	2527AC	Kurzweg, S. 618
<i>Rhynchosia sordida</i>	Kurzweg, S. 674	2527CB
	2527CB	<i>Tephrosia multijuga</i>
<i>Rhynchosia totta</i> var <i>totta</i>	Kurzweg, S. 797, 829	Kurzweg, S. 637, 650
	2527CB	2527CB
<i>Senna italica</i> subsp <i>arachoides</i>	Kurzweg, S. 641, 801, 855, 885, 1068	<i>Tephrosia purpurea</i> subsp <i>leptostachya</i> var <i>pubescens</i>
	2527CA, 2527CB	Kurzweg, S. 1016, 1030
<i>Sesbania bispinosa</i> var <i>bispinosa</i>	Kurzweg, S. 932	2527CA
	2527CB	<i>Tephrosia rhodesica</i> var <i>evansii</i>
		Kurzweg, S. 917
		2527CB
		<i>Tipuana tipu</i>
		Kurzweg, S. 1059
		2527AC
		<i>Tylosema esculentum</i>
		Kurzweg, S. 1050, 1179
		2527AC

<i>Zornia glochidiata</i>	Kurzweg, S. 793
Kurzweg, S. 895	2527CB
2527CB	<i>Ornithogalum glaucescens</i>
GERANIACEAE	Kurzweg, S. 878
	2527CB
<i>Monsonia angustifolia</i>	IRIDACEAE
Kurzweg, S. 623, 1134	
2527CA, 2527CB	<i>Gladiolus elliotii</i>
HYACINTHACEAE	Kurzweg, S. 1037, 1166
	2527CA, 2527AC
<i>Drimia calcarata</i>	<i>Gladiolus permeabilis</i> subsp <i>edulis</i>
Kurzweg, S. 636	Kurzweg, S. 910
2527CB	2527CB
<i>Ledebouria luteola</i>	<i>Tritonia nelsonii</i>
Kurzweg, S. 826	Kurzweg, S. 642
2527CB	2527CB
<i>Ornithogalum abyssinicum</i>	JUNCACEAE
Kurzweg, S. 1171	
2527AC	<i>Juncus rigidus</i>
<i>Ornithogalum flexuosum</i>	Kurzweg, S. 1159

2527CA	<i>Salvia reflexa</i>
LAMIACEAE	Kurzweg, S. 588, 1010, 1031
	2527AC, 2527CA, 2527CB
<i>Aeollanthus buchnerianus</i>	<i>Salvia runcinata</i>
Kurzweg, S. 875	Kurzweg, S. 968, 1063
2527CB	2527AC, 2527CA
<i>Leonotis randii</i>	<i>Tetradenia brevispicata</i>
Kurzweg, S. 586, 901, 919	Kurzweg, S. 864, 870
2527CB	2527CB
<i>Leucas glabrata</i> var <i>glabrata</i>	<i>Teucrium trifidum</i>
Kurzweg, S. 549, 595, 615	Kurzweg, S. 887
2527CB	2527CB
<i>Leucas martinicensis</i>	<i>Vitex zeyheri</i>
Kurzweg, S. 835	Kurzweg, S. 792
2527CB	2527AD
<i>Ocimum gratissimum</i> subsp <i>gratissimum</i> var <i>gratissimum</i>	LORANTHACEAE
Kurzweg, S. 912	
2527CB	<i>Tapinanthus oleifolius</i>
<i>Ocimum labiatum</i>	Kurzweg, S. 979
Kurzweg, S. 1036	2527CA
2527AC	

MALPIGHIACEAE

Sphedannocarpus pruriens subsp *pruriens*
Kurzweg, S. 643
2527CB

MALVACEAE

Abutilon angulatum var *angulatum*
Kurzweg, S. 610
2527CB

Abutilon galpinii
Kurzweg, S. 597
2527CB

Abutilon piloso-cinereum
Kurzweg, S. 1155
2527CA

Abutilon pycnodon
Kurzweg, S. 551, 598
2527CB

Hibiscus calyphyllus
Kurzweg, S. 871

2527CB

Hibiscus engleri
Kurzweg, S. 621, 676, 909
2527AD, 2527CB

Hibiscus pusillus
Kurzweg, S. 572, 679, 811, 890
2527AD, 2527CB

Hibiscus sabdariffa
Kurzweg, S. 911
2527CB

Hibiscus subreniformis
Kurzweg, S. 563, 787, 803
2527AD, 2527CB

Hibiscus trionum
Kurzweg, S. 620
2527CB

Hibiscus vitifolius subsp *vulgaris*
Kurzweg, S. 593, 915
2527CB

Malvastrum coromandelianum
Kurzweg, S. 1175
2527AC

<i>Sida alba</i>	MOLLUGINACEAE
Kurzweg, S. 596	
2527CB	<i>Corbicichonia decumbens</i>
<i>Sida chrysantha</i>	Kurzweg, S. 1033, 1088
Kurzweg, S. 1079	2527AC, 2527CB
2527CA	<i>Mollugo nudicaulis</i>
<i>Sida dregei</i>	Kurzweg, S. 564, 1001
Kurzweg, S. 1029	2527CA, 2527CB
2527CA	
<i>Sida rhombifolia</i> subsp <i>rhombifolia</i>	MORACEAE
Kurzweg, S. 1023	<i>Ficus abutilifolia</i>
2527CA	Kurzweg, S. 553, 790
<i>Sida spinosa</i> var <i>spinosa</i>	2527AD, 2527CB
Kurzweg, S. 589	<i>Ficus ingens</i> var <i>ingens</i>
2527CB	Kurzweg, S. 946
	2527CB
MELIACEAE	<i>Ficus natalensis</i> subsp <i>graniticola</i>
<i>Turraea obtusifolia</i>	Kurzweg, S. 688
Kurzweg, S. 684, 691, 806	2527CB
2527CB	
	MYROTHAMNACEAE

<i>Myrothamnus flabellifolius</i>	Kurzweg, S. 896, 1051 2527AC, 2527CB
<i>Myrsine pillansii</i>	<i>Menodora heterophylla</i> var <i>australis</i> Kurzweg, S. 1161 2527AC
MYRSINACEAE	
<i>Boerhavia erecta</i>	<i>Bonatea speciosa</i> var <i>antennifera</i> Kurzweg, S. 880 2527CB
NYCTAGINACEAE	<i>Eulophia streptopetala</i> Kurzweg, S. 574 2527CB
<i>Commicarpus pentandrus</i>	OROBANCHACEAE
Kurzweg, S. 995, 1034, 1039, 1048, 1144, 1172, 1178 2527AC, 2527CA	<i>Alectra orobanchoides</i> Kurzweg, S. 644 2527CB
OLEACEAE	<i>Striga asiatica</i> Kurzweg, S. 1057
<i>Jasminum breviflorum</i>	

2527AC	<i>Adenia digitata</i>
<i>Striga bilabiata</i> subsp <i>bilabiata</i>	Kurzweg, S. 565, 600, 603, 812, 916
Kurzweg, S. 846, 861, 1129	2527CB
2527CA, 2527CB	
<i>Striga elegans</i>	PEDALIACEAE
Kurzweg, S. 1045	<i>Ceratotheca triloba</i>
2527AC	Kurzweg, S. 622
<i>Striga gesnerioides</i>	2527CB
Kurzweg, S. 1100, 1191	<i>Dicerocaryum eriocarpum</i>
2527CB	Kurzweg, S. 892, 1074
<i>Striga forbesii</i>	2527CA, 2527CB
Kurzweg, S. 675, 810	<i>Harpagophytum zeyheri</i> subsp <i>zeyheri</i>
2527CB	Kurzweg, S. 1054
OXALIDACEAE	2527AC
<i>Oxalis obliquifolia</i>	<i>Sesamum triphyllum</i> var <i>triphyllum</i>
Kurzweg, S. 582	Kurzweg, S. 689
2527CB	2527CB
PASSIFLORACEAE	PLUMBAGINACEAE
	<i>Plumbago zeylanica</i>

Kurzweg, S. 562	2527CB	<i>Dichanthium annulatum</i> var <i>papillosum</i>
2527CB		Kurzweg, S. 951
POACEAE	2527CB	
		<i>Digitaria eriantha</i>
<i>Aristida bipartita</i>		Kurzweg, S. 967
Kurzweg, S. 667		2527CA
2527CB		<i>Enneapogon cenchroides</i>
<i>Aristida junciformis</i> subsp <i>junciformis</i>		Kurzweg, S. 1018
Kurzweg, S. 575		2527CA
2527CB		<i>Eragrostis barbinodis</i>
<i>Bothriochloa bladhii</i>		Kurzweg, S. 1089
Kurzweg, S. 1169		2527CB
2527AC		<i>Eragrostis chloromelas</i>
<i>Bothriochloa insculpta</i>		Kurzweg, S. 922
Kurzweg, S. 953		2527CB
2527CB		<i>Eragrostis heteromera</i>
<i>Chloris gayana</i>		Kurzweg, S. 638
Kurzweg, S. 965		2527CB
2527CA		<i>Eragrostis micrantha</i>
<i>Cymbopogon pospischilii</i>		Kurzweg, S. 821
Kurzweg, S. 583		2527CB

<i>Hyperthelia dissoluta</i>	Kurzweg, S. 958
Kurzweg, S. 960	2527CB
2527CB	
<i>Imperata cylindrica</i>	<i>Sporobolus festivus</i>
Kurzweg, S. 982	Kurzweg, S. 635, 820
2527CA	2527CB
<i>Microchloa caffra</i>	<i>Sporobolus nitens</i>
Kurzweg, S. 819	Kurzweg, S. 1086
2527CB	2527CB
<i>Pennisetum setaceum</i>	<i>Sporobolus pyramidalis</i>
Kurzweg, S. 823, 984	Kurzweg, S. 1157
2527CA, 2527CB	2527CA
<i>Phragmites australis</i>	POLYGALACEAE
Kurzweg, S. 998	
2527CA	<i>Polygala amatymbica</i>
<i>Polygonarthria squarrosa</i>	Kurzweg, S. 1114
Kurzweg, S. 966	2527CA
2527CA	<i>Polygala hottentotta</i>
<i>Setaria verticillata</i>	Kurzweg, S. 1005
Kurzweg, S. 605	2527CA
2527CB	
<i>Sorghum versicolor</i>	POLYGONACEAE

<i>Persicaria hystricula</i>	PROTEACEAE
Kurzweg, S. 1077	
2527CA	
<i>Rumex lanceolatus</i>	
Kurzweg, S. 999	<i>Faurea saligna</i>
2527CA	Kurzweg, S. 957
	2527CB
	PTERIDACEAE
PORTULACACEAE	
<i>Portulaca kermesina</i>	<i>Cheilanthes eckloniana</i>
Kurzweg, S. 830, 1153	Kurzweg, S. 947
2527AC, 2527CB	2527CB
<i>Portulaca oleracea</i>	<i>Cheilanthes multifida</i>
Kurzweg, S. 975, 1017	Kurzweg, S. 604
2527CA	2527CB
<i>Portulaca quadrifida</i>	<i>Cheilanthes viridis</i> var <i>viridis</i>
Kurzweg, S. 632, 894, 1015	Kurzweg, S. 566, 611
2527CA, 2527CB	2527CB
<i>Talinum caffrum</i>	<i>Pellaea calomelanos</i> var <i>calomelanos</i>
Kurzweg, S. 631	Kurzweg, S. 584, 949
2527CB	2527CB
	RANUNCULACEAE

<i>Clematis brachiata</i>	2527CB
Kurzweg, S. 576, 647, 808, 814, 961	
2527CB	
RHAMNACEAE	
<i>Helinus integrifolius</i>	
Kurzweg, S. 573, 794	
2527CB	
<i>Ziziphus mucronata</i> subsp <i>mucronata</i>	
Kurzweg, S. 816, 848	
2527CB	
RICCIACEAE	
<i>Riccia albولimbata</i>	
Kurzweg, S. 994	
2527CA	
RUBIACEAE	
<i>Anthospermum rigidum</i> subsp <i>pumilum</i>	
Kurzweg, S. 955	
<i>Kohautia caespitosa</i> subsp <i>brachyloba</i>	
Kurzweg, S. 1098, 1164	
2527CA, 2527CB	
<i>Kohautia virgata</i>	
Kurzweg, S. 825, 1025	
2527CA, 2527CB	
<i>Oldenlandia cephalotes</i>	
Kurzweg, S. 1190	
2527AC	
<i>Oldenlandia herbacea</i> var <i>flaccida</i>	
Kurzweg, S. 902	
2527CB	
<i>Pavetta eylesi</i>	
Kurzweg, S. 858, 940	
2527CB	
<i>Pavetta zeyheri</i>	
Kurzweg, S. 1056	
2527AC	
<i>Rubia horrida</i>	
Kurzweg, S. 1083, 1165	
2527CA	

SANTALACEAE

Osyris lanceolata

Kurzweg, S. 876

2527CB

Thesium hirsutum

Kurzweg, S. 934, 1132

2527CA, 2527CB

Thesium multiramulosum

Kurzweg, S. 1044

2527AC

Thesium transvaalense

Kurzweg, S. 1150

2527AC

SAPINDACEAE

Pappea capensis

Kurzweg, S. 1055

2527AC

SAPOTACEAE

Mimusops zeyheri

Kurzweg, S. 807

2527CB

SCROPHULARIACEAE

Aptosimum elongatum

Kurzweg, S. 1043

2527AC

Aptosimum indivisum

Kurzweg, S. 1095

2527CB

Craterostigma plantagineum

Kurzweg, S. 827

2527CB

Jamesbrittenia aurantiaca

Kurzweg, S. 1038, 1101

2527AC, 2527CB

Jamesbrittenia burkeana

Kurzweg, S. 804, 954

2527CB	<i>Solanum panduriforme</i>
<i>Selago densiflora</i>	Kurzweg, S. 609
Kurzweg, S. 1096, 1126	2527CB
2527CA, 2527CB	<i>Solanum retroflexum</i>
SELAGINELLACEAE	Kurzweg, S. 991
<i>Selaginella kraussiana</i>	2527CA
Kurzweg, S. 628	<i>Solanum tomentosum</i> var <i>tomentosum</i>
2527CB	Kurzweg, S. 550, 788, 865
SOLANACEAE	2527AD, 2527CB
<i>Nicotiana glauca</i>	<i>Withania somnifera</i>
Kurzweg, S. 976, 1082	Kurzweg, S. 611, 683, 973
2527CA	2527AD, 2527CA, 2527CB
<i>Physalis viscosa</i>	STERCULIACEAE
Kurzweg, S. 1003	<i>Hemizygia canescens</i>
2527CA	Kurzweg, S. 906
<i>Solanum nigrum</i>	2527CB
Kurzweg, S. 944, 977	<i>Hermannia boraginiflora</i>
2527CA, 2527CB	Kurzweg, S. 893
	2527CB
	<i>Hermannia coccocarpa</i>

Kurzweg, S. 1062, 1105, 1118, 1170	<i>Tamarix ramosissima</i>
2527AC, 2527CA, 2527CB	Kurzweg, S. 969
<i>Hermannia depressa</i>	2527CA
Kurzweg, S. 581, 1028, 1162	
2527AC, 2527CA, 2527CB	THYMELAEACEAE
<i>Hermannia floribunda</i>	
Kurzweg, S. 554, 577, 863	<i>Gnidia capitata</i>
2527CB	Kurzweg, S. 1142
<i>Hermannia modesta</i>	2527CA
Kurzweg, S. 874, 1163	
2527CA, 2527CB	TILIACEAE
<i>Hermannia quartiniana</i>	
Kurzweg, S. 938	<i>Corchorus asplenifolius</i>
2527CB	Kurzweg, S. 856, 1135
<i>Melhania acuminata</i> var <i>acuminata</i>	2527CA, 2527CB
Kurzweg, S. 802	
2527CB	<i>Corchorus schimperi</i>
<i>Melhania prostrata</i>	Kurzweg, S. 594, 844, 1026
Kurzweg, S. 630, 834, 862	2527CA, 2527CB
2527CB	<i>Corchorus trilocularis</i>
TAMARICACEAE	Kurzweg, S. 673, 1102
	2527CB
	<i>Grewia bicolor</i>

Kurzweg, S. 852	<i>Chascanum pinnatifidum</i> var <i>pinnatifidum</i>
2527CB	Kurzweg, S. 685, 849, 1184
<i>Triumfetta annua</i>	2527AC, 2527CB
Kurzweg, S. 599	<i>Lantana rugosa</i>
2527CB	Kurzweg, S. 652
URTICACEAE	2527CB
<i>Pouzolzia mixta</i>	<i>Lippia scaberrima</i>
Kurzweg, S. 555	Kurzweg, S. 682, 936, 1081, 1138
2527CB	2527AD, 2527CA, 2527CB
VELLOZIACEAE	<i>Verbena bonariensis</i>
<i>Xerophyta retinervis</i>	Kurzweg, S. 1076
Kurzweg, S. 1058	2527CA
2527AC	<i>Verbena brasiliensis</i>
VERBENACEAE	Kurzweg, S. 886
<i>Chascanum hederaceum</i> var <i>hederaceum</i>	2527CB
Kurzweg, S. 639, 851	VISCACEAE
2527CB	<i>Viscum rotundifolium</i>
	Kurzweg, S. 817, 831
	2527CB

VITACEAE

Cissus quadrangularis var *pubescens*

Kurzweg, S. 838

2527CB

Cyphostemma hereroense

Kurzweg, S. 557, 1128

2527CA, 2527CB

Cyphostemma humile subsp *dolichopus*

Kurzweg, S. 841, 859

2527CB

Cyphostemma sulcatum

Kurzweg, S. 552, 561

2527CB

Cyphostemma woodii

Kurzweg, S. 789, 866

2527AD, 2527CB

Rhoicissus tridentata subsp *cuneifolia*

Kurzweg, S. 872, 964

2527CB

Tribulus terrestris

Kurzweg, S. 1024

2527CA

ZYGOPHYLLACEAE

BIBLIOGRAPHY

- ABBITT, R.J.F., SCOTT, J.M. & WILCOVE, D.S. 2000. The geography of vulnerability: incorporating species geography and human development patterns into conservation planning. *Biological Conservation* 96: 169–175.
- ACOCKS, J.P.H. 1953. Veld types of South Africa. *Memoirs of the Botanical Survey of South Africa* 28: 1–192.
- AGIS (Agricultural Geo-Referenced Information System). 2010. AGISMap Atlas. <http://www.agis.agric.za> Date of access: 15. September 2010.
- ALLABY, M. 2004. Savannah woodland. <http://www.encyclopedia.com/doc/1O14savannahwoodland.html>. Date of access: 11. February 2010.
- ALEXANDER, D. 1996. Bioregionalism: the need for a firmer theoretical foundation. *Trumpeter* 13 (3): 1–7. <http://www.icaap.org/iuicode?6.13.3.4>. Date of access: 27. October 2010.
- BALMFORD, A., GREEN, M.J.B. & MURRAY, M.G. 1996a. Using higher-taxon richness as a surrogate for species richness. I. Regional tests. *Proceedings: Biological Sciences* 263(1375): 1267–1274.
- BALMFORD, A., JAYASURIYA, A.H.M. & GREEN, M.J.B. 1996b. Using higher-taxon richness as a surrogate for species richness. II. Local tests. *Proceedings: Biological Sciences* 263(1376): 1571–1575.
- BALMFORD, A., MOORE, J. L., BROOKS, T., BURGESS, N., HANSEN, L. A., WILLIAMS, P. & RAHBEK, C. 2001. Conservation conflicts across Africa. *Science* 291:2616–2619.
- BARNES, S.J. & MAIER, W.D. 2002. *Platinum-group element distributions in the Rustenburg Layered Suite of the Bushveld Complex, South Africa*. (In Cabri, L.J. (ed.) The geology, geochemistry, mineralogy and mineral beneficiation of platinum-group elements. Special Volume 54. Canadian Institute of Mining, Metallurgy and Petroleum. p. 431–458).

BGIS. 2007. Biodiversity GIS – Profile. <http://bgis.sanbi.org/profile.asp>. Date of access: 29. April 2010.

BIGIRIMANA, J., BOGAERT, J., DE CANNIERE, C.D., LEJOLY, J. & PARAMENTIER, I. 2011. Alien plant species dominate the vegetation in a city of Sub-Saharan Africa. *Landscape and Urban Planning* 100: 251–267.

BONN, A., RODRIGUES, A.S.L. & GASTON, K. 2002. Threatened and endemic species: Are they good indicators of patterns of biodiversity on a national scale? *Ecology Letters* 5: 733–741.

BOONZAAIER, W.B. & LOURENS, M. 2002. *Heritage Park Concept Plan*. 2nd Edition. Pilanesberg National Park Management Series for the North West Parks and Tourism Board. Contour Project Managers and Grant Thornton Kessel Feinstein, Rustenburg.

BREEDLOVE, G. & JORDAAN, F. (eds.) 2001. *Environmental Potential Atlas for South Africa*. Department of Environmental Affairs and Tourism, University of Pretoria & GIS Business Solutions, South Africa.

BROMILOW, C. 2001. *Problem plants of South Africa: a guide to the identification and control of more than 300 invasive plants and other weeds*. Briza Publications, Pretoria.

BROOKS, T., BALMFORD, A., BURGESS, N., FIELDSÅ, J., HANSEN, L.A., MOORE, J., RAHBEK, C. & WILLIAMS, P. 2001. Towards a blueprint for conservation in Africa. *Bioscience* 51(8): 613–624.

BROWN, L.R., BREDENKAMP, G.J. & VAN ROOYEN, N. 1997. Phytosociological synthesis of the vegetation of the Borakalalo Nature Reserve, North-West Province. *South African Journal of Botany* 63(5): 242–253.

BRUNCKHORST, D.J. 1995. Sustaining nature and society: a bioregional approach. *Inhabit* 3: 5–9.

BRUNCKHORST, D.J. & BRIDGEWATER, P. 1996. Identifying Core Reserve Networks in Coastal Bioregions: a Novel Implementation Framework for Coastal Marine Biosphere Reserves. Proceedings of 2nd UNESCO International Conference on Biosphere Reserves, Seville, Spain, 20-25 March 1995.

BURGER, D. (ed.) 2011. South Africa Yearbook 2010/2011. Department of Government Communication and Information System, South Africa.

http://www.gcis.gov.za/resource_centre/sa_info/yearbook/2010-11/chapter1.pdf Date of access: 12. May 2011.

BURGESS, N., D'AMICO HALES, J., UNDERWOOD, E., DINERSTEIN, E., OLSON, D., ITOUA, I., SCHIPPER, J., RICKETTS, T. & NEWMAN, K. 2004. *Terrestrial ecoregions of Africa and Madagascar: A conservation assessment*. World Wildlife Fund. Island Press, Washington, DC, United States.

BUTT, C.R.M. & ZEEGERS, H. 1992. Regolith exploration geochemistry in tropical and subtropical terrains. Handbook of exploration geochemistry, Volume 4. Elsevier Science Publishers B.V., Amsterdam, Netherlands. http://horizon.documentation.ird.fr/exl-doc/pleins_textes/pleins_textes_6/b_fdi_33-34/37577.pdf Date of access: 12. October 2010.

CARO, T.M. & O'DOHERTY, G. 1999. On the use of surrogate species in conservation biology. *Conservation Biology* 13(4): 805–814.

CATUNEANU, O. & ERIKSSON, P. 2002. Sequence stratigraphy of the Precambrian Rooihoopte-Timeball Hill rift succession, Transvaal Basin, South Africa. *Sedimentary Geology* 147: 71–88.

CHONG, G.W. & STOHLGREN, T.J. 2007. Species-area curves indicate the importance of habitats' contributions to regional biodiversity. *Ecological Indicators* 7: 387–395.

CILLIERS, S.S., MÜLLER, N. & DREWES, E. 2004. Overview on urban nature conservation: situation in the western-grassland biome of South Africa. *Urban Forestry & Urban Greening* 3: 49–62.

CILLIERS, S.S., WILLIAMS, N.S.G. & BARNARD, F.J. 2008. Patterns of exotic plant invasion in fragmented urban and rural grassland across continents. *Landscape Ecology* 23: 1243–1256.

CHRIST, T.O., VEECH, J.A., GERING, J.C. & SUMMerville, K.S. 2003. Partitioning Species Diversity across Landscapes and Regions: A Hierarchical Analysis of α , β and γ Diversity. *The American Naturalist* 162(6): 734–742.

CLOVER, J. & ERIKSEN, S. 2009. The effects of land tenure change on sustainability: human security and environmental change in southern African savannas. *Environmental Science & Policy* 12(1): 53–70.

COLE, M. 1996. *The Savannas: Biogeography and Geobotany*. Academic Press, London.

COLWELL, R.K. & CODDINGTON, J.A. 1995. *Estimating biodiversity through extrapolation*. (In Hawksworth D.L. (ed.) Biodiversity measurement and estimation. Royal Society, Chapman & Hall, London.)

CONSERVATION INTERNATIONAL. 2007. Hotspots defined.

http://www.biodiversityhotspots.org/xp/hotspots/hotspotsscience/Pages/hotspots_defined.aspx
Date of access: 3. May 2010.

COUNCIL FOR GEOSCIENCE. 2011. Summary of Economic Geology of Provinces: North West Province.

http://www.geoscience.org.za/index.php?option=com_content&task=view&id=165&Itemid=152 Date of access: 24. November 2011.

COUSINS, C.A. 1959. The Bushveld Igneous Complex: The geology of South Africa's platinum resources. *Platinum Metals* 3(3): 94–99.

COWLING, R.M., GIBBS RUSSELL, G.E., HOFFMANN, M.T. & HILTON-TAYLOR, C. 1989. Patterns of plant species diversity in southern Africa. (In Huntley, B.J. (ed.) Biotic diversity in southern Africa: Concepts and conservation. Oxford University Press, pp.19–50.)

COWLING, R.M. & HILTON-TAYLOR, C. 1994. *Patterns of plant diversity and endemism in southern Africa: an overview*. (In Huntley, B.J. (ed.) Botanical Diversity in Southern Africa. National Botanical Institute, Pretoria. p.31–52.)

COWLING, R.M. & HILTON-TAYLOR, C. 1997. *Phytogeography, flora and endemism*. (In Cowling, R.M., Richardson, D.M. & Pierce, S.M. (eds.) Vegetation of Southern Africa, Cambridge University, United Kingdom. p.43–61.)

COWLING, R.M., PRESSEY, R.L., LOMBARD, A.T., DESMET, P.G. & ELLIS, A.G. 1999. From representation to persistence: requirements for a sustainable system of

conservation areas in the species-rich Mediterranean-climate desert of southern Africa.
Diversity and Distributions 5: 51–71.

COWLING, R.M., RICHARDSON, D.M. & PIERCE, S.M. 1997. *Vegetation of Southern Africa*. Cambridge University Press, United Kingdom.

COWLING, R.M. & WILHELM-RECHMANN, A. 2007. Four perspectives on conservation in Africa. *Oryx* 41(2): 135–139.

DARKOH, M.B.K. 2003. Regional perspectives on agriculture and biodiversity in the drylands of Africa. *Journal of Arid Environments* 54: 261–279.

DASMANN, R.F. 1973. *A system for defining and classifying natural regions for the purpose of conservation*. World Conservation Union, Switzerland.

DASMANN, R.F. 1974. *Biotic provinces of the world: further development of a system for defining and classifying natural regions for purposes of conservation*. World Conservation Union, Switzerland.

DAVIS, S.D., HEYWOOD, V.H. & HAMILTON, A.C. (eds.) 1994. *Centres of plant diversity: a guide and strategy for their conservation*. Volume 1: Europe, Africa, South West Asia and the Middle East. World Wide Fund for Nature (WWF) and The World Conservation Union (IUCN).

DAVIS, F.W., STOMS, D.M., ESTES, J.E., SCEPAN, J. & SOTT, J.M. 1990. An information systems approach to the preservation of biological diversity. *International Journal of Geographic Information Systems* 4: 55–78.

DE VILLIERS, B. & MANGOLD, S. 2002. Chapter 2: The biophysical environment. (*In* Walmsley, D., Walmsley, J., Mangold, S. & Kalule-Sabiti M. (eds.) North West Province state of the environment report. Directorate of Environment and Conservation Management, North West Department of Agriculture, Conservation and Environment, South Africa.)
<http://www.nwpg.gov.za/soer/FullReport/bio-physical.html#a3> Date of access: 3. August 2010.

DE WIT, P.V. & BEKKER, R.P. 1990. Land systems map of the Republic of Botswana. Soil mapping & advisory services project. FAO, Ministry of Agriculture, Gaborone.

http://eusoils.jrc.ec.europa.eu/esdb_archive/EuDASM/africa/images/maps/download/afr_lsmrb.jpg Date of access: 10. February 2010.

DEL MORAL, R. 1980. On selecting indirect ordination methods. *Vegetatio* 42(1): 75–84.

DENGLER, J. 2009. A flexible multi-scale approach for standardized recording of plant species richness patterns. *Ecological Indicators* 9: 1169–1178.

DESMET, P. & COWLING, R. 2004. Using the species-area relationship to set baseline targets for conservation. *Ecology and Society* 9(2): 11.

DRIVER, A., COWLING, M. & MAZE, K. 2003. Planning for living landscapes—Perspective & lessons from South Africa. Botanical Society, Cape Town.

DU TOIT, A.L. 1954. *The geology of South Africa*. 3rd edition. Oliver and Boyd, London.

DUDLEY, N., HIGGINS-ZOGIB, L. & MANSOURIAN, S. (eds.) 2005. *Beyond belief: Linking faiths and protected areas to support biodiversity conservation*. World Wildlife Fund for Nature, Gland, Switzerland.

DUELLI, P. & OBRIST, M.K. 2003. Biodiversity indicators: the choice of values and measures. *Agriculture, Ecosystems and Environment* 98: 87–98.

DUFOUR, A., GADALLAH, F., WAGNER, H.H., GUISAN, A. & BUTTLER, A. 2006. Plant species richness and environmental heterogeneity in a mountain landscape: effects of variability and spatial configuration. *Ecography* 29(4): 573–584.

DWAF (Department of Water Affairs and Forestry). 2011. Sustainable Forestry: Protected Trees. <http://www2.dwaf.gov.za/webapp/SustainableProtectedTrees.aspx> Date of access: 31. May 2011.

EDWARDS, D. 1974. Survey to determine the adequacy of existing conserved areas in relation to vegetation types. A preliminary report. *Koedoe* 17: 2–37.

EDWARDS, P.J. & ABIVARDI, C. 1998. The value of biodiversity: Where ecology and economy blend. *Biological Conservation* 83(3): 239–246.

EDWARDS, D. & LEISTNER, O. A. 1971. A degree reference system for citing biological

records in Southern Africa. *Mitteilungen der Botanischen Staatssammlung München* 10: 501–509.

EILERTSEN,O., OKLAND, R., OKLAND, T. & PEDERSON, O. 1990. Data manipulation and gradient length estimation in DCA ordination. *Journal of Vegetation Science* 1(2): 261–270.

EKEN, G., BENNUN, L., BROOKS, T.M., DARWALL, W., FISHPOOL, L.D.C., FOSTER, M., KNOX, D., LANGHAMMER, P., MATIKU, P., RADFORD, E., SALAMAN, P., SECHREST, W., SMITH, M.L., SPECTOR, S. & TORDORFF, A. 2004. Key biodiversity areas as site conservation targets. *BioScience* 54(12): 1110–1118.

ELSTON, W.E. 2008. Proposed bushveld scenario: impact, mantle upwelling, meltdown, collapse. (*In* Conference on Large Meteorite Impacts and Planetary Evolution IV, 17.–21. August 2008, Vredefort Dome, South Africa). <http://www.lpi.usra.edu/meetings/lmi2008/pdf/3037.pdf> Date of access: 25. Juli 2010.

ELSTON, W.E. 2003. The Proterozoic Bushveld Complex, South Africa: plume, astrobleme or both? (*In* Penrose Conference Plume IV: Beyond the Plume Hypothesis, Hveragerdi, Iceland, 25.–29. August 2003). http://www.mantleplumes.org/Penrose/PenPDFAbstracts/Elston_Wolf_abs.pdf Date of access: 25. Juli 2010.

ENCYCLOPAEDIA BRITANNICA. 1995. Southern Africa: relief.
http://www.uv.es/EBRIT/macro/macro_5005_94_1.html Date of access: 22.03.2012.

ENCYCLOPEDIA OF THE NATIONS. 2011. Africa.
<http://www.nationsencyclopedia.com/economies/Africa/index.html> Date of access: 12. May 2011.

ERIKSSON, P.G., ALTERMAN, W., CATUNEANU, O. VAN DER MERWE, R. & BUMBY, A.J. 2001. Major influences on the evolution of the 2.67–2.1 Ga Transvaal basin, Kaapvaal craton. *Sedimentary Geology* 141–142: 205–231.

ERIKSEN, S.E.H. & WATSON, H.K. 2009. The dynamic context of southern African savannas: investigating emerging threats and opportunities to sustainability. *Environmental Science & Policy* 12: 5–22.

ESRI (Environmental Systems Research Institute). 2010. *ArcGIS Desktop 10*. Education Edition. ESRI, Redlands, California, USA.

FABRICIUS, C., KOCH, E. & MAGOME, H. 2001. Towards strengthening collaborative ecosystem management: lessons from environmental conflict and political change in southern Africa. *Journal of the Royal Society of New Zealand* 31(4): 831–844.

FAIRBANKS, D.H.K. 2000. Physio-climatic classification of South Africa's woodland biome. *Plant Ecology* 149(1): 71–89.

FAO (Food and Agriculture Organization of the United Nations). 2004. Drought impact mitigation and prevention in the Limpopo River Basin: a situation analysis. Land and Water Discussion Paper No. 4. Rome. http://www.sarpn.org.za/documents/d0001237/P1367_limpopo-2004_cover.pdf Date of access: 3. August 2010.

FAO (Food and Agriculture Organization of the United Nations). 2005. Fertilizer use by crop in South Africa. Land and Plant Nutrition Management Service, Land and Water Development Division, Rome. <ftp://ftp.fao.org/docrep/fao/008/y5998e/y5998e00.pdf> Date of access: 14. October 2010.

FERRIER, S. 2002. Mapping spatial pattern in biodiversity for regional conservation planning: where to from here? *Systematic Biology* 51(2): 331–363.

FJELDSÅ, J. & TUSHABE, H. 2005. *Complementarity of species distributions as a tool for prioritising conservation actions in Africa: testing the efficiency of using coarse-scale distribution data*. (In Huber, B.A., Sinclair, B.J. & Lampe, K. (eds.) African biodiversity: molecules, organisms, ecosystems. Springer Science & Business Media, New York. p.1–24.)

FOX, R. 2000. *The geography of South Africa in a changing world*. Oxford University Press Southern Africa, Cape Town.

FREEDMAN, B. 1995. *Environmental Ecology: The Ecological Effects of Pollution, Disturbance, and other Stresses*. 2nd edition. Academic Press, London.

FRIEDEL, M.H. 1988. The development of veld assessment in the northern Transvaal savanna II. Mixed bushveld. *Journal of the Grassland Society of southern Africa* 5: 55–63.

FROST, P.G.H. 1987. The regional landscape: Nylsvley in perspective. *South African National Scientific Programmes Report No. 133*. Foundation for Research Development, Pretoria.

FUGGLE, R. 2008. *The Evolution of EIA in South Africa and Recommendations for Improving its Efficiency and Effectiveness*. (In Ten Years of EIA in South Africa: Papers read at a Conference held at the Lord Charles Hotel in Somerset West, South Africa, from the 24.–25. November 2008.)

FUNK, V.A. & RICHARDSON, K.S. 2002. Systematic data in biodiversity studies: use it or lose it. *Systematic Biology* 51(2): 303–316.

GASTON, K.J. 2000. Biodiversity: higher taxon richness. *Progress in Physical Geography* 24(1): 117–127.

GERMISHUIZEN, G. & MEYER, N.L. (eds) 2003. Plants of southern Africa: an annotated checklist. *Strelitzia 14*. National Botanical Institute, Pretoria.

GEOSPATIAL COMMUNICATION NETWORK. 2010. Overview of GIS.
<http://www.gisdevelopment.net/tutorials/tuman006pf.htm>. Date of access: 27. April 2010.

GIBBS RUSSELL, G.E. 1987. Preliminary floristic analysis of the major biomes in southern Africa. *Bothalia* 17(2): 213–227.

GIVEN, D.R. 1994. *Principles and practice of plant conservation*. Chapman & Hall, London.

GOLDBLATT, P. 1978. An analysis of the Flora of Southern Africa: its characteristics, relationships, and origins. *Annals of the Missouri Botanical Garden* 65(2): 369–436.

GOURMELON, F. 2006. Main roles of GIS in ecological studies on small protected islands.
<http://www.pwrc.usgs.gov/resshow/howell/sieg/Products/products.html>. Date of access: 27. April 2010.

GRAND, J., CUMMINGS, M.P., REBELO, T.G., RICKETTS, T.H. & NEEL, M.C. 2007. Biased data reduce efficiency and effectiveness of conservation reserve networks. *Ecology Letters* 10: 364–374.

GRANTHAM, H.S., MOILANEN, A., WILSON, K.A., PRESSEY, R.L., REBELO, T.G. & POSSINGHAM, H.P. 2008. Diminishing return on investment for biodiversity data in conservation planning. *Conservation Letters* 1: 190–198.

GRIVETTI, L.E. 1979. Kalahari agro-pastoral hunter-gatherers: the Tswana example. *Ecology of Food and Nutrition* 7: 235–256.

GROVES, D.I. 2003. The Bushveld Complex: dynamic processes at all scales. Centre for Global Metallogeny. ftp://ftp.uwa.edu.au/pub/segs/4_BushveldWMC.ppt Date of access: 21. January 2010.

HADLY, E.A. & MAURER, B.A. 2001. Spatial and temporal patterns of species diversity in montane mammal communities of western North America. *Evolutionary and Ecology Research* 3: 477–486.

HAINES-YOUNG, R. 2009. Land use and biodiversity relationships. *Land Use Policy* 26: 178–186.

HAMILTON, A.J. 2005. Species diversity or biodiversity? *Journal of Environmental Management* 75: 89–92.

HARPER, J.L. & HAWKSWORTH, D.L. 1995. *Preface.* (In Hawksworth D.L. (ed.) Biodiversity measurement and estimation. Royal Society, Chapman & Hall, London.)

HATTON, C.J. & SCHWEITZER, J.K. 1995. Evidence for synchronous extrusive and intrusive Bushveld magmatism. *Journal of South African Earth Sciences* 21: 579-594.

HENDERSON, L. 2001. Amendments to legislation of declared weeds and invader plants in South Africa. Paper presented at the Joint Soils, Crops & Weeds Congress in January 2001. http://www.sanparks.org/parks/kruger/conservation/scientific/ff/alien_biota/policies/National%20legislation%20-%20CARA%201.pdf Date of access: 2. September 2009.

HEPWORTH, J.V. & JONES, C.R. 1973. Geological map of Botswana. Director of Geological Survey and Mines with the authority of the Ministry of Commerce, Industry and Water Affairs, Gaborone. http://eusoils.jrc.ec.europa.eu/esdb_archive/EuDASM/africa/images/maps/download/afr_gmob.jpg Date of access: 28. June 2010.

HERITAGE PARK. 2005. Heritage Park Homepage. www.heritage-park.co.za.

HESS, G.R., BARTEL, R.A., LEIDNER, A.K., ROSENFELD, K.M., RUBINO, M.J., SNIDER, S.B. & RICKETTS, T.H. 2006. Effectiveness of biodiversity indicators varies with extent, grain and region. *Biological Conservation* 132: 448–45.

HEYWOOD, V. H. & WATSON, W. T. (eds.) 1995. *Global Biodiversity Assessment*. United Nations Environment Programme (UNEP), Cambridge University Press, Cambridge.

HUDAK, A.T. 1999. Rangeland mismanagement in South Africa: failure to apply ecological knowledge. *Human Ecology* 27(1): 55–78.

HUGO, M.L., VILJOEN, A.T. & MEEUWIS, J.M. 1997. *The ecology of natural resource management: The quest for sustainable living*. A text for South African students. Kagiso Publishers, Pretoria.

HUNTLEY, B.J. 1978. *Ecosystem conservation in southern Africa*. (In Werger, M.J.A. (ed.) Biogeography and Ecology of Southern Africa. Junk, The Hague, pp. 1333-1384.)

IMPALA PLATINUM LIMITED. 2009. Corporate responsibility: Environmental performance. <http://www.implats.co.za/reports/2009/SD/environmental.htm> Date of access: 4. November 2010.

IMPALA PLATINUM LIMITED. 2010a. Fact Sheet.
http://www.implats.co.za/implats/downloads/2010/fact%20sheets/Implats%20FS_NOV2010.pdf Date of access: 12. October 2010.

IMPALA PLATINUM LIMITED. 2010b. Mineral resources and mineral reserves – Annual Report.
http://www.implats.co.za/implats/downloads/2010/investor%20media/implats_mineral_resource_statement2010.pdf Date of access: 4. November 2010.

IMPALA PLATINUM LIMITED. 2011a. Impala Platinum.
<http://www.implats.co.za/implats/Impala-platinum.asp> Date of access: 21.November 2011.

- IMPALA PLATINUM LIMITED. 2011b. Resources and reserves.
<http://www.implats.co.za/implats/Resources-Reserves-Impala.asp> Date of access: 21. November 2011.
- IUCN. 2010. The IUCN Red List of Threatened Species, 2009 Update: Plant Facts. International Union for Conservation of Nature, Switzerland.
http://cmsdata.iucn.org/downloads/more_facts_on_plants.pdf. Date of access 24. Mar. 2010.
- IUSS WORKING GROUP. 2006. *World reference base for soil resources 2006*. 2nd edition. World Soil Resources Reports No. 103. FAO, Rome.
- IZIDINE, S.A., SIEBERT, S.J., VAN WYK, A.E. & ZOBOLO, A.M. 2008a. Taboo and political authority in conservation policy: A case study of the Licuáti Forest in Maputaland, Mozambique. *Journal for the study of Religion, Nature, and Culture* 2(3): 373–390.
- IZIDINE, S.A., SIEBERT, S.J., VAN WYK, A.E. & ZOBOLO, A.M. 2008b. Threats to Ronga custodianship of a sacred grove in southern Mozambique. *African Journal of Indigenous Knowledge Systems* 7(2): 182–197.
- JOHNSTON, C.A. 2001. *Geographic Information Systems in Ecology*. 2nd edition. Blackwell Science, United Kingdom.
- JOHNSON, M.R., ANHAEUSSER, C.R. & THOMAS, R.J. (eds.) 2006. *The geology of South Africa*. Geological Society of South Africa & Council for Geoscience, Johannesburg.
- JÜRGENS, N. 1998. *Aspects of botanical diversity in Southern African arid regions – an outline of concepts and results*. (In Barthlott, W. & Winiger, M. (eds.) Biodiversity – a challenge for development research and policy. Springer, New York.)
- KENT, M. & COKER, P. 1992. *Vegetation description and analysis: A practical approach*. John Wiley & Sons Ltd., London.
- KERR, J.T. 1997. Species richness, Endemism, and the choice of areas for conservation. *Conservation Biology* 11(5): 1094–1100.

KERSHAW, M., MACE, G.M. & WILLIAMS, P.H. 1995. Threatened status, rarity, and diversity as alternative selection measures for protected areas: A test using Afrotropical antelopes. *Conservation Biology* 9(2): 324–334.

KESSEL, S.R. & WHITTAKER, R.H. 1976. Comparison of three ordination techniques. *Vegetatio* 32(1): 21–29.

KHAN, F. 2000. Environmentalism in South Africa: A socio-political perspective. <http://digitalcommons.macalester.edu/cgi/viewcontent.cgi?article=1192&context=macintl> Date of access: 7. July 2009.

KINNAIRD, J.A. 2005. The Bushveld Large Igneous Province. Large Igneous Provinces Commission, International Association of Volcanology and Chemistry of the Earth's Interior. <http://www.largeigneousprovinces.org/Downloads/BushveldLIP.pdf> Date of access: 21. August 2010.

KNIGHT, A.T., COWLING, R.M., ROUGET, M., BALMFORD, A., LOMBARD, A.T. & CAMPBELL, B.M. 2008. Knowing but not doing: Selecting priority conservation areas and the research-implementation gap. *Conservation Biology* 22(3): 610–617.

KRENKEL, E. 1957. *Geologie und Bodenschätzze Afrikas*. 2. Auflage. Akademische Verlagsgesellschaft Geest & Portig, Leipzig.

KURZWEG, S. 2008. *Floristic survey of the expansion area of the proposed Heritage Park in North-West Province*. B.Sc. Honours thesis, North West University, Potchefstroom, South Africa.

LA GRANGE, M. 2010. *Vegetation classification of the proposed Heritage Park, North-West Province, South Africa*. M.Sc. dissertation, North-West University, Potchefstroom, South Africa.

LAMPRECHT, R. 2010. *A vegetation study on the area leased for mining purposes by Impala Platinum, Rustenburg South Africa*. M.Sc. dissertation, North-West University, Potchefstroom, South Africa.

LAMPRECHT, A.J.H., CILLIERS, S.S., GÖTZE, A.R. & DU TOIT, M.J. 2011. Phytosociological description of norite koppies in the Rustenburg area, North-West Province

and refinement of the distribution of the Norite Koppies Bushveld on the national vegetation classification map of South Africa. *Bothalia* 41(2): 327–339.

LANDRES, P., VERNER, J. & THOMAS, J. 1988. Ecological uses of vertebrate indicator species – a critique. *Conservation Biology* 2: 316–328.

LAWLER, J.J., WHITE, D., SIFNEOS, J.C. & MASTER, L.L. 2003. Rare species and the use of indicator groups for conservation planning. *Conservation Biology* 17(3): 875–882.

LEPS, J. & SMILAUER, P. 1999. *Multivariate analysis of ecological data*. University of South Bohemia, Ceske Budejovice, Czech Republic.

LIMPOPO RIVER AWARENESS KIT. 2010. The River Basin.

<http://www.limpoporak.com/en/river.aspx> Date of access: 20. October 2010.

LOMOLINO, M.V., RIDDLE, B.R. & BROWN, J.H. 2006. *Biogeography*. 3rd edition. Sinauer, USA. 847p.

LONDON, L.F. 2000. What is a bioregion? <http://www.ibiblio.org/InterGarden/links/start-392001/msg00549.html>. Date of access 27. Jan. 2010.

LONG, A. J. 1996. Establishing conservation priorities inSouth America using endemic birds. (*In* Harcourt,C. & Sayer, J. (eds.) *The conservation atlas oftropical forests: America*. Simon& Schuster, New York and London. pp.35–46.)

LOUBSER, A. 2010. Granite Mining – Years of Plunder condoned by DME. <http://www.environment.co.za/poisoning-carcinogens-heavy-metals-mining/granite-mining-years-of-plunder-condoned-by-dme.html> Date of access: 2. November 2010.

LOVEJOY, T.E. 1980. Discontinuous wilderness: minimum areas for conservation. *Parks* 5(2): 13–15.

LOVEJOY, T.E. 1995. *The quantification of biodiversity: an esoteric quest or a vital component of sustainable development*. (*In* Hawksworth D.L. (eds.) *Biodiversity measurement and estimation*. Royal Society, Chapman & Hall, London.)

LOW, A.B. & REBELO, A.G. (eds.) 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.

- MAGODIELO, M.M., SIEBERT, S.J., CILLIERS, S.S. & RETIEF, F.P. 2010. A critical assessment of plant resource utilization and park expansion in North-West. *South African Journal of Botany* 76(2): 412–413.
- MAKWAEBEA, I.M. 2004. *The use of traditional knowledge in the South African National Parks Imbweu Youth Programme: planting a seed of environmental awareness.* (In Hamú, D., Auchincloss, E., Goldstein, W. (eds.) Communicating Protected Areas. Commission on Education and Communication, IUCN, Gland, Switzerland and Cambridge, UK. p. 115–123.)
- MARGULES, C.R. & PRESSEY, R.L. 2000. Systematic conservation planning. *Nature* 405: 243–253.
- MARGULES, C.R. & PRESSEY, R.L. 2002. Representing biodiversity: Data and procedures for identifying priority areas for conservation. *Journal of Biosciences* 27(4): 309–326.
- MATHEMA, A.B. 2005. *Monitoring of peat bog restoration.* M.Sc. thesis. International Institute for Geo-Information Science & Earth Observation, Enschede.
- MAY, R.M. 1995. *Conceptual aspects of the quantification of the extent of biological diversity.* (In Hawksworth, D.L. (eds.) Biodiversity measurement and estimation. Chapman & Hall, Royal Society, London.)
- MAZE, K., BROWNLIE, S. & DRIVER, A. 2005. Biodiversity offsets —a briefing paper for the mining industry. <http://www.icmm.com/document/25> Date of access: 17. April 2010.
- MCDONALD, R.I., KAREIVA, P. & FORMAN, R.T.T. 2008. The implications of current and future urbanization for global protected areas and biodiversity conservation. *Biological Conservation* 141(6): 1695–1703.
- MCGINLEY, M. (eds.) 2007. *Biodiversity in Africa.* (In Cleveland, C.J. (eds.) Encyclopedia of Earth. Environmental Information Coalition, National Council for Science and the Environment, Washington, DC. http://www.eoearth.org/article/Biodiversity_in_Africa Date of access: 24. March 2010.)
- MCLAUGHLIN, S.P. 1994. Floristic plant geography: the classification of floristic areas and floristic elements. *Progress in Physical Geography* 18(2): 185–208.

MEADOWS, M.E. & HOFFMANN, M.T. 2002. The nature, extent and causes of land degradation in South Africa: legacy of the past, lessons for the future? *Area* 34(4): 428–437.

MILLENIUM ECOSYSTEM ASSESSMENT. 2005. *Ecosystems and Human Well-being: Biodiversity Synthesis*. World Resource Institute, Washington, DC.

MILLER, J.R. & HOBBS, R.J. 2002. Conservation where people live and work. *Conservation Biology* 16(2): 330–337.

MITCHELL, K. 2001. Species-area relation.
<http://math.hws.edu/~mitchell/SpeciesArea/speciesAreaText.html> Date of access: 12. October 2011.

MOHLER, L. 1981. Effects of sample distribution along gradients on eigenvector ordination. *Vegetation* 45(3): 141–145.

MONTGOMERY, C.A. 2002. Ranking the benefits of biodiversity: an exploration of relative values. *Journal of Environmental Management* 65: 313–326.

MOORE, J.M., TSIKOS, H. & POLTEAU, S. 2001. Deconstructing the Transvaal Supergroup, South Africa: implications for Palaeoproterozoic palaeoclimate models. *Journal of African Earth Sciences* 33 (3–4): 437–444.

MORRIS, J.W. & GLEN, H.F. 1978. PRECIS, the National Herbarium of South Africa (PRE) Computerized Information System. *Taxon* 27(5/6): 449–462.

MUCINA, L. & RUTHERFORD, M.C. 2006. *The Vegetation of South Africa, Lesotho and Swaziland*. South African National Biodiversity Institute, Pretoria.

MUCHAPONDWA, E., BIGGS, H., DRIVER, A., MATOSE, F., MOORE, K., MUNGATANA, E. & SCHEEPERS, K. 2009. Using economic incentives in bioregions in South Africa. http://www.econrsa.org/papers/w_papers/wp120.pdf Date of access: 27. January 2010.

MYERS, N., MITTERMEIER, R.A., MITTERMEIER, C.G., DA FONSECA, G.A.B. & KENT, J. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853–858.

NALDRETT, T., KINNAIRD, J., WILSON, A. & CHUNNETT, G. 2008. Concentration of PGE in the earth's crust with special reference to the Bushveld Complex. *Earth Science Frontiers* 15(5): 264–297.

NELL, D. 2004. An historiographical overview of environmental history in South Africa. *History Compass* 2(1): 1–9.

NORTH WEST PARKS & TOURISM BOARD. 2005. About Pilanesberg.
http://www.pilanesberg-game-reserve.co.za/about_pilanesberg/index.html Date of access: 12. September 2010.

NORTH WEST UNIVERSITY. 2008a. *Biodiversity Report of Impala Bafokeng mining complex according to the original EMPR and amendments from 1997 to 2005*. Department of Environmental Science & Development, North West University, Potchefstroom Campus.

NORTH WEST UNIVERSITY. 2008b. *Proposal Impala Bafokeng Mining Complex*. Focus Area of Environmental Sciences and Management, North-West University, Potchefstroom Campus.

NOSS, R.F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology* 4: 355–364.

NOSS, R.F. & COOPERRIDER, A.Y. 1994. *Saving Natures Legacy*. Island Press, Washington, DC.

NOTTEN, A. 2002. *Encephalartos woodii* Sander. Kirstenbosch National Botanical Gardens. <http://www.plantzafrica.com/plantefg/encephwoodii.htm>. Date of access 24. Mar. 2010.

NWDACE (North West Department of Agriculture, Conservation and Environment). 2008. North West Province Environment Outlook: a report on the state of the environment 2008. http://www.nwpg.gov.za/Agriculture/NW_ENVIRONMENTAL_OUTLOOK/index.asp Date of access: 5. January 2010.

O'BRIEN, E.M. 1993. Climatic gradients in woody plant species richness: towards an explanation based on an analysis of Southern Africa's woody flora. *Journal of Biogeography* 20(2): 181–198.

O'CONNELL, A.F., GILBERT, A.T. & HATFIELD, J.S. 2004. Contribution of natural history collection data to biodiversity assessment in National Parks. *Conservation Biology* 18(5): 1254–1261.

OLDEN, J.D., POFF, N.L., DOUGLAS, M.R., DOUGLAS, M.E. & FAUSCH, K.D. 2004. Ecological and evolutionary consequences of biotic homogenization. *Trends in Ecology and Evolution* 19(1): 18–24.

OLSON, D.M. & DINERSTEIN, E. 1998. The global 200: a representation approach to conserving the Earth's most biological valuable ecoregions. *Conservation Biology* 12: 502–515.

OLSON, D.M. & DINERSTEIN, E. 2002. The global 200: priority ecoregions for global conservation. *Annals of the Missouri Botanical Garden* 89 (2): 199–224.

OLSON, D.M., DINERSTEIN, E., WIKRAMANAYAKE, E.D., BURGESS, N.D., POWELL, G.V.N., UNDERWOOD, E.C., D'AMICO, J.A., ITOUA, I., STRAND, H.E., MORRISON, J.C., LOUCKS, J., ALLNUTT, T.F., RICKETTS, T.H., KURA, Y., LAMOREUX, J.F., WETTENGEL, W.W., HEDAO, P. & KASSEM, R. 2001. Terrestrial ecoregions of the world: a new map of life on earth. *BioScience* 51(11): 933–938.

OMERNIK, J.M. 1987. Map supplement: ecoregions of the conterminous United states. *Annals of the association of American Geographers* 77(1): 118–125.

OMERNIK, J.M. 2004. Perspectives on the nature and definition of ecological regions. *Environmental Management* 34: 27–38.

PALMER, M. 2011. Ordination methods for ecologists. <http://ordination.okstate.edu> Date of access: 03. April 2011.

PALMER, T. & AINSLIE, A. 2002. Country pasture/forage resource profiles: South Africa – part II. <http://www.fao.org/ag/AGP/agpc/doc/Counprof/southafrica/southafrica2.htm> Date of access: 29. March 2010.

PARTRIDGE, T.C., WOOD, B.A. & DE MENOCAL, P.B. 1995b. *Influence of global climate change and regional uplift on large mammal evolution in East and Southern Africa*. (In Vrba, E.S., Denton, G.H. Burckle, L.H. & Partridge, T.C. (eds.) Palaeoclimate and

evolution with emphasis on human origins. Yale University Press, New Haven. pp. 331-655.)

PAUCHARD, A., AGUAYO, M., PENA, E. & URRUTIA, R. 2006. Multiple effects of urbanization on the biodiversity of developing countries: The case of fast-growing metropolitan area (Concepción, Chile). *Biological Conservation* 127(3): 272–281.

PAUSAS, J.G. & AUSTIN, M.P. 2001. Patterns of plant species richness in relation to different environments: an appraisal. *Journal of Vegetation Science* 12(2): 153–166.

PAUSAS, J.G., CARRERAS, J., FERRÉ, A. & FONT, X. 2003. Coarse-scale plant species richness in relation to environmental heterogeneity. *Journal of Vegetation Science* 14(5): 661–668.

PEARSON, D.L. 1995. *Selecting indicator taxa for the quantitative assessment of biodiversity.* (In Hawksworth D.L. (eds.) Biodiversity measurement and estimation. Royal Society, Chapman & Hall, London.)

PEEL, M.J.S., GROSSMANN, D. & VAN ROOYEN, N. 1991. Determinants of herbaceous plant species composition on a number of ranches in the north-western Transvaal. *Journal of the Grassland Society of southern Africa* 8: 99–102.

PERRITT, S. & ROBERTS, M. 2007. Flexural-slip structures in the Bushveld Complex, South Africa? *Journal of Structural Geology* 29: 1422–1429.

PHILLIPS, L. 1973. The agricultural and related development of the Tugela Basin and its influent surrounds. A study in subtropical Africa. Volume 19. Natal Town and Regional Planning Commission, Pietermaritzburg.

PHUA, M. & MINOWA, M. 2005. A GIS-based multi-criteria decision making approach to forest conservation planning at a landscape scale: a case study in the Kinabalu Area, Sabah, Malaysia. *Landscape and Urban Planning* 71: 207–222.

PIDWIRNY, M. 2006. *Characteristics of the Earth's Terrestrial Biomes.* (In Fundamentals of Physical Geography. 2nd Edition.

<http://www.physicalgeography.net/fundamentals/9k.html> Date of access: 29. Jan. 2010.)

PIERCE, S.M., COWLING, R.M., KNIGHT, A.T., LOMBARD, A.T., ROUGET, M. & WOLF, T. 2005. Systematic conservation planning for land-use planning: Interpretation for implementation. *Biological Conservation* 125: 441–458.

PILANESBERG SAFARIS & TOURS. 2010. The park.
http://www.pilanesbergsafaris.com/pilanesberg_park.php Date of access: 12. September 2010.

PIMENTEL, D., MCNAIR, S., JANECKA, J., WIGHTMAN, J., SIMMONDS, C., O'CONNELL, C., WONG, E., RUSSEL, L., ZERN, J., AQUINO, T. & TSOMONDO, T. 2001. Economic and environmental threats of alien plant, animal, and microbe invasions. *Agriculture, Ecosystems and Environment* 84: 1–20.

PLANTLIFE INTERNATIONAL. 2004. Identifying and protecting the world's most important most important plant areas. Plantlife International, UK.

PONTARP, M. 2011. Species-area relationship. Blog run by the Lund University.
<http://equation-of-the-month.blogspot.com/2011/06/species-area-relationship.html> Date of access: 13. October 2011.

PORTER, T.M. 2006. Bushveld 2006: Tour summary & ore deposit description.
<http://www.portergeo.com.au/tours/bushveld2006/bushveld2006deposits.asp> Date of access: 6. October 2010.

POSA. 2010. Plants of Southern Africa: an online checklist.
<http://posa.sanbi.org/searchspp.php>

PRESSEY, R.L. & TAFFS, K.H. 2001. Scheduling conservation action in production landscapes: priority areas in western New South Wales defined by irreplaceability and vulnerability to vegetation loss. *Biological Conservation* 100: 355–376.

PROTEA ATLAS PROJECT. 2010. Red Data Lists of southern African Plants.
<http://protea.worldonline.co.za/reddatasa.htm> Data of access 24. Mar. 2010.

RAAL, P.A. & BURNS, M.E.R. 1996. Mapping conservation importance rating of the South African coastal vegetation as an aid to development planning. *Landscape & Urban Planning* 34: 389–400.

REBELO, A.G., HOLMES, P.M., DORSE, C. & WOOD, J. 2011. Impacts of urbanization in a biodiversity hotspot: Conservation challenges in Metropolitan Cape Town. *South African Journal of Botany* 77(1): 20–35.

REDDY, S. & DÁVLOS, M. 2003. Geographical sampling bias and its implications for conservation priorities in Africa. *Journal of Biogeography* 30: 1719–1727.

REID, W.V. 1998. Biodiversity hotspots. *Tree* 13(7): 275–280.

RENSBURG, L. 2005. Research Proposal: Sustainable Integrated Development Framework for Heritage Park. Department of Environmental Science and Development, North West University, Potchefstroom.

REYERS, W.V. 1998. Biodiversity hotspots. *Tree* 13(7): 275–280.

REYERS, B. 2001. *A multicritical assessment of regional sustainability options in the Northern Province, South Africa*. PhD thesis. University of Pretoria.

<http://upetd.up.ac.za/thesis/available/etd-05292006-155514/> Date of access: 15. April 2009.

REYERS, B. 2004. Incorporating anthropogenic threats into evaluations of regional biodiversity and prioritisation of conservation areas in the Limpopo Province, South Africa. *Biological Conservation* 118: 521–531.

REYERS, B., FAIRBANKS, D.H.K., VAN JAARSVELD, A.S. & THOMPSON, M. 2001. Priority areas for the conservation of South African vegetation: a coarse-filter approach. *Diversity and Distributions* 7: 79–95.

REYERS, B., ROUGET, M., JONAS, Z., COWLING, R.M., DRIVER, A., MAZE, K. & DESMET, P. 2007. Developing products for conservation decision-making: lessons from a spatial biodiversity assessment for South Africa. *Diversity and Distributions* 13(5): 608–619.

RICKETTS, T. & IMHOFF, M. 2003. Biodiversity, urban areas, and agriculture: locating priority ecoregions for conservation. *Conservation Ecology* 8(2): 1.

ROBERTSON, M.P. & BARKER, N.P. 2006. A technique for evaluating species richness maps generated from collections data. *South African Journal of Science* 102: 77–84.

RODRIGUES, A.S.L., AKÇAKAYA, H.R., ANDELMAN, S.J., BAKARR, M.I., BOITANI, L., BROOKS, T.M., CHANSON, J.S., FISHPOOL, L.D.C., DA FONSECA, G.A.B., GASTON, K.J., HOFFMANN, M., MARQUET, P.A., PILGRIM, J.D., PRESSEY, R.L., SCHIPPER, J., SECHREST, W., STUART, S.N., UNDERHILL, L.G., WALLER, R.W., WATTS, M.E.J. & YAN, X. 2004a. Global gap analysis: Priority regions for expanding the global protected-area network. *BioScience* 54: 1092-1100.

ROE, D. & HOLLANDS, M. 2004. Protected areas: how much is enough? *Congress Parks Magazine* 14(2): 42–44. 2003 Durban World Parks Congress, South Africa.

ROSENZWEIG, M.L. 1995. *Species diversity in space and time*. Cambridge University Press, Cambridge.

ROUTLEDGE, R.D. 1977. On Whittaker's components of diversity. *Ecology* 58(5): 1120–1127.

ROWE-ROWE, D.T. & TAYLOR, P.J. 1996. Distribution patterns of terrestrial mammals in KwaZulu-Natal. *South African Journal of Zoology* 31(3): 131-144.

RUTHERFORD, M.C. 1997. *Categorization of biomes*. (In Cowling, R.M., Richardson, D.M. & Pierce, S.M. (eds.) Vegetation of Southern Africa. Cambridge University Press, United Kingdom. pp. 91–98.)

RUTHERFORD, M.C., MUCINA, L. & POWRIE, L.W. 2006. *Biomes and Bioregions of Southern Africa*. (In The vegetation of South Africa, Lesotho and Swaziland. Strelizia 19. South African National Biodiversity Institute, Pretoria. pp. 31–51.)

RUTHERFORD, M.C. & WESTFALL, R.H. 1986. Biomes of Southern Africa: an objective categorisation. *Memoirs of the Botanical Survey of South Africa* 54:1–98. Botanical Research Institute, Department of Agricultural and Water Supply, Pretoria.

SÆTERSDAL, M., GJERDE, I., BLOM, H.H., IHLEN, P.G., MYRSETH, E.W., POMMERESCHE, R., SKARTVEIT, J., SOLHØY, T. & AAS, O. 2003. Vascular plants as a surrogate species group in complementary site selection for bryophytes, macrolichens, spiders, carabids, staphylinids, snails, and wood living polypore fungi in a northern forest. *Biological Conservation* 115: 21–31.

SALEM, B.B. 2003. Application of GIS to biodiversity monitoring. *Journal of Arid Environments* 54: 91–114.

SANBI. 2009. South African National Biodiversity Institute. www.sanbi.org.za.

SARDC (Southern African Research and Documentation Centre). 2002. Limpopo River Basin Fact Sheet 1. <http://www.sardc.net/imercsa/limpopo/pdf/Limpopo1.pdf> Date of access: 20. October 2010.

SCHLÜTER, T. 2008. *Geological atlas of Africa: with notes on stratigraphy, tectonics, economic geology, geohazards, geosites and geoscientific education of each country*. 2nd edition. Springer, Berlin.

SCHULZE, E., THERON, G.K. & VAN HOVEN, W. 1994. The vegetation and identification of management units of the Imberbe Game Lodge in the mixed bushveld of the north-western Transvaal. *South African Journal of Botany* 60(2): 85–93.

SECRETARIAT OF THE CONVENTION ON BIOLOGICAL DIVERSITY. 2000. Sustaining Life on Earth: How the Convention on Biological Diversity promotes nature and human well-being. <http://www.cbd.int/convention/guide/> Date of access: 23. March 2010.

SHARAM, G. 2002. Savanna plant ecology. Serengeti National Park's Official Site. http://www.serengeti.org/download/Plant_Ecology.pdf Date of access: 11. February 2010.

SIEBERT, S.J., VAN WYK, A.E. & BREDENKAMP, G.J. 2001. Endemism in the flora of ultramafic areas of Sekhukhuneland, South Africa. *South African Journal of Science* 97: 529–532.

SOBERÓN, J. & PETERSON, A.T. 2004. Biodiversity informatics: managing and applying primary biodiversity data. *Philosophical Transactions of the Royal Society London* 359: 689–698.

SOIL CLASSIFICATION WORKING GROUP. 1991. *Soil Classification —A Taxonomic System for South Africa*. ARC-Institute for Soil, Climate and Water, Pretoria.

SOLBRIG, O.T. 1996. The diversity of the savanna ecosystems. (*In* Solbrig, O.T., Medina, E, & Silva, J.F. (eds.) *Biodiversity and savanna ecosystem processes: A global perspective.* Ecological Studies, Vol. 121. Springer Verlag, Berlin, p.1–29).

SOLBRIG, O.T., MEDINA, E. & SILVA, J.F. 1996. *Biodiversity and savanna ecosystem processes: A global perspective.* Ecological Studies, Vol. 121. Springer Verlag, Berlin.

SOUTH AFRICA. 1997. White Paper on the Conservation and Sustainable Use of South Africa's Biological Diversity. Government Gazette Notice 1095 of 1997. Department of Environmental Affairs and Tourism (DEAT).

<http://www.environment.gov.za/PolLeg/WhitePapers/Biodiversity/Contents.htm> Date of access: 15. Feb. 2010.

SOUTH AFRICA. 1999. Sustainability of Terrestrial Ecosystems. National State of the Environment Report —South Africa. Department of Environmental Affairs and Tourism (DEAT). <http://www.environment.gov.za/soer/nsoer/issues/land/refer.htm> Date of access: 30. March 2010.

SOUTH AFRICA. 2005a. A level I river ecoregion classification system for South Africa, Lesotho and Swaziland. Department of Water Affairs and Forestry (DWAF).

http://www.dwaf.gov.za/iwqs/gis_data/ecoregions/LEVEL_I_ECOREGIONsigned_small2.pdf Date of access: 19. Jan. 2010.

SOUTH AFRICA. 2005b. *South Africa: Country Study 2005. National Biodiversity Strategy & Action Plan.* Department of Environmental Affairs and Tourism (DEAT).

SOUTH AFRICA. 2010. *Groot Marico —History.*

<http://www.grootmarico.com/history.php> Date of access: 20. October 2010.

SOUTH AFRICA. 2011. Reports: Study Reports – Study of agricultural industry in the Limpopo Province. Department of Agriculture, Limpopo Provincial Government.

http://www.lda.gov.za/downloads/downloads_reports/Forestry%20and%20Wild%20life.pdf Date of access: 17. September 2011.

SOUTH AFRICA. 2011. Mining and Quarrying. Website of the Department of Transport, Roads and Community Safety, North-West Province.

http://www.nwpg.gov.za/transport/NWFTD/nw/industries/mining_quarrying/index_xml.html
Date of access: 24. November 2011.

SOUTH AFRICAN COMMISSION OF STRATIGRAPHY. 1980. Stratigraphy of South Africa. Part 1. (*In* Kent, L.E. Lithostratigraphy of the Republic of South Africa, South West Africa/Namibia, and the Republics of Bophuthatswana, Transkei and Venda: Handbook, Geological Survey of South Africa, 8.)

SOWMAN, M., FUGGLE, R. & PRESTON, G. 1995. A Review of the Evolution of Environmental Evaluation Procedures in South Africa. *Environmental Impact Assessment Review* 15: 45–67.

STALMANS, M. & DE WET, F. 2003. Soils and vegetation of the Madikwe and Pilanesberg expansion areas in the Heritage Park, North West Province. Rustenburg: International conservation services.

STEENKAMP, Y., VAN WYK, A.E., SMITH, G.F. & STEYN, H. 2005. Floristic endemism in southern Africa: A numerical classification at generic level. *Biologiske Skrifter* 55: 253–271.

SWINGLAND, I.R. 2001. Biodiversity, definition of. (*In* Levin, S.A. (eds.) Encyclopedia of biodiversity, Volume 1. Academic Press, San Diego. p.377–391.)

TAITTON, N.M. 1999. *Veld management in South Africa*. University of Natal Press, Pietermaritzburg, South Africa.

TAKHTAJAN, A. 1986. *Floristic regions of the world*. University of California Press, Berkeley, USA.

TER BRAAK, C.J.F. & PRENTICE, I.C. 1988. A theory of gradient analysis. *Advances in Ecological Research*, Vol. 18, p. 271–317.

TER BRAAK, C.J.F. & SMILAUER, P. 2002. *CANOCO Reference Manual and CanoDraw for Windows User's Guide: Software for Canonical Community Ordination (version 4.5)*. Microcomputer Power, Ithaca NY, USA.

THERON, G.K. 1973. ‘n ekologiese studie van die plantegroei van die Loskopdamnatuurreservaat. Unpublished. D.Sc. Thesis, University of Pretoria.

THUILLER W., MIDGLEY, G.F., ROUGET, M. & COWLING, M. 2006. Predicting patterns of plant species richness in megadiverse South Africa. *Ecography* 29: 733–744.

UDVARDY, M.D.F. 1975. *A classification of the biogeographical Provinces of the world*. IUCN Occasional Paper No. 18. International Union for Conservation of Nature and Natural Resources, Morges, Switzerland.

UNEP (UNITED NATIONS ENVIRONMENT PROGRAMME). 2002. Africa Environment Outlook: past, present and future perspectives.

<http://www.unep.org/dewa/africa/publications/aeo-1/139.htm> Date of access: 16. April 2010.

UNITED NATIONS. 1992. Convention on Biological Diversity.

<http://www.cbd.int/doc/legal/cbd-en.pdf> Date of access: 16. March 2010.

VAN JAARSVELD, A.S., FREITAG, S., CHOWN, S.L., MULLER, C., KOCH, S., HULL, H., BELLAMY, C., KRÜGER, M., ENRÖDY-YOUNGA, S., MANSELL, M.W. & SCHOLZ, C.H. 1998. Biodiversity Assessment and conservation strategies. *Science* 279(5359): 2106–2108.

VAN DER MEULEN, F. 1978. Progress with vegetation studies in the Sourish Mixed Bushveld of the western Transvaal. *Bothalia* 12(3): 531–536.

VAN DER MEULEN, F. 1979. Plant sociology of the western Transvaal Bushveld, South Africa. *Dissertationes Botanicae*, Band 49. J.Cramer, Vaduz.

VAN DER MEULEN, F. & WESTFALL, R.H. 1979. A vegetation map of the western Transvaal Bushveld. *Bothalia* 12(4): 731–735.

VAN STADEN, P.J. & BREDENKAMP, G.J. 2006. A floristic analysis of forest and thicket vegetation of the Marakele National Park. *Koedoe* 49(1): 15–32.

VAN VUUREN, D.P., SALA, O.E. & PEREIRA, H.M. 2006. The future of vascular plant diversity under four global scenarios. *Ecology and Society* 11(2): 25.

<http://www.ecologyandsociety.org/vol11/iss2/art25/> Date of access: 7. May 2010.

VAN WILGEN, B.W., RICHARDSON, D.M., LE MAITRE, D.C., MARAIS, C. & MAGADLELA, D. 2001. The economic consequences of alien plant invasions: examples of impacts and approaches to sustainable management in South Africa. *Environment, Development and Sustainability* 3: 145–168.

VAN WILGEN, B.W., REYERS, B., LE MAITRE, D.C., RICHARDSON, D.M. & SCHONEGEVEL, L. 2008. A biome-scale assessment of the impact of invasive plants on ecosystem services in South Africa. *Journal of Environmental Management* 89: 336–349.

VAN WYK, B. & GERICKE, N. 2000. *People's plants: a guide to useful plants of Southern Africa*. Briza Publications, Pretoria.

VAN WYK, A.E. & SMITH, G.F. 2001. *Regions of floristic endemism in southern Africa: a review with emphasis on succulents*. Umdaus Press, Hatfield, South Africa.

VAN WYK, B., VAN OUDTSHOORN, B. & GERICKE, N. 1997. *Medicinal plants of South Africa*. Briza Publications, Pretoria.

WALKER, P. & FAITH, D.P. 1993. *Diversity: a software package for sampling phylogenetic and environmental diversity*. Division of Wildlife and Ecology. Australia: CSIRO.

WATSON, H.K. & DLAMINI, T.B. 2000. Southern African Savannas: sustainable management of natural resources (soil, water, flora, & fauna) —a synthesis study of human impacts and enhancement of economic and social benefits.

<http://www.savannas.net/inco/udw.htm>. Date of access: 30. March 2010.

WERGER, M.J.A. 1978. *Biogeography of the Flora of Southern Africa*. 2 vols. Junk, The Hague.

WERGER, M.J.A. & COETZEE, B.J. 1978. The Sudano-Zambesian region. (In Werger, M.J.A. (ed.) Biogeography and ecology of southern Africa. Junk, The Hague. pp.301-462.)

WESSELS, K.J., REYERS, B., VAN JAARSVELD, A.S. & RUTHERFORD, M.C. 2003. Identification of potential conflict areas between land transformation and biodiversity conservation in north-eastern South Africa. *Agriculture, Ecosystems and Environment* 95: 157–178.

WESSELS, K.J., MATHIEU, R., ERSAMUS, B.F.N., ASNER, G.P., SMIT, I.P.J., AARDT, J.A.N., MAIN, R., FISHER, J., MARAIS, W., KENNEDY-BOWDOIN, T., KNAPP, D.E., EMERSON, R. & JACOBSON, J. 2011. Impact of communal land use and conservation on woody vegetation structure in the Lowveld savannas of South Africa. *Forest Ecology and Management* 261(1): 19–29.

WESSELS, K.J., REYERS, B., VAN JAARSVELD, A.S. & RUTHERFORD, M.C. 2003. Identification of potential conflict areas between land transformation and biodiversity conservation in north-eastern South Africa. *Agriculture, Ecosystems and Environment* 95(1): 157–178.

WHITE, F. 1983. The vegetation of Africa: a descriptive memoir to accompany the UNESCO/AETFAT/UNSO vegetation map of Africa. UNESCO, Paris. *Natural Resources Research* 20: 1–356.

WHITE, D., MINOTTI, P.G., BARCZAK, M.J., SIFNEOS, J.C., FREEMARK, K.E., SANTELMANN, M.V., STEINITZ, C.F., KIESTER, A.R. & PRESTON, E.M. 1997. Assessing risk to biodiversity from future landscape change. *Conservation Biology* 11(2): 349–360.

WHITTAKER, R.H. 1972. Evolution and measurement of species diversity. *Taxon* 21(2/3): 213–251.

WILLIAMS, P.H. & GASTON, K.J. 1994. Measuring more of biodiversity: can higher-taxon richness predict wholesale species richness? *Biological Conservation* 67: 211–217.

WILSON, M.V. 1981. A statistical test of the accuracy and consistency of ordinations. *Ecology* 62(1): 8–12.

WILSON, K.A., WESTPHAL, M.I., POSSINGHAM, H.P. & ELITH, J. 2005. Sensitivity of conservation planning to different approaches to using predicted species distribution. *Biological Conservation* 122: 99–112.

WINTERBACH, R., BREDENKAMP, G.J., DEUTSCHLÄNDER, M.S. & MUCINA, L. 2000. *Preliminary syntaxonomic scheme of vegetation classes for the Central Bushveld of South Africa*. (In P.S. Whyte, L. Mucina, J.S. Leps & E. Van der Maarel (eds.), Proceedings of the 41st IAVS Symposium, Uppsala, Sweden, 26 July–1 August, 1998, pp. 123–127).

WOODS, J. & WATSON, H.K. 2005. The Southern African Savannas Network: sustainable management of natural resources (soil, water, flora and fauna).

<http://www.icsusscope.org/projects/complete/sas.htm>. Date of access: 30. March 2010.

WORLD WILDLIFE FUND & MCGINLEY, M. 2007. Southern Africa bushveld. (*In* Cleveland, C.J. (ed.) Encyclopedia of Earth. Environmental Information Coalition, National Council for Science and the Environment, Washington, D.C.).

http://www.eoearth.org/article/Southern_Africa_bushveld Date of access: 19. January 2009.

WWF. 2009. Delineation of ecoregions. <http://www.worldwildlife.org/science/ecoregion/delineation.html>. Date of access: 21. January 2010.

WYNBERG, R. 2002. A decade of biodiversity conservation and use in South Africa: tracking progress from Rio Earth Summit to the Johannesburg World Summit on sustainable development. *South African Journal of Science* 98: 233–243.

YOUNG, M. D. 1992. *Sustainable investment and resource use: equity, environmental integrity and economic efficiency*. Parthenon Press, Carnforth and Unesco, Paris.