



Figure 1. Oak woodland and pine-oak forest vegetation in the Sierra la Elenita. Photo by Thomas R. Van Devender.

# Preliminary Flora and Vegetation of the Sierra la Elenita–la Mariquita Sky Island Complex, Sonora, Mexico

by Susan D. Carnahan<sup>1</sup>, Thomas R. Van Devender<sup>2</sup>, Ana-Lilia Reina-Guerrero<sup>2</sup>, John L. Anderson<sup>3</sup>, José Jesús Sánchez-Escalante<sup>4</sup>, and Guillermo Molina-Padilla<sup>5</sup>

## Abstract

We present a preliminary vascular flora for the Sierra la Elenita–la Mariquita Sky Island complex near Cananea, Sonora, Mexico. Expeditions and collecting trips between 2009 and 2018, along with historical collections, recorded 320 taxa in 65 families, with Asteraceae (55 taxa), Poaceae (41 taxa), and Fabaceae (36 taxa) as the most diverse families.

## Introduction

In the 1860s, geologist and raconteur Raphael Pumpelly described the isolated mountain ranges in Arizona, New Mexico, and Sonora as “islands from the sea” (Wallace 1965). These Sky Islands (*Islas Serranas* in Spanish) are surrounded by “seas” of grassland, desertscrub, thornscrub, or tropical deciduous forest. Here we present the preliminary vascular flora for the Sierra la Elenita–la Mariquita Sky Island complex in northern Sonora, Mexico.

The two sierras directly west and northwest of the town of Cananea are connected by a belt of oak woodland at 1,862 m. (6,108 ft.) elevation in Puerto Cananea, 34 kilometers (21.2 mi) south of the Arizona border. The elevations are 1,307–

*continued next page*

<sup>1</sup>University of Arizona Herbarium, 1140 E. South Campus Dr., Tucson, AZ 85721. <sup>2</sup>GreaterGood.org, 6262 N. Swan Rd., Suite 150, Tucson, AZ 85718. <sup>3</sup>PO Box 20911, Wickenburg, AZ 85358. <sup>4</sup>Herbario USON, Universidad de Sonora-DICTUS Edificio 1A, Niños Héroes entre Rosales y Pino Suárez, Col. Centro, Hermosillo, Sonora, Mexico, CP 83000. <sup>5</sup>Av. Juarez No. 14, Cananea, Sonora, Mexico, CP 84620.

## Sierra la Elenita–la Mariquita Sky Island Complex *continued*

2,486 m. (4,288–8,156 ft., range of 1,179 m. [3,868 ft.]) in the Sierra la Elenita (Figure 1) and 1,230–2,498 m. (4,035–8,196 ft., range of 1,268 m. [4,161 ft.]) in the Sierra la Mariquita. The eastern slopes of the mountain complex are in the headwaters of the San Pedro River that flows northward into Arizona. The western slopes of both ranges drain toward the Arroyo Cuitaca, which joins the Río Cocóspera and eventually the Río Magdalena. The south end of the Sierra la Elenita drains to the Río Bacanuchi, which flows into the Río Sonora.

The Sierra la Elenita is owned by the private mining company Mina Buenavista del Cobre, with inholdings by Ejido Vicente Guerrero, Mina Frisco, and other private interests. General Ignacio Pesqueira, the Governor of Sonora, relocated to Cananea in the 1860s and reopened many silver and gold mines abandoned by the Spanish. He reportedly named the mountain range the Sierra la Elenita for his wife Elena. The Sierra la Mariquita is owned by the Instituto Nacional de Astrofísica, Óptica y Electrónica (INAOE) and features the Observatorio Astrofísico Guillermo Haro (Figure 2), inaugurated in 1987 and named in honor of Mexican astronomer Guillermo Haro-Barraza (1913–1988). In 2015 the Sierra la Mariquita was designated a Voluntary Land Conservation Area in the Comisión de Áreas Naturales Protegidas federal system (Van Devender and Reina-G. 2015, Van Devender 2017). It is named for the *mariquitas* or

convergent lady beetles (*Hippodamia convergens*) that gather on its peak (Figure 3B).

Numerous collecting trips and expeditions to Sierra la Elenita–la Mariquita mountain complex have resulted in the establishment of a rich databank of plant and animal specimens and observations. Dale and Allan Zimmerman

collected plants in la Mariquita in 1972, and Victor Steinmann, Michael Wilson, and Jared Shortman collected plants there in 1996. Aaron D. Flesch and Jeremy

Russell recorded tree species on bird transects in la Mariquita in May–June 2009 and the Sierra la Elenita in May 2011. Madrean Archipelago Biodiversity Assessment (MABA) trips to la Mariquita in June 2009, September 2010, and August 2013 documented plants. Madrean Discovery Expedition (MDE) Sierra la Elenita documented plants in April–May

2016; other visits took place in September 2015 and August 2016. La Catalina, on the east slope of the Sierra la Elenita, was visited ten times from 2016 to 2018 by MDE. Although the results of these studies were not formally published, details about their collections and observations are available through SEINet and MABA/MDE portals.

*continued next page*

Figure 2. Observatorio Astrofísico Guillermo Haro on the Sierra la Mariquita. Photo courtesy of INAOE.



Figure 3. Southwestern white pine (*Pinus strobusiformis*) in the Sierra la Mariquita. A. Branch with cones. B. Branch with needles and convergent lady beetles (*Hippodamia convergens*). Photos by Thomas R. Van Devender.



Figure 4. Quaking aspen (*Populus tremuloides*) in the Sierra la Mariquita. Photo by Ana Lilia Reina-G. Figure 5. Huachuca Mountain Indian paintbrush (*Castilleja patriotica*) in the Sierra la Mariquita. Photo by J. Jesús Sánchez-E.

## Sierra la Elenita–la Mariquita Sky Island Complex *continued*

### Flora

A total of 320 plant taxa in 65 families are recorded for Sierra la Elenita–la Mariquita complex, 207 (65%) of which have been vouchered or photographed. Dominant families are Asteraceae (55 taxa, including 2 non-natives), Poaceae (41 taxa, including 11 non-natives), Fabaceae (36 taxa, including 2 non-natives), Pteridaceae (9 taxa), Euphorbiaceae (8 taxa), Amaranthaceae (7 taxa, including one non-native), Asparagaceae (7 taxa), Brassicaceae (7 taxa, including 2 non-natives), Lamiaceae (7 taxa, including 2 non-natives), and Solanaceae (7 taxa). The most diverse genera are *Aristida* (6 taxa), *Euphorbia* (6 taxa), *Ipomoea* (6 taxa), *Brickellia* (5 taxa), *Pinus* (5 taxa), *Quercus* (5 taxa), and *Eragrostis* (4 taxa). Twenty-six species (8.1%) are non-native. The vegetative communities of this Sky Island complex include scrub grassland at the lowest elevations, oak woodland on the slopes, and pine-oak forest at the highest elevations. The summits feature regionally significant populations of southwestern white pine (*Pinus strobiformis*) (Figure 3) as well as Apache pine (*P. engelmannii*), Gambel oak (*Quercus gambelii*), and quaking aspen/álaro temblón (*Populus tremuloides*) (Figure 4). These high-elevation trees are familiar features of Arizona Sky Islands but are much rarer in Sonora. Other noteworthy

plants in the study area are mostly shared with Arizona, such as: Huachuca Mountain Indian paintbrush (*Castilleja patriotica* (Figure 5), lesser Indian paintbrush (*C. minor* var. *minor*), Heller's draba (*Draba helleriana*) (Figure 6), Sonoran bird's-foot trefoil (*Hosackia alamosana*) (Figure 7), Wilcox nipple cactus (*Mammillaria wrightii* var. *wilcoxii*) (Figure 8), mutton grass (*Poa fendleriana*), Navajo cinquefoil (*Potentilla subviscosa* var. *ramulosa*), and ponderosa violet (*Viola umbraticola*). Perilla (*Lopezia gracilis*) is an annual member of the Onagraceae with delicate white and pink flowers (Figure 9) found in the Sierra Madre Occidental and reaching its northern distribution limit in the Sierra la Mariquita.

Although the Sierra la Mariquita is a federally-protected range, the Sierra la Elenita is entirely privately owned and

*continued next page*



Figure 6. Heller's draba (*Draba helleriana*). Figure 7. Sonoran bird's-foot trefoil (*Hosackia alamosana*). Photos by Susan D. Carnahan.

# Sierra la Elenita–la Mariquita Sky Island Complex *continued*

faces grave threats from human activities, including mineral exploration, deforestation, tailings accumulation, and pollution. In 2014, 40 million liters (approx. 11,000 gallons) of a copper sulfate solution spilled from a Buenavista del Cobre leaching pond into the Ríos Bacanuchi and Sonora. The spill jeopardized the water source for approximately 25,000 people in seven municipalities. Guillermo Molina reports that as of May 2018 much of the east flank of the Sierra la Elenita was being actively deforested; there have been few or no biological surveys of this part of the mountain.

The Huachuca Mountains in Arizona are the sister range of the Sierra la Elenita–la Mariquita complex. Bowers and McLaughlin (1996) published the flora of the Huachucas with 994 taxa. Additional taxa from the Huachuca Mountains, discovered in floristic inventories by the Coronado National Forest and the Coronado National Memorial, are available in the SEINet databases (<http://swbiodiversity.org/seinet/collections/index.php>). A total of 281 species in Sierra la Elenita–la Mariquita flora (89.0%) are shared with the Huachuca Mountains. This similarity is not surprising considering that the northern edge of the Sierra la Mariquita is only 28 km south-southeast of Montezuma Pass. Exploration of the northern Sierra la Mariquita should increase the similarity.

The preliminary flora of the Sierra la Elenita–la Mariquita is an important contribution to our knowledge of the floristic diversity of the Sonoran Sky Islands.

## Acknowledgements

George Ferguson reviewed and improved a draft of the manuscript. Russell Kleinman at Western New Mexico University provided a scan of a *Mammillaria* specimen sheet.

Chris Roll, Gertrudis Yanes-A., Jeff Sartain, Maria de la Paz Montañez-A., Robert A. Villa, Eric Wallace, Vera Markgraf, and Toby Van Devender helped in the field. Jeff Sartain provided his image of *Lopezia gracilis*. GreaterGood.org sponsored several expeditions to the Sierra la Elenita–la Mariquita complex.



## Literature Cited

- Bowers, J.E., and S.P. McLaughlin. 1996. Flora of the Huachuca Mountains, a botanically rich and historically significant Sky Island in Cochise County, Arizona. *J. Arizona-Nevada Academy of Science* 29:66–107.
- Reina-G., A.L., and T.R. Van Devender. 2005. Floristic comparison of an Arizona “sky island” and the Sierra Madre Occidental in eastern Sonora: The Huachuca Mountains and the Yécora area. Pp. 154–157 in G.J. Gottfried, B.S. Gebow, L.G. Eskew, and C.B. Edminster (compilers). Connecting mountain islands and desert seas: Biodiversity and management of the Madrean Archipelago II. Proceedings RMRS-P-36, USDA Forest Service, Rocky Mountain Research Station, Ft. Collins, Colorado.
- Van Devender, T.R., and A.L. Reina-G. 2015. Sierra la Mariquita – A new Sky Island reserve. *The Plant Press* 38:22–23.
- Van Devender, T.R., and A.L. Reina-G. 2016. The tropical Madrean flora of Yécora, Sonora, Mexico. *Phytoneuron* 7:1–23.
- Van Devender, T.R. 2017. Another milestone for the Sky Islands. *The Plant Press* 40:27.
- Wallace, A. (ed.). 1965. Pumpelly’s Arizona: An excerpt from across America and Asia by Raphael Pumpelly, comprising those chapters which concern the Southwest. Palo Verde Press, Tucson. Excerpted from Raphael Pumpelly (1870), Across America and Asia: Notes of a five years’ journey around the world and of residence in Arizona, Japan and China, Leypoldt & Holt, New York.



Figure 8. Wilcox nipple cactus (*Mammillaria wrightii* var. *wilcoxii*). Photo by Susan D. Carnahan. Figure 9. Perilla (*Lopezia gracilis*) in the Sierra la Mariquita. Photo by Jeff Sartain.



# CHECKLIST: Sierra la Elenita–la Mariquita Sky Island Complex page 1 of 4

An asterisk (\*) denotes non-native status.

## Pteridophytes

### DENNSTAEDIACEAE

*Pteridium aquilinum* (L.) Kuhn

### EQUISETACEAE

*Equisetum hyemale* L.

### PTERIDACEAE

*Argyrochosma limitanea* (Maxon)

Windham

*Bommeria hispida* (Mett. ex Kuhn)

Underwood

*Myriopteris aurea* (Poir.) Grusz & Windham

*Myriopteris fendleri* (Hook.) E. Fourn.

*Myriopteris lindheimeri* (Hook.) J. Sm.

*Myriopteris rufa* Fée

*Pellaea atropurpurea* (L.) Link

*Pellaea wrightiana* Hook.

## Gymnosperms

### CUPRESSACEAE

*Juniperus deppeana* Steud.

### PINACEAE

*Pinus arizonica* Engelm.

*Pinus chihuahuana* Engelm.

*Pinus discolor* D.K. Bailey & Hawksworth

*Pinus engelmannii* Carr.

*Pinus strobus* Engelm.

## Eudicots

### ACANTHACEAE

*Dicliptera resupinata* (Vahl) Juss.

*Dyschoriste decumbens* (A. Gray)  
Kuntze

### AMARANTHACEAE

\* *Alternanthera caracasana* Kunth

*Amaranthus palmeri* S. Wats.

*Chenopodium arizonicum* Standl.

*Chenopodium neomexicanum* Standl.

*Dysphania graveolens* (Willd.)

Mosyakin & Clemons

*Gomphrena nitida* Rothr.

*Guillemina densa* (Humb. & Bonpl. ex Willd.) Moq.

### ANACARDIACEAE

*Rhus aromatica* Ait.

*Rhus virens* Lindh. ex A. Gray var. *choriophylla* (Wooton & Standl.) L.D. Benson

*Toxicodendron radicans* (L.) Kuntze var. *divaricatum* (Greene) Barkl.

### APIACEAE

*Eryngium leavenworthii* J.M. Coulter & Rose

### APOCYNACEAE

*Apocynum androsaemifolium* L.

*Asclepias elata* Benth.

*Asclepias lemmonii* A. Gray

### ARALIACEAE

*Aralia humilis* Cav.

### ASTERACEAE

*Ageratina herbacea* (A. Gray) R.M. King & H. Rob.

*Aldama cordifolia* (A. Gray) E.E. Schill. & Panero

*Amauropelta dissecta* (A. Gray) Rydb.

*Ambrosia confertiflora* DC.

*Antennaria parvifolia* Nutt.

*Artemisia dracunculus* L.

*Artemisia ludoviciana* Nutt.

*Baccharis salicifolia* (Ruiz & Pav.) Pers.

*Baccharis sarothroides* A. Gray

*Baccharis thesioides* Kunth

*Bidens pilosa* L. [*B. odorata* Cav.]

*Brickellia betonicifolia* A. Gray

*Brickellia californica* (Torr. & A. Gray) A. Gray

*Brickellia floribunda* A. Gray

*Brickellia rusbyi* A. Gray

*Brickellia simplex* A. Gray

*Carminatia tenuiflora* Dc.

*Carphochaete bigelovii* A. Gray

*Cirsium arizonicum* (A. Gray) Petr.

*Cirsium undulatum* (Nutt.) Spreng.

*Cosmos parviflorus* (Jacq.) Pers.

*Erigeron flagellaris* A. Gray

*Erigeron neomexicanus* A. Gray

*Galinsoga parviflora* Cav.

*Gutierrezia sarothrae* (Pursh) Britton & Rusby

*Gutierrezia wrightii* A. Gray

*Helianthus annuus* L.

*Heliosperma pinnatum* Cav.

*Hieracium fendleri* Sch. Bip.

*Hymenothrix wrightii* A. Gray

*Iostephane heterophylla* (Cav.) Benth.

\* *Lactuca serriola* L.

*Lasianthaea podocephala* (A. Gray)  
K.M. Becker

*Leibnitzia lyrata* (Sch. Bip.) G.L.  
Nesom

*Melampodium longicorne* A. Gray

*Packera neomexicana* (A. Gray) W.A.  
Weber & A. Löve

*Psacalium decompositum* (A. Gray) H.  
Rob. & Brettell

*Pseudognaphalium arizonicum* (A.  
Gray) Anderb.

*Pseudognaphalium leucocephalum*  
(A. Gray) Anderb.

*Roldana hartwegii* (Benth.) H. Rob. &  
Brettell var. *carlomasonii* (B.L. Turner  
& T.M. Barkley) Funston

*Senecio wootonii* Greene

*Solidago wrightii* A. Gray

*Stevia salicifolia* Cav.

*Tagetes lemmonii* A. Gray

*Tagetes micrantha* Cav.

*Tagetes minuta* L.

\* *Taraxacum officinale* F.H. Wigg.

*Verbesina longifolia* (A. Gray) A. Gray

# CHECKLIST: Sierra la Elenita–la Mariquita Sky Island Complex page 2 of 4

<i>Viguiera dentata</i> (Cav.) Spreng.	<i>Silene antirrhina</i> L.	<i>Astragalus nuttallianus</i> DC.
<i>Xanthisma gracile</i> (Nutt.) D.R. Morgan & R.L. Hartm.	<i>Silene laciniata</i> Cav.	<i>Calliandra humilis</i> Benth. var. <i>humilis</i>
<i>Xanthisma spinulosum</i> (Pursh) D.R. Morgan & R.L. Hartm.	<b>COMANDRACEAE</b>	<i>Calliandra humilis</i> var. <i>reticulata</i> (A. Gray) L.D. Benson
<i>Xanthocephalum gymnospermoides</i> (A. Gray) Benth. & Hook. f.	<i>Comandra umbellata</i> (L.) Nutt.	<i>Chamaecrista nictitans</i> (L.) Moench
<i>Zinnia grandiflora</i> Nutt.	<b>CONVOLVULACEAE</b>	<i>Cologania angustifolia</i> Kunth
<i>Zinnia peruviana</i> (L.) L.	<i>Ipomoea costellata</i> Torr.	<i>Cologania obovata</i> Schltdl.
<b>BIGNONIACEAE</b>	<i>Ipomoea cristulata</i> Hallier f.	<i>Crotalaria pumila</i> Ortega
<i>Chilopsis linearis</i> (Cav.) Sweet	<i>Ipomoea longifolia</i> Benth.	<i>Dalea albiflora</i> A. Gray
<b>BORAGINACEAE</b>	<i>Ipomoea purpurea</i> (L.) Roth	<i>Dalea filiformis</i> A. Gray
<i>Lithospermum cobrense</i> Greene	<i>Ipomoea ternifolia</i> Cav. var. <i>leptotoma</i> (Torr.) J.A. McDonald	<i>Dalea pringlei</i> A. Gray
<b>BRASSICACEAE</b>	<i>Ipomoea thurberi</i> A. Gray	<i>Dalea versicolor</i> Zucc.
* <i>Capsella bursa-pastoris</i> (L.) Medik.	<i>Jacquemontia agrestis</i> (Mart. ex Choisy) Meisn.	<i>Desmodium batocaulon</i> A. Gray
<i>Descurainia pinnata</i> (Walter) Britton	<b>CUCURBITACEAE</b>	<i>Erythrina flabelliformis</i> Kearney
<i>Draba helleriana</i> Greene	<i>Cucurbita foetidissima</i> Kunth	<i>Eysenhardtia orthocarpa</i> (A. Gray) S. Watson
<i>Hesperidanthus linearifolius</i> (A. Gray) Rydb.	<b>ERICACEAE</b>	<i>Hosackia alamosana</i> Rose
<i>Noccaea fendleri</i> (A. Gray) Holub	<i>Arbutus arizonica</i> (A. Gray) Sarg.	<i>Lathyrus graminifolius</i> (S. Watson) T.G. White
<i>Pennellia longifolia</i> (Benth.) Rollins	<i>Arctostaphylos pungens</i> Kunth	<i>Lupinus argenteus</i> Pursh
* <i>Sisymbrium irio</i> L.	<b>EUPHORBIACEAE</b>	<i>Lupinus huachucanus</i> M.E. Jones
<b>CACTACEAE</b>	<i>Acalypha neomexicana</i> Müll. Arg.	<i>Lupinus neomexicanus</i> Greene
<i>Cylindropuntia spinosior</i> (Engelm.) F.M. Knuth	<i>Cnidoscolus angustidens</i> Torr.	<i>Mariosousa millefolia</i> (S. Watson) Seigler & Ebinger
<i>Echinocereus fendleri</i> (Engelm.) Sencke ex J.N. Haage	<i>Euphorbia chamaesula</i> Boiss.	* <i>Medicago lupulina</i> L.
<i>Echinocereus rigidissimus</i> (Engelm.) Engelm. ex J.N. Haage	<i>Euphorbia cuphosperma</i> (Engelm.) Boiss.	* <i>Medicago polymorpha</i> L.
<i>Echinocereus santaritensis</i> W. Blum & Rutow	<i>Euphorbia densiflora</i> (Klotzsch & Garcke) Klotzsch	<i>Mimosa dysocarpa</i> Benth.
<i>Mammillaria wrightii</i> Engelm. var. <i>wilcoxii</i> (Toumey ex K. Schum.) W.T. Marshall	<i>Euphorbia heterophylla</i> L.	<i>Mimosa grahamii</i> A. Gray
<i>Opuntia chlorotica</i> Engelm. & J.M. Bigelow	<i>Euphorbia pediculifera</i> Engelm.	<i>Phaseolus grayanus</i> Wooton & Standl.
<b>CAMPANULACEAE</b>	<i>Euphorbia prostrata</i> Aiton	<i>Prosopis velutina</i> Wooton
<i>Lobelia cardinalis</i> L.	<i>Tragia nepetifolia</i> Cav.	<i>Robinia neomexicana</i> A. Gray
<b>CARYOPHYLLACEAE</b>	<b>FABACEAE</b>	<i>Tephrosia tenella</i> A. Gray
<i>Arenaria lanuginosa</i> (Michx.) Rohrb. subsp. <i>saxosa</i> (A. Gray) Maguire	<i>Acaciella angustissima</i> (Mill.) Britton & Rose	<i>Tephrosia thurberi</i> (Rydb.) C.E. Wood
<i>Cerastium texanum</i> Britton	<i>Acmispon greenei</i> (Wooton & Standl.) Brouillet	<i>Vicia pulchella</i> Kunth
	<i>Acmispon oroboides</i> (Kunth) Brouillet	<b>FAGACEAE</b>
	<i>Aeschynomene villosa</i> Poir.	<i>Quercus arizonica</i> Sarg.
	<i>Amorpha fruticosa</i> L.	<i>Quercus emoryi</i> Torr.
	<i>Astragalus nothoxys</i> A. Gray	<i>Quercus gambelii</i> Nutt.
		<i>Quercus hypoleucoes</i> A. Camus
		<i>Quercus oblongifolia</i> Torr.

# CHECKLIST: Sierra la Elenita–la Mariquita Sky Island Complex page 3 of 4

<b>GARRYACEAE</b>	<i>Mirabilis linearis</i> (Pursh) Heimerl	<i>Penstemon parryi</i> (A. Gray) A. Gray
<i>Garrya wrightii</i> Torr.	<i>Mirabilis longiflora</i> L.	<i>Penstemon stenophyllus</i> A. Gray
<b>GERANIACEAE</b>	<b>OLEACEAE</b>	* <i>Plantago major</i> L.
* <i>Erodium cicutarium</i> (L.) L'Hér. ex Ait.	<i>Fraxinus velutina</i> Torr.	<b>PLATANACEAE</b>
<i>Geranium caespitosum</i> E. James	<b>ONAGRACEAE</b>	<i>Platanus wrightii</i> S. Watson
<i>Geranium richardsonii</i> Fisch. & Trautv.	<i>Lopezia gracilis</i> S. Watson	<b>POLEMONIACEAE</b>
<b>HYDRANGEACEAE</b>	<i>Oenothera elata</i> Kunth subsp. <i>hirsutissima</i> (A. Gray ex S. Watson) W. Dietr.	<i>Ipomopsis thurberi</i> (A. Gray) V.E. Grant
<i>Philadelphus microphyllus</i> A. Gray	<i>Oenothera podocarpa</i> (Wooton & Standl.) Krakos & W.L. Wagner [ <i>Gaura hexandra</i> Ortega subsp. <i>gracilis</i> (Wooton & Standl.) P.H. Raven & D.P. Greg]	<b>POLYGALACEAE</b>
<b>JUGLANDACEAE</b>	<i>Oenothera primiveris</i> A. Gray	<i>Monnina wrightii</i> A. Gray
<i>Juglans major</i> (Torr.) A. Heller	<i>Oenothera toumeyi</i> (Small) Tidestr.	<b>POLYGONACEAE</b>
<b>LAMIACEAE</b>	<b>OROBANCHACEAE</b>	<i>Eriogonum abertianum</i> Torr.
<i>Agastache pallida</i> (Lindl.) Cory	<i>Brachystigma wrightii</i> (A. Gray) Pennell	<i>Eriogonum polycladon</i> Benth.
<i>Hedeoma dentata</i> Torr.	<i>Castilleja minor</i> (A. Gray) A. Gray var. <i>minor</i>	<i>Eriogonum wrightii</i> Torr. ex Benth.
* <i>Lamium amplexicaule</i> L.	<i>Castilleja patriotica</i> Fernald	* <i>Polygonum aviculare</i> L.
* <i>Marrubium vulgare</i> L.	<i>Castilleja tenuiflora</i> Benth.	* <i>Rumex crispus</i> L.
<i>Monarda citriodora</i> Cerv. ex Lag. var. <i>austromontana</i> (Epling) B.L. Turner	<i>Conopholis alpina</i> Liebm. var. <i>mexicana</i> (A. Gray ex S. Watson) R.R. Haynes	<b>PORTULACACEAE</b>
<i>Salvia betulifolia</i> Epling	<b>OXALIDACEAE</b>	* <i>Portulaca oleracea</i> L.
<i>Stachys coccinea</i> Ortega	<i>Oxalis corniculata</i> L.	<b>RANUNCULACEAE</b>
<b>LINACEAE</b>	<i>Oxalis decaphylla</i> Kunth	<i>Aquilegia chrysantha</i> A. Gray
<i>Linum lewisii</i> Pursh	<i>Oxalis cf. latifolia</i> Kunth	<i>Thalictrum fendleri</i> Engelm. ex A. Gray
<b>LYTHRACEAE</b>	<i>Oxalis metcalfei</i> (Small) R. Knuth	<b>RHAMNACEAE</b>
<i>Cuphea wrightii</i> A. Gray var. <i>wrightii</i>	<b>PAPAVERACEAE</b>	<i>Ceanothus buxifolius</i> Willd. ex Schult. f.
<b>MALVACEAE</b>	<i>Argemone pleiacantha</i> Greene	<i>Frangula betulifolia</i> (Greene) Grubov
<i>Anoda cristata</i> (L.) Schltdl.	<i>Corydalis aurea</i> Willd.	<b>ROSACEAE</b>
<i>Ayenia filiformis</i> S. Watson	<b>PHRYMACEAE</b>	<i>Cercocarpus montanus</i> Raf. var. <i>paucidentatus</i> (S. Watson) F.L. Martin
<i>Sida abutilifolia</i> Mill.	<i>Erythranthe guttata</i> (DC.) G.L. Nesom	<i>Holodiscus discolor</i> (Pursh) Maxim.
<i>Sphaeralcea fendleri</i> A. Gray	<b>PLANTAGINACEAE</b>	<i>Potentilla subviscosa</i> Greene var. <i>ramulosa</i> (Rydb.) Kearney & Peebles
<i>Sphaeralcea incana</i> Torr. ex A. Gray	<i>Nuttallanthus texanus</i> (Scheele) D.A. Sutton	<i>Prunus serotina</i> Ehrh. var. <i>virens</i> (Wooton & Standl.) McVaugh
<b>MARTYNIACEAE</b>	<i>Penstemon barbatus</i> (Cav.) Roth	<b>RUBIACEAE</b>
<i>Proboscidea parviflora</i> (Wooton)	<i>Penstemon campanulatus</i> (Cav.) Willd.	<i>Bouvardia ternifolia</i> (Cav.) Schltdl.
Wooton & Standl.		<i>Galium microphyllum</i> A. Gray
<b>MONTIACEAE</b>		<b>SALICACEAE</b>
<i>Calandrinia ciliata</i> (Ruiz & Pav.) DC.		<i>Populus fremontii</i> S. Watson
<b>NYCTAGINACEAE</b>		<i>Populus tremuloides</i> Michx.
<i>Boerhavia coccinea</i> Mill.		<i>Salix bonplandiana</i> Kunth
<i>Boerhavia erecta</i> L.		
<i>Mirabilis albida</i> (Walter) Heimerl		

# CHECKLIST: Sierra la Elenita–la Mariquita Sky Island Complex page 4 of 4

<i>Salix exigua</i> Nutt.	<b>COMMELINACEAE</b>	* <i>Echinochloa crus-galli</i> (L.) P. Beauv.
<b>SAXIFRAGACEAE</b>	<i>Commelina dianthifolia</i> Delile	<i>Elymus arizonicus</i> (Scribn. & J.G. Sm.) Gould
<i>Heuchera sanguinea</i> Engelm.	<i>Commelina erecta</i> L.	<i>Elymus elymoides</i> (Raf.) Swezey
<b>SIMAROUBACEAE</b>	<i>Tradescantia pinetorum</i> Greene	* <i>Eragrostis cilianensis</i> (All.) Vignolo ex Janch.
* <i>Ailanthus altissima</i> (Mill.) Swingle	<b>CYPERACEAE</b>	<i>Eragrostis intermedia</i> Hitchc.
<b>SOLANACEAE</b>	<i>Carex praegracilis</i> W. Boott	* <i>Eragrostis lehmanniana</i> Nees
<i>Calibrachoa parviflora</i> (Juss.) D'Arcy	<i>Cyperus fendlerianus</i> Boeckl.	<i>Eragrostis mexicana</i> (Hornem.) Link
<i>Datura inoxia</i> Mill.	<i>Cyperus pallidicolor</i> (Kük.) G.C. Tucker	<i>Heteropogon contortus</i> (L.) Beauv. ex Roem. & Schult.
<i>Physalis caudella</i> Standl.	<i>Cyperus sphaerolepis</i> Boeckl.	<i>Koeleria pyramidata</i> (Lam.) P. Beauv
<i>Physalis hederifolia</i> A. Gray	<i>Cyperus squarrosus</i> L.	* <i>Melinis repens</i> (Willd.) Zizka
<i>Physalis pubescens</i> L.	<i>Eleocharis montevidensis</i> Kunth	<i>Muhlenbergia alopecuroides</i> (Griseb.) P.M. Peterson & Columbus
<i>Solanum elaeagnifolium</i> Cav.	<b>JUNCACEAE</b>	<i>Muhlenbergia emersleyi</i> Vasey
<i>Solanum fendleri</i> A. Gray	<i>Juncus mexicanus</i> Willd. ex Schult. & Schult. f.	<i>Muhlenbergia longiligula</i> Hitchc.
<b>VERBENACEAE</b>	<i>Juncus saximontanus</i> A. Nelson	<i>Muhlenbergia rigens</i> (Benth.) Hitchc.
<i>Aloysia gratissima</i> (Gillies & Hook.) Tronc.	<b>POACEAE</b>	* <i>Pennisetum ciliare</i> (L.) Link
<i>Glandularia chiricahensis</i> Umber	<i>Aristida adscensionis</i> L.	<i>Piptochaetium fimbriatum</i> (Kunth) Hitchc.
<i>Glandularia gooddingii</i> (Briq.) Solbrig	<i>Aristida havardii</i> Vasey	* <i>Poa annua</i> L.
<i>Glandularia latilobata</i> (L.M. Perry)	<i>Aristida pansa</i> Wooton & Standl.	<i>Poa fendleriana</i> (Steud.) Vasey
G.L. Nesom	<i>Aristida schiedeana</i> Trin. & Rupr. var. <i>orcuttiana</i> (Vasey) Allred & Valdés-Reyna	* <i>Polypogon viridis</i> (Gouan) Breistr.
<b>VIOLACEAE</b>	<i>Aristida ternipes</i> Cav. var. <i>gentilis</i> (Henrard) Allred	<i>Setaria liebmannii</i> E. Fourn.
<i>Viola umbraticola</i> Kunth	<i>Aristida ternipes</i> Cav. var. <i>ternipes</i>	* <i>Sorghum halepense</i> (L.) Pers.
<b>VITACEAE</b>	* <i>Avena fatua</i> L.	<i>Sporobolus wrightii</i> Munro ex Scribn.
<i>Vitis arizonica</i> Engelm.	<i>Blepharoneuron tricholepis</i> (Torr.) Nash	<i>Zuloagaea bulbosa</i> (Kunth) E. Bess
<b>Monocots</b>	<i>Bothriochloa barbinodis</i> (Lag.) Herter	
<b>AMARYLLIDACEAE</b>	<i>Bouteloua curtipendula</i> (Michx.) Torr.	
<i>Allium plummerae</i> S. Watson	<i>Bouteloua hirsuta</i> Lag.	
<b>ASPARAGACEAE</b>	<i>Bouteloua repens</i> (Kunth) Scribn. & Merr.	
<i>Agave palmeri</i> Engelm.	* <i>Bromus catharticus</i> Vahl	
<i>Agave parryi</i> Engelm. var. <i>huachucensis</i> (Baker) Little	<i>Bromus inermis</i> Leyss.	
<i>Dasylirion wheeleri</i> S. Watson ex Rothr.	<i>Chloris virgata</i> Sw.	
<i>Echeandia flavescens</i> (Schult. & Schult. f.) Cruden	* <i>Cynodon dactylon</i> (L.) Pers.	
<i>Milla biflora</i> Cav.	<i>Dasyochloa pulchella</i> (Kunth) Willd. ex Rydb.	
<i>Nolina microcarpa</i> S. Watson	<i>Disakisperma dubium</i> (Kunth) P.M. Peterson & N. Snow	
<i>Yucca madrensis</i> Gentry		