

# **Great Sand Dunes National Monument and Preserve 2003 Vascular Plant Inventory**



**Susan Spackman Panjabi, Karin Decker, Georgia Doyle, and David G. Anderson  
Colorado Natural Heritage Program, Colorado State University  
Ft. Collins, Colorado 80523**

**August 30, 2004**



**Colorado  
State**  
University

*Knowledge to Go Places*

## **I. Background**

As part of its biological inventory program, the National Park Service (NPS) contracted the Colorado Natural Heritage Program (CNHP) in 2001-2004 to conduct a field inventory of vascular plants of Great Sand Dunes National Monument and Preserve (GRSA). Although detailed botanical research had been conducted in GRSA by H.N. Dixon (1999) and others, additional research was needed, particularly regarding the distribution of low elevation wetland, high elevation, rare, and non-native plants, and to augment the GRSA Herbarium collection.

A checklist of vascular plants of Great Sand Dunes National Monument (Dixon 1999) was developed over a 30-year period from 1969-1999, and documents about 406 taxa that occur in the Monument. This is one of the most thorough botanical inventories in all of Colorado. Given the thoroughness of this inventory, this checklist is considered to be comprehensive for the Monument. However, many of the species on the checklist are not represented in the GRSA Herbarium, many voucher specimens are housed at the Alamosa State College Herbarium (pers. comm. Dixon 2002).

On November 22, 2000 the boundaries of the Great Sand Dunes National Monument were expanded to include the Great Sand Dunes Preserve. The new boundaries added an additional 42,000 acres, encompassing a far greater elevation range, including six peaks over 13,000 feet, and additional habitats, including low elevation wetlands, sub-alpine, and alpine areas. Many of the species in the Preserve are not included on the Monument checklist (Dixon 1999), nor are they represented in the GRSA Herbarium (species list for GRSA Herbarium provided by Fred Bunch 2002).

At the start of our research in 2002 the GRSA Herbarium housed collections of 321 vascular plant species, and 406 species were included on the GRSA plant checklist (Dixon 1999). In the summer of 2002 we collected 111 plant species from the Monument and Preserve that had not previously been documented with voucher specimens at the GRSA Herbarium (Spackman Panjabi and Decker 2002). Our 2002 results are presented in our report, Great Sand Dunes National Monument and Preserve vascular plant inventory (Spackman Panjabi and Decker 2002). As we began the research presented in this report the GRSA Herbarium had specimens of 432 vascular plants, and the updated Master List for GRSA included 517 species (a merging of Dixon 1999 and Spackman Panjabi and Decker 2002).

### **Scope of work**

This project documented the vascular plant composition at Great Sand Dunes National Monument and Preserve (GRSA). We objectively quantified inventory completeness for plants using a master list approach and plotting number of species observed against survey effort. Surveys targeted low elevation wetlands, high elevation, rare, and non-native plant species, and species for which the GRSA Herbarium lacked a voucher specimen.

## **II. Objectives**

- Compile and review existing botanical data for the Great Sand Dunes National Monument and Preserve (GRSA).
- Document additional occurrence and distribution information for vascular plants at GRSA by collecting and identifying vascular plants that are not documented with herbarium specimens at the GRSA Herbarium.
- Objectively quantify inventory completeness for plants surveyed at GRSA.

## **III. Methods**

We worked with the Great Sand Dunes National Monument and Preserve (GRSA) staff, particularly Fred Bunch and Phyllis Pineda Bovin, beginning in fall 2001, to plan and implement the project. This included scheduling site visits, permitting, and logistical assistance from park staff.

We used standard floristic survey methods, following methods employed by Colorado botanists in numerous similar studies (e.g., Maley 1994, Clark 1996, Freeman 2000). The surveys were based on subjective searches of a representation of all habitats, with the intent that previously undocumented species within the Monument and Preserve would be located and identified.

To determine specific places to target for our research we referred to geology, soil, vegetation and topographic maps to find areas in the Monument and Preserve that may support unusual habitats and therefore previously undocumented plants. To determine species to target for our research we referred to the plant checklist of the Great Sand Dunes National Monument (Dixon 1999), the University of Colorado Herbarium lists of plant species for Saguache and Alamosa counties (University of Colorado 2002), a draft annotated checklist of the vascular plants of the San Luis Basin (Dixon 2003), a working plant list for the Sangre de Cristo mountain range (Hogan 2000), the Colorado Natural Heritage Program lists of rare plant species for Saguache and Alamosa counties (Colorado Natural Heritage Program 2004), and the Colorado Department of Agriculture list of noxious weeds (Colorado Department of Agriculture 2003).

Field surveys were completed June 9 through August 15, 2003. We subjectively searched areas and habitats, distributing survey effort across the entire Monument and Preserve. Less emphasis was given to the Monument area, as requested by GRSA staff. We carried a master plant species list for the GRSA, and took voucher specimens when appropriate (either because they required further verification, or because we believed that a voucher specimen had not been collected for the GRSA Herbarium). We recorded survey effort and locations and compared these data with new specimens and the Master List (a merging of Dixon 1999 and Spackman Panjabi and Decker 2002) to estimate survey completeness.

We entered details regarding all specimens that we deposited at the GRSA Herbarium into the National Park Service Standard Collection Spreadsheet and delivered the spreadsheet to David Pillmore, NPS Inventory and Monitoring Computer Technician at [David\\_Pillmore@nps.gov](mailto:David_Pillmore@nps.gov). Nomenclature follows that of Kartesz (1999) as modified by the PLANTS Database (USDA, NRCS 2004).

## **IV. Results**

We spent approximately 173 person-hours surveying Great Sands Dunes National Monument and Preserve (GRSA) in 2003, collected 262 specimens, and verified 127 plant species that had not previously been documented with voucher specimens at the Monument Herbarium (Table 1). Two of the newly vouched taxa are considered to be rare in Colorado (Colorado Natural Heritage Program 2004). The globally rare *Cleome multicaulis* (Slender spiderflower) was previously known from the GRSA, and was documented with specimens at other herbaria, but was not included in the GRSA collection. The other rare taxon, *Hymenoxys helenoides* (Intermountain bitterweed), is a sterile hybrid resulting from a cross of two common taxa, *H. richardsonii* (Pingue) and *H. hoopesii* (Orange sneezeweed, Anderson et al. 1995). Seventeen of the newly vouched species are not native to Colorado (Weber and Wittmann 2001), and among these, one is included on the state list of noxious weeds, *Euphorbia esula* (Leafy spurge, Colorado Department of Agriculture 2003).

**Table 1.** Plant species collected in Great Sand Dunes National Monument and Preserve (GRSA) by Decker, Doyle, and Anderson in 2003 that had not previously been documented with voucher specimens at the GRSA Herbarium. Species are listed in alphabetical order by family. Rare species are underlined (Colorado Natural Heritage Program 2004). Species not native to Colorado are listed in bold (Weber and Wittmann 2001), with questions regarding species nativity indicated under comments. Nomenclature follows Kartesz (1999) as modified by the PLANTS Database (USDA, NRCS 2004). Where nomenclature differs from that of Weber and Wittmann (2001), the synonym is listed under comments.

| <b>Family</b> | <b>Latin name</b>                                       | <b>Common Name</b>      | <b>Comments</b>                                    |
|---------------|---|-------------------------|--|
| Apiaceae      | <i>Oreoxis bakeri</i>                                   | Baker's alpine parsley  |  |
| Asteraceae    | <i>Agoseris aurantiaca</i>                              | Orange agoseris         |  |
| Asteraceae    | <i>Agoseris glauca</i> var.<br><i>dasycephala</i>       | Pale agoseris           |  |
| Asteraceae    | <i>Anaphalis margaritacea</i>                           | Pearly everlasting      |  |
| Asteraceae    | <i>Antennaria media</i>                                 | Pussytoes               |  |
| Asteraceae    | <i>Antennaria rosea</i>                                 | Pink pussytoes          |  |
| Asteraceae    | <i>Aster foliaceus</i> var.<br><i>apricum</i>           | Alpine leafybract aster | Weber and Wittmann<br>2001: <i>Aster foliaceus</i> |
| Asteraceae    | <i>Chaenactis douglasii</i>                             | Alpine dusty maiden     |  |
| Asteraceae    | <i>Cirsium scopulorum</i>                               | Alpine thistle          |  |
| Asteraceae    | <i>Erigeron coulteri</i>                                | Coulter's fleabane      |  |
| Asteraceae    | <i>Erigeron eximius</i>                                 | Sprucefir fleabane      |  |
| Asteraceae    | <i>Erigeron peregrinus</i><br>ssp. <i>callianthemus</i> | Subalpine fleabane      |  |
| Asteraceae    | <i>Erigeron subtrinervis</i>                            | Three-nerved fleabane   |  |

| <b>Family</b> | <b>Latin name</b>                                | <b>Common Name</b>       | <b>Comments</b>  |
|---------------|--|--------------------------|--|
| Asteraceae    | <i>Hymenoxys helenioides</i>                     | Intermountain bitterweed | Rare species ranked G3G4Q by the Colorado Natural Heritage Program (2004). Weber and Wittmann 2001: <i>Picradenia helenioides</i>                      |
| Asteraceae    | <i>Iva axillaries</i>                            | Povertyweed              |  |
| Asteraceae    | <i>Senecio amplectens</i> var. <i>amplectens</i> | Showy alpine ragwort     | Weber and Wittmann 2001: <i>Ligularia amplectens</i>   |
| Asteraceae    | <i>Senecio bigelovii</i> var. <i>hallii</i>      | Hall's ragwort           |  |
| Asteraceae    | <i>Senecio fremontii</i> var. <i>blitoides</i>   | Fremont's butterweed     |  |
| Asteraceae    | <i>Sonchus arvensis</i> ssp. <i>uliginosus</i>   | Sow thistle              | Weber and Wittmann 2001: <i>Sonchus uliginosus</i>   |
| Asteraceae    | <i>Tonestus pygmaeus</i>                         | Dwarf goldenweed         |  |
| Betulaceae    | <i>Betula occidentalis</i>                       | River birch              | Weber and Wittmann 2001: <i>Betula fontinalis</i>  |
| Brassicaceae  | <i>Arabis xdivaricarpa</i>                       | Spreadingpod rockcress   | Weber and Wittmann 2001: <i>Boechera divaricarpa</i>   |
| Brassicaceae  | <i>Camelina microcarpa</i>                       | False flax               |  |
| Brassicaceae  | <i>Capsella bursa-pastoris</i>                   | Shepherd's purse         |  |
| Brassicaceae  | <i>Cardaria pubescens</i>                        | Hairy whitetop           |  |
| Brassicaceae  | <i>Descurainia sophia</i>                        | Flixweed                 |  |
| Brassicaceae  | <i>Hutchinsia procumbens</i>                     | Prostrate hutchinsia     | Nativity is uncertain. Weber and Wittmann say non-native, others say native. Weber and Wittmann 2001 (West Slope Flora): <i>Hymenolobus procumbens</i> |
| Brassicaceae  | <i>Rorippa alpina</i>                            | Alpine yellowcress       |  |
| Brassicaceae  | <i>Rorippa nasturtium-aquaticum</i>              | Watercress               | Nativity is uncertain. Weber and Wittmann 2001: <i>Nasturtium officinale</i>   |
| Brassicaceae  | <i>Thlaspi arvense</i>                           | Field pennycress         |  |

| <b>Family</b>   | <b>Latin name</b>                                 | <b>Common Name</b>    | <b>Comments</b>   |
|---|---|-----------------------|---|
| Cactaceae   | <i>Echinocereus triglochidiatus</i>               | Claret cup cactus     |   |
| Capparaceae   | <i>Cleome multicaulis</i>                         | Slender spiderflower  | Rare species ranked G2G3 by the Colorado Natural Heritage Program (2004).   |
| Caryophyllaceae (Weber and Wittmann 2001: Alsinaceae) | <i>Arenaria lanuginosa</i> ssp. <i>saxosa</i>     | Spreading sandwort    | Weber and Wittmann 2001: <i>Spergulastrum lanuginosum</i>                   |
| Caryophyllaceae (Weber and Wittmann 2001: Alsinaceae) | <i>Minuartia obtusiloba</i>                       | Alpine sandwort       | Weber and Wittmann 2001: <i>Lidia obtusiloba</i>                            |
| Caryophyllaceae (Weber and Wittmann 2001: Alsinaceae) | <i>Stellaria calycantha</i>                       | Chickweed             |   |
| Crassulaceae  | <i>Rhodiola integrifolia</i>                      | King's crown          | Weber and Wittmann 2001: <i>Tolmachevia integrifolia</i>                    |
| Cyperaceae  | <i>Carex arapahoensis</i>                         | Arapaho sedge         |   |
| Cyperaceae  | <i>Carex elynoides</i>                            | Blackroot sedge       |   |
| Cyperaceae  | <i>Carex geophila</i>                             | White Mountain sedge  |   |
| Cyperaceae  | <i>Carex heteroneura</i> var. <i>chalciolepis</i> | Holm sedge            | Weber and Wittmann 2001: <i>Carex chalciolepis</i>                          |
| Cyperaceae  | <i>Carex microptera</i>                           | Smallwing sedge       |   |
| Cyperaceae  | <i>Carex norvegica</i> ssp. <i>stevenii</i>       | Steven's sedge        |   |
| Cyperaceae  | <i>Carex occidentalis</i>                         | Western sedge         |   |
| Cyperaceae  | <i>Carex praegracilis</i>                         | Clustered field sedge |   |
| Cyperaceae  | <i>Carex rossii</i>                               | Ross' sedge           | Weber and Wittmann 2001: <i>Carex brevipes</i>                              |
| Cyperaceae  | <i>Carex simulata</i>                             | Analogue sedge        |   |
| Cyperaceae  | <i>Eleocharis acicularis</i>                      | Spike sedge           |   |
| Cyperaceae  | <i>Eleocharis palustris</i>                       | Spike sedge           | Weber and Wittmann 2001: <i>Eleocharis macrostachya</i>                     |
| Cyperaceae  | <i>Schoenoplectus acutus</i> var. <i>acutus</i>   | Hardstem bulrush      | Weber and Wittmann 2001: <i>Schoenoplectus lacustris</i> ssp. <i>acutus</i> |
| Cyperaceae  | <i>Schoenoplectus pungens</i>                     | Threesquare           |   |

| <b>Family</b>                                       | <b>Latin name</b>                                   | <b>Common Name</b>                 | <b>Comments</b>   |
|---|---|------------------------------------|---|
| Cyperaceae  | <i>Scirpus nevadensis</i>                           | Alkali bulrush                     | Weber and Wittmann 2001: <i>Amphiscirpus nevadensis</i>   |
| Ericaceae   | <i>Arctostaphylos uva-ursi</i>                      | Kinnikinnick                       |   |
| Ericaceae   | <i>Vaccinium myrtillus</i> var. <i>oreophilum</i>   | Common blueberry                   |   |
| Euphorbiaceae                                       | <b><i>Euphorbia esula</i> var. <i>uralensis</i></b> | Leafy spurge                       | <b><i>Euphorbia esula</i> is listed on Colorado's noxious weed list.</b><br><b>Weber and Wittmann 2001: <i>Tithymalus uralensis</i></b> |
| Fabaceae  | <i>Astragalus scopulorum</i>                        | Rocky Mountain milkvetch           |   |
| Fabaceae  | <i>Oxytropis sericea</i> x <i>lambertii</i>         | White locoweed x Colorado locoweed |   |
| Fabaceae  | <i>Thermopsis divaricarpa</i>                       | Golden banner                      |   |
| Fabaceae  | <i>Trifolium attenuatum</i>                         | Rocky Mountain clover              |   |
| Dryopteridaceae                                     | <i>Cystopteris fragilis</i>                         | Fragile fern                       |   |
| Geraniaceae   | <i>Geranium richardsonii</i>                        | Richardson's geranium              |   |
| Hydrophyllaceae                                     | <i>Phacelia heterophylla</i>                        | Varileaf phacelia                  |   |
| Juncaceae   | <b><i>Juncus bufonius</i></b>                       | <b>Toad rush</b>                   |   |
| Juncaceae   | <i>Juncus drummondii</i>                            | Drummond's rush                    |   |
| Juncaceae   | <i>Juncus parryi</i>                                | Parry's rush                       |   |
| Juncaceae   | <i>Juncus saximontanus</i>                          | Rocky Mountain rush                |   |
| Juncaceae   | <i>Luzula comosa</i>                                | Woodrush                           |   |
| Juncaceae   | <i>Luzula spicata</i>                               | Spiked woodrush                    |   |
| Lamiaceae   | <i>Dracocephalum parviflorum</i>                    | Dragonhead                         |   |
| Lamiaceae   | <i>Stachys pilosa</i> ssp. <i>pilosa</i>            | Hedge nettle                       | Weber and Wittmann 2001: <i>Stachys palustris</i> ssp. <i>pilosa</i>  |
| Liliaceae   | <i>Veratrum tenuipetalum</i>                        | False hellebore                    |   |
| Liliaceae (Weber and Wittmann 2001: Calochortaceae) | <i>Calochortus gunnisonii</i>                       | Mariposa lily                      |   |
| Malvaceae   | <i>Sidalcea neomexicana</i>                         | Checkerbloom                       |   |
| Onagraceae  | <i>Epilobium lactiflorum</i>                        | Willowherb                         |   |

| <b>Family</b>        | <b>Latin name</b>                                 | <b>Common Name</b>             | <b>Comments</b>   |
|----------------------|---|--------------------------------|---|
| Onagraceae           | <i>Oenothera pallida</i> ssp.<br><i>runcinata</i> | Pale evening-primrose          |   |
| Poaceae              | <i>Achnatherum robustum</i>                       | Sleepy grass                   |   |
| <b>Poaceae</b>       | <b><i>Agropyron cristatum</i></b>                 | <b>Crested wheatgrass</b>      |   |
| <b>Poaceae</b>       | <b><i>Agrostis exarata</i></b>                    | <b>Spike bentgrass</b>         | <b>Nativity is uncertain</b>                              |
| <b>Poaceae</b>       | <b><i>Alopecurus pratensis</i></b>                | <b>Meadow foxtail</b>          |   |
| Poaceae              | <i>Blepharoneuron tricholepis</i>                 | Pine dropseed                  |   |
| Poaceae              | <i>Calamagrostis purpurascens</i>                 | Purple reedgrass               |   |
| Poaceae              | <i>Catabrosa aquatica</i>                         | Brookgrass                     |   |
| Poaceae              | <i>Cinna latifolia</i>                            | Drooping woodreed              |   |
| Poaceae              | <i>Distichlis spicata</i>                         | Saltgrass                      |   |
| Poaceae              | <i>Elymus glaucus</i>                             | Blue wildrye                   |   |
| Poaceae              | <i>Festuca arizonica</i>                          | Arizona fescue                 |   |
| Poaceae              | <i>Festuca saximontana</i>                        | Fescue                         |   |
| Poaceae              | <i>Hierochloe hirta</i> ssp.<br><i>arctica</i>    | Sweetgrass                     |   |
| Poaceae              | <i>Muhlenbergia montana</i>                       | Mountain muhly                 |   |
| Poaceae              | <i>Poa leptocoma</i>                              | Bog bluegrass                  |   |
| <b>Poaceae</b>       | <b><i>Poa pratensis</i></b>                       | <b>Kentucky bluegrass</b>      |   |
| Poaceae              | <i>Spartina gracilis</i>                          | Alkali cordgrass               |   |
| Poaceae              | <i>Sporobolus airoides</i>                        | Alkali sacaton                 |   |
| <b>Poaceae</b>       | <b><i>Thinopyrum intermedium</i></b>              | <b>Intermediate wheatgrass</b> |   |
| Polemoniaceae        | <i>Collomia linearis</i>                          | Narrowleaf phlox               |   |
| Polemoniaceae        | <i>Phlox gracilis</i> ssp.<br><i>gracilis</i>     | Slender phlox                  | Weber and Wittmann<br>2001: <i>Microsteris gracilis</i>   |
| Polygonaceae         | <i>Oxyria digyna</i>                              | Alpine sorrel                  |   |
| <b>Polygonaceae</b>  | <b><i>Polygonum arenastrum</i></b>                | <b>Oval-leaf knotweed</b>      |   |
| Polygonaceae         | <i>Polygonum douglasii</i>                        | Douglas' knotweed              |   |
| Polygonaceae         | <i>Polygonum polycalooides</i>                    | Milkwort knotweed              |   |
| Portulacaceae        | <i>Claytonia lanceolata</i>                       | Spring beauty                  |   |
| <b>Portulacaceae</b> | <b><i>Portulaca oleracea</i></b>                  | <b>Purslane</b>                |   |
| Potamogetonaceae     | <i>Stuckenia pectinatus</i>                       | Pondweed                       | Weber and Wittmann<br>2001: <i>Potamogeton pectinatus</i> |

| <b>Family</b>   | <b>Latin name</b>  | <b>Common Name</b>          | <b>Comments</b>   |
|---|--|-----------------------------|---|
| Pyrolaceae  | <i>Pyrola asarifolia</i> ssp.<br><i>asarifolia</i>                     | Wintergreen                 |   |
| Ranunculaceae   | <i>Clematis hirsutissima</i><br>var. <i>scottii</i>                    | Sugarbowls                  | Weber and Wittmann<br>2001: <i>Coriflora scottii</i>                  |
| Ranunculaceae   | <i>Ranunculus</i><br><i>cardiophyllus</i>                              | Heartleaf buttercup         |   |
| Ranunculaceae   | <i>Ranunculus</i><br><i>eschscholtzii</i>                              | Subalpine buttercup         |   |
| Ranunculaceae   | <i>Ranunculus macauleyi</i>  | Rocky Mountain<br>buttercup |   |
| Ranunculaceae   | <i>Ranunculus macounii</i>   | Macoun's buttercup          |   |
| Ranunculaceae   | <i>Ranunculus</i><br><i>trichophyllum</i> var.<br><i>trichophyllum</i> | Water crowfoot              | Weber and Wittmann<br>2001: <i>Batrachium</i><br><i>trichophyllum</i> |
| Ranunculaceae<br>(Weber and<br>Wittmann 2001:<br>Helleboraceae) | <i>Aquilegia elegantula</i>  | Red columbine               |   |
| Ranunculaceae<br>(Weber and<br>Wittmann 2001:<br>Helleboraceae) | <i>Delphinium ramosum</i>  | Larkspur                    |   |
| Ranunculaceae<br>(Weber and<br>Wittmann 2001:<br>Helleboraceae) | <i>Trollius laxus</i> ssp.<br><i>albiflorus</i>                        | Globeflower                 | Weber and Wittmann<br>2001: <i>Trollius</i><br><i>albiflorus</i>      |
| Rosaceae  | <i>Fragaria vesca</i> ssp.<br><i>bracteata</i>                         | Strawberry                  |   |
| Rosaceae  | <i>Geum macrophyllum</i>   | Largeleaf avens             |   |
| Rosaceae  | <i>Potentilla diversifolia</i>   | Varileaf cinquefoil         |   |
| Rosaceae  | <i>Potentilla hippiana</i>   | Woolly cinquefoil           |   |
| Rosaceae  | <i>Potentilla pulcherrima</i>  | Soft cinquefoil             |   |
| Rosaceae  | <i>Potentilla subjugata</i>  | Cinquefoil                  |   |
| Rosaceae  | <i>Sibbaldia procumbens</i>  | Sibbaldia                   |   |
| Salicaceae  | <i>Salix ligulifolia</i>   | Strapleaf willow            |   |
| Salicaceae  | <i>Salix monticola</i>   | Mountain willow             |   |
| Saxifragaceae<br>(Weber and<br>Wittmann 2001:<br>Parnassiaceae) | <i>Parnassia fimbriata</i>   | Grass of Parnassus          |   |
| Scrophulariaceae  | <i>Besseya plantaginea</i>   | Kittentail                  |   |
| Scrophulariaceae  | <i>Pedicularis procera</i>   | Giant lousewort             |   |
| Typhaceae   | <i>Typha latifolia</i>   | Broadleaf cattail           |   |
| Violaceae   | <i>Viola labradorica</i>   | Alpine violet               |   |

| <b>Family</b> | <b>Latin name</b>      | <b>Common Name</b> | <b>Comments</b> |
|---------------|------------------------|--------------------|-----------------|
| Violaceae     | <i>Viola renifolia</i> | White violet       |                 |

Plant families with the most species new to the GRSA Herbarium included Asteraceae (19 new), Poaceae (19 new), Cyperaceae (15 new), Brassicaceae (9 new) and Ranunculaceae (9 new). These families are also some of the largest families for all of Colorado's plants.

During the approximately 173 hours we spent surveying the vascular flora of GRSA in 2003, we attempted to divide our time evenly between different habitat types and elevations found in the Monument and Preserve area. However, given the difficulty of accessing the alpine, we spent less time in the highest elevation areas, and given the relative ease of accessing the montane habitats, we spent more time in the middle elevation areas. Approximate time spent in each habitat and elevation range, and number of new species found is presented in Table 2. A map showing all collection points for 2002 and 2003 is presented in Appendix 1.

**Table 2.** Number of newly vouchered plant species and hours spent at different habitats/elevations in Great Sand Dunes National Monument and Preserve in 2003.

| <b>Habitat</b>  | <b>Approximate elevation</b> | <b>Time spent (estimate of survey effort)</b> | <b>Number of newly vouchered plant species</b> |
|---|------------------------------|---|--|
| Valley floor:<br>Greasewood flats,<br>Interdunal wetlands<br>and streams.                               | 7,500-8,000 feet             | 39 hours                                      | 23 species                                     |
| Montane: Pinyon-<br>Juniper woodlands,<br>Aspen groves,<br>Shrublands,<br>Grasslands, Ruderal<br>areas. | 8,000-10,000 feet            | 85 hours                                      | 55 species                                     |
| Subalpine: Spruce-Fir<br>forests, Riparian areas,<br>Grasslands, Ruderal<br>areas.                      | 10,000-11,500 feet           | 32 hours                                      | 30 species                                     |
| Alpine: Cushion plant<br>communities,<br>Grasslands, Talus,<br>Wetlands.                                | 11,500-13,000 feet           | 17 hours                                      | 19 species                                     |
| <b>Total</b>  |                              | <b>173 hours</b>                              | <b>127 new species</b>                         |

We deposited a total of 221 specimens (including voucher specimens for the 127 species listed in Table 1) at the GRSA Herbarium in 2004. Copies of all of the specimen labels are presented in Appendix 2. These data are also tabulated in the NPS standard voucher specimen collection spreadsheet, which includes the following information: scientific name, date of collection,

observer, habitat, elevation, accession number, collection number, specimen location, and collection location.

Although *Cryptantha cinerea* var. *pusulosa* (James catseye) had been documented in the GRSA prior to our research, we identified two new locations for this globally rare plant species (Colorado Natural Heritage Program 2004). Occurrence records for this species at these locations are presented in Appendix 3.


A list of 604 vascular plant species known from the GRSA at the conclusion of this research is presented in Appendix 4 (2004 Master List of Vascular Plants at the GRSA). This list includes the plant checklist for the Monument (Dixon 1999), and all species documented by this research in 2002 (Spackman Panjabi and Decker 2002) and in 2003 (Table 1). Additional work is needed to assure consistent use of plant names for this new master list, particularly for the species documented prior to 2002. Although 604 vascular plant species have been documented for the GRSA, the herbarium houses specimens of just 559 species (321 collected pre-2002, 111 in 2002, and 127 in 2003). The 45 species that are not represented at the GRSA herbarium may be documented with specimens at other herbaria.

## V. Discussion

At the conclusion of this project, the GRSA Master List for vascular plants contained 604 taxa, and 92% were represented by voucher specimens at the GRSA Herbarium. However, our research suggests that there are many more vascular plant species that remain to be documented from GRSA. Species lists compiled by other botanists working in the area (Dixon 2003, Hogan 2000) include hundreds of taxa that have not been documented from GRSA. A reasonable estimate is that 25-50% of these species are likely to occur on GRSA, and that up to 400 additional taxa could be collected from the Monument and Preserve (Table 3, Figure 2). If new taxa are collected at approximately the same rate as in the previous two years (average 119 new taxa per collection season), documenting 90% of the species present will require an additional two to three collecting seasons.

**Table 3.** Number of plant species known from GRSA compared with totals from other plant species lists from the San Luis Basin (Dixon 2003) and the Sangre de Cristo Mountains (Hogan 2000).

|   | Total species |                     |               |
|---|---------------|---------------------|---------------|
| GRSA Master list                            | 604           |                     |               |
|   |               | On GRSA Master List | Potential new |
| Dixon 2003                                  | 1287          | 567                 | 720           |
| Hogan 2000                                  | 385           | 257                 | 128           |
|   |               |                     |               |
| Likely to be on GRSA (~25-50% of potential) | 800-1000      | --                  | 200-400       |



**Figure 2.** Number of plants species documented by year at the GRSA Herbarium. The number of “known” and “potential” species are based on the 2004 Master List of Vascular Plants at the GRSA (the merging of Dixon 1999, Spackman Panjabi and Decker 2002, and Table 1) and an estimated total based on the working lists for the Sangres (Hogan 2000) and the San Luis Basin (Dixon 2003).

## VI. Recommendations

An updated checklist of vascular plants for GRSA would benefit GRSA managers and provide visitors with a more complete list of all of the plants known from the Monument and Preserve. A list of all species known from the GRSA at the conclusion of this research is presented in Appendix 4. Additional work is needed to assure consistent use of plant names. Also, 45 of the species listed are not represented in the GRSA Herbarium.

It is extremely likely that future surveys will find more plant species at GRSA. Locations of plants species not yet documented by this research could be found by searching specimen data at other herbaria, especially Adams State College in Alamosa (pers. comm. Dixon 2002) and University of Colorado in Boulder (University of Colorado Museum 2004). For example, the University of Colorado herbarium specimen database lists 676 herbarium specimens with Great Sand Dunes on the collection label (University of Colorado Museum 2004). Of these, 23 species are not included on the 2004 Master List (Appendix 4). Other species yet to be documented may also be listed in plot data collected by other researchers at GRSA (pers. comm. Bunch 2004).

An intensive survey for rare species, such as *Astragalus bodinii* (Bodin's milkvetch), *Draba grayana* (Gray's draba), *D. fladnizensis* (Arctic draba), and *Platanthera sparsiflora* var. *ensifolia* (Canyon bog orchid), could also identify new species for the Monument and Preserve. More intensive rare species surveys could also identify additional populations of rare plants already known from the GRSA such as *Draba smithii* (Smith's draba), *Cryptantha cinerea* var. *pustulosa* (James catseye), *Cleome multicaulis* (Slender spiderflower) and *Woodsia neomexicana* (New Mexico Cliff Fern, specimen housed at the University of Colorado Herbarium (Colorado Natural Heritage Program 2004)).

In particular, further inventory work is recommended to verify the specific locations of *Woodsia neomexicana* (New Mexico cliff fern). This species was documented in the Monument in the Mosca Creek drainage in 1954 (Spackman Panjabi and Decker 2002, Colorado Natural Heritage Program 2004), but has not been observed there or at any other location in the Monument since that time. *Potentilla ambigens* (Silkyleaf cinquefoil) is another rare species that warrants further inventory attention. This species was collected and identified by H.N. Dixon in 1984, but Dixon indicates that this record should probably be checked for accuracy (pers. comm. Dixon 2002).

Annual surveys targeting non-native invasive species would also be an important step toward protecting the natural resources of GRSA. Early detection of non-natives is one of the most cost effective and ecologically sensible defensive actions that land managers can take to manage and control weedy invaders (Colorado Department of Agriculture 2001). Numerous species that are not native to Colorado have been documented in GRSA (Appendix 4). Although all of these non-native species could present challenges, the following are of particular concern because they are known to be quite invasive and difficult to control: *Cirsium arvense* (Canada thistle), *Convolvulus arvensis* (Field bindweed), *Euphorbia esula* (Leafy spurge), *Melilotus officinalis* (Yellow sweetclover), and *Bromus tectorum* (Cheatgrass) (Whitson et al. 2000, Colorado Department of Agriculture 2003). These and other potentially troublesome weeds would likely arrive via roadways into the Monument and Preserve, and would likely be carried by cars, horses, and human foot traffic. Several non-natives were noted just outside of GRSA on the east side of Medano Pass.

Although the vascular flora of GRSA is being documented, the nonvascular flora remains poorly understood. Nonvascular species, particularly lichens, are highly sensitive biological indicators of environmental change and quality (McCune et al. 1998, St. Clair 1999). Thus, an assessment of the species richness and distribution of lichens, mosses and liverworts would provide GRSA with a powerful tool for monitoring the biological integrity of the area by establishing a baseline for future assessment.

To help assure the long-term protection of the biodiversity of GRSA, specific management for the protection of the locations that are known to support rare plant species would be an effective step. *Draba smithii* (Smith's draba) is a globally imperiled species that is only known from 16 locations in Colorado, and nowhere else in the world, which points to the significance of the two locations of this species at GRSA (Colorado Natural Heritage Program 2004). *Cleome multicaulis* (Slender spiderflower) is also globally rare, and is known from one location in GRSA (Colorado Natural Heritage Program 2004). Although the Slender spiderflower is also known from a fairly wide range continuing south into Mexico, the most vigorous populations known are found in the San

Luis Valley of Colorado (Colorado Natural Heritage Program 2004). *Cryptantha cinerea* var. *pustulosa* (James catseye) is another rare species that is known from four locations at GRSA (Colorado Natural Heritage Program 2004). This species is also known from New Mexico, Arizona, and Utah, but its status in the other states is not known. In Colorado, the James catseye is known from a total of seven locations, and four of these are in the GRSA. Monitoring the known populations of these species for any changes to the overall size, quality, and condition would help assure their long-term protection at GRSA. The sterile hybrid *Hymenoxys xhelenoides* (Intermountain bitterweed), collected in 2003 (Table 1, Appendix 3), is known from a few small, widely scattered populations in Colorado, Utah, Arizona, and New Mexico. The conservation attention that this entity warrants is questionable because it is a sterile hybrid, not a true species (Anderson et al. 1995). However, the Colorado Natural Heritage Program includes *H. xhelenoides* on a list of rare Colorado taxa, and tracks specific locations within the state.

In summary, although much has been done to document the flora of the GRSA, additional work is needed to:

- Produce an updated Master List
- Identify locations of undocumented species
- Implement management actions for rare and non-native species

## **CNHP Personnel**

Botanist/Project Leader, Susan Spackman Panjabi: principal investigator and coordination of vascular plant inventory

Botanist/Ecologist, Georgia Doyle: conduct field research, plant identification, data analysis

Ecologist, Karin Decker: conduct field research, plant identification, GIS analyses, and map production

Botanist, David G. Anderson: conduct field research, plant identification

Science Information Manager, Jill Handwerk: responsible for input of data, and data queries from CNHP databases

Database Manager, Alison Loar: maintenance of databases, quality assurance of data entered in from the project, technical assistance to the botanists

GIS Specialist, Amy Lavender: quality assurance of data entered in from the project, GIS analyses

Botany Technician, Marisa Bunning: responsible for data entry and herbarium label production.


## **References**

- Anderson, J.L., J.M. Porter, and M.K. Debacon. 1995. Is *Hymenoxys helenioides* (Rydb.) Ckll. a species or a hybrid? Morphological and molecular evidence. Southwestern Rare and Endangered Plants: Proceedings of the Second Conference. USDA Forest Service General Technical Report RM-GTR-283.
- Bunch, F. 2002. Great Sand Dune National Monument and Preserve Biologist who provided Master Plant List for the Great Sand Dunes National Monument Herbarium.
- Bunch, F. 2004. Personal communication with Great Sand Dunes National Monument and Preserve (GRSA) Biologist regarding plot data collect at the GRSA.
- Clark, D.A. 1996. A floristic survey of the Mesa de Maya region, Las Animas County, Colorado. University of Colorado Museum, Boulder, CO.
- Colorado Natural Heritage Program. 2004. Biodiversity Tracking and Conservation System. Colorado State University, Fort Collins, CO.
- Colorado Department of Agriculture. 2001. Colorado's Strategic Plan to Stop the Spread of Noxious Weeds: a Framework for State-wide Coordinated and Cost Effective Action to Protect Agriculture and the Environment. Colorado Department of Agriculture. Lakewood, CO: Prepared by Eric Lane.
- Colorado Department of Agriculture. 2003. Rules pertaining to the administration and enforcement of the Colorado Noxious Weed Act. Accessed via the world wide web at <http://www.ag.state.co.us/DPI/weeds/statutes/weedrules.pdf>.
- Dixon, H.N. 1999. Great Sand Dunes National Monument Plant Checklist. Southwest Parks and Monuments Association, Tucson, AZ.
- Dixon, H.N. 2002. Personal communication with author of Great Sand Dunes National Monument Plant Checklist regarding vascular plant inventory efforts at the Monument.
- Dixon H.N. 2003. Annotated checklist of the vascular plants of the San Luis Basin, Colorado. Draft copy provided to the Colorado Natural Heritage Program by Dixon.
- Freeman, C.C. 2000. Floristic surveys of Cheyenne, Kiowa, Kit Carson, and Lincoln counties, Colorado. Natural History Museum and Biodiversity Research Center, University of Kansas, Lawrence, KS.
- Hogan, T. 2000. Working plant list of the Sangre de Cristo Range, Colorado. Draft copy provided to the Colorado Natural Heritage Program by Hogan.

- Hogan, T. 2004. Personal communication with University of Colorado Herbarium Curator regarding the vascular plant composition of the Sangre de Cristo Mountains.
- Kartesz, J. T. 1999. A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada, and Greenland. First Edition. In: Kartesz, JT and CA Meacham. Synthesis of the North American Flora [computer program]. Version 1.0 . Chapel Hill, NC: North Carolina Botanical Garden.
- Maley, A. 1994. A floristic survey of the Black Forest of the Colorado Front Range. University of Colorado Museum, Boulder, CO.
- McCune, B., P. Rogers, A. Ruchty, and B. Ryan. 1998. Lichen communities for forest health monitoring in Colorado, USA. A report of the USDA Forest Service.
- Spackman Panjabi, S. and K. Decker. 2002. Great Sand Dunes National Monument and Preserve vascular plant inventory. Unpublished report prepared for the National Park Service by the Colorado Natural Heritage Program.
- St. Clair, L.L. 1999. A Color Guidebook to Rocky Mountain Lichens. M.L.Bean Life Science Museum of Brigham Young University, Provo, UT.
- University of Colorado Museum. 2002.  
[http://cumuseum.colorado.edu/Research/Botany/Databases/county\\_species.html](http://cumuseum.colorado.edu/Research/Botany/Databases/county_species.html)
- University of Colorado Museum. 2004.  
<http://cumuseum.colorado.edu/Research/Botany/Databases/search.php>
- USDA, NRCS. 2004. The PLANTS Database, Version 3.5 (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.
- Weber, W.A. and R.C. Wittmann. 2001. Colorado Flora Eastern Slope, Third Edition. University Press of Colorado, Boulder, CO.
- Whitson, T.D., L.C. Burrill, S.A. Dewey, D.A. Cudney, B.E. Nelson, R.D. Lee, and R. Parker. 2000. Weeds of the West, 9<sup>th</sup> Edition. Western Society of Weed Science, the Western United States Land Grant Universities Cooperative Extension Services, and the University of Wyoming. Grand Teton Lithography, Jackson, Wyoming. 628 pp.

## Appendix 1

Map showing collection locations of voucher specimens collected by Spackman Panjabi and Decker in 2002 and Doyle, Decker, and Anderson in 2003.



## **Appendix 2**

Specimen labels for 221 voucher specimens deposited at the Great Sand Dunes National Monument Herbarium by Doyle, Decker, and Anderson 2004. Ninety-four specimens are for species that were not new to the GRSA Herbarium; therefore, they are not listed in Table 1.

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae  
*Schoenoplectus pungens* (Vahl) Palla

Medano Ranch, Little Springs wetlands. Interdunal wetland, very common.  
With: *Schoenoplectus acutus*, *Eleocharis palustris*, *Pascopyrum smithii*,  
*Distichlis spicata*.

Elevation: 7690 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445087, N4174862

K. Decker & G. Doyle KD03-01a

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae  
*Schoenoplectus acutus* Muhl. ex Bigelow) A. & D. Löve  
var. *acutus* (Muhl. ex Bigelow) A. & D.  
Medano Ranch, Little Springs wetlands. Interdunal wetland.  
With: *Schoenoplectus pungens*, *Eleocharis palustris*, *Pascopyrum smithii*,  
*Distichlis spicata*.

Elevation: 7690 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445087, N4174862

K. Decker & G. Doyle KD03-01b

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae  
*Distichlis spicata* (L.) Greene

Medano Ranch, Little Springs wetlands. Interdunal wetland, common.  
With: *Schoenoplectus pungens*, *S. acutus*, *Eleocharis palustris*, *Pascopyrum smithii*.

Elevation: 7690 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445087, N4174862

K. Decker & G. Doyle KD03-01e

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae  
*Scirpus nevadensis* S. Wats.

Medano Ranch, near Little Spring. Graminoid meadow in sand.  
With: *Sarcobatus vermiculatus*.

Elevation: 7670 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0444892, N4174841

K. Decker & G. Doyle KD03-02a

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae  
*Carex praegracilis* W. Boott

Medano Ranch, near Little Spring Creek. Occasional.

With: *Carex nebrascensis*, *Iris missouriensis*, *Argentina anserina*, *Ranunculus cymbalaria*.

Elevation: 7650 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0444069, N4174327

K. Decker & G. Doyle KD03-03a

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae  
*Poa pratensis* L.

Medano Ranch, near Little Spring Creek.

With: *Carex nebrascensis*, *Iris missouriensis*, *Argentina anserina*, *Ranunculus cymbalaria*.

Elevation: 7650 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0444069, N4174327

K. Decker & G. Doyle KD03-03c

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae

*Spartina gracilis* Trin.

Medano Ranch, between ranch house and Little Spring. On two-track road.

With: *Sarcobatus vermiculatus*, *Ericameria nauseosa*, *Distichlis spicata*,  
*Sporobolus airoides*, *Carex praegracilis*.

Elevation: 7630 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0443847, N4174475

K. Decker & G. Doyle KD03-04b

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

*Glaux maritima* L.

Medano Ranch, Big Spring Creek at Indian Spring.

With: *Eleocharis palustris*, *Puccinellia nuttalliana*, *Carex simulata*, *Hutchinsia procumbens*.

Elevation: 7710 ft.

USGS Quadrangle: Sand Camp

UTM: Zone 13, E0444910, N4179863

K. Decker & G. Doyle KD03-05e

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

*Descurainia sophia* (L.) Webb ex Prantl

Great Sand Dunes Preserve, Mosca Pass Trail. Below large meadow, south-facing slope, 5 X 5 m patch on hillside.

Elevation: 9550 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0458903, N4175834

K. Decker & G. Doyle KD03-09a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

*Capsella bursa-pastoris* (L.) Medik.

Great Sand Dunes Preserve, Mosca Pass Trail.

With: *Salix monticola*, *Populus tremuloides*, *Juniperus*.

Elevation: 9440 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0458605, N4175860

K. Decker & G. Doyle KD03-10a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

*Fragaria vesca* L.

ssp. *bracteata* (Heller) Staudt

Great Sand Dunes Preserve, Mosca Pass Trail. Aspen forest/ riparian.

With: *Geranium*, *Rubus*, *Thalictrum*, *Galium*, *Symphoricarpos*.

Elevation: 9380 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0458314, N4175852

K. Decker & G. Doyle KD03-11a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

*Aquilegia elegantula* Greene

Great Sand Dunes Preserve, Mosca Pass Trail. Aspen/ riparian.

With: *Maianthemum*, *Syphoricarpos*, *Geranium*, *Viola canadensis*.

Elevation: 9340 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0458016, N4175896

K. Decker & G. Doyle KD03-12a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cactaceae  
*Echinocereus triglochidiatus* Engelm.

Great Sand Dunes Preserve, Mosca Pass Trail. Rocky, south-facing slope.  
With: *Yucca*, *Cercocarpus montanus*, *Bromus tectorum*, *Opuntia*.

Elevation: 9030 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0456758, N4175936

K. Decker & G. Doyle KD03-13a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae  
*Sporobolus airoides* (Torr.) Torr.

Medano Ranch, Little Spring Creek Road. In middle of two-road track, bare ground.

With: *Chrysothamnus*, *Sarcobatus vermiculatus*.

Elevation: 7660 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0443824, N4174462

K. Decker & G. Doyle KD03-16a

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae  
*Catabrosa aquatica* (L.) Beauv.

Medano Ranch, Little Spring Creek Road at old corral. Wet meadow within corral, creek meandering through, essentially untrampled compared to outside fence, extensive stand.

With: *Calamagrostis stricta*, *Carex simulata*, *Mimulus* sp., *Rorippa nasturtium-aquaticum*.

Elevation: 7640 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0442859, N4174039

K. Decker & G. Doyle KD03-17a

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Poaceae  
*Alopecurus pratensis* L.

Medano Ranch, Little Spring Creek Road, first gate near ranch house. Ditch side.

With: *Stellaria crassifolia*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0440683, N4173994

K. Decker & G. Doyle KD03-18a

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Caryophyllaceae  
*Stellaria longifolia* Muhl. ex Willd.

Great Sand Dunes Preserve, Medano Pass Road, at and below site 2.3. Creekside with sedge. Petals deeply divided, 3 stigmas, 8 stamens.

With: *Rumex acetosella*, *Salix eriocephala*, *Camelina microcarpa*, *Actaea rubra*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker & G. Doyle KD03-20a

6/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Brassicaceae  
*Camelina microcarpa* DC.

Great Sand Dunes Preserve, Medano Pass Road, at and below site 2.3.

With: *Stellaria longifolia*, *Rumex acetosella*, *Salix eriocephala*, *Actaea rubra*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker & G. Doyle KD03-20d

6/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Asteraceae

*Antennaria rosea* Greene

Great Sand Dunes Preserve, Mosca Pass summit. Aspen woodland, grassy understory.

With: *Claytonia lanceolata*.

Elevation: 9710 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459727, N4175939

K. Decker & G. Doyle KD03-06b

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Brassicaceae

*Arabis ×divaricarpa* A. Nels.

Great Sand Dunes Preserve, Mosca Pass Trail. Meadow in Aspen/mixed conifer. South-facing slope. (proposed species) [drummondii × holboellii]

With: *Poa fendleriana*, *Phlox gracilis*, *Packera tridenticulata*, *Salix eriocephala*, *Erigeron flagellaris*, *Taraxacum*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459458, N4175816

K. Decker & G. Doyle KD03-07f

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Polemoniaceae

*Phlox gracilis* (Hook.) Greene

ssp. *gracilis*

Great Sand Dunes Preserve, Mosca Pass Trail. Rocky meadow.

With: *Erigeron vetensis*, *Besseya plantaginea*, *Salix monticola*, *S. exigua*.

Flower color: white

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459372, N4175843

K. Decker & G. Doyle KD03-08a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Scrophulariaceae *Besseya plantaginea* (James) Rydb.

Great Sand Dunes Preserve, Mosca Pass Trail. Rocky meadow, under limber pine.

With: *Phlox gracilis*, *Erigeron vetensis*, *Salix monticola*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459372, N4175843

K. Decker & G. Doyle KD03-08c

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Ranunculaceae

*Actaea rubra* (Ait.) Willd.

ssp. *arguta* (Nutt.) Hultén

Great Sand Dunes Preserve, Medano Pass Road, at and below site 2.3. In shady streamside.

With: *Stellaria longifolia*, *Rumex acetosella*, *Salix eriocephala*, *Camelina microcarpa*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker & G. Doyle KD03-20e

6/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Ranunculaceae *Ranunculus cardiophyllus* Hook.

Great Sand Dunes Preserve, Medano Pass Road, at and below site 2.3.

With: *Stellaria longifolia*, *Rumex acetosella*, *Salix eriocephala*, *Camelina microcarpa*, *Actaea rubra*, *Euphorbia esula*, *Oxypolis fendleri*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker & G. Doyle KD03-20g

6/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Poaceae*  
*Hierochloe hirta* (Schrank) Borbás*ssp. arctica* (J. Presl) G. Weim.Great Sand Dunes Preserve, Medano Pass Road, below old homestead.  
With: *Luzula comosa*, *Descurainia* sp., *Thlaspi arvense*.

Elevation: 9300 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460708, N4186855

K. Decker &amp; G. Doyle KD03-21b

6/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Brassicaceae*  
*Thlaspi arvense* L.Great Sand Dunes Preserve, Medano Pass Road, below old homestead.  
With: *Festuca* sp., *Hierochloe hirta*, *Luzula comosa*, *Descurainia* sp.

Elevation: 9300 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460708, N4186855

K. Decker &amp; G. Doyle KD03-21e

6/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Portulacaceae*  
*Portulaca oleracea* L.Great Sand Dunes National Monument, Sand Creek. Sandy channel.  
With: *Agrostis scabra*.

Elevation: 7900 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447990, N4187014

K. Decker &amp; G. Doyle KD03-23a

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Onagraceae*  
*Oenothera pallida* Lindl.*ssp. runcinata* (Engelm.) Munz & W. Klein

Great Sand Dunes National Monument, Sand Creek. Flood plain, herbaceous bench.

With: *Populus angustifolia*, *Clematis* sp., *Pascopyrum smithii*, *Juncus balticus*, *Phacelia alba*, *Aster* sp., *Gilia pinnatifida*.

Elevation: 7950 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448125, N4187150

K. Decker &amp; G. Doyle KD03-25b

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Hydrophyllaceae*  
*Phacelia alba* Rydb.

Great Sand Dunes National Monument, Sand Creek. Flood plain, herbaceous bench.

With: *Populus angustifolia*, *Clematis* sp., *Gilia pinnatifida*, *Aster* sp., *Pascopyrum smithii*, *Juncus balticus*, *Oenothera pallida*.

Elevation: 7950 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448125, N4187150

K. Decker &amp; G. Doyle KD03-25a

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Polemoniaceae*  
*Gilia pinnatifida* Nutt. ex Gray

Great Sand Dunes National Monument, Sand Creek. Flood plain, herbaceous bench.

With: *Populus angustifolia*, *Clematis* sp., *Pascopyrum smithii*, *Juncus balticus*, *Aster* sp., *Phacelia alba*.

Elevation: 7950 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448125, N4187150

K. Decker &amp; G. Doyle KD03-25c

7/15/2003

Colorado Natural Heritage Program

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Betulaceae

*Betula occidentalis* Hook.

Great Sand Dunes National Monument, Sand Creek bank.

With: *Populus angustifolia*, *Juniperus scopulorum*, *Rosa* sp.

Elevation: 8090 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448707, N4188206

K. Decker & G. Doyle KD03-26a

7/15/2003

**Colorado Natural Heritage Program**

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Juncaceae

*Juncus bufonius* L.

Great Sand Dunes National Monument, Sand Creek Trail. Below stock pond, on road, wet soil.

With: *Muhlenbergia andina*, *Cerastium fontanum*.

Elevation: 8110 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448652, N4188442

K. Decker & G. Doyle KD03-28c

7/15/2003

**Colorado Natural Heritage Program**

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Liliaceae  
*Calochortus gunnisonii* S. Wats.

Great Sand Dunes Preserve, Medano Pass Road, below campsite 0.2. Roadside, aspen understory.

With: *Rosa woodsii*, *Symphoricarpos*, *Thermopsis*, *Prunus*, graminoids.

Elevation: 8600 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0456664, N4183984

K. Decker & G. Doyle KD03-29a

7/16/2003

**Colorado Natural Heritage Program**

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Lamiaceae  
*Stachys pilosa* Nutt.

*var. pilosa*

Great Sand Dunes Preserve, Medano Pass Road, below campsite 0.2. Roadside, aspen understory.

With: *Rosa woodsii*, *Symphoricarpos*, *Thermopsis*, *Prunus*, graminoids.

Elevation: 8600 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0456664, N4183984

K. Decker & G. Doyle KD03-29b

7/16/2003

**Colorado Natural Heritage Program**

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Geraniaceae  
*Geranium richardsonii* Fisch. & Trautv.

Great Sand Dunes Preserve, Medano Pass Road at Ford #5.

With: *Populus tremuloides*, *Salix exigua*, *Poa pratensis*, *Equisetum arvense*, *Bromus anomalus*.

Elevation: 8820 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458336, N4184850

K. Decker & G. Doyle KD03-30a

7/16/2003

**Colorado Natural Heritage Program**

## **Plants of Colorado**

### **Saguache County**

Det. by: G. Doyle

Ranunculaceae  
*Clematis hirsutissima* Pursh

*var. scottii* (Porter) Erickson

Great Sand Dunes Preserve, Medano Pass Road at site 3.2. Meadow, scattered aspen, mostly brome.

With: *Hesperostipa comata*, *Chaenactis douglasii*, *Koeleria macrantha*, *Penstemon virgatus*, *Rumex acetosella*.

Elevation: 9230 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459956, N4186427

K. Decker & G. Doyle KD03-31a

7/16/2003

**Colorado Natural Heritage Program**

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Polygonaceae

***Rumex acetosella* L.**

Great Sand Dunes Preserve, Medano Pass Road at site 32.

With: *Hesperostipa comata*, *Clematis hirsutissima*, *Chaenactis douglasii*,  
*Koeleria macrantha*, *Penstemon virgatus*.

Elevation: 9230 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459956, N4186427

K. Decker &amp; G. Doyle KD03-31e

7/16/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Vaccinium myrtillus* L.**var. *oreophilum* (Rydb.) Dorn

Great Sand Dunes Preserve, Medano Lake Trail. Trailside.

With: *Picea engelmannii*.

Elevation: 11200 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458093, N4190210

K. Decker &amp; G. Doyle KD03-32a

7/17/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

***Antennaria rosea* Greene**

Great Sand Dunes Preserve, Medano Lake, north shore. Dry slope.

With: *Salix brachycarpa*, *Festuca thurberi*, *Carex elynoides*, *C. arapahoensis*,  
*Agoseris aurantiaca*.

Elevation: 11570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457425, N4189831

K. Decker &amp; G. Doyle KD03-33c

7/17/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Phacelia heterophylla* Pursh**Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of  
trail. Dry slope, Engelmann spruce nearby, mixed grasses.With: *Vaccinium* sp.

Flower color: white

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457567, N4190084

K. Decker &amp; G. Doyle KD03-35a

7/17/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Rosaceae

***Sibbaldia procumbens* L.**Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of  
trail. Steep slope below granite outcrop with seeps.With: *Senecio triangularis*, *Phleum alpinum*, *Juncus*, *Verbascum*, *Carex*  
*scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36a

7/17/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Trollius laxus* Salisb.**ssp. *albiflorus* (Gray) A. & D. Löve &  
KapoorGreat Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of  
trail. Steep slope below granite outcrop with seeps, in spruce shade.With: *Senecio triangularis*, *Phleum commutatum*, *Juncus*, *Verbascum*, *Carex*  
*scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36f

7/17/2003

[Colorado Natural Heritage Program](#)

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Ranunculaceae

*Ranunculus eschscholtzii* Schlecht.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps, in spruce shade. Sepals and petals different from each other.

With: *Senecio triangularis*, *Phleum commutatum*, *Juncus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Flower color: waxy yellow

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36g

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Onagraceae

*Chamerion angustifolium* (L.) Holub

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Dry, sunny slope. Krummholz.

With: *Picea engelmannii*, *Vaccinium*.

Elevation: 11480 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457770, N4190559

K. Decker &amp; G. Doyle KD03-37a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Polygonaceae

*Oxyria digyna* (L.) Hill

Great Sand Dunes Preserve, Medano Lake Trail. East facing, mesic.

With: *Calamagrostis canadensis*, *Deschampsia caespitosa*, *Bistorta*.

Elevation: 11250 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457770, N4190559

K. Decker &amp; G. Doyle KD03-38e

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

*Antennaria media* Greene

Great Sand Dunes Preserve, Medano Lake Trail. Avalanche area below the lake, north-facing slope, rocky and open.

With: *Viola labradorica*, *Ranunculus macauleyi*, *Minuartia obtusiloba*.

Elevation: 11330 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457899, N4190106

K. Decker &amp; G. Doyle KD03-39a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Violaceae

*Viola labradorica* Schrank

Great Sand Dunes Preserve, Medano Lake Trail. Avalanche area below the lake, north-facing slope, rocky and open.

With: *Antennaria media*, *Ranunculus macauleyi*, *Minuartia obtusiloba*.

Elevation: 11330 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457899, N4190106

K. Decker &amp; G. Doyle KD03-39b

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Ranunculaceae

*Ranunculus macauleyi* Gray

Great Sand Dunes Preserve, Medano Lake Trail. Avalanche area below the lake, north-facing slope, rocky and open.

With: *Antennaria media*, *Viola labradorica*, *Minuartia obtusiloba*.

Elevation: 11330 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457899, N4190106

K. Decker &amp; G. Doyle KD03-39c

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Minuartia obtusiloba* (Rydb.) House

Great Sand Dunes Preserve, Medano Lake Trail. Avalanche area below the lake, north-facing slope, rocky and open.

With: *Antennaria media*, *Viola labradorica*, *Ranunculus macauleyi*.

Elevation: 11330 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457899, N4190106

K. Decker & G. Doyle KD03-39d

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Veratrum tenuipetalum* Heller

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Moist meadow, aspen woodland.

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40a

7/18/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Collomia linearis* Nutt.

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Dry meadow. Five petals, tubular flowers.

With: *Astragalus alpinus*, *Lupinus argenteus*, *Festuca saximontana*, *Potentilla hippiana*.

Flower color: purple

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40b

7/18/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Astragalus alpinus* L.

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Low growing, mat forming, in dry meadow. White flowers with purple on keel and top, black hairs on pods.

With: *Collomia linearis*, *Festuca saximontana*, *Potentilla hippiana*, *Lupinus argenteus*.

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40c

7/18/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Lupinus argenteus* Pursh

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6.

With: *Collomia linearis*, *Festuca saximontana*, *Potentilla hippiana*, *Astragalus alpinus*.

Flower color: White tinged with purple

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40e

7/18/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

#### *Polygonum douglasii* Greene

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Five white petals, weedy.

With: *Festuca saximontana*, *Potentilla hippiana*, *Astragalus alpinus*, *Lupinus argenteus*.

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40g

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Cardaria pubescens* (C.A. Mey.) Jarmolenko**Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.1.  
Roadside.With: *Oxytropis sericea*.

Elevation: 9610 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461794, N4188808

K. Decker &amp; G. Doyle KD03-41a

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Oxytropis sericea* Nutt.**Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.1.  
Roadside.With: *Cardaria pubescens*.

Elevation: 9610 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461794, N4188808

K. Decker &amp; G. Doyle KD03-41b

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Muhlenbergia montana* (Nutt.) A.S. Hitchc.**

Great Sand Dunes Preserve, Medano Pass Road. Open, sunny roadside.

With: *Populus tremuloides*, *Pinus flexilis*, *Pascopyrum smithii*, *Heterotheca villosa*, *Penstemon*, *Oxytropis sericea*, *Danthonia parryi*.

Elevation: 9410 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461145, N4187245

K. Decker &amp; G. Doyle KD03-42b

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Mirabilis linearis* (Pursh) Heimerl**

Great Sand Dunes Preserve, Sawmill Creek Canyon. Rocky, south-facing slope.

With: *Stipa*, *Monarda pectinata*, *Heterotheca villosa*, *Cercocarpus*.

Elevation: 8570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0456377, N41787135

K. Decker KD03-43a

7/19/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Parnassia fimbriata* Koenig**

Great Sand Dunes Preserve, Music Pass Trail. Sand Creek drainage.

Elevation: 11080 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454954, N41982075

K. Decker &amp; D. G. Anderson KD03-46a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Pseudocymopterus montanus* (Gray) Coulter. & Rose**

Great Sand Dunes Preserve, Music Pass Trail. Sand Creek drainage.

With: *Danthonia intermedia*, *Potentilla pulcherrima*, *Astragalus alpinus*.

Elevation: 11080 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454174, N4198524

K. Decker &amp; D. G. Anderson KD03-47a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Apiaceae

*Osmorrhiza depauperata* Phil.

Great Sand Dunes Preserve, Lower Sand Creek Lake Trail.

With: *Senecio amplectens*, *Erigeron coulteri*.

Elevation: 11100 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454035, N4198409

K. Decker &amp; D. G. Anderson KD03-48b

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Pteridaceae

*Cryptogramma acrostichoides* R. Br.

Great Sand Dunes Preserve, Lower Sand Creek Lake, southwest side. Talus slope.

With: *Cirsium scopulorum*, *Cystopteris fragilis*.

Elevation: 11580 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453180, N4197595

K. Decker &amp; D. G. Anderson KD03-50a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Caryophyllaceae

*Minuartia obtusiloba* (Rydb.) Hou

Great Sand Dunes Preserve, ridge north of Music Pass. Rocky, open slope.

With: *Pinus aristata*, *Lupinus*, *Heterotheca villosa*, *Antennaria*.

Elevation: 11610 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455437, N4198339

K. Decker &amp; D. G. Anderson KD03-53a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Fabaceae

*Trifolium attenuatum* Greene

Great Sand Dunes Preserve, ridge north of Music Pass. Rocky open slope in bristlecone.

With: *Campanula*, *Frasera*, *Dasiphora floribunda*, *Heterotheca villosa*.

Elevation: 12210 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455236, N4198748

K. Decker &amp; D. G. Anderson KD03-54a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Crassulaceae

*Rhodiola integrifolia* Raf.

Great Sand Dunes Preserve, ridge north of Music Pass. West-facing talus slope below ridge.

With: *Arenaria fendleri*, *Castilleja haydenii*, *Poa glauca*.

Elevation: 12440 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455146, N4198884

K. Decker &amp; D. G. Anderson KD03-55a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Caryophyllaceae

*Arenaria fendleri* Grayvar. *fendleri*

Great Sand Dunes Preserve, ridge north of Music Pass. West-facing talus slope below ridge.

With: *Rhodiola integrifolia*, *Castilleja haydenii*, *Poa glauca*.

Elevation: 12440 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455146, N4198884

K. Decker &amp; D. G. Anderson KD03-55b

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado****Saguache County**

Caryophyllaceae Det. by: G. Doyle

*Silene acaulis* (L.) Jacqvar. *subacaulescens* (F.N. Williams) Fern.  
& St. John

Great Sand Dunes Preserve, ridge north of Music Pass. Boulder field below ridge.

With: *Tonestus pygmaeus*, *Erigeron pinnatisectus*, *Trifolium dasypodium*,  
*Geum rossii*.

Elevation: 12670 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454808, N4199091

K. Decker &amp; D. G. Anderson KD03-56d

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Caryophyllaceae Det. by: G. Doyle

*Minuartia obtusiloba* (Rydb.) House

Great Sand Dunes Preserve, ridge north of Music Pass. Fellfield community below ridge.

With: *Potentilla subjugata*, *Trifolium dasypodium*, *Pedicularis parryi*.

Elevation: 12700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454765, N4199158

K. Decker &amp; D. G. Anderson KD03-57b

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Scrophulariaceae Det. by: G. Doyle

*Pedicularis parryi* Gray

Great Sand Dunes Preserve, ridge north of Music Pass Ridge. Fellfield community below ridge.

With: *Potentilla subjugata*, *Minuartia obtusiloba*, *Trifolium dasypodium*.

Flower color: yellow

Elevation: 12700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454765, N4199158

K. Decker &amp; D. G. Anderson KD03-57d

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Rosaceae Det. by: G. Doyle

*Geum rossii* (R. Br.) Ser.var. *turbinatum* (Rydb.) C.L. Hitchc.

Great Sand Dunes Preserve, ridge north of Music Pass. Boulder field below ridge.

With: *Tonestus pygmaeus*, *Erigeron pinnatisectus*, *Trifolium dasypodium*,  
*Silene acaulis*.

Elevation: 12670 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454808, N4199091

K. Decker &amp; D. G. Anderson KD03-56e

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Fabaceae Det. by: G. Doyle

*Trifolium dasypodium* Torr. & Gray

Great Sand Dunes Preserve, ridge north of Music Pass Ridge. Fellfield community below ridge.

With: *Potentilla subjugata*, *Minuartia obtusiloba*, *Pedicularis parryi*.

Elevation: 12700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454765, N4199158

K. Decker &amp; D. G. Anderson KD03-57c

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Custer County**

Rosaceae Det. by: G. Doyle

*Dryas octopetala* L.ssp. *hookeriana* (Juz.) Hultén

Great Sand Dunes Preserve, ridge north of Music Pass Ridge. Ridge top, growing in rock hollows, mostly on east side but on top in some places.

Elevation: 12710 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454927, N4199014

K. Decker &amp; D. G. Anderson KD03-58a

8/13/2003

**Colorado Natural Heritage Program**

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Anaphalis margaritacea* (L.) Benth.

Great Sand Dunes Preserve, ridge north of Music Pass Ridge. Open bristlecone stand, rocky, disturbed by rodents.

With: *Bromus ciliatus*, *Erigeron eximius*.

Elevation: 11700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455440, N4198426

K. Decker & D. G. Anderson KD03-60a

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Apiaceae

*Oreoxis bakeri* Coulter. & Rose

Great Sand Dunes Preserve, ridge north of Music Pass Ridge. Open gravelly slope in downed wood, locally abundant, mat-forming, strong smell of parsley.

Elevation: 11460 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455547, N4197975

K. Decker & D. G. Anderson KD03-63a

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Ericaceae

*Orthilia secunda* (L.) House

Great Sand Dunes Preserve, Medano Creek above trailhead. Spruce-fir understory near Medano Creek, mostly non-vegetated forest floor with heavy duff of needles and twigs.

With: *Amica cordifolia*, *Osmorhiza*, *Erigeron*, *Cinna latifolia*, *Trisetum spicatum*.

Elevation: 9540 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461499, N4189366

K. Decker & D. G. Anderson KD03-64a

8/14/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Polygonaceae

*Polygonum arenastrum* Jord. ex Boreau

Great Sand Dunes Preserve, Medano Lake trailhead. In road and parking area.

Elevation: 9680 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461580, N4189286

K. Decker & D. G. Anderson KD03-66a

8/14/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Brassicaceae

*Cardaria pubescens* (C.A. Mey.)

Great Sand Dunes Preserve, Medano Pass Road, above site 5.1. In fruit.

Elevation: 9610 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461794, N4188808

K. Decker & D. G. Anderson KD03-67a

8/14/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Ranunculaceae

*Delphinium ramosum* Rydb.

Great Sand Dunes Preserve, Medano Pass Road, site 4.8. Grassy, aspen understory.

With: *Senecio eremophilus*.

Flower color: blue

Elevation: 9470 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461814, N4187796

K. Decker & D. G. Anderson KD03-68a

8/14/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Poaceae

*Thinopyrum intermedium* (Host) Barkworth & D.R. Dewey

Great Sand Dunes Preserve, Medano Pass Road, near old homestead. Roadside.

With: *Bromus inermis*.

Elevation: 9370 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460815, N4186995

K. Decker & D. G. Anderson KD03-71a

8/14/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Typhaceae

*Typha latifolia* L.

Great Sand Dunes National Monument, near picnic area at dunes. Near parking lot and temporary Visitors Center.

With: *Muhlenbergia asperifolia*, *Cyperus squarrosus*, *M. andina*.

Elevation: 8070 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0454285, N4186627

K. Decker & D. G. Anderson KD03-73a

8/15/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae

*Carex praegracilis* W. Boott

Medano Ranch, between Little Spring and ranch house. On two-track road.

With: *Sarcobatus vermiculatus*, *Ericameria nauseosa*, *Distichlis spicata*, *Sporobolus airoides*, *Spartina gracilis*.

Elevation: 7630 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0443847, N4174475

K. Decker & G. Doyle KD03-04c

6/09/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Cyperaceae *Eleocharis palustris* (L.) Roemer & J.A. Schultes

Medano Ranch, Big Spring Creek at Indian Spring. Dominant, 2 styles.

With: *Puccinellia nuttalliana*, *Carex simulata*, *Hutchinsia procumbens*, *Glaux maritima*.

Elevation: 7710 ft.

USGS Quadrangle: Sand Camp

UTM: Zone 13, E0444910, N4179863

K. Decker & G. Doyle KD03-05a

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Cyperaceae

*Carex simulata* Mackenzie

Medano Ranch, Big Spring Creek at Indian Spring.

With: *Eleocharis palustris*, *Schoenoplectus pungens*, *Puccinellia nuttalliana*, *Hutchinsia procumbens*, *Glaux maritima*.

Elevation: 7710 ft.

USGS Quadrangle: Sand Camp

UTM: Zone 13, E0444910, N4179863

K. Decker & G. Doyle KD03-05c

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Portulacaceae *Claytonia lanceolata* Pall. ex Pursh

Great Sand Dunes Preserve, Mosca Pass summit, boundary sign. Aspen woodland, grassy understory.

With: *Antennaria rosea*.

Elevation: 9710 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459727, N4175939

K. Decker & G. Doyle KD03-06a

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Asteraceae

*Packera tridenticulata* (Rydb.) W.A. Weber & A. Löve

Great Sand Dunes Preserve, Mosca Pass Trail. Meadow in aspen, mixed conifer, south-facing slope.

With: *Poa*, *Taraxacum*, *Phlox gracilis*, *Salix*, *Erigeron flagellaris*, *Poa fendleriana*, *Arabis ×divaricarpa*.

Flower color: Yellow

Elevation: 9640

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459458, N4175816

K. Decker & G. Doyle KD03-07b

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Fabaceae

*Thermopsis divaricarpa* A. Nels.

Great Sand Dunes National Monument, Medano Creek below first crossing. Creekside, near old cabins at first crossing, pods straight.

With: *Maianthemum stellatum*, *Carex occidentalis*, *Poa*, *Salix exigua*.

Elevation: 8510 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0445442, N4182993

K. Decker & G. Doyle KD03-15a

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Asteraceae

*Erigeron flagellaris* Gray

Great Sand Dunes Preserve, Mosca Pass Trail. Meadow in aspen, mixed conifer, south-facing slope.

With: *Poa*, *Taraxacum*, *Phlox gracilis*, *Packera tridenticulata*, *Salix*, *Poa fendleriana*, *Arabis divaricarpa*.

Flower color: white

Elevation: 9640

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459458, N4175816

K. Decker & G. Doyle KD03-07d

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Cyperaceae

*Carex occidentalis* Bailey

Cyperaceae

Plants of Colorado

Saguache County

Det. by: G. Doyle

*Carex occidentalis* Bailey

Great Sand Dunes National Monument, Medano Creek below first crossing. Creekside, near old cabins at first crossing.

With: *Thermopsis divaricarpa*, *Maianthemum stellatum*, *Poa*, *Salix exigua*.

Elevation: 8510 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0445442, N4182993

K. Decker & G. Doyle KD03-15b

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae

*Carex simulata* Mackenzie

Medano Ranch, Little Spring Creek Road at old corral. Wet meadow within corral, creek meandering through, essentially untrampled compared to outside fence.

With: *Catabrosa aquatica*, *Calamagrostis stricta*, *Mimulus*, *Rorippa nasturtium-aquaticum*.

Elevation: 7640 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0442859, N4174039

K. Decker & G. Doyle KD03-17d

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

*Eleocharis acicularis* (L.) Roemer & J.A. Schultes

Medano Ranch, Big Spring Creek meanders in *Juncus*/*Carex* meadow.

With: *Stuckenia pectinatus*, *Ranunculus trichophyllus*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0441375, N4176382

K. Decker & G. Doyle KD03-19c

6/11/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Erigeron subtrinervis* Rydb. ex Porter & Britt.

Great Sand Dunes National Monument, Sand Creek Trail.

With: *Populus tremuloides*, *Populus angustifolia*, *Juniperus scopulorum*.

Flower color: Purple rays

Elevation: 8250 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0449821, N4189273

K. Decker & G. Doyle KD03-27a

7/15/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Chaenactis douglasii* (Hook.) Hook. & Arn.

Great Sand Dunes Preserve, Medano Pass Road at site 3.2. Meadow, scattered aspens, mostly brome. White/cream disk flowers - no ray flowers.

With: *Hesperostipa comata*, *Clematis hirsutissima*, *Koeleria macrantha*, *Penstemon unilateralis*, *Rumex acetosella*.

Elevation: 9230 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459956, N4186427

K. Decker & G. Doyle KD03-31b

7/16/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Scrophulariaceae

*Penstemon unilateralis* Rydb.

Great Sand Dunes Preserve, Medano Pass Road at site 3.2. Meadow, scattered aspens, mostly brome.

With: *Hesperostipa comata*, *Clematis hirsutissima*, *Chaenactis douglasii*, *Koeleria macrantha*, *Rumex acetosella*.

Elevation: 9230 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459956, N4186427

K. Decker & G. Doyle KD03-31d

7/16/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Agoseris aurantiaca* (Hook.) Greene

Great Sand Dunes Preserve, Medano Lake, north shore. Dry slope.

With: *Salix brachycarpa*, *Festuca thurberi*, *Carex elynoides*, *C. arapahoensis*, *Antennaria rosea*.

Elevation: 11570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457425, N4189831

K. Decker & G. Doyle KD03-33d

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Cyperaceae

*Carex arapahoensis* Clokey

Great Sand Dunes Preserve, Medano Lake, north shore. Dry slope. Tufted.

With: *Salix brachycarpa*, *Festuca thurberi*, *Carex elynoides*, *Antennaria rosea*, *Agoseris aurantiaca*.

Elevation: 11570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457425, N4189831

K. Decker & G. Doyle KD03-33e

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Eriigeron flagellaris* Gray

Great Sand Dunes Preserve, ridge north of Music Pass.

Elevation: 11650 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455440, N4198385

K. Decker & D. G. Anderson KD03-61a

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

Asteraceae

*Erigeron peregrinus* (Banks ex Pursh) Greene

ssp. *callianthemus* (Greene) Cronq.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps.

With: *Senecio triangularis*, *Phleum alpinum*, *Juncus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Flower color: Purple rays/yellow disks

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker & G. Doyle KD03-36d

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

Rosaceae

*Potentilla diversifolia* Lehm.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps.

With: *Senecio triangularis*, *Phleum alpinum*, *Juncus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker & G. Doyle KD03-36i

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

Rosaceae

*Potentilla hippiana* Lehm.

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Dry meadow.

With: *Collomia linearis*, *Astragalus alpinus*, *Festuca*, *Lupinus argenteus*, *Polygonum douglasii*, *Agoseris glauca*.

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40f

7/18/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

*Arnica mollis* Hook.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps.

With: *Senecio triangularis*, *Phleum alpinum*, *Juncus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker & G. Doyle KD03-36e

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

*Carex heteroneura* W. Boott

var. *chalciolepis* (Holm) F.J. Herm.

Great Sand Dunes Preserve, Medano Lake Trail. East-facing, mesic.

With: *Calamagrostis canadensis*, *Deschampsia caespitosa*, *Polygonum*.

Elevation: 11250 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457770, N4190559

K. Decker & G. Doyle KD03-38b

7/17/2003

Colorado Natural Heritage Program

## Plants of Colorado

### Saguache County

Det. by: G. Doyle

*Agoseris glauca* (Pursh) Raf.

var. *dasycephala* (Torr. & Gray) Jepson

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6. Sunny, open meadow, gravelly.

With: *Collomia linearis*, *Veratrum tenuipetalum*, *Astragalus alpinus*, *Festuca*, *Lupinus argenteus*, *Polygonum douglasii*, *Potentilla hippiana*.

Flower color: yellow

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker & G. Doyle KD03-40h

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado****Saguache County**

Det. by: G. Doyle

Fabaceae

*Oxytropis sericea* Nutt. Xform. *O. lamberii* PurshGreat Sand Dunes Preserve, Medano Pass Road. Open, sunny roadside. Tall stature of *O. sericea*, flower color of *O. lameritii* (purple).With: *Populus tremuloides*, *Pinus flexilis*, *Pascopyrum smithii*, *Heterotheca villosa*, *Penstemon*, *Muhlenbergia montana*, *Danthonia parryi*.

Elevation: 9410 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461145, N4187247

K. Decker &amp; G. Doyle KD03-42a

7/18/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

*Senecio pudicus* Greene

Great Sand Dunes Preserve, Sawmill Creek Canyon. Near stream, but dry understory.

With: *Abies concolor*, *Holodiscus*, *Jamesia*.

Elevation: 8780 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0456895, N4178675

K. Decker KD03-44a

7/19/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

Polygonaceae

*Polygonum polycaloides* Wallich ex Meissn.

Great Sand Dunes Preserve, ridge north of Music Pass. On ridge in bristlecone stand, rocky.

With: *Lupinus*, *Vaccinium*.

Elevation: 11830 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455398, N455398

K. Decker &amp; D. G. Anderson KD03-59a

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

*Arenaria lanuginosa* (Michx.) Rohrb.ssp. *saxosa* (Gray) Maguire

Great Sand Dunes Preserve, ridge north of Music Pass. On ridge in bristlecone stand, rocky.

With: *Lupinus*, *Vaccinium*.

Elevation: 11830 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455398, N455398

K. Decker &amp; D. G. Anderson KD03-59b

8/13/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

Asteraceae

*Senecio eremophilus* Richards.var. *kingii* (Rydb.) Greenm.

Great Sand Dunes Preserve, Medano Pass Road, site 4.8. Grassy, aspen understory.

With: *Delphinium ramosum*.

Flower color: yellow

Elevation: 9470 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461814, N4187796

K. Decker &amp; D. G. Anderson KD03-68b

8/14/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

*Artemisia dracunculus* L.

Great Sand Dunes National Preserve, Medano Pass Road, roadside at Campsite 1.8.

Elevation: 8840 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458434, N4184891

K. Decker &amp; D. G. Anderson KD03-72a

8/14/2003

**Colorado Natural Heritage Program**

## Plants of Colorado

Alamosa County

Det. by: G. Doyle

Cyperaceae

*Cyperus squarrosus* L.

Great Sand Dunes National Monument, near picnic area at dunes. Near parking lot and temporary Visitors Center. Annual.

With: *Typha latifolia*, *Muhlenbergia asperifolia*, *M. andina*.

Elevation: 8070 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0454285, N4176627

K. Decker & D. G. Anderson KD03-73c

8/15/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: J. Wingate

Poaceae

*Pascopyrum smithii* (Rydb.) A. Löve

Medano Ranch, Little Springs wetlands. Interdunal wetland, common.

With: *Schoenoplectus acutus*, *S. lacustris*, *Eleocharis palustris*, *Distichlis spicata*.

Elevation: 7690 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445087, N4174862

K. Decker & G. Doyle KD03-01d

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Puccinellia nuttalliana* (J.A. Schultes) A.S. Hitchc.

Medano Ranch, Big Spring Creek at Indian Spring.

With: *Eleocharis palustris*, *Carex simulata*, *Hutchinsia procumbens*, *Glaux maritima*, *Schoenoplectus pungens*.

Elevation: 7710 ft.

USGS Quadrangle: Sand Camp

UTM: Zone 13, E0444910, N4179863

K. Decker & G. Doyle KD03-05b

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: W. Weber

Brassicaceae

*Hutchinsia procumbens* (L.) Desv.

Medano Ranch, Big Spring Creek at Indian Spring.

With: *Eleocharis palustris*, *Puccinellia nuttalliana*, *Carex simulata*, *Glaux maritima*, *Schoenoplectus pungens*.

Flower color: white

Elevation: 7710 ft.

USGS Quadrangle: Sand Camp

UTM: Zone 13, E0444910, N4179863

K. Decker & G. Doyle KD03-05d

6/9/2003

Colorado Natural Heritage Program

## Plants of Colorado

Alamosa County

Det. by: G. Kittel

Salicaceae

*Salix ligulifolia* (Ball) Ball ex Schneid.

Great Sand Dunes Preserve, Mosca Pass Trail. Meadow in aspen/mixed conifer. South-facing slope.

With: *Poa*, *Taraxacum*, *Phlox gracilis*, *Packera tridenticulata*, *Erigeron flagellaris*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459458, N4175816

K. Decker & G. Doyle KD03-07c

6/10/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Rosaceae

*Potentilla pulcherrima* Lehm.

Great Sand Dunes Preserve, Music Pass Trail. Sand Creek drainage.

With: *Pseudocymopterus montanus*, *Danthonia intermedia*, *Astragalus alpinus*

Elevation: 11080 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454174, N4198524

K. Decker & D. G. Anderson KD03-47c

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

***Senecio amplectens* Gray****var. *amplectens***

Great Sand Dunes Preserve, Lower Sand Creek Lake Trail.

With: *Osmorrhiza depauperata*, *Erigeron coulteri*.

Elevation: 11100 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454035, N4198409

K. Decker &amp; D. G. Anderson KD03-48a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Erigeron coulteri* Porter**

Great Sand Dunes Preserve, Lower Sand Creek Lake Trail.

With: *Osmorrhiza depauperata*, *Senecio amplectens*.

Elevation: 11100 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454035, N4198409

K. Decker &amp; D. G. Anderson KD03-48c

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Cyperaceae

***Carex scopulorum* Holm**

Great Sand Dunes Preserve, Lower Sand Creek Lake - south side. Spruce fir understory. Rhizomatous.

With: *Juncus drummondii*, *Calamagrostis canadensis*, *Vaccinium myrtillus*.

Elevation: 11170 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453323, N4197852

K. Decker &amp; D. G. Anderson KD03-49a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Cirsium scopulorum* (Greene) Cockerell ex Daniels**

Great Sand Dunes Preserve, Lower Sand Creek Lake, southwest side. Talus slope.

With: *Cryptogramma acrostichoides*, *Cystopteris fragilis*.

Elevation: 11580 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453180, N4197595

K. Decker &amp; D. G. Anderson KD03-50c

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

***Packera fendleri* (Gray) W.A. Weber & A. Löve**

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass.

With: *Agrostis exarata*, *Senecio bigelovii*, *Sympyotrichum foliaceum*, *Juncus saximontanus*, *Artemesia franserioides*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker &amp; D. G. Anderson KD03-52b

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Senecio bigelovii* Gray****var. *hallii* Gray**

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass.

With: *Agrostis exarata*, *Packera fendleri*, *Sympyotrichum foliaceum*, *Juncus saximontanus*, *Artemesia franserioides*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker &amp; D. G. Anderson KD03-52c

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Symphyotrichum foliaceum* (DC.) Nesom

var. *apricum* (Gray) Nesom

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass. Rays white with purple tinge, center yellow.

With: *Agrostis exarata*, *Packera fendleri*, *Senecio bigelovii*, *Juncus saximontanus*, *Artemisia franserioides*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker & D. G. Anderson KD03-52d

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Artemisia franserioides* Greene

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass.

With: *Agrostis exarata*, *Packera fendleri*, *Senecio bigelovii*, *Symphyotrichum foliaceum*, *Juncus saximontanus*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker & D. G. Anderson KD03-52f

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Scrophulariaceae

*Castilleja haydenii* (Gray) Cockerell

Great Sand Dunes Preserve, ridge north of Music Pass. West-facing talus slope below ridge.

With: *Rhodiola integrifolia*, *Arenaria fendleri*, *Poa glauca*.

Elevation: 12440 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455146, N4198884

K. Decker & D. G. Anderson KD03-55c

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Danthonia intermedia* Vasey

Great Sand Dunes Preserve, Music Pass Trail. Sand Creek drainage.

With: *Pseudocymopterus montanus*, *Astragalus alpinus*, *Potentilla pulcherrima*.

Elevation: 11080 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454174, N4198524

K. Decker & D.G. Anderson KD03-47b

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Juncaceae

*Juncus drummondii* E. Mey.

Great Sand Dunes Preserve, Lower Sand Creek Lake - south side. Spruce fir understory.

With: *Carex scopulorum*, *Calamagrostis canadensis*, *Vaccinium myrtillus*.

Elevation: 11170 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453323, N4197852

K. Decker & D.G. Anderson KD03-49b

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Dryopteridaceae

*Cystopteris fragilis* (L.) Bernh.

Great Sand Dunes Preserve, Lower Sand Creek Lake, southwest side. Talus slope.

With: *Cryptogramma acrostichoides*, *Cirsium scopulorum*.

Elevation: 11580 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453180, N4197595

K. Decker & D.G. Anderson KD03-50b

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Agrostis exarata* Trin.

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass.

With: *Packera fendleri*, *Senecio bigelovii*, *Symphyotrichum foliacium*, *Juncus saximontanus*, *Artemisia franserioides*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker & D.G. Anderson KD03-52a

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Juncaceae

*Juncus saximontanus* A. Nels.

Great Sand Dunes Preserve, Music Pass Trail. Seep below Music Pass.

With: *Agrostis exarata*, *Packera fendleri*, *Senecio bigelovii*, *Symphyotrichum foliacium*, *Artemisia franserioides*.

Elevation: 11200 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455290, N4198058

K. Decker & D.G. Anderson KD03-52e

8/12/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Poa glauca* Vahl

ssp. *rupicola* (Nash ex Rydb.) W.A. Weber

Great Sand Dunes Preserve, ridge north of Music Pass. West-facing talus slope below ridge.

With: *Rhodiola integrifolia*, *Arenaria fendleri*, *Castilleja haydenii*.

Elevation: 12440 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455146, N4198884

K. Decker & D.G. Anderson KD03-55d

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Bromus ciliatus* L.

Great Sand Dunes Preserve, ridge north of Music Pass. Open bristlecone stand, rocky, disturbed by rodents.

With: *Anaphalis margaritacea*, *Erigeron eximius*.

Elevation: 11700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455440, N4198426

K. Decker & D.G. Anderson KD03-60b

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: G. Doyle

Asteraceae

*Erigeron eximius* Greene

Great Sand Dunes Preserve, ridge north of Music Pass. Open bristlecone stand, rocky, disturbed by rodents. Tall forb.

With: *Anaphalis margaritacea*, *Bromus ciliatus*.

Elevation: 11700 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455440, N4198426

K. Decker & D.G. Anderson KD03-60c

8/13/2003

Colorado Natural Heritage Program

## Plants of Colorado

Saguache County

Det. by: J. Wingate

Poaceae

*Calamagrostis purpurascens* R. Br.

Great Sand Dunes Preserve, ridge north of Music Pass. West-facing, sunny, rocky.

With: *Minuartia*.

Elevation: 11500 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0455445, N4198187

K. Decker & D.G. Anderson KD03-62a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Cinna latifolia* (Trev. ex Goepp.) Griseb.

Great Sand Dunes Preserve, Medano Creek above trailhead. Spruce-fir understory near Medano Creek, mostly non-vegetated forest floor with heavy duff of needles and twigs.

With: *Amica cordifolia*, *Osmorhiza*, *Erigeron*, *Trisetum spicatum*.

Elevation: 9540 ft.

USGS Quadrangle: Medano Peak

UTM: Zone 13, E0461499, N4189366

K. Decker &amp; D.G. Anderson KD03-64b

8/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Trisetum spicatum* (L.) Richter

Great Sand Dunes Preserve, Medano Creek above trailhead. Spruce-fir understory near Medano Creek, mostly non-vegetative forest floor with heavy duff of needles and twigs.

With: *Amica cordifolia*, *Osmorhiza*, *Erigeron*.

Elevation: 9540 ft.

USGS Quadrangle: Medano Peak

UTM: Zone 13, E0461499, N4189366

K. Decker &amp; D.G. Anderson KD03-64c

8/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Elymus glaucus* Buckl.

Great Sand Dunes Preserve, Medano Creek above trailhead. Aspen understory.

With: *Heracleum*, *Equisetum arvense*, *Geum macrophyllum*.

Elevation: 9730 ft.

USGS Quadrangle: Medano Peak

UTM: Zone 13, E0461474, N4189358

K. Decker &amp; D.G. Anderson KD03-65a

8/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Achnatherum robustum* (Vasey) Barkworth

Great Sand Dunes Preserve, Medano Pass Road. Aspen understory.

With: *Heracleum*, *Equisetum arvense*, *Geum macrophyllum*.

Elevation: 9390 ft.

USGS Quadrangle: Medano Peak

UTM: Zone 13, E0461558, N4187566

K. Decker &amp; D.G. Anderson KD03-69a

8/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

Poaceae

*Muhlenbergia asperifolia* (Nees & Meyen ex Trin.) Parodi

Great Sand Dunes National Monument, near picnic area at dunes. Near parking lot and temporary Visitors Center.

With: *Typha latifolia*, *Cyperus squarrosus*, *Muhlenbergia asperifolia*.

Elevation: 8070 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0454285, N4176627

K. Decker &amp; D.G. Anderson KD03-73b

8/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

*Muhlenbergia andina* (Nutt.) A.S. Hitchc.

Great Sand Dunes National Monument, near picnic area at dunes. Near parking lot and temporary Visitors Center.

With: *Typha latifolia*, *Cyperus squarrosus*, *Muhlenbergia asperifolia*.

Elevation: 8070 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0454285, N4176627

K. Decker &amp; D.G. Anderson KD03-73d

8/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Juncaceae

*Juncus longistylis* Torr.

Great Sand Dunes National Monument, Sand Creek Ranger Station.  
Floodplain of Sand Creek with sparse cottonwood. Six stamens.

With: *Populus angustifolia*, *Juniperus scopulorum*, *Rosa woodsii*,  
*Muhlenbergia asperifolia*, *Equisetum arvense*.

Elevation: 7920 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447537, N4186916

G. Doyle &amp; K. Decker GD03-01a

7/14/03

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

*Senecio spartioides* Torr. & Grayvar. *multiplicatus* (Greenm. ex Rydb.)

Welsh

Great Sand Dunes National Monument, sand hills near Sand Creek Ranger Station. Two foot high shrub, yellow ray and disk flowers, few (generally 4) ray flowers, some notched at tip with 3 lobes. Common.

With: *Achnatherum hymenoides*, *Psoralidium lanceolatum*, *Cryptantha cinerea* var. *pustulosa*, *Euphorbia brachycera*.

Elevation: 7900 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447419, N4187095

G. Doyle &amp; K. Decker GD03-02a

7/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Euphorbiaceae

*Euphorbia brachycera* Engelm.

Great Sand Dunes National Monument, near Sand Creek Ranger Station.  
Sand hills.

With: *Achnatherum hymenoides*, *Psoralidium lanceolatum*, *Cryptantha cinerea* var. *pustulosa*, *Senecio spartioides* var. *multiplicatus*.

Elevation: 7900 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447419, N4187095

G. Doyle &amp; K. Decker GD03-02b

7/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Boraginaceae

*Cryptantha cinerea* (Greene) Cronq.var. *pustulosa* (Rydb.) Higgins

Great Sand Dunes National Monument, near Sand Creek Ranger Station.  
Sand hills.

With: *Achnatherum hymenoides*, *Psoralidium lanceolatum*, *Senecio spartioides* var. *multiplicatus*.

Elevation: 7900 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447419, N4187095

G. Doyle &amp; K. Decker GD03-02c

7/14/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Scrophulariaceae

*Penstemon caespitosus* Nutt. ex Gray

Great Sand Dunes National Monument, Sand Creek Trail. Opening with conifer seedlings. Corolla purple with white throat, anther sacs glabrous.

With: *Pseudotsuga menziesii*, *Abies concolor*, *Pinus flexilis*, *Populus angustifolia*, *Androsace septentrionalis*, *Thermopsis divaricarpa*, *Packera fendleri*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450471, N4189342

G. Doyle &amp; K. Decker GD03-03a

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Fabaceae

*Thermopsis divaricarpa* A. Nels.

Great Sand Dunes National Monument, Sand Creek Trail. Opening with conifer seedlings. In fruit.

With: *Pseudotsuga menziesii*, *Abies concolor*, *Pinus flexilis*, *Populus angustifolia*, *Androsace septentrionalis*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450471, N4189342

G. Doyle &amp; K. Decker GD03-03b

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

***Packera fendleri* (Gray) W.A. Weber & A. Löve**

Great Sand Dunes National Monument, Sand Creek Trail. Opening with conifer seedlings. Yellow ray, yellow disk flowers, rays 6mm long, 5-8 ray flowers/head.

With: *Pseudotsuga menziesii*, *Abies concolor*, *Pinus flexilis*, *Populus angustifolia*, *Androsace septentrionalis*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450471, N4189342

G. Doyle &amp; K. Decker GD03-03c

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Pyrolaceae

***Pyrola asarifolia* Michx.****ssp. *asarifolia***

Great Sand Dunes National Monument, Sand Creek Trail. Creekside, shaded, beneath birch and conifers. Abundant within a 10 ft. square patch. With: *Betula occidentalis*, *Populus angustifolia*, *Cornus sericea*, *Geranium richardsonii*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450578, N4189445

G. Doyle &amp; K. Decker GD03-04b

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Apiaceae

***Oxypolis fendleri* (Gray) Heller**

Great Sand Dunes National Monument, Sand Creek Trail. Creekside, shaded, beneath birch and conifers.

With: *Geranium richardsonii*, *Betula occidentalis*, *Populus angustifolia*, *Cornus sericea*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450578, N4189445

G. Doyle &amp; K. Decker GD03-04d

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

***Festuca saximontana* Rydb.**

Great Sand Dunes National Monument, Sand Creek Trail. Opening with conifer seedlings.

With: *Pseudotsuga menziesii*, *Abies concolor*, *Pinus flexilis*, *Populus angustifolia*, *Androsace septentrionalis*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450471, N4189342

G. Doyle &amp; K. Decker GD03-03d

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

***Trisetum spicatum* (L.) Richter**

Great Sand Dunes National Monument, Sand Creek Trail. Creekside, shaded, beneath birch and conifers. Membranous ligule, awns.

With: *Betula occidentalis*, *Populus angustifolia*, *Cornus sericea*, *Geranium richardsonii*.

Elevation: 8030 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0450578, N418944

G. Doyle &amp; K. Decker GD03-04c

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

Saguache County

Det. by: G. Doyle

***Tonestus pygmaeus* (Torr. & Gray) A. Nels.**

Great Sand Dunes Preserve, ridge north of Music Pass. Boulder field below ridge.

With: *Erigeron pinnatisectus*, *Trifolium dasycyphllum*, *Silene acaulis*, *Geum rossii*.

Flower color: yellow

Elevation: 12670 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454808, N4199091

K. Decker &amp; D. G. Anderson KD03-56a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

*Erigeron pinnatisectus* (Gray) A. Nels.

Great Sand Dunes Preserve, ridge north of Music Pass. Boulder field below ridge. Dissected leaves.

With: *Tonestus pygmaeus*, *Trifolium dasypodium*, *Silene acaulis*, *Geum rossii*.

Flower color: purple

Elevation: 12670 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454808, N4199091

K. Decker &amp; D. G. Anderson KD03-56b

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Rosaceae

*Potentilla subjuga* Rydb.

Great Sand Dunes Preserve, ridge north of Music Pass. Fellfield community below ridge.

With: *Minuartia obtusiloba*, *Trifolium dasypodium*, *Pedicularis parryi*.

Elevation: 12670 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0454765, N4199158

K. Decker &amp; D. G. Anderson KD03-57a

8/13/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

Poaceae

*Poa fendleriana* (Steud.) Vasey

Great Sand Dunes Preserve, Mosca Pass Trail. Meadow in aspen/mixed conifer. South-facing slope. Bunch grass.

With: *Poa*, *Taraxacum*, *Phlox gracilis*, *Packera tridenticulata*, *Salix*, *Erigeron flagellaris*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459458, N4175816

K. Decker &amp; G. Doyle KD03-07e

6/10/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

*Erigeron vetensis* Rydb.

Great Sand Dunes Preserve, Mosca Pass Trail. Rocky meadow.

With: *Phlox gracilis*, *Besseyea plantaginea*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459372, N4175843

K. Decker &amp; G. Doyle KD03-08b

6/10/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Kittel

Salicaceae

*Salix monticola* Bebb

Great Sand Dunes Preserve, Mosca Pass Trail. Tall shrub.

With: *Salix exigua*.

Elevation: 9640 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459372, N4175843

K. Decker &amp; G. Doyle KD03-08d

6/10/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Kettel

*Salix monticola* Bebb

Great Sand Dunes Preserve, Mosca Pass Trail. Tall shrub.

With: *Populus tremuloides*, *Juniperus*.

Elevation: 9440 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0458605, N4175860

K. Decker &amp; G. Doyle KD03-10b

6/10/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

*Cyperaceae**Carex geophila* Mackenzie

Great Sand Dunes Preserve, Mosca Pass Trail. Dry.

Elevation: 9020 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0455936, N4175917

K. Decker &amp; G. Doyle KD03-14a

6/10/2003

**Colorado Natural Heritage Program****Plants of Colorado**

Alamosa County

Det. by: G. Doyle

*Caryophyllaceae**Stellaria crassifolia* Ehrh.

Medano Ranch, Little Spring Creek Road, first gate near ranch house. Ditch side.

With: *Alopecurus pratensis*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0440683, N4173994

K. Decker &amp; G. Doyle KD03-18b

6/11/2003

**Colorado Natural Heritage Program****Plants of Colorado**

Alamosa County

*Ranunculaceae*

Det. by: G. Doyle

*Ranunculus trichophyllum* Chaixvar. *trichophyllum*

Medano Ranch, Big Spring Creek meanders in Juncus/Carex meadow.

With: *Stuckenia pectinatus*, *Eleocharis acicularis*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0441375, N4176382

K. Decker &amp; G. Doyle KD03-19b

6/11/2003

**Colorado Natural Heritage Program****Plants of Colorado**

Saguache County

*Salicaceae*

Det. by: G. Kittel

*Salix ligulifolia* (Ball) Ball ex Schneid.

Great Sand Dunes Preserve, Medano Pass Road, at or below site 2.3. Tall shrub.

With: *Stellaria longifolia*, *Rumex acetosella*, *Camelina microcarpa*, *Actaea rubra*, *Ranunculus cardiophyllum*, *Euphorbia esula*, *Oxybaphus fendleri*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker &amp; G. Doyle KD03-20h

6/12/2003

**Colorado Natural Heritage Program****Plants of Colorado**

Saguache County

*Euphorbiaceae*

Det. by: G. Kittel

*Euphorbia esula* L.var. *uralensis* (Fisch. ex Link) Dorn

Great Sand Dunes Preserve, Medano Pass Road, at or below site 2.3. On sandy bank.

With: *Stellaria longifolia*, *Rumex acetosella*, *Camelina microcarpa*, *Actaea rubra*, *Ranunculus cardiophyllum*, *Salix*, *Oxybaphus fendleri*.

Elevation: 8920 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458961, N4185225

K. Decker &amp; G. Doyle KD03-20f

6/12/2003

**Colorado Natural Heritage Program****Plants of Colorado**

Saguache County

*Juncaceae*

Det. by: G. Doyle

*Luzula comosa* E. Mey.

Great Sand Dunes Preserve, Medano Pass Road, below old homestead.

With: *Festuca idahoensis*, *Hierochloe hirta*, *Descurainia* sp., *Thlaspi arvense*.

Elevation: 9300 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460708, N4186855

K. Decker &amp; G. Doyle KD03-21c

6/12/2003

**Colorado Natural Heritage Program**

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Violaceae

*Viola renifolia* Gray

Great Sand Dunes Preserve, Medano Pass Road, at turnoff to Medano Lake trailhead.

Flower color: white

Elevation: 9550 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461674, N4188976

K. Decker &amp; G. Doyle KD03-22a

6/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Agrostis scabra* Willd.Great Sand Dunes National Monument, Sand Creek. Sandy channel.  
With: *Portulaca oleracea*.

Elevation: 7900 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447990, N4187014

K. Decker &amp; G. Doyle KD03-23b

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Muhlenbergia andina* (Nutt.) A.S. Hitchc.

Great Sand Dunes National Monument, Sand Creek Trail. Below stock pond, on road, wet soil.

With: *Cerastium fontanum*, *Juncus bufonius*.

Elevation: 8110 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448652, N4188442

K. Decker &amp; G. Doyle KD03-28a

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Cerastium fontanum* Baumg.

Great Sand Dunes National Monument, Sand Creek Trail. Below stock pond, on road, wet soil. Petals deeply lobed.

With: *Muhlenbergia andina*, *Juncus bufonius*.

Flower color: white

Elevation: 8110 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0448652, N4188442

K. Decker &amp; G. Doyle KD03-28b

7/15/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Koeleria macrantha* (Ledeb.) J.A. Schultes

Great Sand Dunes Preserve, Medano Pass Road at site 3.2. Meadow, scattered aspen, mostly brome.

With: *Chaenactis douglasii*, *Koeleria macrantha*, *Penstemon virgatus*, *Rumex acetosella*, *Hesperostipa comata*.

Elevation: 9230 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459956, N4186427

K. Decker &amp; G. Doyle KD03-31c

7/16/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Festuca thurberi* Vasey

Great Sand Dunes Preserve, Medano Lake, north shore. Dry slope.

With: *Salix brachycarpa*, *Carex elynoides*, *C. arapahoensis*, *Antennaria rosea*, *Agoseris aurantiaca*.

Elevation: 11570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457425, N4189831

K. Decker &amp; G. Doyle KD03-33a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Cyperaceae

*Carex elynoides* Holm

Great Sand Dunes Preserve, Medano Lake, north shore. Dry slope.  
*With:* *Salix brachycarpa*, *Festuca thurberi*, *Antennaria rosea*, *Agoseris aurantiaca*, *Carex arapahoensis*.

Elevation: 11570 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457425, N4189831

K. Decker &amp; G. Doyle KD03-33b

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Juncaceae

*Juncus drummondii* E. Mey.

Great Sand Dunes Preserve, Medano Lake Trail, below lake. Trailside, dry slope. Growing in clumps.  
*With:* *Salix brachycarpa*.

Elevation: 11540 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457516, N4189952

K. Decker &amp; G. Doyle KD03-34a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Juncaceae

*Juncus mertensianus* Bong.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps. Wet area, sunny, high species diversity.

*With:* *Senecio triangularis*, *Phleum alpinum*, *Juncus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36b

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Juncus parryi* Engelm.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps. In drier area.

*With:* *Senecio triangularis*, *Phleum alpinum*, *Juncus mertensianus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36c

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Onagraceae

*Epilobium lactiflorum* Hausskn.

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps. Opposite leaves.

*With:* *Senecio triangularis*, *Phleum alpinum*, *Juncus mertensianus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Flower color: white

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36h

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Carex rossii* Boott

Great Sand Dunes Preserve, Medano Lake Trail, east-facing ridge north of trail. Steep slope below granite outcrop with seeps.

*With:* *Senecio triangularis*, *Phleum alpinum*, *Juncus mertensianus*, *Verbascum*, *Carex scopulorum*, *Mertensia*.

Elevation: 11510 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457733, N4190418

K. Decker &amp; G. Doyle KD03-36j

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Juncaceae

*Luzula spicata* (L.) DC.

Great Sand Dunes Preserve, Medano Lake Trail. East-facing, mesic. Nodding.  
*With:* *Calamagrostis canadensis*, *Deschampsia caespitosa*, *Polygonum*,  
*Carex heteroneura*, *Elymus trachycaulus*.

Elevation: 11250 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457770, N4190559

K. Decker &amp; G. Doyle KD03-38a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Festuca saximontana* Rydb.

Great Sand Dunes Preserve, Medano Pass Road, around campsite 5.6.  
 Membranous ligule, <1 mm, bunch grass.  
*With:* *Collomia linearis*, *Veratrum tenuipetalum*, *Astragalus alpinus*.

Elevation: 9640 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461685, N4189085

K. Decker &amp; G. Doyle KD03-40d

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Danthonia parryi* Scribn.

Great Sand Dunes Preserve, Medano Pass Road. Open, sunny roadside.  
*With:* *Populus tremuloides*, *Pinus flexilis*, *Pascopyrum smithii*, *Heterotheca villosa*, *Penstemon*, *Oxytropis*, *Muhlenbergia montana*.

Elevation: 9410 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0461145, N4187247

K. Decker &amp; G. Doyle KD03-42c

7/18/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Piptatherum micranthum* (Trin. & Rupr.) Barkworth

Great Sand Dunes National Monument, Sand Creek Ranger Station. Dry  
 upper floodplain of Sand Creek. Cottonwood overstory with sparse  
 understory. Bunch grass. Membranous ligule.

*With:* *Populus angustifolia*, *Poa pratensis*, *Chenopodium*, *Clematis*.

Elevation: 7850 ft.

USGS Quadrangle: Liberty

UTM: Zone 13, E0447468, N4186956

G. Doyle &amp; K. Decker GD03-05a

7/16/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Poaceae

*Poa leptocoma* Trin.

Great Sand Dunes Preserve, Medano Lake Trail.

*With:* *Luzula parviflora*, *Aquilegia caerulea*, *Polemonium*, *Viola canadensis*.

Elevation: 11050 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458271, N4190516

G. Doyle &amp; K. Decker GD03-06a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Stellaria calycantha* (Ledeb.) Bong.

Great Sand Dunes Preserve, Medano Lake Trail. Beneath aspen and  
 Engleman spruce. Five divided petals, 10 stamens.  
*With:* *Fragaria*, *Pedicularis procera*.

Elevation: 10930 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460554, N4189852

G. Doyle &amp; K. Decker GD03-07a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Scrophulariaceae

***Pedicularis procera* Gray**

Great Sand Dunes Preserve, Medano Lake Trail. Beneath aspen and Engleman spruce.

With: *Fragaria*, *Stellaria calycantha*.

Elevation: 10930 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460554, N4189852

G. Doyle &amp; K. Decker GD03-07b

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

***Cirsium parryi* (Gray) Petrak**

Great Sand Dunes Preserve, Medano Lake Trail. In moist soil adjacent to creek, beneath Engelman spruce and Drummond's willow.

With: *Luzula parviflora*, *Carex norvegica* ssp. *stevenii*, *C. microptera*, *Geum macrophyllum*, *Equisetum arvense*, *Calamagrostis canadensis*.

Elevation: 10170 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460639, N4189677

G. Doyle &amp; K. Decker GD03-08a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Cyperaceae

***Carex norvegica* Retz.****ssp. *stevenii* (Holm) E. Murr.**

Great Sand Dunes Preserve, Medano Lake Trail. Trailside, in moist soil adjacent to creek, beneath Engelman spruce and Drummond's willow.

With: *Luzula parviflora*, *Carex microptera*, *Geum macrophyllum* *Equisetum arvense*, *Calamagrostis canadensis*.

Elevation: 10170 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460639, N4189677

G. Doyle &amp; K. Decker GD03-08c

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Arctostaphylos uva-ursi* (L.) Spreng.**

Great Sand Dunes Preserve, Medano Lake Trail. Growing on a boulder adjacent to creek, beneath Engelman spruce and Drummond's willow.

With: *Luzula parviflora*, *Carex norvegica* ssp. *stevenii*, *C. microptera*, *Equisetum arvense*, *Calamagrostis canadensis*.

Elevation: 10170 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460639, N4189677

G. Doyle &amp; K. Decker GD03-08d

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Cyperaceae

***Carex microptera* Mackenzie**

Great Sand Dunes Preserve, Medano Lake Trail. Trailside, in moist soil adjacent to creek, beneath Engelman spruce and Drummond's willow.

With: *Luzula parviflora*, *Carex norvegica* ssp. *stevenii*, *Equisetum arvense*, *Calamagrostis canadensis*.

Elevation: 10170 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460639, N4189677

G. Doyle &amp; K. Decker GD03-08e

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

***Geum macrophyllum* Willd.**

Great Sand Dunes Preserve, Medano Lake Trail. Trailside, in moist soil adjacent to creek, beneath Engelman spruce and Drummond's willow.

With: *Luzula parviflora*, *Carex norvegica* ssp. *stevenii*, *C. microptera*, *Equisetum arvense*, *Calamagrostis canadensis*.

Elevation: 10170 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0460639, N4189677

G. Doyle &amp; K. Decker GD03-08f

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Rosaceae

*Geum macrophyllum* Willd.

Great Sand Dunes Preserve, Medano Creek at campsite 2.3, beneath white fir and aspen.

With: *Calamagrostis canadensis*, *Ranunculus macounii*.

Elevation: 8910 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459008, N4185272

G. Doyle &amp; K. Decker GD03-09a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Ranunculaceae

*Ranunculus macounii* Britt.

Great Sand Dunes Preserve, Medano Creek at campsite 2.3, beneath white fir and aspen.

With: *Calamagrostis canadensis*, *Geum macrophyllum*.

Elevation: 8910 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459008, N4185272

G. Doyle &amp; K. Decker GD03-09b

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Dryopteridaceae

*Cystopteris fragilis* (L.) Bernh.

Great Sand Dunes Preserve, Medano Creek at campsite 2.3, beneath white fir and aspen.

With: *Calamagrostis canadensis*, *Geum macrophyllum*, *Ranunculus macounii*.

Elevation: 8910 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0459008, N4185272

G. Doyle &amp; K. Decker GD03-09c

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Rudbeckia laciniata* (L.) Bernh.var. *ampla* (A. Nels.) Cronq.

Great Sand Dunes Preserve, Medano Creek at Ford #3. Tall forb, growing in willows.

Elevation: 8930 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457339, N4184273

G. Doyle &amp; K. Decker GD03-10a

7/17/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Fabaceae

*Astragalus scopulorum* Porter

Great Sand Dunes National Monument, Mosca Trail, near trailhead. Climbing but without tendrils.

With: *Heterotheca villosa*, *Salix*.

Elevation: 8280 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0455336, N4176227

G. Doyle GD03-11a

7/19/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

*Erigeron subtrinervis* Rydb. ex Porter & Britt.

Great Sand Dunes National Monument, Mosca Trail, near trailhead.

With: *Populus tremuloides*, *Koeleria*, *Tragopogon*.

Elevation: 8280 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0455336, N4176227

G. Doyle GD03-11b

7/19/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

**Onagraceae**      **Oenothera coronopifolia** Torr. & Gray

Great Sand Dunes Preserve, Mosca Trail. Dry, sunny slope. Petals white.  
With: *Achnatherum hymenoides*, *Yucca*, *Nassella viridula*.

Elevation: 8025 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0455846, N4175978

G. Doyle GD03-12a

7/19/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

**Lamiaceae**      **Dracocephalum parviflorum** Nutt.

Great Sand Dunes Preserve, Mosca Pass Trail. Dry slope, trailside.  
With: *Prunus virginiana*, *Bromus tectorum*.

Elevation: 9050 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0456896, N4175858

G. Doyle GD03-13a

7/19/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

**Poaceae**      **Festuca arizonica** Vasey

Great Sand Dunes Preserve, Mosca Pass Trail. Dry slope, opening beneath aspen, white fir.  
With: *Eriogonum alatum*, *Erysimum capitatum*.

Elevation: 9080 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0457360, N4175889

G. Doyle GD03-14a

7/19/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

**Polemoniaceae**      **Collomia linearis** Nutt.

Great Sand Dunes Preserve, Mosca Pass Trail. Dry slope, opening beneath aspen, white fir.  
With: *Eriogonum alatum*, *Erysimum capitatum*.

Elevation: 9080 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0457360, N4175889

G. Doyle GD03-14e

7/19/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

**Poaceae**      **Agropyron cristatum** (L.) Gaertn.

Great Sand Dunes Preserve, Mosca Pass Trail near parking lot at top of the pass. Aspen with understory of non-native grasses.  
With: *Bromus inermis*, *Poa pratensis*.

Elevation: 9730 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459737, N4175952

G. Doyle GD03-15a

7/19/2003

[Colorado Natural Heritage Program](#)**Plants of Colorado**

Alamosa County

Det. by: H. Dixon

**Asteraceae**      **Hymenoxys helenioides** (Rydb.) Cockerell

Great Sand Dunes Preserve, Mosca Pass Trail near pass. Sunny, dry meadow.  
With: *Hesperostipa comata*, *Hymenoxys richardsonii*, *H. hoopesii*, *Bromus inermis*, *Cirsium canescens*, *Koeleria macrantha*.

Elevation: 9600 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459737, N4175952

G. Doyle &amp; H. Dixon GD03-16a

7/19/2003

[Colorado Natural Heritage Program](#)

**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

Poaceae

***Festuca arizonica* Vasey**

Great Sand Dunes Preserve, Mosca Pass Trail near pass. Sunny, dry meadow.

With: *Hesperostipa comata*, *Hymenoxys richardsonii*, *H. hoopesii*, *Bromus inermis*, *Cirsium canescens*, *Koeleria macrantha*.

Elevation: 9600 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0459737, N417952

G. Doyle GD03-16b

7/19/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Capparidaceae Det. by: G. Doyle

Capparidaceae Det. by: G. Doyle

***Cleome multicaulis* DC.**

Medano Ranch, Little Spring Creek 2-track road. Open, seasonally wet.

With: *Sarcobatus vermiculatus*, *Distichlis spicata*.

Elevation: 7660 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0444689, N4174672

G. Doyle &amp; K. Decker GD03-18a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Cyperaceae Det. by: G. Doyle

Cyperaceae Det. by: G. Doyle  
***Eleocharis palustris* (L.) Roemer & J.A. Schultes**

Medano Ranch, Little Spring wetlands.

With: *Schoenoplectus pungens*.

Elevation: 7670 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445072, N4174858

G. Doyle &amp; K. Decker GD03-19b

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: J. Wingate

Poaceae

***Bouteloua gracilis* (Willd. ex Kunth) Lag. ex Griffiths**

Great Sand Dunes Preserve, Mosca Pass Trail. Dry southwest-facing slope.

With: *Holodiscus discolor*, *Achnatherum hymenoides*.

Elevation: 8750 ft.

USGS Quadrangle: Mosca Pass

UTM: Zone 13, E0456381, N4176005

G. Doyle GD03-17a

7/19/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Potamogetonaceae Det. by: G. Doyle

***Stuckenia pectinatus* (L.) Boerner**

Medano Ranch, Little Spring wetlands.

With: *Schoenoplectus pungens*, *Eleocharis palustris*.

Elevation: 7670 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0445072, N4174858

G. Doyle &amp; K. Decker GD03-19a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Asteraceae Det. by: G. Doyle

***Crepis runcinata* (James) Torr. & Gray  
ssp. *runcinata***

Medano Ranch, Little Spring Creek road, gate near ranch house. Ditchside.

With: *Alopecurus pratensis*, *Stellaria crassifolia*.

Elevation: 7610 ft.

USGS Quadrangle: Zapata Ranch

UTM: Zone 13, E0440683, N4173994

G. Doyle &amp; K. Decker GD03-20a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Cyperaceae

*Scirpus nevadensis* S. Wats.

Medano Ranch, Big Spring Creek meanders. Wet meadow.  
With: *Carex praegracilis*, *Eleocharis palustris*, *E. acicularis*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0441375, N4176382

G. Doyle &amp; K. Decker GD03-21a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Brassicaceae

*Rorippa nasturtium-aquaticum* (L.) Hayek

Medano Ranch, Big Spring Creek meanders. Growing in creek. With seed pods.  
With: *Ranunculus trichophyllum*, *Stuckenia pectinatus*, *Eleocharis acicularis*, *E. palustris*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0441375, N4176382

G. Doyle &amp; K. Decker GD03-21b

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Ranunculaceae

*Ranunculus trichophyllum* Chaix var.  
*trichophyllum*

Medano Ranch, Big Spring Creek meanders. Growing in water.

With: *Stuckenia pectinatus*, *Eleocharis acicularis*, *Rorippa nasturtium-aquaticum*.

Elevation: 7610 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0441375, N4176382

G. Doyle &amp; K. Decker GD03-21c

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Asteraceae

*Sonchus arvensis* L.*ssp. uliginosus* (Bieb.) Nyman

Medano Ranch, Medano-Zapata Ranch Road, just south of buildings. Milky sap.

With: *Juncus balticus*, *Cleome*.

Flower color: yellow

Elevation: 7590 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0439919, N4173863

G. Doyle &amp; K. Decker GD03-22a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Malvaceae

*Sidalcea neomexicana* Gray

Medano Ranch, Medano-Zapata Ranch Road.

With: *Juncus balticus*, *Plantago*, *Cleome serrulata*, *Chenopodium* spp, *Carex praegracilis*, *Iva axillaris*.

Elevation: 7600 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0439812, N4173256

G. Doyle &amp; K. Decker GD03-23a

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Chenopodiaceae

*Chenopodium album* L.

Medano Ranch, Medano-Zapata Ranch Road.

With: *Juncus balticus*, *Plantago*, *Cleome serrulata*, *Carex praegracilis*, *Iva axillaris*.

Elevation: 7600 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0439812, N4173256

G. Doyle &amp; K. Decker GD03-23c

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Alamosa County

Det. by: G. Doyle

Asteraceae

*Iva axillaris* Pursh

Medano Ranch, Medano-Zapata Ranch Road.

With: *Juncus balticus*, *Plantago*, *Cleome serrulata*, *Carex praegracilis*.

Elevation: 7600 ft.

USGS Quadrangle: Medano Ranch

UTM: Zone 13, E0439812, N4173256

G. Doyle &amp; K. Decker GD03-23d

7/20/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Oxyria digyna* (L.) HillGreat Sand Dunes Preserve, southwest slope above Lower Sand Creek Lake.  
At base of northeast-facing rock fence.With: *Cirsium scopulorum*, *Aquilegia caerulea*, *Geum rossii*.

Elevation: 11580 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0453113, N4197483

D. G. Anderson &amp; K. Decker DA03-01a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

Asteraceae

*Senecio fremontii* Torr. & Grayvar. *blitoides* (Greene) Cronq.Great Sand Dunes Preserve, southwest slope above Lower Sand Creek Lake.  
East-facing, 30 degree slope with turf tundra among many cobbles. On a  
stabilized lateral moraine below a cirque basin.With: *Deschampsia caespitosa*, *Juncus drummondii*, *Carex arapahoensis*.

Elevation: 12400 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0452857, N4197245

D. G. Anderson &amp; K. Decker DA03-03a

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

*Deschampsia caespitosa* (L.) Beauv.Great Sand Dunes Preserve, Southwest slope above Lower Sand Creek Lake.  
East-facing, 30 degree slope with turf tundra among many cobbles. On a  
stabilized lateral moraine below a cirque basin.With: *Senecio fremontii*, *Juncus drummondii*, *Carex arapahoensis*.

Elevation: 12400 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0452857, N4197245

D. G. Anderson &amp; K. Decker DA03-03b

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: J. Wingate

Juncaceae

*Juncus drummondii* E. Mey.Great Sand Dunes Preserve, Southwest slope above Lower Sand Creek Lake.  
East-facing, 30 degree slope with turf tundra among many cobbles. On a  
stabilized lateral moraine below a cirque basin.With: *Senecio fremontii*, *Deschampsia caespitosa*, *Carex arapahoensis*.

Elevation: 12400 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0452857, N4197245

D. G. Anderson &amp; K. Decker DA03-03d

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado**

Saguache County

Det. by: G. Doyle

*Carex arapahoensis* ClokeyGreat Sand Dunes Preserve, Southwest slope above Lower Sand Creek Lake.  
East-facing, 30 degree slope with turf tundra among many cobbles. On a  
stabilized lateral moraine below a cirque basin.With: *Senecio fremontii*, *Deschampsia caespitosa*, *Juncus drummondii*.

Elevation: 12400 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0452857, N4197245

D. G. Anderson &amp; K. Decker DA03-03e

8/12/2003

Colorado Natural Heritage Program

**Plants of Colorado****Saguache County**

Det. by: G. Doyle

Brassicaceae  
*Rorippa alpina* (S. Wats.) Rydb.

Great Sand Dunes Preserve, Cirque above Lower Sand Creek Lake. Muddy floor of cirque basin. This is the only species present on most of the area, ~500 individuals.

Elevation: 12500 ft.

USGS Quadrangle: Crestone Peak

UTM: Zone 13, E0452744, N4197162

D. G. Anderson &amp; K. Decker DA03-4a

8/12/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: J. Wingate

Poaceae  
*Blepharoneuron tricholepis* (Torr.) Nash

Great Sand Dunes Preserve, rock outcrop west of site 1.8. In sandy soil of rock outcrop.

With: *Muhlenbergia montana*, *Bromus tectorum*, *Cercocarpus montanus*, *Achnatherum scribnieri*.

Elevation: 9000 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458316, N4184973

D. G. Anderson &amp; K. Decker DA03-5b

8/14/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: J. Wingate

Poaceae  
*Achnatherum scribnieri* (Vasey) Barkworth

Great Sand Dunes Preserve, rock outcrop west of site 1.8. In sandy soil of rock outcrop.

With: *Muhlenbergia montana*, *Bromus tectorum*, *Cercocarpus montanus*, *Blepharoneuron tricholepis*.

Elevation: 9000 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0458316, N4184973

D. G. Anderson &amp; K. Decker DA03-5a

8/14/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: G. Doyle

Boraginaceae  
*Cryptantha cinerea* (Greene) Cronq.var. *pustulosa* (Rydb.) Higgins

Great Sand Dunes Preserve, Medano Creek Valley, near campsite 0.9. Rocky open slopes.

With: *Populus tremuloides*, *Picea pungens*, *Pseudotsuga menziesii*, *Piptatherum micranthum*.

Elevation: 8900 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457282, N4184281

D. G. Anderson &amp; K. Decker DA03-6b

8/15/2003

**Colorado Natural Heritage Program****Plants of Colorado****Saguache County**

Det. by: J. Wingate

Poaceae  
*Piptatherum micranthum* (Trin. & Rupr.)

Great Sand Dunes Preserve, Medano Creek Valley, near campsite 0.9.

With: *Populus tremuloides*, *Picea pungens*, *Pseudotsuga menziesii*.

Elevation: 8900 ft.

USGS Quadrangle: Medano Pass

UTM: Zone 13, E0457282, N4184281

D. G. Anderson &amp; K. Decker DA03-6a

8/14/2003

**Colorado Natural Heritage Program**

## **Appendix 3**

Previously undocumented element occurrence records for *Cryptantha cinerea* var. *pustulosa*, and *Hymenoxys helenoides* at GRSA (Colorado Natural Heritage Program 2004).

# Element Occurrence Report

**State Scientific Name** *Cryptantha pustulosa*  
**State Common Name** Catseye

**EO ID** 11784

| Basic Information  |  |                                    |                              |
|--|--|------------------------------------|------------------------------|
| Higher Taxonomy  | PDBOR  | Nation                             | US                           |
| Shape ID   | 40050  | Element ID                         | 22340                        |
| Global Imperilment Rank  | G5TNR  | State Imperilment Rank             | S1                           |
| Basic EO Rank  | E - Verified extant (viability not assessed) | Mapping Precision                  | S - Seconds                  |
| Occurrence Type  | Principal EO                                 | Principal EO Number                | -                            |
| Principal EO ID (if a Sub-EO)  | -  | CNHP Potential Conservation Area   |                              |
| Site ID  | Site Code                                    | Potential Conservation Area Name   | EO Driving Biodiversity Rank |
| -  | No Data                                      | No Data                            | No                           |
| Locators   |  |                                    |                              |
| <b>EO Directions</b><br>[Anderson and Decker 2003:] T26S R73W S12 NE1/4. Zone: 13, Northing: 4184281, Easting: 457282. Medano Pass Road near campsite 0.9. Elevation: 8700 ft. |  |                                    |                              |
| Latitude   | 374824N                                      | Longitude                          | 1052906W                     |
| County Name  | Saguache (CO)                                | Watershed                          | 13010003 - San Luis          |
| Township/Range/Section (TRS)   |  |                                    |                              |
| Township/Range   | Section                                      | Meridian                           | TRS Note                     |
| 026S073W   | 12   | 6P                                 |                              |
| USGS 7.5 Minute Quadrangle   |  |                                    |                              |
| Quad Code  | Quad Name                                    |                                    |                              |
| 37105-G4   | Medano Pass                                  |                                    |                              |
| Mapping Information  |  |                                    |                              |
| Estimated Representation Accuracy  | Very High (>95%)                             | Calculated Representation Accuracy | -                            |
| Confidence Extent  | N - Confident full extent of EO is NOT known | Old Mapping Methodology            | No                           |
| Boundaries   | Y - Yes                                      | Mapping Precision                  | S - Seconds                  |
| Survey Information   |  |                                    |                              |
| Survey Site Name   | Medano Creek                                 | Survey Type                        | No Data                      |
| Survey Date  | 2003-08-15                                   | Surveyor                           | No Data                      |
| First Observation  | 2003-08-15                                   | Last Observation                   | 2003-08-15                   |
| <b>EO Data</b>   |  |                                    |                              |
| No Data  |  |                                    |                              |
| <b>Monitoring Needs</b>  |  |                                    |                              |
| No Data  |  |                                    |                              |
| <b>Research Needs</b>  |  |                                    |                              |
| No Data  |  |                                    |                              |
| EO Rank  |  |                                    |                              |
| Basic EO Rank  | E - Verified extant (viability not assessed) |                                    |                              |
| Origin Subrank   | None   |                                    |                              |
| EO Rank Date   | 01/14/2004                                   |                                    |                              |
| EO Rank Comment  | No Data                                      |                                    |                              |
| <b>Rank Considerations</b>   |  |                                    |                              |
| Condition of EO  | No Data                                      |                                    |                              |
| Condition Cmnt   | No Data                                      |                                    |                              |
| Size of EO   | No Data                                      |                                    |                              |
| Size Rating  | No Data                                      |                                    |                              |
| Landscape Context  | No Data                                      |                                    |                              |

# Element Occurrence Report

**State Scientific Name** *Cryptantha pustulosa*

**EO ID** 11784

**State Common Name** Catseye

**EO Code** PDBOR0A3K7 \* 5

**Landscape Context Rating** No Data

## Description

### EO Type

No Data

### General Description

[Anderson and Decker 2003:] Valley with *Populus tremuloides*, *Picea pungens*, and *Pseudotsuga menziesii*. Growing on rocky open slope with *Stipa* and *Oryzopsis micrantha*. Elevation: 8700 ft.

### Environment Comments

No Data

## Protection/Management

**U.S. Endangered Species Act Status** None

**State Protection Status (CDOW)** None

### Protection Comments

[Anderson and Decker 2003:] Within National Monument and Preserve.

### Management Comments

[Anderson and Decker 2003:] Current management appears fine.

## Additional Topics

### General Comments

[CNHP:] Map provided by Anderson and Decker 2003.

### Additional Topics

No Data

## Documentation/Version

| <u>Reference Code</u> | <u>Citation</u>  | <u>Primary</u> |
|-----------------------|--|----------------|
| F03AND01COUS          | Anderson, D. and K. Decker. 2003. Colorado Natural Heritage Program Field Survey of the Great Sand Dunes National Monument and Preserve. | Y              |

### Specimen

Anderson, D. and K. Decker. 2003 Specimen (collection #DA-03-06) at Great Sand Dunes Herbarium.

### Version Author No Data

### Version Date

### Lead Responsibility No Data

## Other Attributes

|                  |         |          |
|------------------|---------|----------|
| Min. Elevation   | - feet  | - meters |
| Max. Elevation   | - feet  | - meters |
| EO Observed Area | - acres |          |

### Calculated Attributes

| <u>Attribute Name</u> | <u>Attribute Value</u> |
|-----------------------|------------------------|
|-----------------------|------------------------|

|              |                          |
|--------------|--------------------------|
| ACREAGE      | 0.482729                 |
| Ecoregion    | COLORADO ROCKY MOUNTAINS |
| HECTARES     | 0.195354                 |
| LATITUDE_DD  | 37.8068                  |
| LONGITUDE_DD | -105.485                 |
| Land_Status  | USFS                     |
| UTM_EASTING  | 457281.121846            |
| UTM_NORTHING | 4184280.897442           |
| UTM_ZONE     | 13                       |

Calculated Attributes and Locators generated in ArcView GIS  
Land Status derived from Colorado Gap Analysis Land Status, 1998



# Element Occurrence Report

**State Scientific Name** *Cryptantha pustulosa*  
**State Common Name** Catseye

**EO ID** 11785  
**EO Code** PDBOR0A3K7 \* 6

**Size of EO** No Data  
**Size Rating** No Data  
**Landscape Context** No Data  
**Landscape Context Rating** No Data

## Description

### EO Type

No Data

### General Description

[Doyle and Decker 2003:] Sparsley vegetated sand dunes with *Psoralidium lanceolatum*, *Senecio multicapitatus* and *Oryzopsis hymenoides*. Light exposure: full sun. Parent material: sand dunes. Elevation: 7880 ft.

### Environment Comments

No Data

## Protection/Management

**U.S. Endangered Species Act Status** None

**State Protection Status (CDOW)** None

### Protection Comments

No Data

### Management Comments

[Doyle and Decker 2003:] Current management appears to be fine. Exotic species: none noted in this area.

## Additional Topics

### General Comments

[CNHP:] Map provided by Doyle and Decker 2003.

### Additional Topics

No Data

## Documentation/Version

| <b>Reference Code</b> | <b>Citation</b>  | <b>Primary</b> |
|-----------------------|--|----------------|
| F03DOY02COUS          | Doyle, G. 2003. Colorado Natural Heritage Program Vascular Plant Inventory of Great Sand Dunes National Monument and Preserve. | Y              |

### Specimen

Doyle, G. and K. Decker. 2003. Specimen (collection #GD-03-02) at Great Sand Dunes Herbarium.

**Version Author** No Data

### **Version Date**

**Lead Responsibility** No Data

## Other Attributes

|                         |         |          |
|-------------------------|---------|----------|
| <b>Min. Elevation</b>   | - feet  | - meters |
| <b>Max. Elevation</b>   | - feet  | - meters |
| <b>EO Observed Area</b> | - acres |          |

### Calculated Attributes

| <u>Attribute Name</u> | <u>Attribute Value</u>   |
|-----------------------|--------------------------|
| ACREAGE               | 0.482729                 |
| Ecoregion             | COLORADO ROCKY MOUNTAINS |
| HECTARES              | 0.195354                 |
| LATITUDE_DD           | 37.8316                  |
| LONGITUDE_DD          | -105.598                 |
| Land_Status           | PRIVATE                  |
| UTM_EASTING           | 447419.487151            |
| UTM_NORTHING          | 4187094.711555           |
| UTM_ZONE              | 13                       |

# Element Occurrence Report

**State Scientific Name** *Cryptantha pustulosa*

**EO ID** 11785

**State Common Name** Catseye

**EO Code** PDBOR0A3K7 \* 6

---

Calculated Attributes and Locators generated in ArcView GIS  
Land Status derived from Colorado Gap Analysis Land Status, 1998

# Element Occurrence Report

**State Scientific Name** *Picradenia helenioides*  
**State Common Name** Intermountain Bitterweed

**EO ID** 11859  
**EO Code** PDAST530A0 \* 7

## Basic Information

|                                      |  |                            |             |                               |    |
|--------------------------------------|--|----------------------------|-------------|-------------------------------|----|
| <b>Higher Taxonomy</b>               | PDAST  | <b>Nation</b>              | US          | <b>State</b>                  | CO |
| <b>Shape ID</b>                      | 42926  | <b>Element ID</b>          | 22924       | <b>State Imperilment Rank</b> | S1 |
| <b>Global Imperilment Rank</b>       | G3G4Q  |                            |             |                               |    |
| <b>Basic EO Rank</b>                 | E - Verified extant (viability not assessed) | <b>Mapping Precision</b>   | S - Seconds |                               |    |
| <b>Occurrence Type</b>               | Principal EO                                 | <b>Principal EO Number</b> | -           |                               |    |
| <b>Principal EO ID (if a Sub-EO)</b> | -  |                            |             |                               |    |

## CNHP Potential Conservation Area

| <b>Site ID</b> | <b>Site Code</b> | <b>Potential Conservation Area Name</b> | <b>EO Driving Biodiversity Rank</b> |
|----------------|------------------|---|-------------------------------------|
| -              | No Data          | No Data                                 | No                                  |

## Locators

### EO Directions

[Doyle and Dixon 2003:] T27S R72W S5. Zone: 13, Northing: 4175810, Easting: 459209. Great Sand Dunes National Monument and Preserve. Mosca Pass Trail, 1/2 mile west of Mosca Pass. Elevation: 9600 ft.

**Latitude** 374350N

**Longitude** 1052747W

### County Name

Alamosa (CO)

### Watershed

13010003 - San Luis

### Township/Range/Section (TRS)

### USGS 7.5 Minute Quadrangle

| <b>Township/Range</b> | <b>Section</b> | <b>Meridian</b> | <b>TRS Note</b> |
|-----------------------|----------------|-----------------|-----------------|
| 027S072W              | 05             | 6P              |                 |

| <b>Quad Code</b> | <b>Quad Name</b> |
|------------------|------------------|
| 37105-F4         | Mosca Pass       |

## Mapping Information

**Estimated Representation Accuracy** High ( >80%, <=95% )

**Calculated Representation Accuracy** -

**Confidence Extent** ? - Uncertain whether full extent of EO is known

**Old Mapping Methodology** No      **Boundaries** Y - Yes      **Mapping Precision** S - Seconds

## Survey Information

**Survey Site Name** Mosca Pass

**Survey Type** No Data

**Surveyor** No Data

**Survey Date** 2003-06-19

**First Observation** 2003-06-19

**Last Observation** 2003-06-19

### EO Data

[Doyle and Dixon 2003:] Plants scattered, size of population not surveyed. Meadow covers about 20-40 acres. Flower: 100%.

### Monitoring Needs

No Data

### Research Needs

No Data

## EO Rank

**Basic EO Rank** E - Verified extant (viability not assessed)

**Origin Subrank** None

**EO Rank Date** 04/08/2004

### EO Rank Comment

[Dixon and Doyle 2003:] Size: meadow covers about 20-40 acres. Plants scattered, size of population not surveyed. Condition: B, smooth brome dominant in patches, evidence of past grazing. Landscape context: A, within National Park.

### Rank Considerations

**Condition of EO** [Doyle and Dixon 2003:] Condition: B, smooth brome dominant in patches, evidence of past grazing.

**Condition Cmnt** No Data

# Element Occurrence Report

|                                 |  |                |                |
|---------------------------------|--|----------------|----------------|
| <b>State Scientific Name</b>    | <i>Picradenia helenioides</i>  | <b>EO ID</b>   | 11859          |
| <b>State Common Name</b>        | Intermountain Bitterweed   | <b>EO Code</b> | PDAST530A0 * 7 |
| <b>Size of EO</b>               | [Doyle and Dixon 2003:] Size: meadow covers about 20-40 acres.<br>Plants scattered, size of population not surveyed. |                |                |
| <b>Size Rating</b>              | No Data  |                |                |
| <b>Landscape Context</b>        | [Doyle and Dixon 2003:] Landscape context: A, within National Park.  |                |                |
| <b>Landscape Context Rating</b> | No Data  |                |                |

## **Description**

### EO Type

No Data

### General Description

[Dolye and Dixon 2003:] Trailside in sunny, dry meadow. Associated species: Hymenoxys richardsonii, Dugaldia hoopesii, Bromus inermis, Cirsium canescens, Koeleria macrantha and Festuca arizonica. Light exposure: full sun. Dominant plant community: grasses. Elevation: 9600 ft.

### Environment Comments

No Data

## **Protection/Management**

### **U.S. Endangered Species Act Status** None

### **State Protection Status (CDOW)** None

### Protection Comments

No Data

### Management Comments

[Dolye and Dixon 2003:] Exotic species: Bromus inermis.

## **Additional Topics**

### General Comments

CNHP:] Map provided by Doyle and Dixon 2003.

### Additional Topics

No Data

## **Documentation/Version**

| <b>Reference Code</b> | <b>Citation</b>  | <b>Primary</b> |
|-----------------------|--|----------------|
| F03DOY02COUS          | Doyle, G. 2003. Colorado Natural Heritage Program Vascular Plant Inventory of Great Sand Dunes National Monument and Preserve. | Y              |

### Specimen

Doyle, G. and H. Dixon. 2003. Specimen (collection GD 03-16a) at Great Sand Dunes Herbarium.

### **Version Author** No Data

### **Version Date**

### **Lead Responsibility** No Data

## **Other Attributes**

|                         |         |          |
|-------------------------|---------|----------|
| <b>Min. Elevation</b>   | - feet  | - meters |
| <b>Max. Elevation</b>   | - feet  | - meters |
| <b>EO Observed Area</b> | - acres |          |

### Calculated Attributes

| <b>Attribute Name</b> | <b>Attribute Value</b>   |
|-----------------------|--------------------------|
| ACREAGE               | 0.482729                 |
| Ecoregion             | COLORADO ROCKY MOUNTAINS |
| HECTARES              | 0.195354                 |
| LATITUDE_DD           | 37.7305                  |
| LONGITUDE_DD          | -105.463                 |
| Land_Status           | USFS                     |
| UTM_EASTING           | 459208.950236            |
| UTM_NORTHING          | 4175810.451921           |

# Element Occurrence Report

**State Scientific Name** *Picradenia helenioides*  
**State Common Name** Intermountain Bitterweed

**EO ID** 11859  
**EO Code** PDAST530A0 \* 7

UTM\_ZONE 13

Calculated Attributes and Locators generated in ArcView GIS  
Land Status derived from Colorado Gap Analysis Land Status, 1998

## **Appendix 4**

**2004 Master List of Vascular Plants of the Great Sand Dunes National Monument and Preserve (GRSA).** List of all vascular plants known from the GRSA as of 2004 including the plant checklist for the Monument (Dixon 1999), and all species documented by this research in 2002 (Spackman Panjabi and Decker 2002) and in 2003 (Table 1). Additional work is needed to assure consistent use of plant names for this new master list, particularly for the species documented prior to 2002. Species are listed in alphabetical order by family (Weber and Wittmann 2001). Non-native species are listed in bold (Weber and Wittmann 2001). Rare species are underlined (Colorado Natural Heritage Program 2004). An electronic copy of this list including additional information has been provided to GRSA Biologist, Phyllis Pineda Bovin.

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)                                 | Latin name (GRSA/PLANTS)                      | Common name                |
|----------------------------------|-----------|-----------------|-----------------|--|---|----------------------------|
| ACERACEAE                        | 1         |                 |                 | <i>Acer glabrum</i>  | <i>Acer glabrum</i>                           | Rocky Mountain maple       |
| AGAVACEAE                        | 1         |                 |                 | <i>Yucca glauca</i>  | <i>Yucca glauca</i>                           | Yucca                      |
| ALLIACEAE                        | 1         |                 |                 | <i>Allium cernuum</i>  | <i>Allium cernuum</i>                         | Nodding onion              |
| ALLIACEAE                        | 1         | 1               |                 | <i>Allium geyeri</i>   | <i>Allium geyeri</i>                          | Geyer's onion              |
| AL SINACEAE                      | 1         | 1               |                 | <b><i>Cerastium fontanum</i></b>                                     | <b><i>Cerastium fontanum</i></b>              | <b>Mouse-ear chickweed</b> |
| AL SINACEAE                      | 1         |                 |                 | <i>Cerastium nutans</i> var. <i>brachypodium</i>                     | <i>Cerastium nutans</i>                       | Chickweed                  |
| AL SINACEAE                      |           |                 |                 | <i>Cerastium strictum</i>  | <i>Cerastium arvense</i>                      | Mouse-ear                  |
| AL SINACEAE                      | 1         | 1               |                 | <i>Eremogone fendleri</i>  | <i>Arenaria fendleri</i> var. <i>fendleri</i> | Fendler sandwort           |
| AL SINACEAE                      |           |                 | 1               | <i>Lidia obtusiloba</i>  | <i>Minuartia obtusiloba</i>                   | Alpine sandwort            |
| AL SINACEAE                      |           |                 | 1               | <i>Spergulastrum lanuginosum</i>                                     | <i>Arenaria lanuginosa</i> ssp. <i>saxosa</i> | Spreading sandwort         |
| AL SINACEAE                      |           |                 | 1               | <i>Stellaria calycantha</i>  | <i>Stellaria calycantha</i>                   | Chickweed                  |
| AL SINACEAE                      | 1         | 1               |                 | <i>Stellaria crassifolia</i>   | <i>Stellaria crassifolia</i>                  | Thickleaved chickweed      |
| AL SINACEAE                      | 1         |                 |                 | <i>Stellaria longifolia</i>  | <i>Stellaria longifolia</i>                   | Chickweed                  |
| AMARANTHACEAE                    | 1         |                 |                 | <b><i>Amaranthus blitoides</i></b>                                   | <b><i>Amaranthus blitoides</i></b>            | <b>Prostrate pigweed</b>   |
| AMARANTHACEAE                    | 1         |                 |                 | <b><i>Amaranthus retroflexus</i></b>                                 | <b><i>Amaranthus retroflexus</i></b>          | <b>Rough pigweed</b>       |
| ANACARDIACEAE                    | 1         |                 |                 | <i>Rhus aromatica</i> <i>trilobata</i><br>and <i>R a pilosissima</i> | <i>Rhus trilobata</i>                         | Skunkbush                  |
| APIACEAE                         | 1         | 1               |                 | <i>Angelica grayi</i>  | <i>Angelica grayi</i>                         | Gray's angelica            |
| APIACEAE                         | 1         |                 |                 | <i>Cymopterus acaulis</i>  | <i>Cymopterus acaulis</i>                     | Stemless cymopterus        |
| APIACEAE                         | 1         |                 |                 | <i>Heracleum sphondylium</i><br>ssp. <i>montanum</i>                 | <i>Heracleum lanatum</i>                      | Cow parsnip                |
| APIACEAE                         | 1         |                 |                 | <i>Ligusticum porteri</i>  | <i>Ligusticum porteri</i>                     | Osha                       |
| APIACEAE                         | 1         |                 |                 | <i>Oreoxis alpina</i>  | <i>Oreoxis alpina</i>                         | Alpine parsley             |
| APIACEAE                         |           |                 | 1               | <i>Oreoxis bakeri</i>  | <i>Oreoxis bakeri</i>                         | Baker's alpine parsley     |
| APIACEAE                         | 1         | 1               |                 | <i>Osmorrhiza depauperata</i>  | <i>Osmorrhiza depauperata</i>                 | Blunt-fruit sweet-cicely   |
| APIACEAE                         | 1         |                 |                 | <i>Oxypolis fendleri</i>   | <i>Oxypolis fendleri</i>                      | Cowbane                    |
| APIACEAE                         | 1         | 1               |                 | <i>Pseudocymopterus</i><br><i>montanus</i>                           | <i>Pseudocymopterus</i><br><i>montanus</i>    | Yellow mountain parsley    |
| APOCYNACEAE                      | 1         |                 |                 | <i>Apocynum</i><br><i>androsaemifolium</i>                           | <i>Apocynum</i><br><i>androsaemifolium</i>    | Dogbane                    |
| ASCLEPIADACEAE                   | 1         |                 |                 | <i>Asclepias speciosa</i>  | <i>Asclepias speciosa</i>                     | Showy milkweed             |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)             | Latin name (GRSA/PLANTS)                       | Common name                        |
|----------------------------------|-----------|-----------------|-----------------|--|--|------------------------------------|
| ASTERACEAE                       | 1         |                 |                 | <i>Achillea lanulosa</i>                         | <i>Achillea lanulosa</i>                       | Yarrow                             |
| ASTERACEAE                       |           |                 |                 | <b><i>Acroptilon repens</i></b>                  | <b><i>Acroptilon repens</i></b>                | <b>Russian knapweed, hardheads</b> |
| ASTERACEAE                       |           |                 | 1               | <i>Agoseris aurantiaca</i>                       | <i>Agoseris aurantiaca</i>                     | Orange agoseris                    |
| ASTERACEAE                       |           |                 | 1               | <i>Agoseris glauca</i> ssp. <i>dasycephala</i>   | <i>Agoseris glauca</i> var. <i>dasycephala</i> | Pale agoseris                      |
| ASTERACEAE                       | 1         |                 |                 | <i>Almutaster pauciflorus</i> (in <i>Aster</i> ) | <i>Aster pauciflorus</i>                       | Few-flowered aster                 |
| ASTERACEAE                       | 1         |                 |                 | <i>Ambrosia acanthicarpa</i>                     | <i>Ambrosia acanthicarpa</i>                   | Bur-sage                           |
| ASTERACEAE                       |           |                 | 1               | <i>Anaphalis margaritacea</i>                    | <i>Anaphalis margaritacea</i>                  | Pearly everlasting                 |
| ASTERACEAE                       |           |                 | 1               | <i>Antennaria media</i>                          | <i>Antennaria media</i>                        | Pussytoes                          |
| ASTERACEAE                       | 1         |                 |                 | <i>Antennaria microphylla</i>                    | <i>Antennaria microphylla</i>                  | Littleleaf pussytoes               |
| ASTERACEAE                       | 1         |                 |                 | <i>Antennaria parvifolia</i>                     | <i>Antennaria parvifolia</i>                   | Pussytoes                          |
| ASTERACEAE                       |           |                 | 1               | <i>Antennaria rosea</i>                          | <i>Antennaria rosea</i>                        | Pink pussytoes                     |
| ASTERACEAE                       | 1         | 1               |                 | <i>Antennaria umbrinella</i>                     | <i>Antennaria umbrinella</i>                   | Umber pussytoes                    |
| ASTERACEAE                       | 1         | 1               |                 | <i>Arnica cordifolia</i>                         | <i>Arnica cordifolia</i>                       | Heartleaf arnica                   |
| ASTERACEAE                       | 1         | 1               |                 | <i>Arnica mollis</i>                             | <i>Arnica mollis</i>                           | Hairy arnica                       |
| ASTERACEAE                       | 1         |                 |                 | <i>Artemisia carruthii</i>                       | <i>Artemisia carruthii</i>                     | Carruth sage                       |
| ASTERACEAE                       | 1         |                 |                 | <i>Artemisia franserioides</i>                   | <i>Artemisia franserioides</i>                 | Ragweed sage                       |
| ASTERACEAE                       | 1         |                 |                 | <i>Artemisia frigida</i>                         | <i>Artemisia frigida</i>                       | Fringed sage                       |
| ASTERACEAE                       | 1         |                 |                 | <i>Artemisia ludoviciana</i>                     | <i>Artemisia ludoviciana</i>                   | White sagebrush                    |
| ASTERACEAE                       | 1         | 1               |                 | <i>Artemisia scopulorum</i>                      | <i>Artemisia scopulorum</i>                    | Alpine sagebrush                   |
| ASTERACEAE                       |           |                 | 1               | <i>Aster foliaceus</i>                           | <i>Aster foliaceus</i> var. <i>apricum</i>     | Alpine leafybract aster            |
| ASTERACEAE                       | 1         |                 |                 | <i>Aster lanceolatus</i> ssp. <i>hesperius</i>   | <i>Aster hesperius</i>                         | Marsh aster                        |
| ASTERACEAE                       | 1         |                 |                 | <i>Bahia dissecta</i>                            | <i>Bahia dissecta</i>                          | Yellow ragweed                     |
| ASTERACEAE                       | 1         |                 |                 | <i>Bidens cernua</i>                             | <i>Bidens cernua</i>                           | Nodding beggar-ticks               |
| ASTERACEAE                       | 1         |                 |                 | <i>Brachyacatis frondosus</i>                    | <i>Brachyacatis frondosus</i>                  | Aster                              |
| ASTERACEAE                       | 1         |                 |                 | <b><i>Breea arvensis</i></b>                     | <b><i>Cirsium arvense</i></b>                  | <b>Canada thistle</b>              |
| ASTERACEAE                       | 1         |                 |                 | <i>Brickellia grandiflora</i>                    | <i>Brickellia grandiflora</i>                  | Bicklebush                         |
| ASTERACEAE                       |           |                 | 1               | <i>Chaenactis douglasii</i>                      | <i>Chaenactis douglasii</i>                    | Alpine dusty maiden                |
| ASTERACEAE                       | 1         |                 |                 | <i>Chrysothamnus greenei</i>                     | <i>Chrysothamnus greenei</i>                   | Greene's rabbitbrush               |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>   | <b>Latin name (GRSA/PLANTS)</b>               | <b>Common name</b>    |
|---|------------------|------------------------|------------------------|---|---|-----------------------|
| ASTERACEAE                              | 1                |                        |                        | <i>Chrysothamnus nauseosus</i>                | <i>Chrysothamnus nauseosus</i>                | Rubber rabbitbrush    |
| ASTERACEAE                              |                  |                        |                        | <i>Chrysothamnus parryi</i>                   | <i>Chrysothamnus parryi</i>                   | Parry's rabbitbrush   |
| ASTERACEAE                              | 1                |                        |                        | <i>Chrysothamnus viscidiflorus</i>            | <i>Chrysothamnus linifolius/viscidiflorus</i> | Rabbitbrush           |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Cirsium canescens</i>                      | <i>Cirsium canescens</i>                      | Platte thistle        |
| ASTERACEAE                              | 1                |                        |                        | <i>Cirsium parryi</i>                         | <i>Cirsium parryi</i>                         | Parry's thistle       |
| ASTERACEAE                              |                  |                        | 1                      | <i>Cirsium scopulorum</i>                     | <i>Cirsium scopulorum</i>                     | Alpine thistle        |
| ASTERACEAE                              | 1                |                        |                        | <i>Cirsium undulatum</i>                      | <i>Cirsium undulatum</i>                      | Wavyleaf thistle      |
| ASTERACEAE                              | 1                |                        |                        | <i>Conyza canadensis</i>                      | <i>Conyza canadensis</i>                      | Horseweed             |
| ASTERACEAE                              | 1                |                        |                        | <i>Cyclachaena xanthifolia</i>                | <i>Iva xanthifolia</i>                        | Marshelder            |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Dugaldia hoopesii</i>                      | <i>Hymenoxys hoopesii</i>                     | Orange sneezeweed     |
| ASTERACEAE                              |                  |                        |                        | <i>Dyssodia papposa</i>                       | <i>Dyssodia papposa</i>                       | Fetid marigold        |
| ASTERACEAE                              |                  |                        | 1                      | <i>Erigeron coulteri</i>                      | <i>Erigeron coulteri</i>                      | Coulter's fleabane    |
| ASTERACEAE                              |                  |                        |                        | <i>Erigeron divergens</i>                     | <i>Erigeron divergens</i>                     | Spreading fleabane    |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Erigeron elatior</i>                       | <i>Erigeron elatior</i>                       | Tall fleabane         |
| ASTERACEAE                              |                  |                        | 1                      | <i>Erigeron eximius</i>                       | <i>Erigeron eximius</i>                       | Sprucefir fleabane    |
| ASTERACEAE                              | 1                |                        |                        | <i>Erigeron flagellaris</i>                   | <i>Erigeron flagellaris</i>                   | Trailing fleabane     |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Erigeron melanocephalus</i>                | <i>Erigeron melanocephalus</i>                | Blackhead fleabane    |
| ASTERACEAE                              |                  |                        | 1                      | <i>Erigeron peregrinus ssp. callianthemus</i> | <i>Erigeron peregrinus ssp. callianthemus</i> | Subalpine fleabane    |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Erigeron pinnatisectus</i>                 | <i>Erigeron pinnatisectus</i>                 | Featherleaf fleabane  |
| ASTERACEAE                              | 1                |                        |                        | <i>Erigeron speciosus</i>                     | <i>Erigeron speciosus</i>                     | Showy fleabane        |
| ASTERACEAE                              |                  |                        | 1                      | <i>Erigeron subtrinervis</i>                  | <i>Erigeron subtrinervis</i>                  | Three-nerved fleabane |
| ASTERACEAE                              | 1                |                        |                        | <i>Erigeron vetensis</i>                      | <i>Erigeron vetensis</i>                      | La Veta daisy         |
| ASTERACEAE                              | 1                |                        |                        | <i>Gaillardia aristata</i>                    | <i>Gaillardia aristata</i>                    | Common blanketflower  |
| ASTERACEAE                              | 1                |                        |                        | <i>Gnaphalium uliginosum</i>                  | <i>Gnaphalium exilifolium</i>                 | Slender cudweed       |
| ASTERACEAE                              | 1                |                        |                        | <b><i>Gnaphalium uliginosum</i></b>           | <b><i>Gnaphalium uliginosum</i></b>           | <b>Cudweed</b>        |
| ASTERACEAE                              | 1                |                        |                        | <i>Grindelia squarrosa</i>                    | <i>Grindelia squarrosa</i>                    | Gumweed               |
| ASTERACEAE                              |                  |                        |                        | <i>Gutierrezia sarothrae</i>                  | <i>Gutierrezia sarothrae</i>                  | Snakeweek             |
| ASTERACEAE                              | 1                |                        |                        | <i>Helianthus petiolaris</i>                  | <i>Helianthus petiolaris</i>                  | Prairie sunflower     |
| ASTERACEAE                              | 1                |                        |                        | <i>Helimeris multiflora</i>                   | <i>Viguiera multiflora</i>                    | Golden-eye            |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Heterotheca canescens</i>                  | <i>Heterotheca canescens</i>                  | Ray goldaster         |
| ASTERACEAE                              | 1                |                        |                        | <i>Heterotheca villosa</i>                    | <i>Heterotheca villosa</i>                    | Hairy golden-aster    |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>  | <b>Latin name (GRSA/PLANTS)</b>                  | <b>Common name</b>      |
|---|------------------|------------------------|------------------------|--|--|-------------------------|
| ASTERACEAE                              | 1                |                        |                        | <i>Hymenopappus filifolius</i>               | <i>Hymenopappus filifolius</i>                   | Columbia cutleaf        |
| ASTERACEAE                              |                  |                        | 1                      | <i>Iva axillaris</i>                         | <i>Iva axillaris</i>                             | Povertyweed             |
| ASTERACEAE                              | 1                |                        |                        | <i>Lactuca tatarica ssp. pulchella</i>       | <i>Lactuca tatarica</i>                          | Blue lettuce            |
| ASTERACEAE                              |                  |                        | 1                      | <i>Ligularia amplexens</i>                   | <i>Senecio amplectens</i> var. <i>amplectens</i> | Showy alpine ragwort    |
| ASTERACEAE                              |                  |                        | 1                      | <i>Ligularia biglovii</i> var. <i>hallii</i> | <i>Senecio bigelovii</i> var. <i>hallii</i>      | Hall's ragwort          |
| ASTERACEAE                              | 1                |                        |                        | <i>Ligularia pudica</i>                      | <i>Senecio pudicus</i>                           | Tall nodding butterweed |
| ASTERACEAE                              | 1                |                        |                        | <i>Lygodesmia juncea</i>                     | <i>Lygodesmia juncea</i>                         | Skeletonweed            |
| ASTERACEAE                              | 1                |                        |                        | <i>Machaeranthera canescens</i>              | <i>Machaeranthera canescens</i>                  | Hoary aster             |
| ASTERACEAE                              |                  |                        |                        | <i>Machaeranthera pinnatifida</i>            | <i>Haplopappus spinulosus</i>                    | Spiny goldenweed        |
| ASTERACEAE                              | 1                |                        |                        | <i>Machaeranthera tanacetifolia</i>          | <i>Machaeranthera tanacetifolia</i>              | Tansy aster             |
| ASTERACEAE                              | 1                |                        |                        | <i>Oligosporus caudatus</i>                  | <i>Artemisia campestris</i>                      | Wormwood                |
| ASTERACEAE                              | 1                |                        |                        | <i>Oligosporus drancunculus</i>              | <i>Artemisia drancunculus</i>                    | Wild tarragon           |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Oligosporus groenlandicus</i>             | <i>Artemisia campestris</i> var. <i>borealis</i> |                         |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Oreochrysum parryi</i>                    | <i>Oreochrysum parryi</i>                        | Parry's goldenrod       |
| ASTERACEAE                              | 1                |                        |                        | <i>Packera dimorphophylla</i>                | <i>Senecio dimorphophyllus</i>                   | Two-leaved butterweed   |
| ASTERACEAE                              | 1                |                        |                        | <i>Packera fendleri</i>                      | <i>Packera fendleri</i>                          | Fendler senecio         |
| ASTERACEAE                              | 1                |                        |                        | <i>Packera tridenticulata</i>                | <i>Packera tridenticulatus</i>                   | Three-toothed groundsel |
| ASTERACEAE                              |                  |                        |                        | <i>Packera werneriiifolia</i>                | <i>Senecio werneriiifolius</i>                   | Rock butterweed         |
| ASTERACEAE                              |                  |                        | 1                      | <i>Picradenia helenioides</i>                | <i>Hymenoxyss helenioides</i>                    | Sneezeweed-Hymenoxyss   |
| ASTERACEAE                              | 1                |                        |                        | <i>Picradenia richardsonii</i>               | <i>Hymenoxyss richardsonii</i>                   | Pingue                  |
| ASTERACEAE                              | 1                |                        |                        | <i>Picradeniopsis oppositifolia</i>          | <i>Bahia oppositifolia</i>                       | Plains bahia            |
| ASTERACEAE                              | 1                |                        |                        | <i>Psilochenia runcinata</i>                 | <i>Crepis runcinata</i> ssp. <i>runcinata</i>    | Hawksbeard              |
| ASTERACEAE                              | 1                |                        |                        | <i>Rudbeckia ampla</i>                       | <i>Rudbeckia laciniata</i> var. <i>ampla</i>     | Tall cone-flower        |
| ASTERACEAE                              | 1                |                        |                        | <i>Rudbeckia hirta</i>                       | <i>Rudbeckia hirta</i>                           | Black-eyed Susan        |
| ASTERACEAE                              | 1                |                        |                        | <i>Schkuhria neomexicana</i>                 | <i>Bahia neomexicana</i>                         | New Mexico bahia        |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b> | <b>Latin name (GRSA/PLANTS)</b>                | <b>Common name</b>     |
|---|------------------|------------------------|------------------------|---|--|------------------------|
| ASTERACEAE                              | 1                | 1                      |                        | <i>Senecio atratus</i>                      | <i>Senecio atratus</i>                         | Tall blacktip ragwort  |
| ASTERACEAE                              | 1                |                        |                        | <i>Senecio eremophilus ssp. kingii</i>      | <i>Senecio eremophilus var. kingii</i>         | Ragweed groundsel      |
| ASTERACEAE                              |                  |                        | 1                      | <i>Senecio fremontii var. blitoides</i>     | <i>Senecio fremontii var. blitoides</i>        | Fremont's butterweed   |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Senecio multicapitatus</i>               | <i>Senecio spartioides var. multicapitatus</i> | Broomlike ragwort      |
| ASTERACEAE                              | 1                |                        |                        | <i>Senecio spartioides</i>                  | <i>Senecio spartioides</i>                     | Broom senecio          |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Senecio triangularis</i>                 | <i>Senecio triangularis</i>                    | Arrowleaf groundsel    |
| ASTERACEAE                              | 1                |                        |                        | <i>Seriphidium tridentatum</i>              | <i>Artemisia tridentata</i>                    | Big sagebrush          |
| ASTERACEAE                              | 1                |                        |                        | <i>Solidago multiradiata</i>                | <i>Solidago multiradiata</i>                   | Mountain goldenrod     |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Solidago nana {S. simplex nana?}</i>     | <i>Solidago nana</i>                           | Baby goldenrod         |
| ASTERACEAE                              | 1                |                        |                        | <i>Solidago simplex var. simplex</i>        | <i>Solidago spathulata</i>                     | Dwarf goldenrod        |
| ASTERACEAE                              | 1                |                        |                        | <i>Solidago velutina</i>                    | <i>Solidago sparsiflora</i>                    | Few-flowered goldenrod |
| ASTERACEAE                              |                  |                        |                        | <b><i>Sonchus oleraceus</i></b>             | <b><i>Sonchus oleraceus</i></b>                | <b>Sow thistle</b>     |
| ASTERACEAE                              |                  |                        | 1                      | <b><i>Sonchus uliginosus</i></b>            | <b><i>Sonchus arvensis ssp. uliginosus</i></b> | <b>Sow thistle</b>     |
| ASTERACEAE                              | 1                |                        |                        | <i>Stephanomeria pauciflora</i>             | <i>Stephanomeria pauciflora</i>                | Wirelettuce            |
| ASTERACEAE                              | 1                |                        |                        | <b><i>Taraxacum officinale</i></b>          | <b><i>Taraxacum officinale</i></b>             | <b>Dandelion</b>       |
| ASTERACEAE                              | 1                |                        |                        | <i>Tetradymia canescens</i>                 | <i>Tetradymia canescens</i>                    | Horsebrush             |
| ASTERACEAE                              | 1                |                        |                        | <i>Tetraneuris acaulis</i>                  | <i>Hymenoxys acaulis</i>                       | Stemless hymenoxys     |
| ASTERACEAE                              | 1                | 1                      |                        | <i>Tetraneuris brevifolia</i>               | <i>Tetraneuris acaulis var. caespitosa</i>     | Caespitose hymenoxys   |
| ASTERACEAE                              | 1                |                        |                        | <i>Thelesperma filifolium</i>               | <i>Thelesperma filifolium</i>                  | Greenthread            |
| ASTERACEAE                              |                  |                        | 1                      | <i>Tonestus pygmaeus</i>                    | <i>Tonestus pygmaeus</i>                       | Dwarf goldenweed       |
| ASTERACEAE                              | 1                |                        |                        | <i>Townsendia exscapa</i>                   | <i>Townsendia exscapa</i>                      | Easter daisy           |
| ASTERACEAE                              | 1                |                        |                        | <b><i>Tragopogon dubius ssp. major</i></b>  | <b><i>Tragopogon dubius</i></b>                | <b>Salsify</b>         |
| ASTERACEAE                              | 1                |                        |                        | <i>Trimorpha elongata (Erig. Kev)</i>       | <i>Erigeron acris</i>                          | Bitter fleabane        |
| ASTERACEAE                              | 1                |                        |                        | <i>Trimorpha lonchophylla (Erig. Kev)</i>   | <i>Erigeron lonchophyllus</i>                  | Spearleaf fleabane     |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)    | Latin name (GRSA/PLANTS)                        | Common name             |
|----------------------------------|-----------|-----------------|-----------------|---|---|-------------------------|
| ASTERACEAE                       | 1         |                 |                 | <i>Virgulaster ascendens</i> (in Aster) | <i>Aster ascendens</i>                          | Pacific aster           |
| ASTERACEAE                       | 1         |                 |                 | <i>Ximenesina encelioides</i>           | <i>Verbesina encelioides</i>                    | Golden crownbeard       |
| ATHYRIACEAE                      |           |                 | 1               | <i>Cystopteris fragilis</i>             | <i>Cystopteris fragilis</i>                     | Fragile fern            |
| BERBERIDACEAE                    |           |                 |                 | <i>Berberis fendleri</i>                | <i>Berberis fendleri</i>                        | Fendler's barberry      |
| BERBERIDACEAE                    |           |                 |                 | <i>Mahonia repens</i>                   | <i>Mahonia repens</i>                           | Oregon grape            |
| BETULACEAE                       |           |                 | 1               | <i>Betula fontinalis</i>                | <i>Betula occidentalis</i>                      | River birch             |
| BETULACEAE                       | 1         |                 |                 | <i>Alnus incana</i>                     | <i>Alnus incana</i>                             | Thinleaf alder          |
| BORAGINACEAE                     | 1         |                 |                 | <i>Cryptantha fendleri</i>              | <i>Cryptantha fendleri</i>                      | Fendler's hidden flower |
| BORAGINACEAE                     | 1         |                 |                 | <i>Hackelia floribunda</i>              | <i>Hackelia floribunda</i>                      | False forget-me-not     |
| BORAGINACEAE                     | 1         |                 |                 | <i>Lappula redowskii</i>                | <i>Lappula redowskii</i>                        | Stickseed               |
| BORAGINACEAE                     | 1         |                 |                 | <i>Lithospermum incisum</i>             | <i>Lithospermum incisum</i>                     | Narrow-leaf puccoon     |
| BORAGINACEAE                     | 1         |                 |                 | <i>Lithospermum multiflorum</i>         | <i>Lithospermum multiflorum</i>                 | Many-flowered puccoon   |
| BORAGINACEAE                     | 1         |                 |                 | <i>Mertensia ciliata</i>                | <i>Mertensia ciliata</i>                        | Tall chimingbells       |
| BORAGINACEAE                     | 1         |                 |                 | <i>Mertensia lanceolata</i>             | <i>Mertensia lanceolata</i>                     | Narrow-leaf bluebells   |
| BORAGINACEAE                     | 1         | 1               |                 | <i>Oreocarya pustulosa</i>              | <i>Cryptantha cinerea</i> var. <i>pustulosa</i> | San Juan cryptantha     |
| BORAGINACEAE                     | 1         |                 |                 | <i>Oreocarya suffruticosa</i>           | <i>Cryptantha jamesii</i>                       | James' hidden flower    |
| BRASSICACEAE                     | 1         |                 |                 | <i>Arabis hirsuta</i>                   | <i>Arabis hirsuta</i>                           | Hairy rock cress        |
| BRASSICACEAE                     |           |                 | 1               | <i>Boechera divaricarpa</i>             | <i>Arabis xdivaricarpa</i>                      | Spreadingpod rockcress  |
| BRASSICACEAE                     |           |                 |                 | <i>Boechera drummondii</i>              | <i>Arabis drummondii</i>                        | Drummond's rock cress   |
| BRASSICACEAE                     |           |                 |                 | <i>Boechera fendleri</i>                | <i>Arabis fendleri</i>                          | Fendler's rock cress    |
| BRASSICACEAE                     |           |                 | 1               | <b><i>Camelina microcarpa</i></b>       | <b><i>Camelina microcarpa</i></b>               | <b>False flax</b>       |
| BRASSICACEAE                     |           |                 | 1               | <b><i>Capsella bursa-pastoris</i></b>   | <b><i>Capsella bursa-pastoris</i></b>           | <b>Shepherd's purse</b> |
| BRASSICACEAE                     | 1         |                 |                 | <i>Cardamine cordifolia</i>             | <i>Cardamine cordifolia</i>                     | Heartleaf bittercress   |
| BRASSICACEAE                     |           |                 | 1               | <b><i>Cardaria pubescens</i></b>        | <b><i>Cardaria pubescens</i></b>                | <b>Hairy whitetop</b>   |
| BRASSICACEAE                     | 1         |                 |                 | <i>Descurainia incana</i>               | <i>Descurainia richardsonii</i>                 | Tansy mustard           |
| BRASSICACEAE                     | 1         |                 |                 | <i>Descurainia pinnata</i>              | <i>Descurainia pinnata</i>                      | Tansy mustard           |
| BRASSICACEAE                     |           |                 | 1               | <b><i>Descurainia sophia</i></b>        | <b><i>Descurainia sophia</i></b>                | <b>Flixweed</b>         |
| BRASSICACEAE                     | 1         |                 |                 | <i>Draba aurea</i>                      | <i>Draba aurea</i>                              | Whitlow grass           |
| BRASSICACEAE                     | 1         |                 |                 | <i>Draba breweri</i> var. <i>cana</i>   | <i>Draba lanceolata</i>                         | White draba             |
| BRASSICACEAE                     | 1         | 1               |                 | <i>Draba smithii</i>                    | <i>Draba smithii</i>                            | Smith's draba           |
| BRASSICACEAE                     | 1         | 1               |                 | <i>Draba streptocarpa</i>               | <i>Draba streptocarpa</i>                       | Pretty whitlowgrass     |
| BRASSICACEAE                     | 1         |                 |                 | <i>Erysimum asperum</i>                 | <i>Erysimum asperum</i>                         | Wallflower              |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>     | <b>Latin name (GRSA/PLANTS)</b>            | <b>Common name</b>          |
|---|------------------|------------------------|------------------------|---|--|-----------------------------|
| BRASSICACEAE                            | 1                | 1                      |                        | <i>Erysimum capitatum</i>                       | <i>Erysimum capitatum</i>                  | Western wallflower          |
| BRASSICACEAE                            |                  |                        |                        | <i>Erysimum inconspicuum</i>                    | <i>Erysimum inconspicuum</i>               | Small-flowered wallflower   |
| BRASSICACEAE                            |                  |                        | 1                      | <b><i>Hymenolobus procumbens</i></b>            | <b><i>Hutchinsia procumbens</i></b>        | <b>Prostrate hutchinsia</b> |
| BRASSICACEAE                            | 1                |                        |                        | <i>Lepidium alyssoides</i>                      | <i>Lepidium montanum</i>                   | Peppergrass                 |
| BRASSICACEAE                            | 1                |                        |                        | <i>Lesquerella montana</i>                      | <i>Lesquerella montana</i>                 | Mountain bladderpod         |
| BRASSICACEAE                            |                  |                        | 1                      | <b><i>Nasturtium officinale</i></b>             | <b><i>Rorippa nasturtium-aquaticum</i></b> | <b>Watercress</b>           |
| BRASSICACEAE                            |                  |                        |                        | <i>Noccaea montana</i>                          | <i>Thlaspi montanum</i>                    | Candytuft                   |
| BRASSICACEAE                            |                  |                        | 1                      | <i>Rorippa alpina</i>                           | <i>Rorippa alpina</i>                      | Alpine yellowcress          |
| BRASSICACEAE                            | 1                |                        |                        | <i>Rorippa sphaerocarpa</i>                     | <i>Rorippa sphaerocarpa</i>                | Water cress                 |
| BRASSICACEAE                            |                  |                        |                        | <b><i>Sisymbrium altissimum</i></b>             | <b><i>Sisymbrium altissimum</i></b>        | <b>Tumble mustard</b>       |
| BRASSICACEAE                            |                  |                        | 1                      | <b><i>Thlaspi arvense</i></b>                   | <b><i>Thlaspi arvense</i></b>              | <b>Field pennycress</b>     |
| CACTACEAE                               |                  |                        |                        | <i>Corypantha vivipara</i> var. <i>vivipara</i> | <i>Corypantha vivipara</i>                 | Ball cactus                 |
| CACTACEAE                               |                  |                        | 1                      | <i>Echinocereus triglochidiatus</i>             | <i>Echinocereus triglochidiatus</i>        | Claret cup                  |
| CACTACEAE                               |                  |                        |                        | <i>Echinocereus viridiflorus</i>                | <i>Echinocereus viridiflorus</i>           | Hen-and-chickens            |
| CACTACEAE                               | 1                |                        |                        | <i>Opuntia polyacantha</i>                      | <i>Opuntia polyacantha</i>                 | Starvation prickly pear     |
| CACTACEAE                               |                  |                        |                        | <i>Pediocactus simpsonii</i>                    | <i>Pediocactus simpsonii</i>               | Ball cactus                 |
| CALOCHORTACEAE                          |                  |                        | 1                      | <i>Calochortus gunnisonii</i>                   | <i>Calochortus gunnisonii</i>              | Mariposa lily               |
| CAMPANULACEAE                           | 1                |                        |                        | <i>Campanula parryi</i>                         | <i>Campanula parryi</i>                    | Purple bellflower           |
| CAMPANULACEAE                           | 1                |                        |                        | <i>Campanula rotundifolia</i>                   | <i>Campanula rotundifolia</i>              | Harebell                    |
| CAMPANULACEAE                           | 1                |                        |                        | <i>Campanula uniflora</i>                       | <i>Campanula uniflora</i>                  | Arctic bellflower           |
| CANNABACEAE                             | 1                |                        |                        | <i>Humulus lupulus</i> ssp. <i>americanus</i>   | <i>Humulus lupulus</i>                     | Hops                        |
| CAPPARIDACEAE                           |                  |                        | 1                      | <i>Cleome multicaulis</i>                       | <i>Cleome multicaulis</i>                  | Slender spiderflower        |
| CAPPARIDACEAE                           | 1                |                        |                        | <i>Cleome serrulata</i>                         | <i>Cleome serrulata</i>                    | Rocky Mountain beeplant     |
| CAPRIFOLIACEAE                          | 1                |                        |                        | <i>Distegia involucrata</i>                     | <i>Lonicera involucrata</i>                | Twinberry                   |
| CAPRIFOLIACEAE                          | 1                |                        |                        | <i>Sambucus microbotrys</i>                     | <i>Sambucus microbotrys</i>                | Red-berried elder           |
| CAPRIFOLIACEAE                          | 1                |                        |                        | <i>Symphoricarpos rotundifolius</i>             | <i>Symphoricarpos rotundifolius</i>        | Round-leaf snowberry        |
| CARYOPHYLLACEAE                         |                  |                        |                        | <i>Gastrolychnis drummondii</i>                 | <i>Lychnis drummondii</i>                  | Campion                     |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>          | <b>Latin name (GRSA/PLANTS)</b>                       | <b>Common name</b>          |
|---|------------------|------------------------|------------------------|--|---|-----------------------------|
| CARYOPHYLLACEAE                         | 1                | 1                      |                        | <i>Silene acaulis</i> ssp.<br><i>subacaulescens</i>  | <i>Silene acaulis</i> var.<br><i>subacaulescens</i>   | Moss campion                |
| CERATOPHYLLACEAE                        | 1                |                        |                        | <i>Ceratophyllum demersum</i>                        | <i>Ceratophyllum demersum</i>                         | Hornwort                    |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Atriplex canescens</i>                            | <i>Atriplex canescens</i>                             | 4-wing saltbrush            |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Bassia hyssopifolia</i>                           | <i>Corispermum hyssipifolium</i>                      | Bugseed                     |
| CHENOPODIACEAE                          | 1                |                        |                        | <b><i>Bassia sieversiana</i></b>                     | <b><i>Kochia scoparia</i></b>                         | <b>Kochia</b>               |
| CHENOPODIACEAE                          | 1                | 1                      |                        | <b><i>Chenopodium album</i></b>                      | <b><i>Chenopodium album</i></b>                       | <b>White goosefoot</b>      |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Chenopodium capitatum</i>                         | <i>Chenopodium capitatum</i>                          | Strawberry blite            |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Chenopodium fremontii</i>                         | <i>Chenopodium fremontii</i>                          | Fremont goosefoot           |
| CHENOPODIACEAE                          | 1                |                        |                        | <b><i>Chenopodium glaucum</i></b>                    | <b><i>Chenopodium glaucum</i></b>                     | <b>Pale lamb's-quarters</b> |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Chenopodium leptophyllum</i>                      | <i>Chenopodium leptophyllum</i>                       | Narrow-leaf goosefoot       |
| CHENOPODIACEAE                          |                  |                        |                        | <i>Chenopodium rubrum</i>                            | <i>Chenopodium rubrum</i>                             | Red goosefoot               |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Corispermum americanum</i>                        | <i>Corispermum nitidum</i>                            | Bugseed                     |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Cycloloma atriplicifolium</i>                     | <i>Cycloloma atriplicifolium</i>                      | Winged pigweed              |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Krascheninnikovia lanata</i>                      | <i>Ceratoides lanata</i>                              | Winterfat                   |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Monolepis nuttalliana</i>                         | <i>Monolepis nuttalliana</i>                          | Poverty weed                |
| CHENOPODIACEAE                          | 1                |                        |                        | <b><i>Salsola australis</i></b>                      | <b><i>Salsola tragus</i></b>                          | <b>Russian thistle</b>      |
| CHENOPODIACEAE                          |                  |                        |                        | <b><i>Salsola collina</i></b>                        | <b><i>Salsola collina</i></b>                         | <b>Russian thistle</b>      |
| CHENOPODIACEAE                          | 1                |                        |                        | <i>Sarcobatus vermiculatus</i>                       | <i>Sarcobatus vermiculatus</i>                        | Greasewood, Chico           |
| CHENOPODIACEAE                          |                  |                        |                        | <i>Suaeda calceoliformis</i>                         | <i>Suaeda calceoliformis</i>                          | Seepweed                    |
| CONVALLARIACEAE                         | 1                |                        |                        | <i>Maianthemum amplexicaule</i><br>(Convallariaceae) | <i>Smilacina racemosa</i> ssp.<br><i>amplexicaule</i> | False Solomon seal          |
| CONVALLARIACEAE                         | 1                |                        |                        | <i>Maiathemum stellatum</i><br>(Convallariaceae)     | <i>Smilacina stellata</i>                             | False Solomon seal          |
| CONVOLVULACEAE                          | 1                |                        |                        | <b><i>Convolvulus arvensis</i></b>                   | <b><i>Convolvulus arvensis</i></b>                    | <b>Bindweed</b>             |
| CORNACEAE                               | 1                |                        |                        | <i>Swida sericea</i>                                 | <i>Cornus stolonifera</i>                             | Red osier dogwood           |
| CRASSULACEAE                            | 1                |                        |                        | <i>Amerosedum lanceolatum</i>                        | <i>Sedum lanceolatum</i>                              | Yellow stonecrop            |
| CRASSULACEAE                            | 1                | 1                      |                        | <i>Clementsia rhodantha</i>                          | <i>Rodiola rhodantha</i>                              | Rose crown                  |
| CRASSULACEAE                            |                  |                        | 1                      | <i>Tolmachevia integrifolia</i>                      | <i>Rodiola integrifolia</i>                           | King's crown                |
| CRYPTOGRAMMACEAE                        | 1                | 1                      |                        | <i>Cryptogramma acrostichoides</i>                   | <i>Cryptogramma acrostichoides</i>                    | American rockbrake          |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>      | <b>Latin name (GRSA/PLANTS)</b>                   | <b>Common name</b>          |
|---|------------------|------------------------|------------------------|--|---|-----------------------------|
| CUPRESSACEAE                            | 1                |                        |                        | <i>Juniperus communis</i> ssp. <i>alpina</i>     | <i>Juniperus communis</i>                         | Common juniper              |
| CUPRESSACEAE                            | 1                |                        |                        | <i>Sabina scopulorum</i>                         | <i>Juniperus scopulorum</i>                       | Rocky Mountain juniper      |
| CYPERACEAE                              |                  |                        | 1                      | <i>Amphiscirpus nevadensis</i>                   | <i>Scirpus nevadensis</i>                         | Alkali bulrush              |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex albonigra</i>                           | <i>Carex albonigra</i>                            | Black-and-white sedge       |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex aquatilis</i>                           | <i>Carex aquatilis</i>                            | Water sedge                 |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex arapahoensis</i>                        | <i>Carex arapahoensis</i>                         | Arapaho sedge               |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex bella</i>                               | <i>Carex bella</i>                                | Showy sedge                 |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex brevipes</i>                            | <i>Carex rossii</i>                               | Ross' sedge                 |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex chalciolepis</i>                        | <i>Carex heteroneura</i> var. <i>chalciolepis</i> | Holm sedge                  |
| CYPERACEAE                              |                  |                        |                        | <i>Carex douglasii</i>                           | <i>Carex douglasii</i>                            | Douglas' sedge              |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex ebenea</i>                              | <i>Carex ebenea</i>                               | Ebony sedge                 |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex elynoides</i>                           | <i>Carex elynoides</i>                            | Blackroot sedge             |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex geophila</i>                            | <i>Carex geophila</i>                             | White Mountain sedge        |
| CYPERACEAE                              | 1                |                        |                        | <i>Carex interior</i>                            | <i>Carex interior</i>                             | Inland sedge                |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex lanuginosa</i>                          | <i>Carex pellita</i>                              | Woolly sedge                |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex microptera</i>                          | <i>Carex microptera</i>                           | Smallwing sedge             |
| CYPERACEAE                              | 1                |                        |                        | <i>Carex nebrascensis</i>                        | <i>Carex nebrascensis</i>                         | Nebraska sedge              |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex norvegica</i> ssp. <i>stevenii</i>      | <i>Carex norvegica</i> ssp. <i>stevenii</i>       | Steven's sedge              |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex nova</i>                                | <i>Carex nova</i>                                 | New sedge                   |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex occidentalis</i>                        | <i>Carex occidentalis</i>                         | Western sedge               |
| CYPERACEAE                              | 1                |                        |                        | <i>Carex pensylvanica</i> ssp. <i>heliophila</i> | <i>Carex heliophila</i>                           | Sun sedge                   |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex praegracilis</i>                        | <i>Carex praegracilis</i>                         | Clustered field sedge       |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex scopulorum</i>                          | <i>Carex scopulorum</i>                           | Holm's Rocky Mountain sedge |
| CYPERACEAE                              |                  |                        | 1                      | <i>Carex simulata</i>                            | <i>Carex simulata</i>                             | Sedge                       |
| CYPERACEAE                              | 1                |                        |                        | <i>Carex stenophylla</i>                         | <i>Carex stenophylla</i>                          | Narrow-leaf sedge           |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Carex utriculata</i>                          | <i>Carex utriculata</i>                           | Beaked sedge                |
| CYPERACEAE                              | 1                |                        |                        | <i>Cyperus aristatus</i>                         | <i>Cyperus aristatus</i>                          | Flat sedge                  |
| CYPERACEAE                              |                  |                        | 1                      | <i>Eleocharis acicularis</i>                     | <i>Eleocharis acicularis</i>                      | Spike sedge                 |
| CYPERACEAE                              |                  |                        | 1                      | <i>Eleocharis macrostachya</i>                   | <i>Eleocharis palustris</i>                       | Spike sedge                 |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>        | <b>Latin name (GRSA/PLANTS)</b>                     | <b>Common name</b>                 |
|---|------------------|------------------------|------------------------|--|---|------------------------------------|
| CYPERACEAE                              | 1                | 1                      |                        | <i>Eriophorum angustifolium</i>                    | <i>Eriophorum angustifolium</i>                     | Tall cottongrass                   |
| CYPERACEAE                              |                  |                        | 1                      | <i>Schoenoplectus lacustris ssp. acutus</i>        | <i>Schoenoplectus acutus</i> var. <i>acutus</i>     | Hardstem bullrush                  |
| CYPERACEAE                              |                  |                        | 1                      | <i>Schoenoplectus pungens</i>                      | <i>Schoenoplectus pungens</i>                       | Three-square                       |
| CYPERACEAE                              | 1                | 1                      |                        | <i>Scirpus microcarpus</i>                         | <i>Scirpus microcarpus</i>                          | Small-flowered tule                |
| ELEAGNACEAE                             | 1                | 1                      |                        | <i>Shepherdia canadensis</i>                       | <i>Shepherdia canadensis</i>                        | Russet buffaloberry                |
| EQUISETACEAE                            | 1                |                        |                        | <i>Equisetum arvense</i>                           | <i>Equisetum arvense</i>                            | Field horsetail                    |
| EQUISETACEAE                            | 1                |                        |                        | <i>Hippochaete laevigata</i>                       | <i>Equisetum laevigatum</i>                         | Scouring-rush                      |
| ERICACEAE                               |                  |                        | 1                      | <i>Arctostaphylos uva-ursi</i>                     | <i>Arctostaphylos uva-ursi</i>                      | Kinnikinnick                       |
| ERICACEAE                               |                  |                        | 1                      | <i>Vaccinium myrtillus</i> var. <i>oreophilum</i>  | <i>Vaccinium myrtillus</i> var. <i>oreophilum</i>   | Common blueberry                   |
| EUPHORBIACEAE                           | 1                |                        |                        | <i>Chamaesyce glyptosperma</i>                     | <i>Euphorbia glyptosperma</i>                       | Small spurge                       |
| EUPHORBIACEAE                           | 1                |                        |                        | <i>Chamaesyce serpyllifolia</i>                    | <i>Euphorbia serpyllifolia</i>                      | Thyme-leaved spurge                |
| EUPHORBIACEAE                           | 1                |                        |                        | <i>Tithymalus brachycerus</i>                      | <i>Euphorbia brachycera</i>                         | Rocky Mountain spurge              |
| EUPHORBIACEAE                           | 1                | 1                      |                        | <b><i>Tithymalus esula</i></b>                     | <b><i>Euphorbia esula</i> var. <i>esula</i></b>     | <b>Leafy spurge</b>                |
| EUPHORBIACEAE                           |                  |                        | 1                      | <b><i>Tithymalus uralensis</i></b>                 | <b><i>Euphorbia esula</i> var. <i>uralensis</i></b> | <b>Leafy spurge</b>                |
| FABACEAE                                | 1                |                        |                        | <i>Astragalus agrestis</i>                         | <i>Astragalus agrestis</i>                          | Milkvetch                          |
| FABACEAE                                | 1                | 1                      |                        | <i>Astragalus alpinus</i>                          | <i>Astragalus alpinus</i>                           | Alpine milkvetch                   |
| FABACEAE                                | 1                |                        |                        | <i>Astragalus ceramicus</i> var. <i>filifolius</i> | <i>Astragalus ceramicus</i>                         | Painted pod                        |
| FABACEAE                                |                  |                        |                        | <i>Astragalus cronequistii</i>                     | <i>Astragalus cronequistii</i>                      | Purple milkvetch                   |
| FABACEAE                                |                  |                        | 1                      | <i>Astragalus scopulorum</i>                       | <i>Astragalus scopulorum</i>                        | Rocky Mountain milkvetch           |
| FABACEAE                                |                  |                        |                        | <i>Glycyrrhiza lepidota</i>                        | <i>Glycyrrhiza lepidota</i>                         | Licorice root                      |
| FABACEAE                                | 1                | 1                      |                        | <i>Lupinus argenteus</i>                           | <i>Lupinus argenteus</i>                            | Silvery lupine                     |
| FABACEAE                                | 1                |                        |                        | <i>Lupinus pusillus</i>                            | <i>Lupinus pusillus</i>                             | Low lupine                         |
| FABACEAE                                | 1                |                        |                        | <b><i>Melilotus alba</i></b>                       | <b><i>Melilotus alba</i></b>                        | <b>White sweet clover</b>          |
| FABACEAE                                |                  |                        |                        | <b><i>Melilotus officinale</i></b>                 | <b><i>Melilotus officinalis</i></b>                 | <b>Yellow sweet clover</b>         |
| FABACEAE                                | 1                |                        |                        | <i>Oxytropis deflexa</i>                           | <i>Oxytropis deflexa</i>                            | Pendant pod loco                   |
| FABACEAE                                |                  |                        |                        | <i>Oxytropis lambertii</i>                         | <i>Oxytropis lambertii</i>                          | Colorado loco                      |
| FABACEAE                                | 1                |                        |                        | <i>Oxytropis sericea</i>                           | <i>Oxytropis sericea</i>                            | White loco                         |
| FABACEAE                                |                  |                        | 1                      | <i>Oxytropis sericea x lambertii</i>               | <i>Oxytropis sericea x lambertii</i>                | White locoweed x Colorado locoweed |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)   | Latin name (GRSA/PLANTS)                     | Common name               |
|----------------------------------|-----------|-----------------|-----------------|--|--|---------------------------|
| FABACEAE                         | 1         |                 |                 | <i>Psoralidium lanceolatum</i>         | <i>Psoralidium lanceolata</i>                | Surfpea                   |
| FABACEAE                         |           |                 | 1               | <i>Thermopsis divaricarpa</i>          | <i>Thermopsis divaricarpa</i>                | Golden banner             |
| FABACEAE                         | 1         |                 |                 | <i>Thermopsis rhombifolia</i>          | <i>Thermopsis rhombifolia</i>                | Golden banner             |
| FABACEAE                         |           |                 | 1               | <i>Trifolium attenuatum</i>            | <i>Trifolium attenuatum</i>                  | Rocky Mountain clover     |
| FABACEAE                         | 1         | 1               |                 | <i>Trifolium dasypodium</i>            | <i>Trifolium dasypodium</i>                  | Alpine clover             |
| FABACEAE                         | 1         |                 |                 | <b><i>Trifolium pratense</i></b>       | <b><i>Trifolium pratense</i></b>             | <b>Red clover</b>         |
| FABACEAE                         | 1         |                 |                 | <b><i>Trifolium repens</i></b>         | <b><i>Trifolium repens</i></b>               | <b>White Dutch clover</b> |
| FABACEAE                         |           |                 |                 | <i>Trifolium wormskjoldii</i>          | <i>Trifolium wormskjoldii</i>                | Wormskjold's clover       |
| FABACEAE                         | 1         |                 |                 | <i>Vicia americana</i>                 | <i>Vicia americana</i>                       | American vetch            |
| FUMARIACEAE                      | 1         |                 |                 | <i>Corydalis aurea</i>                 | <i>Corydalis aurea</i>                       | Golden smoke              |
| GENTIANACEAE                     | 1         | 1               |                 | <i>Frasera speciosa</i>                | <i>Frasera speciosa</i>                      | Green gentian             |
| GENTIANACEAE                     | 1         | 1               |                 | <i>Gentiana aodes algida</i>           | <i>Gentiana algida</i>                       | Whitish gentian           |
| GENTIANACEAE                     |           |                 |                 | <i>Gentianella acuta</i>               | <i>Gentianella acuta</i>                     | Felwort                   |
| GENTIANACEAE                     |           |                 |                 | <i>Pneumonanthe affinis</i>            | <i>Gentiana affinis</i>                      | Blue gentian              |
| GENTIANACEAE                     | 1         | 1               |                 | <i>Swertia perennis.</i>               | <i>Swertia perennis.</i>                     | Star gentian              |
| GERANIACEAE                      | 1         |                 |                 | <b><i>Erodium cicutarium</i></b>       | <b><i>Erodium cicutarium</i></b>             | <b>Filaree</b>            |
| GERANIACEAE                      | 1         |                 |                 | <i>Geranium caespitosum</i>            | <i>Geranium caespitosum</i>                  | Common geranium           |
| GERANIACEAE                      |           |                 | 1               | <i>Geranium richardsonii</i>           | <i>Geranium richardsonii</i>                 | White geranium            |
| GROSSULARIACEAE                  | 1         |                 |                 | <i>Ribes aureum</i>                    | <i>Ribes aureum</i>                          | Golden currant            |
| GROSSULARIACEAE                  | 1         |                 |                 | <i>Ribes cereum</i>                    | <i>Ribes cereum</i>                          | Wax currant               |
| GROSSULARIACEAE                  | 1         |                 |                 | <i>Ribes leptanthum</i>                | <i>Ribes leptanthum</i>                      | Trumpet gooseberry        |
| GROSSULARIACEAE                  | 1         | 1               |                 | <i>Ribes montigenum</i>                | <i>Ribes montigenum</i>                      | Gooseberry currant        |
| HALORAGACEAE                     | 1         |                 |                 | <i>Myriophyllum sibiricum</i>          | <i>Myriophyllum exalbescens</i>              | Water-milfoil             |
| HELLEBORACEAE                    | 1         | 1               |                 | <i>Aconitum columbianum</i>            | <i>Aconitum columbianum</i>                  | Columbia monkshood        |
| HELLEBORACEAE                    | 1         | 1               |                 | <i>Actaea rubra</i> ssp. <i>arguta</i> | <i>Actaea rubra</i> ssp. <i>arguta</i>       | Red baneberry             |
| HELLEBORACEAE                    |           |                 | 1               | <i>Aquilegia elegantula</i>            | <i>Aquilegia elegantula</i>                  | Red columbine             |
| HELLEBORACEAE                    | 1         | 1               |                 | <i>Delphinium barbeyi</i>              | <i>Delphinium barbeyi</i>                    | Subalpine larkspur        |
| HELLEBORACEAE                    |           |                 | 1               | <i>Delphinium ramosum</i>              | <i>Delphinium ramosum</i>                    | Larkspur                  |
| HELLEBORACEAE                    |           |                 |                 | <i>Delphinium robustum</i>             | <i>Delphinium robustum</i>                   | Robust larkspur           |
| HELLEBORACEAE                    | 1         | 1               |                 | <i>Psychrophila leptosepala</i>        | <i>Caltha leptosepala</i>                    | White marsh marigold      |
| HELLEBORACEAE                    |           |                 | 1               | <i>Trollius albiflorus</i>             | <i>Trollius laxus</i> ssp. <i>albiflorus</i> | Globeflower               |
| HYDRANGIACEAE                    | 1         |                 |                 | <i>Jamesia americana</i>               | <i>Jamesia americana</i>                     | Waxflower                 |
| HYDROPHYLLACEAE                  | 1         |                 |                 | <i>Hydrophyllum fendleri</i>           | <i>Hydrophyllum fendleri</i>                 | Fendler's waterleaf       |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>               | <b>Latin name (GRSA/PLANTS)</b>          | <b>Common name</b>      |
|---|------------------|------------------------|------------------------|---|--|-------------------------|
| HYDROPHYLACEAE                          | 1                |                        |                        | <i>Phacelia alba</i>                                      | <i>Phacelia alba</i>                     | Fiddleneck              |
| HYDROPHYLACEAE                          | 1                |                        |                        | <i>Phacelia denticulata</i>                               | <i>Phacelia denticulata</i>              | Rocky Mountain phacelia |
| HYDROPHYLACEAE                          |                  |                        | 1                      | <i>Phacelia heterophylla</i>                              | <i>Phacelia heterophylla</i>             | Varileaf phacelia       |
| HYDROPHYLACEAE                          | 1                | 1                      |                        | <i>Phacelia sericea</i>                                   | <i>Phacelia sericea</i>                  | Purplefringe            |
| IRIDACEAE                               | 1                |                        |                        | <i>Iris missouriensis</i>                                 | <i>Iris missouriensis</i>                | Wild iris               |
| IRIDACEAE                               |                  |                        |                        | <i>Sisyrinchium montanum</i>                              | <i>Sisyrinchium montanum</i>             | Blue-eyed grass         |
| JUNCACEAE                               | 1                |                        |                        | <i>Juncus arcticus</i>                                    | <i>Juncus balticus</i>                   | Baltic rush             |
| JUNCACEAE                               |                  |                        | 1                      | <i>Juncus bufonius</i>                                    | <i>Juncus bufonius</i>                   | Toad rush               |
| JUNCACEAE                               |                  |                        | 1                      | <i>Juncus drummondii</i>                                  | <i>Juncus drummondii</i>                 | Drummond's rush         |
| JUNCACEAE                               | 1                |                        |                        | <i>Juncus ensifolius</i>                                  | <i>Juncus ensifolius</i>                 | Sword-leaved rush       |
| JUNCACEAE                               | 1                | 1                      |                        | <i>Juncus longistylis</i>                                 | <i>Juncus longistylis</i>                | Longstyle rush          |
| JUNCACEAE                               | 1                | 1                      |                        | <i>Juncus mertensianus</i>                                | <i>Juncus mertensianus</i>               | Merten's rush           |
| JUNCACEAE                               | 1                |                        |                        | <i>Juncus nodosus</i>                                     | <i>Juncus nodosus</i>                    | Knotted rush            |
| JUNCACEAE                               |                  |                        | 1                      | <i>Juncus parryi</i>                                      | <i>Juncus parryi</i>                     | Parry's rush            |
| JUNCACEAE                               |                  |                        | 1                      | <i>Juncus saximontanus</i>                                | <i>Juncus saximontanus</i>               | Rocky Mountain rush     |
| JUNCACEAE                               | 1                |                        |                        | <i>Juncus tenuis</i>                                      | <i>Juncus tenuis</i>                     | Poverty rush            |
| JUNCACEAE                               |                  |                        | 1                      | <i>Luzula comosa</i>                                      | <i>Luzula comosa</i>                     | Woodrush                |
| JUNCACEAE                               | 1                | 1                      |                        | <i>Luzula parviflora</i>                                  | <i>Luzula parviflora</i>                 | Millet woodrush         |
| JUNCACEAE                               |                  |                        | 1                      | <i>Luzula spicata</i>                                     | <i>Luzula spicata</i>                    | Spiked woodrush         |
| JUNCAGINACEAE                           | 1                |                        |                        | <i>Triglochin maritima</i>                                | <i>Triglochin maritimea</i>              | Arrowgrass              |
| JUNCAGINACEAE                           |                  |                        |                        | <i>Triglochin palustris</i>                               | <i>Triglochin palustris</i>              | Arrowgrass              |
| LAMIACEAE                               |                  |                        | 1                      | <i>Dracocephalum parviflorum</i>                          | <i>Dracocephalum parviflorum</i>         | Dragonhead              |
| LAMIACEAE                               |                  |                        |                        | <i>Marrubium vulgare</i>                                  | <i>Marrubium vulgare</i>                 | Horehound               |
| LAMIACEAE                               | 1                |                        |                        | <i>Mentha arvensis</i>                                    | <i>Mentha arvensis</i>                   | Wild mint               |
| LAMIACEAE                               | 1                |                        |                        | <i>Monarda pectinata</i>                                  | <i>Monarda pectinata</i>                 | Wild oregano            |
| LAMIACEAE                               | 1                | 1                      |                        | <i>Prunella vulgaris</i>                                  | <i>Prunella vulgaris</i>                 | Heal-all                |
| LAMIACEAE                               |                  |                        |                        | <i>Scutellaria galericulata ssp. <i>epilobiifolia</i></i> | <i>Scutellaria galericulata</i>          | Skull cap               |
| LAMIACEAE                               |                  |                        | 1                      | <i>Stachys palustris ssp. <i>pilosa</i></i>               | <i>Stachys pilosa ssp. <i>pilosa</i></i> | Hedge nettle            |
| LEMNACEAE                               | 1                |                        |                        | <i>Lemna minor</i>  | <i>Lemna minor</i>                       | Duckweed                |
| LINACEAE                                | 1                |                        |                        | <i>Adenolinum lewisii</i>                                 | <i>Linum lewisii</i>                     | Blue flax               |
| LOASACEAE                               | 1                |                        |                        | <i>Acrolasia albicaulis</i>                               | <i>Mentzelia albicaulis</i>              | White-stem evening star |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>           | <b>Latin name (GRSA/PLANTS)</b>                    | <b>Common name</b>             |
|---|------------------|------------------------|------------------------|---|--|--------------------------------|
| LOASACEAE                               | 1                |                        |                        | <i>Nuttallia multiflora</i>                           | <i>Mentzelia multiflora</i>                        | Many-flowered evening star     |
| MALVACEAE                               | 1                |                        |                        | <i>Sidalcea candida</i>                               | <i>Sidalcea candida</i>                            | White checkermallow            |
| MALVACEAE                               |                  |                        | 1                      | <i>Sidalcea neomexicana</i>                           | <i>Sidalcea neomexicana</i>                        | Checkerbloom                   |
| MALVACEAE                               | 1                |                        |                        | <i>Sphaeralcea coccinea</i>                           | <i>Sphaeralcea coccinea</i>                        | Orange globemallow             |
| MELANTHIACEAE                           | 1                | 1                      |                        | <i>Anticlea elegans</i><br>( <i>Melanthiaceae</i> )   | <i>Zigadenus elegans</i> ssp.<br><i>elegans</i>    | Mountain deathcamas            |
| MELANTHIACEAE                           |                  |                        | 1                      | <i>Veratrum tenuipetalum</i>                          | <i>Veratrum tenuipetalum</i>                       | False hellebore                |
| NYCTAGINACEAE                           | 1                |                        |                        | <i>Mirabilis multiflora</i>                           | <i>Mirabilis multiflora</i>                        | Wild four o'clock              |
| NYCTAGINACEAE                           | 1                |                        |                        | <i>Mirabilis oxybaphoides</i>                         | <i>Mirabilis oxybaphoides</i>                      | Common four o'clock            |
| NYCTAGINACEAE                           | 1                |                        |                        | <i>Oxybaphus linearis</i>                             | <i>Mirabilis linearis</i>                          | Umbrellawort                   |
| NYCTAGINACEAE                           | 1                |                        |                        | <i>Tripterocalyx micranthus</i>                       | <i>Tripterocalyx micranthus</i>                    | Sand verbena                   |
| ONAGRACEAE                              | 1                |                        |                        | <i>Camissonia minor</i>                               | <i>Camissonia minor</i>                            | Small evening primrose         |
| ONAGRACEAE                              | 1                |                        |                        | <i>Chamerion danielsii</i>                            | <i>Chamerion angustifolium</i>                     | Fireweed                       |
| ONAGRACEAE                              | 1                |                        |                        | <i>Epilobium ciliatum</i>                             | <i>Epilobium ciliatum</i>                          | Northern willowherb            |
| ONAGRACEAE                              | 1                | 1                      |                        | <i>Epilobium hornemannii</i>                          | <i>Epilobium hornemannii</i>                       | Hornemann's willowweed         |
| ONAGRACEAE                              |                  |                        | 1                      | <i>Epilobium lactiflorum</i>                          | <i>Epilobium lactiflorum</i>                       | Willowherb                     |
| ONAGRACEAE                              | 1                |                        |                        | <i>Gaura coccinea</i>                                 | <i>Gaura coccinea</i>                              | Scarlet gaura                  |
| ONAGRACEAE                              |                  |                        |                        | <i>Gayophytum diffusum</i> ssp.<br><i>parviflorum</i> | <i>Gayophytum diffusum</i>                         | Baby's breath                  |
| ONAGRACEAE                              | 1                |                        |                        | <i>Oenothera albicaulis</i>                           | <i>Oenothera albicaulis</i>                        | White-stemmed evening primrose |
| ONAGRACEAE                              | 1                |                        |                        | <i>Oenothera caespitosa</i>                           | <i>Oenothera caespitosa</i>                        | Stemless evening primrose      |
| ONAGRACEAE                              | 1                |                        |                        | <i>Oenothera coronopifolia</i>                        | <i>Oenothera coronopifolia</i>                     | Cutleaf evening primrose       |
| ONAGRACEAE                              | 1                | 1                      |                        | <i>Oenothera elata</i> ssp.<br><i>hirsutissima</i>    | <i>Oenothera elata</i> ssp.<br><i>hirsutissima</i> | Evening primrose               |
| ONAGRACEAE                              |                  |                        | 1                      | <i>Oenothera pallida</i> ssp.<br><i>runcinata</i>     | <i>Oenothera pallida</i> ssp.<br><i>runcinata</i>  | Pale evening-primrose          |
| ONAGRACEAE                              |                  |                        |                        | <i>Oenothera villosa</i>                              | <i>Oenothera villosa</i>                           | Common evening primrose        |
| ORCHIDACEAE                             | 1                |                        |                        | <i>Corallorrhiza maculata</i>                         | <i>Corallorrhiza maculata</i>                      | Spotted coralroot              |
| ORCHIDACEAE                             |                  |                        |                        | <i>Corallorrhiza striata</i>                          | <i>Corallorrhiza striata</i>                       | Striped coralroot              |
| ORCHIDACEAE                             | 1                |                        |                        | <i>Limnorchis hyperborea</i>                          | <i>Habenaria hyperborea</i>                        | Northern green bog-orchid      |
| ORCHIDACEAE                             | 1                | 1                      |                        | <i>Spiranthes romanzoffiana</i>                       | <i>Spiranthes romanzoffiana</i>                    | Hooded ladies'-tresses         |
| OROBANCHACEAE                           | 1                |                        |                        | <i>Orobanche multiflora</i>                           | <i>Orobanche multiflora</i>                        | Many-flowered broomrape        |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)          | Latin name (GRSA/PLANTS)                       | Common name               |
|----------------------------------|-----------|-----------------|-----------------|---|--|---------------------------|
| PARNASSIACEAE                    |           |                 | 1               | <i>Parnassia fimbriata</i>                    | <i>Parnassia fimbriata</i>                     | Grass of Parnassus        |
| PINACEAE                         | 1         |                 |                 | <i>Abies concolor</i>                         | <i>Abies concolor</i>                          | White fir                 |
| PINACEAE                         | 1         |                 |                 | <i>Picea pungens</i>                          | <i>Picea pungens</i>                           | Colorado blue spruce      |
| PINACEAE                         | 1         | 1               |                 | <i>Picea engelmannii</i>                      | <i>Picea engelmannii</i>                       | Englemann's spruce        |
| PINACEAE                         | 1         | 1               |                 | <i>Pinus aristata</i>                         | <i>Pinus aristata</i>                          | Bristlecone pine          |
| PINACEAE                         | 1         |                 |                 | <i>Pinus edulis</i>                           | <i>Pinus edulis</i>                            | Pinyon pine               |
| PINACEAE                         | 1         |                 |                 | <i>Pinus flexilis</i>                         | <i>Pinus flexilis</i>                          | Limber pine               |
| PINACEAE                         | 1         |                 |                 | <i>Pinus ponderosa</i> ssp. <i>scopulorum</i> | <i>Pinus ponderosa</i>                         | Ponderosa pine            |
| PINACEAE                         | 1         |                 |                 | <i>Pseudotsuga menziesii</i>                  | <i>Pseudotsuga menziesii</i>                   | Douglas fir               |
| PLANTAGINACEAE                   | 1         |                 |                 | <i>Plantago major</i>                         | <i>Plantago major</i>                          | Common plantain           |
| POACEAE                          | 1         |                 |                 | <i>Achnatherum hymenoides</i>                 | <i>Oryzopsis hymenoides</i>                    | Indian rice-grass         |
| POACEAE                          |           |                 | 1               | <i>Achnatherum robustum</i>                   | <i>Achnatherum robustum</i>                    | Sleepy grass              |
| POACEAE                          | 1         |                 |                 | <i>Achnatherum scribneri</i>                  | <i>Achnatherum scribneri</i>                   | Scribner's needlegrass    |
| POACEAE                          |           |                 | 1               | <b><i>Agropyron cristatum</i></b>             | <b><i>Agropyron cristatum</i></b>              | <b>Crested wheatgrass</b> |
| POACEAE                          |           |                 | 1               | <b><i>Agrostis exarata</i></b>                | <b><i>Agrostis exarata</i></b>                 | <b>Spike bentgrass</b>    |
| POACEAE                          | 1         |                 |                 | <i>Agrostis scabra</i>                        | <i>Agrostis scabra</i>                         | Ticklegrass               |
| POACEAE                          | 1         |                 |                 | <b><i>Agrostis stolonifera</i></b>            | <b><i>Agrostis stolonifera</i></b>             | <b>Redtop</b>             |
| POACEAE                          | 1         |                 |                 | <i>Alopecurus aequalis</i>                    | <i>Alopecurus aequalis</i>                     | Shortawn foxtail          |
| POACEAE                          |           |                 | 1               | <b><i>Alopecurus pratensis</i></b>            | <b><i>Alopecurus pratensis</i></b>             | <b>Meadow foxtail</b>     |
| POACEAE                          | 1         |                 |                 | <i>Andropogon hallii</i>                      | <i>Andropogon hallii</i>                       | Sand bluestem             |
| POACEAE                          | 1         |                 |                 | <b><i>Anisantha tectorum</i></b>              | <b><i>Bromus tectorum</i></b>                  | <b>Cheatgrass</b>         |
| POACEAE                          | 1         | 1               |                 | <i>Aristida purpurea</i>                      | <i>Aristida purpurea</i>                       | Three-awn                 |
| POACEAE                          |           |                 | 1               | <i>Blepharoneuron tricholepis</i>             | <i>Blepharoneuron tricholepis</i>              | Pine dropseed             |
| POACEAE                          | 1         |                 |                 | <i>Bouteloua curtipendula</i>                 | <i>Bouteloua curtipendula</i>                  | Side-oats grama           |
| POACEAE                          | 1         |                 |                 | <i>Bromopsis canadensis</i>                   | <i>Bromus ciliatus</i>                         | Fringed brome             |
| POACEAE                          | 1         | 1               |                 | <b><i>Bromopsis inermis</i></b>               | <b><i>Bromus inermis</i></b>                   | <b>Smooth brome</b>       |
| POACEAE                          | 1         |                 |                 | <i>Bromopsis porteri</i>                      | <i>Bromus anomalus</i>                         | Nodding brome             |
| POACEAE                          | 1         | 1               |                 | <i>Bromopsis pumpelliana</i>                  | <i>Bromus inermis</i> var. <i>pumpellianus</i> | Pumpelly's brome          |
| POACEAE                          | 1         |                 |                 | <b><i>Bromus japonicus</i></b>                | <b><i>Bromus japonicus</i></b>                 | <b>Japanese chess</b>     |
| POACEAE                          | 1         | 1               |                 | <i>Calamagrostis canadensis</i>               | <i>Calamagrostis canadensis</i>                | Canada reedgrass          |
| POACEAE                          |           |                 | 1               | <i>Calamagrostis purpurascens</i>             | <i>Calamagrostis purpurascens</i>              | Purple reedgrass          |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b> | <b>Latin name (GRSA/PLANTS)</b>                   | <b>Common name</b>    |
|---|------------------|------------------------|------------------------|---|---|-----------------------|
| POACEAE                                 | 1                |                        |                        | <i>Calamagrostis stricta</i>                | <i>Calamagrostis stricta/neglecta</i>             | Slimstem reedgrass    |
| POACEAE                                 | 1                |                        |                        | <i>Calamovilfa longifolia</i>               | <i>Calamovilfa longifolia</i>                     | Prairie sandreed      |
| POACEAE                                 |                  |                        | 1                      | <i>Catabrosa aquatica</i>                   | <i>Catabrosa aquatica</i>                         | Brookgrass            |
| POACEAE                                 | 1                | 1                      |                        | <i>Ceratochloa marginata</i>                | <i>Bromus carinatus</i>                           | Mountain brome        |
| POACEAE                                 | 1                |                        |                        | <i>Chondrosum gracile</i>                   | <i>Bouteloua gracilis</i>                         | Blue grama            |
| POACEAE                                 |                  |                        |                        | <i>Chondrosum hirsutum</i>                  | <i>Bouteloua hirsuta</i>                          | Blue grama            |
| POACEAE                                 |                  |                        | 1                      | <i>Cinna latifolia</i>                      | <i>Cinna latifolia</i>                            | Drooping woodreed     |
| POACEAE                                 | 1                |                        |                        | <i>Critesion jubatum</i>                    | <i>Hordeum jubatum</i>                            | Foxtail barley        |
| POACEAE                                 | 1                |                        |                        | <b><i>Dactylis glomerata</i></b>            | <b><i>Dactylis glomerata</i></b>                  | <b>Orchardgrass</b>   |
| POACEAE                                 | 1                | 1                      |                        | <i>Danthonia intermedia</i>                 | <i>Danthonia intermedia</i>                       | Timber oatgrass       |
| POACEAE                                 | 1                | 1                      |                        | <i>Danthonia parryi</i>                     | <i>Danthonia parryi</i>                           | Parry's oatgrass      |
| POACEAE                                 | 1                | 1                      |                        | <i>Deschampsia cespitosa</i>                | <i>Deschampsia caespitosa</i>                     | Tufted hairgrass      |
| POACEAE                                 |                  |                        |                        | <i>Diplachne fascicularis</i>               | <i>Leptochloa fascicularis</i>                    | Sprangletop           |
| POACEAE                                 |                  |                        | 1                      | <i>Distichlis stricta</i>                   | <i>Distichlis spicata</i>                         | Salt grass            |
| POACEAE                                 | 1                |                        |                        | <i>Elymus elymoides</i>                     | <i>Sitanion hystrix</i>                           | Squirreltail          |
| POACEAE                                 |                  |                        | 1                      | <i>Elymus glaucus</i>                       | <i>Elymus glaucus</i>                             | Blue wildrye          |
| POACEAE                                 | 1                |                        |                        | <i>Elymus lanceolatum</i>                   | <i>Agropyron dasystachyum</i>                     | Thickspike wheatgrass |
| POACEAE                                 | 1                | 1                      |                        | <i>Elymus scribneri</i>                     | <i>Elymus scribneri</i>                           | Scribner's wild rye   |
| POACEAE                                 | 1                | 1                      |                        | <i>Elymus trachycaulus</i>                  | <i>Elymus trachycaulus/Agropyron trachycaulum</i> | Slender wheatgrass    |
| POACEAE                                 |                  |                        | 1                      | <i>Festuca arizonica</i>                    | <i>Festuca arizonica</i>                          | Arizona fescue        |
| POACEAE                                 | 1                |                        |                        | <b><i>Festuca ovina (not in Weber)</i></b>  | <b><i>Festuca ovina</i></b>                       | <b>Sheep fescue</b>   |
| POACEAE                                 |                  |                        | 1                      | <i>Festuca saximontana</i>                  | <i>Festuca saximontana</i>                        | Fescue                |
| POACEAE                                 | 1                | 1                      |                        | <i>Festuca thurberi</i>                     | <i>Festuca thurberi</i>                           | Thurber's fescue      |
| POACEAE                                 | 1                |                        |                        | <i>Glyceria grandis</i>                     | <i>Glyceria grandis</i>                           | Manna grass           |
| POACEAE                                 | 1                |                        |                        | <i>Hesperostipa comata</i>                  | <i>Stipa comata</i>                               | Needle-and-thread     |
| POACEAE                                 |                  |                        | 1                      | <i>Hierochloe hirta ssp. arctica</i>        | <i>Hierochloe hirta ssp. arctica</i>              | Sweetgrass            |
| POACEAE                                 | 1                |                        |                        | <i>Koeleria macrantha</i>                   | <i>Koeleria macrantha</i>                         | Junegrass             |
| POACEAE                                 | 1                |                        |                        | <i>Leymus triticoides</i>                   | <i>Elymus triticoides</i>                         | Creeping wildrye      |
| POACEAE                                 | 1                |                        |                        | <i>Monroa squarrosa</i>                     | <i>Munroa squarrosa</i>                           | False buffalo grass   |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)            | Latin name (GRSA/PLANTS)                   | Common name                    |
|----------------------------------|-----------|-----------------|-----------------|---|--|--------------------------------|
| POACEAE                          | 1         |                 |                 | <i>Muhlenbergia andina</i>                      | <i>Muhlenbergia andina</i>                 | Muhly                          |
| POACEAE                          | 1         |                 |                 | <i>Muhlenbergia asperifolia</i>                 | <i>Muhlenbergia asperifolia</i>            | Alkali muhly                   |
| POACEAE                          | 1         |                 |                 | <i>Muhlenbergia minutissima</i>                 | <i>Muhlenbergia minutissima</i>            | Minutissima                    |
| POACEAE                          |           |                 | 1               | <i>Muhlenbergia montana</i>                     | <i>Muhlenbergia montana</i>                | Mountain muhly                 |
| POACEAE                          | 1         |                 |                 | <i>Muhlenbergia pungens</i>                     | <i>Muhlenbergia pungens</i>                | Sandhill muhly                 |
| POACEAE                          | 1         |                 |                 | <i>Pascopyrum smithii</i>                       | <i>Pascopyrum smithii</i>                  | Western wheatgrass             |
| POACEAE                          | 1         | 1               |                 | <i>Phleum commutatum</i>                        | <i>Phleum alpinum</i>                      | Alpine timothy                 |
| POACEAE                          | 1         |                 |                 | <b><i>Phleum pratense</i></b>                   | <b><i>Phleum pratense</i></b>              | <b>Timothy grass</b>           |
| POACEAE                          | 1         |                 |                 | <i>Piptatherum micranthum</i>                   | <i>Piptatherum micrantha</i>               | Littleseed rice-grass          |
| POACEAE                          | 1         |                 |                 | <i>Poa fendleriana</i> ssp. <i>longiligula</i>  | <i>Poa fendleriana</i>                     | Mutton grass                   |
| POACEAE                          | 1         | 1               |                 | <i>Poa glauca</i> ssp. <i>rupicola</i>          | <i>Poa glauca</i> ssp. <i>rupicola</i>     | Timberline bluegrass           |
| POACEAE                          |           |                 | 1               | <i>Poa leptocoma</i>                            | <i>Poa leptocoma</i>                       | Bog bluegrass                  |
| POACEAE                          | 1         | 1               |                 | <i>Poa nemoralis</i> ssp. <i>interior</i>       | <i>Poa nemoralis</i> ssp. <i>interior</i>  | Inland bluegrass               |
| POACEAE                          | 1         |                 |                 | <i>Poa pattersonii</i>                          | <i>Poa pattersonii</i>                     | Patterson bluegrass            |
| POACEAE                          |           |                 | 1               | <b><i>Poa pratensis</i></b>                     | <b><i>Poa pratensis</i></b>                | <b>Kentucky bluegrass</b>      |
| POACEAE                          | 1         |                 |                 | <i>Puccinellia airoides</i>                     | <i>Puccinellia nuttaliana</i>              | Alkali grass                   |
| POACEAE                          | 1         | 1               |                 | <i>Redfieldia flexuosa</i>                      | <i>Redfieldia flexuosa</i>                 | Blowout grass                  |
| POACEAE                          |           |                 | 1               | <i>Spartina gracilis</i>                        | <i>Spartina gracilis</i>                   | Alkali cordgrass               |
| POACEAE                          |           |                 |                 | <i>Sphenopholis obtusata</i>                    | <i>Sphenopholis obtusata</i>               | Wedge-grass                    |
| POACEAE                          |           |                 | 1               | <i>Sporobolus airoides</i>                      | <i>Sporobolus airoides</i>                 | Alkali sacaton                 |
| POACEAE                          | 1         |                 |                 | <i>Sporobolus cryptandrus</i>                   | <i>Sporobolus cryptandrus</i>              | Sand dropseed                  |
| POACEAE                          |           |                 | 1               | <b><i>Thinopyrum intermedium</i></b>            | <b><i>Thinopyrum intermedium</i></b>       | <b>Intermediate wheatgrass</b> |
| POACEAE                          | 1         | 1               |                 | <i>Trisetum montanum</i>                        | <i>Trisetum spicatum</i>                   | Mountain trisetum              |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Aliciella pinnatifida</i> (in <i>Gilia</i> ) | <i>Gilia pinnatifida</i>                   | Pinnate-leaf gilia             |
| POLEMONIACEAE                    |           |                 | 1               | <i>Collomia linearis</i>                        | <i>Collomia linearis</i>                   | Narrowleaf phlox               |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Gilia micromeria</i>                         | <i>Gilia leptomeria</i>                    | Gilia                          |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Ipomopsis aggregata</i>                      | <i>Ipomopsis aggregata</i>                 | Scarlet gilia                  |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Ipomopsis longiflora</i>                     | <i>Ipomopsis longiflora</i>                | Blue gilia                     |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Leptodactylon pungens</i>                    | <i>Leptodactylon pungens</i>               | Prickly gilia                  |
| POLEMONIACEAE                    |           |                 | 1               | <i>Microsteris gracilis</i>                     | <i>Phlox gracilis</i> ssp. <i>gracilis</i> | Slender phlox                  |

| Family (Weber and Wittmann 2001) | GRSA 2002 | 2002 collection | 2003 collection | Latin name (Weber and Wittmann 2001)                    | Latin name (GRSA/PLANTS)                                | Common name              |
|----------------------------------|-----------|-----------------|-----------------|---|---|--------------------------|
| POLEMONIACEAE                    | 1         | 1               |                 | <i>Phlox condensata</i>                                 | <i>Phlox condensata</i>                                 | Dwarf phlox              |
| POLEMONIACEAE                    | 1         |                 |                 | <i>Polemonium foliosissimum</i>                         | <i>Polemonium foliosissimum</i>                         | Leafy Jacob's ladder     |
| POLEMONIACEAE                    | 1         | 1               |                 | <i>Polemonium pulcherrimum</i><br><i>ssp. delicatum</i> | <i>Polemonium pulcherrimum</i><br><i>ssp. delicatum</i> | Jacob's-ladder           |
| POLEMONIACEAE                    | 1         | 1               |                 | <i>Polemonium viscosum</i>                              | <i>Polemonium viscosum</i>                              | Sticky Jacob's-ladder    |
| POLYGONACEAE                     | 1         |                 |                 | <b><i>Acetosella vulgaris</i></b>                       | <b><i>Acetosella vulgaris</i></b>                       | <b>Bitter dock</b>       |
| POLYGONACEAE                     | 1         | 1               |                 | <i>Bistorta bistortoides</i>                            | <i>Polygonum bistortoides</i>                           | American bistort         |
| POLYGONACEAE                     | 1         | 1               |                 | <i>Bistorta vivipara</i>                                | <i>Polygonum viviparum</i>                              | Alpine bistort           |
| POLYGONACEAE                     | 1         |                 |                 | <i>Eriogonum cernuum</i>                                | <i>Eriogonum cernuum</i>                                | Nodding eriogonum        |
| POLYGONACEAE                     | 1         |                 |                 | <i>Eriogonum effusum</i>                                | <i>Eriogonum effusum</i>                                | Bushy eriogonum          |
| POLYGONACEAE                     | 1         | 1               |                 | <i>Eriogonum flavum</i>                                 | <i>Eriogonum flavum</i>                                 | Alpine golden buckwheat  |
| POLYGONACEAE                     | 1         |                 |                 | <i>Eriogonum jamesii</i>                                | <i>Eriogonum jamesii</i>                                | James' eriogonum         |
| POLYGONACEAE                     | 1         |                 |                 | <i>Eriogonum microthecum</i> var.<br><i>simpsoni</i>    | <i>Eriogonum simpsoni</i>                               | Simpson's buckwheat      |
| POLYGONACEAE                     |           |                 | 1               | <i>Oxyria digyna</i>                                    | <i>Oxyria digyna</i>                                    | Alpine sorrel            |
| POLYGONACEAE                     | 1         |                 |                 | <i>Persicaria amphibia</i>                              | <i>Persicaria amphibia</i>                              | Water buckwheat          |
| POLYGONACEAE                     |           |                 |                 | <i>Persicaria pensylvanica</i>                          | <i>Polygonum pensylvanicum</i>                          | Pennsylvania knotweed    |
| POLYGONACEAE                     |           |                 | 1               | <b><i>Polygonum arenastrum</i></b>                      | <b><i>Polygonum arenastrum</i></b>                      | <b>Devil's shoelaces</b> |
| POLYGONACEAE                     |           |                 | 1               | <i>Polygonum douglasii</i>                              | <i>Polygonum douglasii</i>                              | Douglas' knotweed        |
| POLYGONACEAE                     |           |                 | 1               | <i>Polygonum polystachoides</i>                         | <i>Polygonum polystachoides</i>                         | Knotweed                 |
| POLYGONACEAE                     | 1         |                 |                 | <i>Pterogonum alatum</i>                                | <i>Eriogonum alatum</i>                                 | Winged eriogonum         |
| POLYGONACEAE                     | 1         |                 |                 | <i>Rumex maritimus</i> ssp.<br><i>fueginus</i>          | <i>Rumex maritimus</i>                                  | Golden dock              |
| POLYGONACEAE                     | 1         |                 |                 | <i>Rumex triangulivalvis</i>                            | <i>Rumex triangulivalvus</i>                            | Dock                     |
| POLYGONACEAE                     | 1         |                 |                 | <i>Rumex venosus</i>                                    | <i>Rumex venosus</i>                                    | Wild begonia             |
| PORTULACACEAE                    |           |                 | 1               | <i>Claytonia lanceolata</i>                             | <i>Claytonia lanceolata</i>                             | Springbeauty             |
| PORTULACACEAE                    | 1         |                 |                 | <i>Portulaca halimoides</i>                             | <i>Portulaca halimoides</i>                             | Silkcotton purslane      |
| PORTULACACEAE                    |           |                 | 1               | <i>Portulaca oleracea</i>                               | <i>Portulaca oleracea</i>                               | Purslane                 |
| POTAMOGETONACEAE                 | 1         |                 |                 | <i>Potamogeton foliosus</i>                             | <i>Potamogeton foliosus</i>                             | Leafy pondweed           |
| POTAMOGETONACEAE                 |           |                 | 1               | <i>Potamogeton pectinatus</i>                           | <i>Stuckenia pectinatus</i>                             | Pondweed                 |
| PRIMULACEAE                      | 1         |                 |                 | <i>Androsace septentrionalis</i>                        | <i>Androsace septentrionalis</i>                        | Rock jasmine             |
| PRIMULACEAE                      | 1         |                 |                 | <i>Dodecatheon pulchellum</i>                           | <i>Dodecatheon pulchellum</i>                           | Shooting star            |
| PRIMULACEAE                      | 1         |                 |                 | <i>Glaux maritima</i>                                   | <i>Glaux maritima</i>                                   | Sea milkwort             |
| PYROLACEAE                       | 1         |                 |                 | <i>Orthilia secunda</i>                                 | <i>Orthilia secunda</i>                                 | One-sided pyrola         |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>         | <b>Latin name (GRSA/PLANTS)</b>                              | <b>Common name</b>       |
|---|------------------|------------------------|------------------------|---|--|--------------------------|
| PYROLACEAE                              | 1                | 1                      |                        | <i>Moneses uniflora</i>                             | <i>Moneses uniflora</i>                                      | Single delight           |
| PYROLACEAE                              |                  |                        | 1                      | <i>Pyrola rotundifolia ssp. asarifolia</i>          | <i>Pyrola asarifolia ssp. asarifolia</i>                     | Wintergreen              |
| RANUNCULACEAE                           | 1                | 1                      |                        | <i>Aquilegia caerulea</i>                           | <i>Aquilegia caerulea</i>                                    | Colorado blue columbine  |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Atragene columbiana</i>                          | <i>Clematis columbiana</i>                                   | Rock clematis            |
| RANUNCULACEAE                           |                  |                        |                        | <i>Atragene occidentalis</i>                        | <i>Clematis occidentalis</i>                                 | Rocky Mountain clematis  |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Batrachium trichophyllum</i>                     | <i>Ranunculus trichophyllum</i><br>var. <i>trichophyllum</i> | Water crowfoot           |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Clematis ligusticifolia</i>                      | <i>Clematis ligusticifolia</i>                               | Western virgin's bower   |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Coriflora hirsutissima</i>                       | <i>Clematis hirsutissima</i>                                 | Sugarbowls               |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Coriflora scottii</i>                            | <i>Clematis hirsutissima</i><br>var. <i>scottii</i>          | Sugarbowls               |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Halerpestes cymbalaria ssp. saximontana</i>      | <i>Ranunculus cymbalaria</i>                                 | Shore buttercup          |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Hecatonia sclerata</i>                           | <i>Ranunculus scleratus</i>                                  | Blister buttercup        |
| RANUNCULACEAE                           | 1                |                        |                        | <i>Pulsatilla ludoviciana</i>                       | <i>Pulsatilla patens</i> ssp.<br><i>multifida</i>            | Cutleaf anemone          |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Ranunculus cardiophyllus</i>                     | <i>Ranunculus cardiophyllus</i>                              | Heartleaf buttercup      |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Ranunculus eschscholtzii</i>                     | <i>Ranunculus eschscholtzii</i>                              | Subalpine buttercup      |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Ranunculus macauleyi</i>                         | <i>Ranunculus macauleyi</i>                                  | Rocky Mountain buttercup |
| RANUNCULACEAE                           |                  |                        | 1                      | <i>Ranunculus macounii</i>                          | <i>Ranunculus macounii</i>                                   | Macoun's buttercup       |
| ROSACEAE                                | 1                | 1                      |                        | <i>Acomastylis rossii</i> var.<br><i>turbinatum</i> | <i>Geum rossii</i> var.<br><i>turbinatum</i>                 | Ross avens               |
| ROSACEAE                                | 1                |                        |                        | <i>Amelanchier alnifolia</i>                        | <i>Amelanchier alnifolia</i>                                 | Serviceberry             |
| ROSACEAE                                | 1                |                        |                        | <i>Amelanchier alnifolia</i> form<br><i>pumila</i>  | <i>Amelanchier pumila</i>                                    | Smooth serviceberry      |
| ROSACEAE                                | 1                |                        |                        | <i>Argentina anserina</i>                           | <i>Potentilla anserina</i>                                   | Silverweed               |
| ROSACEAE                                | 1                |                        |                        | <i>Cercocarpus montanus</i>                         | <i>Cercocarpus montanus</i>                                  | Mountain mahogany        |
| ROSACEAE                                | 1                |                        |                        | <i>Crataegus rivularis</i>                          | <i>Crataegus rivularis</i>                                   | River hawthorn           |
| ROSACEAE                                | 1                | 1                      |                        | <i>Dryas octopetala</i> ssp.<br><i>hookeriana</i>   | <i>Dryas octopetala</i> ssp.<br><i>hookeriana</i>            | Hooker's mountain-avens  |
| ROSACEAE                                | 1                |                        |                        | <i>Fallugia paradoxa</i>                            | <i>Fallugia paradoxa</i>                                     | Apache plume             |
| ROSACEAE                                |                  |                        | 1                      | <i>Fragaria vesca</i> ssp.<br><i>bracteata</i>      | <i>Fragaria vesca</i> ssp.<br><i>bracteata</i>               | Wild strawberry          |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>     | <b>Latin name (GRSA/PLANTS)</b>              | <b>Common name</b>    |
|---|------------------|------------------------|------------------------|---|--|-----------------------|
| ROSACEAE                                | 1                |                        |                        | <i>Fragaria virginiana</i> ssp. <i>glaucia</i>  | <i>Fragaria virginia</i> ssp. <i>glaucia</i> | Virginia strawberry   |
| ROSACEAE                                |                  |                        | 1                      | <i>Geum macrophyllum</i>                        | <i>Geum macrophyllum</i>                     | Largeleaf avens       |
| ROSACEAE                                | 1                |                        |                        | <i>Holodiscus discolor</i>                      | <i>Holodiscus dumosus</i>                    | Mountain spray        |
| ROSACEAE                                | 1                |                        |                        | <i>Oreobatus deliciosus</i>                     | <i>Rubus deliciosus</i>                      | Boulder raspberry     |
| ROSACEAE                                | 1                |                        |                        | <i>Padus virginiana</i> ssp. <i>melanocarpa</i> | <i>Prunus virginiana</i>                     | Chokecherry           |
| ROSACEAE                                | 1                | 1                      |                        | <i>Pentaphylloides floribunda</i>               | <i>Dasiphora floribunda</i>                  | Shrubby cinquefoil    |
| ROSACEAE                                | 1                |                        |                        | <i>Physocarpus monogynus</i>                    | <i>Physocarpus monogynus</i>                 | Ninebark              |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla ambigens</i>                      | <i>Potentilla ambigens</i>                   | Cinquefoil            |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla biennis</i>                       | <i>Potentilla biennis</i>                    | Biennial cinquefoil   |
| ROSACEAE                                |                  |                        | 1                      | <i>Potentilla diversifolia</i>                  | <i>Potentilla diversifolia</i>               | Varileaf cinquefoil   |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla gracilis</i>                      | <i>Potentilla gracilis</i>                   | Soft cinquefoil       |
| ROSACEAE                                |                  |                        | 1                      | <i>Potentilla hippiana</i>                      | <i>Potentilla hippiana</i>                   | Woolly cinquefoil     |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla norvegica</i>                     | <i>Potentilla norvegica</i>                  | Norway cinquefoil     |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla pensylvanica</i>                  | <i>Potentilla pensylvanica</i>               | Prairie cinquefoil    |
| ROSACEAE                                | 1                |                        |                        | <i>Potentilla plattensis</i>                    | <i>Potentilla plattensis</i>                 | Platte cinquefoil     |
| ROSACEAE                                |                  |                        | 1                      | <i>Potentilla pulcherrima</i>                   | <i>Potentilla pulcherrima</i>                | Soft cinquefoil       |
| ROSACEAE                                |                  |                        | 1                      | <i>Potentilla subjugia</i>                      | <i>Potentilla subjugia</i>                   | Cinquefoil            |
| ROSACEAE                                | 1                |                        |                        | <i>Rosa sayi</i>                                | <i>Rosa sayi</i>                             | Prickly rose          |
| ROSACEAE                                | 1                |                        |                        | <i>Rosa woodsii</i>                             | <i>Rosa woodsii</i>                          | Wood's rose           |
| ROSACEAE                                | 1                |                        |                        | <i>Rubus idaeus</i> ssp. <i>melanolasius</i>    | <i>Rubus idaeus</i>                          | Wild raspberry        |
| ROSACEAE                                |                  |                        | 1                      | <i>Sibbaldia procumbens</i>                     | <i>Sibbaldia procumbens</i>                  | Sibbaldia             |
| RUBIACEAE                               | 1                |                        |                        | <i>Galium septentrionale</i>                    | <i>Galium boreale</i>                        | Northern bed-straw    |
| RUBIACEAE                               | 1                | 1                      |                        | <i>Galium triflorum</i>                         | <i>Galium triflorum</i>                      | Sweet bedstraw        |
| SALICACEAE                              | 1                |                        |                        | <i>Populus angustifolia</i>                     | <i>Populus angustifolia</i>                  | Narrowleaf cottonwood |
| SALICACEAE                              | 1                |                        |                        | <i>Populus tremuloides</i>                      | <i>Populus tremuloides</i>                   | Aspen                 |
| SALICACEAE                              | 1                |                        |                        | <i>Salix bebbiana</i>                           | <i>Salix bebbiana</i>                        | Bebb's willow         |
| SALICACEAE                              | 1                | 1                      |                        | <i>Salix brachycarpa</i>                        | <i>Salix brachycarpa</i>                     | Shortfruit willow     |
| SALICACEAE                              | 1                |                        |                        | <i>Salix drummondiana</i>                       | <i>Salix drummondiana</i>                    | Drummond's willow     |
| SALICACEAE                              | 1                |                        |                        | <i>Salix drummondiana</i>                       | <i>Salix subcoerulea</i>                     | Blue willow           |
| SALICACEAE                              | 1                |                        |                        | <i>Salix exigua</i>                             | <i>Salix exigua</i>                          | Coyote willow         |
| SALICACEAE                              |                  |                        | 1                      | <i>Salix ligulifolia</i>                        | <i>Salix ligulifolia</i>                     | Strapleaf willow      |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>     | <b>Latin name (GRSA/PLANTS)</b>                        | <b>Common name</b>          |
|---|------------------|------------------------|------------------------|---|--|-----------------------------|
| SALICACEAE                              | 1                |                        |                        | <i>Salix lucida</i> ssp. <i>caudata</i>         | <i>Salix caudata</i>                                   | Tailed willow               |
| SALICACEAE                              |                  |                        | 1                      | <i>Salix monticola</i>                          | <i>Salix monticola</i>                                 | Mountain willow             |
| SALICACEAE                              | 1                | 1                      |                        | <i>Salix nivalis</i>                            | <i>Salix nivalis</i>                                   | Snow willow                 |
| SALICACEAE                              | 1                | 1                      |                        | <i>Salix petrophila</i>                         | <i>Salix petrophila</i>                                | Alpine willow               |
| SALICACEAE                              | 1                | 1                      |                        | <i>Salix planifolia</i>                         | <i>Salix planifolia</i>                                | Plainleaf willow            |
| SALICACEAE                              | 1                |                        |                        | <i>Salix pseudomonticola</i>                    | <i>Salix pseudomonticola</i>                           | Park willow                 |
| SANTALACEAE                             | 1                |                        |                        | <i>Comandra umbellata</i>                       | <i>Comandra umbellata</i>                              | Toadflax                    |
| SAXIFRAGACEAE                           | 1                | 1                      |                        | <i>Ciliaria austromontana</i>                   | <i>Saxifraga bronchialis</i>                           | Spotted saxifrage           |
| SAXIFRAGACEAE                           | 1                |                        |                        | <i>Ciliaria austromontana</i>                   | <i>Saxifraga bronchialis</i> ssp. <i>austromontana</i> | Matted saxifrage            |
| SAXIFRAGACEAE                           | 1                |                        |                        | <i>Heuchera parvifolia</i>                      | <i>Heuchera parvifolia</i>                             | Alum-root                   |
| SAXIFRAGACEAE                           | 1                | 1                      |                        | <i>Micranthes odontoloma</i>                    | <i>Saxifraga odontoloma</i>                            | Brook saxifrage             |
| SCROPHULARIACEAE                        |                  |                        | 1                      | <i>Besseyea plantaginea</i>                     | <i>Besseyea plantaginea</i>                            | Kittentail                  |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Castilleja haydenii</i>                      | <i>Castilleja haydenii</i>                             | Hayden's Indian paintbrush  |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Castilleja integra</i>                       | <i>Castilleja integra</i>                              | Orange paintbrush           |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Castilleja linariifolia</i>                  | <i>Castilleja linariaefolia</i>                        | Wyoming paintbrush          |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Castilleja occidentalis</i>                  | <i>Castilleja occidentalis</i>                         | Western Indian paintbrush   |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Castilleja rhexiifolia</i>                   | <i>Castilleja rhexiifolia</i>                          | Splitleaf Indian paintbrush |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Mimulus floribundus</i>                      | <i>Mimulus floribundus</i>                             | Many-flowered mimulus       |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Mimulus glaberrimus</i>                      | <i>Mimulus glaberrimus</i>                             | Smooth monkey flower        |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Orthocarpus luteus</i>                       | <i>Orthocarpus luteus</i>                              | Yellow owl clover           |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Pedicularis groenlandica</i>                 | <i>Pedicularis groenlandica</i>                        | Elephanthead lousewort      |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Pedicularis parryi</i>                       | <i>Pedicularis parryi</i>                              | Parry's lousewort           |
| SCROPHULARIACEAE                        |                  |                        | 1                      | <i>Pedicularis procera</i>                      | <i>Pedicularis procera</i>                             | Giant lousewort             |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Penstemon angustifolius</i>                  | <i>Penstemon angustifolius</i>                         | Narrow-leaf penstemon       |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Penstemon barbatus</i> var. <i>torevi</i>    | <i>Penstemon barbatus</i>                              | Red penstemon               |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Penstemon caespitosus</i>                    | <i>Penstemon cespitosus</i>                            | Crandall's penstemon        |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Penstemon hallii</i>                         | <i>Penstemon hallii</i>                                | Hall's beardtongue          |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Penstemon secundiflorus</i>                  | <i>Penstemon secundiflorus</i>                         | Sidebells penstemon         |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Penstemon virgatus</i> ssp. <i>asa-gravi</i> | <i>Penstemon unilateralis</i>                          | One-sided penstemon         |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Penstemon whippleanus</i>                    | <i>Penstemon whippleanus</i>                           | Dark beardtongue            |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b>               | <b>Latin name (GRSA/PLANTS)</b>                        | <b>Common name</b>         |
|---|------------------|------------------------|------------------------|---|--|----------------------------|
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Scrophularia lanceolata</i>                            | <i>Scrophularia lanceolata</i>                         | Scrophularia               |
| SCROPHULARIACEAE                        | 1                |                        |                        | <b><i>Verbascum thapsus</i></b>                           | <b><i>Verbascum thapsus</i></b>                        | <b>Mullein</b>             |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Veronica americana</i>                                 | <i>Veronica americana</i>                              | American brooklime         |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Veronica catenata</i>                                  | <i>Veronica catenata</i>                               | Speedwell                  |
| SCROPHULARIACEAE                        | 1                | 1                      |                        | <i>Veronica nutans</i>                                    | <i>Veronica wormskoldii</i>                            | American alpine speedwell  |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Veronica peregrina</i> ssp. <i>xalapensis</i>          | <i>Veronica peregrina</i>                              | Purslane speedwell         |
| SCROPHULARIACEAE                        | 1                |                        |                        | <i>Veronicastrum serpyllifolium</i> ssp. <i>humifusum</i> | <i>Veronica serpyllifolia</i>                          | Thyme-leaved speedwell     |
| SELAGINELLACEAE                         | 1                |                        |                        | <i>Selaginella densa</i>                                  | <i>Selaginella densa</i>                               | Common club moss           |
| SELAGINELLACEAE                         |                  |                        |                        | <i>Selaginella weatherbiana</i>                           | <i>Selaginella weatherbiana</i>                        | Weatherby's club moss      |
| SINOPTERIDACEAE                         | 1                | 1                      |                        | <i>Argyrochosma fendleri</i>                              | <i>Argyrochosma fendleri</i>                           | Fendler's false cloak fern |
| SINOPTERIDACEAE                         | 1                |                        |                        | <i>Cheilanthes feei</i>                                   | <i>Cheilanthes feei</i>                                | Slender lip fern           |
| SINOPTERIDACEAE                         | 1                |                        |                        | <i>Cheilanthes fendleri</i>                               | <i>Notholaena fendleri</i>                             | Zigzag fern                |
| SOLANACEAE                              | 1                |                        |                        | <i>Solanum physalifolium</i> var. <i>nitidibaccatum</i>   | <i>Solanum physalifolium/sarachoides</i>               | Nightshade                 |
| SOLANACEAE                              | 1                |                        |                        | <i>Solanum triflorum</i>                                  | <i>Solanum triflorum</i>                               | Cut-leaf nightshade        |
| THALICTRACEAE                           | 1                | 1                      |                        | <i>Thalictrum fendleri</i><br>( <i>Thalictraceae</i> )    | <i>Thalictrum fendleri</i>                             | Meadow rue                 |
| TYPHACEAE                               |                  |                        | 1                      | <i>Typha latifolia</i>                                    | <i>Typha latifolia</i>                                 | Broadleaf cattail          |
| ULMACEAE                                | 1                |                        |                        | <b><i>Ulmus pumila</i></b>                                | <b><i>Ulmus pumila</i></b>                             | <b>Siberian elm</b>        |
| URTICACEAE                              | 1                |                        |                        | <i>Urtica gracilis</i>                                    | <i>Urtica dioica</i>                                   | Stinging nettle            |
| UVULARIACEAE                            | 1                | 1                      |                        | <i>Streptopus fassettii</i>                               | <i>Streptopus amplexifolius</i> var. <i>chalazatus</i> | Tuberle twistedstalk       |
| VALERIANACEAE                           | 1                |                        |                        | <i>Valeriana capitata</i> ssp. <i>acutiloba</i>           | <i>Valeriana acutiloba/capitata</i>                    | Sharpleaf valerian         |
| VERBENACEAE                             | 1                |                        |                        | <i>Verbena macdougalii</i>                                | <i>Verbena macdougalii</i>                             | MacDougal's verbena        |
| VERBENACEAE                             | 1                |                        |                        | <i>Verbena bracteata</i>                                  | <i>Verbena bracteata</i>                               | Large-bracted verbena      |
| VIOLACEAE                               |                  |                        | 1                      | <i>Viola labradorica</i>                                  | <i>Viola labradorica</i>                               | Alpine violet              |
| VIOLACEAE                               |                  |                        | 1                      | <i>Viola renifolia</i>                                    | <i>Viola renifolia</i>                                 | White violet               |
| VIOLACEAE                               | 1                |                        |                        | <i>Viola scopulorum</i>                                   | <i>Viola canadensis</i>                                | White violet               |
| VIOLACEAE                               |                  |                        |                        | <i>Viola adunca</i>                                       | <i>Viola adunca</i>                                    | Blue violet                |

| <b>Family (Weber and Wittmann 2001)</b> | <b>GRSA 2002</b> | <b>2002 collection</b> | <b>2003 collection</b> | <b>Latin name (Weber and Wittmann 2001)</b> | <b>Latin name (GRSA/PLANTS)</b> | <b>Common name</b> |
|---|------------------|------------------------|------------------------|---|---------------------------------|--------------------|
| WOODSIACEAE                             | 1                |                        |                        | <i>Woodsia oregana ssp. cathcartiana</i>    | <i>Woodsia oregana</i>          | Oregon woodsia     |
|   | 431              | 111                    | 127                    |   |                                 |                    |
|   |                  |                        |                        |   |                                 |                    |
|   |                  |                        | 320                    | in GRSA herbarium pre-2002                  |                                 |                    |
|   | total =          |                        | 558                    | species in GRSA herbarium                   |                                 |                    |
|   |                  |                        | 604                    | species on the GRSA list                    |                                 |                    |