

Pender County Extension Master GardenerSM Volunteer Association's
ANNUAL SPRING PLANT SALE!

Friday, April 12, 2019

11:00 am to 6:00 pm

Saturday, April 13, 2019

8:30 am to 12 Noon

Pender County Extension Center
801 South Walker Street
Burgaw, NC 28425



FEATURING:

Vegetables

Annuals

Perennials

Natives

Master Gardener Grown Favorites

Master GardenerSM volunteers available throughout the sale
to answer your gardening questions!

Call 910-259-1235 for more information

Check us out on Facebook at <https://www.facebook.com/penderemgv/>

NC STATE EXTENSION

Master Gardener | Pender County
Volunteer Association

NC State University and N.C. A&T State University commit themselves to positive action to secure equal opportunity and prohibit discrimination and harassment regardless of age, color, disability, family and marital status, genetic information, national origin, political beliefs, race, religion, sexual identity (including pregnancy) and veteran status. NC State, N.C. A&T, U.S. Department of Agriculture, and local governments cooperating.

Proceeds Support:

- Pender County Elementary School Outreach Programs
- Demonstration/Teaching Gardens
 - Burgaw, Poplar Grove, Hampstead
- Community Workshops
- Grants and Scholarships
- "Ask a Master Gardener" events throughout Pender County
- Speakers Bureau Educational Programs
and more!

Cash, Checks and Credit Cards accepted

NC STATE EXTENSION

Master Gardener | Pender County
Volunteer Association

***All plants listed are
subject to
availability.
We regret any
inconvenience to our
customers!***

NC STATE EXTENSION

Master Gardener | Pender County
Volunteer Association

What do the symbols mean?

Sun/Shade




Full Sun 8+ hrs day



Part Sun 4 hrs day



Light or Filtered Shade



Shade all day

Soil and Moisture



Moist Soil



Moderate Water



Low Water/
Drought Tolerant



Tolerates Clay Soil

Size



18"

Width



2'

Height

Other Features



Attracts
Pollinators



NC Native Plant

Other Features



Attracts Hummingbirds




Butterfly Larvae Host




Deer Resistant



Coastal
Salt Tolerant




PERENNIALS



Agastache

Agastache 'Blue Boa'

Perennial




- **Soil:** Fertile, well-drained, dry to moist
- **Bloom:** Deep violet blue
- **Bloom Time:** Early Summer - early Fall
- **Distinctive characteristics:**
 - Attractive to bees, butterflies & hummingbirds
 - Fragrant



Hummingbird Mint

Agastache aurantiaca 'Mango Tango'

Perennial



14"-16"

16"-18"




- **Soil:** Average - dry
- **Bloom Color:** Peach/Orange/
Dusky Rose
- **Bloom Time:** Mid June-September
- **Distinctive characteristics:**
 - Vibrant flowers cover top 3/4 of plant
 - Fragrant flowers and foliage
 - Foliage smells like mint
 - Attractive to pollinators
 - Upright clumping habits



Blue Ice

Amsonia

Perennial



- **Soil:** Well drained
- **Bloom:** Icy Blue
- **Bloom Time:** Spring
- **Distinctive characteristics:**
 - Tough, long lived plants
 - Long lasting cut flowers
 - Bright green, ferny foliage
 - Golden yellow Fall color



Swamp Milkweed

Asclepias incarnata

Perennial




- **Soil:** Medium-wet
- **Bloom Color:** Pink, mauve
- **Bloom Time:** Early to late Summer
- **Distinctive characteristics:**
 - Attracts butterflies, bees and hummingbird moths
 - Larval host for Monarchs



Baptisia, False Indigo

Baptisia australis X *Baptisia alba* 'Purple Smoke'

Perennial



3' - 4'

3' - 4'





- **Soil:** Average to dry
- **Bloom Color:** Smoky Violet
- **Bloom Time:** May – June
- **Distinctive characteristics:**
 - Densely branched cultivar with many blooms
 - Long lived once established
 - Does best in full sun
 - Plant in small groups or as a specimen plant
 - Inflated seed pods turn charcoal black when ripe and add ornamental interest to the garden
 - Good for dried arrangements
 - Propagate by cuttings



Baptisia

Baptisia X variicolor 'Twilite PrairieBlues'

Perennial



3'-5'




- **Soil:** Average to poor
- **Bloom Color:** Violet with Yellow keel
- **Bloom Time:** Late Spring-Early Summer
- **Distinctive characteristics:**
 - Long lived, clump forming, low maintenance
 - Good cut flower
 - Seed pods in Fall add interest to the garden
 - Can be used in dried arrangements



Butterfly Bush

Buddleja davidii 'Buzz Magenta'

Perennial – Deciduous Shrub



3-4'



- **Soil:** Normal to sandy, well drained
- **Bloom Color:** Magenta-red/purple
- **Bloom Time:** June to first frost
- **Distinctive characteristics:**
 - Fragrant, compact hybrid with brilliant bloom spikes
 - Drought and heat tolerant
 - Plant in butterfly gardens to attract butterflies and bees
 - Cut back in late winter for compact, bushy growth
 - Remove spent flowers to encourage re-bloom



Giant Leopard

Farfugium giganteum

Perennial





- **Soil:** Humusy, organically rich
- **Bloom:** Yellow
- **Bloom Time:** Sept - Oct
- **Distinctive Characteristics:**
 - Grown for it's beautiful foliage
 - Large 18" glossy green leaves
 - Use around bogs, water features and shade gardens
 - Foliage will wilt in too much sun
 - Never allow soil to dry out



Gaura, Wand Flower

Gaura lindheimeri 'Rosy Jane'

Perennial



24"

24" - 34"




- **Soil:** Average to dry
- **Bloom Color:** White-Bright Pink Borders
- **Bloom Time:** Spring through Fall
- **Distinctive Characteristics:**
 - Low branching, compact cultivar
 - Long bloom season
 - Great in perennial borders, containers and as cut flowers
 - Deadhead to encourage reblooming
 - Once established, only occasional watering is needed



Monarda, Bee Balm

Monarda didyma 'Rockin Raspberry' SUGAR BUZZ series

Perennial - Herb



18" - 20"

16" - 24"





- **Soil:** Average
- **Bloom Color:** Raspberry
- **Bloom Time:** All Summer
- **Distinctive Characteristics:**
 - Powdery mildew resistant
 - More compact than species
 - Fast growing and will spread
 - Fragrant minty foliage is used to flavor teas
 - Flowers are edible



Russian Sage

Perovskia atriplicifolia

Perennial




- **Soil:** Well-drained
- **Bloom Color:** Light Purple
- **Bloom Time:** Summer
- **Distinctive Characteristics:**
- Pungently scented grayish green leaves
- Cut plants back to 12 in. after first hard frost
- Prune in early Spring



Lungwort

Pulmonaria 'Trevi Fountain'

Perennial




- **Soil:** Well-drained, consistently moist
- **Bloom:** Cobalt blue
- **Bloom Time:** Late February
- **Distinctive characteristics:**
 - Heat and humidity tolerant
 - Beautiful in shaded gardens
 - Also used as ground cover
 - Division in Fall, seeds sown in early Spring



Salvia

Salvia 'Indigo Spires'

Perennial





- **Soil:** Loamy, well-drained
- **Bloom Color:** Dark Violet /
12 to 15 Inch long twisting spikes
- **Bloom Time:** Early Spring to late Fall
- **Distinctive Characteristics:**
- Fragrant foliage
- Drought tolerant
- Great for butterflies and hummingbirds
- Rabbit resistant



Mexican Bush Sage

Salvia leucantha

Perennial




- **Soil:** Well-drained
- **Bloom Color:** Purple
- **Bloom Time:** Fall
- **Distinctive characteristics:**
- Tough and reliable
- Short lived flowers



Vitex, Chaste Tree

Vitex angus-castus 'Shoal Creek'

Perennial



- **Soil:** Medium
- **Bloom Color:** Purplish - blue
- **Bloom Time:** Summer
- **Distinctive characteristics:**
 - Cut off faded flowers to promote continuous flowering
 - Does best in hot weather
 - Can grow as a large shrub or small tree
 - Fragrant leaves and blooms
 - Can be severely pruned in spring






ANNUALS



Angelonia, Summer Snapdragon

Angelonia angustifolia, 'Angelface Blue'

Annual




- **Soil:** Well-drained
- **Bloom Color:** Blue-purple
- **Bloom Time:** Spring to Fall frost
- **Foliage:** Grape scented
- **Distinctive characteristics:**
- Excellent for providing height in containers and beds
- Great cut flower
- Heat and drought tolerant
- Deer and rabbit tolerant



Angelonia, Summer Snapdragon

Angelonia angustifolia 'Angleface Pink'

Annual




- **Soil:** Well-drained
- **Bloom Color:** Raspberry Pink
- **Bloom Time:** Spring to Fall frost
- **Foliage:** Grape scented
- **Distinctive characteristics:**
- Excellent for providing height in containers and beds
- Great cut flower
- Heat and drought tolerant
- Deer and rabbit tolerant



Angelonia, Summer Snapdragon

Angelonia angustifolia 'Angleface White'
Annual




- **Soil:** Well-drained
- **Bloom Color:** White
- **Bloom Time:** Spring to Fall frost
- **Foliage:** Grape scented
- **Distinctive characteristics:**
- Excellent for providing height in containers and beds
- Great cut flower
- Heat and drought tolerant
- Deer and rabbit tolerant



Cleome, Spider flower

Cleome hassleriana

Annual



1' - 2'ft

3' - 6'ft



- **Soil:** Dry to medium, well drained
- **Bloom Color:** Pink, purple, white and bi-colors
- **Bloom Time:** June to frost
- **Distinctive Characteristics:**
- Attracts birds, hummingbirds and butterflies
- Collect seed pods in fall for planting in spring
- Low maintenance
- Flowers are sweetly fragrant



Firecracker Plant

Cuphea hybrid Vermillionaire®

Annual



- **Soil:** Average, well drained
- **Bloom Color:** Orange w/red & yellow
- **Bloom Time:** June – September
- **Distinctive Characteristics:**
- Long blooming, mounding habit
sub-shrub
- Great in containers, borders, landscapes
- Can overwinter indoors
- Loves the heat
- Attracts Butterflies and Hummingbirds



Mezoo Trailing Red

Dorotheanthus bellidiformis

Annual



- **Soil:** Sandy, gravelly, well drained
- **Bloom Color:** Deep pink-red
- **Bloom Time:** June – Oct
- **Distinctive Characteristics:**
- Succulent mat forming ground cover
- Heat Tolerant
- Great in containers, borders, rock gardens
- Can be overwintered indoors
- Good drainage is essential



Euphorbia

Euphorbia 'Diamond Delight'TM

Annual




- **Soil:** Well-drained, average, drought tolerant
- **Bloom:** White
- **Bloom Time:** Spring to Frost
- **Distinctive Characteristics:**
- Vigorous double blooms
- Deer tolerant
- The most vigorous double flowered Euphorbia hybrid on the market
- No deadheading required



Sweet Potato Vine

Ipomea batatas, 'Marguerita'

Annual - Vine




- **Soil:** Consistent moisture
- **Foliage:** Chartreuse
- **Distinctive Characteristics:**
- Does better in partial sun; lighter green foliage tends to fade in full sun
- Frequently damaged by deer
- Can be used in mixed containers




Sweet Potato Vine

Ipomea batatas, 'Blackie'

Annual - Vine



- **Soil:** Consistent moisture
- **Distinctive Characteristics:**
- Black/purple foliage, occasionally with light purple flowers
- Does better in partial sun; tends to fade in full sun
- A Real Simple magazine "Top 10 Goofproof Plant"
- Frequently damaged by deer



Star Flower

Isotoma axillars 'Beth's Blue' Proven Winners™

Annual



1-2'

1 - 1.5'



- **Soil:** Average, well drained
- **Bloom Color:** Lavender-Purple
- **Bloom Time:** Spring - Frost
- Heat tolerant / easy maintenance
- Striking star shaped flowers on mounded green cushions
- Plays well with others in combined containers
- Uses: edging, mass plantings and containers
- Award winning cultivar
- No deadheading needed



Shrimp Plant Pink

Justicia carnea

Shrub – Annual




- **Soil:** Moist, humus, well-drained
- **Bloom:** White with red to pink-bronze bracts, showy
- **Bloom Time:** Spring to Fall
- **Distinctive Characteristics:**
- Colorful flower bracts tend to bleach out in full sun, so these plants are generally best grown in part shade
- Winter hardy to USDA Zones 9-11, roots may survive in Zone 8

Trailing Lavender Lantana

Lantana montevidensis 'Trailing Lavender'

Annual




- **Soil:** Well-drained (drought resistant when established)
- **Bloom:** Lavender
- **Bloom Time:** June to frost
- **Distinctive Characteristics:**
- Attractive to bees, butterflies and hummingbirds
- Resistant to insects, disease and mildew



Mealycup Sage

Salvia farinacea 'Deep Ocean' Sallyfun™

Perennial




- **Soil:** Average, well drained
- **Bloom Color:** Dark blue-purple with white centers
- **Bloom Time:** Spring – Fall
- **Distinctive characteristics:**
- Fragrant gray-green foliage
- Good as a cut flower
- Deadhead for long blooming
- Good in beds, borders and cottage gardens
- Tender perennial in zone 8
- Drought tolerant



Mealycup Sage

Salvia farinacea 'Sky Blue' Sallyfun™

Annual




- **Soil:** Average, well drained
- **Bloom Color:** Blue
- **Bloom Time:** Spring – Fall
- **Distinctive characteristics:**
- Fragrant gray-green foliage
- Good as a cut flower
- Deadhead for long blooming
- Good in beds, borders and cottage gardens
- Tender perennial in zone 8



Wishbone Flower

Torenia hybrid 'Catalina[®] Gilded Grape[™]'

Annual




- **Soil:** Average, well drained
- **Bloom Color:** Yellow - Purple center
- **Bloom Time:** Spring - Frost
- **Distinctive characteristics:**
- This low maintenance plant has cheerful blooms all summer
- Great for baskets, containers and landscapes
- Can also be used as a groundcover in shady areas
- Pinch to promote compact, bushier growth
- Attracts Hummingbirds
- Bring indoors for winter blooms



Fountain Grass

Pennisetum setaceum 'Fireworks' Ornamental Grass



1" - 3"

3" - 6"



- **Soil:** Well-drained
- **Bloom:** Red-burgundy foxtail flowers
- **Bloom Time:** July to October
- **Distinctive characteristics:**
- Dramatic annual grass with variegated burgundy and hot pink foliage
- Great accent in containers
- Not winter hardy





Petunias



Sedum Lizard



Coleus Rainbow Mix



Coreopsis



Verbena



Snapdragons



Dianthus Zing Rose



Salvia Jewel Red



Portulaca



Nasturtiums



Vinca Pacifica



Impatiens



Zinnias


HERBS



Cilantro

Coriandrum sativum

Annual - Herb




- **Soil:** Well drained
- **Light:** Sun
- **Distinctive characteristics:**
- Cool season annual herb will remain productive through early-mid summer
- Larval host of black swallowtail butterflies



Phenomenal Lavender

Lavandula x intermedia 'Phenomenal'

Herb - Perennial - Spring to Summer



24'-32"

24'-32"




- **Soil:** Moderately fertile, well-drained
- **Bloom Color:** Spikes 5" long, light blue to purple
- **Bloom Time:** Late spring to early summer
- **Distinctive characteristics:**
- Edible, medicinal, aromatics
- **Caution:** Skin irritant
- Hardy lavender - exceptional winter survival; mounding shape



African Blue Basil

Ocimum 'African Blue'

Annual - Herb



- **Soil:** Well-drained
- **Bloom:** Lavender blue
- **Bloom Time:** Summer to fall
- **Distinctive characteristics:**
- Leaves are purple when emerge, then mature to dark, shiny green
- Although edible, this variety grown primarily as ornamental



Basil, Large Leaf

Ocimum basilicum

Annual - Herb




- **Soil:** Well-drained, moderately rich, consistently moist
- **Bloom Time:** June - Frost
- **Distinctive characteristics:**
- Large Leaf basil is considered the **best** for pesto
- Pinch off flowers ASAP for continued plant growth
- For continued production, harvest to $\frac{1}{4}$ " above a node (where the branch meets the main stem)



Basil

Ocimum basilicum 'Wild Magic' Herbalea™

Herb




- **Soil:** Average – regular watering
- **Bloom:** Mid-Summer to Mid-Fall
- **Distinctive characteristics:**
- Beautiful new basil cultivar that is bred to be a more robust, flavorful and decorative plant with a fruity sent
- Flowers are sterile and do not set seed
- Root from cuttings



Rosemary

Rosmarinus officinalis 'Blue Rain'

Perennial - Herb



24"

24"


- **Soil:** Average
- **Bloom Color:** Blue
- **Bloom Time:** Spring-Summer
- **Distinctive characteristics:**
- Light moisture
- Drought tolerant – once established
- Fragrant foliage can be used to flavor meat and vegetables
- Easy to grow, inside and out
- Will spread and trail over containers and walls



Variegated Lemon Thyme

Thymus x citriodorus

Herb



- **Soil:** Average, well drained
- **Bloom Color:** Pink to Lavender
- **Bloom Time:** Mid-late Summer
- **Distinctive characteristics:**
- Drought tolerant, evergreen, perennial herb
- Attractive plants with distinct lemon flavor – great in breads and muffins
- Flowers are a nectar source for bees and butterflies





Lavender



Oregano




Dill



Chives




FRUITS




Pineapple Guava

Acca sellowiana

Evergreen Shrub



- **Soil:** Well-drained
- **Bloom Time:** Early Summer
- **Bloom Color:** Pink and red
- **Distinctive characteristics:**
- Tough evergreen, can be grown as a large shrub or small multi-stemmed tree, 5-10' x 6-10'
- Very drought tolerant
- Edible fruits (Feijoas) ripen in late summer



Rabbiteye Blueberries

Vaccinium ashei 'Ira'

Fruit - Shrub





- **Soil:** Requires well-drained, acidic soil
- **Bloom:** White blooms in March
- **Distinctive Characteristics:**
- Plant more than one rabbiteye variety to get good fruit production (such as 'Powderblue')
- Berries are medium to large size with good color and flavor
- Ripen Mid-June

Rabbiteye Blueberry

Vaccinium ashei 'Premier'

Fruit - Shrub



- **Soil:** Requires well-drained, acidic soil
- **Bloom:** White blooms in March
- **Distinctive Characteristics:**
- Plant more than one rabbiteye variety to get good fruit production (such as 'Powderblue')
- Berries are medium to large size with good color and flavor
- Ripen Mid-June




Vegetables



Okra

Abelmoschus esculentus 'Clemson Spineless'

Annual - Vegetable – Summer




- **Soil:** Well-drained, fertile consistently moist
- **Distinctive Characteristics:**
- Pick when pods are 2-4" long
- Use scissors or pruners to snip pod stems
- If pods tough to cut, they're tough to eat
- All American Selections Winner



Swiss Chard

Beta vulgaris 'Bright Lights'

Annual - Vegetable




- **Soil:** Well drained – do not let soil dry out – add nitrogen as needed
- **Distinctive Characteristics:**
- Harvest late spring through early fall
- Often grown as an ornamental, but leaves and stalks are edible and tasty
- As outer leaves are harvested, new ones grow from the middle
- Great in borders, cottage gardens and containers




Green Bell Pepper

Capsicum annuum 'California Wonder'

Annual – Vegetable





- **Soil:** Well-drained, rich loam
- **Bloom:** White
- **Bloom Time:** Summer
- **Distinctive Characteristics:**
- 1928 introduction is the largest open-pollinated, heirloom bell you can grow
- Resistant to Tobacco Mosaic Virus



Poblano Pepper

Capsicum annuum

Vegetable



- **Soil:** Good drainage, abundance of organic matter
- **Distinctive Characteristics:**
- They are called Anchos when mature red and dried
- Peppers demand warm weather 70 – 80 during the day and 70 degrees at night
- They do not like their roots disturbed



Pepper, Jalapeño

Capsicum annuum 'Jalapeño'

Annual - Vegetable



- **Soil:** Well-drained loamy or sandy loam, consistently moist
- **Distinctive Characteristics:**
- The most popular chile pepper in the United States
- Compact plants grow well in containers
- Plants drop flowers above 90°; don't forget to mulch



Habanero Pepper

Capsicum chinense

Tender Perennial - Vegetable



- **Soil:** Well-drained nutrient-rich & consistent moisture
- **Distinctive Characteristics:**
- Plants drop flowers above 90°; don't forget to mulch!
- Habanero peppers are one of the hottest peppers in the world!
- Will continue to produce peppers for years (if in a greenhouse)




Cucumber

Cucumis sativus

Vegetable - Annual Vine - Summer



- **Soil:** Moist, fertile, well-drained, high in organic matter
- **Distinctive Characteristics:**
- Reliable burpless variety produces long, straight cucumbers excellent for slicing
- Shallow root system suffers if no irrigation provided during droughts, critical during fruit set and fruit development



Zucchini

Cucurbita pepo 'Dark Green'




- **Soil:** Well-drained
- **Days to Maturity:** 50
- **Distinctive Characteristics:**
- Vigorous, high yielding plants produce an abundance of dark green zucchini



Summer Squash

Cucurbita pepo 'Yellow'

Annual - Vegetable




- **Soil:** Well-drained, fertile, medium moisture
- **Distinctive Characteristics:**
- Plants continue bearing if fruit harvested regularly
- Best flavor when harvested small
- Rabbit tolerant



Baxter's Early Bush Tomato

Solanum lycopersicum 'Baxter's Early Bush'

Annual - Vegetable



18"

30" - 36"

- **Soil/Moisture:** Average
- **Bloom Time:** Summer
- **Distinctive Characteristics:**
 - 70-72 days to maturity
 - Very early red cherry tomato
 - Weather tolerant
- **Determinate** variety
- Bushy growth habit, needs no staking or cage
- Good in containers



Brandywine Tomato

Solanum lycopersicum 'Brandywine'

Annual - Vegetable




- **Soil:** Average
- **Bloom Time:** Summer
- **Distinctive Characteristics:**
 - Heirloom variety beefsteak tomatoes
 - Known for their excellent balanced flavor
 - Large fruits range from 1-2 lbs
- **Indeterminate** variety
- 85 days to maturity
- Has unusual “potato” leaves



Tomato

Solanum lycopersicum 'Better Boy'




- **Soil:** Well-drained
- **Days to Maturity:** 70
- **Distinctive Characteristics:**
- **Indeterminate** variety – keeps bearing over a long season
- Large red, round fruits – great taste
- A reliable producer throughout the country
- Nematode resistant




Tomato

Solanum lycopersicum 'Big Beef'




- **Soil:** Well-drained
- **Days to Maturity:** 75
- **Distinctive Characteristics:**
- **Indeterminate** variety, keeps producing all summer
- Produces large tomatoes, averaging 10-12 oz. each
- Best all-around "beefsteak" tomato for a home garden
- Nematode resistant




Tomato

Solanum lycopersicum 'Celebrity'



- **Soil:** Well-drained
- **Days to Maturity:** 70
- **Distinctive Characteristics:**
- **Determinate** variety – plants stay compact
- Large firm red, round fruits – great taste
- A reliable producer throughout the country
- Nematode resistant



'Roma' Tomato

Solanum lycopersicum




- **Soil:** Well-drained
- **Days to Maturity:** 75
- **Distinctive Characteristics:**
- Pear shaped tomatoes with few seeds - excellent for canning
- **Determinate** plants



'Sungold' Cherry Tomato

Solanum lycopersicum




- **Soil:** Well drained
- **Days to Maturity:** 57
- Exceptionally sweet, bright tangerine-orange cherry tomatoes
- Intense fruity flavor
- Start yielding early & bear through season
- **Indeterminate**




'Sweet Million Hybrid' Tomato

Solanum lycopersicum




- **Soil:** Moist, rich, well-drained
- **Days to Maturity:** 65
- **Fruit:** Red
- **Habit:** Vining
- **Distinctive Characteristics:**
- Easy tomato to grow!
- Large clusters of smooth, bright miniature fruit, cherry tomato
- Very productive, **indeterminate**, produces all season



'Tumbling Tom' Red Cherry Tomato

Solanum lycopersicum



- **Soil:** Well-drained
- **Days to Maturity:** 70-80
- **Distinctive Characteristics:**
- Deliciously sweet, bright red cherry tomatoes
- A great cherry tomato for containers and hanging baskets, trails 18 inches
- **Indeterminate**



Eggplant

Solanum melongena 'Black Beauty'

Vegetable - Summer



- **Soil:** Well-drained, fertile, moist
- **Distinctive Characteristics:**
- Harvest regularly to keep plants producing; use pruners to avoid damaging stems.
- Avoid high nitrogen fertilizers (encourages more foliage at expense of fruit).



THE END!

NC STATE EXTENSION

Master Gardener | Pender County
Volunteer Association