

INDEX OF SCIENTIFIC NAMES OF *CHAMAECYTISUS* (LEGUMINOSAE) TAXA

Dániel PIFKÓ

Department of Botany, Hungarian Natural History Museum,
H-1476 Budapest, Pf. 222, Hungary; pifko@bot.nhmus.hu

Pifkó, D. (2015): Index of scientific names of *Chamaecytisus* (Leguminosae) taxa. – *Studia bot. hung.* 46(2): 175–203.

Abstract: The list of species and infraspecific taxa of the *Chamaecytisus* genus published validly or invalidly in various literature sources was compiled and evaluated. The correct place and reference of the protologue as well as legitimacy and status of the names are given for 786 names, including 347 basionyms (261 legitimate), and 439 new combinations (352 legitimate).

Key words: Fabaceae, Genisteae, nomenclature, priority, vascular plant

INTRODUCTION

Genus *Chamaecytisus* (tribe Genisteae) is distributed from the Canary Islands to Anatolia, and it is widespread throughout the entire Mediterranean region and Europe except for the western and northern parts. Recent compilations (HEYWOOD and FRODIN 1968, CRISTOFOLINI 1991) accepted quite a few species (between 28 and 35), in many cases combining problematic taxa of questionable relationship even on the level of species groups.

The relatively high number of published names is due to the high variability of taxa, like hybrids, transitional forms and infraspecific taxa with various morphological characters. Local varieties and forms or teratologies (abnormal growth) were quite often described (cf. BORBÁS 1887, BECK 1896).

In addition, the number of new combinations is also rather high. One of the reasons is that some monographs (BRIQUET 1894, ASCHERSON and GRAEBNER 1907, HAYEK 1926) discussed the genus *Cytisus* in a hierarchical approach, and the same taxa were treated in a different systematic concept. The number of new combinations was increased considerably by the revised editions of the Bulgarian flora (STOJANOV and STEFANOFF 1922, 1925, 1933, 1948, STOJANOV *et al.* 1967, KUZMANOV 1976), due to the results of the new taxonomic revisions. Another reason for the many new combinations is that ROTHMALER (1944) treated the section *Cytisus* s. l. sect. *Tubocytisus* at the genus level in his taxonomic revision of the *Cytisus* s. l. and genus *Chamaecytisus* (described by LINK 1831). Rothmaler's

concept was followed by Flora Europaea (HEYWOOD and FRODIN 1968) and most of the later regional flora works (DIKLIĆ 1972, KUZMANOV 1976, TZVELEV 1987, 2002, MICEVSKI 2001, OPREA 2005). ROTHMALER (1944) established altogether 25 new *Chamaecytisus* combinations from former *Cytisus* taxa, and further 120 new combinations were published in the following publications: KLÁSKOVÁ (1958), PONERT (1973), KUZMANOV (1976), CZEREPANOV (1981), and DOSTÁL (1984).

Several former lists and databases were also used in preparation of the present index. Names of *Chamaecytisus* that had earlier been published were collected and listed in the monograph of BRIQUET (1894) and ASCHERSON and GRAEBNER (1907) monographs. In regional floristical works (SOÓ 1966, KUZMANOV 1976, TZVELEV 1987) numerous synonyms were published. Altogether 129 species and subspecies within *Chamaecytisus* (incl. the exact places of descriptions) were listed in CRISTOFOLINI (1991), but the new combinations were omitted. Compiling and evaluating the names of *Cytisus* taxa from publications or herbarium specimens of Ferdinand Schur, PIFKÓ (2009a) found that most names of the 90 *Chamaecytisus* taxa were invalid. In addition, several internet databases were used for searching names of *Chamaecytisus* taxa (e.g. IPNI 2012+).

The present paper aims to collect all relevant scientific names from literature sources in order to solve the nomenclatural problems revealed during the revision of the genus *Chamaecytisus* (cf. PIFKÓ and SHEVERA 2013), and to evaluate their status.

MATERIAL AND METHODS

In this index all scientific names or combinations related to the genus *Chamaecytisus* are compiled, independently of having been published validly or invalidly in flora works, handbooks, and other relevant publications or monographs. Herbarium names are only included if they were also published in printed material, e.g. the herbarium name *Cytisus liburnicus* from Evers was omitted since it has never been published in printed material.

Names are arranged in alphabetical order of the basionyms (in boldface), followed by the name of author(s), the place and date of publication, and the status of the name. Synonyms are listed after the relevant basionym in chronological order.

Abbreviations of authors and publications follow the standards of IPNI (2012+) database. Full citation or abbreviations from other sources are given for those names missing from the IPNI database. Only the year is mentioned for the date of publication. The abbreviations and terminology of status of the names follow HAWKSWORTH (2010). If the rank of a new combination is ambiguous (cf. JÁVORKA 1924, HAYEK 1926) the preferred name is indicated by an exclamation mark “(!)”.

Validity of names were checked and evaluated according to the protologue in the original publication considering the rules of the Melbourne Code “ICN” (MCNEILL *et al.* 2012).

RESULTS

The correct place and reference of the protologue as well as legitimacy and status of the names are given for 786 names (Appendix 1), including 347 basionyms (261 legitimate), and 439 new combinations (352 legitimate).

DISCUSSION

More than 20% of the published names and combinations of genus *Chamaecytisus* were found to be invalid or illegitimate. These invalid or illegitimate names were often applied mistakenly and further invalid combinations have been created. These incorrect or confusing names are rather frequent in recent flora monographs as well. The most important and most frequent mistakes are overviewed and discussed, and the reasons of the high number of invalid names are also considered.

More than half of the 77 invalid or illegitimate basionyms come from publications of two authors. A total of 20 new names of *Cytisus* taxa (from genus *Chamaecytisus*) were described by GANDOGGER (1910) as nomen nudum (ICN Art. 52.2), and were not validated in later publications. Ferdinand Schur is responsible for 32 invalid or illegitimate names. Eight nomen nudum (ICN Art. 52.2) were published in his monograph (SCHUR 1853), and 9 synonyms in his other papers: 1 in Schur (1860), 5 in SCHUR (1866), and 3 in SCHUR (1877). Further 15 names were found on Schur's herbarium specimens (PIFKÓ 2009a).

Several names, published as later homonyms, are also illegitimate (ICN Art. 53.1.): e.g. *Cytisus aeolicus* K. Koch non Guss., *Cytisus alpestris* Thur. et Bornet in Ardoino non Schur, *Cytisus argenteus* Dietl non L., *Cytisus argenteus* (Neilr.) Schur non L., *Cytisus canescens* Maly in J. Presl et C. Presl non Loisel., *Cytisus heuffelii* Wierzb. ex Griseb. et Schenk non Wierzb., *Cytisus pallidus* Kit. ex Mertens et W. D. J. Koch non Poir., *Cytisus ponticus* Griseb. non Willd., *Cytisus rochelii* Wierzb. ex Griseb. et A. Schenk non Wierzb. in Rchb., *Cytisus supinus* var. *microphyllus* Beck. non Wimm. et Grab. and *Cytisus virgatus* Vest. non Salisb. Some of these illegitimate names (*Cytisus heuffelii* Wierzb. ex Griseb. et Schenk and *Cytisus rochelii* Wierzb. ex Griseb. et A. Schenk) have been adopted by the botanical literature, and cited even today.

Cytisus kernerii Blocki was also treated as a later homonym, but *Cytisus kernerii* Kanitz does not have priority against it, because the latter was published by KANITZ (1865) as nomen nudum (ICN Art. 41.3), recognised recently by

PIFKÓ and SHEVERA (2013). KANITZ (1865) also published 10 infraspecific combinations under the species *Cytisus kernerii* Kanitz, which are also invalid (ICN Art. 6.10). Since *Cytisus kernerii* Kanitz was considered as a valid name in the past, 3 later nomen novum are based on the description of *Cytisus kernerii* Blocki, i.e. *Cytisus blockianus* Pawł., *Cytisus blockii* V. I. Krecz., *Cytisus marilauni* Borbás.

In many cases several names are cited in the publications as synonym names (ICN Art. 52.2), being invalid in this way; however, they were treated as valid names in later publications (cf. KUZMANOV 1976, MICEVSKI 2001), and even new combinations were made based on them (ICN Art. 6.10), i.e. *Cytisus noeanus* Rchb. in Rchb. f. and *Cytisus rhodopeus* J. Wagner ex Degen.

Several invalid combinations were published after 1953, because the basionym or its reference (exact place) was not cited by many authors (ICN Art. 41.5): STOJANOV *et al.* (1967: 6 names), QUÉZEL (1969: 1), SOÓ (1966: 2, 1970: 3), GALUSHKO (1980: 2), SKALICKÁ (1983: 1), FENAROLI (1972: 3), CRISTOFOLINI (1976: 1). The combination *Chamaecytisus ratisbonensis* var. *vadasii* (J. Wagn.) Diklić in Josifović (as “var. *vandasii*”) is invalid, because DIKLIĆ (1972) mistakenly cited both the reference of the basionym and the taxon name when he made the combination.

The combinations in LÖVE and LÖVE (1961) were not published validly (8 combinations), since the authors themselves did not want to make new combinations deliberately, as they emphasised in the Introduction of their work (ICN Art. 36.1, 41.5) (BARINA *et al.* 2015). However, SOÓ (1966) and authors of several subsequent flora works regarding the Carpathian Basin (SIMON 2000, OPREA 2005, CIOCÂRLAN 2009, PIFKÓ 2009*b*) adopted these combinations.

The same new combinations were made on several occasions in flora works of various countries, because the names of former flora works were not considered thoroughly. The same combination *Chamaecytisus aggregatus* was published validly three times by CZEREPANOV (1981), SKALICKÁ (1983), then SARIĆ and DIKLIĆ (1986) with priority of CZEREPANOV (1981). The combination *Chamaecytisus glaber* var. *elongatus* published by TZVELEV (1987) is also a later homonym, because KUZMANOV (1976) had already published it (ICN Art. 53.1.).

Several names are based on various mistakes in the botanical literature. The combination *Chamaecytisus blockianus* (Pawł.) Klásk., *Preslia* 30: 214, 1958 was adopted by several authors (HEYWOOD and FRODIN 1968, TZVELEV 1987, 2002 YAKOVLEV *et al.* 1996). Although a number of eastern European taxa were combined to *Chamaecytisus*, the combination *Chamaecytisus blockianus* was not published in KLÁSKOVÁ (1958). This combination was validly published later by CZEREPANOV (1973).

The name *Chamaecytisus maezius* K. Malý is also mistakenly mentioned by STEVANOVIĆ *et al.* (2003), since this combination has never been published validly (ICN Art. 41.5), neither earlier nor in STEVANOVIĆ *et al.* (2003).

* * *

Acknowledgements – The authors' work was supported by the Hungarian Scientific Research Fund (OTKA K104443 grant). I would like to thank László Lőkös for his constructive comments on the manuscript and Gábor Papp for his help with library work.

Összefoglaló: A cikk tartalmazza a *Chamaecytisus* nemzetségbe tartozó (*Cytisus* Desf. s. l. sect. *Tubocytisus* DC.) fajok és infraszpecifikus taxonok, érvényes és érvénytelen tudományos neveinek teljes listáját és a nevekhez kapcsolatosan a szerző vagy az új kombinációt létrehozó személy rövidítését és a megjelenés pontos helyét, illetve a név érvényességére vonatkozó információkat. A listában a nevek a basionim alapján alfabetikus sorrendben szerepelnek. Az egyes bazionimek alatt a szinonim nevek a megjelenés éve szerint követik egymást. Az index összesen 786 tudományos nevet tartalmaz, 347 bazionimet (261 legitim) és 439 (legitim 352) új kombinációt.

A lista összeállításakor számos, recens flóramunkában elfogadott név esetében megállapítottuk, hogy érvénytelen leírásról vagy érvénytelenül létrehozott kombinációról van szó (pl. *Chamaecytisus supinus* subsp. *aggregatus* (Schur) Á. Löve et D. Löve, *Chamaecytisus hirsutus* subsp. *leucotrichus* (Schur) Á. Löve et D. Löve, *Chamaecytisus supinus* subsp. *pannonicus* (Simonk.) Á. Löve et D. Löve, *Chamaecytisus supinus* subsp. *pseudorochelii* (Simonk.) Á. Löve et D. Löve, *Cytisus rhodopeus* J. Wagner ex Degen.). Több név esetében a flóraművek a leírás vagy az új kombináció létrehozásának helyét tévesen hivatkozzák: pl. *Cytisus heuffelii* Wierzb., *Cytisus rochelii* Wierzb., *Chamaecytisus blockianus*.

REFERENCES

- ASCHERSON, P. and GRAEBNER, P. (1907): *Cytisus*. – In: ASCHERSON, P. and GRAEBNER, P. (eds): Synopsis der Mitteleuropäischen Flora 6.2. Verlag von Wilhelm Engelmann, Leipzig, pp. 292–338.
- BARINA, Z., BENEDEK, L., BOROS, L., DIMA, B., FOLCZ, Á., KIRÁLY, G., KOSZKA, A., MALATINSZKY, Á., PAPP, D., PIFKÓ, D. and PAPP, V. (2015): Taxonomic and chorological notes 1 (1–19). – *Studia bot. hung.* 46(2): 205–222. <http://dx.doi.org/10.17110/StudBot.2015.46.2.205>
- BECK, G. (1896): Flora von Südbosnien und der angrenzenden Hercegovina. – *Ann. K. K. Naturhist. Hofmus.* 11: 39–80.
- BORBÁS, V. (1887): *Vasvármegye növényföldrajza és flórája*. – Vas megyei Gazdasági Egyesület, Szombathely, 395 pp.
- BRIQUET, J. (1894): *Études sur les Cytises des Alpes maritimes comprenant un examen des affinités et une révision générale du genre Cytisus*. – Georg & Co., Geneve et Bale, 202 pp.
- CIOCĂRLAN, V. (2009): *Flora ilustrată a României*, ed. 3. – Ceres, București, 1141 pp.
- CRISTOFOLINI, G. (1976): I Citisi italiani della sezione Tubocytisus DC. – *Webbia* 30(2): 257–283. <http://dx.doi.org/10.1080/00837792.1976.10670051>
- CRISTOFOLINI, G. (1991): Taxonomic revision of *Cytisus* Desf. Sect. *Tubocytisus* DC. (Fabaceae) – *Webbia* 45(2): 187–219. <http://dx.doi.org/10.1080/00837792.1991.10670496>
- CZEREPANOV, S. K. (1973): *Additamenta et corrigenda ad "Floram URSS" (tomi I–XXX)* – Nauka, Leningrad, 668 pp.
- CZEREPANOV, S. K. (1981): *Plantae vasculares URSS*. – Nauka, Leningrad, 509 pp.
- DIKLIĆ, N. (1972): *Chamaecytisus* Link. – In: JOSIFOVIĆ, M. (ed.): Flore de République Socialiste de Serbie 6. Académie Serbe des Sciences et des Arts, Beograd, pp. 497–515.
- DOSTÁL, J. (1984): Notes to the nomenclature of the Czechoslovak flora. – *Fol. Mus. Nat. Bohemiae Occidentalis Botanica* 21: 1–21.

- FENAROLI, L. (1972): *Catalogus taxonomicus Florae Garganicae*. – *Atti Ist. Bot. Univ. Pavia* ser. 6., 8: 27–176.
- GALUSHKO, A. I. (1980): *Flora Severnogo Kavkaza Opredelitel 2*. – Rostovskovo Universiteta, Izdatelstvo, 352 pp.
- GANDOGGER, M. (1910): *Novus conspectus florum Europae*. – A. Hermann, Paris, 541 pp.
- HAWKSWORTH, D. L. (2010): *Terms used in bionomenclature. The naming of organisms (and plant communities)*. – Global Biodiversity Information Facility, Copenhagen, 216 pp.
- HAYEK, A. (1926): *Prodromus Florae peninsulae Balcanicae*. – *Feddes Repert. Beih.* 30(1): 673–960.
- HEYWOOD, V. H. and FRODIN, D. G. (1968): *Chamaecytisus Link.* – In: TUTIN, T. G. *et al.* (eds): *Flora Europaea 2*. Univ. Cambridge Press, Cambridge, pp. 90–93.
- IPNI (2012+): *The International Plant Names Index*. – Published on the Internet <http://www.ipni.org> (accessed: 03.11.2015)
- JÁVORKA, S. 1925. *Magyar Flóra*. – Studium, Budapest, 1307 pp.
- KANITZ, Á (1865): *A magyar tartományok növényzeti viszonyai*. – In: HUNFALVY, J. (ed.): *A Magyar Birodalom Természeti Viszonyainak leírása 3.*, Emich Gusztáv, Pest, pp. 611–720.
- KLÁSKOVÁ, A. (1958): *Combinatioes novae generis Cytisi L. s. l.* – *Preslia* 30: 214.
- KUZMANOV, B. (1976): *Chamaecytisus Link.* – In: JORDANOV, D. (ed.): *Flora Reipublicae Popularis Bulgaricae 4. Aedibus Academiae Scientiarum Bulgaricae, Serdicae*, pp. 74–119.
- LINK, J. H. F. (1831): *Handbuch zur Erkennung der nutzbarsten und am häufigsten vorkommenden Gewächse 2*. – Spenserschen Buchhandlung, Berlin, 533 pp.
- LÖVE, Á. and LÖVE, D. (1961): *Chromosome numbers of Central and Northwest European plant species*. – *Opera bot. (Lund)* 5: 1–581.
- MCNEILL, J., BARRIE, F. R., BUCK, W. R., DEMOULIN, V., GREUTER, W., HAWKSWORTH, D. L., HERENDEEN, P. S., KNAPP, S., MARHOLD, K., PRADO, J., PRUD'HOMME VAN REINE, W. F., SMITH, G. F., WIERSEMA, J. H. and TURLAND, N. J. (2012): *International Code of Nomenclature for algae, fungi and plants (Melbourne Code) adopted by the Eighteenth International Botanical Congress Melbourne, Australia, July 2011*. – Koeltz Scientific Books, Königstein, 240 pp.
- MICEVSKI, K. (2001): *The flora of the Republic of Macedonia 1.5*. – Macedonian Academy of Sciences and Arts, Skopje, pp. 1121–1430.
- OPREA, A. (2005): *Lista critică a plantelor vasculare din România*. – Ed. Univ. „Alexandru Ioan Cuza”, Iași, 668 pp.
- PIFKÓ, D. (2009a): *Schur's Cytisus taxa*. – *Studia bot. hung.* 40: 143–163.
- PIFKÓ, D. (2009b): *Chamaecytisus Link.* – In: KIRÁLY, G. (ed.): *Új magyar fűvészkönyv. Magyarországi hajtásos növényei. Határozókulcsok*. (New Hungarian Herbal. The Vascular Plants of Hungary. Identification key). – Aggteleki Nemzeti Park Igazgatóság, Jósvald, pp. 239–241.
- PIFKÓ, D. and SHEVERA, M. (2013): (2123–2124) *Proposal to conserve Cytisus podolicus (Chamaecytisus podolicus) against Cytisus bucovinensis, and Cytisus blockianus (Chamaecytisus blockianus) against Cytisus kernerii and C. marilauni (Leguminosae)* – *Taxon* 62(1): 181–183.
- PONERT, J. (1973): *Combinatioes novae, statii novi et taxa nova non tantum specierum turcicarum. (Neue taxonomische Kombinationen, Kategorien und Taxa vor allem türkischen Arten)*. – *Feddes Repert.* 83(9–10): 617–644. <http://dx.doi.org/10.1002/fedr.19730830902>
- QUEZEL, P. (1969): *La vegetation du massif du Bela-Voda (Macédoine nord-occidentale)*. – *Biol. Gallo-Hellen.* 2(2): 93–112.
- ROTHMALER, W. (1944): *Die Gliederung der Gattung Cytisus L.* – *Feddes Repert.* 53: 137–150. <http://dx.doi.org/10.1002/fedr.19440530208>
- SARIĆ, M. R. and DIKLIĆ, N. (1986): *Flora SR Srbija 10*. (Flore de la Republique Socialiste de Serbie). – Srpska Akademija nauka i umetnosti, Beograd, 400 pp.
- SCHUR, F. (1853): *Sertum Florae Transsilvaniae*. – *Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt* 4: 1–94.

- SCHUR, F. (1860): Zur Flora von Siebenbürgen. – *Österr. Bot. Zeitschr.* **10**(6): 177–185.
<http://dx.doi.org/10.1007/bf01962838>
- SCHUR, F. (1866): *Enumeratio plantarum Transsilvaniae*. – Guilielmum Braumüller, Vindobona, 984 pp.
- SCHUR, F. (1877): Phytographische Mittheilungen über Pflanzenformen aus verschiedenen Flotengebieten des Oesterreichischen Kaiserstaates. – *Verh. Naturf. Vereins Brünn* **15**: 1–200.
- SIMON, T. (2000): *A magyarországi edényes flóra határozója*. (The identification of the vascular plants of Hungary). – Nemzeti Tankönyvkiadó, Budapest, 976 pp.
- SKALICKÁ, A. (1983): East European species of the genus *Chamaecytisus* Link. – *Rad. Akad. Nauka Um. Bosne Hercegovine* **72** (sect. natur.-math. 21): 239–245.
- SOÓ, R. (1966): *A magyar flóra és vegetáció rendszertani-növényföldrajzi kézikönyve 2*. [The handbook of the systematics and biogeography of the Hungarian flora and vegetation 2]. – Akadémiai Kiadó, Budapest, 655 pp.
- SOÓ, R. (1970): *A magyar flóra és vegetáció rendszertani-növényföldrajzi kézikönyve 4*. [The handbook of the systematics and biogeography of the Hungarian flora and vegetation 4]. – Akadémiai Kiadó, Budapest, 614 pp.
- STEVANOVIC, V., TAN, K. and IATROU, G. (2003): Distribution of the endemic Balkan flora on serpentine. I. Obligate serpentine endemics. – *Plant Syst. Evol.* **242**: 149–170.
<http://dx.doi.org/10.1007/s00606-003-0044-8>
- STOJANOV, N. and STEFANOV, B. (1922): *Les Papilionacées de la Bulgarie*. – Drzavna Pecatnica, Sofia, 110 pp.
- STOJANOV, N. and STEFANOV, B. (1925): *Flora na Bulgarija 2*. (Flore de la Bulgarie 2). – Drzavna Pecatnica, Sofia, 609–1367 pp.
- STOJANOV, N. and STEFANOV, B. (1933). *Flora na Bulgarija*, ed. 2. – Pecatnica Guttenberg, Sofia, 1104 pp.
- STOJANOV, N. and STEFANOV, B. (1948): *Flora na Bulgarija*, ed. 3. – Universitetska Pecatnica, Sofia, 1361 pp.
- STOJANOV, N., STEFANOV, B. and KITANOV, B. (1967): *Flora of Bulgaria 2*, ed. 4. – Nauka i Izkustvo, Sofia, 569–1324 pp.
- TZVELEV, N. N. (1987): *Chamaecytisus* Link. – In: FEDOROV, An. A. (ed.): Flora pratis Europaeae URSS. Nauka, Leningrad, pp. 216–225.
- TZVELEV, N. N. (2002): *Chamaecytisus* Link. – In: FEDOROV, An. A. (ed.): Flora of Russia. A. A. Balkema, Rotterdam, pp. 326–340.
- YAKOVLEV, G. P., SYTIN, A. K. and ROSKOV, Y. R. (1996): *Legumes of Northern Eurasia*. – Royal Botanic Gardens, Kew, 724 pp.

(submitted: 25.05.2015, accepted: 18.09.2015)

Appendix 1. List of scientific names of *Chamaecytisus* Link (*Cytisus* s. l. sect. *Tubocytisus*) taxa.

- Chamaecytisus absinthioides* var. *multiflorus* Kuzmanov, Fl. Narodna Republ. Bulg. 6: 557. 1976
- Chamaecytisus anatolicus* Güner, Karaca Arbor. Mag. 1: 2. 1991
Cytisus anatolicus (Güner) Vural, Türk. Bitkileri List.: 459. 2012
- Chamaecytisus drepanolobus* subsp. *gibbsii* Ponert, Feddes Repert. 83: 618. 1973
- Chamaecytisus graniticus* var. *gymnocarpus* Kucherevskiy et Tsurenkov, Ukrayins'k. Bot. Zhurn. 67: 419. 2010, nom. inval. (ICN Art. 40.1)

- Chamaecytisus gueneri* Duman, Başer et H. Malyer, Karaca Arbor. Mag. 4: 13. 1997
Cytisus gueneri (Duman, Başer et H. Malyer) Vural, Türk. Bitkileri List.: 459. 2012
- Chamaecytisus mitrushii* F. K. Mey., Haussknechtia 15: 80. 2011
- Chamaecytisus pineticola* I. S. Ivchenko, Ukr. Bot. Zhurn. 49: 84. 1992
- Chamaecytisus proliferus* subsp. *meridionalis* Acebes in Acabes et Wildpret, Vieraea 20: 199. 1991
- Chamaecytisus proliferus* var. *calderae* Acebes in Acabes et Wildpret, Vieraea 20: 197. 1991
- Cytisus* × *cetius* Beck, Fl. Nieder-Osterreich 2(2): 833. 1893
Chamaecytisus × *cetius* (Beck) Soó, Synopsis systematico-geobotanica florum vegetationisque Hungariae 4: 581. 1970, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus × *cetius* (Beck) Dostál, Folia Mus. Rerum Nat. Bohemiae Occid., Bot. 21: 8. 1984
- Cytisus* × *czerniaevii* V. I. Krecz., Bot. Zhurn. SSSR 25: 261. 1940
Chamaecytisus × *czerniaevii* (V. I. Krecz.) Tzvelev, Fl. Evropeiskoi Chasti SSSR 6: 223. 1987
- Cytisus* × *hilleri* H. G. Hiller et N. Hiller, Special offer at reduced prices of trees and shrubs: 11. 1933
Cytisus versicolor f. *hillieri* (H. G. Hiller et N. Hiller) Rheder, J. Arnold Arbor. 20: 415. 1939
- Cytisus* × *millenii* Borbás, Természettud. Közl. 29: 433. 1897
Chamaecytisus × *millenii* (Borbás) Soó, Synopsis systematico-geobotanica florum vegetationisque Hungariae 4: 581. 1970, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus × *millenii* (Borbás) Dostál, Folia Mus. Rerum Nat. Bohemiae Occid., Bot. 21: 8. 1984
- Cytisus* × *pseudorochelii* Simonk., Természettud. Közl. Suppl. 44: 232. 1897
Cytisus supinus subsp. *pseudorochelii* (Simonk.) Soó, Bot. Közlem. 21: 235. 1934
Chamaecytisus supinus subsp. *pseudorochelii* (Simonk.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
Chamaecytisus supinus var. *pseudorochelii* (Simonk.) Soó in Simon, A magyarországi edényes flóra határozója, ed. 2: 209. 2000, comb. inval. (ICN Art. 41.5)
Chamaecytisus × *pseudorochelii* (Simonk.) Pifkó, Fl. Pannonica 3: 168. 2005
- Cytisus* × *syreiszczikowi* V. I. Krecz., Bot. Zhurn. SSSR 25: 261. 1940
Chamaecytisus ruthenicus var. *syreiszczikovii* (V. I. Krecz.) Tzvelev, Fl. Evropeiskoi Chasti SSSR 6: 222. 1987
- Cytisus* × *versicolor* Dippel, Handb. Laubholz 3: 681. 1893
Chamaecytisus × *versicolor* (Dippel) Karlsson, Svensk Bot. Tidskr. 91: 249. 1998
- Cytisus absinthioides* Janka, Oesterr. Bot. Z. 22: 175. 1872
Cytisus eriocarpus var. *absinthioides* (Janka) Stoj et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
Cytisus supinus subsp. *eriocarpus* var. *absinthioides* (Janka) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 624. 1925
Cytisus eriocarpus var. *absinthioides* (Janka) Hayek, Feddes Repert. Beih. 30: 900. 1926, (!)
Cytisus supinus subsp. *absinthioides* (Janka) Stoj et Stef., Fl. Bulg., ed. 2: 582. 1933
Cytisus supinus subsp. *rhodopaeus* var. *absinthioides* (Janka) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4: 2: 584. 1967, comb. inval. (ICN Art. 6.10)
Chamaecytisus absinthioides (Janka) Kuzmanov, Taxon 21: 336. 1972
- Cytisus absinthioides* var. *austriacoides* Stoj., Izv. Bulg. Bot. Druzh. 5: 105. 1932
Cytisus supinus subsp. *rhodopaeus* var. *austriacoides* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 582. 1933, comb. inval. (ICN Art. 6.10)
Chamaecytisus absinthioides var. *austriacoides* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 92. 1976
- Cytisus absinthioides* var. *grandiflorus* Stoj., Izv. Bulg. Bot. Druzh. 5: 105. 1932

- Cytisus supinus* subsp. *rhodopeus* var. *grandiflorus* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 582. 1933, comb.inval. (ICN Art. 6.10)
Chamaecytisus absinthioides var. *grandiflorus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 92. 1976
- Cytisus absinthioides* var. *javorkae* Stoj., Izv. Bulg. Bot. Druzh. 5: 107. 1932
Cytisus supinus subsp. *absinthioides* var. *javorkae* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 582. 1933
- Cytisus absinthioides* var. *parvifolius* Stoj., Izv. Bulg. Bot. Druzh. 5: 105. 1932
Cytisus supinus subsp. *rhodopeus* var. *parvifolius* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 582. 1933, comb. inval. (ICN Art. 6.10)
Chamaecytisus absinthioides var. *parvifolius* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 92. 1976
- Cytisus absinthioides* var. *pirinicus* Stoj., Izv. Bulg. Bot. Druzh. 5: 105. 1932
Cytisus hirsutus subsp. *ratisbonensis* var. *pirinicus* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 581. 1933
Chamaecytisus absinthioides var. *pirinicus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 92. 1976
- Cytisus aeolicus* K. Koch non Guss., Dendrologie 1: 27. 1869, nom. illeg. (ICN Art. 53.1.)
Cytisus purpureus lus. *aeolicus* (K. Koch) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 316. 1907, comb. inval. (ICN Art. 6.10)
- Cytisus aggregatus* Schur, Enum. Pl. Transsilv.: 149. 1866
Cytisus capitatus subsp. *aggregatus* (Schur) Jáv., Magyar Fl. 2: 608. 1924 (!)
Cytisus supinus subsp. *aggregatus* (Schur) Soó, Bot. Közlem. 37: 181. 1940
Chamaecytisus supinus subsp. *aggregatus* (Schur) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
Chamaecytisus supinus subsp. *aggregatus* (Schur) Fodor, Fl. Zakarp.: 78. 1974, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus aggregatus (Schur) Czerep., Sosud. Rast. SSSR, 229. 1981
Chamaecytisus aggregatus (Schur) Skalická non Czerep., Rad. Akad. Nauka Um. Bosne Hercegovine 72 (sect. natur.-math. 21): 244. 1983, comb. illeg. (ICN Art. 53.1)
Chamaecytisus aggregatus (Schur) Diklić in Sarić et Diklić, Fl. Srbije 10: 119. 1986, comb. illeg.
- Cytisus albidus* DC., Cat. Pl. Horti Monsp.: 101. 1813
Chamaecytisus albidus (DC.) Rothm., Feddes Repert. 53: 143. 1944
- Cytisus albus* Hacq., Reis. Dac. Sarm. Karpathen 1: 49. 1790
Cytisus kernerii var. *albus* (Hacq.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
Cytisus austriacus var. *albus* (Hacq.) Neilr., Diagn. Ung. Slav. 33. 1867
Chamaecytisus supinus subsp. *albus* (Hacq.) Briq., Etud. Cytis. Alp. Marit.: 173. 1894
Cytisus leucanthus subsp. *albus* (Hacq.) Hayek, Feddes Repert. Beih. 30: 902. 1926 (!)
Chamaecytisus albus (Hacq.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus albus* var. *bizanthynus* Davidov, Spis. Bulg. Akad. Nauk. 12: 124. 1915
Cytisus leucanthus subsp. *albus* var. *bizanthynus* (Davidov) Hayek, Feddes Repert. Beih. 30: 902. 1926 (!)
- Cytisus albus* var. *kissi* Jáv. ex Kiss, Bot. Közlem. 36: 227. 1939
Cytisus austriacus var. *kissi* (Jáv. ex Kiss) Soó, Bot. Közlem. 37: 182. 1940, comb. illeg.
Cytisus austriacus var. *kissi* (Jáv. ex Kiss) Soó in Soó et Jáv., Magyar növényvilág kézikönyve 2: 319. 1951
- Cytisus albus* var. *obornyanus* A. Wildt, Verh. Naturf. Vereins Brünn 48: 22. 1910
- Cytisus albus* f. *landozii* Soó, Bot. Közlem. 22: 72. 1925
Cytisus albus var. *landozii* (Soó) Soó in Soó et Jáv., Magyar növényvilág kézikönyve 2: 318. 1951
- Cytisus alpestris* Schur, Enum. Pl. Transsilv.: 148. 1866

- Cytisus ciliatus* var. *alpestris* (Schur) Beck, Ann. K. K. Naturhist. Hofmus. 2:119. 1887
Cytisus hirsutus var. *alpestris* (Schur) Beck, Ann. K. K. Naturhist. Hofmus. 11: 57. 1896
Cytisus hirsutus subsp. *ciliatus* var. *alpestris* (Schur) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascher-
 son et Graebner] 6.2: 320. 1907
Cytisus hirsutus subsp. *alpestris* (Schur) Soó, Acta Bot. Acad. Sci. Hung. 10: 369. 1964
Chamaecytisus ciliatus var. *alpestris* (Schur) Diklić in Josifović, Fl. Srbije 4: 503. 1972
Chamaecytisus ciliatus subsp. *alpestris* (Schur) Soó, Feddes Repert. 85: 439. 1974
Chamaecytisus supinus subsp. *alpestris* (Schur) Pifkó, Studia Bot. Hung. 40: 150. 2009
- Cytisus alpestris*** Thur. et Bornet in Ardoino non Schur, Fl. Anal. Alpes-mar. ed. 1.: 93. 1867, nom. illeg. (ICN Art. 53.1.)
Cytisus hirsutus var. *alpestris* (Thur. et Bornet.) Arcang., Comp. Fl. Ital. [Arcangeli]: 153. 1882, comb. inval. (ICN Art. 6.10)
- Cytisus ambiguus*** Schur, Enum. Pl. Transsilv.: 147. 1866
Chamaecytisus ambiguus (Schur) Klásk., Preslia 30: 214. 1958
Chamaecytisus rochelii subsp. *ambiguus* (Schur) Pifkó, Studia Bot. Hung. 40: 148. 2009
- Cytisus aprutius*** Gand., Novus Consp. Fl. Eur.: 105. 1910, nom. nud.
- Cytisus arenarius*** Simonk., Math. Term. Közlem. 22: 361. 1888
Cytisus albus subsp. *arenarius* (Simonk.) Soó, Synopsis systematico-geobotanica florum vegeta-
 tionisque Hungariae 2: 286. 1966, comb. inval. (ICN Art. 41.5; basionym not cited)
Cytisus albus f. *arenarius* (Simonk.) Soó, Acta Bot. Acad. Sci. Hung. 13: 299. 1967
- Cytisus argyreus*** Rchb., Fl. Germ. Excurs. 2: 523. 1832
- Cytisus austriacus*** L., Sp. Pl., ed. 2. 2: 1042. 1763
Viborgia austriaca (L.) Moench, Methodus (Moench) 132. 1794
Chamaecytisus austriacus (L.) Link, Handbuch [Link] 2: 155. 1831
Genista austriaca (L.) Scheele, Flora 26. 438. 1843
Cytisus kernerii var. *austriacus* (L.) Kanitz in Müggenburg et al., Verh. K. K. zool.-bot. Ges. Wien 16: 160. 1866, comb. inval. (ICN Art. 6.10)
Cytisus supinus subsp. *austriacus* (L.) Briq., Etud. Cytis. Alp. Marit.: 175. 1894
- Cytisus austriacus*** var. *angustifolius* Tausch, Flora 21.1: 11. 1838
- Cytisus austriacus*** var. *argenteus* Neilr., Fl. Wien 640. 1846
Cytisus argenteus (Neilr.) Dietl non L., Oesterr. Bot. Z. 3: 411. 1853, nom. illeg. (ICN Art. 53.1.)
Cytisus argenteus (Neilr.) Schur non L., Verh. Naturf. Vereins Brünn 15: 167. 1877, nom. illeg. (ICN Art. 53.1.)
- Cytisus austriacus*** var. *aureus* Neilr., Diagn. Ung. Slav. 34. 1867
- Cytisus austriacus*** var. *keranius* K. Malý, Glasn. Zemaljsk. Muz. Bosni Hercegovini 32: 136. 1920, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus austriacus*** var. *latifolius* Schur, Enum. Pl. Transsilv.: 147. 1866, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus austriacus*** var. *luteus* Neilr., Aufz. Ungarn Slavon. Gefässpfl. 330. 1865
- Cytisus austriacus*** var. *maezius* K. Malý, Glasn. Zemaljsk. Muz. Bosni Hercegovini 35: 130. 1923
Chamaecytisus maezius (K. Malý) Stevan., Kit Tan et Iatrou, Pl. Syst. Evol. 242: 157. 2003, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus austriacus*** var. *banaticus* Wierzb. ex Rochel, Botanische Reise in das Banat: 48. 1838
- Cytisus austriacus*** var. *major* Rochel, Botanische Reise in das Banat: 48. 1838, nom. nud.
- Cytisus austriacus*** var. *noeanus* Rchb. f., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach) 22: 13. 1867
Cytisus austriacus subsp. *noeanus* (Rchb. f.) Jáv., Magyar Fl. 2: 608. 1924 (!)

- Cytisus supinus* subsp. *austriacus* var. *noeanus* (Rchb. f.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 583. 1933
Chamaecytisus austriacus var. *noeanus* (Rchb. f.) Diklić in Josifović, Fl. Srbije 9: 131. 1977
- Cytisus austriacus*** var. ***pindicolus*** Degen ex Bald., Nuovo Giorn. Bot. Ital., n.s. 6: 152. 1899
Cytisus pindicolus (Degen ex Bald.) Halácsy, Consp. Fl. Graec. 1(2): 338. 1901
- Cytisus austriacus*** var. ***simplex*** Bornm., Bot. Jahrb. Syst. 59: 466. 1925
- Cytisus austriacus*** var. ***stefanoffii*** Stoj., Izv. Bulg. Bot. Druzh. 5: 102. 1932
Cytisus supinus subsp. *austriacus* var. *stefanoffii* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 583. 1933
Chamaecytisus austriacus subsp. *stefanoffii* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 94. 1976
Chamaecytisus austriacus var. *stefanoffii* (Stoj.) Micevski, Fl. Republ. Makedonija 1(5): 1142. 2001
- Cytisus austriacus*** var. ***thessalus*** Boiss., Fl. Orient. [Boissier] 2: 53. 1872
Cytisus thessalus (Boiss.) Halácsy, Consp. Fl. Graec. 1(2): 338. 1900
Cytisus supinus subsp. *austriacus* var. *thessalus* (Boiss.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 625. 1925
- Cytisus austriacus*** var. ***urumoffii*** Davidov ex Stoj., Izv. Bulg. Bot. Druzh. 5: 102. 1932
Cytisus supinus subsp. *pallidus* var. *urumoffii* (Davidov ex Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 581. 1933
- Cytisus austriacus*** var. ***virescens*** Kováts ex Neilr., Fl. Wien 640. 1846
Cytisus virescens (Kováts ex Neilr.) A. Kern., Abhängigk. Pflanzengest.: 8. 1869
Cytisus × *virescens* (Kováts ex Neilr.) Beck, Fl. Nieder-Osterreich 2(2): 834. 1893, comb. illeg. (ICN Art. 53.1.)
Cytisus austriacus subsp. *virescens* (Kováts ex Neilr.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 330. 1907
Chamaecytisus austriacus subsp. *virescens* (Kováts ex Neilr.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
Chamaecytisus × *virescens* (Kováts ex Neilr.) Soó, Synopsis systematico-geobotanica florum vegetationis Hungariae 4: 581. 1970, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus austriacus var. *virescens* (Kováts ex Neilr.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 94. 1976
Chamaecytisus × *virescens* (Kováts ex Neilr.) Dostál, Folia Mus. Rerum Nat. Bohemiae Occid., Bot. 21: 8. 1984
- Cytisus austriacus*** f. ***obtusifolia*** Beck, Fl. Nieder-Osterreich 2(2): 833. 1893
- Cytisus austriacus*** f. ***ochroleuca*** Prodán, Bot. Közlem. 9: 150. 1910
- Cytisus austriacus*** f. ***umbrosus*** Borbás, Budap. Körn. Növ.: 166. 1879
- Cytisus banaticus*** Griseb. et Schenk, Arch. Naturgesch. (Berlin) 18: 292. 1852
Cytisus pallidus var. *banaticus* (Griseb. et Schenk) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 330. 1907
Chamaecytisus banaticus (Griseb. et Schenk) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus biflorus*** L'Hér., Stirp. Nov. fasc. 7: 184. 1791
Chamaecytisus biflorus (L'Hér.) Link, Handbuch [Link] 2: 154. 1831
Aulonix biflorus (L'Hér.) Raf., Sylva Tellur.: 25. 1838
Cytisus biflorus (L'Hér.) Cariot, Étude Fl., ed. 3 [A. Cariot]: 127. 1860
Tubocytisus biflorus (L'Hér.) Fourr., Ann. Soc. Linn. Lyon 17: 358. 1868
Cytisus supinus var. *biflorus* (L'Hér.) Čelak., Anal. Kvet. Česká ed. 2: 392. 1887
Cytisus hirsutus subsp. *ratisbonensis* var. *biflorus* (L'Hér.) Briq., Etud. Cytis. Alp. Marit.: 167. 1894
Cytisus ratisbonensis f. *biflorus* (L'Hér.) Zabel in Beissn. et al., Handb. Laubholzben. [Beissner et al.] 265. 1903

- Cytisus ratisbonensis* var. *biflorus* (L'Hér.) C. K. Schneid., Ill. Handb. Laubholz. [C. K. Schneider] 2: 51. 1907
- Cytisus ratisbonensis* subsp. *biflorus* (L'Hér.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1179. 1924
- Cytisus biflorus* var. *calabrus* Ten., Fl. Nap. 5: 94. 1838
- Cytisus biflorus* var. *collinus* Neilr., Fl. Wien 642. 1846
- Cytisus collinus* (Neilr.) Schur, Verh. Naturf. Vereins Brünn 15: 169. 1877
- Cytisus biflorus* var. *longipedunculatis* Sommier et Levier, Acta Hort. Petrop. 16: 110. 1910
- Cytisus biflorus* var. *minor* W. D. J. Koch, Syn. Deut. Schweiz. Fl. [W. D. J. Koch] 1: 156. 1837
- Cytisus ratisbonensis* var. *minor* (W. D. J. Koch) W. D. J. Koch, Syn. Deut. Schweiz. Fl., ed. 2 [W. D. J. Koch]: 182. 1846
- Cytisus biflorus* var. *subspinescens* DC., Prodr. [A. P. de Candolle] 2: 155. 1825
- Cytisus subspinescens* (DC.) Briq., Etud. Cytis. Alp. Marit.: 163. 1894
- Cytisus biflorus* var. *umbrosus* Neilr., Fl. Wien 642. 1846
- Cytisus bifformis* Schur, Studia Bot. Hung. 40: 156. 2009, nom. herb.
- Cytisus bisflorens* Host, Fl. Austriac. 2: 340. 1831
- Cytisus capitatus* subsp. *lateriflorus* var. *bisflorens* (Host) Grab., Fl. Oberschlesien: 205. 1843
- Cytisus capitatus* var. *bisflorens* (Host) Neilr., Fl. Nied.-Oesterr 927. 1859
- Cytisus capitatus* subsp. *bisflorens* (Host) Čelak., Prodr. Fl. Böhmen, 4: 905. 1881
- Cytisus hirsutus* subsp. *bisflorens* (Host) Čelak., Anal. Kvet. Ceská ed. 2: 393. 1887
- Genista bisflorens* (Host) Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 216. 1897 (!)
- Cytisus bisflorens* f. *australis* Schur, Studia Bot. Hung. 40: 156. 2009, nom. herb.
- Cytisus bisflorens* f. *hyemalis* Schur, Studia Bot. Hung. 40: 156. 2009, nom. herb.
- Cytisus blockianus* Pawł., Rosl. Polsk. (ed. 1): 389. 1924, nom. nov. of *Cytisus kernerii* Błocki
- Chamaecytisus blockianus* (Pawł.) Klásk., Preslia 30: 214. 1958, comb. inval. (*not exist*)
- Chamaecytisus blockianus* (Pawł.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
- Chamaecytisus blockianus* (Pawł.) Klásk. ex Czerep., Svod Dopolnenii i izmenenii k "Flore SSSR": 254. 1973
- Cytisus blockii* V. I. Krecz., Bot. Zhurn. S.S.S.R. 25: 256. 1940, nom. nov. of *Cytisus kernerii* Błocki
- Cytisus borysthenicus* Gruner, Bull. Soc. Imp. Naturalistes Moscou 41: 446. 1869
- Cytisus biflorus* subsp. *borysthenicus* (Gruner) Pacz., Acta Hort. Bot. Univ. Imp. Jurjevensis 15: 95. 1914
- Chamaecytisus borysthenicus* (Gruner) Klásk., Preslia 30: 214. 1958
- Cytisus bucovinensis* Simonk., Math. Term. Közlem. 22: 369. 1888
- Cytisus albus* var. *bucovinensis* (Simonk.) Wissjul., Fl. URSS 6: 343. 1954
- Cytisus candidus* C. Presl, Fl. Sicul. (Presl) 1: XIX. 1836
- Cytisus spinescens* var. *candidus* (C. Presl) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 315. 1907
- Cytisus subspinescens* var. *candidus* (C. Presl) Fiori, Nuov. Fl. Italia 1.6: 810. 1925
- Chamaecytisus spinescens* var. *candidus* (C. Presl) Fen., Atti Ist. Bot. Univ. Pavia 8: 71. 1972, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus canescens* Maly in J. Presl et C. Presl non Loisel., Delic. Prag. 229. 1822, nom. illeg. (ICN Art. 53.1.)
- Cytisus austriacus* var. *canescens* (Maly in J. Presl et C. Presl) Schur, Studia Bot. Hung. 40: 156. 2009, comb. inval. (ICN Art. 6.10)

- Cytisus capitato-austriacus* Schur, Enum. Pl. Transsilv.: 147. 1866, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus capitato-leucanthus* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus capitatus* Scop., Fl. Carniol., ed. 2. 2: 70. 1772
- Chamaecytisus capitatus* (Scop.) Link, Handbuch [Link] 2: 155. 1831
- Genista capitata* (Scop.) Scheele, Flora 26. 438. 1843
- Cytisus kernerii* var. *capitatus* (Scop.) Kantz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
- Tubocytisus capitatus* (Scop.) Fourr., Ann. Soc. Linn. Lyon 17: 358. 1868
- Cytisus hirsutus* subsp. *capitatus* (Scop.) Čelak., Anal. Kvet. Česká ed. 3: 1897
- Cytisus hirsutus* var. *capitatus* (Scop.) Fiori, Nuov. Fl. Italia 1.6: 810. 1925 (!)
- Cytisus capitatus* subsp. *genuinus* Čelak., Anal. Kvet. Česká ed. 1: 376. 1879, nom. inval. (ICN Art. 24.3)
- Cytisus capitatus* subsp. *lateriflorus* var. *alternifolius* Grab., Fl. Oberschlesien: 205. 1843
- Cytisus capitatus* subsp. *lateriflorus* var. *racemosus* Grab., Fl. Oberschlesien: 205. 1843
- Cytisus capitatus* subsp. *leiocalyx* Čelak., Anal. Kvet. Česká ed. 2: 393. 1887
- Cytisus capitatus* subsp. *verus* Grab., Fl. Oberschlesien: 204. 1843
- Cytisus capitatus* subsp. *verus* var. *decumbens* Grab., Fl. Oberschlesien: 204: 1843
- Cytisus capitatus* subsp. *verus* var. *paniculatus* Grab., Fl. Oberschlesien: 205. 1843
- Cytisus capitatus* subsp. *verus* var. *prolifer* Grab., Fl. Oberschlesien: 204. 1843
- Cytisus capitatus* subsp. *verus* var. *suberectus* Grab., Fl. Oberschlesien: 204. 1843
- Cytisus capitatus* subsp. *vulgaris* Čelak., Prodr. Fl. Böhmen: 653. 1867
- Cytisus capitatus* var. *lateralis* Neilr., Fl. Nied.-Oesterr 927. 1859
- Cytisus capitatus* var. *lateralis* f. *neilreichii* Rchb. f., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach) 22: 13. 1867
- Cytisus capitatus* var. *microphylla* Schur, Studia Bot. Hung. 40: 157. 2009, nom. herb.
- Cytisus capitatus* var. *pauciflorus* Ebel, Zwölf Tage Monten. Dalm. 2: 83. 1844
- Cytisus pauciflorus* (Ebel) Beck non Willd., Ann. K. K. Naturhist. Hofmus. 2: 119. 1887, comb. illeg. (ICN Art. 53.1.)
- Cytisus austriacus* subsp. *austriacus* var. *pauciflorus* (Ebel) Briq., Etud. Cytis. Alp. Marit.: 177. 1894
- Cytisus pauciflorus* (Ebel) Adamović non Willd., Rad Jugoslav. Akad. Znan. 53: 23. 1913, comb. illeg. (ICN Art. 53.1.)
- Cytisus capitatus* var. *terminalis* Neilr., Fl. Nied.-Oesterr.: 927. 1859
- Cytisus cassius* Boiss., Diagn. Pl. Orient. ser. 1, 9: 5. 1849
- Chamaecytisus cassius* (Boiss.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus caucasicus* Grossh. in Grossh. et Schischkin, Sched. Herb. Pl. Orient. Exsicc. [Grossheim et Schischkin] 10: 10. 1928
- Chamaecytisus caucasicus* (Grossh. in Grossh. et Schischk.) Holub, Folia Geobot. Phytotax. 9: 272. 1974
- Chamaecytisus caucasicus* (Grossh. in Grossh. et Schischk.) Galushko, Fl. Severn. Kavkaza [Galushko] 2: 125. 1980, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus chrysostrichus* Boiss., Diagn. Pl. Orient. ser. 1, 2: 12. 1843
- Cytisus ciliatus* Wahlenb., Fl. Carpat. Princ.: 219. 1814

- Cytisus prostratus* var. *ciliatus* (Wahlenb.) W. D. J. Koch, Syn. Deut. Schweiz. Fl. [W. D. J. Koch] 1: 155. 1837
- Cytisus kernerii* subvar. *ciliatus* (Wahlenb.) Kanitz in Asch. et Kanitz, Catal. Cormoph. Serb. Bosn. Herceg. 100. 1877, comb. inval. (ICN Art. 6.10)
- Cytisus capitatus* subsp. *ciliatus* (Wahlenb.) Nyman, Consp. Fl. Eur. 1: 157. 1878 (!)
- Cytisus hirsutus* subsp. *ciliatus* (Wahlenb.) Simonkai, Math. Term. Közlem. 22: 376. 1888 (!)
- Cytisus capitatus* var. *ciliatus* (Wahlenb.) Sagorski et C. K. Schneider, Flora der Centralkarpathen 2: 111. 1891
- Cytisus hirsutus* subsp. *ciliatus* (Wahlenb.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 320. 1907
- Chamaecytisus ciliatus* (Wahlenb.) Rothm., Feddes Repert. 53: 144. 1944
- Chamaecytisus hirsutus* subsp. *ciliatus* (Wahlenb.) Klásk., Preslia 30: 214. 1958
- Chamaecytisus hirsutus* subsp. *ciliatus* (Wahlenb.) Strid, Mountain Fl. Greece [Strid] 1: 449. 1986, comb. illeg.
- Chamaecytisus triflorus* subsp. *ciliatus* (Wahlenb.) Holub, Fl. Slovenska 4(4): 38. 1988
- Cytisus ciliatus*** var. *belkoensis* Zólyomi, Bot. Közlem. 31: 36. 1934
- Cytisus ciliatus*** var. *bosniacus* Beck, Ann. K. K. Naturhist. Hofmus. 2: 119 (137). 1887
- Cytisus hirsutus* subsp. *leiocarpus* var. *bosniacus* (Beck) Briq., Etud. Cytis. Alp. Marit.: 168. 1894
- Cytisus bosniacus* (Beck) Beck, Ann. K. K. Naturhist. Hofmus. 11: 57. 1896
- Cytisus leiocarpus* var. *bosniacus* (Beck) Hayek, Feddes Repert. Beih. 30: 899. 1926 (!)
- Chamaecytisus leiocarpus* var. *bosniacus* (Beck) Diklić in Josifović, Fl. Srbije 4: 505. 1972
- Cytisus hirsutus* L. subsp. *bosniacus* (Beck) Cristof., Webbia 30: 271. 1976
- Cytisus ciliatus*** var. *monostichus* Borbás, Természettud. Közl. Suppl. 48: 162. 1898
- Cytisus ciliatus*** var. *pleurotrichus* Borbás, Természettud. Közl. Suppl. 48: 162. 1898
- Cytisus cinereus*** Host, Fl. Austriac. 2: 343. 1831
- Cytisus austriacus* var. *cinereus* (Host) Heuff., Enum. Pl. Banat.: 86. 1858
- Cytisus ratisbonensis* subsp. *cinereus* (Host) Jáv., Magyar Fl. 2: 609. 1924 (!)
- Cytisus ratisbonensis* var. *cinereus* (Host) Domin et Podp., Klíč Květ. Českoslov.: 213. 1928
- Cytisus colchicus*** Albov, Prodr. Fl. Colchic.: 53. 1895
- Chamaecytisus colchicus* (Albov) Porten., Bot. Zhurn. (Moscow, Leningrad) 87: 125. 2002
- Cytisus collivagus*** Gand., Novus Consp. Fl. Eur.: 105. 1910, nom. nud.
- Cytisus communis*** Lindem., Bull. Soc. Imp. Naturalistes Moscou 40: 494. 1867
- Cytisus confertus*** Schur, Enum. Pl. Transsilv.: 148. 1866, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus coronensis*** Schur, Enum. Pl. Transsilv.: 148. 1866, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus corymbosus*** Kit. in Jáv., Ann. Hist.-Nat. Mus. Natl. Hung. 26: 103. 1929, nom. herb.
- Cytisus creticus*** Boiss. et Heldr., Diagn. Pl. Orient. ser. 1, 9: 5. 1849
- Chamaecytisus creticus* (Boiss. et Heldr.) Rothm., Feddes Repert. 53: 143. 1944
- Chamaecytisus spinescens* subsp. *creticus* (Boiss. et Heldr.) K. I. Chr., Willdenowia 41 (2): 318. 2011
- Cytisus dacicus*** Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus danubialis*** Velen., Abh. Bohm. Ges. Wiss. 2: 43. 1890
- Cytisus smyrnaeus* var. *danubialis* (Velen.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus supinus* subsp. *smyrnaeus* var. *danubialis* (Velen.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 625. 1925

- Cytisus supinus* subsp. *austriacus* var. *danubialis* (Velen.) Stoj. et Stef., Fl. Bulg., ed. 2: 2: 583. 1933
Chamaecytisus danubialis (Velen.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus demissus*** Boiss., Fl. Orient. [Boissier] 2: 54. 1872
Cytisus hirsutus var. *demissus* (Boiss.) Halácsy, Consp. Fl. Graec. 1(2): 337. 1900
Chamaecytisus polytrichus var. *demissus* (Boiss.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 82. 1976
- Cytisus dorycnioides*** Davidov, Trav. Soc. Bulg. Sc. Nat. 8: 63. 1915
Chamaecytisus dorycnioides (Davidov) Frodin et Heywood, Feddes Repert. 79: 21. 1968
- Cytisus drepanolobus*** Boiss., Diagn. Pl. Orient. ser. 1, 9: 6. 1849
Chamaecytisus drepanolobus (Boiss.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus elongatus*** Waldst. et Kit., Descr. Icon. Pl. Hung. 2: 200. t. 183. 1804
Chamaecytisus elongatus (Waldst. et Kit.) Link, Handbuch [Link] 2: 155. 1831
Genista elongata (Waldst. et Kit.) Scheele, Flora 26. 438. 1843
Cytisus kernerii var. *elongatus* (Waldst. et Kit.) Kuntz in Hunfalvy, Magy. Birod. Termész. Vizszo. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
Cytisus capitatus var. *lateralis* f. *elongatus* (Waldst. et Kit.) Rchb. f., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach) 22: 13. 1869
Tubocytisus elongatus (Waldst. et Kit.) Fourr., Ann. Soc. Linn. Lyon 17: 358. 1868
Cytisus biflorus subsp. *elongatus* (Waldst. et Kit.) Nyman, Consp. Fl. Eur. 1: 156. 1878 (!)
Cytisus hirsutus subsp. *elongatus* (Waldst. et Kit.) Briq., Etud. Cytis. Alp. Marit.: 168. 1894
Genista hirta subsp. *elongata* (Waldst. et Kit.) Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 214. 1897
Cytisus hirsutus var. *elongatus* (Waldst. et Kit.) Fiori in Fiori et Paol., Fl. Italia [Fiori, Béguinot et Paoletti] 2.1: 15. 1900 (!)
Cytisus ratisbonensis subsp. *elongatus* (Waldst. et Kit.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1179. 1924
Chamaecytisus ratisbonensis subsp. *elongatus* (Waldst. et Kit.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
Chamaecytisus ciliatus subsp. *elongatus* (Waldst. et Kit.) Soó, Feddes Repert. 85: 439. 1974
Chamaecytisus glaber var. *elongatus* (Waldst. et Kit.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 86. 1976
Chamaecytisus glaber var. *elongatus* (Waldst. et Kit.) Tzvelev, Fl. Evropejskoj Chasti SSSR 6: 220. 1987, comb. illeg. (ICN Art. 53.1.)
- Cytisus elongatus*** Friv. ex Nyman, Consp. Fl. Eur. 1: 156. 1878, nom. herb
- Cytisus elongatus*** var. *multiflorus* DC., Prodr. [A. P. de Candolle] 2: 155. 1825
Cytisus multiflorus (DC.) Lindl. non Sweet, Bot. Reg. 14: 1191. 1828, comb. illeg. (ICN Art. 53.1.)
- Cytisus eriocarpus*** Boiss., Diagn. Pl. Orient. ser. 1, 2: 11. 1843
Cytisus supinus subsp. *eriocarpus* (Boiss.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 624. 1925
Chamaecytisus eriocarpus (Boiss.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus eriocladus*** Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus falcatus*** Waldst. et Kit., Descr. Icon. Pl. Hung. 3: 264. t. 238. 1808
Cytisus hirsutus f. *falcatus* (Waldst. et Kit.) Beck, Ann. K. K. Naturhist. Hofmus. 2: 119 (137). 1887
Cytisus hirsutus var. *falcatus* (Waldst. et Kit.) Beck, Ann. K. K. Naturhist. Hofmus. 11: 57. 1896
Chamaecytisus ciliatus subsp. *falcatus* (Waldst. et Kit.) Soó, Feddes Repert. 85: 439. 1974
Chamaecytisus falcatus (Waldst. et Kit.) Holub, Folia Geobot. Phytotax. 18: 204. 1983
Chamaecytisus triflorus subsp. *falcatus* (Waldst. et Kit.) Pifkó, Studia Bot. Hung. 38: 13. 2007
- Cytisus falcatus*** subsp. *albanicus* Degen et Dörfl., Denkschr. Kaiserl. Akad. Wiss., Wien. Math.-Naturwiss. Kl. 64: 717. 1897

- Chamaecytisus triflorus* var. *albanicus* (Degen et Dörfl.) Micevski, Fl. Republ. Makedonija 1(5): 1135. 2001
- Cytisus frivaldszkyanus*** Degen, Oesterr. Bot. Z. 43: 422. 1893
- Cytisus pallidus* subsp. *obscurus* var. *frivaldszkyanus* (Degen) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 330. 1907
- Cytisus pallidus* var. *frivaldszkyanus* (Degen) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus supinus* subsp. *pallidus* var. *frivaldszkyanus* (Degen) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925
- Cytisus leucanthus* subsp. *obscurus* var. *frivaldszkyanus* (Degen) Hayek., Feddes Repert. Beih. 30: 903. 1926 (!)
- Cytisus albus* subsp. *frivaldszkyanus* (Degen) Soó, Acta Bot. Acad. Sci. Hung. 10: 369. 1964
- Chamaecytisus albus* subsp. *frivaldszkyanus* (Degen) Soó, Feddes Repert. 83: 153. 1972
- Chamaecytisus frivaldszkyanus* (Degen) Kuzmanov, Taxon 24: 504. 1975
- Cytisus fussii*** Gand., Novus Consp. Fl. Eur.: 105. 1910, nom. nud.
- Cytisus gallicus*** A. Kern. ex Willk. et Lange, Prodr. Fl. Hispan. 3(2): 454. 1877
- Cytisus supinus* var. *gallicus* (A. Kern. ex Willk. et Lange) Briq., Etud. Cytis. Alp. Marit.: 178. 1894
- Cytisus supinus* var. *gallicus* (A. Kern. ex Willk. et Lange) P. Fourn., Quatre Fl. France, ed. 3: 539. 1936
- Chamaecytisus supinus* var. *gallicus* (A. Kern. ex Willk. et Lange) C. Vicioso in O. Bolòs et Vigo, Genisteas españolas 2: 176. 1955
- Chamaecytisus gallicus* (A. Kern. ex Willk. et Lange) Skalická, Rad. Akad. Nauka Um. Bosne Hercegovine 72 (sect. natur.-math. 21): 244. 1983, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus georgievii*** Davidov, Oesterr. Bot. Z. 52: 493. 1902
- Cytisus supinus* subsp. *austriacus* var. *georgievii* (Davidov) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 624. 1925
- Cytisus jankae* var. *georgievii* (Davidov) Hayek, Feddes Repert. Beih. 30: 902. 1926 (!)
- Cytisus glaber*** L. f., Suppl. Pl.: 325. 1782
- Cytisus biflorus* var. *glaber* (L. f.) DC., Prodr. [A. P. de Candolle] 2: 155. 1825
- Cytisus kerneri* var. *glaber* (L. f.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
- Cytisus elongatus* var. *glaber* (L. f.) Velen., Fl. Bulg. Suppl.: 68. 1898
- Cytisus hirsutus* subsp. *elongatus* var. *glaber* (L. f.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 326. 1907
- Cytisus ratisbonensis* subsp. *biflorus* var. *glaber* (L. f.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1179. 1924
- Chamaecytisus glaber* (L. f.) Rothm., Feddes Repert. 53: 143. 1944
- Chamaecytisus elongatus* var. *glaber* (L. f.) Diklić in Josifović, Fl. Srbije 9: 131. 1977
- Cytisus glaberrimus*** Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus graniticus*** Rehmman, Verh. Naturf. Vereins Brünn 10: 59. 1872
- Chamaecytisus graniticus* (Rehmman) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus haynaldii*** Simonk., Enum. Fl. Transsilv.: 173. 1887
- Cytisus hirsutus* subsp. *ciliatus* var. *haynaldii* (Simonk.) Briq., Etud. Cytis. Alp. Marit.: 170. 1894
- Cytisus haynaldii*** var. *perhirsutus* Simonk., Enum. Fl. Transsilv.: 174. 1887
- Cytisus hirsutus* var. *perhirsutus* (Simonk.) Briq., Etud. Cytis. Alp. Marit.: 172. 1894
- Cytisus hirsutus* subsp. *leucotrichus* var. *perhirsutus* (Simonk.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 319. 1907

- Cytisus hirsutus* var. *polytrichus* f. *perhirsutus* (Simonk.) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4. 2: 582. 1967, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus heuffelii*** Wierzb., Flora 23: 375. 1840
- Cytisus austriacus* var. *heuffelii* (Wierzb.) Rchb f., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach) 22: 13. 1867
- Cytisus supinus* subsp. *austriacus* var. *heuffelii* (Wierzb.) Briq., Etud. Cytis. Alp. Marit.: 176. 1894
- Cytisus austriacus* subsp. *heuffelii* (Wierzb.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 332. 1907
- Chamaecytisus heuffelii* (Wierzb.) Rothm., Feddes Repert. 53: 144. 1944
- Chamaecytisus austriacus* subsp. *heuffelii* (Wierzb. ex Griseb. et Schenk) K. I. Chr., Willdenowia 41: 318. 2011, comb. illeg.
- Cytisus heuffelii*** Wierzb. ex Griseb. et Schenk non Wierzb., Arch. Naturgesch. (Berlin) 18: 292. 1852, nom. illeg. (ICN Art. 53.1.)
- Cytisus heuffelii*** var. *romanicus* Prodan, Bul. Inform. Grad. Bot. Univ. Cluj 3: 26. 1923
- Cytisus hirsutissimus*** K. Koch, Linnaea 19: 62. 1847
- Cytisus hirsutus* var. *hirsutissimus* (K. Koch) Boiss., Fl. Orient. [Boissier] 2: 51. 1872
- Cytisus lasioseminus* var. *hirsutissimus* (K. Koch) Hausskn. et Bornm., Oesterr. Bot. Z. 40: 211. 1890
- Cytisus hirsutus* subsp. *leucotrichus* var. *hirsutissimus* (K. Koch) H. Boissieu, Bull. Soc. Bot. France 43: 284. 1896
- Cytisus leucotrichus* var. *hirsutissimus* (K. Koch) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus hirsutus* subsp. *hirsutissimus* (K. Koch) Bornm., Bot. Jahrb. Syst. 59: 464. 1925
- Cytisus hirsutus* var. *hirsutus* f. *hirsutissimus* (K. Koch) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4. 2: 582. 1967, comb. inval. (ICN Art. 41.5; basionym not cited)
- Chamaecytisus hirsutus* subsp. *hirsutissimus* (K. Koch) Ponert, Feddes Repert. 83: 619. 1973
- Chamaecytisus hirsutus* var. *hirsutissimus* (K. Koch) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 81. 1976
- Chamaecytisus hirsutissimus* (K. Koch) Galushko, Fl. Severn. Kavkaza [Galushko] 2: 125. 1980, comb. inval. (ICN Art. 41.5; basionym not cited)
- Chamaecytisus hirsutissimus* (K. Koch) Czerep., Sosud. Rast. SSSR, 229. 1981
- Cytisus hirsutus*** L., Sp. Pl. 2: 739. 1753
- Viborgia hirsuta* (L.) Moench, Methodus (Moench) 132. 1794
- Chamaecytisus hirsutus* (L.) Link, Handbuch [Link] 2: 155. 1831
- Cytisus kernerii* var. *hirsutus* (L.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
- Cytisus prostratus* var. *hirsutus* (L.) Vis. et Sacc., Atti Inst. Veneto Sci. Lett. Arti ser. 3. 14: 1739. 1869
- Cytisus supinus* var. *hirsutus* (L.) Schur, Studia Bot. Hung. 40: 159. 2009, nom. herb.
- Cytisus hirsutus*** subsp. *hirsutus* var. *genuinus* Briq., Etud. Cytis. Alp. Marit.: 170. 1894, nom. inval. (ICN Art. 24.3)
- Cytisus capitatus* subsp. *genuinus* (Briq.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 335. 1907, comb. inval. (ICN Art. 6.10)
- Cytisus hirsutus* subsp. *leucotrichus* var. *genuinus* (Briq.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 318. 1907, comb. inval. (ICN Art. 6.10)
- Cytisus supinus* subsp. *gallicus* var. *genuinus* (Briq.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 337. 1907, comb. inval. (ICN Art. 6.10)
- Cytisus supinus* subsp. *rhodopeus* var. *genuinus* (Briq.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 582. 1933, comb. inval. (ICN Art. 6.10)

- Cytisus hirsutus* var. *garganicus* Bertol. in Ces., Pass. et Gibelli, Comp. Fl. Ital. [Cesati] 732. 1867
Chamaecytisus hirsutus var. *garganicus* (Bertol. in Ces., Pass. et Gibelli) Fen., Atti Ist. Bot. Univ. Pavia 8: 71. 1972, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus hirsutus* var. *grisebachii* Briq., Etud. Cytis. Alp. Marit.: 170. 1894
Cytisus ciliatus var. *grisebachii* (Briq.) C. K. Schneid., Ill. Handb. Laubholzk. [C. K. Schneider] 2: 49. 1907
Cytisus hirsutus subsp. *ciliatus* var. *grisebachii* (Briq.) Hayek, Feddes Repert. Beih. 30: 899. 1926 (!)
Cytisus ciliatus var. *grisebachii* (Briq.) Beck, Fl. Bosne: 208. 1927
Cytisus hirsutus subsp. *ciliatus* f. *grisebachii* (Briq.) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4. 2: 582. 1967, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus ciliatus var. *grisebachii* (Briq.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 85. 1976
Chamaecytisus falcatus var. *grisebachii* (Briq.) Micevski, Fl. Republ. Makedonija 1(5): 1137. 2001
- Cytisus hirsutus* var. *leucotrichus* Schur., Oesterr. Bot. Z. 10: 179. 1860, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus hirsutus* L. var. *purpurascens* Evers, Verh. Zool.-Bot. Ges. Österreich 46: 55. 1896
Cytisus hirsutus L. var. *purpurascens* Schröt. in Schinz et R.Keller non Evers, Fl. Schweiz (Schinz), ed. 2: 137. 1905, nom. illeg. (ICN Art. 53.1.)
- Cytisus hirsutus* var. *pygmaeus* Evers, Verh. Zool.-Bot. Ges. Österreich 46: 55. 1896
Cytisus hirsutus subsp. *ratisbonensis* var. *vulgaris* Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 324. 1907
- Cytisus hirsutus* subvar. *purpureo-variegatus* Thell., Fl. Schweiz (Schinz), ed. 3.2: 220. 1914
Cytisus hirsutus var. *alpestris* f. *aberrans* Beck, Ann. K. K. Naturhist. Hofmus. 11: 57. 1896
Cytisus hirsutus subsp. *ciliatus* var. *alpestris* f. *aberrans* (Beck) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 321. 1907
- Cytisus hirsutus* var. *hirsutissimus* f. *acuminatus* Bornm., Beih. Bot. Centralbl., Abt. 2: 455. 1909
Cytisus hirsutus f. *violaceus* Becherer, Ber. Schweiz. Bot. Ges. 70: 94. 1960
Cytisus hirtellus Rchb., Flora 28: 512. 1845
- Cytisus horniflorus* Borbás, Balaton Tavának Partmellékének Növényföldr.: 299. 1900
Cytisus ratisbonensis subsp. *horniflorus* (Borbás) Jáv., Magyar Fl. 2: 608. 1924 (!)
- Cytisus intermedius* Kit., Hydrogr. 2: 319. 1829
- Cytisus jankae* Velen., Sitzungsber. Königl. Böhm. Ges. Wiss., Math.-Naturwiss. Cl. 1889: 31. 1890
Cytisus tmoleus var. *jankae* (Velen.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
Cytisus supinus subsp. *tmoleus* var. *jankae* (Velen.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 625. 1925
Cytisus supinus subsp. *austriacus* var. *jankae* (Velen.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 583. 1933
Chamaecytisus jankae (Velen.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus jankae* var. *viridis* Prodan, Conspectul Florei Dobrogei [Prodan]: 111. 1936
Cytisus jankae var. *viridis* f. *glabriflorus* Prodan, Conspectul Florei Dobrogei [Prodan]: 111. 1936
Cytisus jankae f. *pirinicus* Stoj., Izv. Bulg. Bot. Druzh. 5: 108. 1932
Cytisus supinus subsp. *rhodopeus* var. *pirinicus* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 582. 1933, comb. illeg. (ICN Art. 6.10)
Chamaecytisus jankae f. *pirinicus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 103. 1976
- Cytisus kernerii* Kanitz, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 711. 1865, nom. nud. (ICN Art. 41.3)
- Cytisus kernerii* Błocki, Deutsche Bot. Monatsschr. 10: 105. 1892

- Cytisus kovacevi* Velen., Sitzungsber. Königl. Böhm. Ges. Wiss., Math.-Naturwiss. Cl. 28: 3. 1904
Cytisus albus var. *kovacevi* (Velen.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
Cytisus supinus subsp. *albus* var. *kovacevi* (Velen.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925
Chamaecytisus kovacevi (Velen.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus kreczetoviczii* Wissjul., Fl. URSS 6: 586. 1954
Chamaecytisus kreczetoviczii (Wissjul.) Holub, Folia Geobot. Phytotax. 11: 83. 1976
Chamaecytisus kreczetoviczii (Wissjul.) Tzvelev, Novosti Sist. Vyssh. Rast. 17: 170. 1980
Chamaecytisus ruthenicus var. *kreczetoviczii* (Wissjul.) Skalická, Rad. Akad. Nauka Um. Bosne Hercegovine 72 (sect. natur.-math. 21): 241. 1983
Cytisus ruthenicus subsp. *kreczetoviczii* (Wissjul.) Cristof., Webbia 45: 214. 1991
- Cytisus lamarckii* Ten., Fl. Nap. Syll., App. 5: 94. 1842
Cytisus lamarckii var. *lucanus* Ten., Fl. Nap. Syll., App. 5: 95. 1842
Cytisus lamarckii var. *stebianus* Ten., Fl. Nap. Syll., App. 5: 95. 1842
Cytisus lasiosemius Boiss., Asie Min., Bot. (P. A. Tchichatscheff) 1: 12. 1860
Cytisus supinus var. *lasiosemius* (Boiss.) Hayek, Feddes Repert., Beih. 30: 900. 1926
- Cytisus leiocarpus* A. Kern., Oesterr. Bot. Z. 13: 90. 1863
Cytisus kernerii var. *leiocarpus* (A. Kern.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. illeg. (ICN Art. 6.10)
Cytisus hirsutus subsp. *leiocarpus* (A. Kern.) Briq., Etud. Cytis. Alp. Marit.: 168. 1894
Chamaecytisus leiocarpus (A. Kern.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus leiocarpus* var. *subleiocarpus* Simonk., Természetrázi Fü. 9:44. 1885
Cytisus hirsutus subsp. *leiocarpus* var. *subleiocarpus* (Simonk.) Briq., Etud. Cytis. Alp. Marit.: 169. 1894
Cytisus hirsutus subsp. *leiocarpus* f. *subleiocarpus* (Simonk.) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4. 2: 582. 1967, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus leiocarpus var. *subleiocarpus* (Simonk.) Diklić in Josifović, Fl. Srbije 4: 505. 1972
- Cytisus lasiosemius* f. *intermedius* Hausskn. et Bornm., Feddes Repert. Beih. 89: 150. 1938
Cytisus lasiosemius f. *sericeus* Hausskn. et Bornm., Feddes Repert. Beih. 89: 150. 1938
- Cytisus leiotrichus* Borbás, Fl. Comit. Temesiensis: 78. 1884
Cytisus heuffelii subsp. *leiotrichus* (Borbás) Jáv., Magyar Fl. 2: 608. 1924 (!)
- Cytisus leptocladus* Gand., Novus Consp. Fl. Eur.: 105. 1910, nom. nud.
- Cytisus leucanthus* Waldst. et Kit., Descr. Icon. Pl. Hung. 2: 141. t. 132. 1803
Cytisus austriacus var. *leucanthus* (Waldst. et Kit.) Tausch, Flora 13.1: 241. 1830
Chamaecytisus leucanthus (Waldst. et Kit.) Link, Handbuch [Link] 2: 154. 1831
Cytisus austriacus var. *leucanthus* (Waldst. et Kit.) Ledeb. non Tausch, Fl. Ross. (Ledeb.) 1: 519. 1842, nom. illeg. (ICN Art. 53.1.)
Cytisus austriacus subsp. *leucanthus* (Waldst. et Kit.) Nyman, Consp. Fl. Eur. 1: 157. 1878 (!)
Cytisus albus subsp. *leucanthus* (Waldst. et Kit.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1175. 1924
Chamaecytisus albus subsp. *leucanthus* (Waldst. et Kit.) Soó, Synopsis systematico-geobotanica florum vegetationisque Hungariae 2: 285. 1966, comb. inval. (ICN Art. 41.5; basionym not cited)
Cytisus albus subsp. *leucanthus* (Waldst. et Kit.) Soó non Gams, Acta Bot. Acad. Sci. Hung. 12: 115. 1966, illeg. comb. (ICN Art. 53.1.)
Chamaecytisus albus subsp. *leucanthus* (Waldst. et Kit.) Soó, Acta Bot. Acad. Sci. Hung. 13: 299. 1967
- Cytisus leucanthus* var. *angustifolius* Stoj., Izv. Bulg. Bot. Druzh. 5: 108. 1932
Cytisus supinus subsp. *pallidus* var. *angustifolius* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 581. 1933

- Chamaecytisus rochelii* var. *angustifolius* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 110. 1976
- Cytisus leucanthus* var. *aurantiacus* Schur, Verh. Naturf. Vereins Brünn 15: 168. 1877, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus leucanthus* var. *aurantiacus gabriusculus* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leucanthus* var. *bulgaricus* Stoj., Izv. Bulg. Bot. Druzh. 5: 102. 1932
- Cytisus supinus* subsp. *pallidus* var. *bulgaricus* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 581. 1933
- Chamaecytisus rochelii* var. *bulgaricus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 110. 1976
- Cytisus leucanthus* var. *capitatus* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leucanthus* var. *flaviflora* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leucanthus* var. *latifolia capitata* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leucanthus* var. *obscurus* Rochel, Pl. Banat. Rar.: 50. 1828
- Cytisus obscurus* (Rochel) Schur, Enum. Pl. Transsilv.: 147. 1866, comb. illeg. (mint syn.)
- Cytisus supinus* L. subsp. *pallidus* var. *obscurus* (Rochel) Briq., Etud. Cytis. Alp. Marit.: 175. 1894
- Cytisus leucanthus* subsp. *obscurus* (Rochel) Hayek, Feddes Repert. Beih. 30: 903. 1926 (!)
- Cytisus albus* subsp. *obscurus* (Rochel) Soó, Acta Bot. Acad. Sci. Hung. 10: 369. 1964
- Chamaecytisus albus* subsp. *obscurus* (Rochel) Soó, Feddes Repert. 83: 153. 1972
- Cytisus leucanthus* var. *obtusifolius* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus leucanthus* var. *pallidus* Schrad in DC., Prodr. [A. P. de Candolle] 2: 155. 1825
- Cytisus austriacus* var. *pallidus* (Schrad in DC.) Neilr., Aufz. Ungarn Slavon. Gefässpfl. 330. 1865
- Cytisus pallidus* (Schrad. in DC.) A. Kern. non Poir., Abhängigk. Pflanzengest.: 6. 1869, comb. illeg. (ICN Art. 53.1.)
- Cytisus supinus* subsp. *pallidus* (Schrad in DC.) Briq., Etud. Cytis. Alp. Marit.: 174. 1894
- Cytisus albus* var. *pallidus* (Schrad in DC.) Rheder, J. Arnold Arbor. 3: 36. 1922
- Cytisus albus* subsp. *pallidus* (Schrad in DC.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1175. 1924
- Cytisus leucanthus* subsp. *pallidus* (Schrad in DC.) Hayek, Feddes Repert. Beih. 30: 903. 1926 (!)
- Cytisus albus* f. *pallidus* (Schrad. in DC.) Beck, Fl. Bosne, 208. 1927
- Cytisus albus* var. *pallidus* (Schrad in DC.) I. Grinț. in Săvul. non Rheder, Fl. Republ. Socialist. Romania 5: 96. 1957, comb. illeg. (ICN Art. 53.1.)
- Chamaecytisus albus* subsp. *pallidus* (Schrad in DC.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
- Cytisus leucanthus* var. *parvifolias* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus leucanthus* var. *shipkaensis* Dieck et L. Späth. in Dippel, Handb. Laubholz. 3: 683. 1893
- Cytisus albus* var. *shipkaensis* Dieck et L. Späth. in Dippel, Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus leucanthus* var. *sparsiflora* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leucanthus* var. *stenophyllus* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus leucanto-austriacus* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus leuocladus* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.

- Cytisus leucotricho-aggregatus* Borbás, Természettud. Közl. Suppl. 48: 160. 1898
- Cytisus leucotrichus* Schur, Oesterr. Bot. Z. 10: 179. 1860
- Cytisus hirsutus* subsp. *leucotrichus* (Schur) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 317. 1907
- Cytisus hirsutus* var. *leucotrichus* (Schur) Fiori, Nuov. Fl. Italia 1.6: 810. 1925 (!)
- Cytisus hirsutus* var. *typicus* f. *leucotrichus* (Schur) Beck., Fl. Bosne: 207. 1927, comb. inval. (ICN Art. 6.10)
- Chamaecytisus hirsutus* subsp. *leucotrichus* (Schur) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
- Chamaecytisus hirsutus* subsp. *leucotrichus* (Schur) Ponert, Feddes Repert. 83: 619. 1973
- Chamaecytisus leucotrichus* (Schur) Czerep., Sosud. Rast. SSSR, 229. 1981
- Chamaecytisus triflorus* subsp. *leucotrichus* (Schur) Holub, Fl. Slovenska 4(4): 35. 1988
- Cytisus lindemannii* V. I. Krecz., Bot. Zhurn. SSSR 25: 259. 1940
- Chamaecytisus lindemannii* (V. I. Krecz.) Klásk., Preslia 30: 214. 1958
- Cytisus lithuanicus* Gilib., Hist. Pl. Europe 2: 275. 1798
- Cytisus litwinowii* V. I. Krecz., Bot. Zhurn. S.S.S.R. 25: 256. 1940
- Chamaecytisus litwinowii* (V. I. Krecz.) Klásk., Preslia 30: 214. 1958
- Cytisus lotoides* Pourr., Hist. Mém. Acad. Roy. Sci. Toulouse 3: 318. 1788
- Cytisus lupinus* Gromov, Trudy Obsc. Nauk Prir. Har'kovsk Univ. 1: 150. 1817, nom. nud.
- Cytisus lupinifolius* Herzog, Allg. Bot. Z. Syst. 32: 34. 1927
- Chamaecytisus supinus* var. *lupinifolius* (Herzog) Micevski et Matevski, Fl. Republ. Makedonija 1(5): 1139. 2001
- Cytisus macrospermum* Bess. in DC., Prodr. [A. P. de Candolle] 2: 155. 1825, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus macrotrichus* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus malyei* Steud., Nomencl. Bot. [Steudel], ed. 2. 1: 477. 1840, nom. nov. of *Cytisus canescens* Maly in J. Presl et C. Presl
- Cytisus marilauni* Borbás, Természetrzaji Füz. 19: 224. 1896, nom. nov. of *Cytisus kernerii* Blocki
- Cytisus microphyllus* Boiss., Diagn. Pl. Orient. ser. 2, 2: 5. 1856
- Cytisus austriacus* var. *microphyllus* (Boiss.) Boiss., Fl. Orient. [Boissier] 2: 53. 1872
- Cytisus supinus* subsp. *albus* var. *microphyllus* (Boiss.) Briq., Etud. Cytis. Alp. Marit.: 174. 1894
- Cytisus albus* subsp. *microphyllus* (Boiss.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 329. 1907
- Cytisus albus* var. *microphyllus* (Boiss.) Rheder, J. Arnold Arbor. 3: 35. 1922
- Cytisus albus* var. *microphyllus* (Boiss.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Chamaecytisus albus* subsp. *microphyllus* (Boiss.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 114. 1976
- Cytisus mosquensis* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus nanus* Sieber ex C. Presl, Abh. Königl. Böhm. Ges. Wiss. ser. 5, 3: 481. 1845
- Cytisus neilreichii* Pokorny in Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus nejceffii* Urum., Oesterr. Bot. Z. 49: 54. 1899
- Cytisus albus* var. *nejceffii* (Urum.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus supinus* subsp. *albus* var. *nejceffii* (Urum.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925
- Cytisus supinus* subsp. *nejceffii* (Urum.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 581. 1933

- Chamaecytisus nejceffii* (Urum.) Rothm., Feddes Repert. 53: 144. 1944
Cytisus supinus subsp. *pallidus* var. *nejceffii* (Urum.) Stoj., Stef. et Kitan., Fl. Bulg., ed. 4. 2: 585. 1967, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus noeanus* Rchb. in Rchb. f., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach): 13. 1867, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus obvallatus* Schur, Enum. Pl. Transsilv.: 147. 1866
- Cytisus onustus* Tausch, Flora 21.2: 746. 1838
- Cytisus paczoskii* V. I. Krecz., Bot. Zhurn. S.S.S.R. 25: 261. 1940
Chamaecytisus paczoskii (V. I. Krecz.) Klásk., Preslia 30: 214. 1958
- Cytisus pallens* Gand., Novus Consp. Fl. Eur.: 104. 1910 nom. nud.
- Cytisus pallidus* Kit. ex Mertens et W. D. J. Koch non Poir., Deutschl. Fl. (Mertens et W. D. J. Koch), ed. 3. 5: 102. 1839, nom. illeg. (ICN Art. 53.1.)
- Cytisus pallidus* Kit. ex Nyman non Poir., Consp. Fl. Eur. 1: 157. 1878, nom. illeg. (ICN Art. 53.1.)
- Cytisus pallidus* var. *subnudus* Velen., Sitzungsber. Königl. Böhm. Ges. Wiss., Math.-Naturwiss. Cl. 28: 3. 1904
Cytisus supinus subsp. *pallidus* var. *subnudus* (Velen.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925
Cytisus leucanthus subsp. *pallidus* var. *subnudus* (Velen.) Hayek, Feddes Repert. Beih. 30: 903. 1926 (!)
Chamaecytisus banaticus var. *subnudus* (Velen.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 109. 1976
- Cytisus pannonicus* Simonk., Math. Term. Közlem. 22: 368. 1888
Cytisus capitatus subsp. *pannonicus* (Simonk.) Jáv., Magyar Fl. 2: 608. 1924 (!)
Cytisus supinus subsp. *pannonicus* (Simonk.) Soó in Soó et Jáv., Magyar növényvilág kézikönyve 2: 319. 1951
Chamaecytisus supinus subsp. *pannonicus* (Simonk.) Á. Löve et D. Löve, Opera Bot. 5: 222. 1961, comb. inval. (ICN Art. 36.1, 41.5)
Chamaecytisus supinus var. *pannonicus* (Simonk.) Simon, A magyarországi edényes flóra határozója, ed. 2: 209. 2000, comb. illeg. (ICN Art. 41.5)
- Cytisus pannonicus* var. *prodani* Degen, Magyar Bot. Lapok 9: 102. 1910
- Cytisus patens* Kit. in Schuster, Hydrogr. 2: 319. 1829
- Cytisus perezii* Hutch., Bull. Misc. Inform. Kew 1918: 23. 1918
Chamaecytisus proliferus var. *perezii* (Hutch.) G. Kunkel, Monogr. Biol. Canar. 3: 44. 1972
- Cytisus pilosus* Pall., Reise Russ. Reich. 2: 255. 1773
- Cytisus podolicus* Błocki, Allg. Bot. Z. Syst. 1: 137. 1895, Oesterr. Bot. Z. 45: 303. 1895
Chamaecytisus podolicus (Błocki) Klásk., Preslia 30: 214. 1958
- Cytisus polycephalus* Tausch, Flora 21.1: 78. 1838
- Cytisus polymorphus* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus polymorphus* f. *vernalis* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus polytrichus* M. Bieb., Fl. Taur.-Caucas. 3: 477. 1819
Cytisus hirsutus var. *polytrichus* (M. Bieb.) Briq., Etud. Cytis. Alp. Marit.: 171. 1894
Cytisus hirsutus subsp. *leucotrichus* var. *polytrichus* (M. Bieb.) Asch. et Graebn. Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 319. 1907
Cytisus leucotrichus var. *polytrichus* (M. Bieb.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 17. 1922
Cytisus hirsutus subsp. *polytrichus* (M. Bieb.) Hayek, Feddes Repert. Beih. 30: 898. 1926 (!)
Chamaecytisus polytrichus (M. Bieb.) Rothm., Feddes Repert. 53: 144. 1944
Chamaecytisus hirsutus subsp. *polytrichus* (M. Bieb.) E. Meyer, Gozdarski Vestnik 16: 173. 1958

- Cytisus hirsutus* var. *polytrichus* (M. Bieb.) P. Fourn., Quatre Fl. France, ed. 3: 538. 1936
Cytisus hirsutus subsp. *polytrichus* (M. Bieb.) Quézel, Biol. Gallo-Hellen. 2(2): 105. 1969, comb. inval. (ICN Art. 41.5; basionym not cited)
Chamaecytisus hirsutus subsp. *polytrichus* (M. Bieb.) Ponert, Feddes Repert. 83: 619. 1973
- Cytisus polytrichus* var. *argenteo-hirsuta* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus ponomarjovii* Seredin, Novosti Sist. Vyssh. Rast. 13: 192. 1976
Chamaecytisus ponomarjovii (Seredin) Czerep., Sosud. Rast. SSSR, 229. 1981
- Cytisus ponticus* Griseb. non Willd., Spic. Fl. Rumel. 1: 7. 1843, nom. illeg. (ICN Art. 53.1.)
Cytisus hirsutus subsp. *ponticus* (Griseb.) Nyman, Consp. Fl. Eur. 1: 156. 1878 (!), comb. illeg. (ICN Art. 6.10)
Cytisus ciliatus var. *ponticus* (Griseb.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 17. 1922, comb. illeg. (ICN Art. 6.10)
Cytisus hirsutus subsp. *ciliatus* var. *ponticus* (Griseb.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925, comb. illeg. (ICN Art. 6.10)
- Cytisus prolifer* Kit. in Kanitz, Linnaea 32: 611. 1864
- Cytisus proliferus* L. f., Suppl. Pl.: 328. 1782
Chamaecytisus proliferus (L. f.) Link, Handbuch [Link] 2: 154. 1831
Diaxulon proliferus (L. f.) Raf., Sylva Tellur.: 24. 1838
- Cytisus proliferus* var. *angustifolius* Kuntze, Revis. Gen. Pl. 1: 178. 1891
Chamaecytisus proliferus subsp. *angustifolius* (Kuntze) G. Kunkel, Vieraea 8: 354. 1980
- Cytisus proliferus* var. *canariae* Christ, Bot. Jahrb. Syst. 9: 120. 1888
Chamaecytisus proliferus var. *canariae* (Christ) G. Kunkel, Monogr. Biol. Canar. 3: 44. 1972
- Cytisus proliferus* var. *hierrensis* Pit. in Pit. et Proust, Iles Canaries: 152. 1909
Chamaecytisus proliferus var. *hierrensis* (Pit. in Pit. et Proust) Acebes in Acebes et Wildpret, Vieraea 20: 197. 1991
- Cytisus proliferus* var. *laxiflorus* Kuntze, Revis. Gen. Pl. 1: 178. 1891
Cytisus laxiflorus (Kuntze) Linding., Beitr. Veg. Kanar. Ins.: 229. 1926
- Cytisus proliferus* var. *nanus* Kuntze, Revis. Gen. Pl. 1: 178. 1891
- Cytisus proliferus* var. *palmensis* Christ, Bot. Jahrb. Syst. 9: 120. 1888
Cytisus palmensis (Christ) Hutch., Bull. Misc. Inform. Kew 1918: 23. 1918
Chamaecytisus palmensis (Christ) F. A. Bisby et K. W. Nicholls, Bot. J. Linn. Soc. 74: 114. 1977
Chamaecytisus proliferus var. *palmensis* (Christ) A. Hansen et Sunding, Fl. Macaronesia, ed. 2, 1: 92. 1979
Chamaecytisus proliferus subsp. *palmensis* (Christ) G. Kunkel, Vieraea 8: 354. 1980
- Cytisus propinquus* Schur, Enum. Pl. Transsilv.: 147. 1866, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus prostratus* Scop., Fl. Carniol., ed. 2. 2: 70. 1772
Cytisus capitatus subsp. *lateriflorus* var. *prostratus* (Scop.) Grab., Fl. Oberschlesien: 205: 1843
Cytisus kernerii var. *prostratus* (Scop.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
Cytisus capitatus subsp. *prostratus* (Scop.) Čelak., Prodr. Fl. Böhmen: 654. 1867
Cytisus hirsutus var. *prostratus* (Scop.) Fiori in Fiori et Paol., Fl. Italia [Fiori, Béguinot et Paoletti] 2.1: 15. 1900 (!)
Cytisus bisflorens var. *prostratus* (Scop.) Schur, Studia Bot. Hung. 40: 156. 2009, nom. herb.
- Cytisus prostratus* var. *aestivalis* Schur, Studia Bot. Hung. 40: 159. 2009, nom. herb.

- Cytisus prostratus* var. *minor* Orph. ex Halácsy, Consp. Fl. Graec. 1(2): 337 1900, nom. illeg.
- Cytisus prostratus* var. *praecox* Schur, Studia Bot. Hung. 40: 159. 2009, nom. herb.
- Cytisus prostratus* f. *vernalis lateriflorus* Schur, Studia Bot. Hung. 40: 158. 2009, nom. herb.
- Cytisus proteus* Zumagl., Fl. Pedem. (Zumagl.) 2: 192. 1864
- Chamaecytisus hirsutus* subsp. *proteus* (Zumagl.) Fen., Quaderno 18: 23. 1961
- Chamaecytisus proteus* (Zumagl.) Holub, Folia Geobot. Phytotax. 9: 272. 1974
- Cytisus hirsutus* var. *proteus* (Zumagl.) Cristof., Webbia 30: 264. 1976
- Cytisus pseudopygmaeus* Davidov, Oesterr. Bot. Z. 52: 492. 1902
- Cytisus jankae* var. *pseudopygmaeus* (Davidov) Hayek, Feddes Repert. Beih. 30: 902. 1926 (!)
- Cytisus supinus* subsp. *austriacus* var. *jankae* f. *pseudopygmaeus* (Davidov) Stoj. wt Stef., Fl. Bulg., ed. 2. 2: 583. 1933
- Cytisus pubescens* Gilib., Fl. Lit. Inch. 2: 81. 1781
- Cytisus pullulans* Kit. in Kanitz, Linnaea 32: 611. 1864, nom. illeg.
- Cytisus pulvinatus* Quézel, Bull. Soc. Sci. Nat. Maroc. 34: 306. 1955
- Chamaecytisus pulvinatus* (Quézel) Raynaud, Bull. Soc. Bot. France 121: 360. 1975
- Cytisus pumilus* De Not., Prosp. Fl. Ligust.: 51. 1846; Repert. Fl. Ligust.: 101. 1844 (–1848)
- Cytisus hirsutus* var. *pumilus* (De Not.) Arcang., Comp. Fl. Ital. [Arcangeli]: 153. 1882
- Cytisus hirsutus* subsp. *pumilus* (De Not.) Briq., Etud. Cytis. Alp. Marit.: 169. 1894
- Chamaecytisus pumilus* (De Not.) Rothm., Feddes Repert. 53: 144. 1944
- Chamaecytisus triflorus* subsp. *pumilus* (De Not.) Greuter et Burdet, Willdenowia 16: 441. 1987
- Chamaecytisus hirsutus* subsp. *pumilus* (De Not.) Pignatti ex Kerguélen, Index Synonym. Fl. France (Coll. Patrim. Nat. 8): 12. 1993
- Cytisus purpureus* Scop., Fl. Carniol., ed. 2. 2: 69. 1772
- Chamaecytisus purpureus* (Scop.) Link, Handbuch [Link] 2: 154. 1831
- Genista purpurea* (Scop.) Scheele, Flora 26. 438. 1843
- Viborgia purpurea* (Scop.) K. Koch., Dendrologie 1: 26. 1869
- Cytisus purpureus* var. *albiflorus* Don, Gen. Hist. 2: 156. 1832
- Cytisus purpureus* var. *albocarneus* G. Kirchn. in Petz. et G. Kirchn., Arbor. Muscav. [Petzold et Kirchner]: 395.1864 (!)
- Cytisus purpureus* var. *albo-purpureus* André, Ill. Hort. 19: 171. 1872
- Cytisus purpureus* var. *albus* Sweet, Hort. Brit. [Sweet] 1: 112. 1826
- Cytisus purpureus* f. *albus* (Sweet) Zabel in Beissn. et al., Handb. Laubholzben. [Beissner et al.] 265. 1903
- Cytisus purpureus* var. *amsantinus* G. Kirchn. in Petz. et G. Kirchn., Arbor. Muscav. [Petzold et Kirchner]: 395.1864 (!)
- Cytisus purpureus* var. *atropurpureus* K. Koch, Hort. Dendrol. 251. 1854
- Cytisus purpureus* f. *atropurpureus* (K. Koch) Zabel in Beissn. et al., Handb. Laubholzben. [Beissner et al.] 265. 1903
- Cytisus purpureus* var. *elongatus* André, Ill. Hort. 19: 171. 1872
- Cytisus purpureus* f. *elongatus* (André) Rehder, Bibliogr. Cult. Trees: 366. 1949
- Cytisus purpureus* var. *elongatus-versicolor* G. Kirchn. in Petz. et G. Kirchn., Arbor. Muscav. [Petzold et Kirchner]: 395.1864 (!)
- Cytisus purpureus* var. *erectus* K. Koch, Hort. Dendrol. 251. 1854
- Cytisus purpureus* lus. *erectus* (K. Koch) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 319. 1907

- Cytisus purpureus* f. *erectus* (K. Koch) C. K. Schneid., Ill. Handb. Laubholz. [C. K. Schneider] 2: 49. 1907
- Cytisus purpureus* var. *incarnatus-major* G. Kirchn. in Petz. et G. Kirchn., Arbor. Muscav. [Petzold et Kirchner]: 395. 1864
- Cytisus purpureus* var. *roseus* Endl., Cat. Horti Vindob. 2: 472. 1843, nom. nud.
- Cytisus purpureus* f. *carneus* Rheder in L. H. Bailey, Cycl. Amer. Hort. [L. H. Bailey] 1: 441. 1900
- Cytisus purpureus* f. *pendula* Dippel, Handb. Laubholz 3: 681. 1893
- Cytisus pygmaeus* Willd., Sp. Pl., ed. 4 [Willdenow] 3(2): 1127. 1802
- Cytisus supinus* subsp. *austriacus* var. *pygmaeus* (Willd.) Briq., Etud. Cytis. Alp. Marit.: 176. 1894
- Cytisus austriacus* var. *pygmaeus* (Willd.) Stoj. et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Chamaecytisus pygmaeus* (Willd.) Rothm., Feddes Repert. 53: 144. 1944
- Chamaecytisus austriacus* subsp. *pygmaeus* (Willd.) Ponert, Feddes Repert. 83: 619. 1973
- Cytisus pygmaeus* var. *calcareus* Velen., Fl. Bulg. Suppl. 1: 71. 1898
- Cytisus supinus* subsp. *austriacus* var. *calcareus* (Velen.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 624. 1925
- Cytisus austriacus* var. *calcareus* (Velen.) Hayek, Feddes Repert. Beih. 30: 901. 1926 (!)
- Cytisus supinus* subsp. *austriacus* var. *jankae* f. *calcareus* (Velen.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 583. 1933
- Chamaecytisus calcareus* (Velen.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 103. 1976
- Cytisus ramosissimus* Ten., Fl. Nap. Syll.: 343. 1831
- Cytisus spinescens* var. *ramosissimus* (Ten.) Fiori in Fiori et Paol., Fl. Italia [Fiori, Béguinot et Paoletti] 2.1: 15. 1900 (!)
- Chamaecytisus spinescens* var. *ramosissimus* (Ten.) Fen., Atti Ist. Bot. Univ. Pavia 8: 71. 1972, comb. illeg.
- Cytisus ramosissimus* var. *glabrata* Ten., Fl. Napol. 5: 94. 1835–38
- Cytisus ratisbonensis* Schaeff., Bot. Exped.: tab. in prim. lib. 1760
- Cytisus hirsutus* subsp. *ratisbonensis* (Schaeff.) Briq., Etud. Cytis. Alp. Marit.: 167. 1894
- Chamaecytisus ratisbonensis* (Schaeff.) Rothm., Feddes Repert. 53: 143. 1944
- Cytisus ratisbonensis* var. *collina minor* Schur, Verh. Naturf. Vereins Brünn 15: 169. 1877, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus ratisbonensis* var. *depressus* Schur, Verh. Mitth. siebenbürg. Vereins Naturwiss. Hermannstadt 4: 17. 1853, nom. nud.
- Cytisus ratisbonensis* var. *legitimus major* Schur, Verh. Naturf. Vereins Brünn 15: 168. 1877, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus ratisbonensis* var. *multiflorum* Podp., Kvet. Hane: 135. 1906
- Cytisus ratisbonensis* var. *pirinicus* Stoj., Izv. Bulg. Bot. Druzh. 5: 102. 1932
- Chamaecytisus ratisbonensis* var. *pirinicus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 88. 1976
- Cytisus ratisbonensis* var. *purpurascens* K. Koch, Dendrologie 1: 27. 1869
- Cytisus ratisbonensis* var. *typicus* C. K. Schneid., Ill. Handb. Laubholz. [C. K. Schneider] 2: 51. 1907, nom. inval. (ICN Art. 24.3)
- Cytisus ratisbonensis* var. *virgatus* Heuff., Enum. Pl. Banat.: 86. 1858, Abh. K. K. Zool.-Bot. Ges. Wien 8: 50. 1858
- Cytisus ratisbonensis* f. *elatiior* Zabel in Beissn. et al., Handb. Laubholzben. [Beissner et al.] 265. 1903
- Cytisus ratisbonensis* f. *pedunculatus* Beck, Fl. Nieder-Osterreich 2(2): 832. 1893

- Cytisus repens* Wolfner, Lotos 4: 176. 1854
- Cytisus rhodopeus* J. Wagner ex Degen, Oesterr. Bot. Z. 43: 423. 1893, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus supinus* subsp. *rhodopeus* (J. Wagner ex Degen) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 582. 1933, comb. inval. (ICN Art. 6.10)
- Chamaecytisus absinthioides* subsp. *rhodopaeus* (J. Wagner ex Degen) Kuzmanov, Taxon 21: 336. 1972, comb. inval. (ICN Art. 6.10)
- Chamaecytisus absinthioides* var. *rhodopaeus* (J. Wagner ex Degen) Micevski, Fl. Republ. Makedonija 1(5): 1140. 2001, comb. inval. (ICN Art. 6.10)
- Cytisus rhodopeus* var. *heterophyllus* Bornm., Bot. Jahrb. Syst. 59: 465. 1925, nom. inval. (ICN Art. 6.10)
- Chamaecytisus absinthioides* var. *heterophyllus* (Bornm.) Micevski, Fl. Republ. Makedonija 1(5): 1140. 2001, comb. inval. (ICN Art. 6.10)
- Cytisus richterii* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus rochelii* Wierzb. in Rochl., Botanische Reise in das Banat: 48. 1838, nom. nud.
- Cytisus rochelii* Wierzb. in Rchb., Fl. German. Exsicc. [Rchb.]: 1724. 1840, Flora 23: 44. 1840
- Cytisus rochelii* Wierzb. ex Griseb. et A. Schenk, Arch. Naturgesch. (Berlin) 18: 293. 1852, nom. illeg.
- Chamaecytisus rochelii* (Wierzb.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus austriacus* var. *rochelii* (Wierzb.) Cristof., Webbia 45: 208. 1991
- Cytisus rufulus* J. Presl et C. Presl, Delic. Prag. 36. 1822
- Cytisus ruthenicus* Fisch., Ind. Pl. Hort. Petrop. 1824: 25. 1827, nom. nud.
- Cytisus ruthenicus* Fisch. ex Wołosz., Oesterr. Bot. Z. 36: 151. 1886
- Cytisus ratisbonensis* subsp. *ruthenicus* (Fisch. ex Wołosz.) Syr., Trudy Bot. Sada Imp. Yur'evsk. Univ. 13: 209. 1912
- Chamaecytisus ruthenicus* (Fisch. ex Wołosz.) Klásk., Preslia 30: 214. 1958
- Chamaecytisus ratisbonensis* subsp. *ruthenicus* (Fisch. ex Wołosz.) Ziel., Arbor. Kórnickie 20: 78. 1975
- Cytisus ruthenicus* var. *zingeri* Nenuk. ex Litw., Fl. Sredn. Rossii (Maevski), ed. 5: 133. 1917
- Cytisus zingeri* (Nenuk. ex Litw.) V. I. Krecz., Bot. Zhurn. S.S.S.R. 25: 260. 1940
- Chamaecytisus zingeri* (Nenuk. ex Litw.) Klásk., Preslia 30: 214. 1958
- Cytisus scephusiensis* Kit. in Kanitz, Linnaea 32: 609. 1864
- Cytisus hirsutus* subsp. *ciliatus* var. *scephusiensis* (Kit. ex DC.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 320. 1907
- Cytisus serotinus* Kit. ex DC., Prodr. [A. P. de Candolle] 2: 156. 1825
- Cytisus kernerii* var. *serotinus* (Kit. ex DC.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
- Cytisus capitatus* subsp. *serotinus* (Kit. ex DC.) Jáv., Magyar Fl. 2: 608. 1924 (!)
- Cytisus hirsutus* var. *serotinus* (Kit. ex DC.) Soó, Veröff. Geobot. Inst. Rübel Zürich 6: 254. 1930
- Chamaecytisus supinus* subsp. *serotinus* (Kit. ex DC.) Fl. Zakarp.: 78. 1974, comb. inval. (ICN Art. 41.5; basionym not cited)
- Cytisus serotinus* var. *seminudus* Borbás, Vasvármegye növényföldrajza és flórája: 315. 1887
- Cytisus hirsutus* var. *seminudus* (Borbás) Soó, Acta Bot. Acad. Sci. Hung. 11: 241. 1965
- Cytisus skrobiszewskii* Pacz., Acta Soc. Bot. Poloniae 2: 64. 1924
- Chamaecytisus skrobiszewskii* (Pacz.) Klásk., Preslia 30: 214. 1958
- Cytisus smyrnaeus* Boiss., Diagn. Pl. Orient. ser. 1, 2: 10. 1843

- Cytisus supinus* subsp. *smyrnaeus* (Boiss.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 625. 1925
Chamaecytisus smyrnaeus (Boiss.) Rothm., Feddes Repert. 53: 144. 1944
- Cytisus smyrnaeus* var. *prostratus* Boiss., Diagn. Pl. Orient. ser. 1, 2: 11. 1843
- Cytisus speciosus* C. Presl, Bot. Bemerk. (C. Presl): 140. 1844
- Cytisus spinescens* C. Presl, Fl. Sicul. (Presl) 1: XIX. 1826
Chamaecytisus spinescens (C. Presl) Rothm., Feddes Repert. 53: 143. 1944
- Cytisus spinescens* var. *ciliatus* W. D. J. Koch, Syn. Deut. Schweiz. Fl., ed. 2 [W. D. J. Koch]: 182. 1846
- Cytisus spinescens* var. *pollinensis* N. Terracc., Annuario Reale Ist. Bot. Roma 4-6: 109. 1891
Cytisus spinescens var. *pollinensis* (N. Terracc.) Fiori in Fiori et Paol., Fl. Italia [Fiori, Béguinot et Paoletti] 2.1: 15. 1900 (!)
Cytisus subspinescens var. *pollinensis* (N. Terracc.) Fiori, Nuov. Fl. Italia 1.6: 810. 1925
- Cytisus stebianus* Gand., Novus Consp. Fl. Eur.: 105. 1910, nom. nud.
- Cytisus stenophyllus* Schur, Studia Bot. Hung. 40: 159. 2009, nom. herb.
- Cytisus subidaeus* Gand., Fl. Cret.: 25. 1916.
Chamaecytisus subidaeus (Gand.) Rothm., Feddes Repert. 53: 143. 1944
Cytisus creticus var. *subidaeus* (Gand.) Cristof., Webbia 45: 202. 1991
- Cytisus subsericeus* Borbás, Természettud. Közl. Suppl. 48: 163. 1898
- Cytisus subspinescens* var. *typicus* Fiori, Nuov. Fl. Italia 1.6: 810. 1925, nom. inval. (ICN Art. 24.3)
- Cytisus sulcatus* Kit. in Schuster, Hydrogr. 2: 319. 1829
Cytisus supinus subsp. *pallidus* var. *sofianus* (Stoj.) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 580. 1933
Chamaecytisus supinus f. *sofianus* (Stoj.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 98. 1976
- Cytisus supinus* L., Sp. Pl. 2: 740. 1753
Viborgia supina (L.) Moench, Methodus (Moench) 132. 1794
Chamaecytisus supinus (L.) Link, Handbuch [Link] 2: 155. 1831
Genista supina (L.) Scheele, Flora 26. 438. 1843
Cytisus kernerii var. *supinus* (L.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. inval. (ICN Art. 6.10)
Cytisus capitatus subsp. *supinus* (L.) Bonnier et Layens [1894, Tabl. Syn. Pl. Vasc. France, 71]
Cytisus hirsutus var. *supinus* (L.) Fiori in Fiori et Paol., Fl. Italia [Fiori, Béguinot et Paoletti] 2.1: 15. 1900
- Cytisus supinus* subsp. *supinus* var. *genuinus* Briq., Etud. Cytis. Alp. Marit.: 179. 1894, nom. inval. (ICN Art. 24.3)
Genista supina var. *genuina* (Briq.) Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 216. 1897, nom. inval. (ICN Art. 6.10)
- Cytisus supinus* var. *gracilior* Wahlenb., Fl. Carpat. Princ.: 220. 1814
- Cytisus supinus* var. *lateriflorus* Schur, Enum. Pl. Transsilv.: 148. 1866
- Cytisus supinus* var. *macrotrichus* Borbás, Vasvármegye növényföldrajza és flórája: 315. 1887
- Cytisus supinus* var. *microphyllus* Wimm. et Grab., Fl. Siles. 2.2: 50. 1829
Cytisus supinus subsp. *gallicus* var. *microphyllus* (Wimm. et Grab.) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 337. 1907
Cytisus ratisbonensis var. *microphyllus* (Wimm. et Grab.) Gams, Ill. Fl. Mitt.-Eur. 4.3: 1179. 1924
Chamaecytisus ratisbonensis var. *microphyllus* (Wimm. et Grab.) Soó, Acta Bot. Acad. Sci. Hung. 23: 380. 1978
- Cytisus supinus* var. *microphyllus* Beck non Wimm. et Grab., Fl. Bosne: 210. 1927, nom. illeg. (ICN Art. 53.1.)
- Cytisus supinus* var. *microphyllus* Schur, Studia Bot. Hung. 40: 159. 2009, nom. herb.

- Cytisus supinus* subsp. *tmoleus* var. *noeanus* Briq., Etud. Cytis. Alp. Marit.: 182. 1894
Cytisus eriocarpus var. *noeanus* (Briq.) Hayek, Feddes Repert. Beih. 30: 900. 1926 (!)
- Cytisus supinus* var. *semiglaber* Borbás, Vasvármegye növényföldrajza és flórája: 315. 1887
- Cytisus supinus* var. *subcapitatus* Schur, Enum. Pl. Transsilv.: 148. 1866
- Cytisus supinus* var. *unilateralis* Le Grand, Fl. Anal. Berry ed. 1: 58. 1887
- Cytisus supinus* var. *velenovskyi* Hayek, Feddes Repert. Beih. 30: 900. 1926 (!)
Chamaecytisus supinus subsp. *velenovskyi* (Hayek) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 98. 1976
- Cytisus supinus* var. *virescens* Wimm. et Grab., Fl. Siles. 2.2: 50. 1829
- Cytisus supinus* var. *vulgaris* Wimm. et Grab., Fl. Siles. 2.2: 50. 1829
- Cytisus supinus* f. *calvescens* Borbás, Vasvármegye növényföldrajza és flórája: 315. 1887
- Cytisus supinus* f. *cyclophyllus* Beck, Fl. Bosne: 210. 1927
- Cytisus supinus* f. *sofianus* Stoj., Izv. Bulg. Bot. Druzh. 5: 103. 1932
- Cytisus tergestinus* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus thessalus* Heldr. et Orph. ex Nyman, Consp. Fl. Eur. 1: 157. 1878
- Cytisus thirkeanus* K. Koch, Linnaea 19: 41. 1847
- Cytisus tmoleus* Boiss., Diagn. Pl. Orient. ser. 1, 2: 11. 1843
Cytisus supinus subsp. *tmoleus* (Boiss.) Stoj. et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 625. 1925
Chamaecytisus tmoleus (Boiss.) Rothm., Feddes Repert. 53: 144. 1944
Cytisus eriocarpus subsp. *tmoleus* (Boiss.) Cristof., Webbia 45: 207. 1991
- Cytisus tommasinii* Vis., Fl. Dalmat. 3: 265. 1851
Cytisus kerneri var. *tommasinii* (Vis.) Kanitz in Hunfalvy, Magy. Birod. Termész. Viszon. [Hunfalvy] 3: 715. 1865, comb. illeg. comb. inval. (ICN Art. 6.10)
Cytisus capitatus var. *tommasinii* (Vis.) Reich., Icon. Fl. Germ. Helv. (H. G. L. Reichenbach) 22: 13. 1867
Cytisus capitatus subsp. *tommasinii* (Vis.) Nyman, Consp. Fl. Eur. 1: 157. 1878 (!)
Chamaecytisus tommasinii (Vis.) Rothm., Feddes Repert. 53: 144. 1944
Chamaecytisus austriacus subsp. *tommasinii* (Vis.) Ponert, Feddes Repert. 83: 618. 1973
- Cytisus tommasinii* var. *keraunius* K. Malý, Glasn. Zemaljsk. Muz. Bosni Hercegovini 32: 136. 1920
- Cytisus tournefortianus* Loisel., Traité Arbr. Arbust. (Duhamel), nouv. éd. 5: 157. 1812
- Cytisus trichellus* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus triflorus* Lam., Encycl. [J. Lamarck et al.] 2(1): 250. 1786
Chamaecytisus triflorus (Lam.) Skalická, Preslia 58: 23. 1986
- Cytisus urumoffii* Davidov ex Stoj., Izv. Bulg. Bot. Druzh. 5: 102. 1932, nom. illeg. (ICN Art. 52.2, was cited as a synonym)
- Cytisus vadasii* J. Wagn., Magyar Bot. Lapok 14: 78. 1915
Chamaecytisus ratisbonensis subsp. *vadasii* (J. Wagn.) Jáv., Magyar Fl. 2: 608. 1924 (!)
Chamaecytisus ratisbonensis var. *vadasii* (J. Wagn.) Diklić in Josifović (as “var. vandasi”), Fl. Srbije 4: 508. 1972, comb. illeg. (ICN Art. 41.5)
- Cytisus variabilis* Blocki, Oesterr. Bot. Z. 34: 427. 1885
- Cytisus velenovskyi* Degen in Cristof., Webbia 45: 214. 1991, nom. herb.
Cytisus supinus subsp. *supiunus* var. *velenovskyi* (Degen) Stoj. et Stef., Fl. Bulg., ed. 2. 2: 581. 1933, comb. illeg.
- Cytisus villosus* C. Presl et J. Presl, Delic. Prag. 36. 1822
- Cytisus virens* Velen., Fl. Bulg. 128. 1891

- Cytisus capitatus* var. *virens* (Velen.) Stoj et Stef., Les Papilionacées de la Bulgarie [Stojanov et Stefanoff]: 18. 1922
- Cytisus supinus* subsp. *capitatus* var. *virens* (Velen.) Stoj et Stef., Fl. Bulg. [Stojanov et Stefanoff] 2: 623. 1925
- Cytisus leucanthus* subsp. *pallidus* var. *virens* (Velen.) Hayek, Feddes Repert. Beih. 30: 903. 1926 (!)
- Cytisus supinus* subsp. *pallidus* var. *virens* (Velen.) Stoj et Stef., Fl. Bulg., ed. 2. 2: 580. 1933
- Chamaecytisus banaticus* var. *virens* (Velen.) Kuzmanov, Fl. Narodna Republ. Bulg. 6: 109. 1976
- Cytisus virgatus* Vest non Salisb., Steiermark. Z. 1(3): 161. 1821, nom. illeg. (ICN Art. 53.1.)
- Cytisus vivariensis* Gand., Novus Consp. Fl. Eur.: 104. 1910 nom. nud.
- Cytisus volgensis* L. Fisch., Cat. Jard. Pl. Gorenki: 110. 1808, nom. nud.
- Cytisus volhynicus* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus vukotinovicii* Gand., Novus Consp. Fl. Eur.: 104. 1910, nom. nud.
- Cytisus wulffii* V. I. Krecz., Bot. Zhurn. SSSR 25: 262. 1940
- Chamaecytisus wulffii* (V. I. Krecz.) Klásk., Preslia 30: 214. 1958
- Genista capitata* var. *ambigua* Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 217. 1897
- Cytisus capitatus* subsp. *genuinus* var. *ambiguus* (Rouy et Foucaud) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 335. 1907, nom. inval. (ICN Art. 6.10)
- Genista hirta* Rouy, Fl. France [Rouy et Foucaud] 4: 212. 1897, nom. nov. of *C. hirsutus* L.
- Genista jacquiniana* Scheele, Flora 26. 438. 1843, nom. nov. of *C. biflorus* L'Hér.
- Genista notarisii* Rouy, Fl. France [Rouy et Foucaud] 4: 214. 1897
- Genista polytricha* Scheele, Flora 26. 438. 1843, nom. nov. of *C. hirsutus* L.
- Genista scopolii* Rouy, Fl. France [Rouy et Foucaud] 4: 213. 1897
- Cytisus hirsutus* subsp. *scopolii* (Rouy) Soó, Acta Bot. Acad. Sci. Hung. 10: 369. 1964
- Genista splendens* Webb et Berth., Hist. Nat. Iles Canaries (Phytogr.) 3(2,2): t. 43. 1836
- Genista supina* var. *grandis* Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 216. 1897
- Cytisus supinus* subsp. *gallicus* var. *grandis* (Rouy et Foucaud) Asch. et Graebn., Syn. Mitteleur. Fl. [Ascherson et Graebner] 6.2: 337. 1907
- Cytisus supinus* f. *grandis* (Rouy et Foucaud) Soó, Acta Bot. Acad. Sci. Hung. 12: 15. 1966
- Genista supina* var. *microphylla* Rouy et Foucaud, Fl. France [Rouy et Foucaud] 4: 216. 1897
- Cytisus supinus* f. *microphyllus* (Rouy et Foucaud) Beck, Fl. Bosne: 210. 1927
- Spartium molle* Cav., Anales Ci. Nat. 4: 67. 1801
- Genista mollis* (Cav.) DC., Prodr. [A. P. de Candolle] 2: 145. 1825
- Cytisus mollis* (Cav.) Pau in Jahandiez et Maire non Salisb., Cat. Pl. Maroc 2: 363. 1932, comb. illeg. (ICN Art. 53.1.)
- Chamaecytisus mollis* (Cav.) Greuter et Burdet, Willdenowia 19: 31. 1989 (!)