

INDEX

The hyphen separates the names of taxa at the left side (in most cases followed by a code) from numbers of pages, figures and plates at the right side. Names of accepted species are followed by a code of letters and numbers corresponding with their sequence in this paper. A means *Acriopsis*, B: *Bracisepalum*, Ch: *Chelonistele*, E: *Entomophobia*, G: *Geesinkorchis*, and N: *Nabalua*. Synonyms are followed by '=' and subsequently by the code of the species to which they belong. 'Excl.' refers to excluded species. — An asterisk indicates the page where the taxon is described; 'fig.' refers to a line-drawing; 'plate' to a coloured plate. Two unnumbered maps are given with their page number.

- Acriopsidinae Dressler — 1**
- Acriopsis Reinw. ex Blume — 1, 2, 3*, 4 map**
- annamensis Guill. = ?A5c — 16
 - annamica Finet = ?A5c — 15, 16
 - borneensis Ridley = A2b — 7
 - carrii Holtum A1 — 2, 3, 5*, fig. 2
 - densiflora Lindley A2 — 2, 3, 5, 6*, 7
 - var. borneensis (Ridley) Minderhoud & de Vogel A2b — 6, 7*, fig. 3f—g
 - var. densiflora A2a — 6*, fig. 3a—e
 - floribunda Ames = A5b — 13
 - gracilis Minderhoud & de Vogel A3 — 1, 3, 5, 7*, fig. 4, plate 1a
 - griffithii Rchb. f. = A5a — 11
 - harai Tuyama = ?A5a — 12, 13
 - indica Wight A4 — 3, 5, 8*, fig. 5, plate 1b
 - insulari-sylvatica Fukuyama = ?A5a — 12, 13
 - javanica Reinw. ex Blume A5 — 3, 5, 9*, 13, 15, 16
 - var. auriculata Minderhoud & de Vogel A5c — 1, 3, 10, 14*, 16, fig. 6
 - var. floribunda (Ames) Minderhoud & de Vogel A5b — 10, 13*, fig. 1d—e (p. 11)
 - var. javanica A5a — 3, 10*, 13, fig. 1a—c, f—h (p. 11), plate 1c, 1d
 - var. nelsoniana (Bailey) J.J. Smith = A5a — 11
 - javanica (non Reinw. ex Bl.) Blume = A5c — 14
 - javanica (non Reinw. ex Bl.) Schltr. = A5b — 13
 - latifolia Rolfe Excl. — 16
 - nelsoniana Bailey = A5a — 11
 - var. pallidiflora Schltr. = A5a — 12
 - papuana Kraenzlin = A5a — 12
 - philippensis Ames = A5a — 12
 - picta Lindley = ?A5a — 11
 - purpurea Ridley = A2a — 7
 - ridleyi Hooker f. A6 — 2, 3, 5, 15*, fig. 7, plate 2a, 2b
 - sumatrana Schltr. = ?A5a — 11, 13
- Basigyne J.J. Smith — 19**
- Bracisepalum J.J. Smith — 17, 19***
- densiflorum de Vogel B1 — 19, 20*, fig. 8, plate 2c
 - selebicum J.J. Smith B2 — 18, 19, 20*, fig. 9
- Chelonanthera Blume — 23, 24**
- clypeata (Lindley) Pfitzer — 23
 - gibbosa Blume — 23
 - sulphurea Blume = Ch10a — 23, 37
 - ventricosa Blume — 23
- Chelonistele Pfitzer — 17, 23, 24*, 25 map, 43, 47**
- amplissima (Ames & Schweinf.) Carr Ch1 — 26*, fig. 10, plate 2d
 - apiculata (Lindley) Pfitzer Excl. — 23, 40
 - biflora (Par. & Rchb. f.) Pfitzer Excl. — 23, 40
 - brevilamellata (J.J. Smith) Carr Ch2 — 24, 26, 28*, fig. 11
 - clemensii (Ames) Carr = N2 — 47, 49
 - crassifolia Carr = Ch10b — 39
 - cuneata (J.J. Smith) Carr = Ch10a — 38, 39
 - dentifera de Vogel Ch3 — 26, 29*, fig. 12
 - ingloria (J.J. Smith) Carr Ch4 — 18, 26, 30*, fig. 13, plate 3a
 - keithiana W.W. Smith = N2 — 40, 47, 49
 - kinabaluensis (Rolfe) de Vogel Ch5 — 26, 31*, fig. 14
 - kutaiensis (J.J. Smith) Carr = Ch10a — 38, 39
 - lamellulifera Carr Ch6 — 26, 32*, 47, fig. 15
 - lurida (L. Linden & Cogn.) Pfitzer Ch7 — 26, 33*
 - var. grandiflora de Vogel Ch7b — 34*, fig. 16j—k, plate 3c
 - var. lurida Ch7a — 34*, fig. 16a—i, plate 3b
 - perakensis (Rolfe) Ridley = Ch10a — 23, 38, 39, 43
 - pinniloba (J.J. Smith) Carr = Ch10a — 38, 39
 - pusilla (Ridley) Ridley = Ch10a — 37, 39
 - ramentacea J.J. Wood Ch8 — 26, 35*, fig. 17
 - richardsii Carr Ch9 — 26, 35*, fig. 18
 - sulphurea (Blume) Pfitzer Ch10 — 24, 36*, 43
 - var. crassifolia (Carr) de Vogel Ch10b — 18, 26, 39*, fig. 19e—g, fig. 20e
 - var. sulphurea Ch10a — 18, 26, 37*, fig. 19a—d, fig. 20a—d, f, g, plate 3d, cover
 - tenuiflora (Ridley) Pfitzer Excl. — 40
 - unguiculata Carr Ch11 — 26, 39*, fig. 21
 - vermicularis (J.J. Smith) Kraenzlin Excl. — 40
- Chelonostele auct. non Pfitzer: Ridley — 43, 44**

Coelogyné Lindley – 19, 23, 24, 43, 47
 sect. *Chelonistele* J.J. Smith – 23, 24
 sect. *Longifoliae* Pfitzer – 43
 subgen. *Chelonistele* (Pfitzer) Butzin – 24
amplissima Ames & Schweinf. = Ch1 – 26, 28
 var. *schweinfurthiana* J.J. Smith = Ch1 –
 26, 28
beyrodtiana Schltr. = Ch10a – 23, 38, 39
biflora Par. & Rchb. f. – 23
bilamellata Lindley – 47
brevilamellata J.J. Smith = Ch2 – 23, 28
crassifolia (Carr) Masamune = Ch10b – 39
croockewitii Teysm. & Binnend. = Ch10a –
 23, 38, 39
cuneata J.J. Smith = Ch10a – 38
decipiens Sander = ?Ch10a – 38
gibbosa (Blume) Rchb. f. – 23
ingloria J.J. Smith = Ch4 – 30
kutaiensis J.J. Smith = Ch10a – 38
lamellulifera (Carr) Masamune = Ch6 – 32
lurida L. Linden & Cogn. = Ch7 – 23, 34
perakensis Rolfe = Ch10a – 23, 38
phaiostele = G2 – 43, 45
pinniloba J.J. Smith = Ch10a – 38
pusilla Ridley = Ch10a – 23, 37
richardssii (Carr) Masamune = Ch9 – 35
ridleyana Schltr. = G2 – 43, 45
sarawakensis Schltr. = Ch7a – 34
sulphurea (Blume) Rchb. f. = Ch10a – 23, 37
tenuiflora Ridley – 23
unguiculata (Carr) Masamune = Ch11 – 39
ventricosa (Blume) Rchb. f. – 23
Cymbidieae – 1
Cyrtopodiinae – 1, 2

Dendrochilum Blume – 19

Entomophobia de Vogel – 17, 41*
 kinabaluensis (Ames) de Vogel E1 – 41*,
 fig. 22
Epidendreae – 1
Epidendroideae – 1

Geesinkorchis de Vogel – 17, 43*
 alaticallosa de Vogel G1 – 43, 44*, fig. 23,
 plate 4a, 4b
 phaiostele (Ridley) de Vogel G2 – 18, 40, 43,
 44, 45*, fig. 24, plate 4c

Nabalua Ames – 17, 23, 43, 47*
 angustifolia de Vogel N1 – 47, 48*, 49, fig. 25,
 plate 4d
clemensii Ames N2 – 40, 47, 48, 49*, fig. 26
clemensii auct. non Ames: Ames – 48
exaltata de Vogel N3 – 48, 50*, fig. 27

Panisea Lindley – 23
 apiculata Lindley – 23
uniflora (Lindley) Lindley – 40
Pholidota W. J. Hooker – 17, 23, 41, 43, 47
 gibbosa (Blume) de Vriese – 43
imbricata W. J. Hooker – 43
kinabaluensis Ames = E1 – 41
nervosa (Blume) Rchb. f. – 41, 43, 47
pusilla (Ridley) Kraenzlin = Ch10a – 38
sigmatochilus (Rolfe) J.J. Smith = Ch5 – 31
sulcata J.J. Smith – 43
triloba J.J. Smith = G2 – 45
ventricosa (Blume) Rchb. f. – 43
Pleione D. Don – 23
 croockewitii (Teysm. & Binnend.) O. Kuntze =
 Ch10a – 23, 38
sulphurea (Blume) O. Kuntze = Ch10a – 23, 37

Sigmatochilus Rolfe – 24
 kinabaluensis Rolfe = Ch5 – 24, 31
Spathoglottis ?trivalvis Lindley = A5a – 11

Thecopus – 1, 2
Thecostele – 1, 2
 alata (Roxb.) Par. & Rchb. f. – 16
Thecostelinae – 1, 2

Vandeae – 1
Vandoideae – 1

LEGENDS OF THE FIGURES

For Fig. 1, see page 11.

Fig. 2. *Acriopsis carrii* Holttum. a. Habit; b. flower; c. flower analysis; d. lip and column (a. Carr 135; b-d. SF 10254).

Fig. 3. *Acriopsis densiflora* Lindley var. *densiflora*. a. Habit; b. flower; c. flower analysis; d. lip and column; e. lip. — *Acriopsis densiflora* Lindley var. *boreensis* (Ridley) Minderhoud & de Vogel. f. Habit; g. lip and column (a. van Niel 3718; b-d. Herb. Paris s.n.; e. van der Est s.n.; f-g. Collenette 29/79).

Fig. 4. *Acriopsis gracilis* Minderhoud & de Vogel. a. Flower; b. flower analysis; c. lip and column (a-d. Giles 620).

Fig. 5. *Acriopsis indica* Wight. a. Habit; b. flower analysis; c. flower; d. lip and column (a. Weber s.n.; b-d. Seidenfaden & Smitinand 8345).

Fig. 6. *Acriopsis javanica* Reinw. ex Blume var. *auriculata* Minderhoud & de Vogel. a. Habit; b. flower; c. flower analysis; d. lip and column; e. cross-section through lip and column (a-d. Leiden, cult. Hort. (Roos & Franken) 20788; e. Mason 546).

Fig. 7. *Acriopsis ridleyi* Hooker f. a. Habit; b. flower; c. flower analysis; d. lip and column; e. fruit (a. Burkill 3331; b-e. Bridson 353).

Fig. 8. *Bracisepalum densiflorum* de Vogel. a. Habit; b. bract; c. flower; d. flower analysis; e. lip and column; f. column (a-f. Leiden, cult. Hort. (de Vogel) 20313).

Fig. 9. *Bracisepalum selebicum* J.J. Smith. a. Habit; b. bract; c. flower; d. flower analysis; e. lip and column; f. colum (a-f. Leiden, cult. Hort. (de Vogel) 20446).

Fig. 10. *Chelonistele amplissima* (Ames & Schweinf.) Carr. a. Habit; b. flower; c. flower analysis; d. column; e. outline cross-section through ovary (a. & c-e. Nooteboom & Chai 2247; b. Singapore, cult. Hort. 11.111.66 (Kew alc. 31926)).

Fig. 11. *Chelonistele brevilamellata* (J.J. Smith) Carr. a. Habit; b. flower analysis; c. backside of the lip; d. column (a-d. Endert 4427).

Fig. 12. *Chelonistele dentifera* de Vogel. a. Habit; b. flower analysis; c. lip and column; d. column; e. lip (a. & c-e. S 21954; b. Burtt B. 11375).

Fig. 13. *Chelonistele ingloria* (J.J. Smith) Carr. a. Habit; b. flower; c. flower analysis; d. column (a. & c-d. Endert 3972; b. Leiden, cult. Hort. (Burtt & Martin 5215) 22064).

Fig. 14. *Chelonistele kinabaluensis* (Rolfe) de Vogel. a. Habit; b. flower; c. flower analysis; d. lip and column; e. column; f. column, the lobes spread (a-d. Clemens 51192; e-f. Clemens 50658).

Fig. 15. *Chelonistele lamellulifera* Carr. a. Habit; b. flower; c. flower analysis; d. lip; e. column, left lobes spread (a. & d. Syng S. 521; b-c. & e. Burtt & Martin B. 5405).




Fig. 2.

Holttum.

Fig. 16. *Chelonistele lurida* (L. Linden & Cogn.) Pfitzer var. *lurida*. a. Habit; b. flower; c. flower analysis; d. column, lobes spread; e. anther; f. pollinia; g. flower analysis; h. lip and column; i. column, lobes spread. — *Chelonistele lurida* var. *grandiflora* de Vogel. j. Flower analysis; k. column, lobes spread (a. Clemens s.n., 7-I-1932; b–f. SAN (Sinanggul) 38318; g–i. Bruxelles, cult. Hort. (Herb. Cogniaux); j–k. Burtt & Woods B. 2169).

Fig. 17. *Chelonistele ramentacea* J.J. Wood. a. Habit; b. flower analysis; c. column (a–c. Burtt & Woods B. 2192).

Fig. 18. *Chelonistele richardsii* Carr. a. Habit; b. flower; c. flower analysis; d. lip and column; e. column, lobes spread (a–e. Richards S. 59).

Fig. 19. *Chelonistele sulphurea* (Blume) Pfitzer var. *sulphurea*. a. Habit; b. flower; c. flower analysis; d. lip and column. — *Chelonistele sulphurea* var. *crassifolia* (Carr) de Vogel. e. Habit; f. flower; g. flower analysis (a. & c. Blume s.n., H.L.B. 902,322-1084; b. & d. Leiden, cult. Hort. (Roos & Franken) 21133; e–g. Clemens 27169).

Fig. 20. Variation in shape of lip and column, in different specimens of *Chelonistele sulphurea* (Blume) Pfitzer var. *sulphurea*. a. Leiden, cult. Hort. (Roos & Franken) 21133, Java ('*sulphurea*'); b. Kew, cult. Hort. s.n. (IX-1904), Malay Peninsula ('*pusilla*'); c. Bogor, cult. Hort. (Kuyper) 129; d. Endert 4524, Borneo ('*pinniloba*', type); f. Endert 4429, Borneo ('*kutaiensis*', type); g. Endert 3879, Borneo ('*cuneata*', type). — *Chelonistele sulphurea* var. *crassifolia* (Carr) de Vogel. e. Clemens 27169, Borneo ('*crassifolia*', type).

Fig. 21. *Chelonistele unguiculata* (Carr) Masamune. a. Habit; b. bract; c. flower; d. flower analysis; e. lip and column; f. base of lip; g. column, lobes spread (a–g. Syng S. 399).

Fig. 22. *Entomophobia kinabaluensis* (Ames) de Vogel. a. Habit; b. infructescence; c. bract; d. flower; e. flower analysis; f. lip from above; g. column; h. lip and column; i. lip and column, part of the lip removed to show the callus; j. anther; k. pollinia (a–e. Clemens 30607; f–k. Geesink 9039).

Fig. 23. *Geesinkorchis alaticallosa* de Vogel. a. Habit; b. bract; c. & d. flower; e. flower analysis; f. lip and column; g. detail of backside of lip; h. column; i. anther; j. pollinarium, two pollinia removed; k. seed (a–k. Geesink 8965).

Fig. 24. *Geesinkorchis phaiostele* (Ridley) de Vogel. a. Habit; b. bract; c. & d. flower; e. fruit; f. flower analysis; g. lip and column; h. column; i. anther; j. pollinarium, two pollinia removed (a. Hewitt s.n., Mt Poe; b. Clemens 20398; c–j. Leiden, cult. Hort. (Burtt & Woods B. 2667) 22090).

Fig. 25. *Nabalua angustifolia* de Vogel. a. Habit; b. flower; c. flower analysis; d. lip and column; e. & g. detail of backside of lip; f. & h. column (a–d. & g–h. Clemens 27159; e–f. Fuchs & Collenette 21381).

Fig. 26. *Nabalua clemensii* Ames. a. Habit; b. flower analysis; c. lip and column; d. detail of backside of lip; e. column (a–e. Moulton 103).

Fig. 27. *Nabalua exaltata* de Vogel. a. Habit, detached young shoot and inflorescence; b. bract; c. flower; d. flower analysis; e. lip and column; f. detail of backside of lip; g. column (a–g. Burtt & Martin B. 5259).

YJ 82




Fig. 3.

Lindley var.

& var.

(Ridley) Minderhoud & de Vogel.







Fig. 4.

Minderhoud & de Vogel.



82



a



Fig. 5.

Wight.




Fig. 6.

Reinw. ex Blume var.

Minderhoud & de Vogel.

J 82



Fig. 7.
Hooker f.




Fig. 8.

de Vogel.




Fig. 9.

J. J. Smith.




Fig. 10.

(Ames & Schweinf.) Carr.




Fig. 11.

(J.J. Smith) Carr.




Fig. 12.

de Vogel.






Fig. 13.

(J.J. Smith) Carr.



4 mm

81



6 mm

5 cm

4 mm

Fig. 14.

(Rolfe) de Vogel.




Fig. 15.

Carr.




Fig. 16.

(L. Linden & Cogn.) Pfitzer var.

& var.

de Vogel.




Fig. 17.

J. J. Wood.




Fig. 18.

Carr.




Fig. 19.

(Blume) Pfitzer var.

& var.

(Carr) de Vogel.




Fig. 20. Variation in shape of lip and column, in

& var.




Fig. 21.

(Carr) Masamune.




Fig. 22.

(Ames) de Vogel.




Fig. 23.

de Vogel.




Fig. 24. (Ridley) de Vogel.




Fig. 25..

de Vogel.




Fig. 26.

Ames.




Fig. 27. de Vogel.

LEGENDS OF THE PLATES

Plate 1

- a. *Acriopsis gracilis* Minderhoud & de Vogel
From Borneo, Sabah
Photograph A. Lamb
- b. *Acriopsis indica* Wight
From Java
Photograph J. Comber
- c. *Acriopsis javanica* Reinw. ex Blume
var. *javanica*
Leiden, cult. Hort. (Roos & Franken)
20741, from Sumatra
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)
- d. *Acriopsis javanica* Reinw. ex Blume
var. *javanica*
Leiden, cult. Hort. 21370, from Australia
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)

Plate 3

- a. *Chelonistele ingloria* (J.J. Smith) Carr
Leiden, cult. Hort. (Burtt & Martin
B. 5215) 22064, from Borneo,
Sarawak
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)
- b. *Chelonistele lurida* (L. Linden & Cogn.)
Pfitzer var. *lurida*
From Borneo, Sabah
Photograph J. Comber
- c. *Chelonistele lurida* (L. Linden & Cogn.)
Pfitzer var. *grandiflora* de Vogel
Lewis 336, from Borneo, Sarawak
Photograph G. P. Lewis (collection Kew)
- d. *Chelonistele sulphurea* (Blume) Pfitzer
var. *sulphurea*
From Sumatra
Photograph J. Comber

Plate 2

- a. *Acriopsis ridleyi* Hooker f.
Singapore, cult. Hort., possibly from
Malaysia or Borneo
Photograph J. Comber
- b. *Acriopsis ridleyi* Hooker f.
Leiden, cult. Hort. (Roos & Franken)
20761, from Borneo, Kalimantan
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)
- c. *Bracisepalum densiflorum* de Vogel
Leiden, cult. Hort. (de Vogel) 20313,
from Celebes
Photograph C.G.J.M. van Vliet
(collection Rijksherbarium, Leiden)
- d. *Chelonistele amplissima* (Ames &
Schweinfurth) Carr
From Borneo, Sabah
Photograph J. Comber

Plate 4

- a. *Geesinkorchis alaticallosa* de Vogel
Bogor, cult. Hort. 981.VIII.62 (Darnaedi
& Waluyo), from Borneo, Kalimantan
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)
- b. *Geesinkorchis alaticallosa* de Vogel
From Borneo, Sabah
Photograph J. Comber
- c. *Geesinkorchis phaiostele* (Ridley)
de Vogel
Leiden, cult. Hort. (Burtt & Woods
B. 2667) 22090, from Borneo, Sabah
Photograph B. N. Kieft
(collection Rijksherbarium, Leiden)
- d. *Nabalua angustifolia* de Vogel
Kew, cult. Hort. (Brentnall 154), from
Borneo, Sabah
Photograph W. Rossi (collection Kew)

Plate 1




a.

Minderhoud & de Vogel




b.

Wight



c.

Reinw. ex Blume var.



d.

Reinw. ex Blume var.

Plate 2



a.

Hooker f.



b.

Hooker f.



c.

de Vogel



d.


(Ames & Schweinf.) Carr

Plate 3



a.

(J.J. Smith) Carr




b.

(L. Linden & Cogn.) Pfitzer



c.

(L. Linden & Cogn.) Pfitzer



d.


(Bl.) Pfitzer var.

Plate 4



a.

de Vogel



b.

de Vogel



c.

(Ridley) de Vogel



d.

de Vogel