

Index to Volume III

- Acallyntrum*, 67, 77
Acanthocybium solandri, 275
Acis orientalis, 200–202
 squamata, 198
Acronychia Esquirollii, 158, 159
Acrulocercus bishopi, 226
Actornithophilus epiphanes, 278
Aedes, 3, 8, 29, 40, 54, 61
 (*Aedes*), 11, 62
 funereus, 62
 lineatus, 62–63 (fig.)
 (*Aedimorphus*), 11
 vexans, 3, 60–61 (fig.)
aegypti, 129, 278
albopictus, 131, 132
argenteus, 131, 132
 (*Banksinella*), 11
 (*Finlaya*), 11, 42, 43
 candidoscutellum, 43, 48–50 (fig.)
 hollandius, 43, 51–52 (fig.)
 keefeji, 43, 44–46 (fig.)
 kochi, 3, 43, 47–48 (fig.)
 notoscriptus, 43–44 (fig.)
 novalbitarsis, 43, 51, 52–54 (fig.)
 papuensis, 43, 50–51 (fig.)
 quasirubrithorax, 44, 46
 wallacei, 3, 43, 46–47 (fig.)
 (*Leptosomatomyia*), 11
 aurimargo, 63–64 (fig.)
 (*Macleaya*), 11
 tremula, 54 (fig.)
 (*Mucidus*), 11, 40–42
 alternans, 40–41 (fig.)
 aurantius aurantius, 3, 41
 aurantius chrysogaster, 41–42 (2 figs.)
 (*Ochlerotatus*) *vigilax*, 42–43 (fig.)
 (*Skusea*), 11
 dasyorrbus, 54–55 (fig.)
 spp., 278
 (*Stegomyia*), 11
 aegypti, 3, 5, 7, 56, 57–59 (fig.)
 albolineatus, 56, 59–60 (fig.)
 albopictus, 56, 57
 samarensis, 57
 scutellaris, 56–57 (fig.)
Aedimorphus, 60
Aedomyia, 8, 10, 28, 38
 catasticta, 3, 38–40 (fig.)
Aeschynomene laevis, 146, 149
 agriculture on atolls, 89–92
 albatrosses, 104–110, 283–295
 “Albatross Expedition” (1902–1903), 200, 207
 Alcyonacea, 195
 Alcyonaria of Bikini and Other Atolls in the
 Marshall Group, 195–214
Alectryon, 296, 301
 excelsum, 301
 macrococcus, 296, 299, 300, 301
 (§ *Mahoe*) *Mahoe*, n. sp., 296–301 (2 figs.)
Aleurites moluccana, 227
 Aleutian Islands, beaked whales from, 353
 alfalfa, 117
 algae of New Zealand, notes on, 340–352
Allamanda verticillata, 149
Alstonia, revision of genus, 133–182
Alstonia actinophylla, 138, 140, 154–155
 acuminata, 166
 angustifolia, 134, 138, 142, 159–160, 161, 163,
 165, 177
 var. *annamensis*, 142, 160
 var. *elliptica*, 159, 160
 var. *latifolia*, 142, 159, 160, 177
 angustiloba, 133, 134, 135, 138, 140, 145, 152–
 153, 161, 162, 178, 180
 var. *β glabra*, 152, 180
Balansae, 180
Batino, 164, 165
Beccarii, 159
Boonei, 133, 134, 136, 138, 139, 150–151, 152,
 178, 180
Brassii, n. sp., 136, 138, 142, 165, 166–167
calophylla, 145, 152
ciliata, 178
cochinchinensis, 153
Comptonii, 137, 138, 143, 177
congensis, 133, 136, 138, 139, 150, 151–152, 178,
 180
 var. *glabrata*, 151
constricta, 134, 138, 142, 167, 168–169, 180
 var. *mollis*, 168, 169
 var. *montmariensis*, 168, 169
coriacea, 176
costata, 133, 138, 142, 144, 164, 165, 168, 171,
 174–175, 178
costulata, 178
cuneata, 153, 154
Curtisii, 138, 140, 141, 158
Deplanchei, 138, 143, 175
Duerkheimiana, 169, 170
edulis, 178
elliptica, 174, 177
Esquirollii, 158, 159

- eximia*, 178
ficifolia, 179
filipes, 175
fragrans, 174
Gilletii, 136, 151, 152, 180
 var. *Laurentii*, 151
glabriflora, 136, 138, 142, 167
glaucescens, 138, 139, 144-146
Godeffroyi, 136, 138, 172, 177, 178
grandifolia, 179, 180
hoedti, 166
intercedens, 178
iwabigensis, 152, 153
Kurzii, 136, 147, 149, 178
lanceolata, 138, 143, 169, 176
lanceolifera, 176
latifolia, 160
Legouixiae, 138, 144, 167, 176, 177
Lenormandi, 138, 144, 173, 175-176, 177
 var. *coriacea*, stat. nov., 144, 175, 176
 var. *lanceolifera*, stat. nov., 144, 176
linearifolia, 180
linearis, 138, 141, 167
longifolia, 179
longissima, 161, 162, 163, 178
lucida, 179
macrophylla, 138, 142, 161, 164-165, 166, 174, 178
 var. *acuminata*, 142, 166
 var. β *glabra*, 164, 165
 var. *glabra*, 167
 var. *mollis*, 164, 165
Mairei, 138, 141, 157-158
micrantha, 179
mollis, 168, 169
montana, 138, 143, 170, 171, 172, 173, 174, 178
 var. *filiformis*, var. nov., 144, 173-174
Muelleriana, 134, 136, 138, 141, 163-164
 var. *parvifolia*, 163, 164
neriifolia, 136, 138, 141, 155, 156-157, 180
 var. *glabra*, var. nov., 141, 157
oblongifolia, 164, 165
oleandraefolia, 149
ophioxyloides, 138, 142, 163
pachycarpa, 136, 144, 145, 146, 180
pangkorensis, 164, 165
parvifolia, 138, 142, 160-161
paucinervia, 164, 165, 167, 178
paupera, 157, 158
pedicellata, 178
plumosa, 136, 138, 142, 143, 168, 170-178
polyphylla, 179
pneumatophora, 138, 140, 149, 153, 154, 180
 var. *petiolata*, var. nov., 140, 153
quaternata, 137, 138, 144, 177, 178
Reineckeana, 137, 138, 143, 170, 171, 172, 178
retusa, 174
Roeperi, 138, 143, 170, 171
rostrata, 136, 144, 145, 146
rupestris, 138, 141, 158
saligna, 137, 138, 143, 167, 176-177
scholaris, 133, 134, 135, 137, 138, 139, 146-150, 151, 152, 155, 161, 162, 178, 180
 β *Blumii*, 146, 149
 γ *Avae*, 147, 149
 var. *velutina*, var. nov., 139, 150
Schumanniana, 179
Sebusi, comb. nov., 138, 140, 157
 var. *szemaoensis*, var. nov., 140, 157
sericea, 156, 157, 180
Setchelliana, 172, 178
Smithii, 173
somersetensis, 134, 161, 162, 163
spatulata, 134, 135, 138, 140, 149, 153-154, 178, 180
spectabilis, 133, 134, 135, 136, 138, 141, 142, 147, 149, 152, 160, 161-163, 164, 178
 var. *bantamensis*, 178
stenophylla, 180
subsessilis, 166
theaeformis, 137, 179
undulata, 180
venenata, 133, 136, 138, 140, 155-156, 157, 158
 var. *pubescens*, var. nov., 140, 156, 157
verticillata, 155
verticillosa, 154
Vieillardii, 134, 138, 143, 169-170
villosa, 136, 161, 162, 163, 164, 171, 172
 var. β *glabra*, 161, 163
 forma *calvescens*, 161, 163, 172, 178
viscosa, 178
vitiensis, 134, 138, 143, 168, 170, 171, 172
 var. *novo-ebudica*, var. nov., 143, 171-172
yunnanensis, 138, 140, 155, 158-159
Alyxia actinophylla, 154, 155
calophylla, 144, 145
glaucescens, 144, 145, 146
Legouixiae, 176
Amaranthus viridis, 339
Amblyocalyx, 137, 138
 Beccarii, 138, 159, 160
Amblyomma sp., 278
Ammophila arenaria, 107
Ananas comosus, 112, 117
Anguilluliniidae, 111
Anopheles, 10, 11, 21, 38
 (*Anopheles*) *barbirostris barbirostris*, 3, 11, 12-13 (fig.)
 (*Myzomyia*) *clowi*, 12, 17, 19-20
 farauti, 12, 16, 17, 18-19 (fig.), 20
 karwari, 3, 11, 14-15 (fig.)
 koliensis, 12, 16, 18, 20-21 (fig.)
 lungae, 11, 13-14
 punctulatus, 12, 16-18 (fig.), 18, 19, 20
 subpictus subpictus, 3, 11, 14, 15-16 (fig.)
Anous stolidus pileatus, 278
Apalopteron familiare familiare, 290
Aphelenchoides, 114, 118
Aplonis opaca ponapensis, 278
Apocynaceae, 133, 138, 173

- Armigeres*, 8, 11, 64
breinli, 65–66 (fig.), 67
lacuum, 67
milnensis, 65, 66–67 (fig.)
 arthropods from Ponape, 278
Asio flammeus sandwichensis, 228
 atolls, 89–92, 103–110
 Alcyonaria of, 195–214
 vegetation and salinity of, 89–92
 Atoll Vegetation and Salinity, 89–92
 AUSTIN, OLIVER L., JR.:
 The Status of Steller's Albatross, 283–295
 Australasian Region, 3
Austromuellera, 187
Auxis thazard, 276
Avena sativa, 117
 Axinellidae, 124

Balanus auricomus, 97
 (*Chirona*) *krügeri*, 93, 96, 97
 (*Solidobalanus*) *hawaiiensis*, 96–97 (fig.), 99
 pseudauricomus, 96, 97–99 (fig.)
Banksinella, 61–62
Barringtonia asiatica, 90, 91
 BAYER, FREDERICK M.:
 The Alcyonaria of Bikini and Other Atolls in
 the Marshall Group. Part I: The Gorgonacea,
 195–214
 beaked whales from Aleutian Islands, 353
Berardius bairdii, 353
Bidens pilosa, 117
 Bikini, Alcyonaria of, 195–214
 Bikini Scientific Resurvey Expedition (1947), 195
 birds, 103–110, 127–132, 226–230, 283–295
 blood protozoa of, 127–132
 on Midway, 103–110
 native, on Molokai, Hawaii, 226–230
 status of Steller's albatross, 283–295
Bironella, 10, 21
 (*Bironella*) *gracilis*, 23
 soesiloi, 21–23 (fig.)
 (*Brugella*) *hollandi*, 21
Blaberopus, 134, 136, 137, 138, 139, 140, 155–159,
 180
 lucidus, 179
 neriifolius, 156
 rupestris, 158
 Sebusi, 136, 157
 sericeus, 156
 venenatus, 155
 villosus, 161
 var. *β petiolata*, 161, 162
 black-footed albatross, 104, 105, 106, 284, 285,
 288, 289, 291, 293, 294
 blood protozoa of birds, 127–132
Boehmeria, 232, 233, 253
 glabra, 232
 melastomaeifolia, 232, 243
 ovata, 261
 Boehmerieae, 233

Boerhavia diffusa, 338, 339
 Bonin Islands, 93–99, 289–291
 Books:
 In Gardens of Hawaii (News Note), 100
 Seashore Treasures (News Note), 354
 The Spell of the Pacific (News Note), 280
Boophilus sp. (= *B. annulatus australis* ?), 278
 Botany:
 A Second Hawaiian Species of *Alectryon*
 (Sapindaceae), 296–301
 Atoll Vegetation and Salinity, 89–92
 Finschia—A Genus of "Nut" Trees of the
 Southwest Pacific, 187–194.
 Flora of Johnston Island, Central Pacific,
 338–339
 In Gardens of Hawaii (News Note), 100
 Notes on Marine Algae of New Zealand. I,
 340–352
 Revision of Genus *Alstonia*, 133–182
 Taxonomic Revision of the Genus *Neraudia*
 (Urticaceae), 231–270
Brandella compressa, 206
Brassica oleracea var. *capitata*, 117
 breadfruit, 90, 91
 BROCK, VERNON E.:
 A Preliminary Report on *Parathunnus sibi* in
 Hawaiian Waters and a Key to the Tunas
 and Tuna-like Fishes of Hawaii, 271–277
Bruguiera conjugata, 92
Buckinghamia, 187
 buckwheat, 117

Calantica, 94, 95, 96
 (*Paracalantica*) *ikedai*, subgen. et sp. nov.,
 93–96 (2 figs.)
Caligorgia, 207
 flabellum, 207
 pseudoflabellum, n. sp., 196, 199 (fig.), 203
 (fig.), 207, 214 (pl.)
Calliactis armillatas, 306
Callithamnion levringii n. sp., 350–351 (fig.)
 licomophorum, 351
Calophyllum inophyllum, 90
Cardwellia, 187
Carica papaya, 91
Carnarvonia, 187
 Caroline Islands:
 Arthropods of Potential Medical and Veterinary
 Importance from Ponape, Caroline Islands,
 278
Carpophyllum plumosum var. *quercifolium*, var.
 nov., 349, 350 (fig.)
Casuarina equisetifolia, 339
 sp., 104, 107
Cenchrus echinatus, 338
 Chaoborinae, 5, 9
Cheirodendron Gaudichaudii, 227
Chilocarpus embelioides, 179
Chloris inflata, 338
Chlorodrepanis virens wilsoni, 226

chlorosis, of atoll vegetation, 91

Chondrilla, 125

australiensis, 125

embolophora, 125

euastra, n. sp., 125-126

jinensis, 126

kilakaria, 126

nucula, 125

sacciformis, 126

Chondrosia, 126

Chrysomya megacephala, 278

(*Microcalliphora*) *nigripes*, 278

rufifacies, 278

Cirripeds from the Ogasawara Islands, 93-99

Cladophora colensoi, 340

climate, in relation to crops and vegetation in
Hawaii, 223

Climatology:

Directional Shift of Trade Winds at Honolulu,
86-88

A Review of Concepts in Hawaiian Climatology,
215-225

Coccoloba sp., 107

coconut, 90, 91, 339

Cocos nucifera, 90, 91, 339

Cofassus Citrina, 166

Colocasia, 90

Compsocidaris pyrsacantha, 97

Compsonema, 345, 346

Coquillettidia, 37

coral atolls, vegetation of, 89-92

Corallina, 352

Cordia sebestena, 339

subcordata, 90, 91

Corethrella, 9

COWAN, RICHARD S.:

A Taxonomic Revision of the Genus *Nerandia*
(Urticaceae), 231-270

crabs, 124, 125, 304, 306

Criconema squamosum, 113

Criconematinae, 111

Crinum asiaticum, 91

Cryptodromia, 124

Cryptodromiopsis, 125

Ctenocephalides canis, 278

Cucumis sativus, 117

Cucurbita Pepo, 117

Culex, 3, 8, 29, 38, 67, 81

(*Acalyptum*), 10

bicki, 76-77 (fig.)

binigrolineatus, 76, 77-78 (fig.)

(*Culex*), 11, 68, 78

annulirostris, 79, 81-83 (fig.), 278

fatigans (= *quinquefasciatus*), 3, 79, 83,

130, 131, 132, 278

quinquefasciatus, 130, 131, 132, 278

sitiens, 3, 67, 78, 80-81 (fig.)

squamosus, 67, 78, 79-80 (fig.)

(*Culicomyia*), 11

fragilis, 72-73 (fig.)

papuensis, 72, 73-75 (fig.)

pullus, 72, 75-76 (fig.)

(*Lophoceraomyia*), 11

fraudatrix, 69-71 (fig.)

uniformis, 69, 71-72 (fig.)

(*Lutzia*), 10

halifaxii, 68-69 (fig.)

(*Mochthogenes*), 10, 69
sp., 278

Culicidae, 3

Culicinae, 5, 9

Culicomyia, 72

Culicoides esakii, 278

Cyclopodia sp., 278

Cynodon dactylon, 338

Cypholophus, 223

Cyrtosperma chamissonis, 90

Cystophora, 341

Dardanus asper, 304

punctulatus, 304

Darlingia, 187

Dasya collabens, 352

subtilis, n. sp., 351-352 (fig.)

D-D mix, 114

DE LAUBENFELS, M. W.:

New Sponges from the Yap Archipelago,
124-126

Dicranopteris linearis, 228, 229

Diomedea albatrus, 283-295

brachyura, 284

immutabilis, 283, 284, 285

nigripes, 284, 285, 288

Directional Shift of Trade Winds at Honolulu,
86-88

Dissuraspermum, 134, 138, 139, 141, 167-177,
180, 181

Dodonea vicosa, 301

Doliidae, 302

Dorylaimus, 114

dove, 127, 128, 129, 131, 132

barred, 129

Chinese, 128

mourning, 129

ring-necked, 129

Drepanis funerea, 226

dromiid crabs, 124, 125

Ducula oceanica townsendi, 278

Durvillea antarctica, 346, 349

harveyi, 349

willana, 348-349 (fig.)

Dyera, 134, 138

costulata, 178, 179, 180

Lowii, 179

Echinogorgia, 202

russelli, n. sp., 196, 197 (fig.), 202-204 (fig.),
213 (plate)

Echinolaelaps echidninus, 278

- Echites costata*, 174
malabaricus, 150
Pala, 146, 147, 150
scholaris, 146, 147
triangularis, 179
trifida, 165
venenata, 155, 156
- Ecology:
 Atoll Vegetation and Salinity, 89-92
 Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103-110
 Pupae of Mosquitoes of New Guinea, 3-85
 Range Extension of the File Fish, *Monocanthus melanocephalus*, 100
- Ectocarpus brachiolus*, n. sp., 340-341 (fig.)
breviarticulatus, 340
pulvinatus, 344
rhodochortonoides, 340
variabilis, 340
velutinus, 344, 345
- Edmondson, Charles H., *Seashore Treasures* (Note), 354
- Elachista maculaeformis*, 345
velutina, 344
- Eleusine indica*, 338
- Ellisella laevis*, 209
- Embothrium*, 187
- Emilia sonchifolia*, 117
- Entomology:
 Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
 Catalogue of the Heterocerous Lepidoptera from French Oceania, 315-337
 Pupae of the Mosquitoes of New Guinea, 3-85
- Epipolasis*, 125
- Eschscholzia californica*, 117
- Ethiopia, pupae of mosquitoes of, 9
- Etorleptomyia*, 35
- Eugenia* sp., 90
- Euphorbia geniculata*, 117, 339
hypericifolia, 339
- Euplassa*, 187
- Euplexaura mollis*, 196
- Euthynnus yaito*, 100, 276
- Factors Influencing the Development of Lateritic and Laterite Soils in the Hawaiian Islands, 307-314
- Fagara semiarticulata*, 299
- feather trade, 292
- Ficalbia*, 29, 35
 (*Etorleptomyia*), 10, 35
elegans, 35-36 (fig.)
 (*Mimomyia*), 10
- file fish, range extension of (Note), 100
- Finlaya*, 42, 44, 48, 51, 52
- Finschia*—A Genus of "Nut" Trees of the Southwest Pacific, 187-194
- Finschia*, emended description, 188
 key to species of, 188
- Finschia*, 188, 190
Carrii, comb. nov., 188-190
chloroxantha, 187, 188, 190-194 (2 figs.)
densiflora, 192
ferruginiflora, sp. nov., 188, 189 (fig.)
micronesica, 192
rufa, 187, 188, 190
Waterhouseana, 192
- FISHER, HARVEY I.:
 Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103-110
 fishing, deep-sea, in the Pacific, 103, 271-275
 Flora of Johnston Island, Central Pacific, 338-339
 fork-tailed petrels, 289
- FOSBERG, F. R.:
 Atoll Vegetation and Salinity, 89-92
 Flora of Johnston Island, Central Pacific, 338-339
- FREDERICK, LAFAYETTE, and HAROLD ST. JOHN:
 A Second Hawaiian Species of *Alectryon* (Sapindaceae), 296-301
- French Oceania, catalogue of the heterocerous Lepidoptera of, 315-337
- FUJIMOTO, C. K., G. DONALD SHERMAN, and ANNIE K. S. TOM:
 The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120-123
- Gallus gallus*, 278
- Geopelia striata striata*, 129
- Geoskusea*, 55
- Germo alalunga*, 276
- Gigartina lanceata*, 348
pachymenioides, n. sp., 350 (fig.)
- Glabrae*, 139, 180
- Gorgonacea, 195-214
- Gorgonellidae, 196
- Grammatocynus thompsoni*, 275
- Grevillea*, 187
Carrii, 188
densiflora, 190, 192
elaecarpifolia, 190, 192, 193
micronesica(a), 192
rufa, 188
 ground water of atolls, 89-92
- Haematopinus adventicius*, 278
- Haemoproteus* of pigeons in Honolulu, 127-132
- Haemoproteus columbae*, 127-132
- Haemosporidia of birds, 127
- Haliaetus pelagicus*, 287
- Hapalospongiodon durvilleae*, n. sp., 346-347 (fig.)
gelatinosum, 348
pangoensis, 348
saxigenum, n. sp., 347-348 (fig.)
- Harpagomyia*, 5, 9, 27, 28, 29
genurostris, 3, 28, 29

- Hawaiian Bird Survey (1935-1937), 226, 229, 230
 Hawaiian Botanical Society (News Note), 279
 Hawaiian Islands
 climatology of, 215-225
 Directional Shift of Trade Winds at Honolulu, 86-88
 Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
 Second Hawaiian Species of *Alectryon* (Sapindaceae), 296-301
 soil studies, 120-123, 307-314
 Status of Native Land Birds on Molokai, 226-230
 Taxonomy of Genus *Neraudia*, 231-270
 tun shells of, 302-306
 tunas and tuna-like fishes of, 271-277
 Hawaiian Plant Studies, 17
 A Second Hawaiian Species of *Alectryon* (Sapindaceae), 296-301
 Hawaiian soils, pyrolusite concretions in, 120-123
 development of lateritic and laterite soils, 307-314
 Hawaiian Tun Shells, 302-306
Hecatonema, 345, 346
Helianthus annuus, 117
Helicia, 187
 micronesica, 192
Heliopora, 195
Hemipyrellia tagaliana, 278
Hernandia ovigera, 91
Herpestes griseus, 228
Herponema, 344, 345, 346, 347
 maculaeforme, 345, 346 (fig.)
 maculaeformis, 345
 maculans, 344, 345
 pulvinatum, 344, 345, 346
 velutinum, 344, 345
 Heterocerous Lepidoptera of French Oceania, catalogue of, 315-337
Heterodera marioni, 114, 115, 117, 118, 119
Hibiscus esculentus, 117
 tiliaceus, 90
Himatione sanguinea, 226, 227
 hippoboscids fly, 127, 129, 131
 Hiro, Fujio (see Utinomi, Huzio)
Hodgesia, 10, 28
Holaxonia, 196, 198-209
Hollandaea, 187
Holorrhena, 138
Hormosira banksii var. *gracilis*, 343, 344
 HURLBUT, HERBERT S.:
 Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands (Note), 278
Ichnocarpus fragrans, 179
 Ichthyology:
 A Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271-277
 Range Extension of the File Fish *Monocanthus melanocephalus* (Note), 100
 indicator plants, 114
 Insects of Hawaii (News Note), 279
 ISHII, M., M. B. LINFORD, and JULIETTE M. OLIVEIRA:
 Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111-119
 Johnston Island, flora of, 338-339
Journal of Geophysical Research (News Note), 279
Juncella laevis, 209
 KARTMANN, L.:
 Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
Katsuwonus pelamis, 276
 "kawakawa," 100
Keroeides, 198
 gracilis, 198
 gracilis + *pallida*, 198
 koreni, 196, 198, 213 (plate)
 Keroeidae, 196
 Keys to:
 the genera and species of Hawaiian Doliidae, 303
 the genera and subgenera of Culicinae, 9-11
 the sections of *Alstonia*, 138-139:
 Blaberopus, 140-141
 Dissuraspermum, 142-144
 Monuraspermum, 141-142
 Pala, 139-140
 the species of *Aedes* (Finlaya), 43
 Aedes (*Mucidus*), 40
 Aedes (*Stegomyia*), 56
 Anopheles, 11-12
 Armigeres, 65
 Culex (*Acalyptum*), 76
 Culex (*Culex*), 78-79
 Culex (*Culicomyia*), 72
 Culex (*Lophoceraomyia*), 69
 Tripteroides (*Tripteroides*), 25
 Uranotaemia, 29
 the species of *Finschia*, 188
 the species and varieties of *Neraudia*, 238-243
 the subfamilies of pupae of mosquitoes of New Guinea, 9
 the tunas and tuna-like fishes of Hawaii, 275-276
Kishinoella rara, 276
Keroeides [*sic*] *koreni*, 198
 Ladd, Harry S., et al., *Report of the Committee on a Treatise on Marine Ecology and Paleogeology, 1947-1948* (News Note), 280
Laelaps nuttalli, 278
Landolphia, 137
Lantana camara, 91

- lateritic and laterite soils, development of, 307-314
Laurea, 233
Laxoplumeria, 138
 Laysan albatross, 104, 283, 285, 287, 288, 289, 291, 293, 294
Leathesia novae-zelandiae, n. sp., 347 (fig.), 348
Leiothrix lutea, 229
 LEOPOLD, LUNA B., and C. K. STIDD:
 A Review of Concepts in Hawaiian Climatology, 215-225
Lepidocybium flavo-brunneum, 275
 Lepidoptera of French Oceania, catalogue of, 315-337
Leptosomatomyia, 63
Lepturus, 90
 repens, 338
Lignum scholare, 133, 146, 147, 149
 LINDAUER, VICTOR W.:
 Notes on Marine Algae of New Zealand. I., 340-352
 LINFORD, M. B., JULIETTE M. OLIVEIRA, and MAMORU ISHII:
 Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111-119
Lipeuris caponis, 278
Lomatia, 187
Lophoceraomyia, 69
Lumnitzera coccinea, 92
Lutzia, 68

Macleaya, 54
Maboe, 299
 Malaria Control Teams (U. S. Navy), 3
Malea pomum, 302, 303, 305, 306
 manganese in Hawaiian soils, 120-123
 mangroves, 91
Mansonia, 37
 (*Coquillettidia*), 10, 36, 37
 xanthogaster, 37 (fig.)
 (*Mansonioides*), 10, 37
 africana, 3, 37-38 (2 figs.)
 uniformis, 3, 38
Mansonioides, 37
 Marine algae of New Zealand, notes on, 340-352
 Marshall Islands
 Alcyonaria of Bikini and Other Atolls in the Marshall Group, Part I: The Gorgonacea, 195-214
 Marine Biology:
 Alcyonaria of Bikini and Other Atolls in the Marshall Group, Part I: The Gorgonacea, 195-214
 Further Notes on Cirripeds from the Ogasawara Islands, 93-99
 Hawaiian Tun Shells, 302-306
 New Sponges from the Yap Archipelago, 124-126
 Notes on the Marine Algae of New Zealand, 340-352

 Notes on Three Beaked Whales from the Aleutian Islands, 353
 Pacific Oceanic Fishery Investigations (News Note), 279
 Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tuna and Tuna-like Fishes of Hawaii, 271-277
 Range Extension of the File Fish *Monocanthus melanocephalus*, 100
Medicago sativa, 117
 Megarthinini, 8
Megarhinus, 8, 10, 29
 (*Toxorhynchites*) *inornatus*, 23
 splendens, 3, 23
Menopon gallinae, 278
Merismostigma, 179
Mesoplodon, 353
Messerschmidia, 90
 argentea, 90, 338, 339
 sp., 107
 Meteorology:
 Directional Shift of Trade Winds at Honolulu, 86-88
 Review of Concepts in Hawaiian Climatology, 215-225
Metrosideros collina, 227
 sp., 263
 Micronesia, research openings in (Note), 183
 Midway, birds on, 103-110
Mimeteomyia, 23
Mimomyia, 35
Mitella, 95
Mochlobogenes, 69
 MONACHINO, J.:
 A Revision of the Genus *Alstonia* (Apocynaceae), 133-182
 Monocanthidae, 100
Monocanthus melanocephalus, 100
Monurasperrum, 139, 141, 159-167, 180
 Moraceae, 233
 mosquitoes of New Guinea, pupae of, 3-85
Mucidus, 40
 Muriceidae, 195, 196
Muricella, 202
 englemanni, n. sp., 196, 199 (fig.), 202, 212 (plate)
Musca domestica, 278
 sorbens, 278
Musgravea, 187
Myocoptes musculus, 278
Myrionema, 348
 compactum, n. sp., 343-344 (fig.)
 primarium (= *M. foecundum* f. *majus*), 343
Myrsidea sp., 278

 National Research Council (Note), 183
 Neal, Marie C., *In Gardens of Hawaii* (News Note), 100

- nematode, new species of, 111-119
Neoculex, 69
Neothunnus macropterus, 272, 275, 276
Nephrolepis exaltata, 228
Neraudia, 231-270, esp. 237-238
 angulata sp. nov., 234, 235, 255-256, 266
 var. *angulata* var. nov., 235, 239, 240, 241, 242, 256-258 (fig.), 268
 var. *dentata* var. nov., 235, 239, 240, 241, 243, 257-259 (2 figs.), 268, 269
 glabra, 232, 253
 Kahoolawensis, 232, 266
 kauaiensis comb. nov., 232, 259, 266
 var. *Helleri* var. nov., 235, 239, 241, 243, 259, 261, 268
 var. *kauaiensis* var. nov., 235, 239, 241, 242, 243, 251, 259-260 (fig.), 261, 268, 269
 keys to species and varieties of, 238-243
 melastomaefolia, 231, 232, 235, 243-244, 248, 253, 256, 261, 267
 var. *Gaudichaudii* var. nov., 234, 235, 239, 241, 243, 244, 254-255, 268, 269
 var. *Kauaiensis*, 232, 259
 var. *melastomaefolia* var. nov., 234, 235, 239, 240, 241, 243, 244-247 (3 figs.), 248, 249, 254, 255, 268, 269
 var. *pallida* var. nov., 234, 235, 239, 240, 241, 242, 243, 255, 267
 var. *parvifolia*, 232, 234, 235, 239, 240, 242, 243, 244, 246, 247, 249, 251-254 (2 figs.), 268, 269
 var. *pubescens* var. nov., 234, 235, 239, 241, 242, 243, 244, 249-251 (2 figs.), 255, 268, 269
 var. *uncinata* var. nov., 234, 235, 239, 240, 242, 243, 244, 246, 247-249 (2 figs.), 251, 254, 255, 268, 269
 forma *truncata*, 251
 ovata, 231, 232, 234, 235, 239, 241, 242, 243, 261-264 (2 figs.), 268, 269
 pyrifolia, 232, 261
 sericea, 231, 232, 234, 235, 240, 241, 242, 243, 244, 256, 259, 264-267 (2 figs.), 268, 269
 forma *parvifolia*, 253
 sp., 299
Nerium lactescens malabaricus platyphyllus, 146, 148, 149
 tinctorium, 149, 150
 new combinations:
 Alstonia glaucescens, 144-146
 Sebusi, 157
 Finschia Carrii, 188-190
 Neraudia kauaiensis, 232, 259
 new forms:
 Villogorgia zimmermani form *pallida*, 196
 New Guinea, pupae of mosquitoes of, 3-85
 new species:
 Alectryon (§ *Mahoe*) *Mahoe*, 296-301
 Alstonia Brassii, 166-167
 Calantica (*Paracalantica*) *ikedai*, 93-96
 Calligorgia pseudoflabellum, 196
 Callithamnion levringii, 350-351 (fig.)
 Chondrilla euastra, 125-126
 Durvillea willana, 348-349
 Echinogorgia russelli, 196
 Ectocarpus brachiolus, 340
 Finschia ferruginiflora, 190
 Gigartina pachymenioides, 350 (fig.)
 Hapalospongidion durvillea, 346-347 (fig.)
 saxigenum, 347-348
 Leathesia novae-zelandiae, 347, 348
 Muricella englemanni, 196
 Myrionema compactum, 343-344 (fig.)
 Neraudia angulata, 225-226
 Paratylenchus minutus, 111-119
 Spatoglossum chapmanii, 341-343 (fig.)
 Sphacelaria stewartensis, 340-341
 Spongosorites porites, 124-125
 Villogorgia zimmermani, 196
 new status:
 Alstonia Lenormandi var. *coriacea*, 176
 var. *lanceolifera*, 176
 macrophylla var. *acuminata*, 166
 new varieties:
 Alstonia angustifolia var. *annamensis*, 160
 montana var. *filiformis*, 173-174
 neriifolia var. *glabra*, 157
 pneumatophora var. *petiolata*, 153
 scholaris var. *velutina*, 150
 Sebusi var. *szemaoensis*, 157
 venenata var. *pubescens*, 156
 vitiensis var. *novo-ebudica*, 171
 Carpophyllum plumosum var. *quercifolium*, 349
 Neraudia angulata var. *angulata*, 256-258 (fig.)
 var. *dentata*, 257-259 (2 figs.)
 kauaiensis var. *Helleri*, 261
 var. *kauaiensis*, 259-260 (fig.)
 melastomaefolia var. *Gaudichaudii*, 254-255
 var. *melastomaefolia*, 244-247 (3 figs.)
 var. *pallida*, 255
 var. *pubescens*, 249-251 (2 figs.)
 var. *uncinata*, 247-249 (2 figs.)
 News Notes, 100, 183, 279, 354
 Notes:
 Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278
 Notes on Three Beaked Whales from the Aleutian Islands, 353
 Prevention of Deterioration Abstracts, 183-184
 Range Extension of the File Fish, *Monocanthus melanocephalus*, 100
 Research Openings in Micronesia, 183
 Notes on Three Beaked Whales from the Aleutian Islands (Note), 353
 Notes on Marine Algae of New Zealand. I., 340-352
 Notornis, 293
 "nut" trees of southwest Pacific, 187-194

- Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
- Oceanodroma markhami owstoni*, 289
- Occidentales*, 141, 180
- Ochlerotatus*, 42
- Ochrosia*, 138
- ficifolia*, 179
- parviflora*, 90
- Ogasawara Islands, cirripeds from, 93-99
- Olfersia aenescens*, 131, 132
- OLIVEIRA, JULIETTE M., MAURICE B. LINFORD, and MAMORU ISHII:
- Paratylenchus minutus*, n. sp., a Nematode Parasitic on Roots, 111-119
- Ommastrephes sloani pacificus*, 286
- Ophyra chalcogaster*, 278
- nigra*, 278
- Orientales*, 142, 180
- Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120-123
- Ornithoctona plicata*, 278
- Ornithoica pusilla*, 278
- Ornithology:
- Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
- Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103-110
- The Status of Native Land Birds on Molokai, Hawaiian Islands, 226-230
- Status of Steller's Albatross, 283-295
- Oxalis corniculata* var. *viscidula*, 117
- Oxylpeurus angularis*, 278
- Pachylasma ecaudatum*, 93
- Pachymenia*, 350
- Pacific Science Board, 100, 183
- Pacific Science Council committees, chairmen of, 354
- Pacific Science*, Editors of (News Note), 100
- Pacific Oceanic Fishery Investigations (News Note), 279
- Pacouria*, 137
- Pala*, 134, 137, 138, 139, 146-155, 179, 180
- Paladelpba*, 137, 180
- angustiloba*, 152
- Palmeria dolei*, 226
- Pandanus*, 90
- spp., 90
- papaya, 91
- Paracalantica* subgen. nov., 93-96
- Paracis*, 198, 202
- orientalis*, 196, 197 (fig.), 200-202, 205 (fig.), 211 (plate)
- squamata*, 196, 198-200, 208 (fig.), 211 (plate)
- Paroreomyza maculata flammea*, 226
- Parasitology:
- Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
- Parathunnus mebachii*, 272
- Parathunnus sibi* in Hawaiian waters, 270-277
- Paratylenchus*, 111
- anceps*, 112
- besoekianus*, 112
- bukowinensis*, 112
- macrophallus*, 111
- minutus*, n. sp., 111-119
- nanus*, 112, 119
- Paratylenchus minutus*, n. sp., a Nematode Parasitic on Roots, 111-119
- Parsonia angustifolia*, 160
- Pediculus humanus* var. *capitus*, 278
- Pelea clusiaefolia*, 228
- Pemphis acidula*, 91
- PENN, GEORGE HENRY:
- The Pupae of the Mosquitoes of New Guinea, 3-85
- petrels, 104, 105, 106, 109, 289, 291
- Petrosia*, 126
- Phaeophyceae, 340-350
- Phaeormis obscura rutha*, 226
- Phaseolus aureus*, 117
- lathyroides*, 117
- Phyllacanthus thomasi*, 96
- pigeons, 107, 110, 127-132
- Pilosae*, 139, 180
- pineapple, 111-119, 120
- Pipturus*, 232, 233, 244, 254
- argenteus*, 90
- Pisonia grandis*, 90
- Pithecolobium dulce*, 339
- Placospermum*, 187
- Planchonella*, 168
- sandwicensis*, 168
- sp., 299
- Plant pathology:
- Paratylenchus minutus*, n. sp., a Nematode Parasitic on Roots, 111-119
- Plant physiology:
- Atoll Vegetation and Salinity, 89-92
- Plexauridae, 196
- Pluchea indica*, 339
- odorata*, 338, 339
- plume hunters, 104, 292-294
- Polygonum Fagopyrum*, 117
- Ponape, important arthropods of, 278
- populations of birds on Midway atoll, 109
- Portulaca oleracea*, 117, 339
- Pouzolsia*, 233, 234
- Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271-277
- Prevention of Deterioration Abstracts* (Note), 183-184
- Primnoa flabellum*, 207
- Primnoidae, 196
- Prosopis juliflora*, 339
- Proteaceae, 187, 192
- protozoa in blood of birds, 127-132

Protozoology:

- Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132
Prymnoa flabellum, 207
Pseudoboletia sp., 96
Pseudoficalbia, 29, 30
Pseudolynchia canariensis, 127, 128, 129, 131, 132
Pseudoskusea, 54
Psittacirostra psittacea, 226
Pterodroma phaeopygia sandwichensis, 228
Pupae of the Mosquitoes of New Guinea, 3-85
"puraka," 90
pyrolusite concretions in Hawaiian soils, 120-123

- Rachisoura*, 23
Radfordia affinis, 278
Ralsfia, 348
range of file fish, extension of, 100
Rapbanus sativus, 117
rat, introduction into Midway, 104, 106, 107, 110
Rattus rattus alexandrinus, 228
Rauwolfia, 138, 177, 179
Research Openings in Micronesia (Note), 183
Revision of the Genus *Alstonia* (Apocynaceae), 133-182
Rhizophora, 91
Rhodophyceae, 350-352
Richardia brasiliensis, 117
RICHARDSON, FRANK:
The Status of Native Land Birds on Molokai, Hawaiian Islands, 226-230
Richardsonia, 117
Ricinus communis, 339
rock-thrush, red-bellied, 291
Rotylenchulus reniformis, 117
Rotylenchus multicinctus, 117
Rubiaceae, 179

Sagartidae, 306

- ST. JOHN, HAROLD, and LAFAYETTE FREDERICK:
A Second Hawaiian Species of *Alectryon* (Sapindaceae): Hawaiian Plant Studies 17, 296-301
salinity of atolls, 89-92
Sapindaceae, 296
Sarcochlamys, 233
Sarcophaga knabi, 278
peregrina, 278
Sarcophycus potatorum, 349
Sarda chilensis, 276
Scaevola frutescens, 89, 90, 338, 339
sp., 104, 105, 106, 107, 108
Scalpellum, 95
SCAP, Natural Resources Section, publications of (News Note), 279
SCHEFFER, VICTOR B.:
Notes on Three Beaked Whales from the Aleutian Islands, 353
Scillaelephas, 96

- Scirpearia*, 207
erythraea, 196, 197 (fig.), 203 (fig.), 207-209, 211 (plate)
furcata, 209
var. *robusta*, 209
robusta, 209
Scleraxonia, 196-198
Seashore Treasures (News Note), 354
Semathunnus itosibi, 275
Setaria verticillata, 339
shearwaters, 104, 105, 291
shells, Hawaiian tun, 302-306
SHERMAN, G. DONALD:
Factors Influencing the Development of Laterite and Lateritic Soils in the Hawaiian Islands, 307-314
SHERMAN, G. D., A. K. S. TOM, and C. K. FUJIMOTO:
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120-123
"Siboga" Expedition, 200
Siphona irritans, 278
Skusea, 54
Smilium, 94, 95, 96
boninense, 93
hypocrites, 96
Soil Science:
Factors Influencing the Development of Laterite and Lateritic Soils in the Hawaiian Islands, 307-314
The Origin and Composition of Pyrolusite Concretions in Hawaiian Soils, 120-123
Sonchus oleraceus, 339
Sonneratia, 92
Soulamea amara, 90
South Pacific Commission, Third Session, *Proceedings* (News Note), 355
Spatoglossum chapmanii, n. sp., 341-343
cornigerum, 343
solierii, 343
The Spell of the Pacific: An Anthology (News Note), 280
Sphacelaria borneti, 341
chorizocarpa, 341
pulvinata, 344
reinkei, 341
stewartensis, n. sp., 340-341 (fig.)
sympodicarpa, 341
velutina, 344
sponges from Yap, 124-126
Spongisorites, 124, 125
placenta, 124
porites, n. sp., 124-125
suluensis, 125
Status of Steller's Albatross, 283-295
Stegomyia, 55-56
Steller's albatross, status of, 283-295
Stenotaphrum subulatum, 90
Streblonema? velutinum, 344

- Streptopelia chinensis*, 128
decaocto, 129
 STIDD, C. K., and L. B. LEOPOLD:
 A Review of Concepts in Hawaiian Climatology,
 215-225
Stolonifera, 195
Stomoxys calcitrans, 278
 storm-types in Hawaii, 215-218
Suberogorgia mollis, 196-198 (fig.), 203 (fig.),
 214 (plate)
 verriculata, 196, 198
Suberogorgiidae, 196-198
Sula sula rubripes, 131
Suriana maritima, 90
Symplocaceae, 137
Symplocos, 137, 178, 179
 coccinea var. *Benthamii*, 178

Tabernaemontana, 138, 169
 alternifolia, 146, 147
 citrifolia, 146, 149
 scholaris, 150
Tagetes erecta, 117
Taonia, 343
 "Tanager" Expedition (1922), 108, 109
 taro, 90
 Taxonomic Revision of the Genus *Neraudia*
 (*Urticaceae*), 231-270
Telopea, 187
Terminalia catappa, 91, 339
 litoralis, 90
 terns, 104, 105, 291
Terrestrial Magnetism and Atmospheric Research
 (News Note), 279
Thespesia populnea, 91, 339
Thevetia thevetioides, 339
Thuarea involuta, 91
Thunnus orientalis, 276
 thynnus, 276
 TINKER, SPENCER:
 The Hawaiian Tun Shells, 302-306
Toeplitzella, 209
 laevis, 196, 197 (fig.), 203 (fig.), 209, 211
 (plate)
 TOM, ANNIE K. S., G. DONALD SHERMAN, and
 CHARLES K. FUJIMOTO:
 The Origin and Composition of Pyrolusite
 Concretions in Hawaiian Soils, 120-123
Tonduzia, 135, 179-180
 longifolia, 179, 180
Tonna canaliculata, 302, 303, 305, 306
 dolium, 302, 303, 304, 305
 melanostoma, 302, 303, 304, 305, 306
 perdix, 302, 303, 304, 305, 306
Topsentia, 125
 Torishima ("Bird Island"), 285-289
Touchardia, 233
Trachelospermum lucidum, 179
 trade winds, shift of, at Honolulu, 86-88

Tribulus cistoides, 338, 339
Tricholaena repens, 117
Trilasmis (Trilasmis) eburnea, 96
Tripteroides, 23, 25
 (*Mimeteomyia*), 10
 argenteiventris, 23-25 (fig.)
 (*Rachisoura*), 10
 (*Tripteroides*), 9
 bimaculipes, 25-26 (fig.)
 brevipalpis, 25, 26-27 (fig.)
Triticum aestivum, 117
Triumfetta procumbens, 91
Trochalopecterum canorum, 227
Trouessartia rostrerii, 278
Tubipora musica, 195
 tunas and tuna-like fishes of Hawaii, key to,
 275-276
 tun shells, Hawaiian, 302-306

Urticaceae, 231, 233, 253
 U. S. Navy Malaria Control Teams, 3
 UTINOMI, HUZIO:
 Further Notes on Cirripeds from the Ogasawara
 Islands, 93-99
Uranotaenia, 8, 28, 29, 38
 (*Pseudoficalbia*), 10
 albescens, 29, 32-33 (fig.)
 argyrotarsis, 29, 33-35 (fig.)
 nigerrima, 3, 29, 30-31 (fig.), 32
 papua, 3, 29-30 (fig.)
 quadrimaculata, 29, 30, 32
 (*Uranotaenia*), 10
 neotibialis, 35
 setosa, 35
 tibioclada, 35

 vegetation of atolls, 89-92
Vestertia coccinea, 229
 VIETTE, PIERRE E. L.:
 Catalogue of the Heterocerous Lepidoptera from
 French Oceania, 315-337. (Inasmuch as this
 Catalogue is in itself a virtual index, the
 entries in it will not be incorporated in this
 Index to Volume III.)
Vigna marina, 91
 sinensis, 117
Villogorgia compressa, 196, 197 (fig.), 203 (fig.),
 206-207, 212 (plate)
 zimmermani, n. sp., 196, 197 (fig.), 201 (fig.),
 204-206, 213 (plate)
 form *pallida* new, 196, 197 (fig.), 201 (fig.),
 206, 213 (plate)
Vitex trifolia, 339

 Wallacea, 3
 weather:
 Directional Shift of Trade Winds at Honolulu,
 86-88
 in Hawaii, 215-225

WELSH, JAMES P.:

Range Extension of the File Fish *Monocanthus melanocephalus*, 100

WENTWORTH, C. K.:

Directional Shift of Trade Winds at Honolulu, 86-88

whales, beaked, from Aleutian Islands, 353

WHITE, C. T.:

Finschia—A Genus of "Nut" Trees of the Southwest Pacific, 187-194

Wikstroemia Hemsleyana, 157, 158

Winchia, 133, 134, 136, 137, 138, 139, 144, 180

calophylla, 144, 145, 146

glaucescens, 144, 145, 146

wind-shift at Honolulu, 86-88

winds, in Hawaii, 222-223

Wrightia, 138, 150

tinctoria, 150

Xestospongia exigua, 126

Xiphophora chondrophylla, 341, 346

Yap, new sponges from, 124-126

Zea Mays, 117

Zenaidura macroura carolinensis, 129

Zimmerman, E. C. (News Note), 279

Zinnia elegans, 117

Ziphius cavirostris, 353

Zoology:

The Alcyonaria of Bikini and Other Atolls in

the Marshall Group. Part I: The Gorgonacea, 195-214

Arthropods of Potential Medical and Veterinary Importance from Ponape, Caroline Islands, 278

Catalogue of the Heterocerous Lepidoptera from French Oceania, 315-337

Further Notes on Cirripeds from the Ogasawara Islands, 93-99

Hawaiian Tun Shells, 302-306

New Sponges from the Yap Archipelago, 124-126

Notes on Three Beaked Whales from the Aleutian Islands, 353

Observations on the *Haemoproteus* of Pigeons in Honolulu, Hawaii, 127-132

Paratylenchus minutus, n. sp., a Nematode Parasitic on Roots, 111-119

Populations of Birds on Midway and the Man-Made Factors Affecting Them, 103-110

A Preliminary Report on *Parathunnus sibi* in Hawaiian Waters and a Key to the Tunas and Tuna-like Fishes of Hawaii, 271-277

The Pupae of the Mosquitoes of New Guinea, 3-85

Range Extension of the File Fish *Monocanthus melanocephalus*, 100

The Status of Native Land Birds on Molokai, Hawaiian Islands, 226-230

The Status of Steller's Albatross, 283-295

Zosterops palpebrosa alani, 290

palpebrosus japonicus, 227