

Phyton (Horn, Austria)	<b>Vol. 46</b>	Fasc. 1	1–160	18. 12. 2006
------------------------	----------------	---------	-------	--------------

## CONTENTS

(Engl.) = Paper in English with German summary  
(Germ.) = Paper in German with English summary

SPETA F.: The genus <i>Loncomelos</i> RAF. ( <i>Hyacinthaceae- Ornithogaloideae</i> ) exemplified by three new species. (Germ.) . . . . .	1
HRIVNÁK R., GÖMÖRY D. & CVACHOVÁ A.: Inter-annual variability of the abundance and morphology of <i>Dactylorhiza majalis</i> ( <i>Orchidaceae- Orchideae</i> ) in two permanent plots of a mire in Slovakia. (Engl.) . . . .	27
DEVIĆ M., MOMČILOVIĆ I., KRSTIĆ D., MAKSIMOVIĆ V. & KONJEVIĆ R.: In vitro multiplication of willow gentian ( <i>Gentiana asclepiadea</i> L.) and the production of gentiopicrine and mangiferin. (Engl.) . . . . .	45
YANG Z., HANEKLAUS S., DE KOK L.J., SCHNUG E. & SINGH B.R.: Effect of H <sub>2</sub> S and dimethyl sulfide (DMS) on growth and enzymatic activities of <i>Rhizoctonia solani</i> and its implications for sulfur-induced resistance (SIR) of agricultural crops. (Engl.) . . . . .	55
GUTERMANN W.: Notulae Nomenclaturales 19–25 (New names and combinations to the flora of South Tyrol). (Germ.) . . . . .	71
SPITALER R. & ZIDORN C.: Rediscovery of <i>Androsace hausmannii</i> ( <i>Primulaceae</i> ) and <i>Braya alpina</i> ( <i>Brassicaceae</i> ) in North Tyrol: Implications for geobotany and listings of alpine taxa in Red Lists. (Engl.) . . . . .	83
KUČERA J. & MARHOLD K.: New records on the occurrence, distribution and chromosome numbers of <i>Cardamine amara</i> and the <i>C. pratensis</i> group ( <i>Brassicaceae</i> ) in Croatia. (Engl.) . . . . .	99
ALEGRO A. L. & ŠOŠTARIĆ R.: Morphometric characteristics within <i>Festuca valesiaca</i> agg. ( <i>Poaceae – Poae</i> ) in Istria and the status of the <i>F. illyrica</i> MARKGR.–DANN. (Engl.) . . . . .	113
BUSINSKÝ R. & KIRSCHNER J.: Nomenclatural notes on the <i>Pinus mugo</i> complex in Central Europe. (Engl.) . . . . .	129
TEPPNER H. & STABENTHEINER E.: <i>Inga feuillei</i> ( <i>Mimosaceae-Ingeae</i> ): Anther opening and polyad presentation. (Engl.) . . . . .	141
Erratum . . . . .	159
New taxa and/or new combinations as well as typifications:	
<i>Anthyllis vulneraria</i> subsp. <i>alpicola</i> (BRÜGGER) GUTERM. comb. nova ( <i>Fabaceae</i> )	72
<i>Anthyllis vulneraria</i> subsp. <i>versicolor</i> (DT. & SARNTH.) GUTERM. stat. nov. ( <i>Fabaceae</i> ) . . . . .	73
<i>Heliosperma pusillum</i> subsp. <i>pubibundum</i> (HOFFMANN.) GUTERM. stat. et comb. nov. ( <i>Caryophyllaceae</i> ) . . . . .	74
<i>Loncomelos exalbenscens</i> SPETA spec. nova ( <i>Hyacinthaceae</i> ) . . . . .	14
<i>Loncomelos tardus</i> SPETA spec. nova ( <i>Hyacinthaceae</i> ) . . . . .	11
<i>Loncomelos ulixis</i> SPETA spec. nova ( <i>Hyacinthaceae</i> ) . . . . .	5
<i>Mutellina adonidifolia</i> (GAY) GUTERM. comb. nova ( <i>Apiaceae</i> ) . . . . .	75
<i>Oxytropis xerophila</i> GUTERM. spec. nova ( <i>Fabaceae</i> ) . . . . .	76
<i>Pinus hartenbergiensis</i> LIEBICH neotypification ( <i>Pinaceae</i> ) . . . . .	134
<i>Pinus obliqua</i> SAUTER ex REICHENB. neotypification ( <i>Pinaceae</i> ) . . . . .	136
<i>Pinus uncinata</i> var. <i>pseudopumilio</i> WILLK. lectotypification ( <i>Pinaceae</i> ) . . . . .	131
<i>Pinus uncinata</i> subsp. <i>uliginosa</i> (NAUMANN) BUSINSKÝ comb. nova ( <i>Pinaceae</i> )	132
<i>Scorzoneroides montana</i> subsp. <i>melanotricha</i> (VIERH.) GUTERM. comb. nova ( <i>Asteraceae</i> ) . . . . .	78
<i>Scorzoneroides montaniformis</i> (WIDDER) GUTERM. comb. nova ( <i>Asteraceae</i> ) . .	79