



TaylorCreek
RESTORATION NURSERIES

2020 Wholesale Catalog

Production Facilities: Brodhead, WI | Baldwin City, KS





*The highest-quality native,
local-genotype plants and seed.*

With three decades of experience in growing native plants, Taylor Creek Restoration Nurseries is a leader in native plant propagation. With production facilities in southern Wisconsin and eastern Kansas, Taylor Creek supplies the entire Midwest and beyond. Our staff members have degrees in horticulture, reclamation, conservation, and land-use planning. Just as important as the diplomas, our people are passionately dedicated to the promotion and use of native species.

17921 W Smith Rd, PO Box 256
Brodhead, WI 53520
P (608) 897-8641 | F (608) 897-2044
E taylor.creek@appliedeco.com

224 E 1260 Rd
Baldwin City, KS 66006
P (785) 594-2245 | F (785) 594-2250
E taylor.creek@appliedeco.com

Philosophy and Mission

Taylor Creek Restoration Nurseries is dedicated to the genetic preservation and production of the highest-quality, native, local genotype plants of the Midwest.

What are Native, Local-Genotype Species?

“Native” merely means the species was natural to the area before European settlement. “Local-genotype” means the strain is adapted to the area in which it is found. This is a very important detail. Just because *Panicum virgatum* (Switch grass) is native to your area doesn’t mean the genotype of a particular seed is properly “local”. We can probably agree that a genotype from Texas isn’t the same as one from Minnesota – even if the species is the same – and you probably don’t want to plant it in your Minnesota prairie. When a Texas switch grass is out of place, it’s not going to do well in the temperatures and rainfall typical of the Upper Midwest . . . if it survives at all.

Our Philosophy: Work with Nature, Not Against It

Why are we so enthusiastic about native plants?

- Natives thrive year after year because they are naturally adapted to local soils and climates.
- They’re vigorous, deep-rooted plants that produce a beautiful progression of blooms and textures throughout the year and attract a variety of pollinators (bees and butterflies), wildlife and birds.
- Native plant communities infiltrate rainwater, and filter runoff naturally - better than any other systems known to or made by man.
- Established native plantings are very easy to maintain. They will thrive and bloom without fertilizers, pesticides, or watering, even in dry seasons when conventional turf lawns turn brown. Mowing is virtually eliminated and you save money through the reduced need for gas-powered lawn-care equipment, fertilizers, and chemicals.

Our Mission: Share the Science

We are passionate about native plants and the ecosystems to which they contribute great value. For thirty years, our nursery has developed a unique expertise in the propagation, use and care of native species. Education – sharing of what we have learned – is a big part of our mission, and our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

Taylor Creek Restoration Nurseries is the nursery division of Applied Ecological Services, recognized nationally as a leader in ecological consulting, design and ecological restoration contracting. Through AES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, Taylor Creek propagation expertise helps inform AES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy native species in your projects. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We’re dedicated to offering you the best plants – and growing advice – to help make your landscape a source of pride and joy!



2020 Species List

Note: Pricing and availability are subject to change.

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Achillea millefolium</i>		Yarrow		10.00	1.35	1.10
<i>Acorus americanus</i>		Sweet flag	12.50	10.00	1.35	1.10
<i>Actaea pachypoda</i>		White baneberry		45.00		
<i>Actaea rubra</i>		Red baneberry		45.00		
<i>Adiantum pedatum</i>		Maidenhair fern				
<i>Agalinis purpurea</i>	<i>Gerardia purpurea</i>	Purple false foxglove	100.00	100.00		
<i>Agalinis tenuifolia</i>		Slenderleaf false foxglove	60.00	60.00		
<i>Agastache foeniculum</i>		Fragrant lavender hyssop	17.00	16.00	1.50	
<i>Agastache nepetoides</i>		Yellow giant hyssop	34.00	34.00		
<i>Agastache scrophulariifolia</i>		Purple giant hyssop	28.00	28.00		
<i>Ageratina altissima</i>	<i>Eupatorium rugosum</i>	White snakeroot	40.00	40.00	1.35	
<i>Alisma subcordatum</i>	<i>Alisma plantago-aquatica</i>	American water plantain	5.00	4.75		
<i>Alisma triviale</i>		Large-flowered water plantain		15.00		
<i>Allium canadense</i>		Wild garlic	16.00	12.00		
<i>Allium cernuum</i>		Nodding wild onion	24.00	20.00	1.35	1.10
<i>Allium stellatum</i>		Prairie onion	26.00	21.00	1.53	
<i>Allium tricoccum</i>	<i>Allium burdickii</i>	Wild leek	55.00	50.00		
<i>Ammannia robusta</i>		Grand redstem	6.50	6.50		
<i>Ammophila breviligulata*</i>		American beachgrass				
<i>Amorpha canescens</i>		Leadplant	22.00	20.00	1.70	
<i>Amorpha fruticosa</i>		False Indigo bush	22.00	20.00		
<i>Amphicarpaea bracteata</i>		Upland hog peanut				
<i>Amsonia hubrichtii</i>		Arkansas blue star			1.53	1.25
<i>Amsonia illustris</i>		Shining blue star			1.35	1.10
<i>Amsonia tabernaemontana</i>		Eastern blue star			1.53	1.25
<i>Andropogon gerardii</i>		Big bluestem	0.80	0.60	1.35	1.05
<i>Andropogon virginicus</i>		Broom sedge bluestem			1.35	
<i>Anemone canadensis</i>		Meadow/Canada anemone	45.00	40.00	1.70	
<i>Anemone cylindrica</i>		Thimbleweed	80.00	70.00	1.25	
<i>Anemone quinquefolia*</i>		Wood anemone			4.50	
<i>Anemone virginiana</i>		Tall anemone	66.00	60.00	1.40	
<i>Angelica atropurpurea</i>		Great angelica	8.00	7.00	2.00	
<i>Antennaria neglecta</i>		Field pussy toes			2.25	
<i>Antennaria plantaginifolia</i>	<i>Antennaria parlinii</i>	Pussy toes	325.00	200.00	2.25	
<i>Apocynum acanadensis</i>		Dog bane				
<i>Apocynum androsaemifolium</i>		Spreading dogbane				
<i>Apocynum cannabinum</i>		Indian hemp				
<i>Aquilegia canadensis</i>		Wild columbine	55.00	45.00	1.50	1.10
<i>Aralia nudicaulis</i>		Wild sarsaparilla	100.00	90.00		
<i>Aralia racemosa</i>		American spikenard	200.00	163.00		
<i>Argentina anserina</i>	<i>Potentilla anserina</i>	Silverweed cinquefoil	45.00	38.00		
<i>Arisaema dracontium</i>		Green dragon	69.00	69.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Arisaema triphyllum</i>	<i>Arisaema atrorubens</i>	Jack-in-the-pulpit	50.00	37.00	3.50	
<i>Aristolochia tomentosa</i>		Dutchman's pipevine			1.90	
<i>Amoglossum atriplicifolium</i>	<i>Cacalia atriplicifolia</i>	Pale Indian plantain	27.00	18.00		
<i>Amoglossum plantagineum</i>	<i>Cacalia tuberosa / plantaginea</i>	Prairie Indian plantain	94.00	75.00		
<i>Artemisia campestris</i>		Field sagewort	20.00	15.00		
<i>Artemisia ludoviciana</i>		White sage		41.00		
<i>Asarum canadense</i>		Wild ginger		100.00	1.90	
<i>Asclepias exaltata</i>		Poke milkweed			2.75	
<i>Asclepias hirtella</i>		Tall green milkweed			2.10	
<i>Asclepias incarnata</i>		Swamp milkweed	30.00	25.00	1.25	1.10
<i>Asclepias purpurascens</i>		Purple milkweed			2.25	
<i>Asclepias speciosa</i>		Showy milkweed			1.70	
<i>Asclepias sullivanti</i>		Prairie milkweed	68.00	53.00	1.70	
<i>Asclepias syriaca</i>		Common milkweed	29.00	16.00	1.70	
<i>Asclepias tuberosa</i>		Butterfly weed	45.00	25.00	1.50	
<i>Asclepias verticillata</i>		Whorled milkweed	75.00	60.00	1.70	1.25
<i>Asclepias viridiflora</i>		Short green milkweed	113.00	94.00	2.10	
<i>Asclepias viridis</i>		Spider milkweed			1.53	
<i>Astragalus canadensis</i>		Canadian milk vetch	12.00	10.00	1.70	
<i>Astragalus crassicaarpus</i>		Prairie Plum			1.70	
<i>Athyrium filix-femina</i>		Lady fern			5.00	
<i>Avena sativa (cover crop)</i>		Seed oats	0.06	0.06		
<i>Baptisia alba</i>	<i>Baptisia leucantha</i>	White wild indigo	40.00	18.00	1.70	
<i>Baptisia australis v minor</i>		Blue indigo	29.00	26.00	1.70	
<i>Baptisia bracteata var. leucophaea</i>	<i>Baptisia leucophaea</i>	Cream wild indigo	90.00	80.00	1.70	
<i>Beckmannia syzigachne</i>		American Slough Grass	3.00	3.00		
<i>Besseyia bullii</i>		Kitten tails				
<i>Bidens aristosa</i>	<i>Bidens polyepis</i>	Bearded beggar's ticks	15.00	9.00		
<i>Bidens cernua</i>		Nodding bur marigold	18.00	18.00		
<i>Bidens connata</i>		Purplestem beggarticks	23.00	15.00		
<i>Bidens coronata</i>		Tall swamp marigold	25.00	18.00		
<i>Bidens frondosa</i>		Common beggar's ticks	24.00	20.00		
<i>Blephilia ciliata</i>		Ohio horsemint	98.00	98.00		
<i>Blephilia hirsuta</i>		Hairy pagoda plant	77.00	77.00		
<i>Boehmeria cylidrica</i>		Smallspike false nettle	30.00	25.00		
<i>Boltonia asteroides</i>	<i>Boltonia latisquama recognita</i>	False aster	14.00	12.00	1.35	
<i>Bouteloua curtipendula</i>		Side oats grama	1.10	0.95	1.25	1.10
<i>Bouteloua dactyloides</i>	<i>Buchloe dactyloides</i>	Buffalograss	1.90	1.60	1.25	
<i>Bouteloua gracilis</i>		Blue grama grass		3.50		1.10
<i>Bouteloua hirsuta</i>		Hairy grama	11.00	9.00		
<i>Brachyelytrum erectum</i>		Long awned wood grass				
<i>Brickellia eupatorioides</i>	<i>Kuhnia eupatorioides</i>	False boneset	35.00	35.00		
<i>Bromus ciliatus</i>		Fringed brome	11.00	8.00		
<i>Bromus kalmii</i>		Arctic brome	11.00	8.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Bromus latiglumis</i>		Tall brome	18.00	15.00		
<i>Bromus pubescens</i>	<i>Bromus purgans</i>	Woodland brome	22.00	18.00		
<i>Buchnera americana</i>		American bluehearts			2.25	
<i>Calamagrostis canadensis</i>		Blue joint grass	80.00	79.00	1.25	1.10
<i>Calamovilfa longifolia</i>		Sand reed grass			1.50	1.50
<i>Calla palustris</i>		Calla lily/Water arum				
<i>Callicarpa americana</i>		American beautyberry			1.70	
<i>Callirhoe bushii</i>		Bush's poppy mallow			1.35	
<i>Callirhoe involucrata</i>		Purple poppy mallow	50.00	45.00	1.35	
<i>Callirhoe triangulata</i>		Poppy mallow				
<i>Caltha palustris</i>		Marsh marigold	85.00	75.00		
<i>Camassia scilloides</i>		Wild hyacinth	65.00	55.00		
<i>Campanula rotundifolia</i>		Harebell				
<i>Campanulastrum americanum</i>	<i>Campanula americana</i>	Tall bellflower	50.00	45.00	2.50	
<i>Cardamine bulbosa</i>		Bulbous bittercress		88.00		
<i>Cardamine concatenata*</i>	<i>Dentaria laciniata*</i>	Toothwort	94.00	75.00	4.50	
<i>Carex albicans</i>		Whiteninge/Cedar Sedge			1.53	
<i>Carex amphibola</i>		Gray sedge				
<i>Carex annectens</i>		Yellow-fruited sedge	20.00	14.00	1.25	1.10
<i>Carex aquatilis aquatilis</i>	<i>Carex aquatilis altior</i>	Water sedge			1.60	
<i>Carex atherodes</i>		Wheat sedge				
<i>Carex bebbii</i>		Bebb's sedge	20.00	15.00	1.35	
<i>Carex bicknellii</i>		Bicknell's sedge	35.00	25.00	1.25	1.05
<i>Carex blanda</i>		Eastern woodland sedge			1.53	
<i>Carex brevior</i>		Short beak sedge	11.00	9.75	1.25	1.05
<i>Carex bromoides</i>		Brome hummock sedge				
<i>Carex bushii</i>		Long-scaled green sedge			1.53	
<i>Carex buxbaumii</i>		Buxbaum's sedge	44.00	40.00		
<i>Carex cephalophora</i>		Rough clustered sedge			1.70	
<i>Carex cephaloidea</i>		Thinleaf sedge				
<i>Carex cherokeensis</i>		Cherokee sedge				
<i>Carex comosa</i>		Longhair sedge	15.00	11.25	1.40	1.10
<i>Carex crawei</i>		Early fen sedge				
<i>Carex crinita</i>		Fringed sedge	14.50	13.00	1.50	
<i>Carex cristatella</i>		Crested sedge	45.00	38.00		
<i>Carex crus-corvi</i>		Crow foot fox sedge			1.25	
<i>Carex davisii</i>		Awned graceful sedge	75.00	43.00		
<i>Carex eburnea</i>		Cedar sedge			1.53	
<i>Carex emoryi</i>		Riverbank sedge			1.75	1.53
<i>Carex festucacea</i>		Fescue sedge				
<i>Carex frankii</i>		Frank's sedge		15.00	1.35	1.10
<i>Carex gracilescens</i>		Slender loose-flowered sedge				
<i>Carex gracillima</i>		Purple-sheathed graceful sedge	75.00	75.00		
<i>Carex granularis</i>		Pale sedge	35.00	32.00	1.75	
<i>Carex gravida</i>		Long-awned bracted sedge	85.00	75.00	1.75	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Carex grayi</i>		Common bur sedge	40.00	28.00	1.70	1.25
<i>Carex grisea</i>		Inflated narrow-leaf sedge	75.00	60.00		
<i>Carex haydenii</i>		Hayden's sedge	100.00	95.00	1.75	
<i>Carex hirsutella</i>	<i>Carex complanata var. hirsuta</i>	Hairy green sedge	45.00	40.00		
<i>Carex hirtifolia</i>		Pubescent sedge				
<i>Carex hyalinolepis</i>	<i>Carex lacustris var. laxiflora</i>	Common lake sedge	75.00	60.00	1.50	
<i>Carex hystericina</i>		Bottlebrush sedge	12.50	10.00	1.25	1.10
<i>Carex interior</i>		Inland sedge		33.00		
<i>Carex jamesii</i>		Grass sedge			2.25	
<i>Carex lacustris</i>		Hairy sedge	118.00	107.00	2.40	
<i>Carex lasiocarpa</i>		Woolyfruit sedge	60.00	50.00	1.65	
<i>Carex laxiflora</i>		Beech wood sedge				
<i>Carex lupuliformis</i>		Knobbed hop sedge				
<i>Carex lupulina</i>		Common hop sedge	24.00	22.00	1.70	1.50
<i>Carex lurida</i>		Shallow sedge		19.00	1.70	1.50
<i>Carex meadii</i>	<i>Carex tetanica</i>	Mead's stiff sedge	32.00	32.00		
<i>Carex molesta</i>		Field oval sedge	18.00	14.00		
<i>Carex muehlenbergii</i>		Sand bracted sedge	43.00	38.00	1.70	
<i>Carex muskingumensis</i>		Broad-leaved wooly sedge	43.00	38.00	1.25	1.05
<i>Carex normalis</i>		Spreading oval sedge	20.00	15.00	1.50	
<i>Carex oligocarpa</i>		Sparse-fruited sedge			1.70	
<i>Carex pellita</i>	<i>Carex languinosa</i>	Broad leaved woolly sedge	118.00	75.00	1.53	
<i>Carex pennsylvanica</i>		Common oak sedge	155.00	155.00	1.90	1.50
<i>Carex praegracilis</i>		Tollway sedge			1.70	1.25
<i>Carex prairea</i>		Fen paniced sedge	90.00	75.00		
<i>Carex projecta</i>		Loose-headed oval sedge				
<i>Carex radiata</i>	<i>Carex rosea var. radiata</i>	Curly wood sedge	140.00	45.00	1.70	
<i>Carex retrorsa</i>		Retrorsa sedge	20.00	11.00	1.58	
<i>Carex richardsonii</i>		Richardson's sedge			1.70	
<i>Carex rosea</i>		Curly-styled wood sedge	175.00	150.00	1.70	
<i>Carex sartwelli</i>		Sartwell's sedge	120.00	90.00	2.00	
<i>Carex scoparia</i>		Broom sedge	12.00	10.00	1.25	1.05
<i>Carex shortiana</i>		Short's sedge			1.53	
<i>Carex sparganioides</i>		Loose-headed bracted sedge	45.00	38.00	1.70	
<i>Carex sprengei</i>		Long-beaked sedge	38.00	33.00	1.70	
<i>Carex squarrosa</i>		Squarrose sedge			2.00	
<i>Carex sterilis</i>		Fen star sedge		65.00	1.70	
<i>Carex stipata</i>		Owl-fruited sedge	38.00	33.00	1.25	
<i>Carex stricta</i>		Common tussock sedge	113.00	85.00	1.35	1.10
<i>Carex subimpressa</i>		Clokey sedge			1.70	
<i>Carex swanii</i>		Swan sedge	70.00	65.00	1.70	
<i>Carex tenera</i>		Narrow-leaved oval sedge	52.00	52.00	1.70	
<i>Carex texensis</i>		Texas sedge			1.53	1.25
<i>Carex tribuloides</i>		Blunt broom sedge	40.00	34.00	1.50	
<i>Carex trichocarpa</i>		Hairyfruit sedge	50.00	50.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Carex typhina</i>		Cattail sedge	35.00	30.00	2.00	
<i>Carex utriculata</i>		Common yellow lake sedge			1.50	
<i>Carex vulpinoidea</i>		Fox sedge, Brown fox sedge	17.00	13.00	1.25	1.05
<i>Castilleja coccinea</i>		Scarlet Indian paintbrush		45.00		
<i>Caulophyllum thalictroides</i>		Blue cohosh	20.00	18.00		
<i>Ceanothus americanus</i>		New Jersey tea	100.00	90.00	1.70	
<i>Ceanothus herbaceus</i>	<i>Ceanthus ovatus</i>	Inland New Jersey tea			2.75	
<i>Celastrus scandens</i>		American bittersweet			2.50	
<i>Cephalanthus occidentalis</i>		Buttonbush	16.00	12.00	1.25	
<i>Chamaecrista fasciculata</i>	<i>Cassia fasciculata</i>	Partridge pea	3.00	3.00	1.70	
<i>Chamerion angustifolium</i>	<i>Epilobium angustifolium</i>	Fireweed	188.00	168.00		
<i>Chasmanthium (Uniola) latifolium</i>		River oats			1.35	1.10
<i>Chelone glabra</i>		Turtlehead	81.00	69.00	1.70	
<i>Chelone obliqua</i>		Rose turtlehead			1.70	1.30
<i>Cicuta maculata</i>		Water hemlock	18.00	16.00	2.00	
<i>Cinna arundinacea</i>		Common wood reed	40.00	35.00	1.70	
<i>Cirsium discolor</i>		Pasture thistle	17.00	14.00		
<i>Claytonia virginica*</i>		Spring beauty	160.00	140.00	3.50	
<i>Clematis virginiana</i>		Virgin's bower	29.00	18.00	2.00	
<i>Clinopodium arkansanum</i>	<i>Calamintha arkansana</i>	Limestone calamint			1.25	
<i>Comandra umbellata</i>		Bastard toad flax				
<i>Conoclinium coelestinum</i>	<i>Eupatorium coelestinum</i>	Blue mistflower	31.25	31.25	1.53	1.25
<i>Coreopsis lanceolata</i>		Sand coreopsis	8.00	6.00	1.25	1.05
<i>Coreopsis palmata</i>		Prairie coreopsis	55.00	50.00	1.53	1.25
<i>Coreopsis pubescens</i>		Star tickseed			1.53	
<i>Coreopsis tripteris</i>		Tall coreopsis	27.00	25.00	1.25	
<i>Corydalis sempervirens</i>		Rock harlequin			1.90	
<i>Dalea candida</i>	<i>Petalostemum candidum</i>	White prairie clover	26.00	17.00	1.35	
<i>Dalea purpurea</i>	<i>Petalostemum purpureum</i>	Purple prairie clover	9.00	6.50	1.35	
<i>Danthonia spicata</i>		Poverty oat grass	45.00	45.00	1.30	
<i>Decodon verticillatus</i>		Swamp loosestrife			2.00	
<i>Delphinium carolinianum</i>	<i>Delphinium virescens</i>	Prairie larkspur				
<i>Delphinium tricome</i>		Dwarf larkspur			2.25	
<i>Deschampsia cespitosa</i>		Tufted hairgrass	25.00	23.00	1.25	
<i>Desmanthus illinoensis</i>		Illinois sensitive plant	2.50	2.50	1.50	
<i>Desmodium canadense</i>		Showy tick trefoil	15.00	13.00	1.50	
<i>Desmodium canescens</i>		Hoary tick trefoil	69.00	69.00		
<i>Desmodium cuspidatum</i>		Largebracted tick trefoil	60.00	50.00		
<i>Desmodium glutinosum</i>		Pointed leaf tick trefoil	60.00		1.70	
<i>Desmodium illinoense</i>		Illinois tick trefoil	20.00	12.00	1.50	
<i>Diarrhena americana</i>		American beak grass	10.00	6.00	1.30	
<i>Diarrhena obovata</i>		Obvate beakgrass		25.00	1.53	
<i>Dicentra cucullaria</i>		Dutchman's britches	95.00	75.00	3.75	
<i>Dichanthelium acuminatum</i>	<i>Panicum implicatum</i>	Old-field panic grass				
<i>Dichanthelium latifolium</i>	<i>Panicum latifolium</i>	Broadleaf rosette grass				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Dichanthelium leibergii</i>	<i>Panicum leibergii</i>	Prairie panic-grass	200.00	175.00	2.00	
<i>Dichanthelium oligosanthes scrib</i>	<i>Panicum oligosanthes</i>	Scribner's panic grass			2.00	
<i>Dichanthelium sphaerocarpon</i>		Round-seed dichanthelium				
<i>Dioscorea villosa</i>		Wild yam			3.25	
<i>Dodecatheon meadia*</i>		Shooting star	145.00	98.00	2.25	
<i>Doellingeria umbellata</i>	<i>Aster umbellatus</i>	Flat-topped aster	50.00	45.00	1.40	
<i>Echinacea angustifolia</i>		Narrow purple coneflower				
<i>Echinacea atrorubens</i>		Topeka coneflower			1.70	
<i>Echinacea pallida</i>		Pale purple coneflower	24.00	18.00	1.25	1.10
<i>Echinacea paradoxa</i>		Yellow coneflower			1.53	
<i>Echinacea purpurea</i>		Broad-lvd. purple coneflower	12.00	8.00	1.25	1.05
<i>Echinacea simulata</i>		Glade coneflower			1.53	
<i>Echinocystis lobata</i>		Wild cucumber	45.00	43.00		
<i>Echinodorus berteroi</i>		Burhead				
<i>Eleocharis acicularis</i>		Needle spike rush	68.00	59.00	1.53	
<i>Eleocharis compressa</i>		Flat-stemmed spike rush	68.00	59.00		
<i>Eleocharis elliptica</i>		Golden-seed spike rush	82.00	55.00		
<i>Eleocharis erythropoda</i>		Red-rooted spike rush	55.00	45.00	1.53	
<i>Eleocharis obtusa</i>	<i>Eleocharis ovata</i>	Blunt spikerush	82.00	75.00	1.50	
<i>Eleocharis palustris</i>	<i>Eleocharis smallii</i>	Common spike rush	55.00	50.00	1.70	
<i>Elodea canadensis (BR only)</i>		Canadian waterweed				
<i>Elymus canadensis</i>		Canada wild rye	0.90	0.90	1.25	1.10
<i>Elymus hystrix</i>	<i>Hystrix patula</i>	Bottlebrush grass	15.00	8.00	1.40	1.10
<i>Elymus macgregorii</i>		MacGregor's rye grass				
<i>Elymus riparius</i>		River bank rye	2.00	1.50		
<i>Elymus trachycaulus</i>		Slender wheatgrass	0.70	0.70		
<i>Elymus villosus</i>		Silky wild rye	8.00	5.00	1.40	1.10
<i>Elymus virginicus</i>		Virginia wild rye	1.00	0.90	1.25	1.10
<i>Epilobium coloratum</i>		Cinnamon willow herb	60.00	60.00		
<i>Equisetum arvense</i>		Horsetail				
<i>Equisetum fluviatile (plants BR only)</i>		Pipes				
<i>Equisetum hyemale (plants BR only)</i>		Horse tail			1.70	
<i>Equisetum laevigatum</i>		Smooth scouring rush				
<i>Equisetum sylvaticum</i>		Woodland horsetail				
<i>Eragrostis spectabilis</i>		Purple love grass	55.00	45.00	1.70	
<i>Eragrostis trichodes</i>		Sand lovegrass			1.53	
<i>Erigeron annuus</i>		Annual fleabane	8.00	6.00		
<i>Erigeron philadelphicus</i>		Marsh fleabane				
<i>Erigeron pulchellus</i>		Robin's plantain	140.00		2.50	2.50
<i>Erigeron strigosus</i>		Daisy fleabane				
<i>Eryngium yuccifolium</i>		Rattlesnake master	35.00	30.00	1.35	1.10
<i>Erythronium albidum*</i>		Trout lily	157.00	137.00	5.00	
<i>Eupatorium altissimum</i>		Tall boneset	48.00	40.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Eupatorium fistulosum</i>		Hollow Joe Pye weed				
<i>Eupatorium perfoliatum</i>		Common boneset	35.00	32.00	1.25	1.10
<i>Eupatorium serotinum</i>		Late boneset	29.00	24.00	1.35	1.10
<i>Euphorbia corollata</i>		Flowering spurge	60.00	60.00	1.70	
<i>Eurybia macrophylla</i>	<i>Aster macrophyllus</i>	Big-leaved aster	82.00	63.00	1.70	
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	Common grass-leaved goldenrod	79.00	47.00	1.25	
<i>Eutrochium maculatus</i>	<i>Eupatorium maculatum</i> , <i>Eupatoriadelphus maculatus</i>	Spotted Joe Pye weed	28.00	24.00	1.25	
<i>Eutrochium purpureum</i>	<i>Eutrochium purpureum</i>	Purple Joe Pye weed	24.00	21.00	1.25	
<i>Festuca subverticillata</i>	<i>Festuca obtusa</i>	Nodding fescue	60.00	49.00	3.00	
<i>Filipendula rubra</i>		Queen of the prairie		69.00	1.53	
<i>Floerkea prspimpinacoides</i>		Mermaid weed	90.00	90.00		
<i>Fragaria virginiana</i>		Wild strawberry		335.00	1.53	1.25
<i>Galium aparine</i>		Sticky willy				
<i>Galium boreale</i>		Northern bedstraw	150.00	45.00	1.70	
<i>Galium circaezans</i>		Smooth wild licorice				
<i>Galium concinnum</i>		Shining bedstraw				
<i>Galium obtusum</i>		Wild madder				
<i>Gentiana alba</i> *	<i>Gentiana flavida</i>	Yellowish gentian	54.00	47.00	3.00	
<i>Gentiana andrewsii</i> *		Bottle gentian	100.00	85.00	3.00	
<i>Gentiana puberulenta</i> *		Downy gentain	160.00	138.00	3.00	
<i>Gentianella quinquefolia</i> *	<i>Gentiana quinquefolia</i>	Stiff gentian		110.00		
<i>Gentianopsis crinita</i> *	<i>Gentiana crinita</i>	Fringed gentian		75.00		
<i>Geranium maculatum</i>		Wild geranium	150.00	95.00	1.70	
<i>Geum aleppicum strictum</i>		Yellow avens	12.00	10.00		
<i>Geum laciniatum</i>		Northern rough avens				
<i>Geum rivale</i>		Purple avens				
<i>Geum triflorum</i>		Prairie smoke	200.00	200.00	1.70	
<i>Glandularia canadensis</i>		Rose verbena			1.53	
<i>Glyceria canadensis</i>		Rattlesnake manna grass	32.00	28.00	1.50	
<i>Glyceria grandis</i>		Reed manna grass	10.00	9.00	1.50	
<i>Glyceria septentrionalis</i>		Floating manna grass	35.00	35.00		
<i>Glyceria striata</i>		Fowl manna grass	27.00	19.00	1.40	
<i>Hasteola suaveolens</i>	<i>Cacalia suaveolens</i>	Sweet Indian plantain	26.00	22.00	1.70	
<i>Helenium autumnale</i>		Sneezeweed	25.00	22.00	1.25	
<i>Helianthus divaricatus</i>		Woodland sunflower	60.00	53.00	1.40	
<i>Helianthus grosseserratus</i>		Sawtooth sunflower	46.00	42.00	1.25	
<i>Helianthus hirsutus</i>		Hairy sunflower				
<i>Helianthus maximiliani</i>		Maximilian sunflower				
<i>Helianthus mollis</i>		Downy sunflower				
<i>Helianthus occidentalis</i>		Western sunflower	50.00	35.00	1.35	
<i>Helianthus pauciflorus</i>	<i>Helianthus rigidus/laetiflorus</i>	Prairie sunflower	50.00	33.00	1.40	
<i>Helianthus salicifolius</i>		Willow leaved sunflower			1.53	
<i>Helianthus strumosus</i>		Pale-leaved sunflower	45.00	31.00	1.50	
<i>Helianthus tuberosus</i>		Jerusalem artichoke				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Heliopsis helianthoides</i>		False sunflower	6.00	4.00	1.25	1.10
<i>Hepatica nobilis*</i>	<i>Hepatica acutiloba</i>	Sharp-lobed hepatica		150.00	4.50	
<i>Heracleum maximum</i>		Cow parsnip	7.50	7.50		
<i>Hesperostipa spartea*</i>	<i>Stipa spartea</i>	Porcupine grass	25.00	20.00	3.00	
<i>Heteranthera dubia</i>		Water star grass				
<i>Heuchera parviflora</i>		Little flower alumroot			1.53	
<i>Heuchera richardsonii</i>		Prairie alumroot	160.00	145.00	1.25	
<i>Hibiscus laevis</i>	<i>Hibiscus militaris</i>	Swamp mallow			1.70	
<i>Hibiscus lasiocarpus</i>		Rose mallow			1.70	
<i>Hibiscus moscheutos</i>	<i>Hibiscus palustris</i>	Swamp rose mallow	38.00	15.00	1.70	
<i>Hierochloa odorata</i>		Vanilla grass	82.00	75.00	2.00	
<i>Hordeum jubatum</i>		Squirrel-tail barley				
<i>Hydrangea arborescens</i>		Wild hydrangea			1.70	
<i>Hydrophyllum virginianum*</i>		Virginia waterleaf	75.00	50.00	1.90	
<i>Hypericum ascyron</i>	<i>Hypericum pyramidatum</i>	Great St. John's wort	13.00	10.00	1.25	
<i>Hypericum prolificum</i>	<i>Hypericum spathulatum</i>	Shrubby St. John's wort	15.00	12.00		
<i>Hypericum punctatum</i>		Spotted St. John's wort				
<i>Hypoxis hirsuta*</i>	<i>Hypoxis decumbens</i>	Yellow star grass	175.00	150.00		
<i>Iliamna rivularis</i>	<i>Iliamna remota</i>	Kankakee mallow				
<i>Impatiens capensis</i>		Orange jewelweed		75.00	1.50	
<i>Impatiens pallida</i>		Yellow jewelweed				
<i>Ionactis linariifolius</i>	<i>Aster linariifolius</i>	Flax-leaved aster	53.00	48.00	1.50	
<i>Iris cristata</i>		Dwarf crested iris			1.70	
<i>Iris fulva</i>		Copper iris			2.25	
<i>Iris veriscolor</i>		Northern blue flag iris	26.00	20.00	1.50	1.10
<i>Iris virginica</i>		Blue flag iris	20.00	15.00	1.50	1.10
<i>Juncus acuminatus</i>		Tapertip rush	20.00	13.00	1.50	
<i>Juncus canadensis</i>		Canada rush	35.00	30.00	1.50	
<i>Juncus dudleyi</i>		Dudley's rush	44.00	35.00	1.25	
<i>Juncus effusus</i>		Common rush	31.00	25.00	1.35	1.10
<i>Juncus interior</i>		Inland rush	41.00	33.00		
<i>Juncus marginatus</i>		Grass-leaved rush	41.00	40.00	2.00	
<i>Juncus nodosus</i>		Joint rush	65.00	65.00		
<i>Juncus tenuis</i>		Path rush	40.00	40.00	1.35	
<i>Juncus torreyi</i>		Torrey's rush	65.00	52.00	1.53	
<i>Justicia americana</i>		American water-willow			1.70	
<i>Koeleria cristatella</i>	<i>Koeleria macrantha</i>	June grass	20.00	17.00	1.35	
<i>Krigia biflora</i>		False dandelion			2.50	
<i>Lathyrus palustris</i>		Marsh vetchling	38.00	34.00		
<i>Leersia oryzoides</i>		Rice cut grass	25.00	20.00	1.70	
<i>Leersia virginica</i>		White grass			1.75	
<i>Lespedeza capitata</i>		Round-headed bush clover	17.00	13.00	1.40	
<i>Lespedeza violacea</i>		Violet lespedeza			4.00	
<i>Liatris aspera</i>		Rough blazing star	55.00	44.00	1.35	
<i>Liatris cylindracea</i>		Cylindrical blazing star	48.00	43.00	1.40	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Liatriis ligulistylis</i>		Meadow blazing star	55.00	55.00	1.53	
<i>Liatriis punctata</i>		Dotted blazing star	45.00	42.00	1.53	
<i>Liatriis pycnostachya</i>		Prairie blazing star	17.00	15.00	1.25	1.10
<i>Liatriis scariosa nieuwlandii</i>		Eastern blazing star			1.53	
<i>Liatriis spicata</i>		Marsh blazing star	15.00	12.00	1.25	1.10
<i>Lilium michiganense*</i>		Turk's cap lily	280.00	218.00	2.50	
<i>Lilium philadelphicum*</i>		Prairie lily	335.00	200.00	7.00	
<i>Lithospermum carolinense</i>	<i>Lithospermum croceum</i>	Hairy puccoon		165.00		
<i>Lithospermum incisum</i>		Fringed puccoon		165.00		
<i>Lobelia cardinalis</i>		Cardinal flower	100.00	80.00	1.25	1.10
<i>Lobelia inflata</i>		Indian tobacco		95.00		
<i>Lobelia siphilitica</i>		Great blue lobelia	85.00	68.00	1.25	1.10
<i>Lobelia spicata</i>		Pale spiked lobelia	140.00	140.00	1.40	
<i>Lolium multiflorum</i>		Annual rye	0.08	0.08		
<i>Low Maintenance Lawn Blend</i>		Fescue blend	0.24	0.24		
<i>Ludwigia alternifolia</i>		Seedbox	45.00	45.00		
<i>Ludwigia palustris</i>		Marsh seedbox	52.00	43.00		
<i>Ludwigia polycarpa</i>		Manyfruit primrose-willow	53.00	45.00		
<i>Lupinus perennis</i>		Wild lupine	35.00	22.00	1.25	
<i>Luzula multiflora</i>		Common wood rush	87.50	75.00	1.40	
<i>Lycopus americanus</i>		American water horehound	27.00	26.00	1.53	
<i>Lycopus uniflorus</i>		Northern bugleweed		37.00		
<i>Lysimachia ciliata</i>		Fringed loosestrife	82.00	69.00	1.30	
<i>Lysimachia quadriflora</i>		Fourflower yellow loosestrife	200.00	112.00	3.00	
<i>Lysimachia terrestris</i>		Swamp candles				
<i>Lysimachia thyrsoiflora</i>		Tufted loosestrife			2.00	
<i>Lythrum alatum</i>		Winged loosestrife	110.00	90.00	1.35	
<i>Maianthemum canadense</i>	<i>Smilacina canadense</i>	Canada mayflower			2.00	
<i>Maianthemum racemosum*</i>	<i>Smilacina racemosa</i>	Feathery false solomon's seal	28.00	26.00	3.50	
<i>Maianthemum stellatum</i>	<i>Smilacina stellata</i>	Starry false solomon's seal			5.25	
<i>Manfreda virginica</i>		False aloe			1.70	
<i>Mentha arvensis</i>		Wild mint	78.00	69.00	1.35	
<i>Mertensia virginica</i>		Virginia bluebells			3.00	
<i>Mimulus ringens</i>		Monkey flower	30.00	27.00	1.25	1.10
<i>Minuartia michauxii</i>	<i>Arenaria stricta</i>	Stiff sandwort	243.00	200.00		
<i>Mitella diphylla</i>		Bishop's cap		280.00	1.50	
<i>Moehringia lateriflora</i>		Blunt leaf stitchwort				
<i>Monarda bradburiana</i>		Beebalm			1.53	
<i>Monarda fistulosa</i>		Wild bergamot	26.00	20.00	1.25	1.10
<i>Monarda punctata</i>		Horse mint	40.00	35.00	1.35	
<i>Muhlenbergia glomerata</i>		Marsh wild timothy	45.00	30.00	1.40	
<i>Muhlenbergia mexicana</i>		Leafy satin grass		15.00	1.40	
<i>Napaea dioica</i>		Glade Mallow	11.00	7.50		
<i>Nelumbo lutea</i>		American lotus			7.00	
<i>Nuphar lutea</i>	<i>Nuphar advena</i>	Yellow waterlily			10.00	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Nuphar rubrodisca</i>		Yellow water lily				
<i>Nymphaea odorata</i>	<i>Nymphaea tuberosa</i>	American white waterlily			10.00	
<i>Oenothera biennis</i>		Common evening primrose	3.50	3.00	1.53	
<i>Oenothera clelandi</i>		Sand evening primrose			1.25	
<i>Oenothera guara</i>	<i>Guara biennis</i>	Biennel gaure	22.00	20.00		
<i>Oenothera macrocarpa</i>		Large flowered primrose			1.35	
<i>Oenothera pilosella</i>		Prairie sundrops			1.45	
<i>Oenothera speciosa</i>		Pink petticoats primrose				
<i>Oligoneuron album</i>	<i>Solidago/Aster ptarmicoides</i>	Stiff aster (goldenrod)	28.00	20.00	1.35	
<i>Oligoneuron ohioense</i>	<i>Solidago ohioensis</i>	Ohio goldenrod		22.00	1.70	
<i>Oligoneuron riddellii</i>	<i>Solidago riddellii</i>	Riddell's goldenrod	32.00	25.00	1.25	
<i>Oligoneuron rigidum</i>	<i>Solidago rigida</i>	Stiff goldenrod	26.00	22.00	1.25	1.10
<i>Onoclea sensibilis</i>		Sensitive fern				
<i>Onosmodium bejariense</i>	<i>Onosmodium molle</i>	Marbleseed		150.00		
<i>Opuntia humifusa</i>		Prickly pear cactus	31.00	31.00	1.25 - pads	
<i>Osmorhiza claytonii</i>		Hairy sweet cicely	33.00	24.00	1.50	
<i>Osmorhiza longistylis</i>		Smooth sweet cicely	33.00	24.00		
<i>Osmunda cinnamomea</i>		Cinnamon fern			5.00	
<i>Osmunda claytoniana</i>		Interrupted fern			5.25	
<i>Osmunda regalis spectabilis</i>		Royal fern			5.25	
<i>Oxalis violacea*</i>		Wood sorrel			1.50	
<i>Oxypolis rigidior</i>		Cowbane	72.00	60.00	4.80	
<i>Packera aurea</i>	<i>Senecio aurea</i>	Golden ragwort			2.00	
<i>Packera obovata</i>	<i>Senecio obovatus</i>	Squaw weed			1.90	1.50
<i>Packera paupercula</i>	<i>Senecio pauperculus</i>	Balsam ragwort			1.35	
<i>Packera plattensis</i>	<i>Senecio plattensis</i>	Prairie groundsel	87.00	80.00	1.35	
<i>Panicum oligoanthos</i>		Few-flowered panic grass				
<i>Panicum virgatum</i>		Switch grass	0.75	0.60	1.25	1.05
<i>Parthenium integrifolium</i>		Wild quinine	11.00	9.00	1.35	
<i>Pascopyrum smithii</i>	<i>Agropyron smithii</i>	Western wheatgrass	12.00	9.00		
<i>Pedicularis canadensis*</i>		Wood betony	131.00	93.00		
<i>Pedicularis lanceolata*</i>		Swamp lousewort	31.00	10.00		
<i>Peltandra virginica</i>		Green arrow arum			1.90	
<i>Penstemon calycosus</i>		Small beardtongue	14.00	13.00	1.35	
<i>Penstemon cobaea</i>		Large flowered penstemon			1.53	
<i>Penstemon digitalis</i>		Beardtongue	24.00	18.00	1.25	1.10
<i>Penstemon grandiflorus</i>		Large-flowered beard tongue				
<i>Penstemon hirsutus</i>		Hairy beardtongue	24.00	18.00	1.70	
<i>Penstemon pallidus</i>		Pale beard tongue	120.00	100.00		
<i>Penstemon tubaeiflorus</i>		Western beard tongue				
<i>Penthorum sedoides</i>		Ditch stonecrop	14.00	8.00	1.65	
<i>Phemeranthus calycinus</i>	<i>Talinum calycinum</i>	Rock pink			1.70	
<i>Phleum pretense</i>		Timothy	0.22	0.22		
<i>Phlox bifida</i>		Cleft phlox			1.70	
<i>Phlox divaricata</i>		Blue/Woodland phlox	180.00	160.00	1.53	1.25

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Phlox glaberrima</i>		Marsh phlox		155.00	1.53	
<i>Phlox maculata</i>		Wild sweetwilliam		40.00		
<i>Phlox paniculata</i>		Garden phlox			1.70	
<i>Phlox pilosa</i>		Sand prairie phlox	155.00	110.00	1.70	
<i>Phryma leptostachya</i>		Lopseed	45.00	40.00		
<i>Physostegia virginiana</i>		Prairie obedient plant	25.00	20.00	1.35	1.10
<i>Phytolacca americana</i>		Pokeweed	7.50	7.50		
<i>Poa palustris</i>		Fowl bluegrass	3.50	3.50		
<i>Podophyllum peltatum*</i>		Mayapple		150.00	2.25	
<i>Polemonium reptans</i>		Jacob's ladder	115.00	105.00	2.50	
<i>Polygonatum biflorum</i>	<i>Polygonatum canaliculatum</i>	Smooth Solomon's seal	24.00	23.00	3.50	
<i>Polygonum amphibium</i>	<i>Polygonum coccineum</i>	Longroot smartweed	26.00	22.00		
<i>Polygonum amphibium stipulaceum</i>		Water smartweed	26.00	26.00		
<i>Polygonum hydropiperoides</i>		Mild water pepper	9.50	7.50		
<i>Polygonum lapathifolium</i>		Curly-topped knotweed	4.00	3.00		
<i>Polygonum pensylvanicum</i>		Pinkweed	4.00	3.00		
<i>Polygonum sagittatum</i>		Lady's tearthumb	55.00	47.00		
<i>Polygonum virginiana</i>		Jumpseed				
<i>Polygonum virginianum</i>	<i>Tovara virginiana</i>	Woodland knotweed		25.00		
<i>Polystichum acrostichoides</i>		Christmas fern			5.00	
<i>Pontederia cordata</i>		Pickerel weed	40.00	39.00	2.75	
<i>Potamogeton natans</i>		Floating pondweed				
<i>Potamogeton nodosus*</i>		Pondweed (BR only)				
<i>Potentilla anserina</i>		Silverweed cinquefoil				
<i>Potentilla arguta</i>	<i>Drymocallis arguta</i>	Prairie cinquefoil	35.00	30.00	1.35	
<i>Potentilla simplex</i>		Common cinquefoil				
<i>Prenanthes alba</i>		Lion's foot	175.00	118.00	2.25	
<i>Prenanthes racemosa</i>		Glaucous white lettuce		118.00		
<i>Pseudognaphalium obtusifolium</i>	<i>Gnaphalium obtusifolium</i>	Rabbit tobacco		25.00		
<i>Pulsatilla patens</i>	<i>Anemone patens wolfgangiana</i>	Pasque flower	55.00	42.00	2.50	
<i>Pycnanthemum tenuifolium</i>		Slender mountain mint	55.00	42.00	1.35	1.10
<i>Pycnanthemum virginianum</i>		Virginia mountain mint	65.00	60.00	1.35	
<i>Ranunculus abortivus</i>		Little leaf buttercup				
<i>Ranunculus fascicularis</i>		Early buttercup	45.00			
<i>Ranunculus hispidus</i>	<i>Ranunculus septentrionalis</i>	Rough buttercup	45.00			
<i>Ranunculus sceleratus</i>		Cursed buttercup	55.00	52.00		
<i>Ranunculus septentrionalis</i>	<i>R. hispidus</i>	Rough buttercup	45.00			
<i>Ratibida columnifera</i>		Upright coneflower		7.00	1.35	
<i>Ratibida pinnata</i>		Yellow coneflower	20.00	16.00	1.25	1.10
<i>Regreen Tritium aestivum x Elymus trachycaulus</i>	<i>Regreen (Winter wheat x slender wheatgrass)</i>	Regreen	0.35	0.35		
<i>Rorippa palustris</i>	<i>Rorippa islandica</i>	Yellow cress	18.00	14.50		
<i>Rosa arkansana</i>		Prairie rose	42.00	25.00		
<i>Rosa blanda</i>		Early wild rose	44.00	40.00	2.00	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Rosa carolina</i>		Carolina rose	44.00	40.00	3.00	
<i>Rosa palustris</i>		Swamp rose	42.00	37.00	3.00	
<i>Rosa x rudiuscula</i>	<i>Rosa arkansana/carolina hybrid</i>	Hybrid arkansana x carolina			3.00	
<i>Rosa setigera</i>		Savanna rose	42.00	37.00	3.00	
<i>Rudbeckia fulgida speciosa</i>	<i>Rudbeckia speciosa</i>	Orange coneflower		52.00	1.53	
<i>Rudbeckia fulgida umbrosa</i>		Orange coneflower			1.25	1.10
<i>Rudbeckia fulgida sullivantii</i>	<i>Rudbeckia fulgida</i>	Showy black-eyed Susan			1.53	
<i>Rudbeckia hirta</i>		Black-eyed Susan	5.00	3.00	1.53	
<i>Rudbeckia laciniata</i>		Wild golden glow	23.00	17.00	1.35	
<i>Rudbeckia missouriensis</i>		Missouri black-eyed Susan			1.35	
<i>Rudbeckia subtomentosa</i>		Sweet black-eyed Susan	20.00	16.00	1.35	
<i>Rudbeckia triloba</i>		Brown-eyed Susan	15.00	11.00	1.35	
<i>Ruellia humilis*</i>		Wild petunia, Hairy ruella	50.00	40.00	1.53	
<i>Rumex altissimus</i>		Pale dock	19.00	15.00	1.70	
<i>Rumex brittanica</i>		Great white dock			1.70	
<i>Rumex orbiculatus</i>		Great water dock	19.00	15.00	1.70	
<i>Rumex verticillatus</i>		Swamp dock	19.00	15.00	1.70	
<i>Sabatia angularis</i>		Rosepink			1.53	
<i>Sagittaria graminea</i>		Grass leaved-duck potato				
<i>Sagittaria latifolia</i>		Broad-leaved duck potato	20.00	20.00	1.53	
<i>Sagittaria rigida</i>		Stiff arrowhead				
<i>Salvia azurea</i>		Blue sage			1.53	1.25
<i>Sanguinaria canadensis</i>		Bloodroot	53.00	45.00	4.50	
<i>Sanicula marilandica</i>		Snakeroot	53.00	45.00	1.50	
<i>Saururus cernuus</i>		Lizard's tail			1.90	
<i>Saxifraga pensylvanica</i>		Eastern swamp saxifrage	81.00	75.00		
<i>Schizachyrium scoparium</i>	<i>Andropogon scoparius</i>	Little bluestem	1.50	1.50	1.25	1.05
<i>Schoenoplectus acutus</i>	<i>Scirpus acutus</i>	Hard-stemmed bulrush	30.00	25.00	1.35	
<i>Schoenoplectus fluviatilis</i>	<i>Scirpus fluviatilis</i>	River bulrush	16.00	12.00	1.35	1.05
<i>Schoenoplectus pungens</i>	<i>Scirpus pungens/americanus</i>	Chairmaker's rush	45.00	40.00	1.50	
<i>Schoenoplectus tabernaemontani</i>	<i>Scirpus validus creber</i>	Soft-stem bulrush	16.00	12.00	1.35	1.05
<i>Scirpus atrovirens</i>		Green bulrush	6.00	5.00	1.25	1.05
<i>Scirpus cyperinus</i>		Wool grass	10.00	9.00	1.25	1.05
<i>Scirpus lineatus</i>		Drooping bulrush				
<i>Scirpus pendulus</i>		Red bulrush	43.00	17.00	1.35	1.10
<i>Scleria triglomerata</i>		White nutrush				
<i>Scrophularia lanceolata</i>		Early figwort	45.00	32.00	1.53	
<i>Scrophularia marilandica</i>		Late figwort	26.00	22.00	1.53	
<i>Scutellaria galericulata</i>	<i>Scutellaria epilobiifolia</i>	Marsh skullcap	90.00	84.00		
<i>Scutellaria incana</i>		Hoary skullcap			1.70	
<i>Scutellaria lateriflora</i>		Mad dog skullcap	43.00	43.00		
<i>Scutellaria ovata</i>		Heart leaf skullcap				
<i>Secale cereale</i>		Winter rye	0.08	0.08		
<i>Sedum ternatum</i>		Wild stonecrop			1.53	
<i>Senna hebecarpa</i>	<i>Cassia hebecarpa</i>	Wild senna	9.00	6.00	1.50	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Silene nivea</i>		Snowy campion				
<i>Silene regia</i>		Royal catchfly	90.00	84.00	1.75	
<i>Silene stellata</i>		Starry campion	145.00	95.00	1.75	
<i>Silphium integrifolium</i>		Rosin weed	19.00	16.00	1.50	
<i>Silphium laciniatum</i>		Compass plant	26.00	22.00	1.35	
<i>Silphium perfoliatum</i>		Cup plant	13.00	9.00	1.35	
<i>Silphium terebinthinaceum</i>		Prairie dock	24.00	19.00	1.35	
<i>Sisyrinchium albidum*</i>		Common blue-eyed grass	118.00	85.00	2.40	
<i>Sisyrinchium angustifolium*</i>		Narrow-leaved blue-eyed grass	118.00	85.00	2.40	
<i>Sisyrinchium campestre</i>		Prairie blue-eyed grass	118.00	85.00	2.00	
<i>Sium suave*</i>		Hemlock waterparsnip	50.00	46.00	2.00	
<i>Smilax herbacea</i>		Carrion flower	23.00	16.00		
<i>Smilax lasioneura</i>		Smooth carrion flower				
<i>Solidago caesia</i>		Blue stemmed goldenrod	150.00	130.00	1.75	
<i>Solidago canadensis</i>		Canada goldenrod	34.00	29.00		
<i>Solidago drummondii</i>		Cliff goldenrod			1.53	
<i>Solidago flexicaulis</i>		Broad-leaved goldenrod	95.00	95.00	1.53	
<i>Solidago gigantea</i>		Late goldenrod	113.00	88.00	1.15	
<i>Solidago juncea</i>		Early goldenrod	35.00	30.00	1.75	
<i>Solidago missouriensis</i>		Missouri goldenrod	42.00	35.00	1.70	
<i>Solidago nemoralis</i>		Old-field goldenrod	35.00	30.00	1.35	
<i>Solidago patula</i>		Swamp goldenrod			1.70	
<i>Solidago rugosa</i>	<i>Solidago drummondii</i>	Wrinkle leaf goldenrod			1.53	
<i>Solidago speciosa</i>		Showy goldenrod	50.00	30.00	1.35	1.10
<i>Solidago ulmifolia</i>		Elm-leaved goldenrod	46.00	42.00	1.53	
<i>Sorghastrum nutans</i>		Indian grass	0.65	0.50	1.25	1.05
<i>Sparganium americanum</i>		American bur reed			1.50	
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	Narrow-leaved bur reed	25.00	16.00		
<i>Sparganium eurycarpum</i>		Common bur reed	10.00	8.00	1.53	
<i>Spartina pectinata</i>		Prairie cord grass	13.00	12.00	1.25	1.05
<i>Sphenopholis intermedia</i>		Slender wedge grass	120.00	100.00	1.70	
<i>Sphenopholis obtusata</i>		Prairie wedge grass	14.00	12.00		
<i>Spigelia marilandica</i>		Indian pink			2.25	
<i>Spiraea alba</i>		Meadow sweet	63.00	56.00	3.00	
<i>Spiraea tomentosa</i>		Steeple bush			2.00	
<i>Spiranthes cernua</i>		Nodding ladies tresses	280.00	250.00		
<i>Spiranthes magnicamporum</i>		Great plains ladies tresses				
<i>Sporobolus compositus</i>	<i>Sporobolus asper</i>	Composite dropseed	4.00	3.75		
<i>Sporobolus cryptandrus</i>		Sand dropseed	4.00	3.75		
<i>Sporobolus heterolepis</i>		Prairie dropseed	22.00	16.00	1.25	1.25
<i>Stachys aspera</i>	<i>Stachys hyssopifolia ambigua</i>	Rough hedge nettle	45.00	45.00		
<i>Stachys pilosa</i>	<i>Stachys palustris homotricha</i>	Marsh hedge nettle	40.00			
<i>Stachys tenuifolia</i>		Smooth nettle hedge	45.00			
<i>Stuckenia pectinata</i>	<i>Potamogeton pectinatus</i>	Sago pondweed				
<i>Stylophorum diphyllum</i>		Celandine poppy			2.25	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Symphotrichum cordifolium</i>	<i>Aster sagittifolius</i> , <i>A. cordifolius</i>	Arrow-leaved aster	120.00	95.00	1.70	
<i>Symphotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	30.00	21.00	1.70	
<i>Symphotrichum dumosum</i>	<i>Aster dumosus</i>	Rice-button aster				
<i>Symphotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	1.70	
<i>Symphotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	42.00	36.00	1.35	
<i>Symphotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicled aster	48.00	44.00	1.35	
<i>Symphotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	70.00	70.00	1.35	
<i>Symphotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	50.00	45.00	1.25	1.10
<i>Symphotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	41.00	25.00	1.25	1.10
<i>Symphotrichum ontarionis</i>	<i>Aster ontarius</i>	Ontario aster			1.25	
<i>Symphotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	55.00	50.00	1.35	
<i>Symphotrichum patens</i>	<i>Aster patens</i>	Late purple aster			1.35	
<i>Symphotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	35.00	25.00	1.25	
<i>Symphotrichum praealtum</i>	<i>Aster praealtus</i>	Willow aster		85.00	1.70	
<i>Symphotrichum prenanthoides</i>	<i>Aster prenanthoides</i>	Crooked-stemmed aster		85.00		
<i>Symphotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	55.00	55.00	1.35	
<i>Symphotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	54.00	40.00	1.53	
<i>Symphotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	90.00	85.00	1.70	
<i>Symphotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	120.00	95.00	1.78	
<i>Taenidia integerrima</i>		Yellow pimpernel	85.00	65.00		
<i>Tephrosia virginiana</i>		Goats rue	65.00	40.00	1.70	
<i>Teucrium canadense</i>		Wood germander	35.00	32.00	1.35	
<i>Thalictrum dasycarpum</i>		Purple meadow rue	25.00	22.00	1.70	
<i>Thalictrum dioicum</i>		Early meadow rue	77.00	75.00	2.75	
<i>Thalictrum revolutum</i>		Waxy meadow rue	77.00	75.00		
<i>Thalictrum thalictroidse</i>	<i>Anemonenella thalictroides</i>		93.00	78.00	4.50	
<i>Thaspium trifoliatum</i>		Purple meadowparsnip	45.00	35.00		
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris</i>	Marsh shield fern			8.00	
<i>Tiarella cordifolia</i>		Heartleaf foamflower			1.90	
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	60.00	55.00	1.53	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	40.00	35.00	1.53	1.25
<i>Tradescantia ohiensis</i>		Spiderwort	28.00	25.00	1.35	
<i>Trillium erectum</i>		Red trillium				
<i>Trillium grandiflorum</i>		White trillium			4.75	
<i>Trillium recurvatum</i>		Prairie trillium				
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	50.00	43.00		
<i>Triosteum aurantiacum</i>		Early horse gentian				
<i>Triosteum perfoliatum</i>		Late horse gentian		29.00		
<i>Tripsacum dactyloides</i>		Eastern gamma grass		2.50		1.05
<i>Uvularia grandiflora</i>		Bellwort	94.00	75.00	3.25	
<i>Vallisneria americana</i>		American eelgrass			2.40	
<i>Verbena hastata</i>		Blue vervain	10.00	7.00	1.25	
<i>Verbena stricta</i>		Hoary vervain	15.00	12.00	1.25	
<i>Verbena urticifolia</i>		White vervain	15.00	11.25		
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	19.00	18.00	1.70	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32 Cell Plug	50 Cell Plug
<i>Vernonia arkansana</i>		Curly-topped ironweed			1.70	
<i>Vernonia baldwinii</i>		Western ironweed			1.53	
<i>Vernonia fasciculata</i>		Common ironweed	30.00	20.25	1.35	
<i>Vernonia missurica</i>		Missouri ironweed				
<i>Veronica americana</i>		American brooklime				
<i>Veronicastrum virginicum</i>		Culver's root	90.00	80.00	1.35	
<i>Viola pedata*</i>		Bird's foot violet	260.00	220.00	4.50	
<i>Viola pedatifida*</i>	<i>Viola palmata</i>	Prairie violet	130.00	115.00	2.50	
<i>Viola pubescens</i>		Yellow violet	165.00	140.00		
<i>Viola sororia</i>		Common violet	130.00	115.00		
<i>Xyris torta</i>		Slender yellow eyed grass				
<i>Zizia aptera</i>		Heart leaved Golden Alexander	55.00	50.00	1.53	
<i>Zizia aurea</i>		Golden Alexanders	18.00	12.00	1.53	1.00



Pricing and Product Information

Pricing and availability are subject to change; prices are for in-stock items only. We are pleased to broker items from other native nurseries for your convenience. Please contact us for this service.

Contract Growing Qualifications

Custom Grow 50: Requires an 800-plant minimum and 12 weeks advance notice.

Wholesale 32/38 Cell Contract Grow: Requires a minimum 12 weeks advance for most species.

All contract growing orders and early orders require a 15% down payment.

Quantity Discounts are also offered. Please call for pricing.







Contract Growing & Custom Propagation

We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes. Our experience propagating plants for projects through the Midwest gives us the knowledge to grow almost any species to meet your project's specification.

We can custom-grow to meet most any genotype requirements for restoration projects.

Please note that contract growing requires a minimum of 120 days lead time, a non-refundable security deposit, and an agreed upon ship date. We encourage you to speak with your representative or member of our staff to see if a contract-grow is a good fit for your needs.

2020 Wholesale Seed Mix Pricing

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

Upland Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Clay Soils - Mesic Prairie Mix	55	609.0	\$830.00	P27
DOT - Native Substitutions Mix	42	139.0	\$345.00	P28
Dry Prairie General - MN DOT 35-221	98	584.0	\$725.00	P28
Herbicide Tolerant Shortgrass Prairie Mix	40	139.0	\$570.00	P29
Herbicide Tolerant Tallgrass Prairie Mix	40	137.0	\$620.00	P29
High Diversity Prairie Mix	65	603.0	\$1,106.00	P30
Landfill Basic Mix	42	125.0	\$315.00	P30
Mesic Prairie -MN DOT 35-241	60	584.0	\$510.00	P31
Mesic Prairie Southeast - MN DOT Mix 35-641	38	192.0	\$395.00	P31
Native Grass Mix - use for IL DOT Class 4	310	1,328.0	\$364.00	P33
Native Cover Crop Dry to Dry-Mesic	40	631.0	\$161.00	P32
Prairie STRIPS for Dry to Dry Mesic	40	87.0	\$225.00	P34
Woodland Mix	59	5.5	\$150.00	* per 1,000 sq ft P37
Woodland Edge MN DOT 36-211	52	552.0	\$680.00	P37

Pollinator Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Color Explosion Meadow	1,068	3,227.0	\$1,350.00	P27
Diversity Meadow	45	148.0	\$705.00	P27
Knee High Meadow	54	74.0	\$1,150.00	P30
Long Summer Meadow	41	141.0	\$560.00	P31
Monarch Way Station	1,382	1.5	\$42.00	* per packet P32
Native Wildflower Garden Mix	102	1.4	\$35.00	* per packet P33
Pollinator Magnet Meadow	55	199.0	\$620.00	P33
Pollinator-Friendly Mix	55	80.0	\$695.00	P33
Solar Field Mix - Pollinator Friendly Dry to Dry - Mesic		varies - call for information		P35
Solar Field Mix - Pollinator Friendly Wet to Wet - Mesic		varies - call for information		P36

Wet Seed Mixes

Seed Mix	seeds per square foot	ounces per acre	\$ per acre	page number
Dry Swale / Pond - MN DOT Mix 33-262	100	298.0	\$385.00	P28
Emergent Wetland - MN DOT 34-181	107	80.0	\$1,150.00	P28
Herbicide Tolerant High Stature Wet-Mesic Prairie Mix	45	122.0	\$785.00	P29
Herbicide Tolerant Low Stature Wet-Mesic Prairie Mix	45	119.0	\$615.00	P29
Native Construction - MN DOT Mix 32-241	74	608.0	\$250.00	P32
Native Cover Crop Wet to Wet-Mesic	42	234.0	\$95.00	P33
Prairie STRIPS for Wet-Mesic to Mesic	40	84.0	\$155.00	P34
Shoreline Mix	55	96.0	\$382.00	P35
Swale and Basin Mix	55	281.0	\$715.00	P35
Wet Meadow South & West - MN Mix 34-271	184	192.0	\$945.00	P37
Wet Prairie - MN Mix 34-262	120	127.0	\$860.00	P36
Wetland Rehabilitation - MN Mix 34-171	279	84.8	\$434.00	P36

Conservation Seed Mixes

Seed Mix	seeds per square foot		state	height	bloom	zone	type
IA CP42 Monarch Dry to Mesic	40	call for quote	IA	1'-4'	Early-Middle-Late	DP/MP	Meets Iowa's Monarch, CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
IA CP42 Monarch Mesic to Wet	40	call for quote	IA	1'-7'	Early-Middle-Late	MP/WP	Meets Iowa's Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
IA CP42 Pollinator Habitat Dry to Mesic	40	call for quote	IA	1'-4'	Early-Middle-Late	DP/MP	Meets Iowa's CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
IA CP42 Pollinator Habitat Mesic to Wet	40	call for quote	IA	1'-7'	Early-Middle-Late	MP/WP	Meets Iowa's CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
IA CRP 327 Dry to Mesic	40	call for quote	IA	1'-7'	Early-Middle-Late	DP/MP	Meets Iowa's 327 Conservation Cover standards - suitable for dry to mesic prairie settings
IA CRP 327 Mesic to Wet	40	call for quote	IA	1'-7'	Early-Middle-Late	MP/WP	Meets Iowa's 327 Conservation Cover standards - suitable for mesic to wet prairie settings
IL CP42 Monarch Dry to Mesic	30	call for quote	IL	1'-4'	Early-Middle-Late	DP/MP	Meets Illinois' Monarch, CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
IL CP42 Monarch Mesic to Wet	30	call for quote	IL	1'-7'	Early-Middle-Late	MP/WP	Meets Illinois' Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
IL CP42 Pollinator Habitat Dry to Mesic	30	call for quote	IL	1'-4'	Early-Middle-Late	DP/MP	Meets Illinois' CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
IL CP42 Pollinator Habitat Mesic to Wet	30	call for quote	IL	1'-7'	Early-Middle-Late	MP/WP	Meets Illinois' CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
IL CRP 327 Dry to Mesic	30	call for quote	IL	1'-7'	Early-Middle-Late	DP/MP	Meets Illinois' 327 Conservation Cover standards - suitable for dry to mesic prairie settings
IL CRP 327 Mesic to Wet	30	call for quote	IL	1'-7'	Early-Middle-Late	MP/WP	Meets Illinois' 327 Conservation Cover standards - suitable for mesic to wet prairie settings
WI CP42 Monarch Dry to Mesic	30	call for quote	WI	1'-4'	Early-Middle-Late	DP/MP	Meets Wisconsin's Monarch, CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
WI CP42 Monarch Mesic to Wet	30	call for quote	WI	1'-7'	Early-Middle-Late	MP/WP	Meets Wisconsin's Monarch, CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
WI CP42 Pollinator Habitat Dry to Mesic	30	call for quote	WI	1'-4'	Early-Middle-Late	DP/MP	Meets Wisconsin's CP42, 327 and 643 standards - suitable for dry to mesic prairie settings
WI CP42 Pollinator Habitat Mesic to Wet	30	call for quote	WI	1'-7'	Early-Middle-Late	MP/WP	Meets Wisconsin's CP42, 327 and 643 standards - suitable for mesic to wet prairie settings
WI CRP 327 Dry to Mesic	30	call for quote	WI	1'-7'	Early-Middle-Late	DP/MP	Meets Wisconsin's 327 Conservation Cover standards - suitable for dry to mesic prairie settings
WI CRP 327 Mesic to Wet	30	call for quote	WI	1'-7'	Early-Middle-Late	MP/WP	Meets Wisconsin's 327 Conservation Cover standards - suitable for mesic to wet prairie settings

2020 Wholesale Seed Mixes (A-Z)

Clay Soils · Mesic Prairie Mix

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS: Asclepias syriaca (Common milkweed), Coreopsis tripteris (Tall coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, **Desmodium illinoense (Illinois tick trefoil)**, Eryngium yuccifolium (Rattlesnake master), Eupatorium altissimum (Tall boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Heliopsis helianthoides (False sunflower), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Silphium perfoliatum (Cup plant), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum pilosum (Hairy aster), Verbena hastata (Blue vervain)

Total \$830/ac

seeds/sq ft	55	lbs/ac	8
-------------	----	--------	---

- Includes a minimum of 3 grasses/sedges and 8 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Color Explosion Meadow · Best of Both Worlds Meadow Mix

SPECIES: Allium cernuum (Nodding wild onion), Asclepias verticillata (Whorled milkweed), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, Liatris cylindracea (Cylindrical blazing star), Low Maintenance Lawn Blend (Fescue blend), Lupinus perennis (Wild lupine), Monarda punctata (Horse mint), Oligoneuron album (Stiff aster [goldenrod]), Symphyotrichum sericeum (Silky aster)

Total \$1,350/ac

seeds/sq ft	1,068	lbs/ac	202
-------------	-------	--------	-----

- Usually about 2 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Diversity Meadow · Low Growing Pollinator Meadow: Diverse Option

SPECIES: Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Sideoats grama), Carex bicknellii (Bicknell's/Prairie sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Echinacea pallida (Pale purple coneflower), Kuhnia eupatorioides corymbis (False boneset), Liatris aspera (Rough blazing star), Liatris cylindracea (Cylindrical blazing star), Monarda punctata (Dotted/Horse mint), Penstemon digitalis (Foxglove beard tongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky blue aster), Sporobolus heterolepis (Prairie dropseed), Schizachyrium scoparium (Little bluestem grass)

Total \$705/ac

seeds/sq ft	45	lbs/ac	9.25
-------------	----	--------	------

- Usually about 3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Dry Prairie · MN 35-221

SPECIES: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side Oats Grama), Bouteloua gracilis (Blue grama grass), Bromus kalmia (Arctic brome), Elymus canadensis (Canada wild rye), Koeleria macrantha (June grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed), Agastache foeniculum (Lavender hyssop), **Amorpha canescens (Leadplant)**, Asclepias tuberosa (Butterfly weed), Astragalus canadensis (Canadian milk vetch), Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, Dalea purpurea (Purple prairie clover), **Desmodium canadense (Showy tick trefoil)**, Helianthus pauciflorus (Prairie sunflower), Liatris aspera (Rough blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod) Penstemon grandifloras (Large-flowered beard tongue), Rudbeckia hirta (Black-eyed Susan) Solidago nemoralis (Old-field goldenrod), Symphyotrichum ericoides (Heath aster), Symphyotrichum leave (Smooth blue aster), Verbena stricta (Hoary vervain), Avena sativa (cover crop) (Seed oats)

Total \$852/ac

seeds/sq ft	77	lbs/ac	36.5
-------------	----	--------	------

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

DOT · Native Substitutions Mix

SPECIES: Andropogon gerardii (Big bluestem), Elymus canadensis (Canada wild rye), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Carex annectens (Yellow-fruited sedge), **Chamaecrista fasciculata (Partridge pea)**, **Dalea purpurea (Purple prairie clover)**, Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

Total \$345/ac

seeds/sq ft	45	lbs/ac	8.69
-------------	----	--------	------

- Consider using this all-native mix in place of DOT mixes containing non-native aggressors
- Appropriate for Wet-Mesic to Dry-Mesic settings across the Upper Midwest
- Provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Dry Swale / Pond · MN DOT 33-262

SPECIES: Andropogon gerardii (Big bluestem), Beckmannia syzigachne (American Slough Grass), Bromus ciliates (Fringed brome), Elymus virginicus (Virginia wild rye), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass), Asclepias incarnata (Swamp milkweed), **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Heliopsis helianthoides (False sunflower), Rudbeckia hirta (Black-eyed Susan), Verbena hastata (Blue vervain), Avena sativa (cover crop) (Seed oats)

Total \$385/ac

seeds/sq ft	149	lbs/ac	18.62
-------------	-----	--------	-------

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Emergent Wetland · MN DOT 34-181 Mix

SPECIES: Beckmannia syzigachne (American Slough Grass), Glyceria grandis (Reed manna grass), Leersia oryzoides (Rice cut grass), Carex comosa (Longhair sedge), Carex lacustris (Hairy sedge), Carex stricta (Common tussock sedge), Eleocharis acicularis (Needle spikerush), Eleocharis palustris (Common spike rush), Juncus torreyii (Torrey's rush), Schoenoplectus fluviatilis (River bulrush), Schoenoplectus pungens (Chairmaker's rush), Schoenoplectus tabernaemontani (Soft-stem bulrush), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus cyperinus (Wool grass), Acorus americanus (Sweet flag iris), Alisma triviale (Large flowered plantain), Alisma subcordatum (Mud/water plantain), Asclepias incarnata (Swamp milkweed), Sagittaria latifolia (Broad-leaved duck potato), Sparganium eurycarpum (Common bur reed)

Total \$1,050/ac

seeds/sq ft	107	lbs/ac	5
-------------	-----	--------	---

- Created from the MnDOT Specification book.
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Herbicide Tolerant High · *Stature Wet-Mesic Prairie Mix*

SPECIES: Bidens frondosa (Common beggar's ticks), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), **Senna hebecarpa (Wild senna)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass), Symphyotrichum novae-angliae (New England aster) Symphyotrichum puniceum (Marsh aster)

Total \$785/ac

seeds/sq ft	45	lbs/ac	7.65
-------------	----	--------	------

- Blended at approx. 30/70 forb to sedge, rush, grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Herbicide Tolerant Low · *Stature Wet-Mesic Prairie Mix*

SPECIES: Carex annectens (Small yellow fox sedge), Carex scoparia (Pointed broom sedge), Elymus virginicus (Virginia wild rye), Symphtrichum novae-angliae (New England aster), Symphtrichum puniceus (Swamp aster), Ratibida pinnata (Yellow coneflower), Echinacea purpurea (Broad-leaved purple coneflower), **Dalea purpurea (Purple prairie clover)**, **Senna hebecarpa (Wild senna)**

Total \$615/ac

seeds/sq ft	45	lbs/ac	7.46
-------------	----	--------	------

- Mixes will vary based on availability.
- Blended at approx. 30/70 forb to sedge, rush, grass seeds psf
- Legumes are listed in **bold**

Herbicide Tolerant Shortgrass Prairie Mix

SPECIES: **Amorpha canescens (Leadplant)**, Asclepias syriaca (Common milkweed), Bouteloua curtipendula (Side oats grama), Coreopsis lanceolata (Sand coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, Echinacea purpurea (Broad-leaved purple coneflower), Elymus virginicus (Virginia wild rye), **Lespedeza capitata (Round-headed bush clover)**, **Lupinus perennis (Wild lupine)**, Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum oolentangiense (Sky-blue aster)

Total \$570/ac

seeds/sq ft	40	lbs/ac	8.70
-------------	----	--------	------

- Blended at approx. 50/50 forb to grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Herbicide Tolerant Tallgrass Prairie Mix

SPECIES: Andropogon gerardii (Big bluestem), Asclepias syriaca (Common milkweed), **Chamaecrista fasciculata (Partridge pea)**, Coreopsis tripteris (Tall coreopsis), **Desmodium canadense (Showy tick trefoil)**, Echinacea purpurea (Broad-leaved purple coneflower), Elymus canadensis (Canada wild rye), **Lespedeza capitata (Round-headed bush clover)**, Panicum virgatum (Switch grass), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Sorghastrum nutans (Indian grass), Symphyotrichum laeve (Smooth blue aster)

Total \$620/ac

seeds/sq ft	40	lbs/ac	8.60
-------------	----	--------	------

- Plateau Ready
- Blended at approx. 50/50 forb to grass spsf
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

High Diversity Prairie Mix

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Avena sativa (Seed oats), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's edge), Carex brevior (Short beak sedge), Elymus virginicus (Virginia wild rye), Hierochloa odorata (Vanilla grass), Koeleria macrantha (June grass), Muhlenbergia mexicana (Leafy satin grass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass), Sporobolus heterolepis (Prairie dropseed)

FORBS: Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Anemone canadensis (Meadow/Canada anemone), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Brickellia eupatorioides (False boneset), **Cassia hebecarpa (Wild senna)**, Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)**, **Desmodium illinoense (Illinois tick trefoil)**, Dodecatheon meadia (Shooting star), Doellingeria umbellata (Flat-topped aster), Potentilla arguta (Prairie cinquefoil), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eupatorium altissimum (Tall boneset), Eutrochium purpureum (Purple Joe-Pye weed), Oenothera gaura (Biennial gaura), Geum triflorum (Prairie smoke), Heliopsis helianthoides (False sunflower), Helianthus occidentalis (Western sunflower), Heuchera richardsonii (Prairie alum root), **Lespedeza capitata (Round-headed bush clover)**, Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Lupinus perennis (Wild lupine), Monarda fistulosa (Wild bergamot), Monarda punctata (Horse mint), Oenothera biennis (Common evening primrose), Oligoneuron album (Stiff aster [goldenrod]), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed Susan), Silphium laciniatum (Compass plant), Silphium perfoliatum (Cup plant), Silphium terebinthinaceum (Prairie dock), Sisyrinchium campestre (Prairie blue-eyed grass), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum lateriflorum (Side-flowering aster), Symphyotrichum pilosum (Hairy aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden Alexander)

Total \$1,106/ac

seeds/sq ft	65	lbs/ac	38.00
-------------	----	--------	-------

- Major grasses provided PLS
- Includes a minimum of 10 grasses/sedges and 35 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Mix may vary slightly based upon availability
- Legumes are listed in **bold**

Knee High Meadow · Ultra Low Growing Pollinator Meadow

SPECIES: Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Carex bicknellii (Bicknell's edge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnia eupatorioides (False boneset), Koeleria macrantha (June grass), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum sericeum (Silky aster)

Total \$1,150/ac

seeds/sq ft	54	lbs/ac	4.60
-------------	----	--------	------

- Usually about 2 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Landfill Basic Mix

SPECIES: Andropogon gerardii (Big bluestem), Carex annectens (Yellow-fruited sedge), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass), **Dalea purpurea (Purple prairie clover)**, Monarda fistulosa (Wild bergamot), Penstemon digitalis (Beardtongue), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster)

Total \$315/ac

seeds/sq ft	42	lbs/ac	7.86
-------------	----	--------	------

- Provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Long Summer Meadow · Extra Low Growing Pollinator Meadow

SPECIES: Allium cernuum (Nodding wild onion), Anemone virginiana (Tall anemone), Asclepias tuberosa (Butterfly milkweed), Asclepias verticillata (Whorled milkweed), Bouteloua curtipendula (Side-oats grama), Carex bicknellii (Bicknell's sedge), Carex brevior (Short beak sedge), Coreopsis lanceolata (Sand coreopsis), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, Kuhnia eupatorioides (False boneset), **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Rudbeckia hirta (Blackeyed Susan), Symphyotrichum oolentangiense (Sky blue aster), Schizachyrium scoparium (Little bluestem grass)

Total \$560/ac

seeds/sq ft	41	lbs/ac	8.80
-------------	----	--------	------

- Usually about 2-3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Mesic Prairie · 35-241

SPECIES: Agastache foeniculum (Lavender hyssop), **Amorpha canescens (Leadplant)**, Andropogon gerardii (Big bluestem) Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), **Astragalus canadensis (Canadian milk vetch)**, Avena sativa (cover crop) (Seed oats), Bouteloua curtipendula (Side Oats Grama), Bromus kalmia (Arctic brome), **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Heliopsis helianthoides (False sunflower) Helianthus pauciflorus (Prairie sunflower), Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Panicum virgatum (Switch grass), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed), Symphyotrichum ericoides (Heath aster), Symphyotrichum leave (Smooth blue aster), Verbena hastata (Blue vervain), Verbena stricta (Hoary vervain), Zizia aurea (Golden alexanders)

Total \$510/ac

seeds/sq ft	60	lbs/ac	36.5
-------------	----	--------	------

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Mesic Prairie · 35-641

SPECIES: Andropogon gerardii (Big bluestem), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), **Astragalus canadensis (Canadian milk vetch)**, Avena sativa (cover crop)(Seed oats), Bouteloua curtipendula (Side Oats Grama), **Chamaecrista fasciculata (Partridge pea)**, **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Heliopsis helianthoides (False sunflower), Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Panicum virgatum (Switch grass), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Symphyotrichum ericoides (Heath aster), Symphyotrichum leave (Smooth blue aster), Tradescantia bracteata (Long-bracted spiderwort), Verbena hastata (Blue vervain), Verbena stricta (Hoary vervain), Zizia aurea (Golden alexanders)

Total \$395/ac

seeds/sq ft	192	lbs/ac	12
-------------	-----	--------	----

- Created from the MnDOT Specification book. Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Mesic Prairie Southeast · MN Mix 35-641

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Elymus canadensis (Canada wild rye), Elymus trachycaulus (Slender wheatgrass), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass), Sporobolus heterolepis (Prairie dropseed)

FORBS: Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), **Astragalus canadensis (Canadian milk vetch)**, **Chamaecrista fasciculata (Partridge pea)**, **Dalea candida (White prairie clover)**, **Dalea purpurea (Purple prairie clover)**, **Desmodium canadense (Showy tick trefoil)**, Helianthus annuus (False sunflower), Liatris aspera (Rough blazing star), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum ericoides (Heath aster), Symphyotrichum laeve (Smooth blue aster), Tradescantia ohiensis (Spiderwort), Verbena hastata (Blue vervain), Verbena stricta (Hoary vervain), Zizia aurea (Golden Alexander)

Total \$395/ac

seeds/sq ft	192	lbs/ac	9.30
-------------	-----	--------	------

- * Regional mesic prairie reconstruction for wetland mitigation, ecological restoration, or conservation program
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**
- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Monarch Way Station · Attracts and Serves Monarch Butterflies

SPECIES: Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Asclepias verticillata (Whorled milkweed), Conoclinium coelestinum (Blue mistflower), Coreopsis lanceolata (Sand coreopsis), Eupatorium perfoliatum (Common boneset), Eupatorium purpureum (Purple Joe-Pye weed), Liatris aspera (Rough blazing star), Monarda fistulosa (Wild bergamot), Pycnanthemum virginianum (Virginia mountain mint), Ratibida pinnata (Yellow coneflower), Solidago nemoralis (Old-field goldenrod), Solidago speciosa (Showy goldenrod), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain)

Total \$42/packet (500 sq ft)/ac

seeds/sq ft	1,382	lbs/ac	0.09
-------------	-------	--------	------

- Specially designed mix to attract and serve Monarch Butterflies - includes important host and nectar plants
- 1.5 oz of seed per packet contains a minimum of 12 items from listed or similar species
- Mix may vary slightly based on availability

Native Construction · MN Mix 32-241

SPECIES: Elymus trachycaulus (Slender wheatgrass), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Bromus ciliates (Fringed brome), Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side Oats Grama), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), **Chamaecrista fasciculata (Partridge pea)**, Rudbeckia hirta (Black-eyed Susan), **Desmodium canadense (Showy tick trefoil)**, Verbena stricta (Hoary vervain), Monarda fistulosa (Wild bergamot), Avena sativa (cover crop) (Seed oats)

Total \$250/ac

seeds/sq ft	74	lbs/ac	38
-------------	----	--------	----

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Native Cover Crop · Dry to Dry Mesic

SPECIES: Avena sativa (cover crop) (Seed oats), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Oenothera biennis (Common evening primrose)

Total \$125/ac

seeds/sq ft	40	lbs/ac	39.4
-------------	----	--------	------

- A blend of native early successional species and a nurse crop of seed oats for extra piece of mind
- These or similar species based on availability and region

Native Cover Crop · *Wet to Wet Mesic*

SPECIES: *Lolium multiflorum* (Annual rye), *Elymus canadensis* (Canada wild rye), *Elymus virginicus* (Virginia wild rye), *Polygonum pensylvanicum* (Pinkweed)

Total \$150/ac

seeds/sq ft	40	lbs/ac	39.4
-------------	----	--------	------

- A blend of native early successional species and a nurse crop of annual ryegrass for extra piece of mind
- These or similar species based on availability and region

Native Grass Mix · *IL DOT Class 4*

SPECIES: *Andropogon gerardii* (Big bluestem), *Avena sativa* (Seed oats), *Bouteloua curtipendula* (Side oats grama), *Elymus canadensis* (Canada wild rye), *Lolium multiflorum* (Annual rye), *Lolium perenne* (Perennial rye), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass)

Total \$364/ac

seeds/sq ft	310	lbs/ac	83.00
-------------	-----	--------	-------

- Mix may vary slightly based on availability

Native Wildflower Garden Mix

SPECIES: *Allium cernuum* (Nodding wild onion), *Anemone cylindrica* (Thimbleweed), *Anemone virginiana* (Tall anemone), *Asclepias tuberosa* (Butterfly weed), *Brickellia eupatorioides* (False boneset), *Coreopsis lanceolata* (Sand coreopsis), ***Dalea purpurea* (Purple prairie clover)**, *Echinacea pallida* (Pale purple coneflower), ***Lupinus perennis* (Wild lupine)**, *Monarda fistulosa* (Wild bergamot), *Penstemon digitalis* (Beardtongue), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Solidago speciosa* (Showy goldenrod), *Symphyotrichum laeve* (Smooth blue aster), *Symphyotrichum oolentangiense* (Sky-blue aster)

Total \$35/packet (100 sq ft)

seeds/sq ft	102	lbs/ac	0.09
-------------	-----	--------	------

- * 1.4 oz of seed per packet covers 100 sq ft; no grasses
- * 4" or shorter
- * Estimated seeds per 100 sq ft 102
- * Mix may vary slightly based on availability
- * Legumes are listed in **bold**

Pollinator-Friendly Mix

SPECIES: *Asclepias tuberosa* (Butterfly weed), *Coreopsis lanceolata* (Sand coreopsis), *Coreopsis palmata* (Prairie coreopsis), *Echinacea pallida* (Pale purple coneflower), *Echinacea purpurea* (Broad-leaved purple coneflower), *Elymus virginicus* (Virginia wild rye), *Eryngium yuccifolium* (Rattlesnake master), *Helenium autumnale* (Sneezeweed), ***Lupinus perennis* (Wild lupine)**, *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Panicum virgatum* (Switch grass), *Penstemon digitalis* (Beardtongue), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia subtomentosa* (Sweet black-eyed Susan), *Solidago nemoralis* (Old-field goldenrod), *Symphyotrichum laeve* (Smooth blue aster), *Symphyotrichum novae-angliae* (New England aster)

Total \$695/ac

seeds/sq ft	55	lbs/ac	5.00
-------------	----	--------	------

- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Pollinator Magnet Meadow · *Basic Low Profile Pollinator Meadow*

SPECIES: *Asclepias tuberosa* (Butterfly weed), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's edge), *Coreopsis lanceolata* (Sand coreopsis), *Dalea purpurea* (Purple prairie clover), *Echinacea pallida* (Pale purple coneflower), *Brickellia eupatorioides* (False boneset), *Liatris aspera* (Rough blazing star), *Rudbeckia hirta* (Black-eyed Susan), *Schizachyrium scoparium* (Little bluestem), *Symphyotrichum oolentangiense* (Skyblue aster)

Total \$620/ac

seeds/sq ft	55	lbs/ac	12.40
-------------	----	--------	-------

- Usually about 3 feet
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Prairie Strips Dry

Agricultural Prairie STRIPS for Row Crops for Dry to Dry-Mesic Soils. Not your standard contour buffer or grass strip. Learn how STRIPS can increase yields and reduce inputs here: <https://www.nrem.iastate.edu/research/STRIPS/FAQ2>. These or similar species based on availability and region.

SPECIES: Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Andropogon gerardii (Big bluestem), Schizachyrium scoparium (Little bluestem), Koeleria macrantha (June grass), Elymus canadensis (Canada wild rye), Carex brevior (Short beak sedge), Carex normalis (Spreading oval sedge) Carex gravida (Long-awned bracted sedge), Carex bicknellii (Bicknell's sedge), Rudbeckia hirta (Black-eyed Susan), Oenothera biennis (Common evening primrose), Penstemon hirsutus (Hairy beardtongue), Potentilla arguta (Prairie cinquefoil), Symphyotrichum pilosum (Hairy aster), Heuchera richardsonii (Prairie alum root), Verbena stricta (Hoary vervain), Oligoneuron rigidum (Stiff goldenrod), **Desmanthus illinoensis (Illinois sensitive plant)**, Coreopsis lanceolata (Sand coreopsis), Monarda punctata (Horse mint), Ratibida pinnata (Yellow coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Zizia aurea (Golden alexanders), **Chamaecrista fasciculata (Partridge pea)**, Asclepias tuberosa (Butterfly weed)

Total \$175/ac

seeds/sq ft	40	lbs/ac	5.48
-------------	----	--------	------

- This is not your standard contour buffer or grass strip
- Turn your buffer strips and marginal ground into working land!
- Learn how STRIPS can increase yields and reduce inputs here
- <https://www.nrem.iastate.edu/research/STRIPS/FAQ2>
- These or similar species based on availability and region

Prairie Strips Wet

Agricultural Prairie STRIPS for Row Crops for Wet-Mesic to Mesic Soils. Not your standard contour buffer or grass strip. Learn how STRIPS can increase yields and reduce inputs here: <https://www.nrem.iastate.edu/research/STRIPS/FAQ2>. These or similar species based on availability and region.

SPECIES: Elymus canadensis (Canada wild rye), Andropogon gerardii (Big bluestem), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass) Schizachyrium scoparium (Little bluestem), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge) Carex normalis (Spreading oval sedge), Rudbeckia hirta (Black-eyed Susan), Verbena hastata (Blue vervain), Potentilla arguta (Prairie cinquefoil), Penstemon digitalis (Beardtongue), Monarda fistulosa (Wild bergamot), Eutrochium maculatus (Spotted Joe Pye weed), Heuchera richardsonii (Prairie alum root), Oligoneuron rigidum (Stiff goldenrod), Agastache nepetoides (Yellow giant hyssop), Ratibida pinnata (Yellow coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Symphyotrichum novae-angliae (New England aster), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders), **Chamaecrista fasciculata (Partridge pea)**, Allium cernuum (Nodding wild onion), **Desmodium canadense (Showy tick trefoil)**, Asclepias incarnata (Swamp milkweed)

Total \$155/ac

seeds/sq ft	40	lbs/ac	5.25
-------------	----	--------	------

- This is not your standard contour buffer or grass strip
- Turn your buffer strips and marginal ground into working land!
- Learn how STRIPS can increase yields and reduce inputs here
- <https://www.nrem.iastate.edu/research/STRIPS/FAQ2>
- These or similar species based on availability and region

Riparian South and West · MN Mix 34-261

GRASSES/GRASS-LIKE: Elymus riparius (River bank rye), Elymus virginicus (Virginia wild rye), Glyceria grandis (Reed manna grass), Glyceria striata (Fowl manna grass), Leersia oryzoides (Rice cut grass), Poa palustris (Fowl bluegrass), Spartina pectinata (Prairie cord grass), Carex stricta (Common tussock sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Juncus tenuis (Path rush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS: Asclepias incarnata (Swamp milkweed), Eupatorium perfoliatum (Common boneset), Eutrochium maculatus (Spotted Joe-Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Impatiens capensis (Orange jewelweed), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Rudbeckia laciniata (Wild golden glow)

Total \$895/ac

seeds/sq ft	185	lbs/ac	6.02
-------------	-----	--------	------

- Native riparian and floodplain plantings for wetland mitigation, ecological restoration, or general permanent cover
- Mix may vary slightly based on availability

Shoreline Mix

SPECIES: Carex hystericina (Bottlebrush sedge), Carex scoparia (Broom sedge), Elymus virginicus (Virginia wild rye), Helenium autumnale (Sneezeweed), Iris virginica shrevei (Wild blue iris), Juncus effusus (Common rush), Leersia oryzoides (Rice cut grass), Panicum virgatum (Switch grass), Schoenoplectus tabernaemontani (Soft-stem bulrush), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

Total \$382/ac

seeds/sq ft	55	lbs/ac	6.03
-------------	----	--------	------

- Includes minimum of 5 rushes/sedges/grasses & 3 forbs
- Major grasses are PLS
- Mix may vary slightly based on availability

Swale and Basin Mix

GRASSES/GRASS-LIKE: Carex cristatella (Crested sedge), Carex hystericina (Bottlebrush sedge), Carex normalis (Spreading oval sedge), Carex scoparia (Broom sedge), Carex stipata (Awl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Lolium multiflorum (Annual rye), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass)

FORBS: Asclepias incarnata (Swamp milkweed), **Senna hebecarpa (Wild senna)**, Heliopsis helianthoides (False sunflower), Lycopus americanus (American water horehound), Monarda fistulosa (Wild bergamot), Oenothera biennis (Common evening primrose), Penstemon digitalis (Beardtongue), Polygonum spp (Pennsylvania knotweed), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet blackeyed Susan), Verbena hastata (Blue vervain)

Total \$715/ac

seeds/sq ft	55	lbs/ac	18.00
-------------	----	--------	-------

- Heavy on grass-like species, with showy, adaptable flowering species suitable for areas with sporadic wet-dry periods
- Includes minimum of 6 grasses/sedges and 6 forbs
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Solar Field Mix - Pollinator Friendly · Dry to Dry Mesic

Choose from our list of Solar-Appropriate species, then call us for a custom plan. We will use our unique approach to reduce your costs and improve performance of vegetative cover on Solar sites.

GRASSES/GRASS-LIKE: Bouteloua curtipendula (Side Oats Grama), Bouteloua hirsute (Hairy grama), Carex bicknellii (Bicknell's sedge), Carex brevior (Short beak sedge), Carex molesta (Field oval sedge), Elymus hystrix (Bottlebrush grass), Eragrostis spectabilis Purple love grass), Festuca rubra (Canada) (Red fescue), Hordeum jubatum (Squirrel-tail barley), Juncus tenuis (Path rush), Koeleria macrantha (June grass), Lolium multiflorum (Annual rye), Schizachyrium scoparium (Little bluestem), Sporobolus heterolepis (Prairie dropseed), Allium canadense (Wild garlic), Allium cernuum (Nodding wild onion), Anemone virginiana (Tall/Virginia anemone), Asclepias tuberosa (Butterfly weed), Asclepias verticillate (Whorled milkweed), Blephilia ciliate (Ohio horsemint), Brickellia eupatorioides (False boneset), **Chamaecrista fasciculata (Partridge pea)**, Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), **Dalea purpurea (Purple prairie clover)**, **Desmanthus illinoensis (Illinois sensitive plant)** **Lupinus perennis (Wild lupine)**, Monarda punctata (Horse mint), Oenothera macrocarpa (Large flowered primrose), Oligoneuron album (Stiff aster) (goldenrod), Penstemon hirsutus (Hairy beardtongue), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum oolentangiense (Sky-blue aster), **Trifolium pretense (Red clover)**

Total call for price/ac

seeds/sq ft	varies	lbs/ac
-------------	--------	--------

- Choose from our list of Solar-Appropriate species, then call us for a custom plan. We will use our unique approach to reduce your costs and improve performance of vegetative cover on Solar sites

Solar Mix - Pollinator Friendly · Wet to Wet Mesic

Choose from our list of Solar-Appropriate species, then call us for a custom plan. We will use our unique approach to reduce your costs and improve performance of vegetative cover on Solar sites.

GRASSES/GRASS-LIKE: Carex annectens (Yellow-fruited sedge), Carex bebbii (Bebb's sedge), Carex molesta (Field oval sedge), Carex hystericina (Bottlebrush sedge), Carex comosa (Longhair sedge), Carex scoparia (Broom sedge), Carex radiata (Curly wood sedge), Carex stipata (Owl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Eleocharis obtusa (Blunt spikerush), Festuca rubra (Canada) (Red fescue), Hordeum jubatum (Squirrel-tail barley), Juncus dudleyi (Dudley's rush), Juncus effusus (Common rush), Lolium multiflorum (Annual rye), Allium canadense (Wild garlic), Allium cernuum (Nodding wild onion), Anemone canadensis (Meadow anemone), Blephilia hirsuta (Hairy pagoda plant), Polygonum pennsylvanicum (Pinkweed), Epilobium coloratum (Cinnamon willow herb), Euthamia graminifolia (Common grass-leaved goldenrod), Geum rivale (Purple avens), Lycopus americanus (American water horehound), Lobelia cardinalis (Cardinal flower), Lythrum alatum (Winged loosestrife), Monarda punctata (Horse mint), Oenothera pilosella (Prairie sundrops), Penthorum sedoides (Ditch stonecrop), Rudbeckia hirta (Black-eyed Susan), Trifolium pretense (Red clover)

Total call for price/ac

seeds/sq ft	varies	lbs/ac
-------------	--------	--------

- Choose from our list of Solar-Appropriate species, then call us for a custom plan. We will use our unique approach to reduce your costs and improve performance of vegetative cover on Solar sites

Wetland Rehabilitation · MN Mix 34-171

GRASSES/GRASS-LIKE: Bidens cernua (Nodding bur marigold), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus virginicus (Virginia wild rye), Juncus tenuis (Path rush), Lycopus americanus (American water horehound), Mimulus ringens (Monkey flower), Poa palustris (Fowl bluegrass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

Total \$434/ac

seeds/sq ft	279	lbs/ac	5.3
-------------	-----	--------	-----

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Wet Prairie · MN 34-262

SPECIES: Elymus virginicus (Virginia wild rye), Bromus ciliatus (Fringed brome), Elymus virginicus (Virginia wild rye), Andropogon gerardii (Big bluestem), Panicum virgatum (Switch grass), Sorghastrum nutans (Indian grass), Spartina pectinate (Prairie cord grass), Poa palustris (Fowl bluegrass), Glyceria grandis (Reed manna grass), Glyceria striata (Fowl manna grass), Calamagrostis canadensis (Blue joint grass), Carex vulpinoidea (Fox sedge, Brown fox sedge), Scirpus atrovirens (Green bulrush), Carex pellita (Broad leaved woolly sedge), Scirpus cyperinus (Wool grass), Carex stricta (Common tussock sedge), Anemone canadensis (Meadow anemone), Asclepias incarnata (Swamp milkweed), Desmodium canadense (Showy tick trefoil), Doellingeria umbellata (Flat-topped aster), Eupatorium perfoliatum (Common boneset), Euthamia graminifolia (Common grass-leaved goldenrod), Eutrochium maculatus (Spotted Joe Pye weed), Helenium autumnale (Sneezeweed), Helianthus grosseserratus (Sawtooth sunflower), Liatris pycnostachya (Prairie blazing star), Lobelia siphilitica (Great blue lobelia), Mimulus ringens (Monkey flower), Pycnanthemum virginianum (Virginia mountain mint), Symphyotrichum puniceum (Marsh aster), Vernonia fasciculata (Common ironweed), Verbena hastata (Blue vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders), Avena sativa (cover crop) (Seed oats)

Total \$963/ac

seeds/sq ft	120	lbs/ac	8.80
-------------	-----	--------	------

- Created from the MnDOT Specification book.
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Wet Meadow · MN Mix 34-271

SPECIES: *Asclepias incarnata* (Swamp milkweed), *Avena sativa* (cover crop) (Seed oats), *Bromus ciliatus* (Fringed brome), *Calamagrostis canadensis* (Blue joint grass), *Carex comosa* (Longhair sedge), *Carex scoparia* (Broom sedge), *Carex stipata* (Owl-fruited sedge), *Carex stricta* (Common tussock sedge), *Carex vulpinoidea* (Fox sedge, Brown fox sedge), *Elymus virginicus* (Virginia wild rye), *Eupatorium perfoliatum* (Common boneset), *Euthamia graminifolia* (Common grass-leaved goldenrod), *Eutrochium maculatus* (Spotted Joe Pye weed), *Glyceria grandis* (Reed manna grass), *Glyceria striata* (Fowl manna grass), *Helenium autumnale* (Sneezeweed), *Helianthus grosseserratus* (Sawtooth sunflower), *Juncus tenuis* (Path rush), *Leersia oryzoides* (Rice cut grass), *Lobelia siphilitica* (Great blue lobelia), *Mimulus ringens* (Monkey flower) *Poa palustris* (Fowl bluegrass), *Pycnanthemum virginianum* (Virginia mountain mint), *Scirpus atrovirens* (Green bulrush), *Scirpus cyperinus* (Wool grass), *Solidago gigantea* (Late goldenrod), *Symphotrichum lanceolatum* (Panicked aster), *Symphotrichum puniceum* (Marsh aster), *Symphotrichum novae-angliae* (New England aster), *Thalictrum dasycarpum* (Purple meadow rue), *Vernonia fasciculata* (Common ironweed), *Verbena hastata* (Blue vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden alexanders)

Total \$945/ac

seeds/sq ft	184	lbs/ac	12
-------------	-----	--------	----

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Woodland Edge · MN 36-211

SPECIES: *Achillea millefolium* (Common yarrow), *Agastache foeniculum* (Lavender hyssop), *Ageratina altissima* (White snakeroot), *Andropogon gerardii* (Big bluestem), *Avena sativa* (cover crop) (Seed oats), *Bouteloua curtipendula* (Side Oats Grama), *Bromus kalmia* (Arctic brome), ***Dalea candida* (White prairie clover)**, ***Desmodium canadense* (Showy tick trefoil)**, ***Elymus canadensis* (Canada wild rye)**, *Elymus hystrix* (Bottlebrush grass), *Elymus trachycaulus* (Slender wheatgrass), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Oligoneuron rigidum* (Stiff goldenrod), *Osmorhiza claytonia* (Hairy sweet cicely), *Panicum virgatum* (Switch grass) *Rosa blanda* (Early wild rose), *Rudbeckia hirta* (Black-eyed Susan), *Schizachyrium scoparium* (Little bluestem), *Scrophularia lanceolata* (Early figwort), *Solidago flexicaulis* (Broad-leaved goldenrod), *Solidago speciose* (Showy goldenrod), *Sorghastrum nutans* (Indian grass), *Symphotrichum leave* (Smooth blue aster), ***Dalea purpurea* (Purple prairie clover)**, *Zizia aurea* (Golden alexanders)

Total \$680/ac

seeds/sq ft	52	lbs/ac	34.5
-------------	----	--------	------

- Created from the MnDOT Specification book
- Please note that genotypic requirements and MnDOT standard must be requested at the time of quote and order

Woodland Mix

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bromus pubescens* (Woodland brome), *Carex sprengeii* (Long-beaked sedge), *Elymus canadensis* (Canada wild rye), *Elymus hystrix* (Bottlebrush grass), *Luzula multiflora* (Common wood rush), *Muhlenbergia mexicana* (Leafy satin grass)

FORBS: *Allium cernuum* (Nodding wild onion), *Anemone virginiana* (Tall anemone), *Aquilegia canadensis* (Wild columbine), ***Desmanthus illinoensis* (Illinois sensitive plant)**, *Dicentra cucullaria* (Dutchman's breeches), *Dodecatheon meadia* (Shooting star), *Eupatorium purpureum* (Purple Joe-Pye weed), *Euthamia graminifolia* (Common grass-leaved goldenrod), *Geranium maculatum* (Wild geranium), *Napaea dioica* (Glade mallow), *Polygonatum biflorum* (Smooth Solomon's seal), *Polemonium reptans* (Jacob's ladder), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia triloba* (Brown-eyed Susan), *Symphotrichum cordifolium* (Arrow-leaved aster), *Symphotrichum laeve* (Smooth blue aster), *Thalictrum dasycarpum* (Purple meadow rue)

Total \$150 / 1,000 sq ft/ac

seeds/sq ft	59	lbs/ac	0.344
-------------	----	--------	-------

- Sold as 1,000 sq ft mixes
- Appropriate for managed open upland wooded areas
- Includes minimum of 3 grasses/sedges and 8 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in **bold**

Order Form



*Tax

Residents of Wisconsin, Illinois, Pennsylvania, Minnesota, Kansas, Ohio, and New York, please add sales tax plus any additional required county tax.

WI=5.5% IL=6.25% MN=6.875%
KS=7.85% OH=5.75% NY=8.875%
PA = 6.00%

Shipping and Handling

\$5 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost (\$.05 per plant).

Add 5% of subtotal for orders over \$2,000.00.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: *We recommend you pick up plants (plant plugs, trees and shrubs) unless arrangements for special delivery are made in advance.*

Payment Details

CC# Exp. Sec. Code

Billing Zip Signature

Discover Mastercard Visa

Scientific Name	Common Name	Quantity	Unit Price	Total Price
			Subtotal	
			Unit Price	
			Shipping	
			Tax*	
			Total	

Name

Phone Email

Delivery Address

City State Zip

Preferred delivery date

If out of stock, would you prefer:

Credit toward another order Substitution of similar material Refund

Please send your order back by email, fax or mail:

Email: taylor.creek@appliedeco.com | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: 608-897-8641



TaylorCreek
RESTORATION NURSERIES

17921 W Smith Rd, PO Box 256

Brodhead, WI | 53520

P (608) 897-8641 | F (608) 897-2044

E taylor.creek@appliedeco.com

224 E 1260 Rd

Baldwin City, KS | 66006

P (785) 594-2245 | F (785) 594-2250

E taylor.creek@appliedeco.com

The highest-quality native, local-genotype plants and seed.

www.taylorcreeknurseries.com