

References

- Inostroza, R., G. Sievers, J. Roa, and R. Aguirrebena. 1993. Prevalencia e intensidad de infección estacional por *Ceratomyxa gaudichaudii* en salmones (*Salmo salar*) cutlivados en agua de mar en el sur de Chile. Arch. Med. Vet. 25: 173-179.
- Jaronski, S.T. (1972). Cytochemical evidence for RNA synthesis inhibition by fumagillin. J. Antibiot. 6:327-331.
- Jarp, J., A.G. Gjevne, A.B. Olsen, and T. Bruheim. 1995. Risk factors associated with furunculosis, infectious pancreatic necrosis and mortality in post-smolt of Atlantic salmon, *Salmo salar* L. J. Fish Dis. 18: 67-78.
- Jarp, J., T. Taksdal, and B. Tørud. 1996. Infectious pancreatic necrosis in Atlantic salmon *Salmo salar* in relation to specific antibodies, smoltification, and infection with erythrocytic inclusion body syndrome (EIBS). Dis. Aquat. Org. 27: 81-88.
- Johannessen, A. 1978. Early stages of *Lepeophtheirus salmonis* (Copepoda, Caligidae). Sarsia 63 169-176.
- Johannessen, T., J.A. Knutsen, and O. Paulsen. 1991. Effects of *Chrysochromulina leadbeateri* on reared salmon and natural fauna. The *Chrysochromulina leadbeateri* bloom in Vestfjorden, North Norway, May-June 1991. pp. 103-119. In F. Rey [ed.]. Proceedings from a Scientific Working Meeting. No. 3.
- Johnsen, B.O., and A.J. Jensen. 1991. The *Gyrodactylus* story. Aquaculture 98: 289 - 302.
- Johnsen, T.M., and T.E. Lein. 1989. *Prymnesium parvum* Carter (Prymnesiophyceae) in association with macroalgae in Ryfylke, Southwestern Norway. Sarsia 74: 277-281.
- Johnson, A. 1988. Fish kills in Scotland due to plankton blooms. Red tide Newsletter 1: p.6.
- Johnson, S.C. 1991. The biology of *Lepeophtheirus salmonis*. Doctoral Dissertation, Simon Fraser University. Burnaby, British Columbia, Canada. 213 pp.
- Johnson, S.C. 1993. A comparison of the development and growth rates of *Lepeophtheirus salmonis* (Copepoda: Caligidae) on Atlantic (*Salmo salar*) and chinook (*Oncorhynchus tshawytscha*) salmon. pp. 68-80. In G.A. Boxshall, and D. DeFaye [eds.]. Pathogens of wild and farmed fish: Sea lice.
- Johnson, S.C. and L.J. Albright. 1991b. The developmental stages of *Lepeophtheirus salmonis* (Kroeyer, 1837) (Copepoda: Caligidae). Can. J. Zool. 69: 929-950.
- Johnson, S.C. and L.J. Albright. 1991c. Development, growth, and survival of *Lepeophtheirus salmonis* (Copepoda: Caligidae) under laboratory conditions. J. Mar. Biol. Ass. U.K. 71: 425-436.
- Johnson, S.C. and L.J. Albright. 1992b. The effects of cortisol implants on the susceptibility and histopathology of the responses of naive coho salmon *Oncorhynchus kisutch* to experimental infection with *Lepeophtheirus salmonis* (Copepoda: Caligidae). Dis. Aquat. Org. 14: 195-205.
- Johnson, S.C., and L. Margolis. 1993. The efficacy of Ivermectin for the control of sea lice on sea-farmed Atlantic salmon. Dis. Aquat. Org. 17: 107-112.
- Johnson, S.C., and L. Margolis. 1994. Sea Lice. In J.C. Thoesen [ed.]. Suggested Procedures for the Detection and Identification of Certain Finfish and Shellfish Pathogens. 4th ed. Fish Health Section, American Fisheries Society. 10 p.
- Johnson, S.C., and L.J. Albright. 1991a. *Lepeophtheirus cuneifer* Kabata, 1974 (Copepoda: Caligidae) from seawater-reared rainbow trout, *Oncorhynchus mykiss*, and Atlantic salmon, *Salmo salar*, in the Strait of Georgia, British Columbia, Canada. Can. J. Zool. 69: 1414-1416.
- Johnson, S.C., and L.J. Albright. 1992a. Comparative susceptibility and histopathology of the host response of naive Atlantic, chinook, and coho salmon to experimental infection with *Lepeophtheirus salmonis* (Copepoda: Caligidae). Dis. Aquat. Org. 14: 179-193.
- Johnson, S.C., J.M. Constible and J. Richard. 1993. Laboratory investigations of the toxicological and histopathological effects of hydrogen peroxide to salmon and its efficacy against the salmon louse *Lepeophtheirus salmonis*. Dis. Aquat. Org. 17: 197-204.
- Johnson, S.C., R.B. Blaylock, J. Elphick, and K. Hyatt. 1996. Disease caused by the salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae) in wild sockeye salmon (*Oncorhynchus nerka*) stocks of Alberni Inlet, British Columbia. Can. J. Fish. Aquat. Sci. 53: 2888-2897.
- Johnstone, A. 1984. Pathogenesis and life cycle of the myxozoan *Parvicapsula* sp. infecting marine cultured coho salmon. Doctoral Dissertation, University of Washington, Seattle, Washington. 70 pp.
- Jones, K.J., P. Ayres, A.M. Bullock, R.J. Roberts, and P. Tett. 1982. A red tide of *Gyrodinium aureolum* in sea lochs of the Firth of Clyde and associated mortality of pond-reared salmon. J. Mar. Biol. Assoc. U.K. 62: 771-782.
- Jones, M.W., C. Sommerville, and J. Bron. 1990. The histopathology associated with the juvenile stages of *Lepeophtheirus salmonis* on the Atlantic salmon, *Salmo salar* L. J. Fish. Dis. 13: 303-310.
- Jones, M.W., C. Sommerville, and R. Wootten. 1992. Reduced sensitivity of the salmon louse, *Lepeophtheirus salmonis*, to the organophosphate dichlorvos. J. Fish Dis. 15: 197-202.
- Jones, S.R.M., R.J.F. Markham, D.B. Groman, and R.R. Cusak. 1998. Virulence and antigenic characteristics of a cultured Rickettsiales-like organism isolated from farmed Atlantic salmon *Salmo salar* in eastern Canada. Dis. Aquat. Org. 33: 25-31.
- Jónsdóttir, H., J.E. Bron, R. Wootten, and J.F. Turnbull. 1992. The histopathology associated with the pre-adult and adult stages of *Lepeophtheirus salmonis* on the Atlantic salmon, *Salmo salar* L. J. Fish Dis. 15: 521-527.
- Jørgensen, T., K. Midling, S. Espelid, R. Nilsen and K. Stensvlg. 1989. *Vibrio salmonicida*, previously registered as a pathogen in salmonids, does also cause mortality in netpen captured cod (*Gadus morhua*). Bull. Eur. Ass. Fish Pathol. 9: 42-43.
- Kabata, Z. 1973. The species of *Lepeophtheirus* (Copepoda: Caligidae) from fishes of British Columbia. J. Fish. Res. Board Can. 30: 729-759.
- Kabata, Z. 1974a. Mouth and mode of feeding of Caligidae (Copepoda), parasites of fishes, as determined by light and scanning electron microscopy. J. Fish. Res. Board Can. 31: 1583-1588.
- Kabata, Z. 1985. Parasites and diseases of fish cultured in the tropics. Taylor and Francis, London and Philadelphia. 318 pp.
- Kabata, Z. 1970. Crustacea as enemies of fishes. In S.F. Snieszko and H. R. Axelrod [eds.]. Diseases of Fish. TFH Publications, Jersey City, NJ, USA. 171 pp.
- Kabata, Z. 1972. Developmental stages of *Caligus clemensi* (Copepoda: Caligidae). J. Fish. Res. Board Can. 29: 1571-1593.
- Kabata, Z. 1974b. *Lepeophtheirus cuneifer* sp. nov. (Copepoda: Caligidae), a parasite of fishes from the Pacific coast of North America. J. Fish. Res. Board Can. 31: 43-47.
- Kabata, Z. 1979. Parasitic Copepoda of British Fishes. The Ray Society, London. 468 pp.
- Kabata, Z. 1988. Copepoda and Branchiura. In L. Margolis and Z. Kabata [eds.]. Guide to the Parasites of Fishes of Canada. Part II-Crustacea. Can. Spec. Pub. Fish. Aquat. Sci. 101: 3-127.
- Kabata, Z., and D.J. Whitaker. 1981. Two species of *Kudoa* (Myxosporae: Multivalvulida) parasitic in the flesh of *Merluccius productus* (Ayres, 1855) (Pisces: Teleostei) in the Canadian Pacific. Can. J. Zool. 59: 2085-2091.
- Kabata, Z., and D.J. Whitaker. 1989. *Kudoa thyrstites* (Gilchrist, 1924) (Myxozoa) in the cardiac muscle of Pacific salmon (*Oncorhynchus* spp.) and steelhead trout (*Salmo gairdneri*). Can. J. Zool. 67: 341-342.
- Kano, T., and H. Fukui. 1982. Studies on *Pleistophora* infection in eel, *Anguilla japonica* - I. Experimental induction of microsporidiosis and fumagillin efficacy. Fish Pathol. 16(4): 193-200.
- Karaseva, T.A., and A.M. Beskrovny. 1991. On prophylaxis and treatment of the Atlantic salmon (*Salmo salar* L.) papillomatosis. Intl. Con. Explor. Sea C.M. 1991/F:5: 1-10.
- Kennedy, C.R. 1978. The biology, specificity and habitat of the species of *Eubothrium* (Cestoda: Pseudophyllidea), with reference to their use as biological tags: a review. J. Fish. Biol. 12: 393-410.
- Kennedy, W.A., C.T. Shoop, W. Griffioen, and A. Solmie. 1976. The 1974 crop of salmon reared on the Pacific Biological Station Experimental Fishfarm. Can. Tech. Rep. Fish. Aquat. Sci. 612. 19 pp.
- Kent, M.L. 1982. Characteristics and identification of *Pasteurella* and *Vibrio* species pathogenic to fishes using API-20E (Analytab Products) Multitube Test Strips. Can. J. Fish. Aquat. Sci. 39: 1725-1729.

- Kent, M.L. 1990. Netpen liver disease (NLD) of salmonid fishes reared in sea water: species susceptibility, recovery, and probable cause. *Dis. Aquat. Org.* 8: 21-28.
- Kent, M.L., J.W. Bagshaw, G.C. Newbound, G.S. Traxler, S.C. Dawe, J.R. Roome, W.E. Eaton, J.M. Groff, and D. Speare. 1991a. Plasmacytoid leukemia (marine anemia): viral or microsporidian etiology? *Fish Health Section/Am. Fish. Soc. Newsletter* 19(2): 1-2.
- Kent, M.L., and S.C. Dawe. 1990. Transmission of a plasmacytoid leukemia of chinook salmon *Oncorhynchus tshawytscha*. *Cancer Res. (suppl)* 50: 5679s-5681s.
- Kent, M.L., and S.C. Dawe. 1993. Further evidence for a viral etiology in plasmacytoid leukemia of chinook salmon. *Dis. Aquat. Org.* 15: 115-121.
- Kent, M.L., and S.C. Dawe. 1994. Efficacy of Fumagillin DCH against experimentally-induced *Loma salmonae* (Microsporea) infections in chinook salmon *Oncorhynchus tshawytscha*. *Dis. Aquat. Org.* 20: 231-233.
- Kent, M.L., S.C. Dawe, and D.J. Speare. 1995a. Transmission of *Loma salmonae* (Microsporea) to chinook salmon in sea water. *Can. Vet. J.* 36: 98-102.
- Kent, M.L., S.C. Dawe, S. St-Hilaire, and R.J. Andersen. 1996. Effect of feeding rate, time of entry to sea water, and exposure to natural biota on the occurrence and severity of netpen liver disease, a toxicopathic liver disease of pen-reared Atlantic salmon *Salmo salar*. *Prog. Fish-Cult.* 58: 43-46.
- Kent, M.L., C.F. Dungan, R.A. Elston, and R.A. Holt. 1988a. *Cytophaga* sp. (Cytophagales) infection in seawater pen-reared Atlantic salmon *Salmo salar*. *Dis. Aquat. Org.* 4: 173-179.
- Kent, M.L., D.G. Elliott, J.M. Groff, and R.P. Hedrick. 1989. *Loma salmonae* (Protozoa: Microspora) infections in seawater reared coho salmon (*Oncorhynchus kisutch*). *Aquaculture* 80: 211-222.
- Kent, M.L., J. Ellis, J.W. Fournie, S.C. Dawe, J.W. Bagshaw, and D. Whitaker. 1992. Systemic hexamitid infection in seawater pen-reared chinook salmon *Oncorhynchus tshawytscha*. *Dis. Aquat. Org.* 14: 81-89.
- Kent, M.L., and R.A. Elston. 1987. Diseases of seawater reared salmon in Washington state. Proceedings of the Fourth Alaska Aquaculture Conference, Alaska Sea Grant Report No. 88 4: 161-163.
- Kent, M.L., J.M. Groff, G.S. Traxler, J.G. Zinkl, and J.W. Bagshaw. 1990a. Plasmacytoid leukemia in seawater reared chinook salmon *Oncorhynchus tshawytscha*. *Dis. Aquat. Org.* 8: 199-209.
- Kent, M.L., L. Margolis, and J.O. Corliss. 1994a. The demise of a class of protists: taxonomic and nomenclatural revisions proposed for the protist phylum Myxozoa Grassé, 1970. *Can. J. Zool.* 72: 932-937.
- Kent, M.L., L. Margolis, and J.W. Fournie. 1991b. A new eye disease in pen-reared chinook caused by metacestodes of *Gilquinia squali* (Trypanorhyncha). *J. Aquat. Animal Health* 3: 134-140.
- Kent, M.L., L. Margolis, D.J. Whitaker, G.E. Hoskins, and T.E. McDonald. 1994b. Review of Myxosporidia of importance to salmonid fisheries and aquaculture in British Columbia. *Folia Parasitol.* 41: 27-37.
- Kent, M.L., M.S. Myers, D.E. Hinton, W.D. Eaton, R.A. Elston. 1988b. Suspected toxicopathic hepatic necrosis and megalocytosis in pen reared Atlantic salmon *Salmo salar*. *Dis. Aquat. Org.* 4: 91-100.
- Kent, M.L., G.C. Newbound, S.C. Dawe, C. Stephen, W.D. Eaton, G.S. Traxler, D. Kieser, and R.F. Markham. 1993. Observations on the transmission and range of plasmacytoid leukemia of chinook salmon. *Fish Health Section/Am. Fish Soc. Newsletter* 21 (2): 1-3.
- Kent, M.L., T.K. Sawyer, and R.P. Hedrick. 1988c. *Paramoeba pemaquidensis* (Sarcomastigophora: Paramoebidae) infestation of the gills of coho salmon *Oncorhynchus kisutch* reared in seawater. *Dis. Aquat. Org.* 5: 163-169.
- Kent, M.L., V. Rantis, J.W. Bagshaw, and S.C. Dawe. 1995c. Enhanced detection of *Enterocytozoon salmonis* (Microsporea), an intranuclear microsporean of salmonid fishes, with the Warthin-Starry stain combined with hematoxylin and eosin. *Dis. Aquat. Org.* 23: 235-237.
- Kent, M.L., G.S. Traxler, D. Kieser, J. Richard, S.C. Dawe, R.W. Shaw, G. Proserpi-Porta, J. Ketchenson, and T.P.T. Evelyn. 1998. Survey of salmonid pathogens in ocean-caught fishes in British Columbia, Canada. *J. Aquat. Anim. Health* 211-219.
- Kent, M.L., D.J. Whitaker, and S.C. Dawe. 1997a. *Parvicapsula minibicornis* n. sp. (Myxozoa, Myxosporidia) from the kidney of sockeye salmon (*Oncorhynchus nerka*) from British Columbia. *J. Parasitol.* 83: 1153-1156.
- Kent, M.L., D.J. Whitaker, and L. Margolis. 1993. Transmission of *Myxobolus arcticus* (Pugachev and Khokhlov, 1979), a myxosporidian of Pacific salmon, via a triactinomyxon from the aquatic oligochaete *Stylodrilus heringianus* (Lumbriculidae). *Can. J. Zool.* 71: 1207-1211.
- Kent, M.L., Whitaker, D.J., Moran, J., Kabata, Z. 1997b. *Hemobaphes disphaerocephalus* (Pennellidae: Copepoda), an accidental parasite of seawater pen-reared Atlantic salmon. *Can. Vet. J.* 38: 110-111.
- Kent, M.L., J.N.C. Whyte, and C. LaTrace. 1995b. Gill lesions and mortality in seawater pen-reared Atlantic salmon (*Salmo salar*) associated with a dense bloom of *Skeletonema costatum* and *Thalassiosira* species. *Dis. Aquat. Org.* 22: 77-81.
- Kerk, D., A. Gee, M. Standish, P.O. Wainright, A.S. Drum, R.A. Elston, and M.L. Sogin. 1995. The rosette agent of chinook salmon (*Oncorhynchus tshawytscha*) is closely related to choanoflagellates, as determined by the phylogenetic analysis of its small ribosomal subunit RNA. *Mar. Biol.* 122: 187-192.
- Khalil, L.F., A. Jones, and R.A. Bray (eds.). 1994. Keys to the cestode parasites of vertebrates. CAB International, Wallingford, Oxon, U.K. 751 pp.
- Kieser, D., G.S. Traxler, G. Hoskins, and T.P.T. Evelyn. 1989. A fish virus new to British Columbia. *Aquacult. Update* 39. Department of Fisheries and Oceans. Pacific Biological Station, Nanaimo, B.C.
- Kimura, T., and M. Yoshimizu. 1991. Viral diseases of fish in Japan. *Ann. Rev. Fish Dis.* 1: 67-82.
- Kimura, T., M. Yoshimizu, and M. Tanaka. 1981a. Studies on a new virus (OMV) from *Oncorhynchus masou*-II. Oncogenic nature. *Fish Pathol.* 15: 149-153.
- Kimura, T., M. Yoshimizu, M. Tanaka, and H. Sannohe. 1981b. Studies on a new virus (OMV) from *Oncorhynchus masou*-I. Characteristics and pathogenicity. *Fish Pathol.* 15: 149-153.
- Kimura, T., S. Suzuki, and M. Yoshimizu. 1983. *In vitro* antiviral effect of 9-(2-hydroxyethoxymethyl) guanine on the fish herpes virus (OMV). *Antiviral Res.* 3: 103-108.
- Kinne, O. [ed.]. 1984. Diseases of marine animals. Vol. IV. Part. 1. Biologische Anstalt Helgoland, Hamburg. 541 pp.
- Kitao, I., I. Aoki, and K. Muroga. 1984. Three new O-serotypes of *Vibrio anguillarum*. *Bull. Jpn. Soc. Sci. Fish.* 50: 1955.
- Krogstad, J., T. Håstein and K. Ronningen. 1989. Infectious pancreatic necrosis virus in Norwegian fish farms. p. 284-291. In: W. Ahne, and E. Kurstak [ed.]. *Viruses of lower vertebrates*. Springer-Verlag, Berlin.
- Kuitunen-Ekbaum, E. 1933. *Citharichthys stigmaeus* as a possible intermediate host for *Gilquinia squali* (Fabricius). *Contrib. Can. Biol. Fish.* New Ser. 8: 99-101.
- Kumagai, A., K. Takahashi, and H. Fukuda. 1994. Epizootics caused by salmonid herpesvirus type 2 infection in maricultured coho salmon. *Fish Pathol.* 29: 127-134.
- Kumagai, A., Takahashi, and K., Fukuda, H. 1997. Infection source of herpesvirus disease in coho salmon culture and its control. *Fish Pathol.* 32: 103-108.
- Kurath, G., K.H. Higma, and K.H. Björklund. 1995. The NV genes of fish rhabdoviruses: development of RNase protection assays for rapid assessment of genetic variation. *Vet. Res.* 26: 477-485.
- Kvenseth, P.G. 1993. Use of wrasse to control sea lice. In: Reinersten, H., Dahle, L. A. Jorgensen, L., and Tvinnereim, K. [eds.] *Fish Farming Technology*. Balkema, Rotterdam, pp. 227-232.
- Lannan, C.N., S.A. Ewing, and J.L. Fryer. 1991. A fluorescent antibody test for detection of the rickettsia causing disease in Chilean salmonids. *J. Aquat. Animal Health* 3: 229-234.
- Lannan, C.N., and J.L. Fryer. 1991. Recommended methods for inspection of fish for the salmonid rickettsia. *Bull. Eur. Assoc. Fish Pathol.* 11: 135-136.
- Lannan, C.N., and J.L. Fryer. 1994. Extracellular survival of *Piscirickettsia salmonis*. *J. Fish Dis.* 17: 545-548.
- LaPatra, S. 1990. Infectious hematopoietic necrosis virus (IHNV) transmission studies in Oregon. *Fish Health Section/Am. Fish. Soc. Newsletter* 19(1): 4-5.
- LaPatra, S.E. 1996. The use of serology in virus surveillance and certification of fin fish. *Ann. Rev. of Fish Dis.* 6: 15-28.

References

- LaPatra, S.E., and K. Fliazar. 1990. Examination of mucus and coelomic fluid throughout the spawning of adult chinook salmon for infectious hematopoietic necrosis virus. *Fish Health Section/Am. Fish. Soc. Newslett.* 18(4): 2-3.
- LaPatra, S.E., J.L. Fryer, W.H. Wingfield, and R.P. Hedrick. 1989a. Infectious hematopoietic necrosis (IHNV) in coho salmon. *J. Aquat. Anim. Health* 1: 227-280.
- LaPatra, S.E., J.S. Rohovec, and J.L. Fryer. 1989b. Detection of infectious hematopoietic necrosis virus in fish mucus. *Fish Pathol.* 24: 197-202.
- Larenas, J.J., C. Astroga, J. Contreras, P. Smith, 1996. Detección de *Piscirickettsia salmonis* en ovas fertilizadas provenientes de trucha arco iris (*Oncorhynchus mykiss*) experimentalmente infectadas. *Arch. Med. Vet* 28: Comunicaciones No. 2.
- Laurén, D.J., A. Wishkovsky, J.M. Groff, R.P. Hedrick, and D.E. Hinton. 1989. Toxicity and pharmacokinetics of the antibiotic Fumagillin in yearling rainbow trout (*Salmo gairdneri*). *Toxicol. Appl. Pharmacol.* 98: 444-453.
- Lee, E.G.-H., and T.P.T. Evelyn. 1994. Prevention of vertical transmission of the bacterial kidney disease agent *Renibacterium salmoninarum* by broodstock injection with erythromycin. *Dis. Aquat. Org.* 18: 1-4.
- Leek, S.L. 1987. Viral erythrocytic inclusion body syndrome (EIBS) occurring in juvenile spring chinook salmon (*Oncorhynchus tshawytscha*) reared in fresh water. *Can. J. Fish. Aquat. Sci.* 44: 685-688.
- Lembeye, G., and I. Campodonica. 1984. First recorded bloom of the dinoflagellate *Prorocentrum micans* Ehr. in South-Central Chile. *Bot. Mar.* 27: 491-493.
- Lemly, A.D., and G.W. Esch. 1984. Effects of the trematode *Uvulifer ambloplitis* on juvenile bluegill sunfish, *Lepomis macrochirus*: Ecological implications. *J. Parasitol.* 70: 475-492.
- Leong, J.C., E. Anderson, L.M. Bootland, P.-W. Chiou, M. Johnson, C. Kim, D. Mourich, G. Trobridge. 1997. Fish vaccine antigens produced or delivered by recombinant DNA technologies. In: R. Gudding, A. Lillehaug, P.J. Midtlyng, F. Brown (eds.). *Fish Vaccinology*. Dev. Biol. Stand. Basel, Karger Vol 90: 267-277.
- Leong, J.C., Y.L. Hsu, H.M. Engelking, and D. Mulcahy. 1981. Strains of infectious hematopoietic necrosis (IHNV) virus may be identified by structural protein differences. *Dev. Biol. Stand.* 49:43-55.
- Li, S., and P.T.K. Woo. 1995. Efficacy of a live *Cryptobia salmositica* vaccine, and the mechanism of protection in vaccinated *Oncorhynchus mykiss* against cryptobiosis. *Vet. Immunol. Immunopathol.* 48: 343-353.
- Li, S., and P.T.K. Woo. 1997. Vaccination of rainbow trout, *Oncorhynchus mykiss* (Walbaum), against cryptobiosis: efficacy of the vaccine in fresh and sea water. *J. Fish. Dis.* 20: 369-374.
- Lillehaug, A., T. Lunder and T.T. Poppe. 1992. Field testing of adjuvanted furunculosis vaccines in Atlantic salmon, *Salmo salar* L. *J. Fish Dis.* 15: 485-496.
- Lindahl, O., and E. Dahl. 1990. On the development of the *Chrysochromulina polylepis* bloom in the Skagerrak in May-June 1988. pp. 189-194. In E. Graneli, B. Sundstroem, L. Edler, and D.M. Anderson [eds.]. *Toxic Marine Phytoplankton*. Elsevier Sci. Pub., N.Y.
- Lom, J. 1984. Diseases caused by protists. In: O. Kinne [ed.]. *Diseases of Marine Animals*. Vol. IV. Part. 1, pp. 114-168. Biologische Anstalt Helgoland, Hamburg.
- Lom, J. 1987. Myxosporea: a new look at long-known parasites of fish. *Parasitol. Today* 3: 327-332.
- Lom, J. 1989. Phylum Myxozoa. In: Margulis, L. Corliss, J.O., Melkonian, M. and Chapman, D., J. (eds.) *Handbook of Protozoology*. Jones and Bartlett Publ. pp. 36-52.
- Lom, J., and E.R. Noble. 1984. Revised classification of the class Myxosporea Bütschli, 1881. *Fol. Parasitol. (Praha)* 31: 193-205.
- Lunder, T. 1992. "Winter ulcer" in Atlantic salmon. A study of pathological changes, transmissibility, and bacterial isolates. Thesis for the degree of Doctor Scientiarum. The Norwegian College of Veterinary Medicine, Oslo, Norway.
- Lunder, T., K. Thorud, T.T. Poppe, R.A. Holt, and J.S. Rohovec. 1990. Particles similar to the virus of erythrocytic inclusion body syndrome, EIBS, detected in Atlantic salmon (*Salmo salar*) in Norway. *Bull. Eur. Ass. Fish Pathol.* 10: 21-23.
- MacConnell, E., T. Shaw, and C.E. Smith. 1991. Naturally-occurring infection with intranuclear microsporidium *Enterocytozoon salmonis*, in steelhead trout *Oncorhynchus mykiss*, pp 11. In: Abstracts of the 14th Ann. AFS/Fish Health Sec. meeting, 31 July - 3 August 1991, Newport, OR, USA.
- MacKenzie, K. 1965. The plerocercoid of *Gilquinia squali* Fabricius, 1794. *Parasitology* 55: 607-615.
- MacKenzie, K. 1975. Some aspects of the biology of the plerocercoid of *Gilquinia squali* Fabricius 1794 (Cestoda: *Trypanorhyncha*). *J. Fish Biol.* 7: 321-327.
- MacKenzie, L. 1991. Toxic and noxious phytoplankton in Big Glory Bay, Stewart Island, New Zealand. *J. Appl. Phycol.* 3: 19-34.
- MacKinnon, B.M. 1991. Sea lice and Atlantic salmon: absence of immunoprotection in *Salmo salar* to *Caligus elongatus*. *Bull. Aquacult. Assoc. Canada* 91: 58-60.
- MacKinnon, B.M. 1993. Host response of Atlantic salmon (*Salmo salar*) to infection by sea lice (*Caligus elongatus*). *Can. J. Fish. Aquat. Sci.* 50: 789-792.
- MacMillan, J.R., and D. Mulcahy. 1979. Artificial transmission to and susceptibility of Puget Sound fish to viral erythrocytic necrosis (VEN). *J. Fish. Res. Board Can.* 36: 1097-1101.
- MacMillan, J.R., D. Mulcahy, and M.L. Landolt. 1989. Cytopathology and coagulopathy associated with viral erythrocytic necrosis in chum salmon. *J. Aquat. Anim. Health* 1: 255-362.
- MacMillan, J.R., D. Mulcahy, and M.L. Landolt. 1980. Viral erythrocytic necrosis: some physiological consequences of infection in chum salmon (*Oncorhynchus keta*). *Can. J. Fish. Aquat. Sci.* 37: 799-804.
- Maestrone, G., 1984. Evaluation of potentiated sulfonamide Romet in the control of furunculosis in salmonids. *Salmonid*, Vol. 8, No. 3,4, 24-27.
- Magor, B.G., 1987. First report of *Loma* sp. (Microsporidia) in juvenile coho salmon (*Oncorhynchus kisutch*) from Vancouver Island, British Columbia. *Can. J. Zool.* 65: 751-752.
- Margolis, L. 1977. Public health aspects of "codworm" infection: a review. *J. Fish. Res. Board Can.* 34: 887-898.
- Margolis, L. 1982. Parasitology of Pacific salmon - an overview. p. 135 - 226. In: E. Meerovitch [ed]. *Aspects of Parasitology*. McGill University, Montreal.
- Margolis, L., Z. Kabata, and R.R. Parker. 1975. Catalogue and synopsis of *Caligus*, a genus of Copepoda (Crustacea) parasitic on fishes. *Bull. Fish. Res. Board Can.* 192: 117 pp.
- Markey, P.T., V.S. Blazer, M.S. Ewing, and K.M. Kocan. 1994. *Loma* sp. in salmonids from eastern United States: associated lesions in rainbow trout. *J. Aquat. Anim. Health* 6: 318-328.
- Marsh, M. 1988. Plankton bloom occurrences in British Columbia (1987 - 1988). *Red Tide Newsletter* 1(2): 4-5.
- Martin, R.M., W.R. Heard, and A.C. Wertheimer. 1981. Short-term rearing of pink salmon (*Oncorhynchus gorbuscha*) fry: effect on survival and biomass of returning adults. *Can. J. Fish. Aquat. Sci.* 38: 554-558.
- Martin, S.W., A.H. Meek, and P. Willeberg. 1987. *Veterinary Epidemiology: Principles and Methods*. Iowa State University Press. Ames. pp.74-75.
- Martin, S.W., M. Shoukri, and M.A. Thorburn. 1992. Evaluating the health status of herds based on tests applied to individuals. *Prev. Vet. Med.* 14: 33-43.
- Masumura, K., and H. Wakabayashi. 1977. An outbreak of gliding bacterial disease in hatchery-born red seabream (*Pagrus major*) and gilthead (*Acanthopagrus schlegelii*) fry in Hiroshima. *Fish Pathol.* 12: 171-177.
- Mattis, T.E. 1986. Development of two tetrahyndeian cestodes from the northern Gulf of Mexico. Doctoral Dissertation. University of Southern Mississippi, Mississippi, 172 p.
- Mauel, M.J., S.J., Giovannoni, and J.L. Fryer. 1996. Development of polymerase chain reaction assays for detection, identification, and differentiation of *Piscirickettsia salmonis*. *Dis. Aquat. Org.* 26: 189-195.
- McAllister, P.E. 1983. Infectious pancreatic necrosis (IPN) of salmonid fishes. *Fish Disease Leaflet* 65 U.S. Fish and Wildlife Service, U.S. Dept. of the Interior, Washington D.C.

- McArdle, J.F. 1984. Trichodina as a cause of mortalities in cage reared rainbow trout (*Salmo gairdneri*) and Atlantic salmon (*Salmo salar*). Bull. Eur. Ass. Fish Pathol. 4(1): 3-6.
- McArdle, J.F., C. Dooley-Martyn, and F. McKiernan. 1986. Histological examination of the gills as a method for detecting asymptomatic carriers of *A. salmonicida* in Atlantic salmon (*Salmo salar*). Bull. Eur. Ass. Fish Pathol. 6(3): 80-84.
- McCarthy, D.H., and R.J. Roberts. 1980. Furunculosis in fish - the present state of our knowledge. pp. 293-341. In: M. A. Droop, and H. W. Jannasch [eds.] Advances in aquatic microbiology. Academic Press, London.
- McCoy, M.A., M.F. McLoughlin, D.A. Rice, and G. Kennedy. 1994. Pancreas disease in Atlantic salmon (*Salmo salar*) and vitamin E supplementation. Comp. Biochem. Physiol. 109A: 905-912.
- McDaniel, T.R., K.M. Pratt, T.R. Meyers, T.D. Ellison, J.E. Follett, and J.A. Burke. 1994. Alaska sockeye salmon culture manual. Spec. Fish. Publ. No. 6. Alaska Dept. Fish and Game. Juneau, Alaska.
- McElwain, I. B., and G. Post. 1968. Efficacy of cyzine for trout hexamitiasis. Prog. Fish-Cult. 30(2): 84-91.
- McGladdery, S.E., L. Murphy, B.D. Hicks, and S.K. Wagner. 1990. The effects of *Stephanostomum tenue* (Digenea: Acanthocolpidae) on marine aquaculture of rainbow trout, *Salmo gairdneri*. In: Perkins, F. O., and T. C. Cheng (eds.). Pathology in Marine Science. Academic Press, Inc., San Diego, California. pp. 305-315.
- McKnight, I.J. 1978. Sarcoma of the swim bladder of Atlantic salmon (*Salmo salar* L.). Aquaculture 13: 55-60.
- McLoughlin M.F., R.T. Nelson, H.M. Rowley, D.I. Cox, and A.N. Grant. 1996. Experimental pancreas disease in Atlantic salmon *Salmo salar* post-smolts induced by salmon pancreas disease virus (SPDV). Dis. Aquat. Org. 26: 117-124.
- McLoughlin, M.F., R.T. Nelson, J.I. McCormick, and H. Rowley. 1995. Pathology of experimental pancreas disease in freshwater Atlantic salmon. J. Aquat. Anim. Health 7: 104-110.
- McLoughlin, M.F., H.M. Rowley, and C.E. Doherty. 1998. A serological survey of salmon pancreas disease virus (SPDV) antibodies in farmed Atlantic salmon *Salmo salar* L. J. Fish Dis. 21: 305-307.
- McVicar, A.H. 1982. *Ichthyophonus* infections in fish, p. 243-269. In: R. J. Roberts [ed.]. Microbial Diseases of Fish. Academic Press, New York.
- McVicar, A.H. 1987. Pancreas disease of farmed Atlantic salmon, *Salmo salar*, in Scotland: Epidemiology and early pathology. Aquaculture 67: 71-78.
- McVicar, A.H. 1990. Infection as a primary cause of pancreas disease in farmed Atlantic salmon. Bull Eur. Ass. Fish Pathol. 10: 84-87.
- McVicar, A.H., and A.L.S. Munro. 1987. Pancreas disease in farmed Atlantic salmon: evidence for an infectious aetiology. Int. Council. Explor. Sea - CM 1987/F:6 Mariculture Committee.
- Melby, H.P., J. Krogsrud, T. Håstein, and H. Stenwig. 1991. All commercial Atlantic salmon seawater farms in Norway harbour carriers of Infectious pancreatic necrosis virus (IPNV). In: Fryer, J.L. (ed) Proceedings 2nd international symposium on viruses of lower vertebrates. Oregon State University, Corvallis OR, USA, 211-217.
- Melby, P.H., and J. Krogsrud. 1991. A retrospective study of records from 1986-90 indicates that infectious pancreatic necrosis virus (IPNV) is present in carrier fish in all commercial Atlantic salmon seawater farms in Norway, p. 25. In: Abstracts - Second International Symposium on Viruses of Lower Vertebrates. July 29-31. Corvallis, Oregon.
- Menzies, F.D., S.B. Wheatley, E.A. Goodall, and M.F. McLoughlin. 1996. Development of a computerised information retrieval system for Atlantic salmon (*Salmo salar*) Aquacult. Res. 27: 183-190.
- Meyers, T.R. 1998. Healthy juvenile sockeye salmon reared in virus-free hatchery water return as adults infected with infectious hematopoietic necrosis virus (IHNV): A case report and review of the controversial issues in the epizootiology of IHNV. J. Aquat. Anim. Health 10: 172-181.
- Meyers, T.R., A.K. Hauck, W.D. Blankenbeckler, and T. Minicucci. 1986. First report of viral erythrocytic necrosis in Alaska, USA, associated with epizootic mortality in Pacific herring, *Clupea harengus pallasi* (Valenciennes). J. Fish Dis. 9: 479-491.
- Meyers, T.R., J.B. Thomas, J.E. Follett, and R.R. Saft. 1990. Infectious hematopoietic necrosis virus: Trends in prevalence and the risk management approach in Alaskan sockeye salmon culture. J. Aquat. Anim. Health 2: 85-98.
- Midtlyng P.J., L.J. Reitan, and L. Speilberg. 1996. Experimental studies on the efficacy and side-effects of intraperitoneal vaccination of Atlantic salmon (*Salmo salar* L.) against furunculosis. Fish Shellfish Immun. 6: 335-350.
- Midtlyng, P.J. 1996. A field study on intraperitoneal vaccination of Atlantic salmon (*Salmo salar* L.) against furunculosis. Fish Shellfish Immun. 6: 553-565.
- Mitchell, C.G. 1993. *Eubothrium*. Aquacult. Info. Ser. 14. Dept. Agriculture and Fisheries for Scotland, Aberdeen.
- Mitchell, H. 1992. Furunculosis treatment, control and chemotherapeutic approaches to salmon aquaculture in the United States. Bull. Aquacul. Ass.. Canada, 92-1, 36-39
- Mitchell, L.G. 1977. Myxosporida. pp. 115-154. In J. P. Kreier [ed.]. Parasitic Protozoa IV. Academic Press, New York.
- Miyata, M., V. Inglis, and T. Aoki. 1996. Rapid identification of *Aeromonas* subspecies *salmonicida* by the polymerase chain reaction. Aquacult. 141: 13-64.
- Miyazaki, T., and S.S. Kubota. 1977. Studies on *Ichthyophonus* disease - III. Life cycle of *Ichthyophonus* affected rainbow trout. Bull. Fac. Fish. Mie. Univ. 4: 67-80.
- Mjaaland, S. E. Rimstad, K. Falk, B.H. Dannevig. 1997. Genomic characterization of the virus causing infectious salmon anaemia in Atlantic salmon (*Salmo salar* L.): an orthomyxo-like virus in a teleost. J. Virol. 71: 7681-7686.
- Mo, T.A., and K.A. MacKenzie. 1991. Occurrence of *Gyrodactyloides bychowskii* Albova, 1948 on the gills of sea-caged Atlantic salmon (*Salmo salar* L.). Bull. Eur. Ass. Fish Pathol. 11: 156-158.
- Mo, T.A., T.T. Poppe, and L. Iversen. 1990. Systemic hexamitosis in salt-water reared Atlantic salmon. Bull. Eur. Assoc. Fish Pathol. 10: 69 - 70.
- Mo, T.A., T.T. Poppe, G. Vik, and M. Valheim. 1992. Occurrence of *Myxobolus aeglefini* in salt-water reared Atlantic salmon (*Salmo salar*). Bull. Eur. Ass. Fish Pathol. 12: 104-106.
- Möller, H., and K. Anders. 1986. Diseases and Parasites of Marine Fishes. Kiel, Germany: Verlag Möller 365 pp.
- Molnár, K., F. Baska, and C. Szekely. 1987. Fumagillin, an efficacious drug against renal sphaerosporosis of the common carp *Cyprinus carpio*. Dis. Aquat. Org. 2: 187-190.
- Moran, J.D.W., and M.L. Kent. 1998a. *Kudoa thyrssites* (Myxozoa: Myxosporae) infections in pen-reared Atlantic salmon in the eastern north Pacific Ocean, with a survey of potential nonsalmonid reservoir hosts. J. Aquat. Anim. Health. (submitted).
- Moran, J.D.W., D.J. Whitaker, and M.L. Kent. 1998b. Natural and laboratory transmission of the marine myxosporean parasite *Kudoa thyrssites* (Gilchrist, 1924) to Atlantic salmon (*Salmo salar*). J. Aquat. Anim. Health. (submitted).
- Morrison, C.M., and D.K. Cone. 1986. A possible marine form of *Ichthyobodo* sp. on haddock, *Melanogrammus aeglefinus* (L.), in the north-west Atlantic Ocean. J. Fish Dis. 9: 141-142.
- Morrison, C.M., and V. Sprague. 1981. Microsporidian parasites in the gills of salmonid fishes. J. Fish Dis. 4: 371-386.
- Morrison, C.M., and V. Sprague. 1983. *Loma salmonae* (Putz, Hoffman and Dunbar 1965) in the rainbow trout, *Salmo gairdneri* Richardson, and *L. fontinalis* sp. nov. (Microsporida) in the brook trout, *Salvelinus fontinalis* (Mitchell). J. Fish Dis. 6: 345-353.
- Morrison, J.K., E. MacConnell, P.F. Chapman, and R.L. Westgard. 1990. A microsporidium-induced lymphoblastosis in chinook salmon *Oncorhynchus tshawytscha*. Dis. Aquat. Org. 8: 99-104.
- Mortensen, A.M. 1984. Massive fish mortalities in the Faeroe Islands caused by a *Gonyaulax excavata* red tide. pp. 165-70. In D. M. Anderson, A. W. White, and D. G. Baden [eds.]. Toxic Dinoflagellates. Elsevier, New York.
- Mortensen, A.M. 1985. Massive fish mortalities in the Faeroe Islands caused by *Gonyaulax excavatum* red tide. pp. 165-170. In D.M. Anderson, A.W.White, and D.G. Baden [eds.]. Toxic Dinoflagellates. Elsevier Sci. Pub., N.Y.

References

- Moser, M., and M.L. Kent. 1994. Myxosporea. pp. 265-318. In J.P. Kreier [ed.], Parasitic Protozoa. Vol. 8. New York: Academic Press, New York.
- Mugridge, R.E.R., and H.G. Stallybrass. 1983. A mortality of eels, *Anguilla anguilla* L. attributed to Gnathiidae. J. Fish. Dis. 6: 81-82.
- Mulcahy, D., and R.J. Pascho. 1984. Adsorption to fish sperm of vertically transmitted fish viruses. Science 225: 333-335.
- Mulcahy, D., and R.J. Pascho. 1985. Vertical transmission of infectious hematopoietic necrosis virus in sockeye salmon, *Oncorhynchus nerka* (Walbaum): isolation of virus from dead eggs and fry. J. Fish Dis. 8: 393-396.
- Mulcahy, D., J. Burke, R. Pascho, and C. K. Jenes. 1982. Pathogenesis of infectious hematopoietic necrosis virus in adult sockeye salmon (*Oncorhynchus nerka*). Can. J. Fish. Aquat. Sci. 39: 1144-1149.
- Mullins, J.E., D. Groman, and D. Waldowska. 1998. Infectious salmon anaemia in salt water Atlantic salmon (*Salmo salar* L.) in New Brunswick, Canada. Bull. Eur. Ass. Fish Pathol. 18: 110-114.
- Mullins, J.E., M. Powell, D.J. Speare, and R. Cawthorn. 1994. An intranuclear microsporidian in lumpfish *Cyclopterus lumpus*. Dis. Aquat. Org. 20: 7-13.
- Munday, B.L., C.K. Foster, F.R. Roubal, and R.G.J. Lester. 1990. Paramoebic gill infection and associated pathology of Atlantic salmon, *Salmo salar*, and rainbow trout, *Salmo gairdneri*, in Tasmania. In F.O. Perkins, T.C. Cheng (eds.) Pathology in marine science. Academic Press. pp. 215-222.
- Munday, B.L., K. Lange, C. Foster, R.J.G. Lester, and J. Handler. 1993. Amoebic gill disease of sea-caged salmonids in Tasmanian waters. Tas. Fish. Res. 28: 14-19.
- Mundry, D.R., and M.D. Dailey. 1971. Postembryonic development of certain tetraphyllidean and trypanorhynch cestodes with a possible alternative life cycle for the order Trypanorhyncha. Can. J. Zool. 49: 1249-1253.
- Munro, A.L.S., W. Turrell, and A.S. Rose. 1990. Modelling study of the fate and dispersion of *Aeromonas salmonicida* released from Atlantic salmon (*Salmo salar* L.) sea cages. J. Aquat. Anim. Health (in press).
- Munro, A.L.S., A.E. Ellis, A.H. McVicar, H. Anne McLay, and E.A. Needham. 1984. An exocrine pancreas disease of farmed Atlantic salmon in Scotland. Helgol. Meeresunters. 37: 571-586.
- Muroga, K., Y. Jo, and K. Masumura. 1986. *Vibrio ordalii* isolated from diseased ayu (*Plecoglossus altivelis*) and rockfish (*Sebastes schlegeli*). Fish Pathol. 21: 239-243.
- Murray, C.B., T.P.T. Evelyn, T.D. Beacham, L. Barner, J.E. Ketcheson, and L. Prospero-Porta. 1992. Experimental induction of bacterial kidney disease in chinook salmon by immersion and cohabitation challenges. Dis. Aquat. Org. 12: 91-96.
- Mustafa, A., and B.M. Mackinnon. 1993. Sea lice and salmonids: Preliminary observations on modulation of the effects of host stress using iodine. Bull. Aquacul. Assoc. Can. 93(4): 99-101.
- Nagasawa, K. 1990. The life cycle of *Anisakis simplex*: a review. pp. 31-40. In H. Ishikura and K. Kikuchi [eds.]. Intestinal anisakiasis in Japan. Springer-Verlag, New York.
- Nagasawa, K., and S. Sakamoto. 1993. Infection of the salmon louse *Lepeophtheirus salmonis* (Copepoda: Caligidae) on seawater-farmed salmonids in Northern Honshu, Japan. Grob. Kenk. 28: 143-144.
- Nielsen, T.G., T. Kirøboe, and P.K. Bjørnsen. 1990. Effects of a *Chrysochromulina polylepis* subsurface bloom on the planktonic community. Mar. Ecol. Prog. Ser. 62: 21-35.
- Nelson, R.T., M.F. McLoughlin, H.M. Rowley, M.A. Platten, and J.I. McCormick. 1995. Isolation of a toga-like virus from farmed Atlantic salmon *Salmo salar* with pancreas disease. Dis. Aquat. Org. 22: 25-32.
- Nese, L. and R. Enger. 1993. Isolation of *Aeromonas salmonicida* from salmon lice *Lepeophtheirus salmonis* and marine plankton. Dis. Aquat. Org. 16: 79-81.
- Newbound, G.C., and M.L. Kent. 1991a. Experimental interspecies transmission of plasmacytoid leukemia in salmonid fishes. Dis. Aquat. Org. 10: 159-166.
- Newbound, G.C., and M.L. Kent. 1991b. Prevalence of plasmacytoid leukemia in British Columbia. Fish Health Section/Am. Fish. Soc. Newsletter 19(1): 1-2.
- Nilsen, F., A. Ness, and A. Nylund. 1995. Observations on an intranuclear microsporidian in lymphoblasts from farmed Atlantic halibut larvae (*Hippoglossus hippoglossus* L.). J. Eukary. Microbiol. 42: 131-135.
- Noga, E. J. 1996. Fish diseases; Diagnosis and treatment. Mosby, St. Louis. 367 pp.
- Nordmo, R., K.J. Varma, I.H. Sutherland and E.S. Brokken, 1994. Florfenicol in Atlantic salmon, *Salmo salar* L.: field evaluation of efficacy against furunculosis in Norway. J. Fish Dis. 17: 239-244.
- Novotny, A.J. 1978. Vibriosis and furunculosis in marine cultured salmon in Puget Sound, Washington. Mar. Fish Rev. 40(3): 52-55.
- Novotny, A.J., and C.V.W. Mahnken. 1971. Predation on juvenile pacific salmon by a marine isopod *Rocinela belliceps pugettensis* (Crustacea, Isopoda). U.S. National Marine Fisheries Service Fishery Bulletin 69: 699-701.
- Nylund, A., and P. Jakobsen. 1995. Sea trout as a carrier of infectious salmon anaemia virus. J. Fish Biol. 47: 174-176.
- Nylund, A., B. Bjoerknes, and C. Wallace. 1991. *Lepeophtheirus salmonis*: a possible vector in the spread of diseases on salmonids. Bull. Eur. Assoc. fish. Pathol. 11: 213-216.
- Nylund, A., C. Wallace, and T. Hovland. 1993. The possible role of *Lepeophtheirus salmonis* (Kroeyer) in the transmission of infectious salmon anaemia. pp. 367-373. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of Wild and Farmed Fish: Sea Lice. Ellis Horwood, Chichester, England.
- Nylund, A., T. Hovland, K. Hodneland, F. Nilsen, and P. Lervik. 1994. Mechanisms for transmission of infectious salmon anaemia (ISA). Dis. Aquat. Org. 19: 95-100.
- O'Halloran, J. and R. Henry. 1993. *Vibrio salmonicida* (Hitra disease) in New Brunswick. Bull. Aquacult. Assoc. Can. 93-4: 96-98
- O'Halloran, J., J. Carpenter, D. Ogden, W.E. Hogans, and M. Jansen. 1992. *Ergasilus labracis* on Atlantic salmon. Can. Vet. J. 33: 75.
- Okaichi, T. 1983. Red tides and fisheries damages. Eisei Kagaku 29: 1-4.
- Olsen, A.B., H.P. Melby, L. Speilberg, R. Eversen, and T. Håstein. 1997. *Piscirickettsia salmonis* infection in Atlantic salmon *Salmo salar* in Norway - epidemiological, pathological and microbiological findings. Dis. Aquat. Org. 31: 35-48.
- Olson, A.C., M.D. Lewis, and M.L. Hauser. 1983. Proper identification of anisakine worms. Am. J. Med. Technol. 49: 111-114.
- Overstreet, R.M. 1978. Marine maladies? worms, germs and other symbionts from the northern Gulf of Mexico. Blossman Printing, Inc., Ocean Springs, Mississippi. 140 pp.
- Pacha, R.E., and E.J. Ordal. 1970. Myxobacterial diseases of salmonids. pp. 243-247. In S.F. Snieszko [ed.]. A Symposium on Diseases of Fishes and Shellfishes. Special Publ. No.5., Am. Fish. Soc., Washington, D.C.
- Palmer, R. 1994. Kudoa - the Irish Experience. In D.C. Conley [ed.]. Kudoa workshop proceedings, 17 and 18 February 1994, Nanaimo, B.C. Aquaculture Industry Develop. Rep. 94-01: 18-21. Province of British Columbia, Ministry of Agriculture, Fisheries and Food, Victoria, B.C., Canada.
- Palmer, R., H. Rodger, E. Drinan, C. Dwyer, and P.R. Smith. 1987. Preliminary trials on the efficacy of Ivermectin against parasitic copepods of Atlantic salmon. Bull. Eur. Assoc. Fish Pathol. 7: 47-54.
- Papas, T.S., J.E. Dahlberg, and R.A. Sonstegard. 1976. Type C virus in *lymphosarcoma* in northern pike (*Esox lucius*). Nature 261: 506-508.
- Paperna, I. 1975. Parasites and diseases of the grey mullet (Mugilidae) with special reference to the seas of the near east. Aquaculture 5: 65-80.
- Parker, M., T. Dunne, and J. McArdle. 1982. Exceptional marine blooms in Irish coastal waters. Int. Council Expl. Sea, ICES CM 1982/L 44: 1-10.
- Parker, R.R., and L. Margolis. 1964. A new species of parasitic copepod, *Caligus clemensi* sp. nov. (Caligoida: Caligidae), from pelagic fishes in the coastal waters of British Columbia. J. Fish. Res. Board Can. 21: 873-889.
- Parker, R.R., Z. Kabata, L. Margolis, and M.D. Dean 1968. A review and description of *Caligus curtus* Müller, 1785 (Caligidae: Copepoda), type species of its genus. J. Fish. Res. Board Can. 25: 1923-1969.

- Pascho, R.J., D. Chase, C. L. McKibben. 1998. Comparisons of the membrane-filtration fluorescent antibody test, the enzyme-linked immunosorbent assay, and the polymerase chain reaction to detect *Renibacterium salmoninarum* in salmonid ovarian fluid. J. Vet. Diag. Invest. (in press).
- Pascho, R.J., D.G. Elliott, and J.M. Streufert. 1991. Brood stock segregation of spring chinook salmon *Oncorhynchus tshawytscha* by use of the enzyme-linked immunosorbent assay (ELISA) and the fluorescent antibody technique (FAT) affects the prevalence and levels of *Renibacterium salmoninarum* infection in progeny. Dis. Aquat. Org. 12: 25-40.
- Pascho, R.J., T.D. Goodrich, and C.L. McKibben. 1997. Evaluation by enzyme-linked immunosorbent assay (ELISA) of *Renibacterium salmoninarum* bacterins affected by persistence of bacterial antigens. Journal of Aquatic Animal Health 9:99-107.
- Pascho, R.J., and D. Mulcahy. 1987. Enzyme-linked immunosorbent assay for a soluble antigen of *Renibacterium salmoninarum*, the causative agent of salmonid bacterial kidney disease. Can. J. Fish. Aquat. Sci. 44: 183-191.
- Patashnik, M., H.S. Groninger, H. Barnett, G. Kudo, and B. Koury. 1982. Pacific whiting, *Merluccius productus*: I. abnormal muscle texture caused by myxosporidian-induced proteolysis. Mar. Fish. Rev. 44(5): 1-12.
- Paterson, W.D. 1982. Furunculosis and other associated diseases caused by *Aeromonas salmonicida*. pp. 119-138. In D. P. Anderson, M. Dorson, and Ph. Dubourget [eds.]. Les antigènes des micro-organismes pathogènes des poissons. Collection Fondation Marcel Merieux, France.
- Pedersen, O., and F. Langvad. 1988. *Exophiala psychrophila* sp. nov., a pathogenic species of the black yeasts isolated from farmed Atlantic salmon. Mycol. Res. 92: 153-156.
- Piacentini, S.C., J.S. Rohovec, and J.L. Fryer. 1989. Epizootiology of erythrocytic inclusion body syndrome. J. Aquat. Anim. Health 1: 173-179.
- Piasecki, W. 1996. The developmental stages of *Caligus elongatus* von Nordmann, 1832 (Copepoda: Caligidae). Can. J. Zool. 74: 1459-1478.
- Piasecki, W., and B.M. MacKinnon. 1995. Life cycle of a sea louse, *Caligus elongatus* von Nordmann, 1832 (Copepoda, Siphonostomatoida, Caligidae). Can. J. Zool. 73: 74-82.
- Pietsch, J.P., D.F. Amend, and C.M. Miller. 1977. Survival of infectious hematopoietic necrosis virus held under various environmental conditions. J. Fish. Res. Board Can. 34: 1360-1364.
- Pike, A.W. 1989. Sea lice - major pathogens of farmed Atlantic salmon. Parasitol. Today 5: 291-297.
- Pike, A.W., A.J. Mordue (Luntz), and G. Ritchie. 1993. The development of *Caligus elongatus* Nordmann from hatching to copepodid in relation to temperature. pp. 51-60. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of Wild and Farmed Fish: Sea Lice. Ellis Horwood, Chichester, England.
- Pilcher, K.S., and J.L. Fryer. 1980. The virus diseases of fish: a review through 1978. Part 1: Diseases of proven viral etiology. CRC Crit. Rev. Microbiol. 7: 287-363.
- Plehn, M. 1920. Neue parasiten in haut und kiemen von fischen. Ichthyochytrium und Mucophilus. Zentr. Bakteriell. Parasitenkr. Infektionskr. Hyg. Abt. I Orig. 85: 275-281.
- Poppe, T.T., and O. Breck. 1997. Pathology of Atlantic salmon (*Salmo salar* L.) intraperitoneally immunized with oil-adjuvanted vaccine. A case report. Dis. Aquat. Org. 29: 219-226.
- Poppe, T.T., and T.A. Mo. 1993. Systemic, granulomatous hexamitosis of farmed Atlantic salmon: Interaction with wild fish. Fish. Res. 17: 147-152.
- Poppe, T.T., T.A. Mo, and L. Iversen. 1992. Disseminated hexamitosis in sea-caged Atlantic salmon *Salmo salar*. Dis. Aquat. Org. 14: 91-97.
- Post, G.W. 1987. Textbook of Fish Health. T.F.H. Publ., Neptune City, New Jersey. 288 pp.
- Poynton, S.L. 1986. Distribution of the flagellate *Hexamita salmonis* Moore, 1922 and the microsporidian *Loma salmonae* Putz, Hoffman and Dunbar, 1965 in brown trout, *Salmo trutta* L., and rainbow trout, *Salmo gairdneri* Richardson, in the River Itchen (U.K.) and three of its fish farms. J. Fish Biol. 29: 417-429.
- Poynton, S.L. 1987. Vertebral column abnormalities in brown trout, *Salmo trutta* L. J. Fish Dis. 10: 53-57.
- Poynton, S.L., and C.M. Morrison. 1990. Morphology of diplomonad flagellates: *Spironucleus torosa* n. sp. from Atlantic cod *Gadus morhua* L., and haddock *Melanogrammus aeglefinus* (L.) and *Hexamita salmonis* Moore from brook trout *Salvelinus fontinalis* (Mitchill). J. Protozool. 37: 369-383.
- Pringle, G.M., D.F. Houlihan, K.R. Callanan, A.I. Mitchell, R.S. Raynard, and G.H. Houghton. 1992. Digestive enzyme levels and histopathology of pancreas disease in farmed Atlantic salmon (*Salmo salar*). Comp. Biochem. Physiol. 102A: 759-768.
- Putz, R.E., and J.J.A. McLaughlin. 1970. The biology of Nosematidae (Microsporidia) from freshwater and euryhaline fishes. pp. 124-132. In S.F. Snieszko [ed.]. A Symposium on Diseases of Fishes and Shellfishes. Special Publ. No. 5, Am. Fish Soc., Washington, D.C.
- Putz, R.E., G.L. Hoffman, and C.E. Dunbar. 1965. Two new species of *Plistophora* (Microsporidea) from North American fish with a synopsis of Microsporidea of freshwater and euryhaline fishes. J. Protozool. 12: 228-236.
- Ragan, M.A., C.L. Goggins, R.J. Cawthorn, L. Cerenius, A.V.C. Jamieson, S.M. Plourdes, T.G. Rand, K. S' derhall, and R.R. Gutell. 1996. A novel clade of protistan parasites near the animal-fungal divergence. Proc. Natl. Acad. Sci. 93: 11907-11912.
- Rand, T.G. 1985. Papillomatous lesions in wild juvenile Atlantic salmon *Salmo salar* L., in New Brunswick, Canada. J. Wildl. Dis. 21: 324-326.
- Rasmussen, H.B., K. Larsen, B. Hald, B. Moller, and F. Elling. 1986. Outbreak of liver-cell carcinoma among saltwater-reared rainbow trout *Salmo gairdneri* in Denmark. Dis. Aquat. Org. 1: 191-196.
- Raynard, R.S. and G. Houghton. 1993. Development towards an experimental protocol for the transmission of pancreas disease of Atlantic salmon. Dis. Aquat. Org. 15: 123-128.
- Reichenbach, H. 1988. Order Cytophagales. pp. 2011-2066. In J.G. Holt, J.T. Staley, M.P. Bryant, and N. Pfennig [eds.]. Bergey's Manual of Systematic Bacteriology, Vol. 3. Williams & Wilkins, Baltimore, Maryland.
- Rensel, J. 1990. *Heterosigma* blooms in Washington, U.S.A. Red Tide Newsletter 3(3): 4.
- Rensel, J.E. 1992. Harmful effects of the marine diatom (*Chaetoceros concavicornis*) on net-pen and other fish in Puget Sound. Northwest Sci. 66: 141.
- Rensel, J.E. 1993. Severe blood hypoxia of Atlantic salmon (*Salmo salar*) exposed to the marine diatom *Chaetoceros concavicornis*. pp. 625-630. In T.J. Smayda and Y. Shimizu [eds.]. Toxic Phytoplankton Blooms in the Sea. Elsevier Sci. Pub., N.Y.
- Rensel, J.E., R.A. Horner, and J.R. Postel. 1989. Effects of phytoplankton blooms on salmon aquaculture in Puget Sound, Washington: Initial research. Northwest Environmental J. 5: 53-69.
- Reyes, X., and S. Bravo. 1983a. Salmon coho *Oncorhynchus kisutch*, cultivado en Puerto Montt, Chile, nuevo huésped para el copepodo *Caligus teres* (Caligidae). Invest. Mar. Valparaíso 11: 51-54.
- Reyes, X., and S. Bravo. 1983b. Nota sobre una copepodosis en salmones de cultivo. Invest. Mar. Valparaíso 11: 55-57.
- Richards, R.H., A. Holliman, and S. Helgason. 1978. *Exophiala salmonis* infection in Atlantic salmon *Salmo salar* L. J. Fish Dis. 1: 357-368.
- Ristow, S.S., and J.M. Arnzen. 1989. Development of monoclonal antibodies that recognize a type-2 specific and a common epitope on the nucleoprotein of infectious hematopoietic necrosis virus. J. Aquat. Anim. Health 1: 119-125.
- Ritchie, G. 1997. The host transfer ability of *Lepeophtheirus salmonis* (Copepoda: Caligidae) from farmed Atlantic salmon *Salmo salar*. J. Fish Dis. 20: 153-157.
- Ritchie, G., A.J. Mordue, A.W. Pike, and G.H. Rae. 1993. The reproductive output of *Lepeophtheirus salmonis* adult females in relation to seasonal variability of temperature and photoperiod. pp. 153-165. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of Wild and Farmed Fish: Sea Lice. Ellis Horwood, Chichester, England.
- Roald, S.O., and T. Håstein. 1979. Lymphosarcoma in an Atlantic salmon *Salmo salar* L. J. Fish Dis. 2: 249-251.
- Roberts, R.J. 1989. Fish Pathology. Bailliere Tindall, London. 467 pp.
- Roberts, R.J., and A.M. Bullock. 1979. Papillomatosis in marine cultured rainbow trout *Salmo gairdneri* Richardson. J. Fish Dis. 2: 75-77.

References

- Roberts, R.J., Bullock, A.M., Turner, M., Jones, K. and Tett, P., 1983. Mortalities of *Salmo gairdneri* exposed to cultures of *Gyrodinium aureolum*. J. Mar. Biol. Ass. U.K., 63: 741-743.
- Rodgers, C.J. 1992. Development of a selective-differential medium for the isolation of *Yersinia ruckeri* and its application in epidemiological studies. J. Fish Dis. 15: 243-254.
- Rodger, H.D. and E.M. Drinan. 1993. Observations on a rickettsia-like organism in Atlantic salmon, *Salmo salar* L., in Ireland. J. Fish Dis. 16: 361-369.
- Rodger, H.D., E.M. Drinan, T.M. Murphy, and T. Lunder. 1991. Observations on erythrocytic inclusion body syndrome in Ireland. Bull. Eur. Ass. Fish Pathol 11: 108-111.
- Rodger, H.D., and J.F. McArdle. 1996. An outbreak of amoebic gill disease in Ireland. Vet. Rec. 139: 348-349.
- Rodger, H.D., and R.H. Richards. 1998. Observational study of erythrocytic inclusion bodies in farmed Atlantic salmon, *Salmo salar* L., in the British Isles. J. Fish Dis. 21: 101-111.
- Rodger, H.D., T. Turnbull, F. Muir, S. Millar, and R.H. Richards. 1998. Infectious salmon anaemia (ISA) in the United Kingdom. Bull. Eur. Ass. Fish Pathol. 18: 115-116.
- Rodger, H.D. T. Turnbull, F.T. Scullion, D. Sparrow, and R.H. Richards. 1995. Nervous mortality syndrome in farmed Atlantic salmon. Vet. Rec. 137: 616-617.
- Rohovec, J.S., and A. Amandi. 1981. Incidence of viral erythrocytic necrosis among hatchery reared salmonids of Oregon. Fish Pathol. 15(3/4): 135-141.
- Rose, A.S., A.E. Ellis, and A.L.S. Munro. 1989. The infectivity by different routes of exposure and shedding rates of *Aeromonas salmonicida* subsp. *salmonicida* in Atlantic salmon, *Salmo salar* L., held in sea water. J. Fish. Dis. 12: 573-578.
- Rose, A.S., A.E. Ellis, and A.L.S. Munro. 1990. The survival of *Aeromonas salmonicida* subsp. *salmonicida* in sea water. J. Fish Dis. 13: 205-214.
- Ross, A. 1989. Nuvan use in salmon farming: the antithesis of the precautionary principle. Mar. Poll. Bull. 20: 372-374.
- Roth, M., R.H. Richards, D.P. Dobson, and G.H. Rae. 1996. Field trials on the efficacy of the organophosphorous compound azamethiphos for the control of sea lice (Copepoda: Caligidae) infestations of farmed Atlantic salmon (*Salmo salar*). Aquaculture 140: 197-217.
- Roth, M., R.H. Richards, and C. Sommerville. 1993a. Current practices in the chemotherapeutic control of sea lice infestations in aquaculture: a review. J. Fish Dis. 16: 1-21.
- Roth, M., R.H. Richards, and C. Sommerville. 1993b. Preliminary studies on the efficacy of two pyrethroid compounds, resmethrin and lambdacyhalothrin, for the treatment of sea lice (*Lepeophtheirus salmonis*) infestations of farmed Atlantic salmon (*Salmo salar*). pp. 275-289. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of Wild and Farmed Fish: Sea Lice. Ellis Horwood, Chichester, England.
- Roubal, F.R., A.M. Bullock, D.A. Roberston, and R.J. Roberts. 1987. Ultrastructural aspects of infestation by *Ichthyobodo necator* (Heneguy, 1883) on the skin and gills of the salmonids *Salmo salar* L. and *Salmo gairdneri* Richardson. J. Fish Dis. 10: 181-192.
- Roubal, F.R., R.J.G. Lester, and C.K. Foster. 1989. Studies on cultured and gill-attached *Paramoeba* sp. (Gymnamoebae: Paramoebidae) and the cytopathology of paramoebic gill disease in Atlantic salmon, *Salmo salar* L., from Tasmania. J. Fish Dis. 12: 481-492.
- Rourke, A.W, R.W. Davis, and T.M. Bradley. 1984. A light and electron microscope study of epitheliocystis in juvenile steelhead trout, *Salmo gairdneri* Richardson. J. Fish Dis. 7: 301-309.
- Rucker, R.R. 1963. Status of fish diseases and relation to production, pp. 98-101. Rep. 2nd Governor's Conf. on Pacific Salmon, Seattle, Jan. 1963.
- Ruidisch, S., M. El-Matbouli, and R.W. Hoffmann. 1991. The role of tubificid worms as an intermediate host in the life cycle of *Myxobolus pavlovskii* (Akhmerov, 1954). Parasitol. Res. 77: 663-667.
- Sakanari, J.A., and M. Moser. 1989. Complete life cycle of the elasmobranch cestode, *Lacistorhynchus dollfusi* Beveridge and Sakanari, 1987 (*Trypanorhyncha*). J. Parasitol. 75: 806-808.
- Salte, R., K.-A. Roervik, E. Reed, and K. Norberg. 1994. Winter ulcers of the skin in Atlantic salmon, *Salmo salar* L: pathogenesis and possible aetiology. J. Fish Dis. 17: 661-665.
- Sande, R.D., and T.T. Poppe. 1995. Diagnostic ultrasound examination and echocardiography in Atlantic salmon (*Salmo salar*). Vet. Radiol. Ultras. 36 (6): 551-558.
- Sano, T. 1970. Etiology and histopathology of hexamitiasis and an IPN-like disease of rainbow trout. J. Tokyo Univ. Fish. 56: 23-30.
- Sano, T., H. Fukuda, N. Okamoto, and F. Kaneko. 1983. Yamame tumor virus: lethality and oncogenicity. Bull. Jap. Soc. Sci. Fish. 49: 1159-1163.
- Sano, T., T. Nishimura, N. Okamoto, T. Yamazaki, and H. Hanada. 1977. Studies on viral diseases of Japanese fishes. VI. Infectious hematopoietic necrosis (IHN) of salmonids in the mainland of Japan. Journal of the Tokyo University of Fisheries. 63: 81-85.
- Saunders, R.L. 1988. Algal catastrophe in Norway. World Aquacult. 10(2): 11-12.
- Saunders, R.L., A.P. Farrell, and D.E. Knox. 1992. Progression of coronary arterial lesions in Atlantic salmon (*Salmo salar*) as a function of growth rate. Can. J. Fish. Aquat. Sci. 49: 878-884.
- Sawyer, E.S. 1976. An outbreak of myxobacterial disease in coho salmon (*Oncorhynchus kisutch*) reared in a Maine estuary. J. Wildl. Dis. 12: 575-578.
- Scalati, F., and R. Kusuda. 1986. Chemical composition of the lipopolysaccharides from *Vibrio anguillarum* and *Vibrio ordalii*. Fish Pathol. 21: 193-199.
- Schiewe, M.H., T.J. Trust, and J.H. Crosa. 1981. *Vibrio ordalii* sp. nov.: A causative agent of vibriosis in fish. Curr. Microbiol. 6: 343-348.
- Schmahl, G. 1991. The chemotherapy of monogeneans which parasitize fish: a review. Folia Parasitol. 38: 97-106.
- Schmahl, G. 1993. Up to date chemotherapy against Monogenea: a review. Bull. Fran. Peche Piscicult. 328(1): 74-81.
- Schmahl, G., H. Taraschewski, and H. Mehlhorn. 1989. Chemotherapy of fish parasites. Parasitol. Res. 75: 503-511.
- Schmidt, G.D. 1986. Handbook of tapeworm identification. CRC Press, Inc., Boca Raton, Florida. 675 pp.
- Schmidt, S.P., and E.W. House. 1979. Time study of coronary myointimal hyperplasia in precocious male steelhead trout, *Salmo gairdneri*. Atherosclerosis 34: 375-381.
- Schram, T.A. 1993. Supplementary descriptions of the developmental stages of *Lepeophtheirus salmonis* (Kroeyer, 1837) (Copepoda: Caligidae). pp. 30-47. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of wild and farmed fish: Sea lice. Ellis Horwood, Chichester, England.
- Schreck, J.A., and C.M. Moffitt. 1987. Palatability of feed containing different concentrations of erythromycin thiocyanate to chinook salmon. Prog. Fish-Cult. 49: 241-247.
- Scullion, F.T., M.G. Scullion, D. Sparrow, H.D. Rodger, and B.J. Sheahan. 1996. Encephalitis and mass mortality of farmed salmon smolts in an isolated sea bay in Ireland. Vet. Rec. 138: 161-162.
- Seymour, T.A., M.T. Morrissey, M.Y. Peters, and H. An. 1994. Purification and characterization of Pacific whiting proteases. J. Agr. Food. Chem. 42: 2421-2427.
- Shariff, M., R.H. Richards, and C. Sommerville. 1980. The histopathology of acute and chronic infections of rainbow trout *Salmo gairdneri* Richardson with eye flukes, *Diplostomum* sp. J. Fish Dis. 3: 455-465.
- Shaw, R.W., M.L. Kent, and M.L. Adamson. 1998. Modes of transmission of *Loma salinae* (Microsporea). Dis. Aquat. Org. (in press).
- Shaw, R.W., M.L. Kent, M.F. Docker, R.H. Devlin, A. Brown, and M.L. Adamson. 1997. A new *Loma* species (Microsporea) in shiner perch (*Cymatogaster aggregata*). J. Parasitol. 83: 296-301.
- Shaw, R., and M. Opitz. 1993. Preliminary results on sea lice in the Maine aquaculture industry. Bull. Aquacult. Assoc. Can. 93/94: 102-104.
- Shchelkunov, I.S., T.A. Karaseva, and Y.U.P. Kadoshnikov. 1992. Atlantic salmon papillomatosis: Visualization of herpesvirus-like particles in skin growths of affected fish. Bull. Eurp. Asso. Fish Pathol. 12: 28-31.
- Sheppard, M.E., M.J. Beattie and C.K. Johnson. 1994. Efficacy of Aquafloor premix against furunculosis in Atlantic salmon smolts in British Columbia. Bull. Aquacul. Assoc. Canada, 94-2, 51-53.

- Siddall, M.E., D.S. Martin, D. Bridge, D., S.S. Desser, and D.K. Cone. 1995. The demise of a phylum of protists: phylogeny of the Myxozoa and other parasitic cnidaria. *Journal of Parasitology* 81: 961-967.
- Sievers, G., P. Palacios, R. Inostroza, and H. D'iz. 1995. Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the *in vitro* effects against the isopod parasite, *Ceratohoa gaudichaudii*. *Aquaculture* 143:9-16.
- Simonsen, S., Moller, B.L. Larsen J. and Ravn, H., 1995. Hemolytic activity of *Alexandrium tamarense* cells. pp. 513-517. In P. Lassus, G. Arzul, E. Erard, P. Gentien, and C. Marcaillou [eds.]. *Harmful Algal Blooms*. Lavoisier Pub., Paris..
- Sinderman, C.J. 1990. *Principle Diseases of Marine Fish and Shellfish*. Vol. 1. Academic Press, New York. 521 pp.
- Sitjà-Bobadilla, A., and P. Alvarez-Pellitero. 1992. Effect of Fumagillin treatment on sea bass *Dicentrarchus labrax* parasitized by *Sphaerospora testicularis* (Myxosporaea: Bivalvulida). *Dis. Aquat. Org.* 14: 171-178.
- Smail, D.A. 1989. Skin warts of Atlantic salmon. *Aquacult. Info. Ser. No. 8*. Dept. Agricult. Fish. Scotland.
- Smail, D.A., D.W. Bruno, G. Dear, L. McFarlane, and K. Ross. 1992. Infectious pancreatic necrosis (IPN) virus Sp serotype in farmed Atlantic salmon post-smolts associated with mortality and clinical disease. *J. Fish Dis.* 15: 77-83.
- Smail, D.A., L. McFarlane, D.W. Bruno, and A.H. McVicar. 1995. The pathology of an IPN-sp sub-type in farmed Atlantic salmon, *Salmo salar* L., post-smolts in the Shetland Isles, Scotland. *J. Fish. Dis.* 15: 77-83.
- Smith, P., M.P. Hiney and O.B. Samuelsen, 1994. Bacterial resistance to antimicrobial agents used in fish farming: a critical evaluation of method and meaning. *Ann. Rev. Fish Dis.* 4: 273-313.
- Smith, P.R., G.M. Brazil, E.M. Drinan, J. O'Kelly, R. Palmer, and A. Scallan. 1982. Lateral transmission of furunculosis in sea water. *Bull. Eur. Assoc. Fish Pathol.* 3: 41-42.
- Smith, P.R., C.N. Lannan, L.H. Garcés, M. Jarpa, J. Larenas, P. Caswell-Reno, M. Whipple, and J.L. Fryer. 1995. Piscirickettsiosis: a bacterin field trial in coho salmon (*Oncorhynchus kisutch*). *Bull. Eur. Ass. Fish Pathol.* 15: 137-141.
- Smith, P.R., M. Moloney, A. McElligott, S. Clarke, R. Palmer, J. O'Kelly, and J. O'Brien. 1993. The efficacy of oral ivermectin in the control of sea lice infections of farmed Atlantic salmon. pp. 296-307. In G.A. Boxshall and D. DeFaye [eds.]. *Pathogens of Wild and Farmed Fish: Sea Lice*. Ellis Horwood, Chichester, England.
- Smothers, J.F., C.D. von Dohlen, L.H. Smith, Jr., and R.D. Spall. 1994. Molecular evidence that the myxozoan protists are metazoans. *Science* 265: 1719-1721
- Snieszko, S.F., and G.L. Bullock. 1976. Columnaris disease of fishes. *Fish Disease Leaflet* 45. U.S. Department of Interior, U.S. Fish and Wildlife Service, Washington, D.C.
- Sorensen, U.B.S., and J.L. Larsen. 1986. Serotyping of *Vibrio anguillarum*. *Appl. Environ. Microbiol.* 51: 593-597.
- Speare, D.J. 1997. Differences in patterns of meningoencephalitis due to bacterial kidney disease in farmed Atlantic and chinook salmon. *Res. Vet. Sci.* 62:79-80.
- Speare, D.J., G.J. Arsenaull, and M.A. Buote. 1998a. Evaluation of rainbow trout as a model for the use in studies on pathogenesis of the branchial microsporidian *Loma salmonae*. *Compt. Top. Lab. Anim. Sci.* 37: 55-58.
- Speare, D.J., H.J. Beaman, S.R.M. Jones, R.J.F. Markham, and G.J. Arsenaull. 1998b. Induced resistance in rainbow trout, *Oncorhynchus mykiss* (Walbaum), to gill disease associated with the microsporidian gill parasite *Loma salmonae*. *J. Fish Dis.* 21: 93-100
- Speare, D.J., J. Brackett, and H.W. Ferguson. 1989. Sequential pathology of the gills of coho salmon with a combined diatom and microsporidian gill infection. *Can. Vet. J.* 30: 571-575.
- Speare, D.J., V.E. Ostland, and H.W. Ferguson. 1993. Pathology associated with meningoencephalitis during bacterial kidney disease of salmonids. *Res. Vet. Sci.* 54: 25-31.
- Specker, J.L., and C.B. Schreck. 1980. Stress responses to transportation and fitness for marine survival in coho salmon (*Oncorhynchus kisutch*) smolts. *Can. J. Fish. Aquat. Sci.* 37: 765-769.
- St-Hilaire, S., C. Ribble, and M.L. Kent. 1998. Prevalence of *Kudoa thyrsites* in sexually mature and immature pen-reared Atlantic salmon (*Salmo salar*) in British Columbia, Canada. *Aquaculture* 69-77.
- St-Hilaire, M. Hill, C.S. Ribble, D.J. Whitaker, and M.L. Kent. 1997a. A comparative study of muscle texture and intensity of *Kudoa thyrsites* in pen-reared Atlantic salmon. *Dis. Aquat. Org.* 31: 221-225.
- St-Hilaire, S., C.S. Ribble, D.J. Whitaker, and M.L. Kent. 1997b. Evaluation of a nondestructive diagnostic test for *Kudoa thyrsites* in farmed Atlantic salmon (*Salmo salar*). *Aquaculture* 156: 139-144.
- Staurnes, M., G. Andorsdottir, and A. Sundby. 1990. Distended, water-filled stomach in sea-farmed rainbow trout. *Aquaculture* 90: 333-343.
- Stephen, C., M.L. Kent, and S.C. Dawe. 1993. Hepatic megalocytosis in wild and farmed chinook salmon *Oncorhynchus tshawytscha* in British Columbia. *Dis. Aquat. Org.* 16: 35-39.
- Stephen, C., and C.S. Ribble. 1995a. An evaluation of surface moribund salmon as indicators of seapen disease status. *Aquaculture* 133: 1-8.
- Stephen, C., and C.S. Ribble. 1995b. The effects of changing demographics on the distribution of marine anemia in farmed salmon in British Columbia. *Can. Vet. J.* 36: 557-562.
- Stephen, C., and C.S. Ribble. 1996. Marine anemia in farmed chinook salmon (*Oncorhynchus tshawytscha*): Development of a working case definition. *Prev. Vet. Med.* 25: 259-269.
- Stephen, C., and C.S. Ribble. 1997. Mortality surveys as a tool for studying marine anemia in seapen reared salmon. *Aquacult. Res* 28: 265-269.
- Stephen, C., C.S. Ribble, and M.L. Kent. 1996. Descriptive epidemiology of marine anemia in seapen-reared salmon in southern British Columbia. *Can. Vet. J.* 37: 420-425.
- Stockner, E. 1989. Phytoplankton blooms in British Columbia, August to September 1989. *Red Tide Newsletter* 2(4): 4-6.
- Stoskopf, M.K. 1993. *Fish Medicine*. W.B. Saunders Co., Philadelphia. 882 pp.
- Streud, E., T.A. Mo, and T.T. Poppe. 1997a. Ultrastructure of *Spironucleus barkhanus* n.sp. (Diplomadida: Hexamitidae) from grayling *Thymallus thymallus* (L.) (Salmonidae) and Atlantic salmon *Salmo salar* L. (Salmonidae). *J. Eurl. Microbiol.* 44: 399-407.
- Streud, E., T.A. Mo, and T.T. Poppe. 1997b. Systemic spironucleosis in sea-farmed Atlantic salmon *Salmo salar*, caused by *Spironucleus barkhanus* transmitted from feral Arctic char *Salvelinus alpinus*. *Dis. Aquat. Org.* 33: 63-66.
- Stuart, R. 1990. Sea Lice, A marine perspective. *Bull. Aquacult. Assoc. Can.* 90 (1) 18-24.
- Summerfelt, R.C., and M.C. Warner. (1970) Incidence and intensity of infection of *Plistophora ovariae*, a microsporidian parasite of golden shiner, *Notemigonus crysoleucas*. In: Snieszko SF (ed) A symposium on diseases of fishes and shellfishes, Spec Publ No 5. American Fisheries Society, Washington, p 142-160.
- Svendsen, Y.S. 1990. Hosts of third stage larvae of *Hysterothylacium* sp. (Nematoda: Anisakidae) in zooplankton from outer Oslofjord, Norway. *Sarsia* 75: 161-167.
- Tajima, K., Y. Ezura, and T. Kimura. 1985. Studies on the taxonomy and serology of causative organisms of fish vibriosis. *Fish Pathol.* 20: 131-142.
- Takahashi, K, N. Okamoto, A. Kumagai, M. Maita, Y. Ikeda, and J.S. Rohovec. 1992. Epizootics of erythrocytic inclusion body syndrome in coho salmon cultured in seawater in Japan. *J. Aquat. Anim. Health* 4: 174-181.
- Tanaka, K., Muto, Y. and Shimada, M., 1994. Generation of superoxide radicals by the marine phytoplankton organism, *Chattonella antiqua*. *J. Plankton Res.* 16: 161-169.
- Tanaka, K., Yoshimatsu, S., and Shimada, M., 1992. Generation of superoxide anions by *Chattonella antiqua*: Possible causes for fish death caused by "Red Tide." *Experientia* 48: 888-890.
- Tangen, K. 1977. Blooms of *Gyrodinium aureolum* (Dinophyceae) in north European waters, accompanied by mortality in marine organism. *Sarsia* 63: 123-33.
- Tangen, K. 1979. Dinoflagellate blooms in Norwegian waters. pp. 179-182. In D.L. Taylor and H.H. Seliger [eds.]. *Toxic Dinoflagellate Blooms*. Elsevier, N.Y.

References

- Tangen, K. 1983. Blooms of the dinoflagellate *Gyrodinium aureolum*. Fiskets Gang 68: 399-403 (1982), Can. Transl. Fish. Aquat. Sci. No. 4954, 15 pp.
- Taylor, F.J., N.J. Taylor, and J.R. Walsby. 1985. A bloom of planktonic diatom, *Cerataulina pelagica*, off the coast of Northeastern New Zealand in 1983, and its contribution to an associated mortality of fish and benthic fauna. Int. Revue ges. Hydrobiol. 70: 773-795.
- Taylor, F.J.R. 1993. Current problems with harmful phytoplankton blooms in British Columbia waters. pp. 699-703. In T.J. Smayda and Y. Shimizu [eds.]. Toxic Phytoplankton Blooms in the Sea. Elsevier Sci. Pub., N.Y.
- Taylor, F.J.R., and R. Haigh. 1993. The ecology of fish-killing blooms of the chloromonad flagellate *Heterosigma* in the Strait of Georgia and adjacent waters. pp. 705-710. In T.J. Smayda and Y. Shimizu [eds.]. Toxic Phytoplankton Blooms in the Sea. Elsevier Sci. Pub., N.Y.
- Taylor, F.J.R., and R.A. Horner. 1994. Red tides and other problems with harmful algal blooms in Pacific Northwest coastal waters. In R.C.H. Wilson, R.J. Beamish, F. Aitkens, and J. Bell [eds.]. Review of the Marine Environment and Biota of Strait of Georgia, Puget Sound and Juan de Fuca Strait: Proceedings of the B.C. Washington Symposium of the Marine Environment. Can. Tech. Rep. Fish. Aquat. Sci. 1948: 175-186.
- Taylor, F.J.R., R. Haigh, and T.F. Sutherland. 1994. Phytoplankton ecology of Sechart Inlet, a fjord system on the British Columbia coast. 2. Potentially harmful species. Mar. Ecol. Prog. Ser. 103: 151-164.
- Thomassen, J.M. 1993a. Hydrogen peroxide as a delousing agent for Atlantic salmon. pp. 290-295. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of wild and farmed fish: Sea lice. Ellis Horwood, Chichester, England.
- Thomassen, J.M. 1993b. A new method for the control of salmon lice. pp. 233-236. In H. Reinersten, L.A. Dahle, L. Jorgensen, and K. Tvinnereim [eds.]. Fish Farming Technology, Balkema, Rotterdam.
- Thorud, K., and H.O. Djupvik. 1988. Infectious anaemia in Atlantic salmon (*Salmo salar* L.). Bull. Eur. Ass. Fish Pathol. 8: 109-111.
- Tojo, J.L., and M.T. Santamarina. 1998. Oral pharmacological treatments for parasitic diseases of rainbow trout *Oncorhynchus mykiss*. I: *Hexamita salmonis*. Dis. Aquat. Org. 33: 51-56.
- Toranzo, A.E., and F.M. Hetrick. 1982. Comparative stability of two salmonid viruses and poliovirus in fresh, estuarine and marine waters. J. Fish. Dis. 5: 223-231.
- Totland, G.K., B.K. Hjeltnes, and P.R. Flood. 1996. Transmission of infectious salmon anaemia (ISA) through natural secretions and excretions from infected smolts of Atlantic salmon *Salmo salar* during their presymptomatic phase. Dis. Aquat. Org. 26: 25-31.
- Traxler, G.S. 1986. An epizootic of infectious hematopoietic necrosis virus in 2-yr-old kokanee, (*Oncorhynchus nerka*) (Walbaum) at Lake Cowichan, British Columbia. J. Fish. Dis. 9: 545-549.
- Traxler, G.S. 1988. IHN mortality of kokanee in Cameron Lake, British Columbia. Fish Health Section/Am. Fish. Soc. Newsletter 16(1): 4.
- Traxler, G.S. 1998. Infectious hematopoietic necrosis virus: Life history and occurrences in British Columbia. Proceedings of infectious hematopoietic necrosis virus workshop, Campbell River, British Columbia. Aquaculture Industry Development Report 94-01. Province of British Columbia, Ministry of Agriculture, Fisheries and Food, Victoria, B.C. pp. 1-9.
- Traxler, G.S., and T.P.T. Evelyn. 1991. Lack of pathogenicity of a birnavirus isolated from Atlantic salmon in British Columbia. Aquaculture Update 54. Dept. Fish. Oceans. Pacific Biological Station. Nanaimo, B.C.
- Traxler, G.S., and J. Richard. 1996. First detection of infectious hematopoietic necrosis virus in marine fishes. Fish Health Section/Am. Fish. Soc. Newsletter 24(3): 7.
- Traxler, G.S., and J.B. Rankin. 1989. An infectious hematopoietic necrosis epizootic in sockeye salmon *Oncorhynchus nerka* in Weaver Creek spawning channel, Fraser River system, B.C., Canada. Dis. Aquat. Org. 6: 221-226.
- Traxler, G.S., and J.R. Roome. 1993. Isolation of IHN virus from adult sockeye *Oncorhynchus nerka* in sea water. Fish Health Section/Am. Fish. Soc. Newsletter. 21(2): 3.
- Traxler, G.S., J. R. Roome and M.L. Kent. 1991b. Transmission of IHN virus to sockeye (*Oncorhynchus nerka*) and Atlantic salmon (*Salmo salar*) in sea water. Fish Health Section/Am. Fish. Soc. Newsletter 19(2): 1-2.
- Traxler, G.S., J.R. Roome, and M.L. Kent. 1993. Transmission of infectious hematopoietic necrosis virus in sea water. Dis. Aquat. Org. 16: 111-114.
- Traxler, G.S., J.R. Roome, and T.P.T. Evelyn. 1991a. Susceptibility of Atlantic salmon to erythrocytic necrosis virus (ENV). Fish Health Section/Am. Fish. Soc. Newsletter 19(1): 2.
- Traxler, G.S., J.R. Roome, K.A. Lauda, and S. LaPatra. 1996. The appearance of infectious hematopoietic necrosis virus (IHN) and neutralizing antibodies in sockeye salmon (*Oncorhynchus nerka*) during their migration and maturation period. Dis. Aquat. Org. 28: 31-38.
- Treasurer, J.W. 1993. Management of sea lice (Caligidae) with wrasse (Labridae) on Atlantic salmon (*Salmo salar* L.) farms. pp. 335-345. In G.A. Boxshall and D. DeFaye [eds.]. Pathogens of wild and farmed fish: Sea lice. Ellis Horwood, Chichester, England.
- Tsuyuki, H., S.N. Williscroft, Z. Kabata, and D.J. Whitaker. 1982. The relationship between acid and neutral protease activities and the incidence of soft cooked texture in the muscle tissue of Pacific hake *Merluccius productus* infected with *Kudoa paniformis* and/or *K. thyrsites*, and held for varying times under different pre-freeze chilled storage conditions. Can. Tech. Rep. Fish. Aquat. Sci. 1130. 39 p.
- Tully, O. 1989. The succession of generations and growth of the caligid copepods *Caligus elongatus* and *Lepeophtheirus salmonis* parasitizing farmed Atlantic salmon smolts (*Salmo salar* L.). J. Mar. Biol. Ass. U.K. 69: 279-287.
- Tully, O., and K.F. Whelan. 1993. Production of nauplii of *Lepeophtheirus salmonis* (Krryer) (Copepoda: Caligidae) from farmed and wild salmon and its relation to the infestation of wild sea trout (*Salmo trutta* L.) off the west coast of Ireland in 1991. Fis. Res. 17: 187-200.
- Tully, O., P. Daly, S. Lysaght, S. Deady, and S.J.A. Varian. 1996. Use of cleaner-wrasse (*Ctenolabrus exoletus* (L.) and *Ctenolabrus rupestris* (L.)) to control infestation of *Caligus elongatus* Nordmann on farmed Atlantic salmon. Aquaculture 142: 11-24.
- Tully, O., W.R. Poole, K.F. Whelan, and S. Merigoux. 1993. Parameters and possible causes of epizootics of *Lepeophtheirus salmonis* (Krryer) infesting sea trout (*Salmo trutta* L.) off the west coast of Ireland. pp. 202-213. In G.A. Boxshall, and D. DeFaye [eds.]. Pathogens of Wild and Farmed Fish: Sea Lice. Ellis Horwood, Chichester, England.
- Turnbull, J.F., R.H. Richards, and M.F. Tatner. 1989. Evidence that superficial branchial colonies on the gills of *Salmo salar* L. are not *Aeromonas salmonicida*. J. Fish Dis. 12: 449-458.
- Underdal, B., O.M. Skulberg, E. Dahl, and T. Aune. 1989. Disastrous bloom of *Chrysochromulina polylepis* (Prymnesiophyceae) in Norwegian coastal waters 1988 - mortality in marine biota. Ambio 18:265-270.
- Urawa, S., and M. Kusakari. 1990. The survivability of the ectoparasitic flagellate *Ichthyobodo necator* on chum salmon (*Oncorhynchus keta*) in sea water and comparison to *Ichthyobodo* sp. on Japanese flounder (*Paralichthys olivaceus*). J. Parasitol. 76: 33-40.
- Urawa, S., and T. Kato. 1991. Heavy infections of *Caligus orientalis* (Copepoda: Caligidae) on caged rainbow trout *Oncorhynchus mykiss* in brackish water. Gyoby Kenkyu 26: 161-162.
- Van Dujin, C. 1956. Diseases of fishes. Illife Books, London. 371 p.
- Vaney C, Conte A (1901) Sur une nouvelle microsporidie, *Pleistophora mirandellae*, parasite de l'ovaire d'*Alburnus mirandella* Blanch. CR Acad Sci 133:644-646
- Vismanis, K.O., A.V. Lullu, V.A. Iygis, A.M. Turovskii, and A.I. Yun. 1984. Diseases of Salmonidae in the marine fish farms on the Baltic coast and their prevention. pp. 56-63. [In Russian.]. In O.N. Bauer, V.A. Musselius, and E.S. Skryabina [eds.]. Biologicheskoe osnovy rybovodstva: parazit i bolezni ryb. "Nauka", Moscow, Russia.
- Wakabayashi, H., M. Hikida, and K. Masumura. 1984. *Flexibacter* infection in cultured marine fish in Japan. Helgol. Meeresunters. 38: 1-8.
- Wakabayashi, H., M. Hikida, and K. Masumura. 1986. *Flexibacter maritimus* sp. nov., a pathogen of marine fishes. Int. J. Sys. Bacteriol. 36: 396-398.
- Wales, J.H. 1967. Degeneration and regeneration of liver parenchyma accompanying hepatomagenesis. pp. 56-59. In J.E. Halver and I.A. Mitchell, I.A. [eds.]. Trout hepatoma research conference papers. Research report 70. Bureau of Sport Fisheries and Wildlife, Washington, D.C.
- Wales, J.H., and H. Wolf. 1955. Three protozoan diseases of trout in California. Calif. Fish Game 41: 183-187.
- Walker, R., and S.W. Sherburne. 1977. Piscine erythrocytic necrosis virus in Atlantic cod *Gadus morhua* and other fish: ultrastructure and distribution. J. Fish. Res. Board Can. 34: 1188-1195.

- Waltman, W.D., and E.B. Shotts. 1984. A medium for the isolation and differentiation of *Yersinia ruckeri*. *Can. J. Fish. Aquat. Sci.* 41: 804-806.
- Wards, B.J., H.H. Patel, C.D. Anderson, and G.W. de Lisle. 1991. Characterisation by restriction endonuclease analysis and plasmid profiling of *Vibrio ordalii* strains from salmon (*Oncorhynchus tshawytscha* and *Oncorhynchus nerka* with vibriosis in New Zealand.
- Wedderburn, N. 1970. Effect of concurrent malarial infection on development of virus-induced lymphoma in BALB/C mice. *Lancet* 2: 114-116.
- Wedemeyer, G.A., N.C. Nelson, and C.A. Smith. 1978. Survival of the salmonid viruses infectious hematopoietic necrosis (IHNV) and infectious pancreatic necrosis (IPNV) in ozonated, chlorinated, and untreated waters. *J. Fish. Res. Board Can.* 35: 875-879.
- Wheatley, S.B. 1994. Epidemiological investigations of Atlantic salmon production using a computerised database system. PhD Thesis. Queens University, Belfast, Northern Ireland.
- Whitaker, D.J., and M.L. Kent. 1991. *Kudoa thryssites* (Myxosporaea); a cause of soft flesh in farm-reared Atlantic salmon (*Salmo salar*). *J. Aquat. Anim. Health* 3: 291-294.
- Whitaker, D.J., and M.L. Kent. 1992. *Kudoa thryssites* (Myxosporaea) and soft flesh in pen-reared coho salmon. *Fish Health Section/Am. Fish. Soc. Newsletter* 20(1): 4-5.
- Whitaker, D.J., M.L. Kent, L. Margolis. 1994. Myxosporan parasites and their potential impact on the aquaculture industry, with emphasis on *Kudoa* species. In: Conley, D.C. (ed.) *Kudoa* workshop proceedings. 17 and 18 February 1994, Nanaimo, B.C. Aquaculture Industry Development Report 94-01. Province of British Columbia, Ministry of Agriculture, Fisheries and Food, Victoria, B.C. pp. 2-7.
- White, A.W. 1988. Blooms of toxic algae worldwide: their effects on fish farming and shellfish resources, p. 9-14. In: AQUA NOR 87 Trondheim Internat. Conf., Norske Fiskeoppdretternes Forening-Fiskeoppdretternes Salgslag A/L, Trondheim, Norway.
- Wilcock, B.P., and T.W. Dukus. 1987. The eye. In Ferguson, H.W. (ed.). *Systemic pathology of fish*. Iowa State University Press. Ames, Iowa. p. 168-194.
- Williams, D.E., S.C. Dawe, M.L. Kent, R.J. Andersen, M. Craig, and C.F.B. Holmes. 1998. Evidence for a covalently bound form of microcystin-LR in salmon liver and Dungeness crab larvae. *Chem. Res. Toxicol.* (in press).
- Williams, H., and A. Jones. 1994. *Parasitic worms of fish*. Taylor and Francis Ltd., London, U.K. 593 pp.
- Williams, I.V., and D.F. Amend. 1976. A natural epizootic of infectious hematopoietic necrosis virus in fry of sockeye salmon (*Oncorhynchus nerka*) at Chilko Lake, British Columbia. *J. Fish. Res. Board Can.* 33: 1564-1567.
- Wilson, C.B. 1905. North American parasitic copepods belonging to the family Caligidae. *Proc. U.S. Nat. Mus.* 28: 479-672.
- Winton, J.R. 1991. Recent advances in detection and control of infectious hematopoietic necrosis virus in aquaculture. *Ann. Rev. Fish Dis.* 1: 83-93.
- Winton, J.R. 1997. Immunization with viral antigens: Infectious hematopoietic necrosis. In: Gudding, R., Lillehaug, A., Midtlyng, P.J., Brown, F. (eds.). *Fish Vaccinology*. *Dev. Biol. Stand.* Vol 90. Basel, Karger: 211-220.
- Winton, J.R., C.K. Arakawa, C.N. Lannan, and J.L. Fryer. 1988. Neutralizing monoclonal antibodies recognize antigenic variants among isolates of infectious hematopoietic necrosis virus. *Dis. Aquat. Org.* 4: 199-204.
- Wishkovsky, A., J.M. Groff, D.J. Lauren, R.J. Toth, and R.P. Hedrick. 1990. Efficacy of fumagillin against proliferative kidney disease and its toxic side effects in rainbow trout (*Oncorhynchus mykiss*) fingerlings. *Fish Pathol.* 25: 141-147.
- Wolf, K. 1988a. *Fish viruses and fish viral diseases*. Cornell University Press Ithaca, New York. 476 pp.
- Wolf, K. 1988b. Infectious hematopoietic necrosis. In: *Fish viruses and fish viral diseases*. Cornell University Press, Ithaca, pp. 83-114.
- Wolf, K., and C.E. Dunbar. 1959. Test of 34 therapeutic agents for the control of kidney disease in trout. *Trans. Am. Fish. Soc.* 88: 117-134.
- Wolf, K., M.C. Quimby, and A.D. Bradford. 1963. Egg-associated transmission of IPN virus of trouts. *Virology* 21: 317-321.
- Wolf, K., M.E. Markiw, and J.K. Hiltunen. 1986. Salmonid whirling disease: *Tubifex tubifex* (Muller) identified as the essential oligochaete in the protozoan life cycle. *J. Fish Dis.* 9: 83-85.
- Wolke, R.E. 1975. Pathology of bacterial and fungal diseases affecting fish. pp. 33-116. In R.E. Ribelin and G. Migaki [eds.]. *Pathology of Fishes*. The University of Wisconsin Press, Madison, WS.
- Wongtavatchai, J., P.A. Conrad, and R.P. Hedrick. 1995a. In vitro characteristics of the microsporidian: *Enterocytozoon salmonis*. *J. Euk. Microbiol.* 42: 401-405.
- Wongtavatchai, J., P.A. Conrad, and R.P. Hedrick. 1995b. Effect of the microsporidian *Enterocytozoon salmonis* on the immune response of chinook salmon. *Vet. Immunol. Immunopathol.* 48: 367-374.
- Woo, P.T.K. 1969. The hematocrit centrifuge for the detection of trypanosomes in blood. *Can. J. Zool.* 47: 921-923.
- Woo, P.T.K., and S.L. Poynton. 1995. Diplomonadida, Kinetoplastida and Amoebida (phylum Sarcostigmaphora). pp. 27-96. In P.T.K. Woo [ed.]. *Fish Diseases and Disorders Vol. 1: Protozoan and Metazoan Infections*. CAB Intl. Wallingford, England.
- Wood, J. 1974. *Diseases of Pacific salmon; their prevention and treatment*. Washington State Dept. Fish, Olympia, Washington. 82 pp.
- Wooten, R., J.W. Smith, and E.A. Needham. 1982. Aspects of the biology of the parasitic copepods *Lepeophtheirus salmonis* and *Caligus elongatus* on farmed salmonids, and their treatment. *Proc. Royal Soc. Edinburgh, Section B (Biol.)* 81: 185-197.
- Yamamoto, T., W.N. Batts, C.K. Arakawa, and J.R. Winton. 1990. Multiplication of infectious hematopoietic necrosis virus in rainbow trout following immersion infection: whole-body assay and immunohistochemistry. *J. Aquat. Anim. Health.* 2: 271-280.
- Yang, C.Z., and L.J. Albright. 1992. Effects of the harmful diatom *Chaetoceros concavicornis* on respiration of rainbow trout *Oncorhynchus mykiss*. *Dis. Aquat. Org.* 14: 105-114.
- Yang, C.Z., and L.J. Albright. 1994a. Anti-phytoplankton therapy of finfish: The mucolytic agent L-cysteine ethyl ester protects coho salmon *Oncorhynchus kisutch* against the harmful phytoplankter *Chaetoceros concavicornis*. *Dis. Aquat. Org.* 20: 197-202.
- Yang, C.Z., and L.J. Albright. 1994b. The harmful phytoplankter *Chaetoceros concavicornis* causes high mortalities and leucopenia in chinook salmon (*Oncorhynchus tshawytscha*) and coho salmon (*O. kisutch*). *Can. J. Fish. Aquat. Sci.* 51: 2493-2500.
- Yang, C.Z., L.J. Albright, and A.N. Yousif. 1995. Oxygen-radical-mediated effects of the toxic phytoplankter *Heterosigma carterae* on juvenile rainbow trout *Oncorhynchus mykiss*. *Dis. Aquat. Org.* 23: 101-108.
- Yasumoto, T., B. Underdal, T. Aune, V. Hormazabal, O.M. Skulberg, and Y. Oshima. 1989. Screening for hemolytic and ichthyotoxic components of *Chrysochromulina polylepis* and *Gyrodinium aureolum* from Norwegian coastal waters. pp. 436-440. In E. Graneli, B. Sundstroem, L. Edler, and D.M. Anderson [eds.]. *Toxic Marine Phytoplankton*. Elsevier Sci. Pub., N.Y.
- Yasutake, W.T. 1970. Comparative histopathology of epizootic salmonid virus diseases. pp. 341-350. In S.F. Snieszko [ed.]. *A Symposium on Diseases of Fishes and Shellfishes*. Am. Fish. Soc. Spec. Publ. No. 5., Washington, D.C.
- Yasutake, W.T. 1978. Histopathology of yearling sockeye salmon (*Oncorhynchus nerka*) infected with infectious hematopoietic necrosis (IHNV). *Fish. Pathol.* 14: 59-64.
- Yasutake, W.T. 1987. Standardization of stain used for diagnosing erythrocytic inclusion body syndrome (EIBS). *Am. Fish. Soc./ Fish Health Newslett.* 15(2): 7.
- Yasutake, W.T., D.R. Buhler, and W.E. Shanks. 1961. Chemotherapy of hexamitiasis in Fish. *J. Parasitol.* 47: 81-86.
- Yokoyama, H., K. Ogawa, and H. Wakabayashi. 1990. Chemotherapy with fumagillin and toltrazuril against kidney enlargement disease of goldfish caused by the myxosporan *Hoferellus carassii*. *Fish Pathol.* 25: 157-164.
- Yokoyama, H., K. Ogawa, and H. Wakabayashi. 1991. A new collection method of actinosporans - a probable infective stage of myxosporans to fishes - from tubificids and experimental infection of goldfish with the actinosporan, *Raabeia* sp. *Gyobyo Kenkyu [Fish Pathol.]* 26: 133-138.
- Yoshimizu, M., H. Fukuda, T. Sano, and T. Kimura. 1995. Salmonid herpesvirus 2. Epizootiology and serological relationship. *Vet. Res.* 26: 486-492.
- Yoshimizu, M., S. Direkbusarakom, Y. Ezura, and T. Kimura. 1993. Monoclonal antibodies against *Aeromonas salmonicida* for serological diagnosis of furunculosis. *Jap. Soc. Sci. Fish.* 59: 333-338.

INDEX OF DISEASES AND PATHOGENS

- A**
Acanthocephala 79
Aeromonas salmonicida 14, 17, 27, 28, 34, 83
Alexandrium 91
 A. tamarense 93, 97
amoebae 52
Amphidinium 91
Amphora 91
Anabaena 91
Anisakidae 76
Anisakis sp. 76
Aphanizomenon 91
Argulus 90
 A. pugettensis 90
 Argulus sp. 90
- B**
bacterial kidney disease 1, 7, 14, 15, 17, 23
BKD 17, 22, 23, 27, 32, 34, 42, 104, 106, 110
black grub 73, 74
bloat 105
Branchiura 90
- C**
Caligidae 80
Caligus 14, 32, 84, 86
 C. clemensi 85
 C. elongatus 85
 C. clemensi 80
 C. curtus 80
 C. elongatus 80
 C. orientalis 80
 Caligus sp. 80
 C. teres 80
Ceratomyxa shasta 22, 56
Ceratomyxa gaudichaudii 32, 88
cestodes 68, 70, 76
Chaetoceros 91, 95, 96
 C. concavicornis 93, 95
 C. convolutus 93
 C. wighamii 93
Chattonella 91, 93
 C. antiqua 93
chloromonads 91
Chloromyxum truttae 49, 56, 61
Choanozoa 46, 93, 102
Chrysochromulina 91, 93, 96
 C. leadbeateri 93, 96
 C. polylepis 96
cold-water vibriosis 17, 23, 26
Contracaecum 77
 C. osculatum 77
copepod 2, 46, 47, 48, 68, 69, 77, 80, 82, 83, 84, 87, 88
Corethron spp. 93, 95
Costia see *Ichthyobodo*
Cryptobia 49, 55
Cryptobiosis 55
Cryptocotyle lingua 72
cyanobacteria 91
Cytophaga 7, 17, 29, 30
 C. psychrophila 29
- D**
Dermocystidium salmonis 46
diatoms 91, 93, 95, 96, 97
Dictyocha 91, 93, 97
Didymozoidae 72
Digenetic trematodes 72, 75, 76
dinoflagellates 91
Diphyllbothrium spp. 104
diplomonad flagellate 52
Diplostomatidae 73
diplostomosis 75
Diplostomum 72 - 75
 Diplostomum spp. 72, 74
 D. spathaceum 75
Distephanus speculum 93
- E**
Echinorhynchus gadi 79
EIBS 36, 44
Enterocytozooidea 106
Enterocytozoon bieneusi 106
epidermal papillomas 113
epitheliocystis 34
Ergasilidae 80, 87
Ergasilus labracis 87
erythrocytic inclusion body syndrome 36, 44
Eubothrium 69
 E. crassum 69
 E. salvelini 69
Exophiala 46, 48
 E. pisciphila 48
 E. psychrophila 48
 E. salmonis 48
- F**
Fibrocapsa 91
Flabellifera 89
flagellate X 93
Flavobacterium 29, 101
 F. columnare 29
 F. psychrophilum 101
Flexibacter 7, 17, 29, 30
flukes 72
furunculosis 1, 14, 15, 17, 25-28, 34, 83, 84, 86, 102
- G**
Gambierdiscus 91
Gilquinia squali 1, 68-70
glochidia 79
Gnathia sp. 88
gnathiform 89
Gnathiformes 88
Gonyaulax 93
 G. tamarenensis 93
 G. excavatum 93
Gymnodinium 91
 G. mikimotoi 93
Gyrodactyloides bychowskii 76
Gyrodinium 91, 93, 97
 G. aureolum 93
- H**
Haemobaphes disphaerocephalus 2, 88
hemorrhagic kidney disease 42
Henneguya 59
hepatocellular carcinoma 112
Heterosigma 91, 93, 94
 H. carterae 93
Hexamita salmonis 49, 52
Hexamitidae 52
hitra disease 17, 23, 25
HKD 42
hypoplastic septum transversum 100
Hysterothylacium aduncum 76
- I**
Ichthyobodo 49, 53, 54, 55
 I. necator 53
Ichthyophonus 22, 46
infectious hematopoietic necrosis 2, 15, 36-40
infectious pancreatic necrosis 15, 36, 38
infectious salmon anemia 36, 40-42, 83
- K**
Kudoa thyrssites 49, 56, 59

- L**
- Loma* 2, 49, 63, 64, 67, 81, 85
 - L. embiotocia* 63
 - L. salmonae* 2, 49, 63, 64, 67,
 - Laminiscus strelkowi* 75
 - leech 55
 - leiomyosarcomas 112
 - Lepeophtheirus* 14, 80, 84
 - L. cuneifer* 80
 - L. salmonis* 80, 81, 85
 - Leptocylindrus* 91, 96
 - L. minimus* 96
 - lordosis 100
 - lymphoma 110
 - lymphosarcoma 110
- M**
- marine anemia 36, 106
 - metacercariae 73, 74
 - Microcystis* 91
 - Microsporidium cerebralis* 49, 63, 67
 - monogenean flatworms 75
 - mouthrot 15
 - mystery disease 42
 - Mytilus edulis* 79
 - Myxidium* 59
 - myxobacteria 30, 31
 - myxobacteriosis 17, 29
 - Myxobolus* 49, 56, 60, 101
 - M. aeglefini* 49, 56, 60
 - M. cerebralis* 56, 60, 101
- N**
- neascus 72, 73, 74
 - netpen liver disease 104
 - Nitzschia* 91
 - NLD 104
 - Nosema apis* 57
 - Nucleospora salmonis* 2, 32, 49, 65, 67, 106
- O**
- orthomyxovirus 41
- P**
- Paramoeba pemaquidensis* 49, 51
 - paramoebiasis 52
 - Parvicapsula* 49, 56, 58
 - P. minibicornis* 58
 - Pennellidae 80, 88
 - peritonitis, post-vaccination 102
 - Pfiesteria* 91
 - Philonema agubernaculum* 76
 - Piscicola salmositica* 55
 - Piscirickettsia salmonis* 17, 31, 32
 - piscirickettsiosis 17, 31, 32
 - PKX myxosporean 56
 - plasmacytoid leukemia 36, 65, 106, 110
 - Pleistophora anguillarum* 57
 - Pomphorhynchus laevis* 79
 - praniza 88, 89
 - Prorocentrum micans* 97
 - Protogonyaulax tamarensis* 93
 - prymnesiomonads 91
 - Prymnesium* 93, 97
 - P. calathiferum* 93
 - P. parvum* 93, 97
 - Pyrodinium* 91
- R**
- Renibacterium salmoninarum* 2, 14, 17, 23, 32, 106
 - retrovirus 106, 111
 - Rocinela*
 - R. belliceps pugettensis* 88
 - R. maculata* 88
 - rosette agent 2, 46
- S**
- salmon pancreas disease 36, 39, 40
 - salmonid herpesvirus 2 36, 45
 - salmonid rickettsial septicemia 17, 31, 34
 - Sanguinicolidae 72
 - scoliosis 100
 - sea lice 14, 80, 82, 83, 84, 85, 86, 87, 88
 - silicoflagellates 91
 - situs inversus 100
 - Skeletonema* 91, 97
 - Spironucleus barkhanus* 49, 52
 - Sporocytophaga* 29
 - Stephanostomum tenue* 72, 75
 - swimbladder sarcoma 112
 - systemic mycosis 48
- T**
- tapeworms 68
 - Thalassiosira* 91, 97
 - toga-like virus 40
 - Trichodina* 49, 55
- V**
- Vibrio* 7, 14, 16, 17, 23, 24, 26, 30, 40, 58
 - V. anguillarum* 17, 23, 24, 57
 - V. ordalii* 17, 23, 24
 - V. salmonicida* 17, 23, 25
 - V. wodanis* 26
 - V. vulnificus* 26
 - vibriosis 14, 15, 16, 17, 23, 24, 25, 26, 28, 84, 86, 95
 - viral erythrocytic necrosis 42, 44
 - vitamin E - selenium deficiency 40
- W**
- water belly 105
- Y**
- Yersinia ruckeri* 17, 28, 29
 - yersiniosis 17, 28, 29, 46



Dr. Michael Kent is the Head of the Fish Health, Parasitology and Genetics Section at the Pacific Biological Station in Nanaimo, British Columbia. His primary area of research is on the diseases of netpen reared salmonids, and over the past 10 years he has described many new diseases in salmonids reared in this important form of aquaculture. He is the author of over 100 primary publications on fish diseases.



Dr. Trygve Poppe was born in Oslo, Norway in 1949 and graduated from the Norwegian College of Veterinary Medicine in Oslo in 1976. After some years in large animal practice he started as a fish pathologist at the National Veterinary Institute in 1981. Since 1990, Dr. Poppe has been assistant professor at the Norwegian College of Veterinary Medicine with special responsibility for the fish health programme. He obtained his Dr. Scient. in 1986 with a thesis on cold-water vibriosis. Dr. Poppe is author of more than 50 publications on fish diseases and has edited and co-authored several books on fish diseases and fish histopathology.