

Fact Sheet

IBEX

Hybrid Ryegrass (4n)

Lolium x hybridum Hausskn.

Things to know

IBEX achieved the highest marks of all tested varieties in the official Swiss variety trials, which were completed in 1999. In comparison to the other Swiss cultivars, which are already very well classified, IBEX shows once more a distinctive breeding progress. Also in the recent serial trial in Germany, IBEX achieved the top result. IBEX, similar to REDUNCA, tends to form many reproductive tillers in the summer growth, its yield potential reaches that of Italian ryegrass. The leaves of IBEX though, are finer and the hybrid character is, in comparison to REDUNCA, better recognisable.

Descent

Base material

Selection of material of the variety GAZELLA and hybrid ryegrass treated with colchicine which accrues from crossbreedings between Swiss ecotypes of perennial ryegrass and the varieties TURILO and LIAL.

M0 seed

Row trial in 1991 (LH9125) with 57 clone progenies from a polycross 1989 with 110 clones.

Literature

Frick R.,Suter D.,Dereuder E.,Hirschi H.-U., 2021. Sortenprüfung für Futterpflanzen: zwei Neuerungen beim Bastard-Raigras. Agrarforschung Schweiz 12(1), 151-156

Suter D.,Frick R.,Hirschi H.-U.,Aebi P., 2015. Bastard-Raigras: 26 Sorten im Feld geprüft. Agrarforschung Schweiz 6(9), 392-399

National listing

Situation in Switzerland

On the Swiss List of Recommended Varieties of Forage Plants since 2000

Further registered in the following countries DEU,FRA,LUX

Agronomic caracteristics

Results of the official Swiss variety trials 2018-2020

(Frick et al. 2021) (Typ "IR")

(Flick et al. 2021) (Typ TR)	IBEX	Mean
Yield	4.8	4.8
General impression	4.2	4.2
Juvenile growth	2.2	2.2
Competing ability	5.1	5.1
Persistence	6.5	6.5
Resistance to winter conditions	4.2	4.2
Resistance to leafspots an rust	3.4	3.4
Resistance to bacterial wilt	3.0	3.0
Digestibility of the organic matter	6.7	6.7
Index (weighted average of all notes)	4.5	4.5

Scoring scale 1 = very good; 5 = medium; 9 = very poor Yield Mean of 4 experimental sites over 2 years Mean Mean value of standard varieties

Description according to UPOV gidelines

DUS test conducted at Scharnhorst, BSA (DEU), 1998-2000

Characteristics	State of expression	Note
Ploidy	tetraploid	4
Plant: tendency to form inflorescences (without vernalization)	very weak to weak	2
Leaf: color in the year of sowing	medium green	5
Time of inflorescence emergence (after vernalization)	early	3
Flag leaf: length	long	7
Flag leaf: width	broad to very broad	8
Plant: length of longest stem including inflorescence	very long	9
	Ploidy Plant: tendency to form inflorescences (without vernalization) Leaf: color in the year of sowing Time of inflorescence emergence (after vernalization) Flag leaf: length Flag leaf: width Plant: length of longest stem including	Ploidy Plant: tendency to form inflorescences (without vernalization) Leaf: color in the year of sowing medium green Time of inflorescence emergence (after vernalization) Flag leaf: length long Flag leaf: width broad to very broad Plant: length of longest stem including very long

Version: 05.10.2021

Publisher: Agroscope, Reckenholzstrasse 191, 8046 Zürich In Collaboration with: Delley Seeds and Plants Ltd (DSP), 1567 Delley

Authors: Christoph Grieder and Peter Tanner, Agroscope

Copyright: © 2021, Agroscope



Schweizerische Eidgenossenschaft Confédération suisse Confederazione Svizzera Confederaziun svizza

Swiss Confederation

Federal Department of Economic Affairs, Education and Research EAER **Agroscope**