

## INDEX

- Acronychia, 242  
 — albiflora, 246  
 — boweriana, 246  
 — diversifolia, 247  
 — heterophylla, 247, 250  
 — niueana, 245  
 — petiolaris, 243  
 — retusa, 245  
 — richii, 244  
 — sp., 246  
 Actinodaphne multiflora, 57  
 Alcea Floridana alatis, 125  
 Alo alo, 247  
 Alsodeia fasciculata, 81  
 Antheëschima, 124  
 Apium tenuifolium, 66  
 Arbor rediviva, Eyparehu, 176  
 Archboldianae, XX, Plantae Papuanae, 369  
 Argusia, 118  
 Argyreia arborea, 8  
 Arnold Arboretum during the Fiscal Year Ended June 30, 1951, The, 412  
 Ayparia crenata, 176  
 Baranda Llanos, On the Identity of the Genus, 409  
 Baranda angatensis, 409, 410  
 Barringtonia macrostachya, 410  
 Bibliography of the Published Writings of the Staff and Students July 1, 1950–June 30, 1951, 415  
 Blackburnia pinnata, 227  
 Boenninghausenia albiflora brevipes, 392  
 — brevipes, 392  
 — schizocarpa, 391  
 — sessilicarpa, 392  
 Boraginaceae, XX. Representatives of Three Subfamilies in Eastern Asia, Studies in the, 1, 99  
 Boraginaceae, XXI. Sino-Indian Species of Onosma, Studies in the, 201, 344  
 Boraginaceae subfam. Cordioideae, 1  
 — — Ehretioideae, 1  
 — — Heliotropioideae, 2  
 BUCHHOLZ, JOHN T. & NETTA E. GRAY. A Taxonomic Revision of Podocarpus. V. The South Pacific Species of Podocarpus: Section Stachycarpus, 82  
 BUCHHOLZ, JOHN T. & NETTA E. GRAY. A Taxonomic Revision of Podocarpus. VI. The South Pacific Species of Podocarpus: Section Sundacarpus, 93  
 BUWALDA, P. Notes on New Guinea Umbelliferae, 59  
 Carlea oblongifolia, 410  
 Carmona, 16  
 — heterophylla, 16, 17  
 — microphylla, 17  
 — retusa, 17  
 — viminea, 15  
 Carria, 124  
 Cascaria, 80  
 — solida, 81  
 — trivalvis, 81  
 — zschokkei, 81  
 Cassytha filiformis, 57  
 Cavanilla, 132  
 — florida, 136  
 Celastrus verticillatus, 330  
 Centella asiatica, 61  
 CHEO, SHUH-YUEN & JOHN R. REEDER. Notes on Xanthoxylum & Fagara in China, 67  
 China, I, Notes on the Flora of, 390  
 Cinnamomum, 28  
 — camphoratum fitiana, 32  
 — Degeneri, 33  
 — elegans, 37  
 — fitianum, 32  
 — leptopus, 31  
 — pallidum, 30  
 — pedatinervium, 29, 31, 32  
 — rigidum, 32  
 Clerodendron cyrtophyllum, 11  
 Cnidium tenuifolium, 66  
 Coldenia, 12  
 — procumbens, 12, 13  
 Cordia, 2  
 — Brownii, 8  
 — campanulata, 3  
 — cochinchinensis, 11  
 — crenata, 8  
 — dichotoma, 8  
 — dubiosa, 163  
 — furcans, 5  
 — hexandra, 4  
 — indica, 8  
 — ixiocarpa, 8  
 — Kanehirai, 5  
 — Loureiri, 8

- Cordia Lowriana*, 8  
 — *muluccana*, 4  
 — *orientalis*, 3  
 — *retusa*, 17  
 — *Rumphii*, 4  
 — *sinensis*, 11  
 — *spinescens*, 12  
 — *suaveolens*, 8  
 — *subcordata*, 3  
 — *thyrsiflora*, 21  
 — *venosa*, 11  
*Craspedum tectorium*, 189  
*Cryptocarya*, 33  
 — *barbellata*, 38  
 — *constricta*, 37  
 — *Degeneri*, 36  
 — *elegans*, 37  
 — *fusca*, 35  
 — *Hornei*, 36  
 — *lancifolia*, 34  
 — *parinarioides*, 39  
 — *turbinata*, 35  
 — *Turrilliana*, 37  
*Cupressus hodginsii*, 390  
*Dacrydium Mai*, 84  
 — *Mayi*, 84  
 — *taxifolium*, 84  
 DADSWELL, H. E. & H. D. INGLE. Wood  
 Anatomy in the Genus *Eucalyptopsis*  
 White, 150  
*Dicera craspedum*, 189  
*Dipterospermum*, 124  
*Drypetes deplanchei*, 199  
*Echinocarpus arfakensis*, 191  
*Ehretia*, 19  
 — *acuminata*, 21  
 — — *grandifolia*, 21  
 — — *obovata*, 21  
 — — *pilosula*, 24  
 — — *polyantha*, 24  
 — — *pyrifolia*, 23  
 — — *serrata*, 23  
 — *Argyi*, 21  
 — *aspera*, 19  
 — *asperula*, 106  
 — *buxifolia*, 17  
 — — *heterophylla*, 17  
 — — *latisepala*, 17  
 — — *microphylla*, 17  
 — *confinis*, 103  
 — *corylifolia*, 24  
 — *cuneata*, 15  
 — *dentata*, 17  
 — *dichotoma*, 109  
 — *Dicksoni*, 99  
 — — *glabrescens*, 100  
*Ehretia Dicksoni japonica*, 99  
 — — *liukiensis*, 99  
 — — *tilioides*, 101  
 — — *velutina*, 99  
 — *Dunniana*, 104  
 — *formosana*, 103  
 — *glauescens*, 105  
 — *hainanensis*, 108  
 — *Hanceana*, 106  
 — *heterophylla*, 17  
 — *kantonensis*, 21  
 — *laevis*, 107  
 — — *platyphylla*, 107  
 — *longiflora*, 105  
 — *macrophylla*, 99, 100  
 — — *tomentosa*, 99  
 — *microphylla*, 17  
 — *ovalifolia*, 21  
 — *pilosula*, 24  
 — *polyantha*, 24  
 — *pyrifolia*, 23  
 — *resinosa*, 103  
 — *serrata*, 21, 23  
 — — *obovata*, 21  
 — *taiwaniana*, 21  
 — *thyrsiflora*, 21  
 — — *latifolia*, 21  
 — *tinifolia*, 19  
 — *Tsangii*, 104  
 — *viminea*, 15  
 — *volubilis*, 104  
*Elaeocarpus Linnaeus*, Notes on, 157  
*Elaeocarpus acmosepalus*, 173  
 — *acrantherus*, 173  
 — *adenophyllus*, 194  
 — *aemulus*, 193  
 — *albiflorus*, 192  
 — *angustipes*, 174  
 — *argenteus*, 162  
 — *atrescens*, 174  
 — *augustus*, 178  
 — *baramensis*, 175  
 — *barbulatus*, 184  
 — *beccarii*, 174, 179  
 — *bellus*, 166  
 — *bojeri*, 193  
 — *borneensis*, 181  
 — *brachyandrus*, 174  
 — *brevipes*, 175  
 — *brunnescens*, 175  
 — *canipes*, 175  
 — *celebesianus*, 191  
 — *chrysophyllus*, 176  
 — *clemensiae*, 176  
 — *clementis*, 176  
 — *congestifolius*, 176

*Elaeocarpus copalliferus*, 199  
 — *crenatus*, 176  
 — *cupreus*, 177  
 — *dallasensis*, 179  
 — *decandrus*, 193  
 — *decorus*, 192  
 — *densiflorus*, 192  
 — *deplanchei*, 199  
 — *dictyophlebius*, 177  
 — *dinagatensis*, 162  
 — *dolichobotrys*, 178  
 — *domatiferus*, 178  
 — *elliptifolius*, 179  
 — *euneurus*, 179  
 — *fagaceus*, 177-  
 — *fairchildii*, 179  
 — *ferrugineus*, 180  
 — *fissistipulus*, 187  
 — *floribundus*, 163  
 — *fusicarpus*, 169  
 — *gagnepainii*, 194  
 — *gambir*, 187  
 — *gammillii*, 163  
 — *ganitrus*, 196  
 — *gigantifolius*, 164  
 — *glaber*, 164, 181  
 — *glandulosus*, 194  
 — *gracilipes*, 184  
 — *grandiflorus*, 181, 193  
 — *gustaviifolius*, 182  
 — *halconensis*, 165  
 — *hosei*, 181  
 — *hullettii*, 185  
 — *indochinensis*, 194  
 — *integrifolius*, 200  
 — *integripetalus*, 193  
 — *jackianus*, 180  
 — *kinabaluensis*, 182  
 — *knuthii*, 165  
 — *kraengensis*, 182  
 — *lagunensis*, 165  
 — *lanceolatus*, 181  
 — *lancipetalus*, 192  
 — *leptomischus*, 185  
 — *leptopus*, 192  
 — *leptostachyus*, 189  
 — *leytensis*, 167  
 — *littoralis*, 183  
 — *longifolius fusiformis*, 187  
 — *luridus*, 185  
 — *macrocarpus*, 190  
 — *macrocerus*, 183  
 — *magnifolius*, 182  
 — *matangensis*, 168  
 — *merrillii*, 162  
 — *merrittii*, 166

*Elaeocarpus micranthus*, 191  
 — *microphyllus*, 185  
 — *mindanaensis*, 187  
 — *mindorensis*, 167  
 — *miquelii*, 184  
 — *molloides*, 175  
 — *moluccanus*, 176  
 — *monticola*, 182  
 — *multiflorus*, 167  
 — *multinervosus*, 184  
 — *multiscissus*, 193  
 — *nigropunctatus*, 184  
 — *nitens*, 194  
 — *nitidulus*, 168  
 — *nitidus*, 184, 190  
 — *nutans*, 187  
 — *oblongus*, 189, 194  
 — *obtusus*, 183, 184  
 — *ochraceus*, 177  
 — *octantherus*, 185  
 — *octopetalus*, 167  
 — *ovalifolius*, 189  
 — *oxyadenius*, 174  
 — *pachyophrys*, 185  
 — *palembanicus*, 185  
 — *palimlimensis*, 167  
 — *parviflorus*, 194  
 — *parvilimbus*, 168  
 — *patens*, 193  
 — *pedunculatus*, 168  
 — *perim-kara*, 194  
 — *polycarpus*, 184  
 — *procerus*, 169  
 — *punctatus*, 200  
 — *ramosii*, 163  
 — *rejangensis*, 175  
 — *robustus*, 184, 189  
 — *rumphii*, 176, 186  
 — *salicifolius*, 186  
 — *salomensis*, 193  
 — *scortechinii*, 187  
 — *sericeus*, 176  
 — *serratus*, 194  
 — *sessilis*, 165  
 — *solomonensis*, 193  
 — *sphaericus*, 196  
 — *stenophyllus*, 186  
 — *stipularis*, 187  
 — *submonoceras*, 187  
 — *subpuberus*, 188  
 — *tectorius*, 189  
 — *teijsmannii*, 191  
 — *timorensis*, 191  
 — *tomentosus*, 187  
 — *trichopetalus*, 169  
 — *triflorus*, 170

- Elaeocarpus urophyllus*, 171  
 — *valetonii*, 188  
 — *validus*, 191  
 — *verticillatus*, 172  
 — *viscosus*, 193  
 — *zambalensis*, 172  
*Elatostema angulare*, 383  
 — *Beccarii*, 387  
 — *belense*, 374  
 — *cauliflorum*, 384  
 — *cupulare pedunculatum*, 379  
 — *curvitpalum*, 386  
 — *elegans*, 370  
 — *eludens*, 387  
 — *frutescens majusculum*, 371  
 — *grammicum*, 385  
 — *humile*, 378  
 — *inconstans*, 384  
 — *integrifolium*, 377  
 — *kupeense*, 376  
 — *macrophyllum majusculum*, 371  
 — *mafuluense*, 385  
 — *mongiense gracile*, 380  
 — *morobense*, 379  
 — *novo-guineense*, 374  
 — *pauperatum*, 384  
 — *perpusillum*, 381  
 — *platycarpum*, 369  
 — *podophyllum*, 380  
 — *poteriifolium*, 380  
 — *Reiterianum*, 377  
 — *reticulatum*, 373  
 — *retinervium*, 371  
 — *rigidum laxum*, 389  
 — *rudicaule*, 376  
 — — *villiferum*, 377  
 — *salomonense*, 373  
 — *schroeteri*, 375  
 — — *angustilimbum*, 375  
 — *serratifolium*, 375  
 — *sesquifolium*, 377  
 — — *ramosum*, 378  
 — *sinuatum*, 383  
 — — *pedunculatum*, 384  
 — *tricanthum*, 379  
 — *tridens*, 382  
 — *urvilleanum*, 375  
 — *velutinicaule*, 377  
 — *vicinum*, 372  
 — *Weinlandii*, 388  
 — — *eu-Weinlandii*, 388  
 — — *inamoenum*, 388  
 — — *Kochii*, 388  
 — — *yulense*, 388  
 — *whartonense*, 381  
*Endiandra*, 40  
*Endiandra elaeocarpa*, 42  
 — *Gillespiei*, 42  
 — *luteola*, 45  
 — *monticola*, 44  
 — *reticulata*, 41  
 — *trichotosa*, 43  
 — *tryphera*, 44  
*Eucalyptopsis* White, Wood Anatomy in the Genus, 150  
*Eucalyptopsis*, 139  
 — *papuana*, 139  
 — *sp.*, 140  
*Eugenia pleiopetala*, 146  
 — *salomonica*, 141  
*Euodia hortensis*, 233  
 — — *simplicifolia*, 234  
 — *longifolia*, 234  
 — *samoensis*, 232  
*Euphorbiaceae*, On Certain Nomenclatural Errors in the, 79  
*Evodia*, 230  
 — *capillacea*, 235  
 — *cucullata*, 236, 237  
 — — *cucullata*, 237  
 — — *robustior*, 238  
 — *drupacea*, 236, 240  
 — *evansensis*, 241  
 — *hortensis*, 233  
 — — *hortensis*, 233  
 — — *simplicifolia*, 234  
 — — *typica*, 234  
 — *longifolia*, 234  
 — *lucida*, 249  
 — *odorata*, 69  
 — *roxburghiana*, 232, 240  
 — *samoensis*, 232  
 — *seemanni*, 236  
 — *seemannii*, 236  
 — *vatiana*, 247  
 — *vitiensis*, 238  
 — — *minor*, 240  
 — — *vitiensis*, 240  
*Evonymus provicarii*, 329  
 — *Tobira*, 309  
*Fagara* in China, Notes on *Xanthoxylum* &, 67  
*Fagara*, 227  
 — *dissita hispida*, 69  
 — *euodia*, 233  
 — *evodia*, 233  
 — *gigantea*, 69  
 — *gillespieana*, 228  
 — *mollis*, 69  
 — *myriantha*, 229  
 — *odorata*, 69  
 — *oxyphylla*, 69

- Fagara pinnata*, 227  
 — *rhetsoides*, 69  
 — *robiginosa*, 68  
 — *vitiensis*, 229  
*Fijian Species of Lauraceae*, The. Studies of Pacific Island Plants, VIII, 27  
*Fokienia hodginsii*, 390  
 — *kawaii*, 390  
 — *maclurei*, 390  
*Forsythia Polyploids*, 155  
*Franklinia*, 128  
 — *alatama*, 129  
 — *alatomaha*, 128  
 — *americana*, 129  
*Freziera retinervia*, 152  
*Fua feti'i*, 247  
*Fua nini'i*, 247  
*Fua pini*, 232  
*Ganitrus sphaericus*, 196  
*Gelonium*, 79  
 — *glandulosum*, 80  
 — *glomerulatum*, 80  
 — *lithoxylon*, 80  
 — *meliocarpum*, 80  
 — *mindanaense*, 80  
 — *philippinense*, 80  
 — *pinatubense*, 81  
 — *procerum*, 80  
 — *pulgarensis*, 80  
 — *subglomerulatum*, 80  
 — *tenuifolium*, 80  
 — *trifidum*, 80  
*Genus Pittosporum in the Sino-Indian Region*, The, 263, 303  
*Gomphandra luzoniensis*, 200  
*Gordonia*, 124  
 — *Altamaha*, 129  
 — *Franklini*, 129  
 — *franklinia*, 129  
 — *Lasianthus*, 124  
 — *pubescens*, 128  
 — — *subglabra*, 129  
 — — *velutina*, 129  
 — *pyramidalis*, 125  
 GOWDA, MARI. The Genus *Pittosporum* in the Sino-Indian Region, 263  
 GRAY, NETTA E. & JOHN T. BUCHHOLZ. A Taxonomic Revision of *Podocarpus*. V. The South Pacific Species of *Podocarpus*: Section *Stachycarpus*, 82  
 GRAY, NETTA E. & JOHN T. BUCHHOLZ. A Taxonomic Revision of *Podocarpus*. VI. The South Pacific Species of *Podocarpus*: Section *Sundacarpus*, 93  
*Guettarda polyandra*, 410  
*Gumira herbacea*, 76  
*Heliotropium*, 110  
 — *europaeum*, 110  
 — *formosanum*, 114  
 — *indicum*, 111  
 — *japonicum*, 119  
 — *marifolium*, 113  
 — *ovalifolium*, 111  
 — *strigosum*, 112  
*Hemicyclia deplanchei*, 199  
 HU, SHIU-YING. Notes on the Flora of China, I, 390  
 HYDE, BEAL. *Forsythia Polyploids*, 155  
*Hydrocotyle javanica*, 59  
 — *sibthorpioides*, 60  
 — *vulgaris*, 60  
*Hypericum Lasianthus*, 125  
*Ilex chuniana*, 397  
 — *kwangtungensis*, 394  
 — — *pilosissima*, 394  
 — *latifrons*, 394  
 — — *pilosissima*, 394  
 — *liana*, 398  
 — *miguensis*, 396  
 — *oblata*, 395  
 — *subcrenata*, 395  
 — *yuiana*, 396  
 INGLE, H. D. & H. E. DADSWELL. Wood Anatomy in the Genus *Eucalyptopsis* White, 150  
*Ivi ivi*, 36  
 JOHNSTON, IVAN M. Studies in the *Boraginaceae*, XX. Representatives of Three Subfamilies in Eastern Asia, 1, 99  
 JOHNSTON, IVAN M. Studies in the *Boraginaceae*, XXI. Sino-Indian Species of *Onosma*, 201  
*Kai singa*, 243  
*Kai tambua*, 240, 253  
*Kalakalai*, 245  
*Kalakalalai*, 245  
*Kalapalai*, 245  
*Kalinimathou*, 33, 35  
*Karaua*, 35  
*Kasinga*, 47, 55  
*Kaurau*, 35  
*Kaurivau*, 35  
 KOBUSKI, CLARENCE E. Studies in the *Theaceae*, XXI. The Species of *Theaceae* Indigenous to the United States, 123  
 KOBUSKI, CLARENCE E. Studies in the *Theaceae*, XXII. Some New Species of *Theaceae* in South America, 152  
 KOBUSKI, CLARENCE E. Studies in the *Theaceae*, XXIII. The Genus *Pelliciera*, 256  
 KOBUSKI, CLARENCE E. Studies in the

- Theaceae, XXIV. The Genus *Sladenia*, 403
- Lacathea*, 128
- *florida*, 129
- Lasianthus pubescens*, 129
- *pyramidalis*, 125
- Lau usi*, 233
- Lauraceae, Studies of Pacific Island Plants, VIII. The Fijian Species of, 27
- Lepidocarya costata*, 200
- Liang-ts'a*, 394
- Lilindi*, 47
- Lilingi*, 35
- Linchi lailai*, 55
- Lindi*, 45, 47, 52, 53, 55
- Lindi thevuthevu*, 38
- Lithospermum chinense*, 112
- Litsea*, 45
- *Alleniana*, 56
- *burckelloides*, 53
- *Grayana*, 51
- *Hornei*, 50
- *Imthurnii*, 53
- *magnifolia*, 49
- — *samoensis*, 50
- *mathuataensis*, 56
- *mellifera*, 54
- *montana*, 52
- *palmatinervia*, 48
- *Pickeringii*, 47
- *Richii*, 51
- *samoensis*, 50
- *Seemanni*, 50
- *Seemannii*, 50
- *vitiana*, 52
- Lobophyllum tetrandrum*, 13
- Luculia gratissima*, 398
- *yunnanensis*, 398
- Lung-li-yeh*, 394
- Maharanga bicolor*, 365
- *emodi*, 361
- *Wallichiana*, 364
- Malachodendron*, 132
- *monogynum*, 136
- *ovatum*, 133
- *pentagynum*, 133
- — *grandiflorum*, 135
- Malawaso*, 40
- Mallotonia*, 118
- Mangle piñuela*, 262
- Mariko*, 243
- Matalafi*, 247
- Matamo*, 247
- Matho*, 36
- Mathou*, 28, 32, 33, 35
- Mbatho*, 32, 35
- Mearnsia ramiflora villosa*, 141
- *salomonensis*, 142
- Melicope*, 248
- *flaviflora*, 252
- *homoeophylla*, 250
- *lucida*, 249
- *robusta*, 253
- *tahitensis glabra*, 246
- *taveuniensis*, 251
- *vaupelii*, 245
- MERRILL, E. D. Notes on *Elaeocarpus Linnaeus*, 157
- MERRILL, E. D. On Certain Nomenclatural Errors in the Euphorbiaceae, 79
- MERRILL, E. D. On the Identity of the Genus *Baranda Llanos*, 409
- MERRILL, E. D. *Tatea F. Mueller* (*Pygmaeopremna Merrill*) and *Premna Linnaeus*, 73
- Messerschmidia*, 118
- *argentea*, 121
- *Arguzia*, 119
- *rosmarinifolia*, 119
- *sibirica*, 118
- — *latifolia*, 119
- Messersmidia Argusia*, 119
- Metrosideros parviflora*, 142
- *salomonensis*, 143
- *sp.*, 143
- Michauxia sessilis*, 129
- Michauxiana*, 128
- Monocera ferruginea*, 180
- *lanceolata*, 181
- *macrocera*, 183
- Monoceras palembanicum*, 185
- *robustum*, 184
- Moo ndari*, 49
- Morinda brevipes*, 399
- *howiana*, 400
- *hupehensis*, 400
- Myrtaceae from the Moluccas, New Guinea, and the Solomon Islands, Some Noteworthy, 139
- Nabiasodendron*, 124
- Nageia amara*, 94
- Ndongotuva*, 243
- Ndrautolu*, 236, 237, 238, 240, 241, 251
- Nduvundu*, 36
- Nduvundu vuvula*, 47
- Nggarikalavu*, 251
- Nggaringgarikalavu*, 238, 240, 243
- Nomenclatural Errors in the Euphorbiaceae, On Certain, 79
- Notes on *Elaeocarpus Linnaeus*, 157
- Notes on New Guinea Umbelliferae, 59
- Notes on the Flora of China, I, 390

- Notes on *Xanthoxylum* & *Fagara* in China, 67
- Ochna integrifolia*, 200
- *mauritiana*, 200
- Octamyrtus*, 143
- *arfakensis*, 144
- *Behrmannii*, 144
- *glomerata*, 145
- *insignis*, 145
- *lanceolata*, 145
- *pleiopetala*, 146
- Oenanthe javanica*, 66
- Ohe, 233
- On Certain Nomenclatural Errors in the Euphorbiaceae, 79
- On the Identity of the Genus *Baranda* Llanos, 409
- Onosma*, Studies in the Boraginaceae, XXI. Sino-Indian Species of, 201, 344
- Onosma adenopus*, 224
- *afghanicum*, 367
- *album*, 225
- *barbigerum*, 212
- *bicolor*, 365
- *Borii*, 357
- *bracteatum*, 347
- *burmanicum*, 218
- *chitralicum*, 209
- *cingulatum*, 355
- *confertum*, 216
- *dichroanthum*, 350
- *dumetorum*, 361
- *echioides*, 209
- *egregium*, 366
- *emodi*, 361, 364
- *exsertum*, 221
- *Farrerii*, 345
- *fistulosum*, 222
- *Forrestii*, 216
- *Griffithii*, 212
- *hispidum*, 209
- — *kashmiricum*, 210
- *Hookeri*, 349
- — *intermedium*, 350
- — *longiflorum*, 350
- — *Wardii*, 215, 350
- *hypoleucum*, 220
- *kashmirica*, 210
- *khyberianum*, 211
- *limitaneum*, 354
- — *majus*, 354
- — *parviflorum*, 354
- *longiflorum*, 350
- *lycopsioides*, 358
- *macrocephala*, 347
- *mertensioides*, 353
- Onosma microstoma*, 360
- *multiramum*, 223
- — *mekongense*, 223
- *oblongifolium*, 208
- *paniculatum*, 206
- — *hirsutistylum*, 206
- *pyramidale*, 352
- *setosum dichroanthum*, 350
- *sinicum*, 217
- *Thomsoni*, 346
- *Tsiangii*, 356
- *verruculosum*, 356
- *versicolor*, 368
- *vestitum*, 361
- *Waddellii*, 214, 344
- — *brachylinum*, 345
- *Wallichianum*, 364
- *Waltoni*, 214
- *Wardii*, 215
- Oreomyrrhis andicola*, 65
- *azorellacea*, 65
- *papuaana*, 65
- Pacific Island Plants, VIII. The Fijian Species of Lauraceae, Studies of, 27
- Pacific Island Plants, IX. Notes on the Rutaceae of Fiji, Samoa, and Tonga, Studies of, 226
- Palagi, 245
- Palo de sal, 262
- Papuanæ Archboldianæ, XX, Plantæ, 369
- Parinarium costatum*, 200
- Pelea lucida*, 249
- Pelliceria*, 257
- *rhizophoræ*, 260
- — *Bentharii*, 260
- Pelliciera*, Studies in the Theaceae, XXIII. The Genus, 256
- Pelliciera*, 257
- *rhizophoræ*, 258, 260
- Pentaloba fasciculata*, 80
- PERRY, LILY M. Plantæ Papuanæ Archboldianæ, XX, 369
- Piñuela, 262
- Pittosporopsis nervosa*, 327
- Pittosporum* in the Sino-Indian Region, The Genus, 263
- Pittosporum* group Bivalvæ, 284, 285, 287
- — *Trivalvæ*, 284, 285
- *Balansæ-complex*, 287
- *Floribundum-complex*, 289
- *Glabratum-complex*, 285
- *Tobira-complex*, 286
- *Undulatum-complex*, 288
- *adaphniphylloides*, 336

*Pittosporum baileyana*, 314  
 — *balansae*, 316  
 — — *angustifolium*, 314  
 — *Beecheyi*, 312  
 — *bicarpellatum*, 323  
 — *boninense*, 313  
 — *brevicalyx*, 329  
 — — *brevistamineum*, 329  
 — *ceylanicum*, 324  
 — *chatterjeeanum*, 318  
 — *chichijimense*, 314  
 — *confertum*, 315  
 — *crispulum*, 300  
 — *daphniphylloides*, 336  
 — *dasycaulon*, 324  
 — *denudatum*, 312  
 — *eriocarpum*, 325  
 — *ferrugineum*, 321  
 — *floribundum*, 332  
 — *formosanum*, 327  
 — — *hainanense*, 328  
 — *Fortunei*, 291  
 — *gagnepainianum*, 317  
 — *glabratum*, 291, 293, 298, 305  
 — — *angustifolium*, 293  
 — — *chinense*, 293  
 — — *ciliicalyx*, 293  
 — — *neriifolium*, 293  
 — *henryi*, 319  
 — *heterophyllum*, 341  
 — — *sessile*, 342  
 — *humile*, 328  
 — *illicioides*, 307  
 — *johnstonianum*, 335  
 — *kerrii*, 333  
 — *kobuskianum*, 303  
 — *kweichowense*, 296  
 — *leptosepalum*, 338  
 — *lignilobum*, 299  
 — *lutchuense*, 311  
 — *makinoi*, 311  
 — *merrillianum*, 319  
 — — *poilanei*, 320  
 — *napaulense*, 330  
 — — *rawalpindiense*, 332  
 — *neelgherrense*, 326  
 — — *laxiflora*, 329  
 — *nervosum*, 327  
 — *oblongilimbium*, 340  
 — *oligocarpum*, 304  
 — *oligospermum*, 304  
 — *ovoideum*, 322  
 — *parvifolium*, 312  
 — *pauciflorum*, 308  
 — —  $\beta$ , 311, 312  
 — — *brevicalyx*, 329

*Pittosporum perryanum*, 290  
 — *podocarpum*, 293  
 — — *angustatum*, 295  
 — *pulchrum*, 340  
 — — *foliosum*, 341  
 — *rehderianum*, 297  
 — *sahnianum*, 305  
 — *saxicola*, 342  
 — *subulisepalum*, 300  
 — *tetraspermum*, 337  
 — *tobira*, 309, 311  
 — — *calvescens*, 311  
 — — *fukienense*, 310  
 — — *macrophyllum*, 310  
 — — *sukuraii*, 311  
 — *tonkinense*, 337  
 — *trigonocarpum*, 298  
 — *truncatum*, 339  
 — — *tsaii*, 340  
 — *undulatum*, 320  
 — *verticillatum*, 330  
 — *viburnifolium*, 323  
 — *xylocarpum*, 298  
*Plantae Papuanae Archboldianae*, XX, 369  
*Podocarpus*. V. The South Pacific Species of *Podocarpus*: Section *Stachycarpus*, A Taxonomic Revision of, 82  
*Podocarpus*. VI. The South Pacific Species of *Podocarpus*: Section *Sundacarpus*, A Taxonomic Revision of, 93  
*Podocarpus* sect. *Prumnopitys*, 83  
 — subsect. *Euprumnopitys*, 83  
 — — *Idioblastus*, 83  
 — *amarus*, 93  
 — *distichus*, 89  
 — — *maialis*, 89  
 — *dulcamara*, 94  
 — *eurhyncha*, 94  
 — *ferrugineus*, 85  
 — *ferruginoides*, 87  
 — *Ladei*, 86  
 — *pedunculata*, 94  
 — *spicatus*, 84  
 — *Sprengelii*, 94  
 Polyploids, *Forsythia*, 155  
 Polyspora, 124  
*Premna* Linnaeus, Tatea F. Mueller (*Pygmaepremna* Merrill) and, 73  
*Premna acaulis*, 75  
 — *herbacea*, 75  
 — *obovata*, 77  
 — *pygmaea*, 75  
*Procris sesquifolium*, 377  
*Prumnopitys spicata*, 84  
*Ptelea pinnata*, 228  
*Pygmaepremna humilis*, 76

- Rauvula, 233  
 REEDER, JOHN R. & SHUH-YUEN CHEO.  
 Notes on *Xanthoxylum* & *Fagara* in  
 China, 67  
 Representatives of Three Subfamilies in  
 Eastern Asia. Studies in the Boragina-  
 ceae, XX, 1, 99  
 Rhabdia, 14  
 — *aquatica*, 15  
 — *crebrifolia*, 15  
 — *fluvialis*, 15  
 — *lycioides*, 14, 15  
 — *Pohlii*, 15  
 — *sericea*, 15  
 — *viminea*, 15  
 Rhodamnia propinqua, 147  
 — *salomonensis*, 147  
 Rhodomyrtus obovata, 148  
 Rinorea, 80  
 — *fasciculata*, 80  
 — *glandulosa*, 80  
 Rotula, 14  
 — *aquatica*, 14, 15  
 — *lycioides*, 15  
 Rutaceae of Fiji, Samoa, and Tonga,  
 Studies of Pacific Island Plants, IX.  
 Notes on the, 226  
 Salusalu rakalava, 236  
 Samyda trivalvis, 81  
 Sauropus changiana, 393  
 Sauwangga, 254  
 Senacia napaulensis, 330  
 Sino-Indian Species of *Onosma*. Studies  
 in the Boraginaceae, XXI, 201, 344  
 Sladenia, Studies in the Theaceae, XXIV.  
 The Genus, 403  
 Sladenia, 405  
 — *celastrifolia*, 405  
 Sloanea archboldiana, 191  
 — *arfakensis*, 191  
 SMITH, A. C. Studies of Pacific Island  
 Plants, VIII. The Fijian Species of  
 Lauraceae, 27  
 SMITH, A. C. Studies of Pacific Island  
 Plants, IX. Notes on the Rutaceae of  
 Fiji, Samoa, and Tonga, 226  
 Soopeni, 232  
 So'opini, 232  
 South Pacific Species of *Podocarpus*: Sec-  
 tion *Stachycarpus*. A Taxonomic Re-  
 vision of *Podocarpus*. V. The, 82  
 South Pacific Species of *Podocarpus*: Sec-  
 tion *Sundacarpus*. A Taxonomic Re-  
 vision of *Podocarpus*. VI. The, 93  
 Stachycarpus ferruginea, 86  
 — *spicata*, 84  
 Staff of the Arnold Arboretum 1950-51,  
 417  
 Stemonurus luzoniensis, 200  
 Stewartia, 132  
 — *Malachodendron*, 132, 136  
 — *montana*, 133  
 — *ovata*, 133  
 — — *grandiflora*, 135  
 — *pentagyna*, 133  
 — — *grandiflora*, 135  
 — *virginica*, 136  
 Stuartia, 132  
 — *nobilis*, 136  
 Studies in the Boraginaceae, XX. Repre-  
 sentatives of Three Subfamilies in  
 Eastern Asia, 1, 99  
 Studies in the Boraginaceae, XXI. Sino-  
 Indian Species of *Onosma*, 201, 344  
 Studies of Pacific Island Plants, VIII.  
 The Fijian Species of Lauraceae, 27  
 Studies of Pacific Island Plants, IX.  
 Notes on the Rutaceae of Fiji, Samoa,  
 and Tonga, 226  
 Studies in the Theaceae, XXI. The Species  
 of Theaceae Indigenous to the United  
 States, 123  
 Studies in the Theaceae, XXII. Some  
 New Species of Theaceae in South  
 America, 152  
 Studies in the Theaceae, XXIII. The  
 Genus *Pelliciera*, 256  
 Studies in the Theaceae, XXIV. The  
 Genus *Sladenia*, 403  
 Suregada, 79  
 — *glandulosa*, 80  
 — *glomerulata*, 80  
 — *lithoxyla*, 80  
 — *meliocarpa*, 80  
 — *mindanaensis*, 80  
 — *philippinensis*, 80  
 — *pinatubaensis*, 81  
 — *procera*, 80  
 — *pulgarensis*, 80  
 — *subglomerulata*, 80  
 — *tenuifolia*, 80  
 — *trifida*, 80  
 Symplocos, 410  
 — *oblongifolia*, 410  
 — *polyandra*, 410  
 Tatea F. Mueller (*Pygmaeopremna* Mer-  
 rill) and *Premna* Linnaeus, 73  
 Tatea acaulis, 75  
 — *herbacea*, 76  
 — *humilis*, 76  
 Taxonomic Revision of *Podocarpus*, A.  
 V. The South Pacific Species of Podo-

- carpus: Section *Stachycarpus*, 82  
Taxonomic Revision of *Podocarpus*, A.  
VI. The South Pacific Species of *Podocarpus*: Section *Sundacarpus*, 93  
*Ternstroemia cleistogama*, 152  
— *urophora*, 153  
*Tetrandra*, 115  
*Tetranthera elaeocarpa*, 42  
— *enneadenia*, 54  
— *palmatinervia*, 48  
— *Pickeringii*, 47  
— *Richii*, 51  
— *Seemanni*, 50  
— — *chartacea*, 51  
— *vitiana*, 52  
*Thavuwaru*, 53  
Theaceae, XXI. The Species of Theaceae  
Indigenous to the United States, Studies  
in the, 123  
Theaceae, XXII. Some New Species of  
Theaceae in South America, Studies  
in the, 152  
Theaceae, XXIII. The Genus *Pelliciera*,  
Studies in the, 256  
Theaceae, XXIV. The Genus *Sladenia*,  
Studies in the, 403  
Theaceae, subtribe *Sladeniinae*, 404  
*Tokatolu*, 236, 238  
*Totowiwi*, 228  
*Tournefortia*, 115  
— *arborea*, 121  
— *argentea*, 121  
— *Arguzia*, 119  
— — *angustior*, 119  
— — *cynanchoides*, 119  
— — *latifolia*, 119  
— — *rosmarinifolia*, 119  
— *Boniana*, 116  
— *brachyantha*, 116  
— *Gaudichaudii*, 116  
— *gnaphalodes*, 118  
— *hirsutissima*, 115  
— *montana*, 116  
— — *Griffithii*, 117  
— *Sampsoni*, 116  
— *sarmentosa*, 115  
— *sibirica*, 118, 119  
— — *grandiflora*, 119  
— *tetrandra*, 115  
— *viridiflora* *Griffithii*, 117  
*Trachymene adenodes*, 62  
— *arfakensis*, 62  
*Trachymene flabellifolia*, 63  
— *koebrensis*, 62  
— *novoguineensis*, 61  
— *papillosa*, 62  
— *pulvilliforma*, 63  
— *saniculaefolia*, 61  
*Traxilum*, 19  
*Tumbunivorovoro*, 38  
*Uhi*, 233  
*Umbelliferae*, Notes on New Guinea, 59  
*Urandra luzoniensis*, 200  
*Usi*, 233  
*Usi-ulu*, 233  
*Usi vao*, 247  
*Uthi*, 233  
*Varronia sinensis*, 8  
*Vateria acuminata*, 199  
— *copallifera*, 199  
*Velivelitambua*, 235  
*Vorovoro*, 32, 35  
*Vure*, 240  
*Vurutimoko*, 55  
*Wa koro vundi*, 49  
*Wa uruilangi*, 57  
*Wa urulangi*, 57  
*Warui*, 228  
*Wawanunu*, 36  
WHITE, C. T. Some Noteworthy Myr-  
taceae from the Moluccas, New Guinea,  
and the Solomon Islands, 139  
Wood Anatomy in the Genus *Eucalypt-*  
*opsis* White, 150  
*Xanthoxylum* & *Fagara* in China, Notes  
on, 67  
*Xanthoxylum acanthopodium* *deminu-*  
*tum*, 71  
— *arenosum*, 70  
— *Bungei imperforatum*, 70  
— *dimorphophyllum* *deminutum*, 71  
— *giganteum*, 69  
— *molle*, 69  
— *odoratum*, 69  
— *oxyphyllum*, 69  
— *rhetsoides*, 69  
— *simulans imperforatum*, 70  
— *usitatum*, 70  
*Zanthoxylum blackburnia*, 228  
— *pinnatum*, 228  
— *varians*, 234  
— *vitense*, 229  
*Zombiana*, 15  
— *africana*, 15



1951. "Index [vol. 32]." *Journal of the Arnold Arboretum* 32(4), 419–428.  
<https://doi.org/10.5962/p.324640>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/33608>

**DOI:** <https://doi.org/10.5962/p.324640>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/324640>

#### **Holding Institution**

Missouri Botanical Garden, Peter H. Raven Library

#### **Sponsored by**

Missouri Botanical Garden

#### **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.