


# New Mexico

## Rare Plant Conservation Strategy

### 2017





Shootingstar geranium (*Geranium dodecatheoides*)

© Daniela Roth

## ACKNOWLEDGEMENTS

Funding for this project came primarily from the U.S. Fish and Wildlife Service (USFWS) through a traditional USFWS Section 6 grant. Additional funding was provided by the BLM State Office in Santa Fe (Scorecard), NM, and the U.S. Forest Service Regional Office, Albuquerque, NM (Strategy list).

Contributors and participants in the preparation of the Strategy include:

Daniela Roth, EMNRD - Forestry Division, author, coordinator, and facilitator

Contributors and reviewers include Esteban Muldavin, Mitch East, John Leonard, and Rayo McCollough, Natural Heritage New Mexico; Mark Horner, Susan Pruitt, Jennifer Davis, U.S. Fish & Wildlife Service; Susan Rich, Cheryl Bada, Andrew Frederick, EMNRD - Forestry Division; Zoe Davidson, Patrick Alexander, Maria Ulloa, Bureau of Land Management; Bob Sivinski, RCS Southwest; Will Barnes, State Lands Office; Rachel Jankowitz, NM Native Plant Society; Kathryn Kennedy, U.S. Forest Service; Joyce Maschinski, Center for Plant Conservation; Nora Talkington, Navajo Natural Heritage Program; Melanie Gisler, Institute for Applied Ecology; Jim McGrath and Mike Howard, private citizens.

Recommended citation: EMNRD- Forestry Division. 2017. New Mexico Rare Plant Conservation Strategy. Prepared and developed by Daniela Roth and the New Mexico Rare Plant Conservation Strategy Partnership. Santa Fe, NM.

Front page photos (clockwise from top left): Mimbres figwort (*Scrophularia macrantha*), Gypsum Townsend's aster (*Townsendia gypsophila*), Lee's pincushion cactus (*Escobaria sneedii* var. *leei*), Todsens' pennyroyal (*Hedeoma todsenii*). © Daniela Roth



Sacramento Mountains thistle (*Cirsium vinaceum*) and pollinator.

© Daniela Roth

## Table of Contents

ACKNOWLEDGEMENTS .....	2
PREFACE .....	6
EXECUTIVE SUMMARY .....	7
INTRODUCTION .....	9
The Importance of Plants and their Imperilment .....	9
Plant Conservation Issues in New Mexico .....	10
Challenges .....	10
Lack of baseline information.....	11
Lack of botanical expertise .....	11
Lack of funding.....	12
Inadequacy of regulatory mechanisms.....	12
Strategy Purpose.....	13
New Mexico Rare Plant Conservation Partnership.....	14
BACKGROUND.....	15
New Mexico’s Rare and Endangered Plants .....	18

SCOPE.....	21
Threats to New Mexico’s Rare and Endangered Plants.....	23
PLANT CONSERVATION SCORECARD .....	25
IMPORTANT PLANT AREAS .....	26
STRATEGY GOALS AND OBJECTIVES.....	30
GOAL 1. Inventory, Monitor, and Research Strategy Species to inform management and regulatory decisions.....	31
OBJECTIVE 1: Inventory.....	31
OBJECTIVE 2: Monitor .....	31
OBJECTIVE 3: Research.....	32
OBJECTIVE 4: Predictive modeling for planning and evaluating management actions.....	32
OBJECTIVE 5: Identify data gaps .....	33
GOAL 2. Protect, Manage, and Restore Strategy Species and their Habitats.....	33
OBJECTIVE 1: Minimize the impacts of land uses and threats to Strategy Species .....	33
OBJECTIVE 2: Determine priority habitats to focus resources for protection, management, and restoration .....	35
OBJECTIVE 3: Protection .....	35
OBJECTIVE 4: Habitat management and restoration.....	36
GOAL 3. Improve Data Management, Storage, and Dissemination.....	37
OBJECTIVE 1: Establish and maintain a NM Rare Plant Conservation Strategy Species List and data repository.....	37
OBJECTIVE 2: Improve data management capabilities to better prioritize species and focus habitat protection and restoration. ....	37
GOAL 4. Develop Ex-situ Conservation and Recovery Strategies and Implement where Appropriate .....	38
OBJECTIVE 1: Collect seeds and other plant materials for long-term ex-situ conservation and restoration purposes.....	38
OBJECTIVE 2: Determine species’ propagation needs.....	38
OBJECTIVE 3: Augment and reintroduce rare and endangered plants where appropriate. ....	39
GOAL 5. Improve Laws, Regulations, and Policies .....	39
OBJECTIVE 1: Identify regulatory mechanisms utilized in other states that would strengthen protection of endangered plants in New Mexico. ....	40
OBJECTIVE 2: Improve existing NM State endangered plant law and develop policies needed to increase protection for state listed endangered plants. ....	40

OBJECTIVE 3: Develop a programmatic framework that facilitates due diligence from federal, state, tribal, and local government entities emphasizing collaboration to guide the conservation of endangered plants with the goal of precluding federal listing.....	40
GOAL 6. Increase Collaboration, Education, and Outreach .....	41
OBJECTIVE 1: Collaboration .....	41
OBJECTIVE 2: Education and Outreach .....	42
GOAL 7. Improve Funding, Infrastructure, and Rare Plant Programs.....	43
OBJECTIVE 1: Support and expand the NM State Forestry Endangered Plant Program .....	43
OBJECTIVE 2: Facilitate the development of rare plant programs in other agencies, tribes, non-governmental organizations, or institutions.....	43
STRATEGY IMPLEMENTATION AND MEASURES OF SUCCESS.....	45
CONCLUSION AND RECOMMENDATIONS.....	46
Priority Conservation Actions and Recommendations .....	46
REFERENCES AND LITERATURE CITED.....	48
APPENDIX A. Strategy Species List.....	52
APPENDIX B. Scorecard Methods .....	67
APPENDIX C. New Mexico Important Plant Areas .....	79
APPENDIX D. New Mexico Important Plant Areas - Methods .....	91

## PREFACE

The New Mexico Rare Plant Conservation Strategy is an integral part of the State of New Mexico's Energy, Minerals, and Natural Resources Department (EMNRD), Forestry Division's Forest Action Plan (New Mexico Statewide Natural Resources Assessment, Strategy and Response Plan), which identifies natural resource conditions, needs and opportunities across all land ownerships in the state and guides long-term Forestry Division (Division) management (EMNRD 2010). It also provides useful information to our many partners who work together to create and maintain sustainable forests and watersheds. The Division's central purpose is to promote healthy, sustainable forests and watersheds in New Mexico for the benefit of current and future generations. This mission is accomplished by working with a variety of partners interested in improving the health of the state's forests and watersheds.

Established as the Forest Conservation Commission in 1957 to address fire protection on state and private land, the Division's mission soon expanded to include timber management and conservation efforts. Since then, the Division's role has expanded into the areas of technical forestry assistance to private and state landowners, conservation of lands through easements and tax incentives, encouragement of forest industries, inmate work programs, conservation and recovery of endangered plants, urban forestry, restoration, and invasive plant programs.

The Division places the importance of proper watershed management as a top priority to achieve overall ecosystem health. To achieve this goal, the Division has taken a leadership role in crafting collaborative efforts with local, state, federal and tribal agencies, as well as private landowners, businesses and non-governmental organizations.

The Division is a major partner in rare and endangered plant conservation, recovery and research through its Endangered Plant Program. It is the only program within the state government that focuses on rare plant conservation and operates statewide. The Division has statutory responsibility for the State Endangered Plant Species List. Section 75-6-1 NMSA 1978 directs the Division to investigate all plant species in the state to establish a list of endangered plant species. Similar to federal land management agencies, the Division gathers information relating to population abundance, distribution, habitat requirements, threats, limiting factors, and other biological and ecological data to determine the status of endangered plants throughout New Mexico, regardless of land ownership. The information is then used to develop conservation measures necessary for the species' recovery and survival. The statute further directs the Division to establish a program necessary to promote the conservation of listed endangered plant species including research, inventory and monitoring, law enforcement, habitat maintenance, education, and propagation.

The 2010 Forest Action Plan is currently in the process of being updated. The Division plans to publish a fully updated Forest Action Plan in 2020, which will include the 2017 NM Rare Plant Conservation Strategy. The Strategy was identified as a priority and focus for the 2020 update of the Forest Action Plan. In the interim, the Division will post additions and changes made to clarify or revise outdated information on the State's Forest Action Plan web page, including the New Mexico Rare Plant Conservation Strategy at <http://www.emnrd.state.nm.us/SFD/statewideassessment.html>. The Strategy and Scorecard will also be available at [http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy).

## EXECUTIVE SUMMARY

New Mexico is one of the most biologically diverse states and has the fourth highest plant diversity in the country. A total of 4,204 plant taxa have been documented, including 109 plant species endemic to the state.

The intent of the New Mexico Rare Plant Conservation Strategy (Strategy) is to help land managers, regulatory agencies, landowners, and other stakeholders to better understand the status and needs of New Mexico's rare plants and act in support of conservation efforts.

The primary target audience for the Strategy include land managers, field office managers, district rangers, agency biologists and botanists, and regulatory agencies looking for guidance and focus areas to prioritize management, evaluate endangerment, and direct funding. The Strategy will not only provide more consistent protection and coordinated management of rare species, but also reduce potential conflict by providing proactive conservation measures and guidelines, and by supporting current land use and resource management planning efforts. It will promote stewardship of New Mexico's rare and endangered plants and provide proactive conservation tools to document current population status, address population declines and habitat loss, and provide management tools and actions required to preclude the need for federal listing and to achieve recovery of some of the most imperiled species in the state. It emphasizes a coordinated and proactive approach to identify and carry out actions needed to address impacts to our rare and endangered flora and provide for their long-term conservation and stewardship. In addition to supporting the recovery of listed plant species, proactive conservation actions will help reduce population declines, habitat loss, and the need for federal listing under the Endangered Species Act.

The Division developed the Strategy in coordination with the Rare Plant Conservation Partnership (NMRPCP), which includes state, federal, and tribal agencies, non-governmental organizations, and interested citizens. The Strategy aims to achieve results through a collaborative approach that is based on the best available science, close coordination, data sharing, and taking strategic action.

The Strategy is focused on 235 rare and endangered plant species in New Mexico, including 109 species that only occur in New Mexico and nowhere else in the world. The list includes 13 federally listed species, 37 plant species listed Endangered in the State of New Mexico, 36 species listed as sensitive with the BLM, and 64 species listed sensitive with the Forest Service.

Most of New Mexico's rare and endangered plants are considered rare because they are restricted to very specific, narrowly distributed habitats. Some species have such small distributions that they are highly vulnerable to stochastic extinction events which may be caused by flooding, fires, invasive species, predation, etc. Primary human caused threats include habitat destruction and alteration, climate change and related ecological changes, resource extraction, and overgrazing.

Climate change is not only expected to affect species directly, but also to have significant impacts on their habitats and the ecological systems on which they depend, which is likely to exacerbate the effects of other human activities on plants. Impacts associated with climate change include prolonged droughts, increased fire frequency and severity, increases in invasive species (plants and animals), changes in associated plant communities, and severe habitat alteration caused by megafires. This is especially

significant for small populations with restricted ranges, including many of the species endemic to New Mexico

Habitat degradation, fragmentation, and loss of habitat are major reasons why some plant species and their habitats are threatened in New Mexico. The primary contributors to habitat degradation for rare and endangered plants are resource extraction (e.g., energy development, mining, water development), recreation, livestock grazing, wildfire, climate change, invasive species, urban development, and road construction and maintenance.

One of the central issues impeding meaningful and proactive conservation is a dearth of knowledge and documentation regarding the abundance, distribution, and status of New Mexico's rare plant species. This baseline information in combination with a lack of knowledge on basic biological requirements of rare taxa is largely unknown for the majority of rare plants in New Mexico (basic habitat requirements, pollinators, seed dispersal, seed bank viability, etc.). Without baseline documentation land managers and regulatory agencies are not able to make meaningful decisions to protect and conserve New Mexico's most rare and endangered plant species.

These challenges are compounded by inadequate legal protection and enforcement, and inadequate funding for botanical staff within land management agencies, which may result in poor management decisions, and lack of funding for conservation actions, surveys and monitoring, as well as research.

The overall goal of the New Mexico Rare Plant Conservation Strategy is to protect and conserve New Mexico's rare and endangered plant species and their habitats through collaborative partnerships between stakeholders and interested parties to aid and improve the conservation and management of rare plant species and to avoid federal listing.

Specific goals include:

1. Inventory, monitor, and research Strategy Species to inform management and regulatory decisions
2. Protect, manage, and restore Strategy Species and their habitats
3. Improve data management, accuracy, storage, & dissemination
4. Develop ex-situ conservation and recovery strategies and implement where appropriate
5. Improve laws, regulations, and policies
6. Increase collaboration, education, and outreach
7. Improve funding, infrastructure, and rare plant programs

The Strategy serves as a reference for priority actions needed to maintain and improve the status of rare plants in New Mexico and to strategically guide future plant conservation actions. In addition, coordinated outreach and education efforts will increase public awareness on the status of rare and endangered plants and provide opportunities to help conserve New Mexico's rare plant species. As a result, much needed programs and resources will be directed to support rare plant conservation efforts throughout the state. The Strategy is a call to action, highlighting conservation steps that federal, state, and local agencies, private groups, academic institutions, and others can take to assist with meeting the seven goals. The Strategy will be an integral part of the Division's Forest Action Plan and will be maintained by the partners to strategically guide future plant conservation efforts in the state.



## INTRODUCTION

### The Importance of Plants and their Imperilment

*“Without plants, there is no life. The functioning of the planet, and our survival, depends upon plants”* (Vision: North American Botanic Garden Strategy for Plant Conservation 2011-2020). Plants constitute a significant part of the world’s biological diversity and are essential for human existence on the planet. They are the foundation of all terrestrial and most marine ecosystems, playing a key role in maintaining basic ecosystem functions, including oxygen production, water purification, erosion, and climate control (GSPC 2010; USFWS 2012). Plants have significant economic and cultural importance, providing food, medicine, fuel, clothing and shelter for people throughout the world; 31,128 plant species have a current documented use (GSPC 2011-2020; Royal Botanical Garden Kew 2016). In addition, plants are an essential component of the habitats for the world's animals (GSPC 2011-2020).

In the United States, 31 % of the estimated native plant species are considered at risk of extinction, and 11 % receive protection under the Federal Endangered Species Act (Negron-Ortiz 2014; USFWS 2012). Plants comprise 56 % of all federally listed species (903 plant species) (USFWS 2016). An additional 164 plant species are either proposed for listing (45 species), candidates for listing (10 species), or petitioned for listing (109 species) (USFWS 2016). Despite this prevalence of plants on the federal Endangered Species list, plants do not receive the same protections as animals under the Endangered Species Act and receive only a fraction of federal funding available for conservation and recovery (Roberson 2002; USFWS 2012, Evans et al. 2016). Federal protection for plants primarily only applies to plants occurring on lands under federal jurisdiction or where a federal nexus exists on other lands (federal funding or authorization), there is no incidental take for plants and therefore conservation opportunities available for animals, such as USFWS Habitat Conservation Plans have only limited opportunities for plants, or do not apply to plants (USFWS Safe Harbor Agreements).

In addition, the number of federally protected plant species is less than a third of plants identified by NatureServe as critically imperiled or imperiled (3,049 plant species). The current proportion of federally listed plants is expected to increase as additional taxa are evaluated for listing under the Endangered Species Act in response to current and future threats, including climate change (USFWS 2016, USFWS 2012; GSPC 2011-2020). Management direction and decisions pertaining to the conservation of rare and endangered plants will be critical for evaluating the need for potential listings. Preventing future listings will require increased management and cooperation among land managers and stakeholders.

## Plant Conservation Issues in New Mexico

New Mexico is one of the most biologically diverse states and has the fourth highest plant diversity in the country (NM Biodiversity Consortium 2016). A total of 4,204 plant taxa have been documented, including 487 exotic species and 109 plant species endemic to the state (Allred 2012; NHNM 2017). Over 12% of the vascular flora plants in the state is considered at risk (Stein & Gravuer 2008). Natural Heritage New Mexico actively tracks the presence of 213 rare plant species in New Mexico, based on their overall rarity, conservation status, and threats (Appendix A). In addition, for 22 plant species with restricted distributions we have sufficient information on their status and abundance that they are considered stable in their current environment. These species are on the Watch List. All 235 plant species are addressed in the New Mexico Rare Plant Conservation Strategy (Strategy Species: Appendix A).

Approximately 34% (26 million acres) of the 77.6 million acres of New Mexico lands are managed by federal agencies, including the National Park Service (NPS), Bureau of Land Management (BLM), U.S. Forest Service (USFS), Bureau of Reclamation (BOR), U.S. Fish & Wildlife Service (USFWS), Department of Energy (DOE) and the Department of Defense (DOD) (Table 1). The majority of these lands are managed by the BLM and the USFS. Approximately 9 million acres are National Forest lands and approximately 13 million acres are managed by the BLM. Forty-four percent of the land in New Mexico is privately owned, 11% is managed by various tribes and 12% is managed by the State Lands Office (Table 1). The remaining lands are managed by the Agriculture Department, the NM Game and Fish Department (NMGF), and State Parks. Rare and endangered plants receive limited or no protection on non-federal lands, including federally listed species. Therefore, management responsibility lies largely with federal land managers. While federal, state, and tribal agencies have statutory responsibilities providing limited protection of plants, federal and tribal land management agencies also have policies, regulations, and guidance documents pertaining to plant conservation, specifically addressing sensitive species management (BLM Manual 6840; Forest Service Manual 2670, National Park Service Management Policies 2006; Navajo Nation Resource Committee Resolutions). Sustainable resilient landscapes are goals of these agencies and when implemented as intended will avoid crisis management, litigation, and federal listing of rare plant species.

## Challenges

In New Mexico, the four main issues hindering plant conservation efforts are:

1. Lack of baseline information
2. Lack of botanical expertise
3. Lack of funding
4. Inadequacy of regulatory mechanisms

Other plant conservation strategies, including the Global Strategy for Plant Conservation, have identified similar issues impeding the conservation of rare and endangered plants and have provided strategic guidance and objectives to ensure the conservation of rare and endangered plants nationally and internationally (BGCI 2016; USFWS 2012; Neeley et al. 2009; GSPC 2002). Concurrent objectives to address the common goal of conserving the world's plant biodiversity include the need for baseline information, increased funding & botanical capacity, stronger protections, and outreach.

### Lack of baseline information

Some of the most critical information needed for New Mexico includes baseline documentation on distribution, abundance, current status, population trends, and threats. All federal land managers are directed to gather information on population abundance, distribution, habitat requirements, threats, limiting factors, and other biological and ecological data to determine the status of sensitive and endangered plants, but little effort has been directed towards this management goal. Baseline information is critical to developing effective conservation measures necessary for recovery and survival.

Although we have some baseline information on the status, distribution, population trends and threats of our federally listed plants, the state of our knowledge for species that are not federally listed is significantly worse. Unfortunately, the lack of adequate data has impeded management and recovery direction, as important management and regulatory decisions continue to be based on limited information and resources are inadequate to close critical information gaps (Heywood and Iriondo 2003). Even for federally listed plants, current baseline knowledge for most taxa is insufficient to adequately assess the status and threats to allow for informed listing and delisting decisions or evaluating the recovery process (Schemske et al. 1994, Heywood and Iriondo 2003, Giam et al. 2011). With limited documentation on distribution, abundance, and threats, rare and endangered plant species may not be included on sensitive species lists and may therefore not be evaluated during environmental reviews, project planning, and management decisions, which can result in significant impacts to already small or declining populations, thereby contributing to eventual federal listing. Conversely, limited baseline information can lead to management and regulatory decisions which may result in potentially unnecessary listings and management actions. In addition to the lack of baseline information on status, distribution and threats, little information is available on management opportunities to monitor trends and document and abate threats, including available effective mitigation measures. Information on long term population trends and monitoring the response of rare and endangered plants to threats and management actions significantly contributes to the evaluation of recovery success and informs management decisions, including the need for additional protection, management success and failures, and land use planning.

### Lack of botanical expertise

Federal and state agencies are understaffed and lack the botanical capacity required to guide effective management and conservation of the nation's most imperiled plant species (Roberson 2002; Chicago Botanical Garden and Botanic Gardens Conservation International 2009; Kramer et al. 2013). Botanical capacity is the human, scientific, technological, organizational, institutional, and resource capability that supports botanically based education and training, research, monitoring and management (Kramer et al. 2013). It is a critical component of efforts to address current and future management challenges, including land management, habitat restoration, climate change mitigation, invasive species control, and the conservation of rare species. A recent nationwide survey of 1,600 members of the botanical community, including respondents from federal agencies (34%), found a severe shortage of botanical expertise in government agencies and an alarming decline in botanical degree programs and course offerings in colleges and universities (Kramer et al. 2013). Survey results document severe shortages of management and research staff with botanical degrees throughout all federal and state government agencies, with some of the most significant shortages found in agencies directly responsible for managing public lands, leading recovery efforts and carrying out regulatory functions (Kramer et al. 2013). In 2001, the BLM employed only 68 botanists nationwide to manage botanical resources on 264 million acres and the Forest Service employed only 128 botanists for 191 million acres and thousands of plant species (Roberson 2002). Many National Forests and BLM field offices employ no botanists at all.

At the same time, nearly 3,000 foresters were employed by the Forest Service nationwide, primarily responsible for managing a small subset of their botanical resources, commercial timber (Roberson 2002).

Shortages in botanical expertise are also true for New Mexico, where none of the major universities offer an undergraduate degree in Botany and course offerings are severely limited. In addition, only a handful of state and federal botanists are employed to guide botanical resource management throughout the entire state, including conservation, recovery, planning, management, and regulatory issues. In New Mexico, the U.S. Fish & Wildlife Service has no botanists on staff, the BLM employs 4 full time botanists to manage all botanical resources on 13,485,528 acres, and the U.S. Forest Service has one botanist on one of its five national forest (Lincoln National Forest) and one botanist at the regional office, overseeing botanical resources in all eleven national forests of Arizona and New Mexico. The Endangered Plant Program of the Division has one botanist addressing all rare and endangered plants throughout the state of New Mexico.

### Lack of funding

Funding for endangered species recovery is generally insufficient but has also been disproportionately distributed among taxonomic groups. Less than 4% of government spending on listed species is allocated to the conservation and recovery of listed plants (Negron-Ortiz 2014; USFWS 2012; Evans et al. 2016). Even less is allocated to non-listed rare and endangered plant species. While the State Wildlife Action Plans are directly tied to receiving federal funds for conservation actions for non-listed species through the State Wildlife Grants Program (\$14 million between 2005 and 2015 in New Mexico), none of this funding can currently be used for the conservation of rare and endangered plants (Stein & Gravuer 2008). Unfortunately, the State Wildlife Grants Program is currently the only federal program with the explicit goal of preventing listings under the Endangered Species Act. Although the state of New Mexico has an Endangered Plant Program within the Division, it is primarily funded through a federal grant under the Endangered Species Act, therefore focusing on federally listed plants. Lack of funding is also reflected in the absence of botanical expertise within the agencies, which in turn contributes to the lack of baseline information needed to make meaningful management and regulatory decisions for rare and endangered plants and to allow for the recovery of listed plants (Stein & Gravuer 2008; Roberson 2002; USFWS 2012; Evans et al. 2016; Negron-Ortiz 2014). Investing in the conservation of rare species before they need protection through the Endangered Species Act is far more cost effective than carrying out expensive measures needed to recover them from the Endangered Species list once they have become threatened or endangered (Stein & Gravuer 2008).

### Inadequacy of regulatory mechanisms

The inadequacy of regulatory mechanisms and laws protecting federal and state listed plants, as well as other sensitive species is another major concern for rare and endangered plants of New Mexico. Sensitive and endangered plants receive inadequate attention from federal, state, and private land managers, which may ultimately lead to the need for federal listing. In the absence of adequate regulations, impacts to sensitive plants are rarely addressed during the environmental review process and little effort is directed towards gathering baseline information to determine the status of sensitive plants. Stronger laws and the implementation and enforcement of existing laws, regulations, and policies are needed to protect sensitive plant species throughout New Mexico.



Goodding's onion (*Allium gooddingii*)

© Daniela Roth

## Strategy Purpose

The purpose of the New Mexico Rare Plant Conservation Strategy is to provide guidance to land managers and regulatory agencies to secure New Mexico's rare plant species through:

- Increased protection
- Improved data on status and distribution
- Clear management guidelines
- Increased dialog and coordination among land managers and conservation partners
- Promotion of education and stewardship opportunities
- Facilitating on-the-ground conservation and recovery actions

The primary target audience for the Strategy include land managers, field office managers, district rangers, agency biologists and botanists, and regulatory agencies looking for guidance and focus areas to prioritize management, evaluate endangerment, and direct funding. The Strategy will not only provide more consistent protection and coordinated management of rare species, but also reduce potential conflict by providing proactive conservation measures and guidelines, and by supporting current land use and resource management planning efforts. It will promote stewardship of New Mexico's rare and endangered plants and provide proactive conservation tools to document current population status, address population declines and habitat loss, and provide management tools and actions required to preclude the need for federal listing and to achieve recovery of some of the most imperiled species in the state. It emphasizes a coordinated and proactive approach to identify and carry out actions needed to address impacts to our rare and endangered flora and provide for their long-term conservation and stewardship. In addition to supporting the recovery of listed plant species, proactive conservation actions will help reduce population declines, habitat loss, and the need for federal listing under the Endangered Species Act.



Knowlton's cactus (*Pediocactus knowltonii*)

©Daniela Roth

## New Mexico Rare Plant Conservation Partnership


The New Mexico Rare Plant Conservation Strategy aims to achieve results through a collaborative approach that is based on the best available science, close coordination, data sharing, and taking strategic action. The Strategy has been developed in coordination with many conservation partners, including state, federal, and tribal agencies, non-governmental organizations, and interested citizens. To support this effort, the **New Mexico Rare Plant Conservation Partnership (NMRPCP)** was formed and currently includes the Division, the BLM, the USFS, NHHM, the USFWS, the New Mexico Rare Plant Technical Council (NMRPTC), the Navajo Natural Heritage Program (NNHP, Navajo Nation Department of Fish & Wildlife), the Center for Plant Conservation (CPC), the Institute for Applied Ecology, the NM State Land Office (SLO), the NM Native Plant Society (NMNPS), and private individuals. Potential future partners include New Mexico universities and colleges, various NM tribes and pueblos, the National Park Service (NPS), The Nature Conservancy (TNC), the Department of Defense (DOD), the Department of Energy (DOE), US Army Corps of Engineers (USACE), the U.S. Geological Survey (USGS), the New Mexico Department of Game and Fish (NMDGF), the New Mexico Department of Transportation (NMDOT), New Mexico State Parks, the Santa Fe and Rio Grande Botanical gardens, local governments, non-government organizations, private parties and land owners. Support may include providing funding, documentation and maps, technical support, volunteering, data sharing, promotion of the Strategy and rare plant conservation through art, outreach and education, coordination of conservation priorities and needs, research, and participation in the implementation of Strategy objectives and providing updates. There is currently no formal organizational agreement between the partners, but the development of more formal agreements between primary stakeholders is one of the Strategy objectives.

## BACKGROUND


New Mexico is the fifth largest state in the United States covering a land area of 121,412 square miles (WRCC 2016). The state shares its southern border with Mexico, and is surrounded by Arizona, Utah, Colorado, Oklahoma, and Texas. All the major land biomes of the world are found within the state, except arctic tundra and tropical rainforest (Allred 2012). Landscape features commonly found include canyons, valleys, floodplains, badlands, mesas and buttes, bajadas, eroded escarpments, volcanic calderas, necks, lava fields, ash flows, hogbacks, dikes, cuestas, sand dunes, bolsons, playas, alkali flats, Pleistocene lakebeds, karst sinkholes, and glaciated landforms (Allred 2012). New Mexico has hot and cold deserts; short and mid-grass prairies; oak and pinyon-juniper woodlands; pine, mixed-conifer, and spruce-fir forests; and alpine tundra. The highest point in the state is Wheeler Peak in Taos County (13,161 feet) and the lowest is Red Bluff Reservoir in Eddy County (2,817 feet). Temperature extremes can range from  $-50^{\circ}\text{F}$  to  $+116^{\circ}\text{F}$  throughout the state. Average annual precipitation varies from less than 10 inches in the southern deserts to more than 30 inches in the northern mountains (WRCC 2016). Eight ecoregions converge in the state, including Colorado Plateau, Southern Rockies, High Plains, Southwestern Tablelands, Chihuahuan Deserts, Madrean Archipelago, Arizona/New Mexico Plateau, and Arizona/New Mexico Mountains (Griffith et al. 2006, Level III; Figure 1). These ecoregions are defined by interacting patterns of the biota, geology, physiography, soils, land use, hydrology and climate.



Arizona – New Mexico Plateau Ecoregion near Cabezon Peak, Sandoval County, NM.



**Figure 1.** New Mexico Ecoregions



**Figure 2.** Number of Strategy Species in each of New Mexico's 8 Ecoregions.



Chihuahuan Desert Ecoregion, near Brokeoff Mountains, Otero County, NM.



Arizona-New Mexico Mountains Ecoregion, Sierra Blanca, Otero County, NM.

## New Mexico's Rare and Endangered Plants


New Mexico's rare plants are an important and irreplaceable part of the state's natural heritage. The New Mexico Rare Plant Conservation Strategy identifies 235 plant species which are considered rare or endangered in the state (**Strategy Species**). Of these, 213 are actively tracked by Natural Heritage of New Mexico and 22 are on the watch list. The New Mexico Rare Plant Technical Council identifies 200 of the Strategy Species as rare (<http://nmrareplants.unm.edu/>). NatureServe considers 103 of the 235 Strategy Species as globally imperiled, meaning they are at significant risk of extinction (G1 & G2). The list includes 13 federally listed species, 37 plant species listed Endangered in the State of New Mexico, 36 species listed as sensitive with the BLM, and 63 species listed with the Forest Service.

Forty-six percent of these plant species are known to occur only in New Mexico and no other place in the world (109 species). The majority of plants occur on federal or private lands. Approximately 55 % of the 235 Strategy Species occur on Forest Service lands and 49 % occur on BLM lands. One-hundred-fifty-six Strategy Species are known to occur on private lands (66%) and 28 % are known from tribal lands (Table 1).

**Table 1.** Distribution of Strategy Species in New Mexico by land ownership (NHNM 2017).

Ownership	No of Strategy Species	Percent of Strategy Species Element Occurrences	Land ownership in New Mexico (acres)
BLM	114	20.98%	13,485,536
BOR	5	0.18%	54,483
DOA	1	0.04%	109,464
DOD	33	12.04%	2,515,789
DOE	4	0.14%	36,491
USFS	130	27.02%	9,217,460
USFWS	17	1.26%	383,163
Tribal	65	8.89%	8,228,727
NPS	26	1.94%	475,185
Private	156	20.73%	34,019,743
State Land Office	57	5.86%	8,983,019
NMDGF	8	0.40%	199,577
State Parks	10	0.47%	118,917

The majority of New Mexico’s rare plants occur in mountainous ecoregions (71%), primarily in the AZ/NM Mountains ecoregion (55%), which support the largest concentrations of highly endemic plants species and include many of New Mexico’s Important Plant Areas (Figures 2, 3, & 4). Many of these species are restricted to the high elevations of sky islands, which are isolated mountain ranges surrounded by radically different lowland environments. These include the Mogollon Mountains, Black Range, White Mountains, and Sacramento Mountains of southern New Mexico, which contain the largest number of endemic plant species in the state. High elevation species with restricted ranges are considered most vulnerable to impacts associated with climate change, including prolonged drought, increases in fire frequency and severity, invasive species, and changes in community composition (Evans et. al. 2016; Enquist and Gori 2008; IPCC 2007). Thirty-four percent of Strategy Species occur in the Chihuahuan Deserts Ecoregion. Deserts are highly vulnerable to habitat alterations caused by climate change and associated impacts, livestock grazing, and water and energy development projects. The Chihuahuan Deserts Ecoregion is the most human impacted ecoregion in New Mexico, which includes urban expansion and development, livestock grazing, water development, agriculture, landscape wide herbicide treatments, and oil & gas development.



**Figure 3.** Distribution of Strategy Species across New Mexico’s 8 Ecoregions (NHNM 2017).

This Strategy provides meaningful opportunities to make a difference for plant conservation by providing management direction and actions. Compared to animals, rare plants are relatively easy to conserve because they typically occur in small numbers and over relatively small geographic areas. Thus, plants can often be protected with a relatively small investment of time and resources, through proper planning, voluntary and cooperative actions, and constructive dialogue and partnerships with developing interests. Even small investments in conservation actions and projects have the potential of making large impacts on reducing the extinction risk of rare plant species. Through coordination and working together, landowners, land managers, and concerned partners can take proactive steps to improve the conservation status of New Mexico's rare and endangered plants.

The New Mexico Rare Plant Conservation Strategy is an adaptive strategy that is intended to be updated as more data becomes available and conservation strategies are implemented. Based on our current knowledge on the status of Strategy plants, top conservation priorities for New Mexico are:

- Collect baseline information.
- Establish a list of conservation priority species and conservation actions needed for each management unit (from Scorecard).
- Provide maps to land managers and conservation groups of New Mexico's rare and endangered plant locations and important plant areas to prioritize conservation focus areas.
- Incorporate information regarding the protection and management of rare and endangered plants into planning documents, including resource management plans, land use plans, fire management plans, recreation plans, transportation plans, and environmental assessments.
- Provide botanical expertise within land management agencies through staffing, funding, data management, training, volunteers, active management.
- Improve data management through active data gathering and using a centralized database.
- Develop a common website to use as a one-stop place for New Mexico's rare plants, including rare plant species specific information, survey and monitoring guidelines, best management practices, mitigation measures, funding sources, monitoring and survey reports, status reports, botanical references and links, publications, volunteer opportunities, etc.
- Take conservation actions toward recovery of priority species for each management unit.

## SCOPE

One in five plants are estimated to be at risk from extinction worldwide (Royal Botanical Garden Kew 2016). Rare and endangered plants typically have small numbers of individuals worldwide, narrow geographic ranges, and a few localized populations (Neely et al. 2009). Some rare species are locally abundant over a very small range, or widely distributed in small populations. They are often threatened because of their inability to recover from random (stochastic) events such as severe fires, insect and disease outbreaks, drought, or flooding. They are also subject to significant human caused threats, such as habitat alteration, over-collection, and climate change. Rare plants often are at risk simply due to a lack of awareness regarding their precarious status. Species with low population density, low reproductive potential, and narrow geographic distributions generally are at a higher risk of extinction (Groves 2003).

The Strategy is focused on 235 rare plant species in New Mexico, including one lichen (**Strategy Species**, Appendix A). Occurrences of the majority of Strategy Species (213 species) are tracked by Natural Heritage New Mexico, which actively collects information on the distribution, status, and abundance of these species. They are primarily ranked critically imperiled (G1/S1), imperiled (G2/S2), or vulnerable (G3/S3) at a global or state level by NHNM and NatureServe (Appendix A). They are considered at risk throughout their range and are vulnerable to extinction. The status of some taxa in New Mexico is uncertain, but there is reason to believe that they are at risk, or even extinct (NR, GQ, GH/SH). **For the purposes of the Strategy, we refer to these plant species interchangeably as sensitive, rare, or endangered.** See below for definitions of terms used in this Strategy.

- **Critically Imperiled Species** are those ranked G1 globally and/or S1 statewide by Natural Heritage New Mexico and NatureServe. A G1/S1 ranking is assigned because of extreme rarity or because of some factor(s) making it especially vulnerable to extinction throughout its range, or in New Mexico. Typically, 5 or fewer occurrences, or very few remaining individuals (<1,000), or acres (<2,000), or linear miles (<10).
- **Imperiled Species** are those ranked G2 globally and/or S2 statewide by Natural Heritage New Mexico and NatureServe. A G2/S1 ranking is assigned due to rarity or because of some factor(s) making it very vulnerable to extinction or elimination throughout its range, or in New Mexico. Typically 6 to 20 occurrences, or few remaining individuals (1,000 to 3,000), or acres (2,000 to 10,000), or linear miles (10 to 50).
- **Vulnerable Species** are those ranked G3 globally, and/or S3 statewide by Natural Heritage New Mexico and NatureServe. A G3/S3 ranking is assigned either because the species is very rare and local throughout its range, or in New Mexico, found only in a restricted range (even if abundant at some locations), or because of other factors making it vulnerable to extinction or elimination. Typically 21 to 100 occurrences, or between 3,000 and 10,000 individuals.
- **Threatened or Endangered Species** are those that are federally listed and protected under the U.S. Endangered Species Act (ESA) by the U.S. Fish and Wildlife Service.
- **State Endangered Plants** are those listed as Endangered by the state of New Mexico and are protected under state law.

- **Navajo Nation Endangered Species** are those listed by the Navajo Nation as threatened, endangered or candidates for listing and are protected by the Navajo Nation Endangered Species Act.
- **Sensitive Species or Species of Concern** are not necessarily included on the above lists, but may be included on lists of Sensitive Species by the U.S. Fish & Wildlife Service, the Division, the Navajo Nation, the U.S. Forest Service (USFS), the Bureau of Land Management (BLM), and other tribes and pueblos. Only the BLM and the USFS provide some protective measures for sensitive species and species of concern, including policies and guidelines.
- **Endemic Species** are those whose entire distribution is restricted to a relatively small geographic region. These species occur nowhere else in the world and are often, but not necessarily, vulnerable to extinction.
- **Rare Species** typically have small numbers of individuals worldwide, narrow geographic ranges, and/or few localized populations, making them more vulnerable to extinction than common species. These include all plants reviewed and listed by the New Mexico Rare Plant Technical Council.



Pecos sunflower (*Helianthus paradoxus*)

© Daniela Roth

## Threats to New Mexico's Rare and Endangered Plants

Most of New Mexico's rare and endangered plants are considered rare because they are restricted to very specific, narrowly distributed habitats. Because these species occupy such small areas, awareness and species specific planning is necessary to avoid placing these species at further risk of extirpation caused by human activities. All species are exposed to impacts associated with global climate change on a rangewide level (Scorecard 2017). Many species are exposed to widespread livestock impacts and habitat alteration throughout their limited range (Scorecard 2017). Some species have such small distributions that they are highly vulnerable to stochastic extinction events which may be caused by flooding, fires, invasive species, predation, etc.

Documented threats to New Mexico's rare and endangered plants and their habitats include:

- Energy development and mineral mining
- Motorized and non-motorized recreational vehicles
- Urban development
- Agriculture (crop production)
- Roads (construction and maintenance)
- Altered hydrologic regimes
- Invasive plant species
- Climate change
- Logging and woodcutting
- Wildfire and fire suppression activities
- Herbivory/Grazing/Overgrazing
- Predation
- Disease
- Habitat fragmentation
- Collection (commercial or other)
- Small population size
- Stochastic events
- Inadequacy of regulatory mechanisms
- Lack of funding
- Lack of botanical expertise within land management agencies

Climate change is not only expected to affect species directly, but also to have significant impacts on their habitats and the ecological systems on which they depend, which is likely to exacerbate the effects of other human activities on plants (Evans et. al. 2016; Enquist and Gori 2008; IPCC 2007). Impacts associated with climate change include prolonged droughts, increased fire frequency and severity, increases in invasive species (plants and animals), changes in associated plant communities, and severe habitat alteration caused by megafires (IPCC 2007). This is especially significant for small populations with restricted ranges, including many of the species endemic to New Mexico (Treher et al. 2012). A 2012 report exploring vulnerability trends in response to climate change relating to geography, conservation status, and taxonomic affiliation on western BLM lands revealed that the greatest concentrations of taxa vulnerable to climate change are found in arid to semi-arid regions of the southwestern states (Treher et al. 2012). Statistical analyses of conservation status and vulnerability to climate change showed that taxa of conservation concern tend to show greater vulnerability to climate change than other native plant species. Taxa assessed in the Cactaceae appeared especially sensitive to changes in precipitation regimes.

Habitat degradation, fragmentation, and loss of habitat, are major reasons why some plant species and their habitats are threatened in New Mexico. The primary contributors to habitat degradation for rare and endangered plants are resource extraction (e.g., energy development, mining, water development), recreation, livestock grazing, wildfire, climate change, invasive species, urban development, and road construction and maintenance.

Other risk factors may include loss of pollinators and their habitat and illegal collecting. These challenges are compounded by inadequate legal protection and enforcement, inadequate funding for botanical staff within land management agencies, which may result in poor management decisions, and lack of funding for conservation actions, surveys and monitoring, as well as research.

One of the central issues impeding meaningful and proactive conservation is a dearth of knowledge and documentation regarding the abundance, distribution, and status of New Mexico's rare plant species. This baseline information in combination with a lack of knowledge on basic biological requirements of rare taxa is largely unknown for the majority of rare plants in New Mexico (basic habitat requirements, pollinators, seed dispersal, seed bank viability, etc.). Without baseline documentation land managers and regulatory agencies are not able to make meaningful decisions to protect and conserve New Mexico's most rare and endangered plant species.

Lack of botanical expertise within the agencies to document and research the status, abundance, distribution and threats results in inadequate management and protection of rare and endangered plant species, which has the potential to significantly contribute to the need for listing under the Endangered Species Act. In addition, the lack of funding opportunities for proactive conservation projects, including protecting habitat, education and outreach projects, genetics research, threat modelling, ex-situ conservation, and research, leads to shifting the focus from species of greatest conservation need to more charismatic (federally listed) species for which funding may be more readily available, thereby contributing to the need for federal listing.

Additional concerns stem from the fact that, despite rapidly growing threats, New Mexico lacks adequate state level protection for state listed endangered plants and other rare and sensitive species. Currently New Mexico State law only regulates the removal, with the intention to possess, transport, export, sell, or offer for sale any of the 37 plants listed endangered, from the places where they naturally grow in the state of New Mexico (19.21.2. NMAC). Although federal land managers have

federal guidance and policies addressing sensitive plant conservation, implementation of these policies is often inadequate. A stronger state law and implementation of federal policies are needed to provide meaningful protection for state listed endangered plants and sensitive species on a rangewide level. The Division's Endangered Plant Program and land management agencies need support and involvement from state government and stakeholders, to help implement this Strategy and achieve the long-term goal of conserving New Mexico's rare and endangered plant species. Increased coordination, long-term funding, and on-the-ground action are all essential for effective plant conservation in New Mexico.

## PLANT CONSERVATION SCORECARD

The New Mexico Plant Conservation Scorecard (Scorecard) provides a current conservation status analysis of the 238 Strategy rare plants including threats, degree of protection, and actions needed to conserve species (management actions, inventories, monitoring, taxonomic work, etc.). The New Mexico scorecard process was developed by NHNM and is based on the approach successfully implemented in Colorado by the Colorado Natural Heritage Program and The Nature Conservancy (Rondeau et al. 2011; Appendix B). Using their spreadsheet calculator, each species was evaluated with respect to its known distribution, the quality of the populations in terms size and viability, ecological conditions, threats, and the degree of current protection to arrive at an Overall Conservation Status assessment of either Effectively Conserved, Moderately Conserved, Weakly Conserved, or Under Conserved (Appendices A & B, [http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy)).

Using the best available data and expert knowledge, the 235 Strategy Species were scored, and based on the scores, categorized into four working lists to support conservation planning (Appendix B):

**List A** – Species where there were sufficient, high quality observation data to generate an Overall Conservation Status (OCS) score species with moderate to very high confidence.

**List B** – Species which had sufficient observation data to generate an OCS score but confidence in the underlying data was limited (e.g. older records with lower positional accuracies). Accordingly, List B species are assigned a Modified Conservation Status two levels below the unmodified score such that if a species assessed as Effectively Conserved with low confidence in the underlying data is given a Modified Conservation Status of Weakly Conserved.

**List C** – Species that lacked sufficient observation data to generate an OCS score. Values for List C species scorecard metrics were assigned where possible based on expert knowledge and categorically classified as Weakly Conserved until further data are collected.

**List D** – A watch list of species that are regional endemics for which the data and knowledge of the species indicated they are stable and not a current conservation priority.

One hundred-sixty-three taxa had sufficient data to generate a conservation status from established methods (81 on List A with a full conservation status and 82 on List B with a modified conservation status) (Appendix A). There was not enough data available to generate a full conservation status for an additional 50 species on List C, and these are considered weakly conserved until additional information becomes available. Twenty-two species are on List D, the watch list, and are currently not of conservation concern.

With respect to Overall Conservation Status, among the 213 Strategy Species for which a conservation status could be generated, 171 (80 %) were considered Under Conserved or Weakly Conserved. Only 15

species (7 %) were considered effectively conserved, and 27 species (13 %) are moderately conserved. Target species for conservation can hence be prioritized based on their conservation status and help direct implementation of conservation actions listed to species ranked as under conserved or weakly conserved.

The primary use of the Scorecard is to help managers and researchers to identify and prioritize target species for protection, conservation and management actions, surveys and monitoring, and filling of data gaps. In addition, the scorecard can be used to quickly identify documented and potential threats and assess the status of rare plant species. The Scorecard can be sorted in a variety of ways to help establish a target list, including sorting by land ownership, agency status, conservation ranks, threats, ecoregion, conservation actions needed, etc. The Scorecard approach is standardized and flexible to allow for updates, edits and future additions. An electronic copy of the Scorecard (Excel file) and supporting materials are available from the NHNM New Mexico Rare Plant Conservation Strategy web page ([http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy)), or can be requested from the Division, the BLM State Office, or NHNM

## IMPORTANT PLANT AREAS

Important Plant Areas (IPAs) are specific places across New Mexico that support either a high diversity of sensitive plant species or are the last remaining locations of our most endangered plants. The delineation of IPAs was based on the spatial modeling of the species observation data in a GIS database in combination with expert review (see details in Appendix D). Briefly, we used a one-mile hexagon grid across the state as a spatial framework and attributed each hexagon with respect to occupancy of the 235 Strategy species of conservation concern. We then grouped hexagons into provisional IPAs based on proximity, landscape elements (geology and geomorphology), and a floristic similarity index. These were then evaluated for consistency and coherency by experts and prioritized based on an IPA Biodiversity Rank (IPA B-Rank) that combines an index of species richness plus degree of occupancy with an index of rarity and ranges from B1 (highest value) to B5 (lowest). For example, an IPA which holds the last remaining populations of a species (G1/S1) would get the highest possible rank of B1 regardless of other species that might be present. Alternatively, another area might be very rich in species that are less threatened, but the overall richness might still rate a B1. At the other end of the spectrum, an IPAs with few species that are of low priority (G4/S4) would rank as a B4; general open space is rated as B5. The outcome was a set of 133 IPAs with IPA-Biodiversity Ranks that can be used to identify high priority areas for management actions (Figure 4; Appendix C & D). Detailed information for each IPA, including shape files, species lists, acreage, and county of occurrence will be made available to land managers and conservation partners on request to the Forestry Division or Natural Heritage New Mexico ([http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy)).

Using IPAs as the template, the long-range goal is to develop Conservation Opportunity Areas (COAs) that integrate biodiversity value with management and conservation options. That is, COAs are not only areas that reflect rare plant biodiversity value per the IPA B-Rank, but also levels of imperilment, urgency of management protection actions, and other opportunities such as funding and land ownership patterns. The COA boundaries will be based on the best estimate of the primary area supporting the long-term survival of targeted species within an IPA. COAs may include IPAs of a single occurrence of a rare plant, or a suite of rare element occurrences (e.g., it may also include other sensitive plants, animals, or plant communities). A COA is designed to identify a land area that can provide the habitat and ecological processes upon which a particular species population, or suite of

species populations, depends for its continued existence. The best available knowledge about each species' life history is used in conjunction with information about topographic, geomorphic, and hydrologic features; vegetative cover; and current and potential land uses. In developing the boundaries of a COA, a number of factors need to be considered, including, but not limited to:

- Ecological processes necessary to maintain or improve existing habitat conditions;
- Pollinators and pollinator habitat;
- Seed dispersal and seed banking;
- Maintenance of the hydrologic integrity of surface and ground water;
- Land intended to buffer the COA against future changes in the use of surrounding lands;
- Exclusion or control of invasive species;
- Suitable habitat necessary for management or monitoring activities;
- Coordination of other land use activities to the extent that they affect the integrity of the COA
- Unoccupied but suitable habitat for population expansion.

COA boundaries are meant to be used for conservation planning purposes and have no legal status. Proposed boundaries do not automatically recommend the exclusion of all activity. Rather, the boundaries designate ecologically significant areas in which land managers may wish to consider how specific land use activities or land use changes within or near the COA affect sensitive plant species and their habitats by focusing management activities on plant conservation. COA boundaries do not necessarily include the entire range of a species. They indicate the immediate, and therefore most important area to be considered for protection. Final designation of and management responsibility for conservation areas lie with the land managers and owners. Designations could include Areas of Critical Environmental Concern (ACEC), Research and Natural Areas (RNA), Botanical Areas, Nature Preserves, Biological Preserves, and others. Continued landscape-level conservation efforts that may be needed that extend far beyond COA boundaries. This involves regional efforts in addition to coordination and cooperation with private landowners, and tribal, state, and federal agencies.



Sivinski's scorpionweed (*Phacelia sivinskii*) at the White Mesa IPA.


© Daniela Roth



Sawtooth/Datil IPA

© Daniela Roth

## Important Plant Areas of New Mexico



**Figure 4.** Important Plant Areas of New Mexico and their Biodiversity Rank (NHHM 2017). Detailed information for each IPA, including shape files, species lists, acreage, and county of occurrence will be made available to land managers on request to the Forestry Division. See Appendix C for details.



New Mexico stonecrop (*Rhodiola integrifolia* ssp. *neomexicana*)

© Daniela Roth

## STRATEGY GOALS AND OBJECTIVES

The overall goal of the New Mexico Rare Plant Conservation Strategy is to protect and conserve New Mexico's rare and endangered plant species and their habitats through collaborative partnerships between stakeholders and interested parties to aid and improve the conservation and management of rare plant species and to avoid federal listing.

Specific goals include:

1. Inventory, monitor, and research Strategy Species to inform management and regulatory decisions
2. Protect, manage, and restore Strategy Species and their habitats
3. Improve data management, accuracy, storage, & dissemination
4. Develop ex-situ conservation and recovery strategies and implement where appropriate
5. Improve laws, regulations, and policies
6. Improve collaboration, education, and outreach
7. Improve funding, infrastructure, and rare plant programs

Strategy goals are not listed in order of priority, but provide focus areas for conservation partners, depending on their abilities and expertise to participate in conservation actions. Each goal contains a list of objectives with conservation actions and opportunities that will contribute to reaching the overall Strategy goal over the long term. The list of conservation actions and opportunities is dynamic and is expected to change over time as conservation actions are implemented and we gather more information on how to effectively manage and protect rare plants. Conservation actions and opportunities listed under each of the seven goals are not meant to be accomplished by any one agency or institution, but may be accomplished by the combination of efforts by any party interested in pursuing plant conservation, including land management agencies, regulatory agencies, academic institutions, NGOs, tribes, private land owners, local governments, volunteers, botanical gardens, and state government agencies, depending on ability and focus area. Successful implementation and conserving New Mexico's native plant heritage is contingent upon adequate resources and funding to support the recommended conservation actions.

## GOAL 1. Inventory, Monitor, and Research Strategy Species to inform management and regulatory decisions

*Improve scientific understanding of distribution, natural history, and status through inventory, research, monitoring, and modeling to inform management and regulatory decisions and identify conservation actions needed.*

### OBJECTIVE 1: Inventory

- Prioritize survey needs based on scorecard results, management and regulatory needs and recommendations of the NM Rare Plant Technical Council.
- Conduct range-wide surveys to determine the status and distribution of Strategy Species.
- Develop and provide survey guidelines and surveyors qualification standards through common website (see USFWS 2011 for example).
- Provide training for Citizen Scientist to assist with survey needs.
- Prepare status assessments to provide a sound scientific foundation for management and regulatory decisions.
- Maintain and regularly update list of Strategy Species in coordination with land managers, the NMRPTC, NHNM, and other knowledgeable parties.

### OBJECTIVE 2: Monitor

- Support and evaluate existing monitoring projects and establish new monitoring.
- Prioritize monitoring needs based on threats, perceived declines, rarity, management and regulatory needs, utilizing the Plant Conservation Scorecard and NM Rare Plant Technical Council recommendations.
- Determine types of monitoring needed to evaluate rare plant status (population trend, management response, threat response, reintroduction success, changes in habitat condition).
- Develop standardized monitoring plans and reporting to document population trends and evaluate management effectiveness (see USFWS 2011 for example).
- Provide monitoring plan samples and templates through common website (include management triggers for threat-based monitoring).
- Provide training for Citizen Scientists to assist with monitoring needs.
- Track population trends of the most rare and endangered species, based on NHNM ranks and scorecard results.
- Track state-wide monitoring results in centralized database.
- Update status through annual monitoring reports.
- Develop management recommendations and actions in response to monitoring results.

### OBJECTIVE 3: Research

- Encourage and facilitate collaborations between land managers, regulators, and research institutions to address research needs and questions.
- Prioritize research needs for each species (taxonomy, habitat requirements, population trends, seed banks, seed dispersal, pollinators, distribution, predation, threats, molecular ecology, soil chemistry and microbiology, etc.) based on Plant Conservation Scorecard, NMRPTC recommendations, management and regulatory needs, etc.
- Work with researchers and funders to encourage applied studies that support conservation research.
- Focus on research that seeks to better understand how human activities, such as dust from energy development, Off-Road-Vehicle use, grazing, fires, or herbicide application impact rare and endangered plant species, and inform avoidance and mitigation of the impacts of these activities.
- Conduct systematic and genetic research on those rare and endangered plants for which there are taxonomic questions (see Scorecard at [http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy)).
- Support and conduct species-specific research to answer basic questions about the natural history of rare and endangered species, including their reproductive biology (e.g., pollination, breeding systems, and seed dispersal mechanisms), life history (e.g., seed banks, germination and establishment requirements), and ecology (e.g., edaphic or soil requirements, fungal and bacterial relationships), as well as other important ecological processes such as fire, or other disturbances needed for their survival.
- Provide access to research findings through common website.

### OBJECTIVE 4: Predictive modeling for planning and evaluating management actions

- Acquire ecological data layers, including geology, soils, climate, and vegetation data necessary to develop suitable habitat models for planning purposes and to help prioritize survey focal areas.
- Develop predictive models to evaluate potential impacts of management activities and develop meaningful alternatives (including travel management, grazing, logging, herbicide application, mining, oil and gas development, prescribed fires, etc.).
- Collect and compile data to develop population viability models to assess endangerment and management needs.

## OBJECTIVE 5: Identify data gaps

- Fill data gaps to improve knowledge of range, distribution, population size, condition, threats, and current status of Strategy Species based on Scorecard results (see Scorecard at [http://nhnm.unm.edu/nm\\_rare\\_plant\\_conservation\\_strategy](http://nhnm.unm.edu/nm_rare_plant_conservation_strategy)).

## GOAL 2. Protect, Manage, and Restore Strategy Species and their Habitats

*Secure on-the-ground, site-specific habitat protection, restoration, and/or management.*

### OBJECTIVE 1: Minimize the impacts of land uses and threats to Strategy Species

#### A. Project Planning

- Incorporate information regarding the protection and management of rare and endangered plants into planning and authorization documents, including resource management plans, land use plans, fire management plans, recreation plans, transportation plans, and environmental assessments.
- Involve stakeholders early in the planning and permitting process.
- Avoid and/or minimize negative impacts to rare and endangered plants through the use of existing data and models in conjunction with field surveys, comprehensive planning, good siting, best management practices, and no surface occupancy or controlled surface occupancy stipulations for oil & gas leases (see Elliot et al. for example).
- Provide best available data and botanical expertise to federal, state and tribal agencies, counties, and energy companies to guide decisions regarding use authorizations and development areas, including applications for drill permits, road construction, improvement and maintenance, prescribed fires, thinning projects, urban expansion, etc., to help avoid surface disturbance to rare plant occurrences.
- Ensure that federal, state, tribal, and local transportation agencies are aware of the potential occurrence of rare and endangered plants in road maintenance areas and inform management prescriptions that involve mowing and/or herbicide use.
- Develop survey protocols for all Strategy Species and standards for surveyor qualifications, based on USFWS guidance for New Mexico's listed plants (see USFWS 2011 for example).
- Establish policies that incorporate survey protocols and surveyor qualifications in planning and permitting processes.
- Make survey protocols and standards for surveyor qualifications available through common website.
- Conduct field surveys for rare and endangered plants during the appropriate survey season to ensure maximum detection of rare and endangered plants in proposed project areas to facilitate proper planning.

## **B. Mitigation**

- Mitigate the loss or degradation of rare and endangered plant occurrences due to development activities.
- Develop mitigation measures including minimization, avoidance, and compensatory measures (see 2016 BLM mitigation handbook H-1794-1 and <https://www.epa.gov/cwa-404/compensatory-mitigation#facts> for compensatory mitigation).
- Develop Best Management Practices (BMPs) to minimize impacts to rare and endangered plants and work with land management agencies to implement them (oil and gas development, sustainable collection, grazing, weed management, mining, road maintenance, recreation, etc.; see Elliot et al. 2011 for examples).
- Minimize the introduction and spread of invasive species in Important Plant Areas by working with the New Mexico Department of Agriculture, New Mexico Department of Transportation, weed management associations, and land managers.
- Control and manage existing noxious weed populations to minimize impacts to rare and endangered plant occurrences and their habitats by working closely with federal, state, and county weed experts to develop Best Management Practices (see Mui and Panjabi 2016 for example).
- Monitor the impacts of control efforts, including impacts of biocontrol on other related species, working with the New Mexico Department of Agriculture.
- Promote the use of locally adapted native seed in revegetation projects.
- Eliminate the use of introduced restoration species.
- Monitor rare and endangered plant occurrences that are potentially threatened by maintenance, resource management activities, or development projects.

## **C. Conservation**

- Prioritize conservation actions for Strategy species based on the Scorecard, management and regulatory needs, trends, listing/agency status and funding availability.
- Incorporate research and studies to fill key data gaps, inform mitigation/BMPs, and reduce conflicts between maintenance and resource development projects and rare and endangered plants. Examples of needed research include pollination studies to inform buffer distances, rare plant habitat and threat modeling, climate change impacts, threat response monitoring, seed banking and seed dispersal mechanisms, herbicide application, competition with invasive species, impacts from recreation activities, prescribed burns, or secondary impacts such as dust deposition, habitat fragmentation, and erosion.
- Ensure that, if possible, rare and endangered plants are incorporated into the New Mexico Oil Conservation Commission rules for wildlife, reclamation, and restoration.
- Utilize existing funding sources more effectively and identify new sources of funding for habitat protection of rare and endangered plants at the federal, state, and local levels (U.S. Fish and Wildlife Service, Farm Bill, non-profit grants; etc.).
- Direct federal funding (e.g., U.S. Fish and Wildlife Service, Farm Bill Programs) to address management needs (e.g., fencing of rare and endangered species on private lands).

- Develop and promote new incentives for private landowners to participate in plant conservation activities.
- Encourage the purchase or transfer of development rights that would prioritize the conservation of rare and endangered plant habitat.

## OBJECTIVE 2: Determine priority habitats to focus resources for protection, management, and restoration

### A. Important Plant Areas

- Evaluate distribution of plants statewide and develop a list and maps of Important Plant Areas for NM.

### B. Conservation Opportunity Areas

- Develop Conservation Opportunity Areas (COAs) from Important Plant Areas.
- Delineate meaningful, ecologically-based planning boundaries by describing methods and criteria for identifying COAs (i.e., intact landscapes, significant overlap w/high-quality rare plant occurrences and habitat, field visits to verify conditions, and integrate data for co-occurring species of concern and plant communities).

### C. Plant Conservation Areas

- Establish permanent plant conservation areas from COAs, based on management directives and opportunities (Areas of Critical Environmental Concern (ACEC), Research Natural Areas (RNA), Botanical Areas, Conservation Easements, Natural Areas, Nature Preserves, Biological Preserves, etc.).
- Develop stewardship/management plans for plant conservation areas, or incorporate specific management goals and objectives into Resource Management Plans and Land Use Plans.
- Seek increased federal- and state-level funding for management of established plant conservation areas, including prescribed fires, livestock management, wood cutting, recreational activities, travel management, monitoring, and invasive species control.

- D. Seek on-the-ground protection for rare and endangered species and their habitats, working with land trusts and willing landowners using conservation easements and other protection tools.

## OBJECTIVE 3: Protection

Facilitate protection of rare species on private and tribal lands.

- Provide information to private landowners, tribes, and local land trusts to get rare plants on the radar and increase protection.
- Establish a list of federal programs to help private landowners receive compensation for their land protection actions (ex: USFWS Recovery Land Acquisition Program (Section6), USFWS Partners Program, NRCS Conservation Programs).
- Promote tax credits to private landowners for the donation of conservation easements established for the protection of rare plants through the NM Land Conservation Incentives Act.
- Provide a page of links to resources available through common website.

#### OBJECTIVE 4: Habitat management and restoration

##### A. Conservation Action and Implementation Plans

- Develop and implement Conservation Action Plans, including measurable goals and objectives, for each Strategy species, or groups of Strategy species.
- Incorporate ex-situ conservation measures
- Incorporate recovery actions if needed
- Prioritize species based on scorecard and management goals.
- Involve multiple partners in planning.

##### B. Coordinate planning efforts for Conservation Opportunity Areas

- Identify areas of overlap and opportunities for collaboration with State Wildlife Action Plan (SWAP), the State Forest Action Plan (Statewide Natural Resources Assessment and Strategy and Response Plan), and federal resource management plans.

##### C. Identify barriers and opportunities for management and restoration.

##### D. Restore impacted or degraded habitats working collaboratively with other agencies, tribes, organizations, and private landowners.

##### E. Develop resources for restoration, enhancement, and management of rare and endangered plants and their habitats

- Provide a supply of genetically and ecologically appropriate native seed for habitat restoration, including nectar species for pollinators.
- Consider soil biota conditions and plan restoration practices to take these into account or adjust for them.
- Expand literature base and expert knowledge to develop best restoration and management practices for each species.

- Provide literature base and native seed distributor list via links and downloads through common website.
- F. Build flexibility into proposals and plans to allow for adaptive management.
- G. Provide Best Management Practices for development and maintenance projects within the habitat of rare plants (see Panjabi and Smith 2014 and Crane 2006 for examples).
- H. Provide a list of unacceptable management and mitigation practices, including transplanting, using introduced species for restoration and revegetation, using herbicides in rare and endangered plant habitats, etc.

### GOAL 3. Improve Data Management, Storage, and Dissemination

*Improve scientific understanding of rare plant distribution, abundance, and status through coordinated data management*

#### OBJECTIVE 1: Establish and maintain a NM Rare Plant Conservation Strategy Species List and data repository

- Maintain and update the NHNM database to build a central repository for all information on Strategy species in New Mexico to assure consistent and up-to-date rankings, including detailed justifications for ranking, using current NatureServe methodology.
- Add new data to the NHNM database, obtained from herbaria (SEINet), land management agencies, consultants, the Division, and other knowledgeable parties.
- Review species list as needed with the NMRPCS partners, the NM Rare Plant Technical Council (NMRPTC), and other experts to update the Plant Conservation Scorecard.
- Regularly update status ranks of Strategy Species as new data becomes available.
- Seek funding to support a web page to disseminate Strategy content from NHNM database.

#### OBJECTIVE 2: Improve data management capabilities to better prioritize species and focus habitat protection and restoration.

- Engage stakeholders. Provide outreach and training to facilitate input of rare plant information to the NHNM's web-enabled database ([https://nhnm.unm.edu/data/contribute\\_data](https://nhnm.unm.edu/data/contribute_data))
- Work with funders of conservation, research, and survey projects to require data be entered into the NHNM web-enabled database.
- Provide up-to-date species data on status, abundance, distribution, and threats to land managers and regulatory agencies for status evaluations and land-use and project planning.
- Secure funding for NHNM from partner agencies to maintain and update the database of rare plant occurrences and threats.

- Seek base funding for NHNM through State government.

## GOAL 4. Develop Ex-situ Conservation and Recovery Strategies and Implement where Appropriate

### OBJECTIVE 1: Collect seeds and other plant materials for long-term ex-situ conservation and restoration purposes.

- A. Identify species already in long-term storage and those with collection needs from Strategy Species list.
- B. Prioritize species to be collected based on conservation urgency and management needs.
- C. Provide Citizen Science opportunities for trained volunteers to collect seed and assist with propagation and restoration projects (including schools), working closely with an agency or conservation organization.
- D. Develop seed collection protocols for each species.
  - Follow and adapt procedures in the Genetic Sampling Guidelines for Conservation Collections of Endangered Plants by Center for Plant Conservation (Falk et al. 1991; Guerrant et al. 2004) for sampling within a location to represent genetic diversity and ensure that associated data are recorded.
  - Evaluate initial seed quality to help predict storage behavior. Periodically monitor viability during storage.
  - Update or replenish collections. Determine a timeline for initial and subsequent collections.
  - Store seeds at a Center for Plant Conservation participating institution, National Center for Germplasm Preservation, BLM and Forest Service plant propagation centers, etc.
  - Collect voucher specimens for species for which seeds are collected and deposit vouchers in New Mexico herbaria participating in SEINET (<http://swbiodiversity.org/seinet/index.php>).
  - Make seed collection protocols available through common website and share with the Center for Plant Conservation and stakeholders.
- E. Develop propagation and storage protocols for taxa lacking viable seed sources (tissue culture and cryopreservation).

### OBJECTIVE 2: Determine species' propagation needs.

- Assess feasibility and appropriateness of propagation.

- Determine knowledge gaps regarding propagation.
- Develop standardized germination protocols for all species collected to be readily available when seeds need to be germinated for conservation or restoration purposes.
- Develop propagation protocols and make them available through common website and share with CPC and stakeholders.
- Identify nurseries, botanical gardens, and other propagation facilities qualified to produce rare plant materials, if needed for restoration purposes.

### OBJECTIVE 3: Augment and reintroduce rare and endangered plants where appropriate.

- A. Ensure appropriate agency authorizations are acquired prior to planning and implementing restoration and augmentation activities.
- B. Develop reintroduction plans that include detailed documentation, maps, experimental design, planting locations, number of plants introduced, source of plant materials, and a monitoring plan. Consult existing reintroduction guidelines (Guerrant 1996; Vallee et al. 2004; Maschinski et al. 2012b; IUCN 2013).
- C. Evaluate site criteria, including molecular ecology where appropriate (i.e., habitat quality and species diversity, protected site; Maschinski et al 2012a).
- D. Work with land managers or landowners to create a stewardship plan.
- E. Remove threats and conduct restoration as needed to ensure stable habitat prior to rare plant introductions.
- F. Monitor augmented and reintroduced sites.
  - Establish a long-term monitoring plan, including measures of success.
  - Provide annual reports following standard scientific reporting protocols, including introduction, methods, results, conclusion and recommendations
  - Provide monitoring reports to funding agency and stakeholders, and make publicly available through common website.

## GOAL 5. Improve Laws, Regulations, and Policies

*Improve, develop and implement laws, regulations, and program policies to enhance the conservation of New Mexico's rare and endangered plants in cooperation with public land managers, private landowners, tribes, and other interested stakeholders.*

**OBJECTIVE 1: Identify regulatory mechanisms utilized in other states that would strengthen protection of endangered plants in New Mexico.**

**OBJECTIVE 2: Improve existing NM State endangered plant law and develop policies needed to increase protection for state listed endangered plants.**

Work with elected officials and partners to improve the state statute to

- Update and improve the criteria and process by which the Division identifies and designates the Endangered Plant List, utilizing the best available science.
- Include a variety of mechanisms and resources to protect state listed endangered plants (avoidance, mitigation, environmental assessments and reviews, etc.).
- Establish an environmental review process or add state listed endangered plants to the existing State review process (NMDGF).

**OBJECTIVE 3: Develop a programmatic framework that facilitates due diligence from federal, state, tribal, and local government entities emphasizing collaboration to guide the conservation of endangered plants with the goal of precluding federal listing.**

- Involve federal agencies in rare plant conservation and provide input on federal government actions that may negatively impact state listed endangered plant species. Ensure that the state list meets existing federal thresholds for recognition of state interests. Including the State Endangered Plant list will result in enhanced federal analysis of actions that may jeopardize the viability of all state listed species (not solely federally listed species) and will trigger consideration of alternatives that could avoid damaging populations of state-designated plants.
- Facilitate state land management agency (State Lands Office, State Parks, NM Mining and Minerals Division, and NM Department of Transportation) involvement in rare plant conservation and influence management actions that may negatively impact state listed endangered plant species (including the use of introduced species for reclamation and restoration purposes).
- Require an analysis of state listed endangered plant species and their habitat (through an established environmental review process) when operations performed by state agencies may impact species viability, and consideration of alternatives that will emphasize avoidance of sensitive species populations. This process is intended to ensure that state agencies conduct their operations and carry out their responsibilities with the full knowledge and consideration of any designated rare plant population that may be affected.
- Ensure that state agencies with regulatory responsibility over oil and gas, minerals, water, and other natural resources, or agricultural operations, consider the impacts of regulated activities on state listed endangered plant species via an established, but streamlined environmental review process. This process is intended to ensure that state regulatory agencies carry out their responsibilities with the knowledge and consideration of any designated state listed endangered plant population that may be affected.

- Engage tribes, local governments, and private landowners through a non-regulatory and service-oriented program that encourages stewardship of rare plants.
  - Offer technical and financial resources including assistance with the identification of rare plants, management recommendations (e.g., BMPs), and small grants on a cost-share and/or direct assistance basis as incentives for good stewardship.
  - Consider tax breaks for conservation actions.
- Work collaboratively with industry, academic, land management, conservation, and other non-governmental partners to evaluate landscape scale threats to state listed endangered plant populations and identify measures and practices that could be implemented in a cost-effective and practical manner to mitigate negative impacts.

## GOAL 6. Increase Collaboration, Education, and Outreach

*Work with conservation partners and engage the public through education and outreach to promote stewardship and conservation of New Mexico's rare plants.*

### OBJECTIVE 1: Collaboration

#### A. Develop and expand partnerships

- Engage wide range of conservation partners and collaborators throughout New Mexico in Strategy development and implementation.
- Disseminate and publicize the Strategy to all stakeholders.
- Offer training on implementation of the Strategy, matching Strategy objectives and action items with stakeholder expertise and capacity.
- Promote communication and collaboration between private and public land managers, regulatory agencies, academic institutions, NMRPTC, botanists and other stakeholders. Coordinate research and conservation efforts and implement Strategy by sharing data, status information, research needs, data gaps, best management practices, survey protocols, propagation, and introduction protocols through New Mexico Rare Plant Conservation Partnership meetings, a ListServ, social media sites, and the Division, NHNM and NMRPTC websites, the common Strategy website, and Strategy appendices.
- Collaborate and encourage academic institutions to focus taxonomic research on rare plants.
- Encourage New Mexico botanical gardens and parks to become participating institutions to promote the ex-situ conservation of New Mexico's rare and endangered plants through living collections, seed collection, storage, research and outreach.

#### B. Provide a vehicle for NMRPC partners to establish formal relationships, and pool resources and funding to support rare plant conservation actions through cooperative agreements,

Memorandums of Understanding, etc. (see Cooperative Ecosystem Studies Units (CESU), Plant Conservation Alliance, Laukahi Network, Hawaii, UT Interagency Rare Plant Team, Native Plant Conservation Campaign, etc.).

## OBJECTIVE 2: Education and Outreach

- A. Update and improve existing NMRPTC website, or establish a new common website to facilitate information exchange on rare plants (Plant Conservation Scorecard, status reports, propagation information, survey guidelines, scorecard, links to other websites, funding opportunities, volunteer opportunities, job opportunities, best management practices, new publications, map of important plant areas, etc.)
- B. Publish a book on New Mexico rare plants (this could be an online book and/or app for use on mobile devices.)
- C. Provide rare plant identification and survey training to agency biologists and biological technicians, consultants, volunteers, and other interested parties.
- D. Develop survey standards and guidelines to promote consistency and accuracy in data collection and documentation of rare plant occurrences.
- E. Support and expand rare plant exhibits to increase public awareness and support at the Albuquerque and Santa Fe Botanical Gardens and Living Desert State Park in Carlsbad.
- F. Develop and distribute educational materials about rare and endangered plants, including brochures, apps, booklets, interpretive signs and posters, presentations, rare plant workshops and trainings.
- G. Citizen Science
  - Engage groups that might be interested in citizen science programs (i.e., Master Gardeners, NMNPS, schools, museums, Wilderness Alliance, Audubon Society, Sierra Club, etc.).
  - Research and develop a collaborative, partner-supported citizen science program with a coordinator position (e.g., Denver Botanical Garden, Colorado Natural Areas Program, California Native Plant Society Rare Plant Treasure Hunt, University of Washington Rare Plant Care and Conservation, New England Plant Conservation Program (New England Wildflower Society), Central Arizona Conservation Alliance, etc.).
  - Provide training to volunteers (rare plant surveys and bio-blitzes, monitoring, seed collection, phenology networks, restoration projects, etc.).
- H. Youth Programs
  - Engage youth through incorporating conservation education into the science curriculum.

- Promote summer outdoor education programs through hands-on projects (surveys, monitoring, restoration projects), presentations, field trips and stewardship projects.
  - Provide training and educational materials to teachers and Youth Conservation Corps crews.
- I. Develop, support, and advertise incentives for private landowners. Support and promote programs that assist private landowners in protecting and managing rare and endangered plants on their lands, such as the Farm Bill, USFWS Partners Program, and the New Mexico Land Conservation Incentives Program.
  - J. Present plant conservation awards annually to recognize and reward landowners, land managers, and others for good stewardship of rare and endangered plants and their habitats with annual Plant Conservation Awards, working with the NM Native Plant Society.

## GOAL 7. Improve Funding, Infrastructure, and Rare Plant Programs

### OBJECTIVE 1: Support and expand the NM State Forestry Endangered Plant Program

- Obtain consistent long-term funding for the Endangered Plant Program to increase and support staff, enable education and outreach, create private landowner incentives and direct assistance, and facilitate research and genetic conservation efforts such as seed bank storage and ex-situ conservation.
- Improve and expand existing state laws protecting state listed endangered plants
- Provide environmental reviews for projects impacting state listed endangered plants.
- Provide baseline information through inventories and status assessments of New Mexico's rare and endangered plants.
- Maintain and update the NM State Endangered Plant List on a regular basis.
- Monitor population trends of State Listed Endangered Plants and reintroduction sites.
- Carry out and evaluate recovery objectives.
- Provide leadership, coordination, and technical expertise supporting the conservation of New Mexico's rare and endangered plants.
- Collaborate with academic institutions, botanical gardens, government agencies, and other stakeholders to research taxonomic uncertainties.

### OBJECTIVE 2: Facilitate the development of rare plant programs in other agencies, tribes, non-governmental organizations, or institutions.

- Initiate a dialog between the Strategy partners and land managers to formally adopt the Strategy through cooperative agreements, Memorandum of Understandings, Standard Operating Procedures, planning documents, and the development of Best Management Practices.

- Promote the benefits of proactive rare plant conservation to land managers.
- Engage the public and nongovernment organizations to provide comments on plant conservation needs during land use planning revisions.
- Seek funding to promote ex-situ conservation programs through botanical gardens.
- Hire botanists in state and federal agencies to guide and support management and conservation of rare and endangered plants.
- Encourage the hiring of botanists in tribal natural resources departments, academic institutions, and conservation organizations.



Warnock's ragwort (*Senecio warnockii*)

© Daniela Roth

## STRATEGY IMPLEMENTATION AND MEASURES OF SUCCESS

Achieving conservation of New Mexico's most rare and endangered plant species means that they are adequately protected, with low threats and high viability, and active recovery for high priority species. Implementation of recommended conservation actions will be an ongoing process and will largely depend on funding. The New Mexico Rare Plant Conservation Partnership will hold regular meetings to address the success of the implementation of the Strategy and discuss conservation success and updates, conservation needs and priorities, funding availability and opportunities, and shared research opportunities (monitoring, surveys, seed collections, and volunteer opportunities).

Tracking progress and evaluating the effectiveness of conservation actions will provide the feedback needed to adjust priorities and objectives. Measuring results provides the basis for adaptive management in this conservation approach. Success indicators are proposed below.

The NMRPCP will evaluate the status of rare and endangered plants in New Mexico every five years by tracking changes using three primary status indicators:

### 1. Baseline Information

- Number of species surveys & inventories funded and status reports completed
- Number of species moved from Scorecard lists B and C to Scorecard List A (i.e. data gaps filled)
- Number of Strategy species moved to D list
- Number of species with established trend monitoring sites, monitoring plans and monitoring reports completed

### 2. Protection/Conservation Status

- Number of IPAs considered by land managers as Conservation Opportunity Areas
- Number of Conservation Areas established from COAs
- Number of conservation action/projects completed
- Number of Strategy species with conservation plans
- Improved protection of state listed plants through state legislation
- Increased funding for statewide rare plant conservation programs, projects, and staff
- Number of new botanists hired throughout New Mexico

### 3. Viability Status

- Number of rare and endangered plants ranked effectively conserved (Scorecard).
- Number of rare and endangered plants with ex-situ collections (seed banked).
- Number of plants with low threat ranks



Lee's pincushion cactus (*Escobaria sneedii* var. *leei*).

© Daniela Roth

## CONCLUSION AND RECOMMENDATIONS

The New Mexico Rare Plant Conservation Strategy outlines what needs to be accomplished to ensure the conservation of New Mexico's most rare and endangered plants and their habitats over the next ten years. It is an adaptive strategy that is intended to be updated as more data becomes available, conservation strategies are implemented, and conservation status changes over time.

Accomplishing the conservation objectives and actions outlined in this Strategy will ensure the long-term survival of these rare species and their habitats. However, the NM Rare Plant Conservation Strategy Partners recognize that increased botanical capacity in the land management agencies, resources, and long-term funding mechanisms are essential for effective implementation of this Strategy. It is imperative that the state and its partners develop funding strategies and mechanisms to support the conservation objectives and to accomplish these essential conservation actions.

### Priority Conservation Actions and Recommendations

To help focus and direct implementation of the Strategy, the NMRPCSP identified ten priority actions needed to set the stage for plant conservation in New Mexico:

- Establish a list of conservation priority species and conservation actions needed (scorecard).
- Collect baseline information for species identified on the Plant Conservation Scorecard B and C lists as lacking information to effectively evaluate their conservation status (inventory, monitoring, research).
- Provide maps of New Mexico's Important Plant Areas to land managers and conservation groups to help identify and prioritize potential Conservation Opportunity Areas.
- Support the analysis and delineation of targeted Conservation Opportunity Areas as the foundation for plant conservation action.

- Provide botanical expertise within land management agencies through staffing, funding, data management, volunteers, to implement conservation directed management.
- Work with public agencies to collect and share best available data, develop and implement best management practices, and pursue special designations for rare and endangered plants and their habitats.
- Improve data management (maintain and update a central database).
- Establish a website to use as a one-stop place for all things rare plants NM (rare plant information, including survey and monitoring guidelines, Plant Conservation Scorecard, Important Plant Areas map, best management practices, mitigation measures, funding sources, monitoring and survey reports, publications, links, recommended literature, volunteer opportunities, etc.).
- Take conservation actions toward recovery of rare and endangered species, including seed banking, population augmentation and introductions, updating recovery plans, developing recovery strategies and conservation plans and habitat protections.
- Generate a prioritized research list to guide project proposals by organizations and graduate students searching for potential research projects.



Mogollon death camas (*Anticlea mogollonensis*), Whitewater-Baldy IPA.

© Daniela Roth

## REFERENCES AND LITERATURE CITED

- Allred, K. 2012. Flora Neomexicana I: Annotated checklist. Second edition. Range Science Herbarium, Department of Animal & Range Sciences, New Mexico State University, Las Cruces, NM.
- BLM Mitigation Handbook H-1794-1. 2016.  
<https://www.blm.gov/sites/blm.gov/files/uploads/BLM%20H-1794-1%20Mitigation%20FINAL.docx>
- Botanical Gardens Conservation International (Comp.) (2016). North American Botanic Garden Strategy for Plant Conservation, 2016-2020. Botanic Gardens Conservation International, U.S. Illinois, USA.
- Chicago Botanical Garden and Botanic Gardens Conservation International. 2009. Assessing botanical capacity to address grand challenges in the United States. Final Report.  
<http://www.bgci.org/usa/bcap>
- Crane, William C. 2006. Road maintenance with threatened, endangered, or sensitive plants: finding solutions. USDA Forest Service Technology & Development Program, Transportation Management 0677-1807 --SDTD. <https://www.fs.fed.us/eng/pubs/pdf/06771807.pdf>
- Elliott B.A., Kurzel, B., and S. Spackman Panjabi. 2011. Recommended Best Management Practices for Plants of Concern. Practices developed to reduce the impacts of oil and gas development activities to plants of concern. Unpublished report prepared by the Rare Plant Conservation Initiative for the National Fish and Wildlife Foundation. Colorado BLM Best Management Practices for Oil & Gas Development. <http://www.cnhp.colostate.edu/teams/botany.asp>
- EMNRD - Forestry Division. 2010. New Mexico Statewide Natural Resource Assessment & Strategy and Response Plans. Energy, Minerals, and Natural Resources Department, Forestry Division, Santa Fe, NM 87105.
- Enquist, C. and D. Gori. 2008. A Climate Change Vulnerability Assessment for Biodiversity in New Mexico, Part I: Implications of Recent Climate Change on Conservation Priorities in New Mexico.
- Evans, Daniel M., Judy P. Che-Castaldo, Deborah Crouse, Frank W. Davis, Rebecca Epanchin-Niell, Curtis H. Flather, R. Kipp Frohlich, Dale D. Goble, Ya-Wei Li, Timothy D. Male, Lawrence L. Master, Matthew P. Moskwik, Maile C. Neel, Barry R. Noon, Camille Parmesan, Mark W. Schwartz, J. Michael Scott, Byron K. Williams. 2016. Species Recovery in the United States: Increasing the Effectiveness of the Endangered Species Act. Issues in Ecology. Ecological Society of America. Report Number 20.
- Falk, D. A., and K.E. Holsinger. 1991. Genetics and conservation of rare plants. New York: Oxford University Press.
- Giam, X., N.S. Sodhi, B.W. Brook, H.T.W. Tan, and C.J.A. Bradshaw. 2011. Relative need for conservation assessments of vascular plant species among ecoregions. J. Biogeography. 38: 55–68.

- Global Strategy for Plant Conservation. 2011 -2020. Updated Strategy. Published by the Secretariat of the Convention on Biological Diversity, Montreal, Canada, in association with Botanic Gardens Conservation International. Available at <https://www.bgci.org/policy/gspc/>
- Griffith, G.E., J.M. Omernik, M.M. McGraw, G.Z. Jacobi, C.M. Canavan, T.S. Schrader, D. Mercer, R. Hill, & B.C. Moran. 2006. Level III Ecoregions of New Mexico (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,400,000). [http://ecologicalregions.info/htm/nm\\_eco.htm](http://ecologicalregions.info/htm/nm_eco.htm)
- Groves, C.R. 2003. Drafting a Conservation Blueprint: A Practitioner's Guide to Planning for Biodiversity. The Nature Conservancy, Island Press, Washington, DC.
- Guerrant, E. O. Jr. 1996. Designing populations: demographic, genetic, and horticultural dimensions. In Restoring diversity: ecological restoration and endangered plants, edited by D. Falk, P. Olwell and C. Millar, 171-207. New York: Island Press.
- Guerrant, E. O. Jr., P. L. Fiedler, K. Havens, and M. Maunder. 2004. Revised genetic sampling guidelines for conservation collections of rare and endangered plants. In Ex Situ Plant Conservation: Supporting Species Survival in the Wild, edited by E. O. Guerrant, Jr., K. Havens, and M. Maunder, 419-438. Washington, DC: Island Press.
- Heywood, V.H. and J.M. Iriondo. 2003. Plant conservation: old problems, new perspectives. *Biological Conservation*. 113: 321-335.
- Intergovernmental Panel on Climate Change. 2007. Climate Change 2007: Fourth Assessment Reports (IPCC-AR4). *Working Group II: Impacts, Adaptation, and Vulnerability*: [https://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4\\_wg2\\_full\\_report.pdf](https://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4_wg2_full_report.pdf)
- International Union for the Conservation of Nature (IUCN) (2013) Guidelines for reintroductions and other conservation translocations. Version 1.0. Gland, Switzerland: IUCN Species Survival Commission, viiii + 57pp. ISBN: 978-2-8317-1609-1
- Kramer, Andrea T., Barbara Zorn-Arnold, and Kayri Havens. 2013. Applying lessons from the U.S. Botanical Capacity Assessment Project to achieving the 2020 Global Strategy for plant conservation targets. *Annals of the Missouri Botanical Garden* 99: 172-179. [http://www.bgci.org/files/UnitedStates/BCAP/kramer\\_et\\_al.2013.pdf](http://www.bgci.org/files/UnitedStates/BCAP/kramer_et_al.2013.pdf)
- Maschinski, J., D. A. Falk, S.J. Wright, J. Possley, J. Roncal, and K. S. Wendelberger. 2012a. Optimal Locations for Plant Reintroductions in a Changing World. In J. Maschinski and K. E. Haskins (editors). *Plant Reintroduction in a Changing Climate: Promises and Perils*. Island Press, Washington DC.
- Maschinski, J., M.A. Albrecht, L. Monks, and K. E. Haskins. 2012b. Center for Plant Conservation Best Reintroduction Practice Guidelines. In J. Maschinski and K. E. Haskins (editors). *Plant Reintroduction in a Changing Climate: Promises and Perils*. Island Press, Washington DC.

- Mui, Cecily HY and Susan Spackman Panjabi. 2016. Recommended Best Management Practices for Managing Noxious Weeds on Sites with Rare Plants. Colorado Natural Heritage Program, Colorado State University, Fort Collins, Colorado.  
<http://www.cnhp.colostate.edu/teams/botany.asp>
- Neely, B., S. Panjabi, E. Lane, P. Lewis, C. Dawson, A. Kratz, B. Kurzel, T. Hogan, J. Handwerk, S. Krishnan, J. Neale, and N. Ripley. 2009. Colorado Rare Plant Conservation Strategy. Developed by the Colorado Rare Plant Conservation Initiative. The Nature Conservancy, Boulder, Colorado.
- Negron-Ortiz, V. 2014. Patterns of expenditures for plant conservation under the Endangered Species Act. *Biological Conservation* 171:36-43.
- Natural Heritage New Mexico. 2017. Summary data provided to EMNRD -Forestry Division in March 2017. UNM, Albuquerque, NM.
- New Mexico Biodiversity Consortium. 2016. New Mexico biodiversity and species richness. Accessed online on 6/15/2016 at <http://nmbiodiversity.org/nmbiodiversity.php>
- New Mexico Rare Plant Technical Council. 1999. New Mexico Rare Plants. Albuquerque, NM: New Mexico Rare Plants Home Page. <http://nmrareplants.unm.edu/>(Latest update: 21 July 2016).
- Panjabi, S.S. and G. Smith. 2014. Conserving Roadside Populations of Colorado's Globally Imperiled Plants, a Pilot Project. Colorado Natural Heritage Program, Colorado State University, Fort Collins, Colorado. <https://dspace.library.colostate.edu/handle/10217/100281>
- Roberson, E.B. 2002. Barriers to Native Plant Conservation in the United States: funding, staffing, law. Native Plant Conservation Campaign, California Native Plant Society, Sacramento, CA, and Center for Biological Diversity, Tucson, AZ.
- Rondeau, R., K. Decker, J. Handwerk, J. Siemers, L. Grunau, and C. Pague. 2011. The state of Colorado's biodiversity. Prepared for The Nature Conservancy by the Colorado Natural Heritage Program, Colorado State University, Fort Collins, Colorado.
- Royal Botanical Garden Kew. 2016. State of the World's Plants report.  
<https://stateoftheworldsplants.com/>
- Schemske, D.W., B.C. Husband, M.H. Ruckelshaus, C. Goodwillie, I.M. Parker, and J.G. Bishop. 1994. Evaluating approaches to the conservation of rare and endangered plants. *Ecology*. 75: 584-606.
- SEINet. 2017. <http://swbiodiversity.org/seinet/>
- Stein, B. & K. Gravuer. 2008. Hidden in plain sight: The role of plants in State Wildlife Action Plans. NatureServe.  
[http://www.natureserve.org/sites/default/files/publications/files/hidden\\_in\\_plain\\_sight\\_0.pdf](http://www.natureserve.org/sites/default/files/publications/files/hidden_in_plain_sight_0.pdf)

Treher A., A. Frances, L. Oliver, and B.E. Young. 2012. An analysis of the vulnerability of plants on BLM lands to climate change. BLM Purchase Request No. 0020002338, Agreement # L07AC14909. NatureServe, Arlington, Virginia.

Vallee, L., Hogbin, L. Monks, B. Makinson, M. Matthes, and M. Rossetto. 2004. *Guidelines for the Translocation of Threatened Plants in Australia - Second Edition*. T. Australian Network for Plant Conservation, Canberra. <http://www.anbg.gov.au/anpc/books.html#Translocation>

Western Regional Climate Center. 2016. Climate of New Mexico. Accessed online on 6/15/2016 at <http://www.wrcc.dri.edu/narratives/NEWMEXICO.htm>

U.S. Fish and Wildlife Service. 2011. U.S. Fish and Wildlife Service (USFWS) Utah Field Office Guidelines for Conducting and Reporting Botanical Inventories and Monitoring of Federally Listed, Proposed and Candidate Plants. <https://www.fws.gov/utahfieldoffice/surveyor.php>

U.S. Fish and Wildlife Service Plant Initiative Committee. 2012. USFWS Strategy for Plant Conservation, 5-year Action Plan – Draft. Unpublished document prepared by the USFWS.

U.S. Fish and Wildlife Service. 2016. ECOS Environmental Conservation Online System. Listed Plants. Accessed online on December 8, 2016 (<http://ecos.fws.gov/>)

## APPENDIX A. Strategy Species List

(detailed Scorecard results available at: <http://nhnm.unm.edu/research/botany/>)

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Abronia bigelovii</i>	G3	S2	SOC	SOC	S	S		Under Conserved	B
<i>Acarospora clauzadeana</i>	G1G2	S1	SOC	SOC				Weakly Conserved	C
<i>Agalinis calycina</i>	G1	S1	SOC	SOC				Weakly Conserved	A
<i>Agastache cana</i>	G4	S3	SOC	SOC				Under Conserved	B
<i>Agastache mearnsii</i>	G3?	S2	SOC	SOC				Moderately Conserved	A
<i>Agastache pringlei</i> var. <i>verticillata</i>	G3G4T2	S2	SOC	SOC				Moderately Conserved	A
<i>Aliciella cliffordi</i>	G1	S1	SOC	SOC				Weakly Conserved	A
<i>Aliciella formosa</i>	G2	S2	E	SOC	S		Gp 4	Under Conserved	B
<i>Allium gooddingii</i>	G4	S2	E	SOC		S	Gp 3	Weakly Conserved	A
<i>Amsonia fugatei</i>	G2	S2	SOC	SOC	S			Moderately Conserved	A
<i>Amsonia tharpaii</i>	G1	S1	E	SOC	S			Weakly Conserved	A
<i>Anticlea mogollonensis</i>	G3	S1	SOC	SOC		S		Weakly Conserved	A
<i>Anulocaulis leiosolenus</i> var. <i>gypsogenus</i>	G4	S4	SOC	SOC	S			None	D
<i>Anulocaulis leiosolenus</i> var. <i>howardii</i>	G4T2	S1	SOC	SOC				Under Conserved	B
<i>Apacheria chiricahuensis</i>	G2	S2	SOC	SOC				None	D
<i>Aquilegia chrysantha</i> var. <i>chaplinae</i>	G4T2	S2	SOC	SOC	S	S		Effectively Conserved	A

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Argemone pinnatisecta</i>	G2	S2	E	LE				Weakly Conserved	A
<i>Asclepias ruthiae</i>	G3G 4	S1	SOC	SOC				None	D
<i>Asclepias sanjuanensis</i>	GNR	S2S3	SOC	SOC	S		Gp 4	Under Conserved	B
<i>Asclepias uncialis</i>	G3G 4	S2S3	SOC	SOC		S		Weakly Conserved	A
<i>Astragalus accumbens</i>	G3	S3	SOC	SOC		S		Under Conserved	B
<i>Astragalus altus</i>	G2	S2	SOC	SOC		S		Under Conserved	B
<i>Astragalus castetteri</i>	G3	S3	SOC	SOC				Moderately Conserved	A
<i>Astragalus chuskanus</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Astragalus chuskanus var. spellenbergii</i>	G3T2	S1	SOC	SOC				Weakly Conserved	C
<i>Astragalus cliffordii</i>	GNR	S1	SOC	SOC				Under Conserved	B
<i>Astragalus cobrensis var. maguirei</i>	G4T1	S1	SOC	SOC	S	S		Weakly Conserved	C
<i>Astragalus cyaneus</i>	G4	S4	SOC	SOC				Under Conserved	B
<i>Astragalus feensis</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Astragalus gypsodes</i>	G2	S2	SOC	SOC	S			Under Conserved	A
<i>Astragalus heilii</i>	G1?	S1	SOC	SOC			Gp 4	Weakly Conserved	A
<i>Astragalus humillimus</i>	G1	S1	E	LE			Gp 2	Under Conserved	A

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Astragalus humistratus</i> var. <i>crispulus</i>	G4G 5T3?	S2	SOC	SOC		S		Under Conserved	B
<i>Astragalus iodopetalus</i>	G2	S2S3	SOC	SOC				Moderately Conserved	A
<i>Astragalus kerrii</i>	G2	S2	SOC	SOC		S		Weakly Conserved	B
<i>Astragalus knightii</i>	G2	S2	SOC	SOC	S			Under Conserved	B
<i>Astragalus micromerius</i>	G3	S2S3	SOC	SOC		S		Under Conserved	B
<i>Astragalus missouriensis</i> var. <i>humistratus</i>	G5T1	S1	SOC	SOC		S		Under Conserved	B
<i>Astragalus monumentalis</i> var. <i>cottamii</i>	G4T4	S3	SOC	SOC				Under Conserved	B
<i>Astragalus naturitensis</i>	G2G 3	S2	SOC	SOC			Gp 3	Under Conserved	B
<i>Astragalus neomexicanus</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Astragalus nutriosensis</i>	G3?	SNR	SOC	SOC				Under Conserved	B
<i>Astragalus oocalycis</i>	G4	S3	SOC	SOC				Under Conserved	B
<i>Astragalus puniceus</i> var. <i>gertrudis</i>	G4T3 ?Q	S3?	SOC	SOC				Under Conserved	B
<i>Astragalus ripleyi</i>	G3	S3?	SOC	SOC	S	S		Weakly Conserved	B
<i>Astragalus siliceus</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Astragalus waterfallii</i>	G3?	S2	SOC	SOC				Under Conserved	B
<i>Astragalus wittmannii</i>	G3	S3	SOC	SOC		S		Under Conserved	B

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Atriplex griffithsii</i>	G2G3	S2	SOC	SOC				Weakly Conserved	A
<i>Boechera zephyra</i>	G2	S2	SOC	SOC				Weakly Conserved	C
<i>Calochortus gunnisonii</i> var. <i>perpulcher</i>	G5T4?	S4?	SOC	SOC		S		Under Conserved	B
<i>Carex amplifolia</i>	G4	S1	SOC	SOC				None	D
<i>Carex ultra</i>	G3?	S3?	SOC	SOC		S		Effectively Conserved	A
<i>Castilleja organorum</i>	G2	S2	SOC	SOC				Under Conserved	B
<i>Castilleja ornata</i>	G1	S1	SOC	SOC				Weakly Conserved	C
<i>Castilleja tomentosa</i>	G1	S1	SOC	SOC				Weakly Conserved	C
<i>Chaetopappa hersheyi</i>	G3	S3	SOC	SOC				Moderately Conserved	A
<i>Cirsium gilense</i>	G3G5Q	S2	SOC	SOC		S		Effectively Conserved	A
<i>Cirsium inornatum</i>	G3	S3	SOC	SOC				Weakly Conserved	B
<i>Cirsium vinaceum</i>	G2	S1	E	LT				Weakly Conserved	A
<i>Cirsium wrightii</i>	G2	S2	E	C	S	S		Weakly Conserved	A
<i>Cladium californicum</i>	G4	S1	SOC	SOC				None	D
<i>Cleome multicaulis</i>	G2G3	SH	E	SOC				Weakly Conserved	C
<i>Coryphantha robustispina</i> ssp. <i>scheeri</i>	G4T3	S2	E	SOC				Weakly Conserved	B
<i>Coryphantha robustispina</i> var. <i>uncinata</i>	G4TUQ	S1	SOC	SOC				None	D

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Crataegus wootoniana</i>	G2	S2	SOC	SOC		S		Weakly Conserved	A
<i>Cuscuta warneri</i>	GH	S1	SOC	SOC				Under Conserved	B
<i>Cylindropuntia viridiflora</i>	G1Q	S1	E	SOC	S			Under Conserved	A
<i>Cymopterus davidsonii</i>	G2	S2	SOC	SOC				Weakly Conserved	C
<i>Cymopterus spellenbergii</i>	G2	S2	SOC	SOC				Under Conserved	B
<i>Cypripedium parviflorum var. pubescens</i>	G5T5	S2?	E	SOC		S	Gp 4	Effectively Conserved	A
<i>Dalea scariosa</i>	G4	S4	SOC	SOC				Under Conserved	B
<i>Delphinium alpestre</i>	G2	S2?	SOC	SOC		S		Under Conserved	B
<i>Delphinium novomexicanum</i>	G2	S2	SOC	SOC				Weakly Conserved	A
<i>Delphinium robustum</i>	G2G3	S2	SOC	SOC		S		Weakly Conserved	C
<i>Delphinium sapellonis</i>	G4?	S4?	SOC	SOC				Weakly Conserved	B
<i>Dermatophyllum guadalupense</i>	G1T1	S1	SOC	SOC	S	S		Weakly Conserved	C
<i>Desmodium metcalfei</i>	G3G4	S3?	SOC	SOC		S		Weakly Conserved	C
<i>Draba heilii</i>	G2?	S2?	SOC	SOC		S		Weakly Conserved	C
<i>Draba henrici</i>	G1	S1	SOC	SOC				Weakly Conserved	C
<i>Draba mogollonica</i>	G3	S3	SOC	SOC				Weakly Conserved	B
<i>Draba smithii</i>	G2	S1	SOC	SOC				Weakly Conserved	C

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Draba standleyi</i>	G2G 3	S2	SOC	SOC				Under Conserved	B
<i>Echinocereus fendleri</i> var. <i>kuenzleri</i>	G4G 5T1T 2Q	S2	E	LE				Weakly Conserved	B
<i>Echinocereus x roetteri</i>	GNA	SNA	SOC	SOC	S			None	D
<i>Epipactis gigantea</i>	G4	S2?	SOC	SOC				None	D
<i>Ericameria nauseosa</i> var. <i>texensis</i>	G5T3	S2	SOC	SOC		S		Effectively Conserved	A
<i>Erigeron acomanus</i>	G1G 2	S1S2	SOC	SOC	S		Gp 3	Effectively Conserved	A
<i>Erigeron hessii</i>	G1	S1	E	SOC		S		Weakly Conserved	A
<i>Erigeron rhizomatus</i>	G2	S1	E	LT			Gp 2	Weakly Conserved	A
<i>Erigeron rybius</i>	G3	S3	SOC	SOC				None	D
<i>Erigeron scopulinus</i>	G3?	S3?	SOC	SOC				Effectively Conserved	A
<i>Erigeron sivinskii</i>	G2	S2	SOC	SOC		S	Gp 4	Weakly Conserved	B
<i>Erigeron subglaber</i>	G3	S1	SOC	SOC		S		Under Conserved	B
<i>Eriogonum aliquantum</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Eriogonum gypsophilum</i>	G1	S1	E	LT				Weakly Conserved	A
<i>Eriogonum lachnogynum</i> var. <i>colobum</i>	G4?T 2	S2	SOC	SOC				Weakly Conserved	A
<i>Eriogonum lachnogynum</i> var. <i>sarahiae</i>	G4?T 1	S1	SOC	SOC			Gp 4	Weakly Conserved	C

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Eriogonum wootonii</i>	G5T2	S2	SOC	SOC				None	D
<i>Eryngium sparganophyllum</i>	G1G 2	SH	SOC	SOC				Weakly Conserved	C
<i>Escobaria duncanii</i>	G3T1 T2	S1	E	SOC	S			Under Conserved	A
<i>Escobaria guadalupensis</i>	G1	S1	SOC	SOC				Weakly Conserved	C
<i>Escobaria orcuttii</i>	G3?	S3	SOC	SOC				Moderately Conserved	A
<i>Escobaria orcuttii</i> <i>var. koenigii</i>	G3T2	S1	SOC	SOC				Weakly Conserved	C
<i>Escobaria organensis</i>	G2	S2	E	SOC				Moderately Conserved	A
<i>Escobaria sandbergii</i>	G2	S2	SOC	SOC				Moderately Conserved	A
<i>Escobaria sneedii</i> <i>var. leei</i>	G2G 3QT2 Q	S2	E	LT				Weakly Conserved	A
<i>Escobaria sneedii</i> <i>var. sneedii</i>	G2G 3QT2 Q	S2	E	LE				Effectively Conserved	A
<i>Escobaria villardii</i>	G2Q	S2	E	SOC	S	S		Under Conserved	B
<i>Euphorbia rayturneri</i>	G1	S1	SOC	SOC				Weakly Conserved	A
<i>Euphorbia strictior</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Eurybia horrida</i>	G2?	S3	SOC	SOC				None	D
<i>Fissidens littlei</i>	G1?	S1	SOC	SOC				Under Conserved	B
<i>Geranium dodecatheoides</i>	G2	S2	SOC	SOC		S		Weakly Conserved	C
<i>Grindelia arizonica</i> <i>var. neomexicana</i>	G4T3 ?	SNR	SOC	SOC				Weakly Conserved	B

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Grindelia decumbens</i> var. <i>subincisa</i>	G4T3 ?	S3?	SOC	SOC				None	D
<i>Grindelia havardii</i>	G4	S3?	SOC	SOC				None	D
<i>Hackelia hirsuta</i>	G4	S4	SOC	SOC				Weakly Conserved	B
<i>Hedeoma apiculata</i>	G3	S3	SOC	SOC				Effectively Conserved	A
<i>Hedeoma pulcherrima</i>	G2	S2	SOC	SOC				Under Conserved	B
<i>Hedeoma todsenii</i>	G2	S2	E	LE				Weakly Conserved	A
<i>Helianthus arizonensis</i>	G4?	SNR	SOC	SOC		S		Weakly Conserved	C
<i>Helianthus paradoxus</i>	G2	S2	E	LT				Moderately Conserved	A
<i>Helianthus praetermissus</i>	GHQ	SH	SOC	SOC				Weakly Conserved	C
<i>Heuchera glomerulata</i>	G3		SOC	SOC	S			None	D
<i>Heuchera pulchella</i>	G2	S2	SOC	SOC		S		Moderately Conserved	A
<i>Heuchera woodsiaphila</i>	G1	S1	SOC	SOC		S		Weakly Conserved	C
<i>Heuchera wootonii</i>	G3Q	S3	SOC	SOC		S		Moderately Conserved	A
<i>Hexalectris arizonica</i>	G5T2 T4	S2	SOC	SOC		S		Under Conserved	B
<i>Hexalectris colemanii</i>	G2T2	S1	SOC	SOC				Weakly Conserved	C
<i>Hexalectris nitida</i>	G3	S1	E	SOC				Weakly Conserved	C
<i>Hexalectris revoluta</i>	G2	S1	SOC	SOC		S		Weakly Conserved	C

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Hieracium brevipilum</i>	G3	S2	SOC	SOC		S		Moderately Conserved	A
<i>Hymenoxys ambigens var. neomexicana</i>	G3?T 2	S2	SOC	SOC				Under Conserved	B
<i>Hymenoxys brachyactis</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Hymenoxys vaseyi</i>	G2	S2	SOC	SOC				Weakly Conserved	C
<i>Ionactis elegans</i>	G2	S2	SOC	SOC		S		Moderately Conserved	A
<i>Ipomopsis congesta ssp. matthewii</i>	G5T3	SNR	SOC	SOC				None	D
<i>Ipomopsis sancti-spiritus</i>	G1	S1	E	LE				Under Conserved	A
<i>Justicia wrightii</i>	G2	S1	SOC	SOC				Under Conserved	B
<i>Lepidospartum burgessii</i>	G2	S1	E	SOC	S			Weakly Conserved	A
<i>Leucosyris blepharophylla</i>	G1	SH	SOC	SOC				Weakly Conserved	C
<i>Lilium philadelphicum var. andinum</i>	G5T4 T5	S3?	E	SOC		S		Effectively Conserved	A
<i>Limosella pubiflora</i>	G1Q	S1	SOC	SOC		S		Weakly Conserved	C
<i>Linum allredii</i>	G1G 2	S1S2	SOC	SOC	S			Weakly Conserved	C
<i>Lorandersonia microcephala</i>	G2	S2	SOC	SOC				Under Conserved	B
<i>Lupinus sierrae-blancae</i>	G3	S3	SOC	SOC				Weakly Conserved	B
<i>Malaxis abieticola</i>	G4	S1	SOC	SOC				Weakly Conserved	C

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Mammillaria wrightii</i> var. <i>wilcoxii</i>	G4T4	S2	E	SOC				Moderately Conserved	A
<i>Mentzelia conspicua</i>	G2	S2	SOC	SOC		S		Under Conserved	B
<i>Mentzelia filifolia</i>	G3	S1?	SOC	SOC				Under Conserved	B
<i>Mentzelia humilis</i> var. <i>guadalupensis</i>	G4T1 T2	S1S2	SOC	SOC	S			Weakly Conserved	C
<i>Mentzelia sivinskii</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Mentzelia springeri</i>	G3	S3	SOC	SOC		S		Under Conserved	B
<i>Mentzelia todiltoensis</i>	G1? Q	S3	SOC	SOC				Moderately Conserved	A
<i>Microthelys rubrocallosa</i>	GNR	S1	SOC	SOC		S		Moderately Conserved	A
<i>Muhlenbergia villiflora</i> var. <i>villosa</i>	G5T3	S1	SOC	SOC				Weakly Conserved	C
<i>Nerisyrenia hypercorax</i>	G1G 2	S1S2	SOC	SOC	S			Weakly Conserved	C
<i>Oenothera organensis</i>	G2	S2	SOC	SOC				Moderately Conserved	A
<i>Opuntia arenaria</i>	G2	S2	E	SOC	S			Under Conserved	B
<i>Packera cardamine</i>	G3	S2	SOC	SOC		S		Moderately Conserved	A
<i>Packera neomexicana</i> var. <i>metcalfei</i>	G5T3 ?Q	S3?	SOC	SOC				Weakly Conserved	B
<i>Packera spellenbergii</i>	G2	S2	SOC	SOC		S		Under Conserved	B
<i>Panicum mohavense</i>	G2	S1	SOC	SOC				Moderately Conserved	A

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Paronychia wilkinsonii</i>	G2	S1	SOC	SOC	S			Weakly Conserved	C
<i>Pediocactus knowltonii</i>	G1	S1	E	LE				Under Conserved	A
<i>Pediomelum pentaphyllum</i>	G1G 2	S1	E	SOC	S	S		Weakly Conserved	A
<i>Peniocereus greggii</i> var. <i>greggii</i>	G3G 4T2	S3	E	SOC	S			Under Conserved	B
<i>Penstemon alamosensis</i>	G3	S3	SOC	SOC	S	S		Effectively Conserved	A
<i>Penstemon bleaklyi</i>	G1	S1	SOC	SOC				Weakly Conserved	C
<i>Penstemon cardinalis</i> ssp. <i>cardinalis</i>	G3T2	S2	SOC	SOC				Effectively Conserved	A
<i>Penstemon cardinalis</i> ssp. <i>regalis</i>	G3T2 T3	S2	SOC	SOC	S	S		Effectively Conserved	A
<i>Penstemon linarioides</i> ssp. <i>maguirei</i>	G5T1	SH	SOC	SOC		S		Weakly Conserved	C
<i>Penstemon metcalfei</i>	G1G 3	S1	SOC	SOC		S		Weakly Conserved	A
<i>Penstemon neomexicanus</i>	G4	S4	SOC	SOC				None	D
<i>Penstemon pseudoparvus</i>	G3? Q	S3?	SOC	SOC		S		Weakly Conserved	C
<i>Perityle cernua</i>	G2	S2	SOC	SOC	S			Weakly Conserved	A
<i>Perityle lemmonii</i>	G4	S2	SOC	SOC				None	D
<i>Perityle quinqueflora</i>	G4	S3	SOC	SOC				Under Conserved	B

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Perityle staurophylla</i> var. <i>homoflora</i>	G4T2	S2	SOC	SOC				Weakly Conserved	B
<i>Perityle staurophylla</i> var. <i>staurophylla</i>	G4T3 T4	S3	SOC	SOC				Weakly Conserved	B
<i>Phacelia cloudcroftensis</i>	G1	S1	SOC	SOC		S		Under Conserved	A
<i>Phacelia serrata</i>	G3	S2	SOC	SOC				Under Conserved	B
<i>Phacelia sivinskii</i>	G3	S3	SOC	SOC				None	D
<i>Phemeranthus humilis</i>	G2	S2	SOC	SOC				Under Conserved	B
<i>Philadelphus argyrocalyx</i>	G4	S3	SOC	SOC				Under Conserved	B
<i>Phlox caryophylla</i>	G4	S2	SOC	SOC				Under Conserved	B
<i>Phlox cluteana</i>	G3	SNR	SOC	SOC				Weakly Conserved	A
<i>Phlox vermejoensis</i>	G1	S1	SOC	SOC				Weakly Conserved	A
<i>Physaria aurea</i>	G2	S2	SOC	SOC				Moderately Conserved	A
<i>Physaria gooddingii</i>	G3?	S3	SOC	SOC				Under Conserved	B
<i>Physaria lata</i>	G1? Q	S1?	SOC	SOC				None	D
<i>Physaria navajoensis</i>	G2	S1	SOC	SOC			Gp 3	Under Conserved	B
<i>Physaria newberryi</i> var. <i>yesicola</i>	G3G 4T1T 3	S2	SOC	SOC				Under Conserved	B
<i>Physaria pruinosa</i>	G2	S1	SOC	SOC				Weakly Conserved	C

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Polygala rimulicola</i> var. <i>mescalerorum</i>	G3T1	S1	E	SOC				Under Conserved	B
<i>Polygala rimulicola</i> var. <i>rimulicola</i>	G3T3	S2	SOC	SOC				Moderately Conserved	A
<i>Potentilla sierrae-blancae</i>	G2	S2	SOC	SOC		S		Moderately Conserved	A
<i>Proatriplex pleiantha</i>	G3	S3?	SOC	SOC	S			Under Conserved	B
<i>Puccinellia parishii</i>	G2G3	S1	E	SOC	S	S	Gp 4	Weakly Conserved	A
<i>Rhodiola integrifolia</i> ssp. <i>neomexicana</i>	G5T1	S2	SOC	SOC		S		Moderately Conserved	A
<i>Ribes mescalerium</i>	G4?	S4?	SOC	SOC				Weakly Conserved	C
<i>Rosa stellata</i> ssp. <i>mirifica</i>	G4T4	S3?	SOC	SOC				Weakly Conserved	C
<i>Rumex orthoneurus</i>	G3	S2?	SOC	SOC		S		Under Conserved	B
<i>Rumex tomentellus</i>	GH	SH	SOC	SOC				Weakly Conserved	C
<i>Salix arizonica</i>	G2G3	S1	SOC	SOC		S		Effectively Conserved	A
<i>Salvia summa</i>	G3?	S3?	SOC	SOC				Weakly Conserved	B
<i>Sclerocactus cloveriae</i> ssp. <i>brackii</i>	G3T1	S2	E	SOC	S		Gp 4	Under Conserved	A
<i>Sclerocactus cloveriae</i> ssp. <i>cloveriae</i>	G3T3	S3	SOC	SOC				Under Conserved	B
<i>Sclerocactus mesae-verdae</i>	G2	S2	E	LT			Gp 2	Under Conserved	A

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Sclerocactus papyracanthus</i>	G4	S4	SOC	SOC	S			None	D
<i>Scrophularia laevis</i>	G2	S2	SOC	SOC				Weakly Conserved	C
<i>Scrophularia macrantha</i>	G2	S2	SOC	SOC	S	S		Weakly Conserved	A
<i>Senecio cliffordii</i>	GNR	S2	SOC	SOC				Weakly Conserved	C
<i>Senecio sacramentanus</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Senecio warnockii</i>	G3Q	S2	SOC	SOC				Weakly Conserved	C
<i>Sicyos glaber</i>	G3	S1S2	SOC	SOC				Effectively Conserved	A
<i>Silene plankii</i>	G2	S2	SOC	SOC				Weakly Conserved	B
<i>Silene thurberi</i>	G4	S3?	SOC	SOC				Weakly Conserved	C
<i>Silene wrightii</i>	G3	S2	SOC	SOC				Weakly Conserved	B
<i>Solidago capulinensis</i>	G1	S1	SOC	SOC				Moderately Conserved	A
<i>Solidago wrightii</i> <i>var. guadalupensis</i>	G4T3	S2	SOC	SOC		S		Weakly Conserved	B
<i>Spermolepis organensis</i>	G1	S1	SOC	SOC				Moderately Conserved	A
<i>Sphaeralcea wrightii</i>	G4?	S3?	SOC	SOC				Under Conserved	B
<i>Spiranthes magnicamporum</i>	G4	S3?	E	SOC				Weakly Conserved	A
<i>Spiranthes romanzoffiana</i>	G5	S2?	SOC	SOC				None	D
<i>Stellaria porsildii</i>	G1	S1	SOC	SOC		S		Weakly Conserved	C
<i>Streptanthus sparsiflorus</i>	G2Q	S2	SOC	SOC		S		Weakly Conserved	C
<i>Synthyris oblongifolia</i>	G2	S2	SOC	SOC				Weakly Conserved	A

SCIENTIFIC NAME	G Rank	S Rank	State	Fed	BLM	USFS	NN	Conservation Status	List
<i>Talinum brachypodium</i>	GNR Q	S1	SOC	SOC				Weakly Conserved	C
<i>Townsendia gypsophila</i>	G2	S2	SOC	SOC	S			Moderately Conserved	A
<i>Trifolium longipes var. neurophyllum</i>	G2	S2	SOC	SOC		S		Weakly Conserved	C
<i>Valeriana texana</i>	G3	S3	SOC	SOC				Weakly Conserved	C
<i>Viola calcicola</i>	G3	S3	SOC	SOC				Under Conserved	B
<i>Xanthisma viscidum</i>	G2	S2	SOC	SOC				None	D

# APPENDIX B. Scorecard Methods

## **New Mexico Rare Plant Conservation Strategy Plant Conservation Scorecard<sup>1</sup>**

**Mitch East and Esteban Muldavin**

Natural Heritage New Mexico, Museum of Southwestern Biology and Department of Biology  
University of New Mexico, Albuquerque, New Mexico 87131  
March 2017

### **NM Plant Conservation Scorecard**

As part of development of the New Mexico Plant Conservation Strategy, Natural Heritage New Mexico (NHNM) built the New Mexico Plant Conservation Scorecard reflecting the conservation status of 235 target species (Strategy Species). The scorecard factors and process are adopted from and mirror that of the Colorado Natural Heritage Program (CNHP) hierarchical rare plant scorecard methodology with minor modifications (Rondeau et al. 2012).

The primary use of the Plant Conservation Scorecard is to help managers and researchers to identify and prioritize target species for protection, conservation and management actions, surveys and monitoring, and filling of data gaps. In addition, the scorecard can be used to quickly identify documented and potential threats and assess the status of a rare plant species. The scorecard can be sorted in a variety of ways to help establish a target list, including sorting by ownership, agency status, conservation ranks, threats, ecoregion, conservation actions needed, etc. The scorecard approach is standardized and flexible to allow for updates, edits and future additions.

### **Species list and data**

Underpinning the scorecard process is population data on 235 Strategy Species of conservation interest. The species list for the scorecard was generated from the Natural Heritage New Mexico (NHNM) database (Biotics) of tracked and watch-list species, and includes the Navajo Nation Endangered Species List, the NM State Endangered Species List, the Bureau of Land Management and the U.S. Forest Service sensitive species lists. An initial query was used to determine how much data was available for each species. For species where location and observation data in Biotics were not available or sparse, data from SEINet and the NHNM data entry backlog were added in the database.

Following NHNM protocols, species locations are grouped into Element Occurrences (EOs) that act as operational populations or sub-populations for tracking species-specific changes in distribution and population status and trends (NatureServe 2002). EO methodology for delineation and classification is used across the NatureServe network and identifies biologically meaningful features for monitoring efforts. EOs are delineated using known mapped locations of the plant that are grouped into a given EO

---

<sup>1</sup> Funding provided by the Bureau of Land Management through Colorado Plateau Cooperative Ecosystems Studies Unit Agreement # L12AC20119 SUP0005 in cooperation with Natural Heritage New Mexico, a Division of the Museum of Southwestern Biology, University of New Mexico, Albuquerque, NM.

based on inter-observation distances (separation distance) and habitat factors. Separation distances are 1 km for unsuitable habitat and 3 km for suitable habitat. For example, two mapped locations that are separated by 1.5 km of unsuitable habitat are considered separate EOs. For the scorecard, we used minimum bounding geometry in ArcGIS to generate EO polygons (Figure 1). EO polygons along with textual data (observer, date, population size, etc.) were used to assess the suite of scorecard factors outlined below.



**Figure 1.** An example of Element Occurrence (EO) minimum bounding geometry representing a local population of *Amsonia tharpii* (green polygon). Blue polygons are known mapped locations of the plant that are grouped into an EO based on minimum inter-observation distances and habitat factors.

### **Scorecard Factors and Calculation**

For each species on the scorecard, an Overall Conservation Status of the species is evaluated as a combination of biodiversity score, threat score, and protection score.

The biodiversity score (scale of 1 to 10; see Table 1, last column for classification of scores) is an average of the scores for three factors: size, quality, and landscape integrity with the landscape integrity score down-weighted by 0.5 to account for uncertainty/confidence in the accuracy of that layer (Rondeau et al. 2012, p. 112 and 183). If the quality score was Unknown, then the size score was substituted to get the average.

### **Size Score**

Species size scores are based on the average of scaled scores for species range, occupied area, and number of occurrences. Range, occupied area, and number of occurrences are transformed to a scale of 1 to 10 using the equation for a line of best fit (see figures below) through the range of values used in Natural Heritage methodology (Rondeau et al. 2012, p. 181-182).

#### *Species Range Score*

All EO polygons are input into a GIS tool to generate a minimum bounding geometry that represents the documented range for each species in square miles. The range values are converted to Range Scores on a scale from 1 to 10 using the formula from CNHP (Rondeau et al. 2012, p. 185) in Figure 2.





Figure 2. Line of best fit of species range values using NatureServe bins for species ranges scaled to a Range Score between one and ten (from CNHP 2012 Fig. E-6).

#### **Occupied Area Score**


The area of all EO polygons is summed per species to estimate occupied area in acres. These values are also converted to a score of 1 to 10 (see Table 1 for classification of scores) using the formula from CNHP (Rondeau et al. 2012, p. 184) in Figure 3.



**Figure 3.** Line of best fit of species occupied area based on NatureServe values scaled to a Occupied Area Score between one and ten (from Rondeau et al. 2012; Fig .E-4).

**Number of Occurrences**

The number of EOs for each species (excluding extirpated EOs) is converted to a score using the formula from CNHP (Rondeau et al. 2012, p. 183) in Figure 4.



**Figure 4.** Line of best fit of number of species occurrences based on NatureServe values where the score is on a scale of one and ten (from Rondeau et al. 2012; Fig E-2).

**Quality Score**

EO quality is the proportion of EOs that have an EO rank of A or B. EO rank is assessed based on information provided about the threats and population size by observers (Hammerson et al. 2008). The proportion of EOs with A or B ranks is converted to a scale of 0 to 10 for scoring purposes by multiplying the proportion by 10. A score of 10 means 100% of EOs have an EO rank of A or B. If greater than 80% of

EOs had ranks of E (extant, not enough info to rank viability) or H (historic, last observation > 35 years old), then the quality was listed as Unknown.

An A-rank or Excellent Estimated Viability is assigned when the population is considered to have optimal numbers of individuals that are in excellent condition suggesting that the population can be sustained for the long term all else being equal;

B or Good Estimated Viability is assigned when numbers and conditions may not be optimal but the population is still considered viable.

C (Fair Estimated Viability) and D (Poor Estimated Viability) ranks are not counted in this score since they indicate lower quality EOs.

**Landscape Integrity**

We used the landscape integrity layer from the NMCHAT that was developed by NatureServe (Comer and Hak 2012), which captures the intensity of development (i.e. roads, urbanization, infrastructure). The values for intensity range from 0 to 10000. We used cutoffs to classify raster pixels into low (<500), medium (>500 and <4500), and high intensity (>4500). Cutoffs for classification of raster pixels were determined by inspection. EO polygons were intersected with the landscape integrity to get the percent of area per species that is in medium and high impact. These percentages were compared to Table E1 of CNHP (Rondeau et al. 2012) to score landscape integrity for each species (Figure 5).

Table E-1. Landscape Integrity Scores.

% acreage in High Impact	% acreage in Medium Impact	Interpretation	Score
50-100%	any	Poor integrity	0
25-50	50-100		1
25-50	25-50	Fair integrity	2
25-50	0-25		4
1-25	50-100	Good integrity	5
1-25	25-50		6
1-25	0-25	Very good integrity	8
<1	<5		10

Figure 5. Landscape integrity scoring table from CNHP (Rondeau et al. 2012).

**Threat Score**

The most severe/imminent *documented* threat for each species was identified from previous species conservation ranking efforts (East et al. 2016), expert opinion, survey and status reports, or the NM Rare Plant Technical Council website (NMRPTC) where available. The threat score is based on a combination of scope, severity, and immediacy for the documented threat. Scope, severity, and immediacy were classified according to rank calculator methodology (Faber-Langendoen et al. 2012, Table E-2/Figure 6). Scope is the proportion of the species affected by the threat. Severity is the degree to which the affected populations are impacted. Immediacy represents the time frame in which the threat is likely to be actualized. Table E-2 of CNHP (2012) was used to score each threat (

Figure 6). If no threat information was available or the NMRPTC website indicated that there were no apparent threats for a species then this factor is classified as “No information” and given a score of 10.

Table E-2. Threat summary table from BIOTICS.

Scope	Severity	Immediacy	Score	Description
High	High	High	0	Moderate to high, imminent threat for most (>60%) of population, occurrences, or area
High	High	Moderate		
High	Moderate	High		
High	Moderate	Moderate		
Moderate	High	High	2	Moderate to high, imminent threat for a significant proportion (20-60%) of population, occurrences, or area
Moderate	High	Moderate		
Moderate	Moderate	High		
Moderate	Moderate	Moderate		
High	High	Low	4	Moderate to high, non-imminent threat for most (>60%) of population, occurrences, or area
High	Moderate	Low		
Moderate	High	Low	5	Moderate to high, non-imminent threat for a significant proportion (20-60%) of population, occurrences, or area
Moderate	Moderate	Low		
Low	High	High	6	Moderate to high threat for small proportion (<20%) of population, occurrences, or area
Low	High	Moderate		
Low	High	Low		
Low	Moderate	High		
Low	Moderate	Moderate		
Low	Moderate	Low		
High	Low	High	8	Low threat for most or significant proportion of population, occurrences, or area
High	Low	Moderate		
High	Low	Low		
Moderate	Low	High		
Moderate	Low	Moderate		
Moderate	Low	Low		
Low	Low	High	9	Low threat for a small proportion of population, occurrences, or area.
Low	Low	Moderate		
Low	Low	Low		
Unthreatened (value resulting if scope, severity, or immediacy are considered "Insignificant") (Score = 10)				

Figure 6. Scoring table for threats from CNHP (2012).

**Protection Score**

We modified the Protected Area Database (PAD) GIS layer by clipping it to New Mexico and applying the methodology of Supples et al. (2007) to assess protection status per parcel of managed land. Protection scores are assessed as a combination of three indicators: management Intent, Tenure, and Potential Management Effectiveness (PME) (Supples et al. 2007). Intent is defined as the explicit objectives for protection and management of each land parcel. Tenure is a measure of protection permanence. PME is the ability of the land manager to implement actions as outlined in the management Intent. For each parcel, Intent is assigned as Very Good, Good, Fair or Poor (see Table 1 in Supples et al. 2007). Intent is inferred from GAP status codes in PAD or local knowledge. Tenure is assigned on the same scale as Intent and is also inferred from the GAP status codes (see Table 5 of Supples et al. 2007). PME is assigned on the same scale as the other two indicators but is assigned according to the perceived capacity of each ‘managing entity’ to take actions to fulfill designated intent (see Table 6 of Supples et al. 2007).

Scores for all three indicators are compared to the tables below to assign a Protection Score to each parcel (Table 2 and Table 3, from p. 16 of Supples et al. 2007). Protection statuses are Poor (score of 0), Unknown (2), Fair (4), Good (7), or Very Good (10). For example, BLM National Monuments are assigned Intent = Good, Tenure = Very Good, and PME = Good which becomes Protection Score = Very Good (10).

Table 2. This matrix represents the combination of *management intent* and *PME* scores (from Supples et al. 2007).

	Intent VG	Intent G	Intent F	Intent P
Pot mgmt VG	very good	Good	good	poor
Pot mgmt G	good	Good	fair	poor
Pot mgmt F	fair	Fair	poor	poor
Pot mgmt P	fair	Poor	poor	poor

Table 3. This matrix represents the relationships between the score in Table 2 and *conservation tenure* (from Supples et al. 2007).

	Tenure VG	Tenure G	Tenure F	Tenure P
Table 2: VG	CMS - very good	CMS – good	CMS - fair	CMS – poor
Table 2: G	CMS – very good	CMS – good	CMS - fair	CMS – poor
Table 2: F	CMS – fair	CMS – fair	CMS - poor	CMS – poor
Table 2: Poor	CMS – poor	CMS – poor	CMS - poor	CMS – poor

Finally, we intersected the EO Polygons with this modified PAD layer featuring protection scores to get an area-weighted average protection score per species.

**Overall Conservation Status**

To assign the Overall Conservation Status for each species, biodiversity, protection, and threat scores are color coded according to Table 1 and then those three color codes are referenced using the key in Table 2 developed by CNHP (2012, p.112-113)

**Table 1.** Color code key for assigning level of concern per factor (from p.112 of CNHP 2012).

Color code	Threats Score and Landscape Integrity Score	Size, Quality, Protection Status, and Energy Development Potential Scores
Red (most at risk)	0	0-1.9
Orange	2-4	2.0-2.9
Yellow	5-6	3.0-4.9
Green (least at risk)	8-10	5.0-10

**Table 2.** Key for assigning overall conservation status using the color codes assigned to threat status, biodiversity, and protection scores.

IF	AND	AND	THEN
Threat Status	Biodiversity	Protection	Overall Conservation Status
R	R O	R O	Under Conserved
R	Y G	R O	
R	R R	Y G	
O	R R	R O	
O	R R	Y G	
O	O	R O	Weakly Conserved
O	O	Y G	
R	O	Y G	
R	Y G	Y G	
O	Y G	R O	
Y	R O	R O	Moderately Conserved
G	R O	R O	
G	Y	R O	
O	Y	Y	
O	Y	Y	
O	G	G	Effectively Conserved
Y	Y	G	
Y	G	G	
Y	Y	Y	
G	Y G	Y G	

## ***Confidence***

EO data accuracy and currency was assessed in three different categories (A, B, and C) to determine how much confidence we have in the underlying occurrence data.

**Category A** is the percent of EOs with uncertainty distance >1200 m (where uncertainty distance is a measure of mapping precision).

**Category B** is the percent of EOs that are historical (last observation >35 years). **Category C** is the % of EOs with an EO rank of Extant which indicates not enough information was available to assess quality (see Quality score above).

Confidence was then assigned for each species using the percentages of EOs in the above three categories:

**Very High** = A, B, and C <10%,

**High** = A, B, and C ≤10-30%,

**Moderate** = A, B, or C ≤30-50%,

**Low** = A, B, or C >50%.

## **Ancillary Factors**

The following factors do not affect the estimation of overall conservation status as outlined above. These ancillary factors are provided as additional information that may help managers working to conserve the species in the list. These will appear at the end of the scorecard.

## ***Actions Needed***

We listed proposed actions to benefit species conservation goals by identifying where knowledge gaps existed and management needs were documented in NMRPTC species accounts ([nmrareplants.unm.edu](http://nmrareplants.unm.edu)), identified by species specialists, or in species survey and status reports.

## ***Potential Threats***

Where information is available (see threat score above) additional threats to a given species were identified. For these threats, scope, severity, and immediacy are not attributed. Potential threats are based on knowledge about current land use patterns and biological and climatic factors that are assumed, but have not been properly documented (e.g. livestock impacts, pollinator decline, impacts from invasive species, climate change, predation, etc).

## ***Percent Range NM***

We estimated the percent of each species global range that was in New Mexico where global range estimates existed in NatureServe species accounts. The number of EOs and range in NM were compared to global range and/or EO numbers.

## ***Ownership***

In GIS, species locations (EOs) were intersected with an ownership layer to determine what percentage of known populations for a species fall under each major land owner's jurisdiction. The percentage of EOs per land owner is provided at the end of the scorecard with a column for each land owner (BLM = Bureau of Land Management, BOR = Bureau of Reclamation, DOA = U.S. Department of Agriculture, DOD

= U.S. Department of Defense, DOE = U.S. Department of Energy, FS = Forest Service, FWS = U.S. Fish and Wildlife Service, I = Tribal, NPS = National Park Service, P = Private, S = State Trust, NMDGF = New Mexico Department of Game and Fish, SP = New Mexico State Parks).

### ***Oil and Gas Development Potential***

A layer of oil and gas development potential from the Bureau of Land Management in New Mexico was used to assign a score from low to high for each species whose distribution overlaps oil and gas lease areas. The GIS layer from BLM include polygons with designations of expected development potential (high, moderate, or low) Surface ownership in the GIS layer coverage includes BLM, State, tribal, and private lands. We used ArcGIS to calculate the area-weighted average score per species. If no score is provided, then the species distribution lies outside of expected future BLM oil and gas development.

### ***Oil and Gas – Current***

Because the GIS layer for oil and gas potential does not incorporate existing leases and wells we acquired active well locations (New Mexico Energy, Minerals, and Natural Resources Department) and current BLM leases. The well locations were buffered by 100m and then well and lease polygons were intersected with plant EO data to get a list of species occurring in current oil and gas development. We scored each species as ‘yes’ or ‘no’ for occurrence within either existing well pads or current leases.

### ***Wind Potential***

We downloaded a GIS layer for wind energy potential based on models of annual mean wind speed (NREL 2010). We reclassified the wind power classes (1 through 7) into 0 = No or Low Potential (wind power classes 1 through 3) and 1 = Moderate to High Potential (wind power classes 4 through 7). Wind potential is based on modeled wind speed thus we intersected species occurrence data with the reclassified wind potential and scored each species as ‘yes’ or ‘no’ according to whether or not any occurrences were in moderate to high wind production areas.

### ***Mining***

Active and abandoned mine locations were obtained from New Mexico Energy, Minerals, and Natural Resources Department. We buffered point data by 1000m and then intersected plant EOs to score each species as ‘yes’ or ‘no’ for occurrence in areas of mining activity.

### ***Grazing***

Grazing allotments were acquired from the BLM state office and the online GIS portal for each U.S. Forest Service unit in New Mexico. Allotment polygons were intersected with plant EO data to score each species as ‘yes’ for grazing impacts. Species that occurred outside of grazing allotments on private, state, or tribal lands are scored as ‘potential’ in this column since grazing status is probable but unknown. Lastly, any species occupying habitats that are inaccessible to livestock or occur on lands known to be protected from grazing are listed as ‘no’ in this column.

### **Species Lists**

Based on data availability and expert opinion we split the 235 species into 4 lists. List A contains species where there were sufficient data to use the scorecard methods above and for which there was moderate to very high confidence in the data (see section on confidence). List B contains species for which there were sufficient data to generate an overall conservation status but the confidence was low. List B species are assigned a Modified Conservation Status due to the uncertainty indicated by low confidence—the Modified Conservation Status is assigned as two levels below the unmodified score

such that if a species assessed as Effectively Conserved with a low confidence score is given a Modified Conservation Status of Weakly Conserved. List C contains species where there were not sufficient data to generate a conservation status using the methods above. List C species are classified as Weakly Conserved based on expert opinion until further data are collected. List D contains species that are regional endemics for which existing data indicates they are stable and not a current conservation priority.

## **References**

Colorado Natural Heritage Program and The Nature Conservancy. 2008. Landscape integrity in Colorado. GIS dataset. Colorado Natural Heritage Program, Colorado State University, Fort Collins, Colorado.

Comer, P. J. & J. Hak. 2012. Landscape Condition in the Conterminous United States. Spatial Model Summary. NatureServe, Boulder, CO.

East, M., E. Muldavin, and R. McCollough. 2016. Priority conservation ranking of federally listed, endangered and other plant species of concern. Natural Heritage New Mexico, Biology Department and Museum of Southwestern Biology.

Environmental Systems Research Institute (ESRI). (2016). *ArcGIS Release 10.4*. Redlands, Ca.

Faber-Langendoen, D., J. Nichols, L. Master, K. Snow, A. Tomaino, R. Bittman, G. Hammerson, B. Heidel, L. Ramsay, A. Teucher, and B. Young. 2012. NatureServe Conservation Status Assessments: Methodology for Assigning Ranks. NatureServe, Arlington, VA.

Hammerson, G.A., D. Schweitzer, L. Master, and J. Cordeiro. 2008. Ranking species occurrences – a generic approach. NatureServe.

[http://help.natureserve.org/biotics/Content/Methodology/Generic Guidelines for Applic of EO Ranks 2008 species.htm](http://help.natureserve.org/biotics/Content/Methodology/Generic_Guidelines_for_Applic_of_EO_Ranks_2008_species.htm)

NatureServe. 2002. Element Occurrence Data Standard. Online at [www.natureserve.org/prodServices/eodata.jsp](http://www.natureserve.org/prodServices/eodata.jsp).

New Mexico Crucial Habitat Data Set. New Mexico Crucial Habitat Assessment Tool: Mapping Fish and Wildlife Habitat in New Mexico. New Mexico Game & Fish Department and Natural Heritage New Mexico. Published 12/10/2013. Accessed 12/20/2016. <http://nmchat.org/>

Pacific Northwest Laboratory. 1986. Wind Energy Resource Atlas of the United States. U.S. Department of Energy.

Rondeau, R., K. Decker, J. Handwerk, J. Siemers, L. Grunau, and C. Pague. 2011. The state of Colorado's biodiversity. Prepared for The Nature Conservancy by the Colorado Natural Heritage Program, Colorado State University, Fort Collins, Colorado.

Southwest Environmental Information Network, SEINet - Arizona Chapter. 2009-2016. <http://swbiodiversity.org/seinet/index.php>. Accessed from July 2009 to December 2016.

Supples, C., J. Higgins, C. Conboy, S. Farone, J. Fisher, and T. Guthrie. 2007. United States Conservation Management Status Project: Framework and Methods. Version 1. The Nature Conservancy, Boulder, Colorado. 23 pp.

U.S. Geological Survey, Gap Analysis Program (GAP). May 2016. Protected Areas Database of the United States (PAD-US), version 1.4 Combined Feature Class.

## APPENDIX C. New Mexico Important Plant Areas

IPAs ordered by IPA No., which corresponds to the map number in Figure 4 in the main text. Biodiversity significance is reflected by IPA Biodiversity Rank (B-Rank) and its corresponding IPA Diversity Score (D-Score). Counts of species are provided by NHNM Global/State Status Score (GS-1 highest; GS-4 lowest) and state and federal listing status (T&E).

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
1	Mancos	B2	4.2	2	0	1	1	0	0	0
2	Shiprock / Fruitland	B2	17.5	9	1	3	5	0	2	2
4	Farmington-Bloomfield Badlands	B1	11.1	9	0	3	6	0	0	2
6	American Mesa	B3	6.2	5	1	2	2	0	0	0
7	Cisneros Canyon	B4	0.4	1	0	0	1	0	0	0
8	Chama Watershed	B1	14.2	13	1	7	3	2	0	0
9	San Antonio Mnt	B1	6.2	4	1	1	1	1	0	0
10	Upper Rio Grande Watershed	B1	24.0	9	4	3	0	2	0	0
11	Raton	B4	0.4	1	0	1	0	0	0	0
12	Capulin Volcano	B1	5.1	2	1	0	0	1	0	0
15	Chuska Mnts	B1	26.0	16	5	7	2	2	2	5
16	Bisti Oil Field	B2	2.7	3	1	1	1	0	1	1
17	Nageezi Badlands	B4	5.0	5	0	3	2	0	0	1
18	San Pedro Parks	B4	1.5	3	1	0	1	1	0	0
19	Jemez Mnts	B4	5.0	8	0	1	4	3	0	2
20	Rio Del Oso	B4	0.0	1	0	0	0	1	0	0
21	Upper Rio Grande Valley	B1	16.3	10	1	3	3	3	0	1
22	Sangre De Cristo Mnts	B1	19.8	10	2	2	2	4	1	3
23	Espanola to La Cienega	B1	7.4	7	1	0	4	2	0	2

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
25	Lower Canadian Watershed	B2	2.3	3	0	1	2	0	0	0
26	Kansas Valley	B1	4.0	1	0	1	0	0	0	0
27	Window Rock	B4	0.8	1	0	1	0	0	0	0
28	Tohatchi Flats	B4	3.3	3	0	2	0	1	0	0
29	Fort Wingate	B2	7.1	5	1	2	1	1	1	1
30	Fallen Timber Ridge	B2	10.5	5	2	3	0	0	0	0
31	Borrego Pass	B1	5.3	2	1	1	0	0	0	0
32	El Banquito	B4	2.2	1	1	0	0	0	0	1
33	Mesa Prieta	B1	4.0	3	0	2	0	1	0	0
34	White Mesa	B1	14.4	8	0	2	4	2	0	0
35	Lower Jemez River Valley	B4	0.9	2	0	0	2	0	0	0
36	Espinosa Ridge	B4	1.7	4	0	1	2	1	0	0
38	Ute Creek	B4	0.2	1	0	0	1	0	0	0
39	US 54 - Tucumcari to Logan	B4	1.6	1	0	0	1	0	0	0
40	El Malpais	B2	4.0	1	0	1	0	0	0	0
41	San Mateo Mesa	B4	0.5	2	1	1	0	0	0	1
42	Rio Puerco / Rio San Jose	B4	4.5	5	1	1	3	0	1	1
43	KAFB	B4	0.3	1	0	0	1	0	0	0
44	Sandia Mnts	B1	5.2	6	0	2	3	1	0	0
45	South Mnt	B4	0.5	1	0	0	1	0	0	0
46	Santa Rosa Cienega	B2	5.7	4	0	2	2	0	2	3
48	Nutrioso	B2	2.8	1	0	0	1	0	0	0
49	Zuni Salt Lake	B4	0.2	1	1	0	0	0	0	1
50	Gallo / Mangas Mnts	B4	2.2	2	0	1	1	0	0	0

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
51	Sawtooth / Datil	B2	6.6	4	1	1	2	0	1	1
53	Blue Water Canyon	B4	1.7	1	1	0	0	0	0	0
54	Rio Salado at Riley	B4	0.0	2	0	0	2	0	0	0
55	Rio Grande at Belen	B4	0.4	1	0	0	1	0	0	0
56	Sevilleta Basin	B4	4.4	6	0	3	3	0	1	1
57	Manzano Mnts	B4	2.2	4	0	0	4	0	0	0
58	Red Cloud Canyon	B4	0.6	2	0	1	1	0	0	0
59	Encino to Vaughn	B2	2.9	2	0	1	1	0	0	0
60	San Francisco / Tularosa Mnts	B3	5.5	7	0	4	3	0	0	1
62	Mogollon Mnts	B1	33.3	18	1	9	8	0	0	2
63	Diablo Range	B4	3.5	6	0	2	3	1	0	1
64	Gila Cliff Dwellings	B4	1.1	3	0	0	2	1	0	1
65	East Fork Gila River Watershed	B3	5.7	10	0	3	7	0	0	0
66	Monticello Canyon	B2	0.7	5	0	3	2	0	1	1
67	San Mateo Mnts	B3	6.7	6	0	3	3	0	0	0
68	Magdalena Mnts	B4	2.3	3	0	0	3	0	0	0
69	Southern Quebradas	B2	3.4	3	0	1	1	1	0	0
70	I-25 near Fort Craig	B4	0.7	1	0	1	0	0	0	0
71	Northern Jornada Del Muerto	B4	0.2	2	0	1	0	1	0	1
72	Tularosa Basin	B4	1.2	1	0	0	0	1	0	0
73	Sacramento Mnts	B1	60.9	34	4	13	13	4	5	7
75	Sierra Blanca / Ruidoso	B1	39.6	23	1	11	9	2	0	1
76	Lower Pecos near Roswell	B1	12.0	5	2	2	0	1	2	2
77	Milnesand	B4	0.7	1	0	1	0	0	0	0

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
78	Northern Peloncillo Mnts	B4	2.2	2	0	1	1	0	0	1
79	Southern Peloncillo Mnts	B1	25.8	15	3	6	6	0	0	2
80	Pinos Altos Range	B1	12.6	12	1	5	5	1	0	0
81	Upper Mimbres Watershed	B4	2.8	6	0	1	4	1	0	1
82	Mud Springs Mnts	B1	5.2	2	1	0	1	0	0	1
83	Antelope Flat - Jornada Experimental Range	B1	5.00	1	1	0	0	0	0	0
84	White Horse Mnts	B2	2.90	2	2	0	0	0	0	1
85	Cookes Peak	B4	2.14	5	0	3	2	0	0	0
86	Florida Mnts	B1	5.54	4	1	1	2	0	0	1
88	Cedar Mnts	B4	0.45	2	0	1	1	0	0	1
89	Columbus	B4	0.04	1	0	1	0	0	0	1
90	Sierra De Las Uvas	B4	1.50	1	0	1	0	0	0	0
93	Potrillo Mnts	B4	0.02	1	0	1	0	0	0	1
94	Tortuga Mnts	B4	0.23	2	0	1	1	0	0	2
95	Lower Mesilla Valley	B4	3.95	2	0	2	0	0	1	2
96	Jarilla Mnts	B2	0.00	1	0	0	0	0	0	0
97	Hueco Mnts	B4	1.17	2	0	2	0	0	0	0
98	Cornudas Mnts	B4	2.34	3	0	3	0	0	0	2
99	Hills West of Hope	B4	1.34	2	1	1	0	0	1	1
100	Guadalupe Ridge	B1	45.85	19	1	10	8	0	2	3
101	Bone Tank Draw	B4	1.23	3	0	2	1	0	0	0
102	Artesia	B4	0.67	1	0	1	0	0	0	0
103	Crow Flats East of Artesia	B4	3.37	2	1	1	0	0	0	1

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
104	North Carlsbad	B1	5.90	3	1	2	0	0	0	1
105	Mescalero Ridge	B2	0.14	1	1	0	0	0	0	1
106	Forty-Niner Ridge	B4	0.47	1	0	1	0	0	0	1
107	Beclabito	B4	1.14	2	1	0	1	0	0	1
108	Gallegos Canyon	B4	0.20	1	1	0	0	0	0	1
109	Navajo Lake	B1	6.53	5	1	1	3	0	1	1
110	Upper Canadian Watershed	B2	11.10	7	0	4	1	2	0	0
114	Chicken Mnt Draw	B4	1.45	2	1	0	1	0	0	0
115	Oscura Mnts	B1	5.03	2	1	0	0	1	0	0
116	San Andres Mnts	B1	22.82	18	1	7	9	1	1	3
118	Hilsboro Hills	B2	5.07	3	0	1	2	0	0	0
119	Emory Pass	B1	12.84	11	1	5	5	0	0	0
120	Burro Mnts	B4	1.24	3	0	0	3	0	0	1
121	Lewis Flats	B4	1.18	1	0	1	0	0	0	0
122	Black Mnt	B4	1.26	2	0	1	1	0	0	1
123	Southern Cookes Range	B4	0.04	1	0	1	0	0	0	1
124	Mangas Springs	B4	1.59	3	0	1	2	0	0	1
125	Nachita Valley / Hatchita Mnts	B3	9.30	5	1	1	3	0	0	2
126	Southern Animas Valley	B1	13.75	3	3	0	0	0	0	0
127	Animas Mnts	B2	10.80	8	0	4	4	0	0	1
128	Pyramid Mnts	B4	0.83	4	0	2	2	0	0	2
129	Northern Animas Valley	B4	4.51	7	2	3	2	0	0	3
130	Franklin Mnts	B4	4.08	5	0	4	1	0	1	4
131	Robledo Mnts	B4	0.04	1	0	1	0	0	0	1

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Score				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
132	Tularosa Basin - Fort Bliss	B4	0.05	1	0	0	0	1	0	0
133	Otero Mesa	B4	0.69	2	0	1	0	1	0	0
134	Fort Stanton	B4	4.47	5	1	2	1	1	1	1
135	Capitan Mnts	B1	15.80	13	2	6	4	1	1	1
136	Yeso Hills	B1	19.97	11	3	6	1	1	2	4
137	Guadalupe / Brokeoff Mnts	B1	35.87	18	8	6	4	0	1	2
138	Seven Rivers	B2	3.94	3	1	1	0	1	1	1
139	Southern Burro Mnts	B3	2.56	2	1	1	0	0	1	1
140	Zuni Canyon	B4	1.00	1	0	0	1	0	0	0
141	Grants Cienega	B4	0.11	1	0	1	0	0	1	1
142	Socorro and Strawberry Peaks	B4	0.47	1	0	1	0	0	0	0
143	Bosquecito	B4	0.16	1	0	1	0	0	1	1
144	Heart of the Dunes	B4	0.38	1	0	0	1	0	0	0
145	Organ Mnts	B1	38.06	17	1	12	4	0	1	3
146	Fra Cristobal Range	B4	0.69	3	0	2	1	0	0	0
147	Caballo Mnts	B4	1.03	3	0	0	3	0	0	0
148	Crow Flats near Dell City	B1	8.65	4	1	2	0	1	0	2
149	Malaga	B2	2.31	2	1	1	0	0	0	2
150	Elk	B4	1.38	2	1	1	0	0	1	1

IPAs ordered by Biodiversity Rank. IPA No. corresponds to the map number in Figure 4 in the main text. Biodiversity significance is reflected by IPA Biodiversity Rank (B-Rank) and its corresponding IPA Diversity Score (D-Score). Counts of species are provided by NHNM Global/State Status Score (GS-1 highest; GS-4 lowest) and state and federal listing status (T&E).

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
73	Sacramento Mnts	B1	60.9	34	4	13	13	4	5	7
100	Guadalupe Ridge	B1	45.85	19	1	10	8	0	2	3
75	Sierra Blanca / Ruidoso	B1	39.6	23	1	11	9	2	0	1
145	Organ Mnts	B1	38.06	17	1	12	4	0	1	3
137	Guadalupe / Brokeoff Mnts	B1	35.87	18	8	6	4	0	1	2
62	Mogollon Mnts	B1	33.3	18	1	9	8	0	0	2
15	Chuska Mnts	B1	26.0	16	5	7	2	2	2	5
79	Southern Peloncillo Mnts	B1	25.8	15	3	6	6	0	0	2
10	Upper Rio Grande Watershed	B1	24.0	9	4	3	0	2	0	0
116	San Andres Mnts	B1	22.82	18	1	7	9	1	1	3
22	Sangre De Cristo Mnts	B1	19.8	10	2	2	2	4	1	3
119	Emory Pass	B1	12.84	11	1	5	5	0	0	0
76	Lower Pecos near Roswell	B1	12.0	5	2	2	0	1	2	2
23	Espanola to La Cienega	B1	7.4	7	1	0	4	2	0	2
109	Navajo Lake	B1	6.53	5	1	1	3	0	1	1
31	Borrogo Pass	B1	5.3	2	1	1	0	0	0	0
82	Mud Springs Mnts	B1	5.2	2	1	0	1	0	0	1
12	Capulin Volcano	B1	5.1	2	1	0	0	1	0	0
115	Oscura Mnts	B1	5.03	2	1	0	0	1	0	0
136	Yeso Hills	B1	19.97	11	3	6	1	1	2	4
2	Shiprock / Fruitland	B1	17.5	9	1	3	5	0	2	2

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
21	Upper Rio Grande Valley	B1	16.3	10	1	3	3	3	0	1
135	Capitan Mnts	B1	15.80	13	2	6	4	1	1	1
34	White Mesa	B1	14.4	8	0	2	4	2	0	0
8	Chama Watershed	B1	14.2	13	1	7	3	2	0	0
126	Southern Animas Valley	B1	13.75	3	3	0	0	0	0	0
80	Pinos Altos Range	B1	12.6	12	1	5	5	1	0	0
110	Upper Canadian Watershed	B1	11.10	7	0	4	1	2	0	0
4	Farmington-Bloomfield Badlands	B1	11.1	9	0	3	6	0	0	2
127	Animas Mnts	B1	10.80	8	0	4	4	0	0	1
30	Fallen Timber Ridge	B1	10.5	5	2	3	0	0	0	0
125	Nachita Valley / Hatchita Mnts	B1	9.30	5	1	1	3	0	0	2
148	Crow Flats near Dell City	B1	8.65	4	1	2	0	1	0	2
29	Fort Wingate	B1	7.1	5	1	2	1	1	1	1
51	Sawtooth / Datil	B1	6.6	4	1	1	2	0	1	1
9	San Antonio Mnt	B2	6.2	4	1	1	1	1	0	0
104	North Carlsbad	B2	5.90	3	1	2	0	0	0	1
83	Antelope Flat - Jornada Experimental Range	B2	5.00	1	1	0	0	0	0	0
129	Northern Animas Valley	B2	4.51	7	2	3	2	0	0	3
138	Seven Rivers	B2	3.94	3	1	1	0	1	1	1
103	Crow Flats East of Artisia	B2	3.37	2	1	1	0	0	0	1
84	White Horse Mnts	B2	2.90	2	2	0	0	0	0	1
16	Bisti Oil Field	B2	2.7	3	1	1	1	0	1	1
139	Southern Burro Mnts	B2	2.56	2	1	1	0	0	1	1

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
149	Malaga	B2	2.31	2	1	1	0	0	0	2
32	El Banquito	B2	2.2	1	1	0	0	0	0	1
53	Blue Water Canyon	B2	1.7	1	1	0	0	0	0	0
18	San Pedro Parks	B2	1.5	3	1	0	1	1	0	0
107	Beclabito	B2	1.14	2	1	0	1	0	0	1
41	San Mateo Mesa	B2	0.5	2	1	1	0	0	0	1
49	Zuni Salt Lake	B2	0.2	1	1	0	0	0	0	1
108	Gallegos Canyon	B2	0.20	1	1	0	0	0	0	1
105	Mescalero Ridge	B2	0.14	1	1	0	0	0	0	1
67	San Mateo Mnts	B2	6.7	6	0	3	3	0	0	0
6	American Mesa	B2	6.2	5	1	2	2	0	0	0
46	Santa Rosa Cienega	B2	5.7	4	0	2	2	0	2	3
65	East Fork Gila River Watershed	B3	5.7	10	0	3	7	0	0	0
86	Florida Mnts	B3	5.54	4	1	1	2	0	0	1
60	San Francisco / Tularosa Mnts	B3	5.5	7	0	4	3	0	0	1
44	Sandia Mnts	B3	5.2	6	0	2	3	1	0	0
118	Hilsboro Hills	B3	5.07	3	0	1	2	0	0	0
42	Rio Puerco / Rio San Jose	B3	4.5	5	1	1	3	0	1	1
134	Fort Stanton	B4	4.47	5	1	2	1	1	1	1
114	Chicken Mnt Draw	B4	1.45	2	1	0	1	0	0	0
150	Elk	B4	1.38	2	1	1	0	0	1	1
99	Hills West of Hope	B4	1.34	2	1	1	0	0	1	1
19	Jemez Mnts	B4	5.0	8	0	1	4	3	0	2
17	Nageezi Badlands	B4	5.0	5	0	3	2	0	0	1

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
56	Sevilleta Basin	B4	4.4	6	0	3	3	0	1	1
1	Mancos	B4	4.2	2	0	1	1	0	0	0
130	Franklin Mnts	B4	4.08	5	0	4	1	0	1	4
33	Mesa Prieta	B4	4.0	3	0	2	0	1	0	0
26	Kansas Valley	B4	4.0	1	0	1	0	0	0	0
40	El Malpais	B4	4.0	1	0	1	0	0	0	0
95	Lower Mesilla Valley	B4	3.95	2	0	2	0	0	1	2
63	Diablo Range	B4	3.5	6	0	2	3	1	0	1
69	Southern Quebradas	B4	3.4	3	0	1	1	1	0	0
28	Tohatchi Flats	B4	3.3	3	0	2	0	1	0	0
59	Encino to Vaughn	B4	2.9	2	0	1	1	0	0	0
48	Nutrioso	B4	2.8	1	0	0	1	0	0	0
81	Upper Mimbres Watershed	B4	2.8	6	0	1	4	1	0	1
98	Cornudas Mnts	B4	2.34	3	0	3	0	0	0	2
68	Magdalena Mnts	B4	2.3	3	0	0	3	0	0	0
25	Lower Canadian Watershed	B4	2.3	3	0	1	2	0	0	0
50	Gallo / Mangas Mnts	B4	2.2	2	0	1	1	0	0	0
78	Northern Peloncillo Mnts	B4	2.2	2	0	1	1	0	0	1
57	Manzano Mnts	B4	2.2	4	0	0	4	0	0	0
85	Cookes Peak	B4	2.14	5	0	3	2	0	0	0
36	Espinosa Ridge	B4	1.7	4	0	1	2	1	0	0
124	Mangas Springs	B4	1.59	3	0	1	2	0	0	1
39	US 54 - Tucumcari to Logan	B4	1.6	1	0	0	1	0	0	0
90	Sierra De Las Uvas	B4	1.50	1	0	1	0	0	0	0

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
122	Black Mnt	B4	1.26	2	0	1	1	0	0	1
120	Burro Mnts	B4	1.24	3	0	0	3	0	0	1
101	Bone Tank Draw	B4	1.23	3	0	2	1	0	0	0
121	Lewis Flats	B4	1.18	1	0	1	0	0	0	0
97	Hueco Mnts	B4	1.17	2	0	2	0	0	0	0
72	Tularosa Basin	B4	1.2	1	0	0	0	1	0	0
64	Gila Cliff Dwellings	B4	1.1	3	0	0	2	1	0	1
147	Caballo Mnts	B4	1.03	3	0	0	3	0	0	0
140	Zuni Canyon	B4	1.00	1	0	0	1	0	0	0
35	Lower Jemez River Valley	B4	0.9	2	0	0	2	0	0	0
128	Pyramid Mnts	B4	0.83	4	0	2	2	0	0	2
27	Window Rock	B4	0.8	1	0	1	0	0	0	0
146	Fra Cristobal Range	B4	0.69	3	0	2	1	0	0	0
133	Otero Mesa	B4	0.69	2	0	1	0	1	0	0
66	Monticello Canyon	B4	0.7	5	0	3	2	0	1	1
70	I-25 near Fort Craig	B4	0.7	1	0	1	0	0	0	0
77	Milnesand	B4	0.7	1	0	1	0	0	0	0
102	Artesia	B4	0.67	1	0	1	0	0	0	0
58	Red Cloud Canyon	B4	0.6	2	0	1	1	0	0	0
45	South Mnt	B4	0.5	1	0	0	1	0	0	0
106	Forty-Niner Ridge	B4	0.47	1	0	1	0	0	0	1
142	Socorro and Strawberry Peaks	B4	0.47	1	0	1	0	0	0	0
88	Cedar Mnts	B4	0.45	2	0	1	1	0	0	1
7	Cisneros Canyon	B4	0.4	1	0	0	1	0	0	0

IPA No.	Important Plant Area Name	IPA Biodiversity Significance			Global/State Status Rank				Listing Status	
		B-Rank	D-Score	No. Sp.	GS-1	GS-2	GS-3	GS-4	Fed.	State
55	Rio Grande at Belen	B4	0.4	1	0	0	1	0	0	0
144	Heart of the Dunes	B4	0.38	1	0	0	1	0	0	0
11	Raton	B4	0.4	1	0	1	0	0	0	0
43	KAFB	B4	0.3	1	0	0	1	0	0	0
38	Ute Creek	B4	0.2	1	0	0	1	0	0	0
94	Tortuga Mnts	B4	0.23	2	0	1	1	0	0	2
71	Northern Jornada Del Muerto	B4	0.2	2	0	1	0	1	0	1
143	Bosquecito	B4	0.16	1	0	1	0	0	1	1
141	Grants Cienega	B4	0.11	1	0	1	0	0	1	1
132	Tularosa Basin - Fort Bliss	B4	0.05	1	0	0	0	1	0	0
123	Southern Cookes Range	B4	0.04	1	0	1	0	0	0	1
131	Robledo Mnts	B4	0.04	1	0	1	0	0	0	1
89	Columbus	B4	0.04	1	0	1	0	0	0	1
20	Rio Del Oso	B4	0.0	1	0	0	0	1	0	0
54	Rio Salado at Riley	B4	0.0	2	0	0	2	0	0	0
93	Potrillo Mnts	B4	0.02	1	0	1	0	0	0	1
96	Jarilla Mnts	B4	0.00	1	0	0	0	0	0	0

## APPENDIX D. New Mexico Important Plant Areas - Methods

Important Plant Areas (IPAs) are specific places across New Mexico that support either a high diversity of sensitive species or are the last remaining locations of our most endangered plants. The IPAs were developed using a combination of spatial modeling of the Strategy species observation data in a GIS and expert review followed by the assignment of a Biodiversity Rank (Table 1) to assist in prioritizing areas for conservation planning.

### ***IPA Delineation***

We downloaded Strategy plant observation data from NHHM Biotics on February 1, 2017 and intersected all Strategy species occurrences with a one-mile hexagonal grid covering the state of New Mexico. This resulted in about 3,000 occupied hexagons attributed by Strategy species composition. This dataset was the foundation for aggregating spatially proximal and compositionally similar hexagons into coherent IPAs.

Initial clusters representing incipient IPAs were created by visually grouping hexagons in close physical proximity to each other. We deliberately made the initial clusters small with the goal of combining initial clusters into larger clusters in later steps. Hexagons that were completely isolated (>5km from the nearest hexagon) were given their own group identities.

To reduce the number of small isolated hexagons, we removed any hexagons that fit the following criteria: (1) >5km from the nearest hexagon, (2) no more than 1 Strategy species occurring in the hexagon with a (2) NHHM G-rank of 4 or 5 and an S-rank of 3, 4, or 5. This effectively removed isolated hexagons with low species richness that lacked highly-ranked species.

We summarized plant occurrence data per initial group as simple presence/absence data for each of the Strategy species. We calculated the geometric centroid of each initial group by calculating the mean x and y coordinates of all hexagons within that group. We then calculated the physical distance between each initial group and every hexagon in the state. Additionally, we estimated the floristic distance between each initial group and every hexagon in the state by using a Euclidean distance metric based on all species. We flagged as potential outliers hexagons within a group that were further than 5,000 m from the geometric center of group and that had a floristic distance to their own group >50. For each of these hexagons, we estimated the next best grouping using a combination of physical and floristic distance and reassigned the hexagons as needed.

Final hexagon groupings were created using expert knowledge of local geography and general Strategy species habitat requirements, while taking into account pairwise floristic and physical distances. After assigning hexagons into final groups, we used Fixed  $r$  Local Convex Hulls in ArcGIS to define the final IPA boundaries. We estimated the  $r$  parameter individually for each group by calculating the median of all pairwise distances between hexagons within each group. This allowed a more inclusive wrapping for hexagons that were spread over a large geographic area and tighter, more exclusive wrapping for hexagons that were tightly clumped. We hand edited individual IPA boundaries to prevent adjacent IPAs from overlapping.

### **IPA Biodiversity Significance**

The biodiversity significance of an IPA was characterized by an IPA Biodiversity Rank (IPA B-Rank) based Diversity Score (D-Score) modified as needed to account for species that are both highly localized and very rare (S1/G1 and S1/G2 species). The Diversity Score is computed as the inverse Global/State Status Score for a species times its percent occupancy in an a given IPA, summed for species in an IPA (Tables 2 & 3). The higher the value, the greater the biodiversity significance. For example, a S2/G3 species would have a GS Status Score of 4, and if 50% of the observations for that species occurred within the IPA, its Diversity Score would be 2. These scores are summed for all species in the IPA. Based on the sums, the IPAs are initially assigned B-Ranks per Table 1. In addition, approximately 10% of the IPAs were assigned a modified B-Rank based on expert opinion, federal status of the species occurring within an IPA, and overall rarity.

**Table 3. Biodiversity Significance Ranks (B-Ranks).**

B1 – Outstanding concentration of Strategy species (IPA Diversity Index > 20) or specific very rare species targets
B2 – Very high concentration of Strategy species (IPA Diversity Index 10 to 20) or specific rare species targets
B3 – High concentration of Strategy species (IPA Diversity Index 1 to 10) or specific rare species targets
B4 – Moderate concentration of Strategy species (IPA Diversity Index <1) or specific rare species targets
B5 – General interest/open space with no Strategy species.
B? – Unknown

**Table 4. Global/State Status Score scoring matrix based NHHM/NatureServe (NS) species status ranks.**

GS-Score	NHHM State Status Rank				
NS Global Rank	S1	S2	S3	S4	S5
G1	5				
G2	5	4			
G3	4	4	3		
G4	3	3	3	2	
G5	2	2	2	2	1

**Table 5. Assignment table for IPA Biodiversity Ranks based on the IPA Diversity Score (D-Score).**

B-rank	D-Score
B1	>20
B2	10 to 20
B3	1 to 10
B4	<1