

INDEX SEMINUM

2017



**Botanická zahrada hl. m. Prahy
Prague Botanical Garden
Czech Republic**

INDEX SEMINUM

2017



Botanická zahrada hl.m. Prahy
Trojská 800/196, 171 00 Praha 7
Czech Republic

www.botanicka.cz
<http://www.florius.cz/troja/>

e-mail: index@botanicka.cz

Geographical data:

Latitude: 50° 07'

Longitude: 17° 24'

Altitude: 180 - 290 m

Meteorological data

Mean temperature: 8.5° C

Mean precipitation: 517 mm

Mean humidity: 75%

Seed collectors of Prague Botanical Garden:

Iveta Bulánková	- curator
Alena Nováková	- curator
Petr Hanzelka	- curator
Eduard Chvosta	- deputy director
Klára Lorencová	- curator
Vlastík Rybka	- deputy director
Romana Rybková	- curator
Pavel Sekerka	- editor of IS
Jarmila Skružná	- curator
Eva Smržová	- curator
Tomáš Vencálek	- curator

POLYPODIOPSIDA

Polypodiaceae

1. ***Belvisia spicata* (L.f.) Mirb.**
ex: Filipíny, Luzon, Banaue 1700 m, Rybková R.,
Rybka V., PH 0 PRAZ 2006.01934
2. ***Drynaria sinica* Diels**
CN 0 PRAZ 2004.05872
3. ***Lepisorus asterolepis* (Baker) Ching**
ex: China, Sichuan, on rd. Kanding - Lengqi,
Sekerka P., +29°51'35"N, +102°18'47"E, 2154 m,
CN 0 PRAZ 2004.05887
4. ***Microsorium fortunei* (Moore) Ching**
ex: China, Sichuan, on rd. Kanding - Lengqi,
Sekerka P., +30°03'00", +102°36'18", 950 m,
CN 0 PRAZ 2004.05892
5. ***Microsorium pustulatum* Copel.**
6. ***Pyrrosia petiolosa* (Christ) Ching**
ex: China, Sichuan, near Wolong, Sekerka P.,
+31°05'43"N, +103°28'41"E, 1093 m,
CN 0 PRAZ 2004.05902
7. ***Pyrrosia porosa* (Presl) Hovenkamp**
ex: China, Sichuan, on rd. Kanding - Lengqi,
Sekerka P., +30°03'59"N, +102°10'02"E, 1400 m,
CN 0 PRAZ 2004.05898

GNETOPSIDA

Ephedraceae

8. ***Ephedra minima* K.S.Hao**
ex. BG München

MAGOLIOPSIDA

Piperaceae

9. ***Peperomia* sp.**
ex. Guatemala, prov. San Marcos, volcán
Tajumulco, 1700 m, Haager J. R., Rybková R.,
GT 0 PRAZ 1997.05701

ROSOPSIDA

Acanthaceae

10. *Brillantaisia lamium* Benth.

ex: BG Rostock

Anacampserotaceae

11. *Anacampseros herreana* Poelln.

12. *Anacampseros namaquensis*

Pearson & Stephens

ex: BG Monaco: R.S.A., Richtersveld, 15 km
S of Sendlingsdrift

Apiaceae

13. *Astrantia maxima* Pall.

14. *Bupleurum rotundifolium* L. 'Decor'

15. *Cicuta virosa* L.

ex: Czech Rep., Polomené hory, Kokořínský důl,
pond Harasov, Rybka V., CZ 0 PRAZ 2013.03649

16. *Eryngium bourgatii* Gouan

17. *Eryngium campestre* L.

ex: Czech Rep., Praha Troja, Rybka V.,
CZ 0 PRAZ 2014.01141

18. *Foeniculum vulgare* Mill. 'Purpureum'

19. *Oenanthe crocata* L.

ex: BG Nantes

20. *Oenanthe lachenalii* C.C.Gmel.

ex: BG Nantes

21. *Peucedanum arenarium* Waldst. et Kit.

ex: Slovak Rep., Devinská Kobyla, Sandberg

22. *Seseli osseum* Crantz

ex: Czech Rep., Dolnomoravský úval, Váté písky,
Rybka V.

23. *Seseli pallasii* Besser

ex: BG Cluj-Napoca – univ.: Romania, Cheile
Turzii, Distr. Cluj, Gh. Groza

Apocynaceae

24. *Adenium obesum* Roem. & Schult.
25. *Amsonia hubrichtii* Woodson
26. *Amsonia tabernaemontana* Walter
ex: BG Milly - la Foret
27. *Asclepias exaltata* L.
ex: BG Weinheim
28. *Asclepias purpurascens* L.
29. *Asclepias tuberosa* L. var. *interior*
30. *Asclepias verticillata* L.
ex: Michigan State University: U.S.A., MI, Ingham Co., 42°35' N, 84°22' W, 271 m
31. *Asclepias viridis* Walter
ex: BG Weinheim
32. *Vincetoxicum funebre* Boiss. et Kotschy
ex: BG Moskva - Akademická

Asteraceae

33. *Achillea abrotanoides* Vis.
34. *Achillea clypeolata* Sibth. et Sm.
ex: BG Cluj-Napoca – univ.: Romania, Hagieni, Distr. Constanta, leg.: Gh. Groza
35. *Achillea coarctata* Poir.
ex: BG Pépinierie Filippi
36. *Achillea grandifolia* Friv.
ex: BG Mainz
37. *Achillea nobilis* L.
ex: BG Mainz
38. *Achillea teretifolia* Willd.
39. *Anacyclus radiatus* Loisel.
ex: BG Moscow
40. *Anthemis aciphylla* Boiss.
41. *Arctotis venusta* Norl.
42. *Artemisia absinthium* L.
ex: Giardino Botanico Alpino "Paradisgia": Itália, Lillaz, Cascade, 1600 m

43. *Aster ageratoides* Turcz.
var. *scaberulus* (Miq.) Ling
ex: BG Weinheim
44. *Aster amellus* L.
var. *ibericus* (Steven) DC.
ex: Turkey, Çildir Gölü, Sekerka P.
45. *Aster ascendens* Lindl.
ex: BG Weinheim
46. *Aster ericoides* L.
47. *Aster linosyris* (L.) Bernh.
ex: Czech Rep., Mikulov, Mariánský lom
48. *Aster ptarmicoides* (Nees) Torr
ex: BG Nový Dvůr: U.S.A., Illinois, Cook Co.
(Glencoe)
49. *Aster puniceus* L.
50. *Aster sedifolius* L.
51. *Aster sericeus* Vent.
ex BG Weinheim
52. *Aster thomsonii* C.B. Clarke
53. *Cacalia atriplicifolia* L.
54. *Centaurea bella* Trautv.
55. *Centaurea kotschyi* (Boiss.) Hayek
subsp. *persica* (Boiss.) Greuter
56. *Centaurea odyssei* Wagenitz
57. *Centaurea sadleriana* Janka
ex: Hungary, Alsónémedi, sand dune S from
village, Rybka V., HU 0 PRAZ 2015.00540
58. *Centaurea simplicicaulis*
Boiss. & A. Huet
59. *Cirsium canum* (L.) All.
ex: Czech Rep., Hornomoravský úval, Plané
loučky, Rybka V., CZ 0 PRAZ 2015.00602
60. *Coreopsis major* Walter
61. *Coreopsis palmata* Nutt.
62. *Echinacea angustifolia* DC.
63. *Echinacea paradoxa* (Norton) Britton
var. *paradoxa*
64. *Echinacea simulata* McGregor
65. *Echinops microcephalus* Sibth.

66. *Engelmannia peristenia*
(Raf.) Goodman & C.A.Lawson
67. *Engelmannia peristenia* (Raf.) Goodman
& C.A.Lawson
68. *Eurybia macrophylla* (L.) Cass.
ex: BG East Lansing: U.S.A., MI, Ingham Co,
Baker Woodlot, mesic southern forest
69. *Euryops speciosissimus* DC.
ex: BG Jerusalem
70. *Filago arvensis* L.
ex: Czech Rep., Zahrádky - Karasy, Rybka V.
CZ 0 PRAZ 2013.03705
71. *Filago vulgaris* Lamk. s. str.
ex: Czech Rep., Jesenické podhůří, Lipná,
CZ 0 PRAZ 2017.00821
72. *Gaillardia aristata* Pursh
ex: U.S.A., New Mexico
73. *Helianthus maximiliani* Schrad.
74. *Helianthus mollis* Lam.
ex: BG Weinheim
75. *Helichrysum plicatum* DC.
76. *Helichrysum retortoides* N.E.Br.
77. *Helichrysum trilineatum* DC.
78. *Heterotheca pumila* (Greene) Semple
ex: Rocky Mountain Rare Plants: U.S.A., CO, Park
Co., elev. 12200 ft
79. *Hieracium pilosella* L.
var. *niveum* Müll.Arg.
80. *Hieracium pilosella* L.
Czech Rep.: Praha Troja, Rybka V.,
CZ 0 PRAZ 2012.10651
81. *Hymenoxys acaulis* (Pursh) K.F.Parker
ex: Alplains:U.S.A., (WY) Albany Co., 2195 m
82. *Hymenoxys acaulis* (Pursh) K.F.Parker
ex: BG Innsbruck: Wyoming, Bear Tooth, 3200m
83. *Hypochaeris radicata* L.
ex: Czech Rep.: Praha Troja, Rybka V.,
CZ 0 PRAZ 2014.00729
84. *Chrysanthemum corymbosum* L.
ex: BG Sophia – Academy: Bulgaria, Ad Pontum,
promontorium Kaliakra

85. *Chrysanthemum macrophyllum*
Waldst. & Kit.
86. *Inula acaulis* Schott & Kotschy
subsp. *caulescens*
87. *Inula heterolepis* Boiss.
88. *Kleinia neriifolia* Haw.
89. *Layia platyglossa* A.Gray
90. *Liatris aspera* Michx.
91. *Liatris elegans* (Walter) Michx.
92. *Liatris pycnostachya* Michx.
93. *Liatris scariosa* (L.) Willd. 'Alba'
94. *Liatris squarrosa* (L.) Michx.
ex: Wien - Alpengarten im Belvedere
95. *Ligularia sibirica* (L.) Cass.
ex: Průhonice – BÚ: Czech Rep., PR Slunečný
Dvůr (near Máchovo jezero)
96. *Matricaria grandiflora* (Willd.) Poir.
'Golden Pompon'
97. *Parthenium integrifolium* L.
ex: BG Seattle
98. *Ratibida columnifera* Wooton & Standl.
f. *pulcherrima*
99. *Ratibida columnifera* Wooton & Standl.
100. *Ratibida mexicana* W.M.Sharp
101. *Ratibida pinnata* Barnhart
ex: BG Olomouc – Univ.
102. *Rudbeckia fulgida* Aiton
var. *fulgida*
103. *Rudbeckia maxima* Nutt.
104. *Rudbeckia missouriensis* Engelm.
ex: BG Weinheim: U.S.A., Missouri, Shaw Nature
Preserve, Dolomite Glade
105. *Rudbeckia occidentalis* Nutt.
'Green Wizard'
106. *Rudbeckia triloba* L.
107. *Rudbeckia triloba* L.
'Prairie Glow'
ex: BG Weinheim

- 108. *Santolina etrusca* Marchi & D'Amato**
ex: BG Siena: Italy, Radicofani (Siena), greto del fiume Formone, 290 m, Boscagli
- 109. *Senecio cylindricus* H.Jacobsen**
ex: BG Cluj-Napoca
- 110. *Senecio doria* L.**
ex: Slovak Rep., Podunajská nížina, Kamenín
- 111. *Senecio mesembryanthemoides***
Bojer ex DC.
ex: Madagascan Flora: Madagaskar, Itremo
- 112. *Senecio paludosus* L.**
ex: Czech Rep.: Nížký Jeseník, valley of Hrušový stream, N from Krahulčí, Rybka V.
CZ 0 PRAZ 2012.05493
- 113. *Senecio paludosus* L.**
subsp. *angustifolius* Holub
ex: Slovak Rep.: Podunajská nížina, Jurský Šúr
SK 0 PRAZ 2013.03903
- 114. *Senecio sarracenicus* L.**
ex: Czech Rep.: Nížký Jeseník, valley of Bělídlo stream, NW from Norberčany, Rybka V.
CZ 0 PRAZ 2012.05494
- 115. *Senecio umbrosus* Waldst. et Kit.**
ex: Czech Rep.: Bílé Karpaty, valley near recreation center Lučina, Rybka V.
CZ 0 PRAZ 2013.03662
- 116. *Silphium laciniatum* L.**
- 117. *Solidago caesia* L.**
- 118. *Solidago cutleri* Fernald**
- 119. *Solidago flexicaulis* L.**
ex: BG East Lansing: Ingham Co., 42°43' N, 84°27' W, 253 m
- 120. *Solidago ohioensis* Riddell**
ex: BG Weinheim: U.S.A., Wisconsin
- 121. *Solidago patula* Muhl. ex Willd.**
ex: BG Weinheim: U.S.A., Michigan, Clinton Co., 84°23'W, 42°48'N, 253 m, wet meadow
- 122. *Solidago rigida* L.**
- 123. *Solidago roanensis* Porter**

124. *Solidago sempervirens* Michx.
ex: Michigan State University
125. *Solidago speciosa* Nutt.
var. *rigidiscula* Torr. & A.Gray
ex: BG Weinheim
126. *Solidago speciosa* Nutt.
ex: Michigan State University: U.S.A., MI,
Jackson, Portage Lake Prairie, dry sand prairie
127. *Tanacetum millefolium* (L.) Tzvelev
ex: BG Helsinki: Rusko, Volgogradská oblast,
Kumylzensky rajon, near river Khoper
128. *Ursinia anethoides* N.E.Br.
ex: BG St. Gallen
129. *Ursinia* sp.
ex: R.S.A., Steinkopf
130. *Ursinia* sp.
ex: R.S.A., Pakhuis Pass
131. *Vernonia arkansana* DC.
ex: BG Weinheim: U.S.A., Missouri, roadside near
Emminence
132. *Vernonia baldwinii* Torr.
ex: BG Weinheim
133. *Vernonia gigantea* Trel.
ex: BG Olomouc – Univ.
134. *Vernonia noveboracensis* (L.) Willd.
f. *albiflora*
ex: BG Weinheim
135. *Zinnia angustifolia* Kunth
'Crystal Yellow'
136. *Zinnia grandiflora* Nutt.
ex: Alplains: U.S.A., CO, Fremont Co., 1677 m
137. *Zinnia maritima* Kunth **'Solcito'**
ex: Lednice - ZF MZLU
138. *Zinnia peruviana* (L.) L.
wildtype ex Bayreuth
139. *Zinnia peruviana* (L.) L.
ex: Lednice - ZF MZLU: Cashapampa, Ancash,
Peru, 2900 m

Boraginaceae

140. *Cerintho minor* L.
ex: Turkey, 3 km W from Tortum to Narman.
141. *Myosotis caespitosa* C. F. Schultz
ex: Czech Rep.: Hornomoravský úval, lake Poděbrady near Olomouc, Rybka V.
CZ 0 PRAZ 2013.03665
142. *Onosma arenaria* Waldst. et Kit.
ex: Hungary, Kiskunsági, Bócsa, sand dunes N from the village

Brassicaceae

143. *Aethionema edentulum* N.Busch
ex: BG Vilnius -Šiauliai
144. *Aethionema grandiflorum*
Boiss. & Hohen.
ex: Turkey, 1 km E from Pasinler, Sekerka P., Huml V.
145. *Aethionema saxatile* (L.) W.T.Aiton
subsp. *oreophilum* I.A.Andersson & al.
146. *Aethionema schistosum*
Boiss. & Kotschy
147. *Aethionema speciosum* Boiss. & A.Huet
148. *Alyssum graecum* Kuntze
149. *Alyssum wulfenianum* Willd.
150. *Aubrieta canescens* Boiss.
151. *Aubrieta pinardi* Boiss.
ex: BG Plzeň: Turkey, Sultan Dag, 2000 m
152. *Crambe maritima* L.
153. *Crambe tataria* Sebeók
ex: BG Iași: Romania, Judetul Vaslui, Reservatia naturala Fanatele de la Glodeni
154. *Draba polytricha* Ledeb.

Burseraceae

155. *Bursera fagaroides* (Kunth) Engl.
ex: Mexiko, Coahuila, Viesca, Sierra de Parras,
Rancho San Rafael, Jašn, Grym R.
156. *Bursera fagaroides* (Kunth) Engl.
ex: BG Tübingen
157. *Bursera fagaroides x schlechtendalii*

Buxaceae

158. *Sarcococca hookeriana* Baill.
var. *digyna* Franch.
ex: BG Rouen

Cactaceae

159. *Opuntia littoralis* Cockerell
var. *martiniana*
160. *Opuntia macrorhiza* Engelm.
ex: U.S.A., Utah, Grand Canyon, South City
161. *Opuntia phaeacantha* Engelm.
var. *camanchica rubra*

Campanulaceae

162. *Adenophora liliifolia* (L.) A. DC.
163. *Adenophora triphylla* (Thunb.) A.DC.
var. *japonica* (Regel.) Hara
ex: Tsukuba - Medicinal Plant Research Station
164. *Campanula collina* M.Bieb.
165. *Campanula latifolia* L.
var. *macrantha* Erhardt, Götze &
Seybold
ex: BG Weinheim

- 166. *Campanula latifolia* L.**
ex: BG Mnichov: Georgia, Reg. Ratscha, next to Oni, ascending from Paracheti to M'Tiscalta, 1400 - 1800 m
- 167. *Campanula latifolia* L. 'Alba'**
ex: BG Vilnius – Univ.
- 168. *Campanula makaschvilii* E. Busch.**
ex: BG Besançon: Alberta
- 169. *Campanula mirabilis* Albov**
ex: BG Bonn – Univ.: Georgia, Akhmeta, 1295 m
- 170. *Campanula takesimana* Nakai**
ex: BG Vácrátót
- 171. *Jasione montana* L.**
ex: Czech Rep., Praha Troja, Rybka V., CZ 0 PRAZ 2014.00730
- 172. *Lobelia inflata* L.**
ex: BG Montréal: Canada, Québec: Bécancour, lac Saint-Pierre
- 173. *Lobelia syphilitica* L.**
ex: BG Weinheim

Caprifoliaceae

- 174. *Leycesteria formosa* Wall.**
- 175. *Lonicera fernandi* Frauchet.**
ex: Forest Farm, U.S.A.

Caryophyllaceae

- 176. *Agrostemma githago* L.**
'Milas Snow Queen'
- 177. *Arenaria ledebouriana* Fenzl**
- 178. *Dianthus thunbergii* S.S.Hooper**
ex: R.S.A., Warmwaterberg - Ladismith
- 179. *Gypsophila fastigiata* L.**
ex: Czech Rep., Oleško, edge of Trávčický forest, Rybka V., CZ 0 PRAZ 2013.02208
- 180. *Gypsophila sphaerocephala* Fenzl.**

181. *Lychnis viscaria* L.

f. *alba*

ex: Giardino Botanico Alpino "Paradisia"

182. *Silene chlorofolia* Sm.

ex: BG Izmir: Turkey, Spildagi - Manisa, 800 m

183. *Silene viscosa* (L.) Pers.

ex: Slovak Rep., Záhorie, Závod, S from railway stop, Rybka V., SK 0 PRAZ 2015.06148

Cistaceae

184. *Cistus laurifolius* L.

ex: Berlin - Dahlem

185. *Helianthemum cupreum* Sweet

Clusiaceae

186. *Hypericum cerastoides* (Spach)

N. Robson

Convolvulaceae

187. *Ipomoea leptophylla* Torr.

ex: Alplains: U.S.A., Colorado, Lincoln Co.,
1645 m

Cucurbitaceae

188. *Kedrostis africana* Cogn.

XX 0 PRAZ 2004.11391

Dipsacaceae

189. *Knautia macedonica* Griseb.

'Melton Pastels'

190. *Lomelosia stellata* Raf. 'Sternkugel'

Droseraceae

191. *Drosera capensis* L.
ex: R.S.A., Western Cape, Vogelgat, Maier M.
192. *Drosera spatulata* Labill.
ex: Japan, Honshu, Ibaraki, Tsukuba
193. *Drosophyllum lusitanicum* (L.) Link
ex: Andalucia, Los Alcornocales, El Picacho II

Elaeocarpaceae

194. *Crinodendron patagua* Mol.

Ericaceae

195. *Sphyraspermum ellipticum* Sleumer
ex: BG Plzeň

Fabaceae

196. *Acacia suaveolens* (Sm.) Willd.
ex: BG Hamburg: Australia, Victoria, Gippsland,
Lakes Entrance Tyers Beach, Kustenbush
197. *Baptisia australis* (L.) R.Br.
198. *Carmichaelia aligera* Simson
199. *Dalea candida* Willd.
200. *Dalea purpurea* Vent.
201. *Desmodium canadense* (L.) DC.
ex: BG Montréal: Kanada, Quebec, parc National
d'Oka, 45°27'54.31 N, 74°3'41.79 W
202. *Kennedia becxiana* F.Muell.
203. *Phaseolus lunatus* L. var. *lunatus*
ex: BG Bonn
204. *Phaseolus lunatus* L. 'Christmas'
ex: BG Klagenfurt
205. *Psoralea pinnata* L.
ex: BG Kirstenbosch

206. *Sutherlandia frutescens*
(L.) R.Br. ex W.T.Aiton
ex: BG Bonn

Gentianaceae

207. *Gentiana septemfida* Pall.
208. *Lisianthus nigrescens* Cham. & Schltr
ex: BG Northampton

Geraniaceae

209. *Pelargonium alternans* Wendland
210. *Pelargonium aridum* R.A.Dyer
211. *Pelargonium auritum* Willd.
ex: Silverhill Seeds: R.S.A., Makuskraal
212. *Pelargonium barklyi* Scott-Elliot
ex: BG Bochum
213. *Pelargonium carnosum* (L.) L'Hér.
ex: BG Innsbruck
214. *Pelargonium carnosum* (L.) L'Hér.
ex: BG München
215. *Pelargonium dasyphyllum* E.Mey.
ex: Silverhill Seeds: R.S.A., Plettenberg Bay area
216. *Pelargonium laxum* Steud.
ex: BG Bochum
217. *Pelargonium nanum* L'Hér. ex DC.
218. *Pelargonium oblongatum* E.Mey.
219. *Pelargonium oreophilum* Schltr.
ex: Silverhill Seeds: R.S.A., Hex River Mnts
220. *Pelargonium quinquelobatum* Hochst.
ex: Kenya, Yatta plateau

Hydrophyllaceae

221. *Nemophila maculata* Benth. ex Lindl.
222. *Nemophila menziesii* Hook. fil.
et. Arnott.
'Snowstorm'

223. *Phacelia campanularia* A.Gray

224. *Phacelia parryi* Torr.

ex: BG Krefeld

Lamiaceae

225. *Agastache foeniculum* Kuntze

226. *Agastache rupestris* Standl.

227. *Blephilia ciliata* Raf.

ex: BG Weinheim: U.S.A., Missouri, Shaw Nature Reserve, Dolomite Glade

228. *Callicarpa bodinieri* Lév. 'Profusion'

229. *Callicarpa dichotoma* Raeusch.

f. *albifructus*

ex: BG Sendai

230. *Callicarpa japonica* Thunb.

'Leucocarpa'

231. *Callicarpa japonica* Thunb.

'Heavy Berry'

232. *Dracocephalum mairei* H.Lév.

233. *Hyssopus angustifolius* M.Bieb.

ex: BG Kijiv - Academy

234. *Leonotis dysophylla* Benth.

ex: BG Rotterdam ZOO - Botanical Department

235. *Marrubium globosum*

Montbret & Aucher ex Benth.

236. *Micromeria croatica* (Pers.) Schott

ex: BG Wien - Alpengarten im Belvedere

237. *Moluccella laevis* L. 'Bells of Ireland'

238. *Monarda bradburiana* Beck

239. *Monarda fistulosa* L.

ex: BG Michigan State University: U.S.A., MI, Shiawassee Co., 253 m

240. *Nepeta camphorata* Boiss. & Heldr.

241. *Nepeta kubanica* Pojark.

ex: BG Weinheim

242. *Nepeta nuda* L. f. *rosea*

ex: BG Weinheim

243. *Nepeta podostachys* Benth.

ex: BG Lublin

244. *Nepeta royleana* R.R.Stewart
ex: BG Duisburg
245. *Nepeta schugnanica* Lipsky
ex: BG Reykjavík: Tadžikistan, Pamir, Badchu,
2700 m
246. *Origanum laevigatum* Boiss.
247. *Origanum vulgare* L.
subsp. *hirtum* (Link) Ietsw.
248. *Phlomis cashmeriana* Royle ex Benth.
249. *Phlomis leucophracta*
P.H.Davis & Hub.-Mor.
250. *Phlomis lychnitis* L.
251. *Phlomis macrophylla* Benth.
ex: BG Wageningen: India, distr. Darjeeling,
3600 m, col. Ern3461 b
252. *Phlomis russeliana* Lag. ex Benth.
253. *Pycnanthemum albescens*
Torr. & A.Gray
ex: BG Weinheim
254. *Pycnanthemum californicum*
Torr. ex Durand
255. *Pycnanthemum montanum* Michx.
256. *Pycnanthemum pilosum* Nutt.
257. *Pycnanthemum tenuifolium* Schrad.
ex: BG Weinheim
258. *Pycnanthemum virginianum* (L.)
B.L.Rob. & Fernald
ex: BG Weinheim
259. *Salvia aethiopsis* L.
260. *Salvia amplexicaulis* hort. ex Benth.
261. *Salvia amplexicaulis* hort. ex Benth.
ex: BG Milano
262. *Salvia daghestanica* Sosn.
263. *Salvia garedjii* Troitzky
ex: BG Munich: Georgia, Dawit Garedschi,
41°26'44" N, 45°22'31" E, 750 m
264. *Salvia hypargeia* Fisch. & C.A.Mey.
265. *Salvia jurisicii* Košanin ex Jurisic
ex: BG Kiel

266. *Salvia jurisicii* Košanin ex Jurisic
'Alba'
267. *Salvia lavandulifolia* Vahl
subsp. *oxyodon* Rivas G. & Rivas M.
268. *Salvia multicaulis* Vahl
269. *Salvia nutans* L.
270. *Salvia phlomoides* Asso
271. *Salvia recognita* Fisch. & C.A.Mey.
272. *Salvia sclarea* L.
273. *Salvia sclarea* L. 'Alba'
ex: BG Trieste
274. *Salvia texana* Torr.
275. *Salvia tomentosa* Miller
ex: BG Marburg: Turkey, W. Anatolien Mysia,
Kaz Dag, Eichenmischwald, 1000 m, VM 1986
276. *Salvia transcaucasica* Pobed.
'Alba'
ex: BG Szeged
277. *Salvia verbenaca* L.
278. *Scutellaria diffusa* Benth.
ex: BG Berlin - Dahlem: Turkey, prov Hatay,
Amanusgebirge, Atik
279. *Scutellaria incana* Spreng.
ex: BG Weinheim
280. *Scutellaria orientalis* L.
subsp. *haussknechtii* (Boiss.) J.R.Edm.
281. *Scutellaria zhongdianensis*
282. *Schizonepeta multifida* (L.) Briq.
ex: Mongolia, Zaishan, Uher J.
283. *Sideritis clandestina* Hayek
284. *Sideritis phlomoides* Boiss. & Balansa
285. *Sideritis scordioides* L.
286. *Sideritis syriaca* L.
287. *Stachys tymphaea* Hausskn.
ex: BG Majella: Italy, S.Eufemia a Maiella,
1900 m
288. *Teucrium flavum* L.
289. *Teucrium hircanicum* L.

- 290. *Thymus comosus* Heuffel ex Griseb.**
ex: Romania, M-tii Padurea-Craiului, Distr. Bihor,
Groza Gh.

Limnanthaceae

- 291. *Limnanthes douglasii* R.Br.**
292. *Limnanthes douglasii* R.Br.
‘Meringue’

Linaceae

- 293. *Linum lewisii* Pursh**
ex: BG Weinheim
- 294. *Linum narbonense* L.**
ex: BG Frankfurt am Main - Palmengarten
- 295. *Linum perenne* L.**
ex: BG Mainz: Germany, Hessen, Darmstadt,
Pfungstadter Düne
DE-0-MJG-2007-12801

Linderniaceae

- 296. *Craterostigma wilmsii* Engl.**
ex: Silverhill Seeds: R.S.A., Gauteng

Linnaeaceae

- 297. *Kolkwitzia amabilis* Graebn.**
‘Maradco’

Loasaceae

- 298. *Loasa tricolor* Ker Gawl.**
ex: BG Krefeld

Lythraceae

- 299. *Heimia salicifolia* Link & Otto**
300. *Lagerstroemia indica* L. ‘Peking 1’

301. *Lagerstroemia indica* L. 'Peking 2'
 302. *Lagerstroemia indica* L. 'Peking 3'
 303. *Lagerstroemia indica* L. 'Peking Rubra'

Malvaceae

304. *Abutilon darwinii* Hook. f.
 ex: BG Ulm
305. *Alcea rugosa* Alef.
306. *Althaea armeniaca* Ten.
307. *Anoda cristata* (L.) Schltld.
 'Silver Cup'
308. *Callirhoe triangulata*
 (Leavenw.) A.Gray
309. *Hibiscus ferrugineus* Cav.
 ex: BG d'Antsokay Arboretum
310. *Hibiscus grandidieri* Baill. var.
greveanus (H. Bn.) Hochr
 ex: BG Frankfurt am Main – Palmengarten:
 Madagaskar, Soalala, rd. from Mahajanga to
 Namoroka
311. *Hibiscus pusillus* Thunb.
312. *Hibiscus* sp.
 ex: Kenia, Masai Mara
313. *Iliamna rivularis* (Douglas) Greene

Melastomataceae

314. *Monolena primulaeflora* Hook.f.
 ex: BG Teplice: Equador, San Francisco de Borja
 (near Baeza), Haager J. R.
315. *Pseudosbeckia swynnertonii*
 (Baker f.) A.Fern. & R.Fern.

Montiaceae

316. *Lewisia cotyledon* (S.Watson)
B.L.Robinson
 ex: Alplains: U.S.A., OR, Josephine Co.,
 1707 m

317. *Lewisia longipetala* (Piper) S.Clay
'Little Plum'

Morinaceae

318. *Morina longifolia* Wall. ex DC.

Nitrariaceae

319. *Peganum harmala* L.
ex: Turkey, Ocakli – ruins of Ani, Sekerka P.,
Huml V.

Oleaceae

320. *Forsythia suspensa* (Thunb.) Vahl
ex: China, Taishan, 1488 m, 36°15'21" N,
117°06'06" E, Sekerka P., Huml V.
321. *Ligustrum delavayanum* Hariot
ex: BG Liverpool: China, Yunnan, Lijiang area,
Ma Huang Bae, B+L 12083

Onagraceae

322. *Oenothera organensis* Munz ex
Emerson
ex: Alplains: U.S.A., Organ Mts. near Las Cruces.
323. *Zauschneria garrettii* A.Nelson
ex: BG Alplains: U.S.A., UT, Salt Lake Co.,
1920 m

Oxalidaceae

324. *Oxalis tuberosa* Mol.
f. red tuber
ex: BG Zürich: Brazil, Mato Grosso do Sol, 539 m
325. *Oxalis tuberosa* Mol.
f. yellow tuber
ex: BG Zürich

Paeoniaceae

326. *Paeonia anomala* L.
ex: BG Moscow: Russia, Altaj
327. *Paeonia lithophila* Kotov.

Papaveraceae

328. *Argemone grandiflora* Sweet
ex: BG Brno - Masarykova univerzita
329. *Argemone mexicana* L.
ex: BG Iași
330. *Papaver maculosum* Schur
subsp. *austromoravicum* Kubát
ex: Czech Rep., Bzenecko, váté písiky, Rybka V.
CZ 0 PRAZ 2013.03887
331. *Papaver spicatum* Boiss. et B
var. *spicatum*
ex: BG Mnichov

Pedaliaceae

332. *Ceratotheca triloba* E.Mey. ex Bernh.
f. *alba*

Phrymaceae

333. *Mimulus naiandinus* J.M.Watson &
C.Bohlen
'Andean Nymph'
ex: BG Teplice

Plantaginaceae

334. *Globularia punctata* Lapeyr.
ex: BG Villers - les – Nancy: Haut - Rhinn,
Rouffach, le Bollenberg, 290 m
335. *Chaenorhinum glareosum* Willk.
'Blue Dreams'

336. *Penstemon barrettiae* Gray
ex: Alplains: U.S.A., WA, Klickitat Co., 76 m
337. *Penstemon davidsonii* Greene
338. *Penstemon digitalis* Nutt. ex Sims
339. *Penstemon hallii* A.Gray
ex: Alplains: U.S.A., CO, Park Co., 3689 m
340. *Penstemon hirsutus* (L.) Willd.
ex: BG Denver
341. *Penstemon hirsutus* (L.) Willd.
ex: BG Montréal: Kanada, Ontario: MRC Les-Collines de L'Outaouais
342. *Penstemon strictus* Benth.
ex: SW Native Seeds: U.S.A., Arizona, Apache Co.
343. *Veronica beccabunga* L.
ex: BG Třeboň – BÚ: Czech Rep., Budějovická pánev, Dobřejovice
344. *Veronica cuneifolia* D.Don
subsp. *issaurica*
345. *Veronica kotschyana* Benth.
346. *Veronica polifolia* Benth.

Plumbaginaceae

347. *Armeria arenaria* Schult.
ex: BG Paris - Museum hist. natur. France: Florac

Polygonaceae

348. *Rumex maritimus* L.
ex: Czech Rep., Libochovická tabule, Slanisko u Koštic, Rybka V., CZ 0 PRAZ 2015.07501

Primulaceae

349. *Ardisia polycephala* Wall. & A.DC.
ex: BG Leiden
350. *Cyclamen cilicium* Boiss. & Heldr.

- 351. *Cyclamen mirabile* Hildebr.
f. *niveum***
- 352. *Primula auricula* L.**
ex: BG Wien - Alpengarten im Belvedere: Austria,
Rax Alpe, 1700 - 2000 m
- 353. *Samolus valerandi* L.**
ex: BG Třeboň BÚ: Czech Rep., Dyjsko-svratecký
úval, Sedlec, pond Nesyt

Ranunculaceae

- 354. *Aconitum firmum* Rchb.
subsp. *moravicum* Skalický**
- 355. *Aconitum lycoctonum* L**
- 356. *Aconitum plicatum* Köhler ex Rchb.**
- 357. *Aconitum variegatum* L.**
- 358. *Aquilegia canadensis* L.**
ex: BG Montréal: Kanada, Quebec, Park National
d'Oka
- 359. *Aquilegia desertorum* (M.E.Jones)
Cockerell ex A.Heller**
ex: SW Native Seeds: U.S.A., Arizona,
Coconino Co.
- 360. *Aquilegia laramiensis* Jeps.**
- 361. *Aquilegia viridiflora* Pall.**
- 362. *Clematis brevicaudata* DC.**
ex: China, Ningxia, Helan Shan, Suyukou Forest
Park, CN 0 PRAZ 2006.01257
- 363. *Clematis orientalis* L.**
ex: China, Xinjiang, Karakorum highway, Kunlun
Mt., 3119 m, 37°55'05" N, 75°09'36" E,
Sekerka P., Chvosta E.
- 364. *Clematis songorica* Bunge
var. *songorica***
ex: China, Xinjiang, Tian Shan, Houxia, 678 m,
CN 0 PRAZ 2003.05097
- 365. *Clematis songorica* Bunge**
ex: China, Xinjiang, Junggar Pendi, 46°30'06"N
90° 08'38" E, 1244 m, Sekerka P., Bulánková I.

- 366. *Clematis* sp.**
ex: China, Xinjiang, near lake Ebinur Hu,
44°39'35", 84°51'57", 329 m, Sekerka P.,
Bulánková I.
- 367. *Clematis* sp.**
ex: China, Nei Mongol, near Yanchi
- 368. *Consolida regalis* S. F. Gray**
- 369. *Delphinium grandiflorum* L.**
'Gentian Blue'
- 370. *Eranthis cilicica* Schott & Kotschy**
- 371. *Nigella orientalis* L.**
'Transformer'
- 372. *Pulsatilla albana* Bercht. et J. S. Presl**
- 373. *Thalictrum flavum* L.**
ex: Czech Rep., Libochovická tabule, Slanisko u
Koštic, Rybka V., CZ 0 PRAZ 2015.00468
- 374. *Thalictrum* sp.**
ex: Turkey, 5 km NW by rd. E97(915) from
Aşkale, Sekerka P.

Rosaceae

- 375. *Alchemilla erythropoda* Juz.**
- 376. *Geum triflorum* Pursh**
- 377. *Malus baccata* (L.) Borkh.**
var. *mandshurica* C.K.Schneider
ex: BG Tsukuba - Medicinal Plant Research
Station: Japan, Hokkaido Experimental station,
Nayoro-shi - wild plants
- 378. *Neviusia alabamensis* A. Gray**
- 379. *Physocarpus intermedius* C.K.Schneid.**
ex: BG Chernovci
- 380. *Physocarpus stellatus* (Rydb.) Rehd.**
ex: BG Silva-Stepposa, Lipe
- 381. *Potentilla fissa* Nutt.**
ex: BG Berlin - Dahlem
- 382. *Potentilla thurberi* A.Gray**
- 383. *Pyrus fauriei* Schneid.**
- 384. *Rhodotypos scandens* (Thunb.) Makino**

Rubiaceae

385. *Hydnophytum puffii*
Y.W.Low, Sugau & K.M.Wong
ex: BG Leiden
386. *Hydnophytum simplex* Becc.
387. *Hydnophytum* sp.
ex: BG Leiden: Malaysia, Sarawak
388. *Myrmecodia tuberosa* Jack.
ex: Sumatra, lowland near Bukit Barisan,
Wistuba A.
389. *Myrmecodia tuberosa* Jack
ex: Vietnam, prov. Khanh Hoa, Hon Ba, 230 m,
VN 0 PRAZ 2014.01218

Rutaceae

390. *Ptelea trifoliata* L.
ex: BG East Lansing: U.S.A., MI, Ingham Co.,
MSU Campus Library Bridge, southern floodplain
forest, 84°29' W, 42°44' N, 256 m
391. *Tetradium daniellii* T. G. Hartley
392. *Zanthoxylum piperitum* (L.) DC.

Saxifragaceae

393. *Heuchera americana* L.
var. *hispida*
ex: BG Regensburg
394. *Heuchera americana* L.
395. *Heuchera cylindrica* Douglas
396. *Heuchera parishii* Rydb.
ex: Northwest Native Seeds: U.S.A., CA, San
Bernardino Co., San Bernardino Mtns, Cienaga
Creek, Ron Ratko
397. *Heuchera parviflora* Bartl.
var. *nivalis*
ex: Alplains: U.S.A., CO, Lake Co., 3900 m
398. *Heuchera richardsonii* R.Br.

- 399. *Heuchera rubescens* Torr.**
var. *rubescens*
ex: Alplains: U.S.A., UT, Sevier Co., 1982 m
- 400. *Heuchera rubescens* Torr.**
var. *versicolor*
ex: Alplains U.S.A., NM, Lincoln Co., 3050 m
- 401. *Tellima grandiflora* Douglas ex Lindl.**
ex: BG Reykjavík

Scrophulariaceae

- 402. *Halleria lucida* L.**
- 403. *Scrophularia umbrosa* Dumort.**
ex: Czech Rep., Hornomoravský úval, ponds
Hrdibořické rybníky, Rybka V.,
CZ 0 PRAZ 2013.03949
- 404. *Verbascum phoeniceum* L.**
ex: Czech Rep., Dolnomoravský úval, Váté písky,
Rybka V., CZ 0 PRAZ 2013.03904

Staphyleaceae

- 405. *Staphylea trifolia* L.**
ex: BG Niagara Parks Botanical Gardens: Canada,
Ontario, Niagara Glen, Niagara Falls

Thymelaeaceae

- 406. *Gnidia linearis* (Leandri) Z.S.Rogers**
ex: Madagascar, Itampolo - Lavanono
- 407. *Phaleria capitata* Jack**
ex: BG Leiden: Sumatra

Valerianaceae

- 408. *Centranthus ruber* (L.) DC.**
- 409. *Centranthus ruber* (L.) DC.**
'Albus'

Verbenaceae

410. *Verbena hastata* L.
411. *Verbena macdougalii* A.Heller
ex: BG Graz
412. *Verbena stricta* Vent.

Vitaceae

413. *Cissus* sp.
ex: Nikaragua, Region Autonoma del Atlántico
Norte, Sahsa, Haager J. R., Rybková R.,
NI 0 PRAZ 1997.05675

LILIOPSIDA

Amaryllidaceae

414. *Clivia gardenii* Hook.
415. *Narcissus pseudonarcissus* L.
ex: BG Göttingen: France, Gerardmer/Vogesen
416. *Allium angulosum* L.
ex: Czech Rep., Hornomoravský úval, Plané
loučky, Rybka V., CZ 0 PRAZ 2013.03947
417. *Allium caesium* Schrenk
418. *Allium christophii* Trautv.
419. *Allium oreophilum* C. A. Mey.
420. *Allium schuberti* Zucc.
421. *Ipheion dialystemon* Guagl.
422. *Ipheion uniflorum* (Lindl.) Raf.
'Violaceum'

Asparagaceae

423. *Agave xylonacantha* Salm-Dyck
ex: Mexiko
424. *Hyacinthella epiloba*
425. *Hyacinthella glabrescens*
K.Persson et Wendelbo
ex: Turkey, 9 km N by rd E90 (750) from Pozanti,
Sekerka P., Huml V.

426. *Hyacinthella heldreichii*

(Boiss.) Chouard

ex: Turkey, Cetince 15 km NW from Karaagac,
38°11'34" N, 31°13'04" E, 1080 m, Sekerka P.,
Huml V.

427. *Hyacinthella lineata* (Steud.) Chouard

ex: Turkey, Akcapinar on rd Seydişehir - Bozkir,
37°11'38" N, 32°12'26" E, 1253 m,
Sekerka P., Huml V.

428. *Hyacinthoides reverchonii*

(Degen & Hervier) Speta

Bromeliaceae

429. *Billbergia kuhlmannii* L.B.Sm.

ex: BG Bochum

Colchicaceae

430. *Colchicum cilicicum* Damm.

ex: BG Linz

431. *Colchicum macrophyllum* B.L.Burt

432. *Colchicum variegatum* L.

ex: Turkey, Köprülü kanyon, Sekerka P., Huml V.

433. *Disporum* sp.

ex: Thajsko, Chiang Mai, TH 0 PRAZ 2015.07502

434. *Merendera attica* Boiss. & Spruner

ex: Turkey, near Pamukalle, Sekerka P., Huml V.

Costaceae

435. *Costus afer* Ker Gawl.

ex: Uganda, Murchison Falls

436. *Costus dubius* (Afzel.) K.Schum.

ex: BG Plzeň

437. *Chamaecostus cuspidatus* Loes.

ex: BG Teplice

Cyperaceae

- 438. *Carex appropinquata* Schum.**
ex: Czech Rep., Ralsko-bezdězská tabule, SE edge of Novozámecký pond, Rybka V.
CZ 0 PRAZ 2013.03925
- 439. *Carex diandra* Schrank**
ex: Czech Rep., Ralsko-bezdězská tabule, Rečkov, Rybka V., CZ 0 PRAZ 2013.03927
- 440. *Carex otrubae* Podp.**
ex: Czech Rep., Hanácká pahorkatina, cihelna Nemilany, Rybka V., CZ 0 PRAZ 2014.00540
- 441. *Carex pairae* F. W. Schultz**
ex: Czech Rep., Ralsko-bezdězská tabule, S from Hradčanské ponds, near Víšek, Rybka V., CZ 0 PRAZ 2015.07342
- 442. *Carex pallescens* L.**
ex: Czech Rep., Ralsko-bezdězská tabule, N edge of Břehyňský pond, Rybka V., CZ 0 PRAZ 2015.00590
- 443. *Carex rostrata* Stokes**
ex: Czech Rep., Oderské vrchy, VVP Libavá, CZ 0 PRAZ 2012.05504
- 444. *Carex spicata* Huds.**
ex: Czech Rep., Ralsko-bezdězská tabule, Hradčanské ponds, edge of Vavrouškův pond, Rybka V., CZ 0 PRAZ 2014.01101
- 445. *Carex stenophylla* Wahlenb.**
ex: Czech Rep., Pánov u Hodonína, Rybka V., CZ 0 PRAZ 2013.02342

Hyacinthaceae

- 446. *Bellevalia gracilis* Feinbrun**
ex: Turkey, 71 km W by E88 (200) from Sivas, Sekerka P., Huml V.
- 447. *Bellevalia longipes* Post**
ex: Turkey, rd. Birecik – Şanlıurfa, 30 km from Birecik, 37°03'17" N, 38°07'54"E, 845 m, Sekerka P., Huml V.

- 448. *Bellevalia longistyla* (Miscz.) Grossh.**
ex: Turkey, Kurubaş Geçidi on rd. Van - Gurpınar, Sekerka P., Huml V.
- 449. *Bellevalia mauritanica* Pomel**
ex: BG Wuppertal
- 450. *Bellevalia modesta* Wendelbo**
ex: Turkey, 9 S by rd. E90 (750) from Pozanti, Sekerka P., Huml V.
- 451. *Bellevalia rixii* Wendelbo**
ex: Jim+Jenny Archibald: Turkey, Van, NNW of Baskale, 2800 m
- 452. *Bellevalia romana* Sweet**
- 453. *Bellevalia sarmatica* Misc.**
ex: Turkey, rd. 020 about 28 km before Kandira from Teke, Sekerka P., Huml V.
- 454. *Bowiea volubilis* Harv. ex Hook.f.**
subsp. *volubilis*
ex: BG Linz
- 455. *Muscari comosum* (L.) Mill.**
ex: Turkey, about 10 km S from Erentepe on rd. Malazgirt - Muş, 38°53'48" N, 41°58'12" E, 1782 m, Sekerka P., Huml V.
- 456. *Muscari discolor***
Boiss. & Hausskn. ex Boiss.
ex: Turkey, 55 km N by rd. 695 from Akseki, Sekerka P., Huml V.
- 457. *Muscari longipes* Boiss.**
ex: Turkey, turning off rd. to Gordion on rd. Ayaş - Polatlı, Sekerka P., Huml V.
- 458. *Scilla litardierei* Breistr.**
ex: BG Vácrátót

Iridaceae

- 459. *Aristea ensifolia* Muir**
- 460. *Belamcanda chinensis***
ex: China, Hunan, Wulingyan, Chvosta E., CN 0 PRAZ 2007.03962
- 461. *Crocus ancycensis* Maw**
ex: Turkey, rd. Ankara - Çubuk - şabanözü about 20 km SE from Çubuk, Sekerka P., Huml V.

- 462. *Crocus danfordiae* Maw**
ex: Turkey, rd. 650 15 km from Dinar,
Sekerka P., Huml V.
- 463. *Crocus chrysanthus* (Herb.) Herb.**
ex: Turkey, about 3 km from Troia, 39°57'13"N,
26°16'27", 119 m, Sekerka P., Huml V.
- 464. *Iris bicapitata* Colas.**
ex: Italy, Gargano, 41°46,185' N, 15°48,862' E,
Sekerka P.
- 465. *Iris bicapitata* Colas.**
ex: Italy, Gargano, 41°46,046' N, 16°03,660' E,
Sekerka P.
- 466. *Iris imbricata* Lindl.**
- 467. *Iris junonia* Schott & Kotschy ex Schott**
- 468. *Iris lactea* Pall.**
- 469. *Iris lineolata* (Trautv.) Grossh.**
ex: Armenia, N from Kafan
- 470. *Iris relictata* Colas.**
- 471. *Iris* sp.**
ex: Greece, near Paleokastro, 40°25'28" N,
23°27'38" E, Sekerka P., Chvosta E., Stanzel J.
- 472. *Iris* sp.**
ex: Italy, Gargano, Puglia, San Giovanni Rotondo,
41.716020° N, 15.670624° E, Ponert J.
- 473. *Iris* sp.**
ex: Italy, Gargano, Puglia, San Giovanni Rotondo,
41.750668° N, 15.691104° E, Ponert J.
- 474. *Iris* sp.**
ex: Macedonia, near lake Mladost', near Skopje,
Horáček P.
- 475. *Iris taochia* Woronow ex Grossh.**
ex: Turkey, 3 km N by rd.950 from Torul,
Sekerka P., Huml V.
- 476. *Iris warleyensis* Foster**
- 477. *Romulea ramiflora* Ten.**
ex: BG Bochum
- 478. *Romulea sabulosa* Schltr. ex Bég.**

479. *Sisyrinchium striatum* Sm.

ex: BG Weinheim

Liliaceae

480. *Fritillaria acmopetala* Boiss.

481. *Fritillaria elwesii* Boiss.

482. *Fritillaria meleagris* L.

483. *Fritillaria messanensis* Raf. & Turrill

ex: BG St. Gallen

484. *Fritillaria montana* Hoppe

485. *Fritillaria pontica* Wahlenb.

486. *Fritillaria pyrenaica* L.

487. *Lilium philippinense* Baker

488. *Tulipa iliensis* Regel

489. *Tulipa montana* Lindl.

490. *Tulipa tarda* Stapf

Musaceae

491. *Musa velutina* H.Wendl. & Drude

ex: BG Singapore

Poaceae

492. *Andropogon gerardii* Vitman

493. *Andropogon scoparius* Michx.

494. *Fingerhuthia africana* Lehm.

ex: R.S.A., Montagu

495. *Poa chaixii* Vill.

496. *Rhynchelytrum repens* C.E.Hubb.

497. *Sesleria autumnalis* (Scop.) F.W.Schultz

498. *Sesleria autumnalis* (Scop.) F.W.Schultz

499. *Sesleria bielzii* Schur

ex: BG Bydgoszcz

500. *Sporobolus heterolepis* (A.Gray) A.Gray

501. *Stipa tenuissima* Trin.

ex: U.S.A., Texas, 29°16.468' N, 103°17.191'W,
cca 2000 m

Taccaceae

502. *Tacca chantrieri* André

ex: Vietnam, prov. Lam Dong, Bao Loc, 800 m,
Haager J. R., Rybková R.,
VN 0 PRAZ 1999.05356

Xanthorrhoeaceae

503. *Aloe elgonica* Bullock

ex: BG Liberec

504. *Aloe plicatilis* Mill.

ex: BG Lednice - ZF MZLU

505. *Dianella javanica* Kunth

ex: Borneo, Sarawak, Kizlabit Highland, Palungan

506. *Hemerocallis minor* Mill.

ex: BG Tartu

507. *Hemerocallis minor* Mill.

ex: Russia, Aršan - Sajany

508. *Hemerocallis* sp.

ex: China, Nei Mongol, Huml V., +43°42'50",
+116°38'01", 1304 m, CN 0 PRAZ 2001.03046

509. *Hemerocallis* sp.

ex: China, Shanxi, Mahuangcun, Wu Tai Xian,
Xinzhou, Sekerka P., Bulánková I., +38°52'09",
+113°42'08", 1274 m, CN 0 PRAZ 2001.03049

510. *Hemerocallis* sp.

ex: China, Beijing, Baihuashan Natural Scenic
Areal, Sekerka P., Bulánková I.,
+39°49'24", +115°35'37", 1792 m,
CN 0 PRAZ 2001.03051

511. *Hemerocallis* sp.

ex: China, Nei Mongol, Sekerka P., Bulánková I.,
+43°43'58", +116°46'57", 1215 m,
CN 0 PRAZ 2001.03055

512. *Hemerocallis* sp.

ex: Gansu, Kongtong shan, China, Sekerka P.,
Bulánková I., Skálová K., 35°32'53", 106°31'05",
1786 m, CN 0 PRAZ 2006.11545

Zingiberaceae

513. *Hedychium horsfieldii* R.Br. ex Wall.

ex: BG Olomouc – Univ.

Cover illustration reproduced from:

Cv. Ettinghansen et A. Pokorny - Physiotypia Plantarum
Austriacum, Wien, 1856

All seeds from BG are the result of open pollination.

Taxonomy based on database [florius.cz](http://www.florius.cz)

Information about plants origin you can obtain on
<http://www.florius.cz/troja/>

Your address:

Please, restrict your request to 15 taxa or less.

Please, return the numbered list not later than 30th May.

Phytosanitary certificate YES / NO ?

DESIDERATA :