

INDEX SEMINUM



Botanická zahrada Teplice
Botanical Garden Teplice
Czech Republic
2021-2022



BOTANICKÁ ZAHRADA
TEPLICE



Cover photo: *xRhynchomesidium* [*Rhynchosstele uroskinneri* × *Gomesa praetexta* × *Oncidium crispum*, hybridization by J. R. Haager]

Botanical Garden Teplice

Botanical Garden Teplice
Josefa Suka 1388/18
415 01 Teplice
Czech Republic

Latitude: N 50°38'17"

Longitude: E 13°50'32"

Altitude: 228 m a. s. l.

Website: www.botanickateplice.cz



www.facebook.com/botanickateplice



www.instagram.com/botanickateplice



www.youtube.com/channel/UCBV1_Pu7mIXOM2Yai-Kz3gw

E-mail: curator@botanickateplice.cz or botanika@botanickateplice.cz

The Botanical Garden Teplice
is a member of the:



Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

This Index seminum can be searched through the global seed search system:

seminumsystem2021 seminumipen2021 seminumwild2021

MEAN MONTHLY TEMPERATURE (°C)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII
-1.3	0.5	4.1	8.9	13.9	17.0	18.6	18.0	13.9	8.8	3.6	0.3

Mean Annual Temperature: 8.9 °C

Extreme Highest Temperature: +35.9 °C (29/07/1983)

Extreme Lowest Temperature: -21.7 °C (14/01/1987)

MEAN MONTHLY RAINFALL (mm)

I.	II.	III.	IV.	V.	VI.	VII.	VIII.	IX.	X.	XI.	XII
33.6	29.8	35.0	33.7	50.1	64.0	58.0	60.0	40.9	32.9	38.0	40.4

Mean Annual Precipitation: 516.4 mm

Botanical Garden Teplice

The Botanical Garden Teplice was established by the Teplice City Council in 2002 as an independent public body and fully funded by the Teplice City Council. From the garden's total area of two hectares almost a half is dedicated to the open-air display of plants. The exhibition greenhouses cover 2,400 m² of land and the storage greenhouses, which are not open to the public, cover 1,750 m². Each one of our four greenhouses is dedicated to a distinct climatic zone.

THE XERIC GREENHOUSE

Vast areas of the Earth are covered with plant communities which have adapted to the long periods of drought. We have selected some especially attractive ones: Central America, primarily Mexican half deserts, dry mountain areas of South America, western parts of South Africa and arid South of Madagascar. These main areas are supplemented with several smaller ones – a show of flora from the Galapagos Islands, Arabia and rare vegetation of the Socotra Island which is situated in the Arabian Sea between Yemen and Somalia.

THE TROPICAL GREENHOUSE

This is the most spacious. It covers an area of over 1,000 square meters and stands almost 16 meters high. A lively waterfall, two flowing brooks, a copy of the ruins of a Mexican pyramid, a glazed case with orchids and other rare plants, a pond and aquariums enhance the interior. All plants exhibits are displayed – as in other greenhouses – by their geographical origin and include collections from tropical America, Asia, Australia, Africa and northern Madagascar.

THE SUBTROPICAL GREENHOUSE

The Andes of Chile, the Himalayas and subtropics of the south-eastern Asia, New Zealand, mountains and eastern part of South Africa with winter rains – that is all we try to introduce in the subtropical greenhouse. The subtropical exposures are diversified in a show-case with quite cold-loving carnivorous plants and orchids and a patio created by a column down which water flows with a star pergola inspired by the travels around Mexico.

THE ROCK GARDEN GREENHOUSE

The Rock Garden Greenhouse is the newest construction subsequent the whole exhibition complex. There are dedicate to plants from the mountain areas of Europe (incl. Canary Islands), Asia, North America, New Zealand and South American (incl. the Chilean desert Atacama).

THE OPEN-AIR DISPLAY

The outdoor exposure is spread on the area of 1.5 hectares and during one day in the botanic garden you can travel almost all around the world. As well as the greenhouse exposure the whole area is divided to the individual regions on the Earth from the geographic point of view.

Index seminum

SEED COLLECTORS

Petra Bílková
Michaela Dvořáková
Harald Eichhorn
Hana Hajná
Martina Jirsová
Vendula Nosková
Iveta Pavlíčková
Marcela Strnadová
Martin Šimek
Hana Šedivá

SENIOR GARDENER

Anna Frolíková
Marcela Strnadová

SEED EXCHANGE

Dominika Linhová

CURATOR

Jan Ptáček

DIRECTOR

Petr Šíla

Angiosperms

Eudicots

Acanthaceae

- 1 G ***Barleria obtusa*** Nees
XX-0-TEBLI-01396 [ex Silverhill Seeds, South Africa]

Aizoaceae

- 2 G ***Delosperma harazianum*** (Deflers) Poppend. & Ihlenf.
YE-0-PLZEN-0735-05-20, loc. Yemen [coll. P. Pavelka]
[ex ZBG Plzeň, Czech Republic]
- 3 G ***Delosperma harazianum*** (Deflers) Poppend. & Ihlenf.
SA-0-STGAL-113/1993, loc. Saudi Arabia [ex BG St. Gallen, Switzerland]
- 4 G ***Mesembryanthemum crystallinum*** L.
PT-0-TEBLI-02082, loc. Madeira, Ponta de São Lourenço [coll. M. Strnadová, 2017]
- 5 G ***Mestoklema tuberosum*** (L.) N.E. Br.
XX-0-TEBLI-02105 [ex BG Konstanz, Germany]

Amaranthaceae

- 6 O ***Amarantus*-hybrid 'Hopi Red Dye'**
XX-0-TEBLI-00588 [ex BG Marijampolė, Lithuania]
- 7 G ***Pleuropetalum darwinii*** Hook.f.
EC-0-B-0547874, loc. Ecuador, Galápagos Isl., Santa Cruz Isl.
[ex BG Berlin-Dahlem, Germany]

Apiaceae

- 8 O ***Angelica archangelica*** L.
XX-0-ULM-2000-F-271 [ex BG Ulm, Germany]
- 9 O ***Bunium bulbocastanum*** L.
XX-0-BHU-F-1991-454 [ex BG Berlin Humboldt, Germany]
- 10 O ***Cryptotaenia japonica*** Hassk.
[syn. *Cryptotaenia japonica* var. *atropurpurea* Makino]
XX-0-TEBLI-00592
- 11 O ***Eryngium ×oliverianum*** F. Delaroche
XX-0-TEBLI-02083 [ex BG Łódź, Poland]
- 12 O ***Eryngium amethystinum*** L.
XX-0-TEBLI-01511
- 13 O ***Eryngium bromeliifolium*** F. Delaroche
XX-0-HAL-2828 [ex BG Halle, Germany]

- 14 0 ***Eryngium paniculatum*** Cav. & Dombey ex F.Delaroche
CL-O-TEBLI-02084, loc. Chile, Araucanía Region, Arauco Province, Nahuelbuta NP
[coll. J. R. Haager & H. Šedivá]
- 15 0 ***Eryngium planum*** L.
XX-O-TEBLI-0011 [ex BG Duisburg-Essen, Germany]
- 16 0 ***Meum athamanticum*** Jacq.
CZ-O-TEBLI-02085, loc. Czech Republic, North Bohemia, Krušné hory, Fláje
[coll. A. Frolíková]
- 17 0 ***Myrrhis odorata*** (L.) Scop.
XX-O-TEBLI-02086 [ex Zahr. Krulichovi, Czech Republic]
- 18 0 ***Sium sisarum*** L.
XX-O-TEBLI-02087 [ex BG LF MU Brno, Czech Republic]
- 19 0 ***Eryngium alpinum*** L.
XX-O-TUEB-3657 [ex BG Tübingen, Germany]

Apocynaceae

- 20 0 ***Amsonia ciliata*** var. ***texana*** (A.Gray) J.M.Coult.
XX-O-CLA-0368 [ex BG Cluj-Napoca, Romania]
- 21 0 ***Amsonia elliptica*** (Thunb.) Roem. & Schult.
XX-O-TEBLI-01517 [ex BG Cluj-Napoca, Romania]
- 22 0 ***Amsonia illustris*** Woodson
XX-O-TEBLI-01518 [ex BG LF MU Brno, Czech Republic]
- 23 0 ***Amsonia jonesii*** Woodson
XX-O-Z-20070902 [ex BG Zürich, Switzerland]
- 24 0 ***Amsonia ludoviciana*** Small
XX-O-TEBLI-02088 [ex BG Weinheim, Germany]
- 25 0 ***Amsonia orientalis*** Decne
XX-O-TEBLI-00810 [ex BG Lausanne, Switzerland]
- 26 0 ***Amsonia orientalis*** Decne
XX-O-TEBLI-01519 [ex BG Praha, Czech Republic]
- 27 0 ***Amsonia 'Seaford Skie'***
XX-O-TEBLI-01521 [ex BG Praha, Czech Republic]
- 28 0 ***Amsonia tabernaemontana*** var. ***salicifolia*** (Pursh) Woodson
XX-O-TEBLI-01523 [ex BG Weinheim, Germany]
- 29 0 ***Asclepias curassavica*** L.
XX-O-TEBLI-01524
- 30 0 ***Asclepias incarnata*** L. '**Cinderella'**
XX-O-TEBLI-02089 [ex BG Cluj-Napoca, Romania]
- 31 0 ***Asclepias speciosa*** Torr.
XX-O-BRAUN-7758917 [ex BG Braunschweig, Germany]

- 32 G ***Catharanthus trichophyllus*** (Baker) Pichon
MG-0-TEBLI-00017 loc. Madagascar, Isalo Mts. [coll. E. Smržová]
[ex BG Praha, Czech Republic]
- 33 G ***Oxypetalum coeruleum*** (D.Don ex Sweet) Decne.
XX-0-TEBLI-01140 [ex BG Košice, Slovakia]

Aristolochiaceae

- 34 G ***Aristolochia arborea*** Linden
GT-0-TEBLI-02090, loc. Guatemala, Cubilgütz
[coll. J. R. Haager & R. Rybková, 1997]

Asteraceae

- 35 O ***Acmella oleracea*** (L.) R.K.Jansen **f. *purpurea*** (purple leaved)
XX-0-TEBLI-02091 [ex Jelitto, Germany]
- 36 O ***Acmella oleracea*** (L.) R.K.Jansen
XX-0-TEBLI-02092 [ex Jelitto, Germany]
- 37 O ***Ageratina aromatica*** (L.) Spach
XX-0-TEBLI-01542 [ex Zahr. Krulichovi, Czech Republic]
- 38 O ***Ageratina occidentalis*** (Hook.) R.M.King & H.Rob.
US-0-PRAZ-2018.01762, loc. USA, Oregon, Mahonita Village, forest near Crater Lake
[ex BG Praha, Czech Republic]
- 39 O ***Achillea salicifolia*** Besser
XX-0-TEBLI-02093 [ex BG Tartu, Estonia]
- 40 O ***Anaphalis margaritacea*** (L.) Benth. & Hook.f. **'New Snow'**
XX-0-TEBLI-01543 [ex Černý Seed s r.o., Czech Republic]
- 41 O ***Arctotis venusta*** Norl.
XX-0-Z-20020220 [ex BG Mainz, Germany]
- 42 O ***Arnica nevadensis*** A.Gray
XX-0-JENA-7688290 [ex BG Jena, Germany]
- 43 O ***Aster alpinus*** L.
AT-0-KIEL-2008-0030-10-228, loc. Austria, Carinthia, Pasterze, Hoffmanns-Hütte
[ex BG Kiel, Germany]
- 44 O ***Aster alpinus*** L. **'Roseus'**
XX-0-TEBLI-01413 [ex BG Vilnius, Lithuania]
- 45 O ***Aster alpinus*** L. **'Dark Beauty'**
XX-0-TEBLI-01548 [ex ZBG Plzeň, Czech Republic]
- 46 O ***Aster alpinus*** L. **'Dunkle Schöne'**
XX-0-TEBLI-01549 [ex BG AV Průhonice, Czech Republic]
- 47 O ***Aster alpinus*** L. **'Dunkle Schöne'**
XX-0-TEBLI-01820 [ex BG Lublin, Poland]
- 48 O ***Aster alpinus*** L. **'Pirinensis'**
XX-0-TEBLI-00988 [ex BG St. Andrews, UK]

- 49 0 ***Aster alpinus*** L. '**Polycephalus'**
XX-0-TEBLI-01412 [ex BG Kaunas, Lithuania]
- 50 0 ***Aster flaccidus*** Bunge
XX-0-TEBLI-01807 [ex BG Bormio, Italy]
- 51 0 ***Aster himalaicus*** C.B.Clarke
XX-0-BRNU-2017-01095 [ex BG MU Brno, Czech Republic]
- 52 0 ***Berkheya cirsifolia*** (DC.) Roessler
ZA-0-IB-008865, loc. South Africa [ex BG Innsbruck, Austria]
- 53 0 ***Berkheya macrocephala*** J.M.Wood
XX-0-TEBLI-00037
- 54 0 ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast.
XX-0-TEBLI-01963 [ex BG Praha, Czech Republic]
- 55 0 ***Berkheya purpurea*** (DC.) Benth. & Hook.f. ex Mast. '**Silver Spikes'**
XX-0-TEBLI-01552 [ex BG Praha, Czech Republic]
- 56 0 ***Berkheya radula*** (Harv.) De Wild.
XX-0-Z-20140391 [ex BG Zürich, Switzerland]
- 57 0 ***Berkheya rhapontica*** (DC.) Hutch & Burtt.Davy
LS-1-M-2011/1323, loc. Lesotho, ex Katse Botanical Garden
[ex BG München, Germany]
- 58 0 ***Bidens aurea*** (Aiton) Sherff
XX-0-MADJ-04-2018-N [ex BG Madeira, Portugal]
- 59 0 ***Buphthalmum salicifolium*** L.
XX-0-TEBLI-01964 [ex BG Nantes, France]
- 60 0 ***Catananche caerulea*** L.
FR-0-M-2011/2067, loc. France, Alpes Maritimes, Basse du Pape, 1022 m,
boundary between Peille and Sospel [ex BG München, Germany]
- 61 0 ***Centaurea dealbata*** Willd.
XX-0-TEBLI-00041
- 62 0 ***Centaurea jacea*** L.
DK-0-TEBLI-02094, loc. Denmark, Lushage, N 56°6'10.65", E 10°32'37.55"
[Jørgen Christiansen & Anne Murmann Hansen, 25. 08. 2019]
[ex BG Aarhus, Denmark]
- 63 0 ***Centaurea macrocephala*** Muss. Puschk. ex Willd.
XX-0-TEBLI-00042
- 64 0 ***Centaurea solstitialis*** L.
BG-0-TEBLI-00822, loc. Bulgaria, Vratsa Province, Bozhia Most
[coll. A. Frolíková, 26. 08. 2011]
- 65 0 ***Coreopsis palmata*** Nutt.
XX-0-TEBLI-00604 [ex BG Kaunas, Lithuania]
- 66 0 ***Cosmos bipinnatus*** Cav. '**Sensation'**
XX-0-TEBLI-02095 [ex BG Tábor, Czech Republic]

- 67 0 ***Cota tinctoria*** (L.) J.Gay
[syn. *Anthemis tinctoria* L.]
XX-0-TEBLI-00024
- 68 0 ***Cotula socialis*** Hilliard
XX-0-TEBLI-02096 [ex BG Kursk, Russia]
- 69 0 ***Echinops humilis*** M.Bieb.
XX-0-TEBLI-02097 [ex BG Berlin, Germany]
- 70 0 ***Echinops humilis*** M.Bieb.
XX-0-ROST-2003-F-4259 [ex BG Rostock, Germany]
- 71 0 ***Erigeron caucasicus*** Steven
AT-0-IAGB197610G [ex BG Iași, Romania]
- 72 0 ***Erigeron epiroticus*** (Vierh.) Halácsy
BA-0-M-1998/1565, loc. Bosnia and Herzegovin, 1850 m
[ex BG München, Germany]
- 73 0 ***Erigeron pulchellus*** Michx.
XX-0-BONN-29602 [ex BG Bonn, Germany]
- 74 0 ***Eriophyllum lanatum*** var. ***integrifolium*** (Hook.) Smiley
US-0-TUEB-1462, loc. USA, Washington, Skamania Co, State Route 14,
grassland community with *Holodiscus discolor*, *Gilia capitata*, *Daucus carota*
and *Avena* sp.; 45°35'58"N, 122°13'03"W [ex BG Tübingen, Germany]
- 75 0 ***Eutrochium maculatum*** (L.) E.E.Lamont
XX-0-LZ-ZF-998-1996 [ex BG Leipzig, Germany]
- 76 0 ***Felicia aethiopica*** (Burm.f.) Grau
XX-0-PRAZ-2003.19066
[ex Silverhill Seeds, South Africa via BG Praha, Czech Republic]
- 77 0 ***Felicia drakensbergensis*** J.M.Wood & M.S.Evans
XX-0-Z-20171301 [ex BG Zürich, Switzerland]
- 78 0 ***Gaillardia xgrandiflora*** Hort. ex Van Houtte '**Burgunder**'
XX-0-TEBLI-01971 [ex BG Lublin, Poland]
- 79 0 ***Gaillardia aestivalis*** (Walter) H.Rock
[syn. *Gaillardia lanceolata* Michx.]
XX-0-TEBLI-01827 [ex BG Leipzig, Germany]
- 80 0 ***Gaillardia aristata*** Pursh '**Torch Light**'
XX-0-TEBLI-01285
- 81 0 ***Galatella linosyris*** (L.) Rchb.f.
[syn. *Aster linosyris* (L.) Bernh.]
XX-0-TEBLI-00035 [ex Zahradní centrum, Czech Republic]
- 82 0 ***Gazania linearis*** (Thunb.) Druce
XX-0-Z-20120386 [ex BG Zürich, Switzerland]
- 83 0 ***Grindelia aegialitis*** Cabrera
AR-0-B-0470199, loc. Argentina, Buenos Aires Province, Dept. Mar Chiquita,
Santa Clara del Mar [leg. Leuenberger/Arroyo 3859]
[ex BG Berlin-Dahlem, Germany]

- 84 0 ***Grindelia squarrosa*** (Pursh) Dunal
XX-0-HAL-980 [ex BG Halle, Germany]
- 85 0 ***Helenium puberulum*** DC.
XX-0-DR-004255 [ex BG TU Dresden, Germany]
- 86 0 ***Helichrysum bellum*** Hilliard
XX-0-FRP-15818 [ex BG Frankfurt am Main-PalmenGarten, Germany]
- 87 0 ***Helichrysum bracteatum*** (Venten.) Willd. '**Lakoye Miniatyuri'**
XX-0-TEBLI-02098 [ex BG Blagověščensk, Russia]
- 88 0 ***Helichrysum decorum*** DC.
XX-0-HAL-7673 [ex BG Klagenfurt, Austria]
- 89 0 ***Helichrysum harveyanum*** Wild '**Valentin'**
[syn. *Helichrysum subulifolium* Harv. 'Valentin']
XX-0-TEBLI-02099 [ex Černý Seed s r.o., Czech Republic]
- 90 0 ***Helopsis helianthoides*** L. Sweet var. ***scabra*** '**Bleeding Hearts'**
XX-0-TEBLI-01975 [ex Jelitto, Germany]
- 91 0 ***Hieracium bombycinum*** Boiss. & Reut. ex Rchb.f.
XX-0-TEBLI-01568 [ex BG Bormio, Italy]
- 92 0 ***Hieracium tomentosum*** L.
[syn. *Hieracium lanatum* Vill.]
XX-0-TEBLI-01419 [ex Jelitto, Germany]
- 93 0 ***Inula ensifolia*** L.
XX-0-TEBLI-01569 [ex BG AV Průhonice, Czech Republic]
- 94 0 ***Inula oculus-christi*** L.
XX-0-TEBLI-00076
- 95 0 ***Monoculus hyoseroides*** (DC.) B.Nord.
XX-0-LZ-SYS-116-2018 [ex BG Leipzig, Germany]
- 96 0 ***Pachystegia minor*** (Cheeseman) Molloy
XX-0-WURZB-1995-159-K-74 [ex BG Würzburg, Germany]
- 97 0 ***Parthenium integrifolium*** L.
XX-0-TEBLI-01576 [ex BG St. Louis, USA]
- 98 0 ***Porophyllum linaria*** (Cav.) DC.
XX-0-BONN-40680 [ex BG Bonn, Germany]
- 99 0 ***Ratibida columnifera*** (Nutt.) Wooton & Standl.
XX-0-JENA-7247577 [ex BG Jena, Germany]
- 100 0 ***Rhodanthe chlorocephala*** subsp. ***rosea*** (Hook.) Paul G.Wilson
[syn. *Helipterum roseum* (Hook.) Benth.]
XX-0-TEBLI-02100 [ex Černý Seed s r.o., Czech Republic]
- 101 0 ***Rudbeckia maxima*** Nutt.
XX-0-JENA-7995644 [ex BG Jena, Germany]
- 102 0 ***Sanvitalia procumbens*** Lam.
MX-0-STGAL-9160-Freiland(2016), loc. Mexico [ex BG St. Gallen, Switzerland]

- 103 O ***Sanvitalia*** sp.
MX-O-TEBLI-02101, loc. Mexico, Oaxaca, Hierve El Agua [coll. I. Jelínková, 2019]
- 104 O ***Senecio elegans*** L.
XX-O-TEBLI-02102 [ex BG Kursk, Russia]
- 105 O ***Senecio polyodon*** DC.
XX-O-TEBLI-02103 [ex Jelitto, Germany]
- 106 O ***Schkuhria pinnata*** (Lam.) Cabrera
XX-O-NCY-20070127G [ex BG Nancy, France]
- 107 O ***Schlagintweitia intybacea*** (All.) Griseb.
[syn. *Hieracium intybaceum* All.]
XX-O-TEBLI-01423 [ex Jelitto, Germany]
- 108 O ***Tagetes minuta*** L.
YE-O-BONN-21503, loc. Yemen [coll. G. Hoffmann, 01.01.1997]
[ex BG Bonn, Germany]
- 109 O ***Tanacetum parthenium*** (L.) Sch. Bip. '**Malmesbury'**
XX-O-TEBLI-01293 [ex Plant World Seeds, UK]
- 110 O ***Thelesperma burridgeanum*** S.F. Blake '**Brunette'**
XX-O-TEBLI-02104
- 111 O ***Tonestus lyallii*** (A.Gray) A.Nelson
XX-O-TEBLI-01426 [ex BG Jena, Germany]
- 112 O ***Townsendia parryi*** D.C.Eaton
XX-O-KHD-130042 [ex BG Denver, USA]
- 113 O ***Tripleurospermum caucasicum*** (Willd) Hayek
[syn. *Chrysanthemum caucasicum* (Willd.) Pers.]
XX-O-TEBLI-00092
- 114 O ***Zinnia angustifolia*** Kunth
MX-O-DR-004230, loc. Mexico [ex BG TU Dresden, Germany]

Bignoniaceae

- 115 G ***Dolichandrone alba*** (Sim) Sprague
XX-O-TEBLI-01163 [ex Silverhill Seeds, South Africa]
- 116 O ***Incarvillea olgae*** Regel
XX-O-TEBLI-00632 [ex BG Vilnius, Lithuania]

Boraginaceae

- 117 O ***Anchusa capensis*** Thunb.
XX-O-KHD-022032 [ex BG Denver, USA]
- 118 O ***Lithospermum erythrorhizon*** Siebold & Zucc.
XX-O-TEBLI-02106 [ex BG La Gacilly, France]
- 119 O ***Moltkia petraea*** (Tratt.) Griseb.
XX-O-TEBLI-01840 [ex Jelitto, Germany]
- 120 O ***Phacelia bolanderi*** A. Gray
XX-O-KL-2016/3831 [ex BG Leipzig, Germany]

Brassicaceae

- 121 O ***Aethionema armenum*** Boiss
XX-0-TEBLI-00134 [ex BG Wien-Belvedere, Austria]
- 122 O ***Alyssum montanum*** L.
XX-0-TR-20060100 [ex BG Trento, Italy]
- 123 O ***Arabis blepharophylla*** Hook. & Arn.
XX-0-TEBLI-02107 [ex BG Bratislava, Slovakia]
- 124 O ***Brassica oleracea*** L. 'Red Leaves'
[syn. *Brassica oleracea* var. *sabellica* L. 'Red Leaves']
XX-0-TEBLI-02108 [ex BG Wroclaw, Poland]
- 125 O ***Coluteocarpus vesicaria*** (L.) Holmboe
XX-0-LI-6615 [ex BG Linz, Austria]
- 126 O ***Draba hispanica*** Boiss.
XX-0-LI-7241 [ex BG Linz, Austria]
- 127 O ***Draba loiseleurii*** Boiss.
XX-0-TEBLI-02109 [ex Jelitto, Germany]
- 128 O ***Draba magellanica*** Lam.
AR-0-TEBLI-00639, loc. Argentina, Neuquén Province, W of Zapala,
El Atravesado, 1940 m [ex BG Marburg, Germany]
- 129 O ***Draba magellanica*** Lam.
XX-0-LZ-N-5-2007 [ex BG Leipzig, Germany]
- 130 O ***Erysimum jugicola*** Jord.
XX-0-TEBLI-02110 [ex BG Jibou, Romania]
- 131 O ***Erysimum pulchellum*** (Willd.) J.Gay
XX-0-STGAL-152/1981 [ex BG St. Gallen, Switzerland]
- 132 O ***Helophilus coronopifolia*** L.
XX-0-TEBLI-02111 [ex BG Krefeld, Germany]
- 133 O ***Isatis tinctoria*** L.
XX-0-TEBLI-00643 [ex BG Greifswald, Germany]
- 134 O ***Lepidium latifolium*** L.
XX-0-TEBLI-01607 [ex BG Chemnitz, Germany]
- 135 O ***Petrocallis pyrenaica*** (L.) R.Br.
XX-0-TEBLI-02112 [ex Plant World Seeds, UK]
- 136 O ***Thlaspi minimum*** Ard.
[syn. *Thlaspi kernerii* Huter]
XX-0-HAL-12104 [ex BG Halle, Germany]

Bromeliaceae

- 137 G ***Dyckia distachya*** Hassl.
XX-0-TEBLI-01953
- 138 G ***Vriesea raciniae*** L.B.Sm.
XX-0-TEBLI-02113 [ex BG Bonn, Germany]

Calceolariaceae

- 139 O ***Calceolaria tripartita*** Ruiz & Pav.
XX-0-FRIBG-10000098 [ex BG Fribourg, Switzerland]

Campanulaceae

- 140 O ***Adenophora khasiana*** (Hook. f. & Thomson) Oliv. ex Collett & Hemsl.
[syn. *Adenophora bulleyana* Diels]
XX-0-TEBLI-00156 [ex BG Vácrátót, Hungary]

- 141 O ***Adenophora pereskiiifolia*** (Fisch. Ex Schult.) G.Don
XX-0-TEBLI-00159 [ex BG Vácrátót, Hungary]

- 142 O ***Campanula alliariifolia*** Wild.
[syn. *Campanula ochroleuca* (Kem.-Nath.) Kem.-Nath.]
XX-0-TEBLI-00649 [ex BG Linz, Austria]

- 143 O ***Campanula alpestris*** All.
XX-0-TEBLI-01610 [ex BG Olomouc, Czech Republic]

- 144 O ***Campanula alpina*** Jacq.
XX-0-TEBLI-01611 [ex BG Wien-Belvedere, Austria]

- 145 O ***Campanula bayerniana*** Rupr.
XX-0-TEBLI-01984 [ex Gatineau, Canada]

- 146 O ***Campanula bayerniana*** Rupr.
XX-0-TEBLI-00165 [ex BG Bielefeld, Germany]

- 147 O ***Campanula collina*** Sims
XX-0-REYK-1993/007 [ex BG Reykjavík, Iceland]

- 148 O ***Campanula hierapetrae*** Rech.f.
XX-0-ZAVRT-3438 [ex BG Zagreb, Croatia]

- 149 O ***Campanula hofmannii*** (Pantan.) Greuter & Burdet
BA-0-DR-001855, loc. Bosnia and Herzegovin [ex BG TU Dresden, Germany]

- 150 O ***Campanula latifolia*** L. 'Alba'
XX-0-TEBLI-01846 [ex Pereny Hlavenec, Czech Republic]

- 151 O ***Campanula nobilimacrantha*** Regel
XX-0-TEBLI-01847 [ex BG Vilnius, Lithuania]

- 152 O ***Campanula petrophila*** Rupr.
XX-0-TEBLI-01985 [ex BG Perm, Russia]

- 153 O ***Campanula rainieri*** Perp.
XX-0-TEBLI-01015 [ex BG Bielefeld, Germany]

- 154 O ***Campanula rainieri*** Perp.
XX-0-TEBLI-01986 [ex Gatineau, Canada]

- 155 O ***Campanula sarmatica*** Ker Gawl.
XX-0-TEBLI-02114 [ex BG Barnaul, Russia]

- 156 O ***Codonopsis clematidea*** (Schrenk) C.B.Clarke
XX-0-TEBLI-01614

- 157 0 ***Jasione laevis*** Lam.
XX-0-TEBLI-01848 [ex BG Šiauliai, Lithuania]

- 158 0 ***Lobelia siphilitica*** L.
XX-0-TEBLI-01173 [ex BG Linz, Austria]

Caprifoliaceae

- 159 0 ***Cephalaria gigantea*** (Ledeb.) Bobrov
XX-0-TEBLI-00194 [ex BG Krefeld, Germany]
- 160 0 ***Morina longifolia*** Wall. ex DC.
XX-0-DATH-5704 [ex BG Darmstadt, Germany]
- 161 0 ***Patrinia scabiosifolia*** Link
RU-0-HOH-SYS-16551, loc. Russia [ex BG Stuttgart-Hohenheim, Germany]
- 162 0 ***Pterocephalus perennis*** DC.
XX-0-TEBLI-00196 [ex BG Copenhagen, Denmark]
- 163 0 ***Scabiosa columbaria*** L.
XX-0-TEBLI-01620 [ex BG Konstanz, Germany]
- 164 0 ***Scabiosa columbaria*** L. f. *nana* 'Pincushion Pink'
XX-0-TEBLI-01176 [ex Jelitto, Germany]
- 165 0 ***Scabiosa columbaria*** L. 'Misty Butterflies'
XX-0-TEBLI-01175 [ex Jelitto, Germany]
- 166 0 ***Scabiosa japonica*** Miq. 'Ritz Blue'
XX-0-TEBLI-02115
- 167 0 ***Succisa pratensis*** Moench
CZ-0-PLZEN-4134-97-20, loc. Czech Republic, Western Bohemia, Hnačov,
around pond, 550 m [coll. V. Pešková, 1997] [ex ZBG Plzeň, Czech Republic]

Caryophyllaceae

- 168 0 ***Dianthus andrzejowskianus*** Kulcz.
XX-0-TEBLI-01622 [ex BG Izhevsk, Russia]
- 169 0 ***Dianthus deltoides*** L.
CZ-0-PLZEN-2159-19-10, loc. Czech Republic, Western Bohemia, Žlutice, hill
Vladař, N 50°4'40.8" E 13°12'53.5" [coll. R. Matulová, 24. 10. 2019]
[ex ZBG Plzeň, Czech Republic]
- 170 0 ***Dianthus deltoides*** L. 'Confetti Cherry Red'
XX-0-TEBLI-01023 [ex Benary, Germany]
- 171 0 ***Dianthus giganteus*** subsp. *banaticus* (Heuff.) Tutin
XX-0-TEBLI-02116
- 172 0 ***Dianthus haematocalyx*** subsp. *pindicola* (Vierh.) Hayek
XX-0-TEBLI-02117 [ex BG Aarhus, Denmark]
- 173 0 ***Dianthus henteri*** Heuff. ex Griseb. & Schenk
RO-0-CLA-3040, loc. Romania, Retezat Mountains, 45°22'N, 22°33'E, 1400 m
[coll. G. Groza, 2000] [ex BG Cluj-Napoca, Romania]

- 174 0 ***Dianthus superbus*** L.
XX-0-TEBLI-02118 [ex BG AV Průhonice, Czech Republic]
- 175 0 ***Dianthus turkestanicus*** Preobr.
XX-0-HAL-2589 [ex BG Halle, Germany]
- 176 0 ***Dianthus webbianus*** Parl. ex Vis.
[syn. *Dianthus erinaceus* Boiss.]
XX-0-TEBLI-01027 [ex BG Bormio, Italy]
- 177 0 ***Erigeron ursinus*** D.C.Eaton
US-0-TEBLI-02119, loc. USA, Utah, Iron county, 3110 m [ex BG Akureyri, Iceland]
- 178 0 ***Silene alpestris*** Jacq.
[syn. *Heliosperma alpestre* (Jacq.) Rchb.]
XX-0-TEBLI-01435 [ex BG Wien-Belvedere, Austria]
- 179 0 ***Silene armeria*** L.
XX-0-TEBLI-00668
- 180 0 ***Silene atropurpurea*** (Griseb.) Greuter & Burdet
XX-0-ULM-1992-F-118 [ex BG Ulm, Germany]
- 181 0 ***Silene caramanica*** Boiss. & Heldr.
XX-0-JENA-7291710 [ex BG Jena, Germany]
- 182 0 ***Silene caucasica*** (Bunge) Boiss.
XX-0-LZ-S-79-2006 [ex BG Leipzig, Germany]
- 183 0 ***Silene dinarica*** Spreng.
XX-0-TEBLI-00665 [ex BG St. Andrews, UK]
- 184 0 ***Silene flos-jovis*** (L.) Greuter & Burdet '**Nana**'
[syn. *Lychnis flos-jovis* (L.) Desr.]
XX-0-TEBLI-00857 [ex BG Debrecen, Hungary]
- 185 0 ***Silene hookeri*** Nutt.
XX-0-TEBLI-00666 [ex BG Marburg, Germany]
- 186 0 ***Silene chalcedonica*** (L.) E.H.L.Krause
[syn. *Lychnis chalcedonica* L.]
XX-0-TEBLI-01189 [ex BG Linz, Austria]
- 187 0 ***Silene otites*** (L.) Wibel
AT-0-WU-0030513, loc. Austria, Siegendorf, NSG Siegendorfer Pussta, semiarid grassland, 170 m [coll. 11.07.2019] [ex BG Wien-Universität, Austria]
- 188 0 ***Silene samojedorum*** (Sambuk) Oxelman
XX-0-TEBLI-00244
- 189 0 ***Silene samojedorum*** (Sambuk) Oxelman
XX-0-TEBLI-00243 [ex BG St. Andrews, UK]
- 190 0 ***Silene saxifraga*** L.
[syn. *Silene petraea* Waldst. & Kit.]
XX-0-BONN-9540 [ex BG Bonn, Germany]
- 191 0 ***Silene saxifraga*** L.
[syn. *Silene petraea* Waldst. & Kit.]
XX-0-TEBLI-00246 [ex BG Wien-Belvedere, Austria]

- 192 O ***Silene schafta*** J.G.Gmel. ex Hohen
XX-O-TEBLI-00247
- 193 O ***Telephium imperati*** L.
ES-O-ALCA-2012-0295, loc. Spain [ex BG Alcalá, Spain]

Cistaceae

- 194 O ***Cistus laurifolius*** L.
XX-O-TEBLI-02120 [ex BG MZLU Brno, Czech Republic]
- 195 O ***Helianthemum apenninum*** (L.) Mill.
FR-O-B-0721197, loc. France, Epagne, Dép. Côte-d'Or [coll. Botanical Garden Dijon]
[ex BG Berlin-Dahlem, Germany]

Crassulaceae

- 196 O ***Rhodiola kirilowii*** (Regel) Maxim.
XX-O-TEBLI-00256

Droseraceae

- 197 G ***Drosera nitidula*** subsp. ***omissa*** (Diels) N.G.Merchant & Lowrie
XX-O-MB-2000/222 [ex BG Marburg, Germany]

Ericaceae

- 198 O ***Lyonia ligustrina*** (L.) DC.
XX-O-TEBLI-01649 [ex BG Warszawa, Poland]
- 199 G ***Sphyrospermum buxifolium*** Poepp. & Endl.
XX-O-TEBLI-00860 [ex BG New York - Bronx Park, USA]
- 200 G ***Sphyrospermum cordifolium*** Benth.
XX-O-TEBLI-00861 [ex BG New York - Bronx Park, USA]

Fabaceae

- 201 O ***Astragalus mongolicus*** Bunge
XX-O-TEBLI-01653 [ex Jelitto, Germany]
- 202 G ***Cajanus cajan*** (L.) Millsp.
CN-O-BONN-24329, loc. China [ex BG Bonn, Germany]
- 203 G ***Clitoria heterophylla*** Lam.
MG-O-TEBLI-02121, loc. Madagascar [ex BG Praha, Czech Republic]
- 204 O ***Colutea persica*** Boiss.
XX-O-TEBLI-02122 [ex BG Izmir, Turkey]
- 205 O ***Dalea purpurea*** Vent.
XX-O-TEBLI-01866 [ex BG Seattle, USA]

- 206 G ***Dichrostachys cinerea*** (L.) Wight & Arn.
XX-0-TEBLI-01867, loc. Cuba, Granma, Río Cauta [coll. Baßler]
[ex BG Berlin-Dahlem, Germany]
- 207 G ***Senna septemtrionalis*** (Viv.) H.S.Irwin & Barneby
XX-0-TEBLI-01868

Gentianaceae

- 208 O ***Gentiana gelida*** M. Bieb.
XX-0-TEBLI-00274 [ex BG Nantes, France]
- 209 O ***Gentiana haynaldii*** Kanitz
XX-0-TEBLI-02123 [ex BG Wien-Belvedere, Austria]
- 210 O ***Gentiana macrophylla*** subsp. ***fetisowii*** (Regel & C.Winkl.) Halda
XX-0-TEBLI-01036 [ex BG Wien-Universität, Austria]
- 211 O ***Gentiana nubigena*** Edgew.
XX-0-IB-010225 [ex BG Innsbruck, Austria]
- 212 O ***Gentiana saponaria*** L.
XX-0-TEBLI-02124 [ex BG Marburg, Germany]
- 213 O ***Gentiana scabra*** Bunge
XX-0-TEBLI-00862 [ex BG Klagenfurt, Austria]
- 214 O ***Gentiana tianschanica*** Rupr. ex Kusn.
XX-0-TEBLI-00281 [ex BG Jena, Germany]

Geraniaceae

- 215 O ***Draba sphaeroides*** Payson
XX-0-KIEL-1985-3613-70-100 [ex BG Kiel, Germany]

Hypericaceae

- 216 O ***Hypericum ascyron*** L.
US-0-HBG-2011-F-102, loc. USA, Iowa, Custer Hights [coll. 11. 10. 2018]
[ex BG Hamburg, Germany]
- 217 O ***Hypericum reptans*** Hook.f. & Thomson ex Dyer
XX-0-TEBLI-01872 [ex BG Wien-Belvedere, Austria]

Hypoxidaceae

- 218 O ***Hypoxis hemerocallidea*** Fisch., C.A.Mey & Avé-Lall.
XX-0-TEBLI-01873 [ex Silverhill Seeds, South Africa]

Lamiaceae

- 219 O ***Cedronella canariensis*** (L.) Webb & Berthel.
ES-0-KIEL-1985-2675-70-100, loc. Spain [ex BG Kiel, Germany]
- 220 G ***Clerodendrum paniculatum*** L.
XX-0-TEBLI-02125 [ex Meyer & Mongkol, Thailand]

- 221 0 ***Discretitheca nepalensis*** (Moldenke) P.D.Cantino
XX-0-TEBLI-02126
- 222 0 ***Dracocephalum argunense*** Fisch. ex Link
XX-0-TEBLI-01874 [ex BG New Foundland, Canada]
- 223 0 ***Dracocephalum moldavica*** L. var. ***album***
XX-0-TEBLI-02005 [ex BG LF MU Brno, Czech Republic]
- 224 0 ***Dracocephalum ruyschiana*** L.
XX-0-UNKAR-2012-7688 [ex BG Karlsruhe, Germany]
- 225 0 ***Dracocephalum tanguticum*** Maxim.
XX-0-TEBLI-02127 [ex BG Bormio, Italy]
- 226 0 ***Lavandula viridis*** L'Hér.
XX-0-TEBLI-02128 [ex BG Chelsea, UK]
- 227 0 ***Leonotis nepetifolia*** (L.) R.Br.
ZA-0-DR-010138, loc. South Africa [ex BG TU Dresden, Germany]
- 228 0 ***Mentha spicata*** L. '**Englische Grüne Minze'**
[syn. *Mentha spicata* subsp. *spicata* 'Englische Grüne Minze']
XX-0-UDE-18-71-8-0 [ex BG Duisburg-Essen, Germany]
- 229 0 ***Monarda bradburiana*** Beck
XX-0-TEBLI-00689
- 230 0 ***Monarda russeliana*** Nutt.
XX-0-TEBLI-00692
- 231 0 ***Nepeta cyanea*** Steven
XX-0-TEBLI-00873 [ex BG AV Průhonice, Czech Republic]
- 232 0 ***Ocimum tenuiflorum*** L.
XX-0-TEBLI-02008 [ex BG La Gacilly, France]
- 233 0 ***Origanum vulgare*** L. '**Hot and Spicy'**
XX-0-TEBLI-02129 [ex BG Praha, Czech Republic]
- 234 0 ***Phlomis armeniaca*** Willd.
XX-0-TEBLI-01880 [ex BG Šiauliai, Lithuania]
- 235 0 ***Phlomis cancellata*** Bunge
IR-0-TEBLI-02130, loc. Iran, Alborz Province, 1597 m [ex BG Tehran, Iran]
- 236 0 ***Phlomoides tuberosa*** (L.) Moench
[syn. *Phlomis tuberosa* L.]
XX-0-TEBLI-01673
- 237 0 ***Prunella hyssopifolia*** L.
XX-0-TEBLI-02131 [ex BG Montpellier, France]
- 238 0 ***Prunella laciniata*** (L.) L.
XX-0-TEBLI-02132 [ex BG Montpellier, France]
- 239 0 ***Salvia amplexicaulis*** Lam.
XX-0-TEBLI-01208 [ex BG MU Brno, Czech Republic]
- 240 0 ***Salvia argentea*** L.
XX-0-TEBLI-02009 [ex BG Riga, Latvia]

- 241 0 ***Salvia atropatana*** Bunge
XX-0-GENT-20132374 [ex BG Gent, Belgium]
- 242 0 ***Salvia bucharica*** Popov
XX-0-TEBLI-02010 [ex BG Nantes, France]
- 243 0 ***Salvia dumentorum*** Andrz. ex Besser
[syn. *Salvia stepposa* Des.-Shost.]
XX-0-TEBLI-02011
- 244 0 ***Salvia glutinosa*** L.
XX-0-ROST-2003-F-1028 [ex BG Rostock, Germany]
- 245 0 ***Salvia hydrangea*** DC. ex Benth.
XX-0-TEBLI-02133 [ex BG Chelsea, UK]
- 246 0 ***Salvia repens*** Burch. ex Benth.
XX-0-TEBLI-01886 [ex BG Lublin, Poland]
- 247 0 ***Salvia scabra*** Thunb.
XX-0-TEBLI-01680
- 248 0 ***Salvia sclarea*** L.
XX-0-TEBLI-00333
- 249 0 ***Salvia stenophylla*** Burch. ex Benth.
XX-0-BRUGL-2017-0278 [ex BG Basel, Switzerland]
- 250 0 ***Santolina rosmarinifolia*** L.
XX-0-TEBLI-01831 [ex BG LF MU Brno, Czech Republic]
- 251 0 ***Scutellaria alpina*** L.
XX-0-TEBLI-02134 [ex BG Riga, Latvia]
- 252 0 ***Scutellaria baicalensis*** Georgi
XX-0-TEBLI-00339 [ex BG Łódź, Poland]
- 253 0 ***Scutellaria incana*** Spreng.
XX-0-GENT-19802324 [ex BG Gent, Belgium]
- 254 0 ***Stachys byzantina*** K.Koch
TR-0-GIESS-2009-J-371, loc. Turkey, 50 km SW Sinop, ruderal roadside, 1100 m
[ex BG Giessen, Germany]
- 255 0 ***Stachys discolor*** Benth.
XX-0-TEBLI-01888 [ex BG Krefeld, Germany]
- 256 0 ***Teucrium orientale*** L.
GE-0-M-2012/2456, loc. Georgia, Samtshke-Javakheti, between Borjomi
and Bakuriani, near Tsagveri, 41°48.334'N, 43°28.648'E, 1000 m
[ex BG München, Germany]
- 257 0 ***Thymus kosteleckyanus*** Opiz
AT-0-WU-0029264, loc. Austria, Donnerskichen, at Kirchberg,
semiarid grassland, 210 m [coll. 19.06.2018] [ex BG Wien-Universität, Austria]
- 258 0 ***Vitex negundo*** L.
XX-0-TEBLI-01889 [ex BG Praha, Czech Republic]

Linaceae

- 259 O ***Linum altaicum*** Ledeb. ex Juz.
XX-0-KIEL-1989-5965-70-10 [ex BG Kiel, Germany]
- 260 O ***Linum campanulatum*** L.
XX-0-BGAT-0000978 [ex BG Wien-Belvedere, Austria]
- 261 O ***Linum grandiflorum*** Desf.
XX-0-TEBLI-02135 [ex Černý Seed s r.o., Czech Republic]
- 262 O ***Linum leonii*** F. W. Schultz
XX-0-TEBLI-00346 [ex BG Giessen, Germany]

Loasaceae

- 263 O ***Loasa tricolor*** Ker Gawl.
XX-0-TEBLI-01692 [ex BG Krefeld, Germany]
- 264 O ***Nasa triphylla*** (Juss.) Weigend
PE-0-BONN-37113, loc. Peru [ex BG Darmstadt, Germany]
- 265 O ***Nasa urens*** (Jacq) Weigend
[syn. *Loasa urens* Jacq.]
XX-0-TUEB-860 [ex BG Tübingen, Germany]

Lythraceae

- 266 G ***Cuphea llavea*** Lex.
XX-0-LZ-AD-544-2006 [ex BG Iași, Romania]

Malvaceae

- 267 G ***Hibiscus calyphyllus*** Cav.
XX-0-TEBLI-00705
- 268 G ***Hibiscus pedunculatus*** L. f.
XX-0-TEBLI-00708 [ex BG Berlin-Dahlem, Germany]
- 269 O ***Lavatera trimestris*** L. 'Ruby Regis'
XX-0-TEBLI-02136 [ex BG Kursk, Russia]
- 270 O ***Palaua trisepala*** Hochr.
PE-0-LZ-ZG-13-2008, loc. Peru [ex BG Leipzig, Germany]
- 271 O ***Sidalcea oregana*** (Nutt. Ex Torr. & A. Gray) A. Gray
XX-0-TEBLI-02137 [ex BG Saint Petersburg, Russia]

Melastomataceae

- 272 G ***Medinilla myrmecophila*** Regalado
ID-0-TEBLI-02138, loc. Borneo [ex ZBG Plzeň via BG Praha, Czech Republic]
- 273 G ***Medinilla succulenta*** Korth. ex Blume
ID-0-TEBLI-02139, loc. Borneo
[ex BG Frankfurt, Germany via BG Praha, Czech Republic]

Montiaceae

- 274 O ***Montiopsis umbellata*** (Ruiz & Pav.) D.I.Ford
XX-0-Z-20180248 [ex BG Zürich, Switzerland]
- 275 O ***Phemeranthus multiflorus*** (Rose & Standl.) G. Ocampo
XX-0-TEBLI-01702 [ex BG Konstanz, Germany]

Myricaceae

- 276 O ***Myrica pensylvanica*** Mirb.
XX-0-LZ-ZF-979-1996 [ex BG Leipzig, Germany]

Onagraceae

- 277 O ***Oenothera versicolor*** Lehm. '**Sunset Boulevard'**
XX-0-TEBLI-02140 [ex Jelitto, Germany]

Paeoniaceae

- 278 O ***Paeonia daurica*** subsp. ***coriifolia*** (Rupr.) D.Y.Hong
XX-0-TEBLI-02136, loc. Georgia, Oni, 1900 m [ex BG München, Germany]
- 279 O ***Paeonia mascula*** (L.) Mill.
XX-0-TEBLI-02137 [ex BG AV Průhonice, Czech Republic]
- 280 O ***Paeonia officinalis*** subsp. ***microcarpa*** Nyman
XX-0-GENT-20000239 [ex BG Gent, Belgium]
- 281 O ***Paeonia suffruticosa*** var. ***papaveracea*** (Andrews) A.Kern.
XX-0-TEBLI-01334 [ex Kaichen Nursery, China]

Papaveraceae

- 282 O ***Argemone corymbosa*** Greene
XX-0-TEBLI-02141 [ex BG LF MU Brno, Czech Republic]
- 283 O ***Glaucium corniculatum*** (L.) Curtis
XX-0-TEBLI-01710 [ex BG MU Brno, Czech Republic]
- 284 O ***Papaver amurense*** (N. Busch) N. Busch ex Tolm.
XX-0-TEBLI-02021 [ex BG Vladivostok, Russia]
- 285 O ***Papaver atlanticum*** Coss.
XX-0-TEBLI-00720 [ex BG Cambridge, UK]
- 286 O ***Papaver orientale*** L. '**Beauty Of Livermere'**
XX-0-TEBLI-02142 [ex Pereny Hlavenec, Czech Republic]
- 287 O ***Papaver orientale*** L. '**Blood Red'**
XX-0-TEBLI-01905
- 288 O ***Papaver orientale*** L. '**Bordes Beauty'**
XX-0-TEBLI-01714
- 289 O ***Papaver orientale*** L. '**Feuerriese'**
XX-0-ZAVRT-4413 [ex BG Zagreb, Croatia]

- 290 O ***Papaver orientale*** L. 'Goliath'
XX-0-ZAVRT-12615 [ex BG Zagreb, Croatia]
- 291 O ***Papaver orientale*** L. 'Plena Rote Tone'
XX-0-TEBLI-02143 [ex Jelitto, Germany]
- 292 O ***Papaver orientale*** L. 'Princess Elisabeth'
XX-0-TEBLI-01907
- 293 O ***Papaver orientale*** L. 'Royal Wedding'
XX-0-TEBLI-01908 [ex BG Weinheim, Germany]
- 294 O ***Papaver orientale*** L. 'Scharlachkönigin'
XX-0-TEBLI-02144 [ex BG Kaunas, Lithuania]
- 295 O ***Papaver somniferum*** L. 'Black Beauty'
XX-0-TEBLI-02145
- 296 O ***Papaver trinifolium*** Boiss.
XX-0-TEBLI-01715 [ex BG Perm, Russia]

Passifloraceae

- 297 G ***Passiflora calcarata*** Mast.
MG-0-TEBLI-00372

Pedaliaceae

- 298 O ***Ceratotheca triloba*** (Bernh.) Hook.f.
XX-0-LZ-AD-544-2006 [ex BG Leipzig, Germany]

Phrymaceae

- 299 O ***Mimulus luteus*** L.
XX-0-ROST-2003-F-3031 [ex BG Rostock, Germany]

Phyllanthaceae

- 300 O ***Flueggea suffruticosa*** (Pall.) Baill.
XX-0-TEBLI-02146 [ex BG Vladivostok, Russia]

Pittosporaceae

- 301 O ***Pittosporum bicolor*** Hook.
XX-0-TEBLI-01718 [ex BG Krefeld, Germany]

Plantaginaceae

- 302 O ***Antirrhinum braun-blanchetii*** Rothm.
ES-0-HBG-AO-F-8516, loc. Spain [ex BG Zürich, Switzerland]
- 303 O ***Antirrhinum molle*** L.
ES-0-AJBLL-18127, loc. Spain, Lleida, Montsec de Meià, 1100 m
[ex BG Lleida, Spain]

- 304 G ***Asarina purpusii*** (Brandegee) Pennell '**Victoria Falls'**
XX-O-TEBLI-02147 [ex Koexflor, Czech Republic]
- 305 O ***Digitalis mariana*** Boiss.
XX-O-TEBLI-02023 [ex BG Lublin, Poland]
- 306 O ***Erinus alpinus*** L. '**Mrs Charles Boyle'**
XX-O-TEBLI-00886 [ex BG Wien-Belvedere, Austria]
- 307 O ***Globularia cordifolia*** L.
XX-O-TEBLI-01912 [ex BG Warszawa, Poland]
- 308 O ***Globularia incanescens*** Viv.
XX-O-GENT-20121818 [ex BG Gent, Belgium]
- 309 O ***Globularia punctata*** Lapeyr.
XX-O-FB-4121 [ex BG Freiburg, Germany]
- 310 O ***Globularia punctata*** Lapeyr.
XX-O-ROST-2003-F-2762 [ex BG Rostock, Germany]
- 311 O ***Globularia punctata*** Lapeyr.
XX-O-TEBLI-01060 [ex BG Ljubljana, Slovenia]
- 312 O ***Globularia trichosantha*** Fisch & C.A. Mey.
XX-O-TEBLI-00887 [ex BG Chemnitz, Germany]
- 313 O ***Globularia trichosantha*** Fisch & C.A. Mey.
XX-O-TEBLI-01720 [ex BG Praha, Czech Republic]
- 314 O ***Globularia vulgaris*** L.
XX-O-TEBLI-01914 [ex BG Marburg, Germany]
- 315 O ***Penstemon alpinus*** Torr.
XX-O-TEBLI-02025 [ex BG Krakow, Poland]
- 316 O ***Penstemon azureus*** Benth.
[syn. *Penstemon heterophyllus* var. *azureus* (Benth.) Jeps.]
XX-O-BONN-9371 [ex BG Bonn, Germany]
- 317 O ***Penstemon campanulatus*** (Cav.) Willd.
XX-HOH-SYS-5693 [ex BG Stuttgart-Hohenheim, Germany]
- 318 O ***Penstemon comarrhenus*** A. Gray
XX-O-TEBLI-02148 [ex Copenhagen, Denmark]
- 319 O ***Penstemon heterodoxus*** A. Gray
XX-O-TEBLI-02149 [ex BG Bratislava, Slovakia]
- 320 O ***Penstemon hirsutus*** (L.) Willd. '**Nana'**
XX-O-TEBLI-02150 [ex BG Bratislava, Slovakia]
- 321 O ***Penstemon humilis*** Nutt. ex A. Gray
XX-O-TEBLI-01721 [ex BG Šiauliai, Lithuania]
- 322 O ***Penstemon menziesii*** subsp. ***davidsonii*** (Greene) Piper
XX-O-TEBLI-00401 [ex Gatineau, Canada]
- 323 O ***Penstemon nanus*** D.D.Keck
XX-O-TEBLI-00891 [ex BG Kaunas, Lithuania]
- 324 O ***Penstemon nanus*** D.D.Keck
XX-O-TEBLI-01461 [ex BG Šiauliai, Lithuania]

- 325 0 ***Penstemon newberryi*** A.Gray
XX-0-TEBLI-01339 [ex BG Linz, Austria]
- 326 0 ***Penstemon richardsonii*** Douglas
XX-0-TEBLI-00415 [ex BG Glasgow, UK]
- 327 0 ***Penstemon utahensis*** Eastw.
XX-0-TEBLI-02151 [ex BG Antwerpen, Netherlands]
- 328 0 ***Penstemon wilcoxii*** Rydb.
XX-0-TEBLI-00417
- 329 0 ***Plantago major*** L. 'Purpurea'
XX-0-TEBLI-02152 [ex BG Izhevsk, Russia]
- 330 0 ***Veronica austriaca*** subsp. ***teucrium*** (L.) D.A.Webb
XX-0-TEBLI-01723
- 331 0 ***Veronica gentianoides*** Vahl
XX-0-TEBLI-01724 [ex BG Tartu, Estonia]
- 332 0 ***Veronica longifolia*** L.
XX-0-TEBLI-02153 [ex BG Volgograd, Russia]
- 333 0 ***Veronicastrum virginicum*** (L.) Farw. '**Fascination**'
XX-0-TEBLI-02154 [ex Zám. zahr. Ctěnice, Czech Republic]

Plumbaginaceae

- 334 0 ***Armeria alpina*** (DC.) Willd.
XX-0-TEBLI-01465 [ex BG Košice, Slovakia]
- 335 0 ***Armeria arenaria*** (Pers.) Schult.
FR-0-GIESS-1998-J-1023-1, loc. France [ex BG Giessen, Germany]
- 336 0 ***Armeria arenaria*** (Pers.) Schult.
XX-0-TEBLI-02155 [ex BG Vancouver, Canada]
- 337 0 ***Armeria berlengensis*** Daveau
XX-0-Z-20011771 [ex BG Akureyri, Iceland]
- 338 0 ***Armeria canescens*** subsp. ***nebrodensis*** (Guss.) P.Silva
XX-0-TEBLI-02156 [ex BG Parma, Italy]
- 339 0 ***Armeria curvifolia*** Bertero
AR-0-M-2002/0912, loc. Argentina, Santa Cruz Province, Argentino Lake,
El Calafate, Peninsula Magellanes, S 50°29'09", W 72°53'09"
[ex BG Klagenfurt, Austria]
- 340 0 ***Armeria girardii*** (Bernis) Litard.
XX-0-TEBLI-00894 [ex BG Kaunas, Lithuania]
- 341 0 ***Armeria maritima*** subsp. ***elongata*** (Hoffm.) Bonnier
CZ-0-PLZEN-1898-12-10, loc. Czech Republic, South Moravia, Bzenec
[coll. 29. 8. 2012] [ex ZBG Plzeň, Czech Republic]
- 342 0 ***Armeria pinifolia*** (Brot.) Hoffmanns. & Link
XX-0-TEBLI-00897 [ex BG Vácrátót, Hungary]
- 343 0 ***Armeria rhodopea*** Velen.
XX-0-TEBLI-01730 [ex BG Dublin, Ireland]

- 344 0 ***Armeria rhodopea*** Velen.
XX-0-TEBLI-01731 [ex BG Krefeld, Germany]
- 345 0 ***Armeria ruscinonensis*** Girard
XX-0-TEBLI-00898 [ex BG Klaipéda, Lithuania]
- 346 0 ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-01226 [ex BG Bormio, Italy]
- 347 0 ***Armeria splendens*** (Lag. & Rodr.) Webb
XX-0-TEBLI-00899 [ex BG Kaunas, Lithuania]
- 348 0 ***Armeria transmontana*** (Samp.) G.H.M.Lawr.
XX-0-TEBLI-00900 [ex BG Krefeld, Germany]
- 349 0 ***Armeria villosa*** Girard
XX-0-TEBLI-00430
- 350 0 ***Armeria welwitschii*** Boiss.
XX-0-B-1982099 [ex BG Berlin-Dahlem, Germany]
- 351 0 ***Bukiniczia cabulica*** (Boiss.) Lincz.
XX-0-TEBLI-01344 [ex BG Oxford, UK]
- 352 0 ***Limonium minutum*** (L.) Fourr.
XX-0-TEBLI-02030 [ex BG Krefeld, Germany]
- 353 0 ***Limonium minutum*** (L.) Fourr.
XX-0-U-1984BL00199 [ex BG Utrecht, Netherlands]

Polemoniaceae

- 354 0 ***Collomia grandiflora*** Douglas ex Lindl.
XX-0-ROST-2003-F-2442 [ex BG Rostock, Germany]
- 355 0 ***Collomia grandiflora*** Douglas ex Lindl.
XX-0-TEBLI-02031
- 356 0 ***Polemonium caucasicum*** N. Busch
XX-0-TEBLI-02157 [ex BG Perm, Russia]
- 357 0 ***Polemonium pulcherrimum*** Hook
XX-0-STGAL-61/2010 [ex BG St. Gallen, Switzerland]

Polygonaceae

- 358 0 ***Persicaria tinctoria*** (Aiton) H.Gross
XX-0-TEBLI-02033 [ex BG Bielefeld, Germany]
- 359 0 ***Rheum webbianum*** Royle
XX-0-TEBLI-01921 [ex BG Marburg, Germany]
- 360 0 ***Rumex flexuosus*** Sol. ex G.Forst.
XX-0-TEBLI-01072 [ex Jelitto, Germany]
- 361 0 ***Rumex sanguineus*** L.
XX-0-TEBLI-01228 [ex BG Praha, Czech Republic]

Primulaceae

- 362 0 ***Lysimachia minoricensis*** J.J.Rodr.
XX-0-TEBLI-02158 [ex BG Chelsea, UK]
- 363 0 ***Primula elatior*** subsp. ***pallasii*** W.W.Sm. & Forrest
XX-0-TEBLI-01230 [ex BG Šiauliai, Lithuania]

Ranunculaceae

- 364 0 ***Anemone baldensis*** L.
XX-0-TEBLI-01923 [ex BG Tapada da Ajuda, Lisboa, Portugal]
- 365 0 ***Anemone multifida*** Poir.
XX-0-TEBLI-02159 [ex BG Bormio, Italy]
- 366 0 ***Anemone sylvestris*** L.
XX-0-TEBLI-02160 [ex BG Warszawa, Poland]
- 367 0 ***Anemone virginiana*** var. ***alba*** (Oakes) Alph.Wood
XX-0-TEBLI-01738 [ex BG Marseille, France]
- 368 0 ***Anemone vitifolia*** Buch.-Ham. ex DC.
CN-0-M-2008/0715, loc. China, Sichuan, Yale [ex BG Klagenfurt, Austria]
- 369 0 ***Aquilegia alpina*** L.
XX-0-LZ-A-167-1996 [ex BG Leipzig, Germany]
- 370 0 ***Aquilegia bernardii*** Gren. & Gord.
XX-0-TEBLI-00451 [ex BG Vácrátót, Hungary]
- 371 0 ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01924 [ex BG Jibou, Romania]
- 372 0 ***Aquilegia bertolonii*** Schott
XX-0-TEBLI-01232 [ex BG Bormio, Italy]
- 373 0 ***Aquilegia einseleana*** F.W.Schultz
XX-0-LZ-A-76-1997 [ex BG Leipzig, Germany]
- 374 0 ***Aquilegia flabellata*** Siebold & Zucc.
[*Aquilegia flabellata* var. *pumila* (Huth) Kudô]
XX-0-LZ-OAW-7-2000 [ex BG Leipzig, Germany]
- 375 0 ***Aquilegia flavescens*** S.Watson
XX-0-TEBLI-01350 [ex BG La Gacilly, France]
- 376 0 ***Aquilegia glandulosa*** Fisch. Ex. Link.
XX-0-TEBLI-02161 [ex BG Denver, USA]
- 377 0 ***Aquilegia grata*** Maly ex Zimmerer
XX-0-TEBLI-01925 [ex BG Bielefeld, Germany]
- 378 0 ***Aquilegia nevadensis*** Boiss. & Reut.
XX-0-LZ-A-74-2000 [ex BG Leipzig, Germany]
- 379 0 ***Aquilegia olympica*** Boiss.
UA-0-NGOET-439, loc. Ukrainian, Caucasus, 2100 m [leg. Schroeder]
[ex BG Göttingen, Germany]
- 380 0 ***Aquilegia pyrenaica*** subsp. ***discolor*** (Levier & Leresche) Pereda & Laínz
XX-0-TEBLI-00460 [ex BG Northampton, USA]

- 381 0 ***Clematis macropetala*** Ledeb. '**Rosy O'Grady'**
XX-0-TEBLI-02162 [ex BG Vilnius, Lithuania]
- 382 0 ***Delphinium brunonianum*** Royle
XX-0-TEBLI-00751 [ex BG Olomouc, Czech Republic]
- 383 0 ***Delphinium caucasicum*** C.A.Mey
XX-0-TEBLI-01351 [ex BG Bormio, Italy]
- 384 0 ***Glaucidium palmatum*** Siebold & Zucc.
XX-0-TEBLI-01352 [ex BG Schellerhau, Germany]

Rosaceae

- 385 0 ***Acaena inermis*** Hook.f. '**Purpurea'**
XX-0-TEBLI-02163 [ex Jelitto, Germany]
- 386 0 ***Agrimonia procera*** Wallr.
XX-0-TEBLI-02164 [ex BG Olomouc, Czech Republic]
- 387 0 ***Alchemilla epipsila***
RU-0-M-2000/2506, loc. Russia, Caucasus [ex BG München, Germany]
- 388 0 ***Aruncus dioicus*** var. ***aethusifolius*** (H.L.v.) H.Hara
XX-0-TEBLI-02165 [ex BG Bielefeld, Germany]
- 389 0 ***Geum calthifolium*** Menzies ex Sm.
XX-0-TEBLI-01928 [ex BG Chemnitz, Germany]
- 390 0 ***Geum coccineum*** Sibth. & Sm. '**Orange Queen'**
XX-0-TEBLI-02040 [ex Pereny Hlavenec, Czech Republic]
- 391 0 ***Geum pyrenaicum*** Mill.
XX-0-TEBLI-00484 [ex BG Olomouc, Czech Republic]
- 392 0 ***Chamaebatiaria millefolium*** (Torr.) Maxim.
XX-0-MJG-199412660 [ex BG Mainz, Germany]
- 393 0 ***Potentilla atrosanguinea*** G. Lodd. ex D. Don
XX-0-LI-9019 [ex BG Linz, Austria]
- 394 0 ***Potentilla atrosanguinea*** G.Lodd. ex D.Don
IN-0-BR-19750451, loc. India, Garhwal, Valley of Flowers [ex BG Meise, Belgium]
- 395 0 ***Potentilla griffithii*** Hook. f.
XX-0-TEBLI-00489 [ex BG Besançon, France]
- 396 0 ***Potentilla nepalensis*** Hook.
PK-0-BR-2008123807, loc. Pakistan, North-West Frontier, Kaghan Valley, Shogran
[ex BG Meise, Belgium]
- 397 0 ***Potentilla nepalensis*** Hook.
XX-0-TEBLI-02166 [ex BG Riga, Latvia]
- 398 0 ***Potentilla recta*** L.
CZ-0-PLZEN-2254-12-20, loc. Czech Republic, Western Bohemia,
Radčice near Plzeň, dry slope [coll. V. Pešková & R. Matulová, 05/2012]
[ex ZBG Plzeň, Czech Republic]

- 399 O ***Rubus illecebrosus*** Focke
XX-O-TEBLI-01748 [ex BG Wroclaw, Poland]
- 400 O ***Rubus odoratus*** L.
XX-O-TEBLI-01750 [ex BG Northampton, USA]

Sarraceniaceae

- 401 O ***Sarracenia purpurea*** L.
XX-O-TEBLI-01080

Saxifragaceae

- 402 O ***Saxifraga crustata*** Vest.
XX-O-ROST-2003-F-3405 [ex BG Rostock, Germany]

Scrophulariaceae

- 403 O ***Diascia barberae*** Hook.f. 'Pink Queen'
XX-O-TEBLI-01757 [ex Černý Seed s r.o., Czech Republic]
- 404 O ***Gomphostigma virgatum*** (L.f.) Baill.
ZA-O-TEBLI-01241, loc. South Africa, Free State Province, Phuthaditjhaba [ex Silverhill Seeds, South Africa]
- 405 O ***Hebenstretia comosa*** Hochst.
XX-O-TEBLI-02167 [ex BG Krefeld, Germany]
- 406 O ***Phygelius aequalis*** Harv. ex Hiern
ZA-O-TEBLI-02168, loc. South Africa, Free State, Mount-Aux-Sources, Witsiehoek Mt. resort, 2300 m [ex BG Stavanger, Norway]
- 407 O ***Verbascum chaixii*** Vill. 'Album'
XX-O-TEBLI-01242

Solanaceae

- 408 O ***Capsicum annuum*** L.
[syn. *Capsicum annuum* var. *acuminatum* Fingerh.]
MX-O-GZU-97 150405, loc. Mexico, Chiapas, Palenque [leg. P. Gigerl, 11/1997] [ex BG Graz, Austria]
- 409 O ***Capsicum annuum*** L. 'Black Scorpion Tongue'
XX-O-TEBLI-02169 [ex Chilli-semena, Czech Republic]
- 410 O ***Capsicum annuum*** L. 'Count Dracula'
XX-O-TEBLI-02170 [ex Chilli-semena, Czech Republic]
- 411 O ***Capsicum annuum*** L. 'Explosive Ember'
XX-O-TEBLI-02171 [ex Chilli-semena, Czech Republic]
- 412 O ***Capsicum annuum*** L. 'Five Chinense Multicolor'
XX-O-TEBLI-02172 [ex Chilli-semena, Czech Republic]
- 413 O ***Capsicum annuum*** L. 'Hot Jalapeno'
XX-O-TEBLI-02173 [ex BG ČZU Praha Suchdol, Czech Republic]

- 414 O ***Capsicum annuum* L. 'Hot Lemon'**
XX-STUTZ-004115 [ex BG Wien-Belvedere, Austria]
- 415 O ***Capsicum annuum* L. 'Hot Pops Purple'**
XX-O-TEBLI-02174 [ex BG Rouen, France]
- 416 O ***Capsicum annuum* L. 'Jalapeno Farmers'**
XX-O-TEBLI-02175 [ex Chilli-semena, Czech Republic]
- 417 O ***Capsicum annuum* L. 'Medusa'**
XX-O-TEBLI-02051 [ex BG Lublin, Poland]
- 418 O ***Capsicum annuum* L. 'New Mexico Red'**
XX-O-TEBLI-02176 [ex Chilli-semena, Czech Republic]
- 419 O ***Capsicum annuum* L. 'Pequin'**
GT-TEBLI-01245 loc. Guatemala, Alta Verapaz, Cobán, cult.
- 420 O ***Capsicum annuum* L. 'Purple Ufo'**
XX-O-TEBLI-02177 [ex Chilli-semena, Czech Republic]
- 421 O ***Capsicum annuum* L. 'Red Mini Bell'**
XX-O-TEBLI-02178 [ex Chilli-semena, Czech Republic]
- 422 O ***Capsicum annuum* L. 'Tequila Sunrise'**
XX-O-TEBLI-02179 [ex Chilli-semena, Czech Republic]
- 423 O ***Capsicum baccatum* L. 'Christmas Bells'**
XX-O-TEBLI-01769 [ex BG ČZU Praha Suchdol, Czech Republic]
- 424 O ***Capsicum chinense* Jacq. 'Habanero Spicy Mustard'**
XX-O-TEBLI-02180 [ex Chilli-semena, Czech Republic]
- 425 O ***Capsicum chinense* Jacq. 'Habanero Tropical Red'**
XX-O-TEBLI-02181 [ex Chilli-semena, Czech Republic]
- 426 O ***Capsicum chinense* Jacq. 'Scotch Bonnet'**
XX-O-TEBLI-02182 [ex Chilli-semena, Czech Republic]
- 427 O ***Capsicum chinense* Jacq. 'White Naga Bhut Jolokia'**
XX-O-TEBLI-02183 [ex Chilli-semena, Czech Republic]
- 428 O ***Nolana humifusa* (Gouan) I.M. Johnst.**
XX-O-STGAL-399/1988 [ex BG St. Gallen, Switzerland]
- 429 O ***Nolana paradoxa* (Lindl.) Hook.**
XX-O-BRAUN-7888785 [ex BG Tartu, Estonia]
- 430 O ***Salpiglossis sinuata* Ruiz & Pav. 'Kew Blue'**
XX-O-TEBLI-02184 [ex BG Krefeld, Germany]
- 431 O ***Solanum sisymbriifolium* Lam.**
XX-O-GENT-20162909 [ex BG Gent, Belgium]

Verbenaceae

- 432 G ***Stachytarpheta cayennensis* (Rich.) Vahl**
XX-O-TEBLI-02185 [ex BG Regensburg, Germany]

Monocots

Amaryllidaceae

- 433 0 **Allium aflatunense** B.Fedtsch.
XX-0-TEBLI-00940
- 434 0 **Allium amphibolum** Ledeb.
XX-0-TEBLI-02186 [ex BG Perm, Russia]
- 435 0 **Allium angulosum** L.
XX-0-TEBLI-02187 [ex BG Perm, Russia]
- 436 0 **Allium barszczewskii** Lipsky
XX-0-TEBLI-01944 [ex BG Perm, Russia]
- 437 0 **Allium caeruleum** Pall.
XX-0-TEBLI-02056 [ex OBI, Czech Republic]
- 438 0 **Allium cyrillii** Ten.
XX-0-TEBLI-02188 [ex BG Cluj-Napoca, Romania]
- 439 0 **Allium flavum** L.
XX-0-TEBLI-01090 [ex BG Cluj-Napoca, Romania]
- 440 0 **Allium galanthum** Kar. & Kir.
XX-0-TEBLI-01091
- 441 0 **Allium kermesinum** Rchb.
XX-0-KIEL-1985-0054-70-100 [ex BG Kiel, Germany]
- 442 0 **Allium oleraceum** L.
XX-0-TEBLI-01486, loc. Czech Republic, Northern Bohemia, Teplice, Doubravská Hora
[coll. A. Frolíková, 2014]
- 443 0 **Allium pskemense** B.Fedtsch
XX-0-TEBLI-02189 [ex BG Moskva, Russia]
- 444 0 **Allium pskemense** B.Fedtsch
XX-0-TEBLI-00946 [ex BG Tartu, Estonia]
- 445 0 **Allium sarawschanicum** Regel
XX-0-TEBLI-01779 [ex Gatineau, Canada]
- 446 0 **Allium sarawschanicum** Regel
XX-0-JENA-7790561 [ex BG Jena, Germany]
- 447 0 **Allium schubertii** Zucc.
XX-0-TEBLI-01094 [ex Lukon Glads, Czech Republic]
- 448 0 **Allium sphaerocephalon** L.
FR-0-BR-19801799, loc. France, Jura, Le Mont Poupet [ex BG Meise, Belgium]
- 449 0 **Allium tuberosum** Rottler ex Spreng.
XX-0-TEBLI-00950 [ex BG MU Brno, Czech Republic]
- 450 0 **Allium victorialis** L.
XX-0-TEBLI-01784 [ex BG MU Brno, Czech Republic]

- 451 O ***Allium vineale*** L. 'Hair'
XX-0-TEBLI-01785 [ex OBI, Czech Republic]
- 452 G ***Cyrtanthus mackenii*** Hook. f. 'Cream White'
XX-0-TEBLI-02190
- 453 G ***Phaedranassa tunguraguae*** Ravenna
EC-0-TEBLI-02058, loc. Ecuador, Tungurahua Province, Sangay NP, Tungurahua
[coll. J. R. Haager, 1982]

Araceae

- 454 G ***Anthurium scandens*** (Aubl.) Engl.
CR-0-TEBLI-0206, loc. Costa Rica, road San Carlo-Fortuna

Arecaceae

- 455 G ***Caryota*** cf. ***mitis***
VN-0-TEBLI-01376, loc. Vietnam, near Da Lat, Dray Sap waterfalls
[coll. J. R. Haager & R. Rybková, 1999]

Asparagaceae

- 456 O ***Arthropodium candidum*** Raoul 'Rubrum'
XX-0-TUEB-1257 [ex BG Tübingen, Germany]
- 457 O ***Camassia leichtlinii*** (Baker) S.Watson
[syn. *Camassia leichtlinii* subsp. *leichtlinii* (Baker) S.Watson]
XX-0-TEBLI-01097 [ex Lukon Glads, Czech Republic]
- 458 O ***Leopoldia comosa*** (L.) Parl.
IT-0-SIENA-00725, loc. Italy [ex BG Sienna, Italy]
- 459 O ***Ornithogalum viridiflorum*** (L.Verd.) J.C.Manning & Goldblatt
LE-0-TEBLI-01377, loc. Lesotho, Malibamatso River
[ex BG München, Germany via ZBG Plzeň, Czech Republic]

Cyperaceae

- 460 O ***Carex appressa*** var. ***virgata*** (Sol. Ex Boott) Kük.
XX-0-TEBLI-02191 [ex BG Christchurch, New Zealand]
- 461 O ***Carex capitata*** Sol.
XX-0-TEBLI-01380 [ex BG AV Průhonice, Czech Republic]
- 462 O ***Carex grayi*** J.Carey
XX-0-TEBLI-01383 [ex OBI, Czech Republic]

Iridaceae

- 463 G ***Dietes irioides*** (L.) Sweet ex Klatt
XX-0-TEBLI-02192 [ex BG TU Dresden, Germany]
- 464 O ***Iris hookeri*** Penny ex G.Don
XX-0-TEBLI-01385 [ex BG Petrozavodsk, Russia]

- 465 O ***Iris missouriensis*** Nutt.
XX-0-FB-3163 [ex BG Freiburg, Germany]
- 466 O ***Iris sintenisii*** Janka
XX-0-TEBLI-02193 [ex BG Antwerpen, Netherlands]
- 467 G ***Lachenalia pusilla*** Jacq.
XX-0-TEBLI-02194 [ex BG TU Dresden, Germany]
- 468 G ***Phalocallis coelestis*** (Lehm) Ravenna
XX-0-TEBLI-02195 [ex BG Chemnitz, Germany]
- 469 O ***Sisyrinchium chilense*** Hook.
XX-0-TEBLI-01957 [ex BG Krefeld, Germany]
- 470 O ***Sisyrinchium chilense*** Hook.
XX-0-GIESS-1999-J-13 [ex BG Giessen, Germany]
- 471 O ***Sisyrinchium striatum*** Sm.
XX-0-STGAL-456/2006 [ex BG St. Gallen, Switzerland]

Juncaceae

- 472 O ***Juncus ensifolius*** Wikstr.
XX-0-TEBLI-01387 [ex Jelitto, Germany]

Poaceae

- 473 O ***Austroderia richardii*** (Endl.) N.P.Barker & H.P.Linder
NZ-0-KIEL-1985-11523-70-100, loc. New Zealand [ex BG Kiel, Germany]
- 474 O ***Cortaderia araucana*** Stapf
CL-0-TEBLI-02072, loc. Chile, Araucanía Region, Cautín Province, Conguillío NP, Volcán Llaima [coll. J. R. Haager & H. Šedivá, 2010]
- 475 O ***Cortaderia rudiuscula*** Stapf
CL-0-TEBLI-02073, loc. Chile, Atacama Region, Huasco Province, Alto del Carmen [coll. J. R. Haager & H. Šedivá, 2012]
- 476 O ***Eragrostis trichodes*** (Nutt.) Alph.Wood
XX-0-DR-007959 [ex BG TU Dresden, Germany]
- 477 O ***Harpochloa falx*** (L.f.) Kuntze
XX-0-TEBLI-01266 [ex BG Weinheim, Germany]
- 478 O ***Chasmanthium latifolium*** (Mitchx.) H.O.Yates
US-0-TUEB-1684, loc. USA, Oklahoma, Arbuckle Mountains, sea oats [coll. M. Guttenberger, 1996] [ex BG Tübingen, Germany]
- 479 O ***Nassella tenuissima*** (Trin.) Barkworth. 'Pony Tails'
XX-0-TEBLI-00581
- 480 G ***Oryza sativa*** L.
XX-0-STGAL-21478 [ex BG St. Gallen, Switzerland]
- 481 O ***Pennisetum glaucum*** (L.) R.Br. 'Purple Majesty'
XX-0-TEBLI-02196 [ex BG Praha, Czech Republic]

- 482 O ***Pennisetum glaucum*** (L.) R.Br. 'Purple Majesty'
XX-0-TEBLI-02197 [ex BG Krefeld, Germany]
- 483 O ***Stipa pennata*** L.
AT-0-BONN-28471, loc. Austria, Lower Austria, Hainburg, 200-480 m
[ex BG Bonn, Germany]

Velloziaceae

- 484 G ***Barbacenia purpurea*** Hook.
BR-0-BONN-19766, loc. Brazil, Rio de Janerio, Sugarloaf Mountain
[coll. S. Porembski, 01.07.1999] [ex BG Bonn, Germany]

Xanthorrhoeaceae

- 485 G ***Aloe prostrata*** (H.Perrier) L.E.Newton & G.D.Rowley
MG-0-HEID-104889, loc. Madagascar [ex BG Praha, Czech Republic]
- 486 G ***Aloe somaliensis*** C.H.Wright ex W.Watson
SO-0-TEBLI-02198, loc. Somalia, Sheik Pass [coll. R. Štarha]
[ex BG Praha, Czech Republic]
- 487 O ***Asphodelus albus*** Mill.
XX-0-TEBLI-02199 [ex BG Praha, Czech Republic]

Desiderata 2021-2022

Based on the Convention on Biological Diversity (CBD, Rio de Janeiro 1992) the Index seminum is exclusively intended for the institutions operating in research, education and nature protection areas. Conditions coming from the Nagoya Protocol must be fulfilled for scientific purposes. Any material acquired from these seeds is not allowed to be used for commercial purposes.

Our botanical garden is a part of the IPEN network (= International Plant Exchange Network). You can find us under the institution code **TEBLI**.

Non IPEN-members have to return the „Agreement on the supply of living plant material for non-commercial purposes“. IPEN members do not have to sign the agreement.

PHYTOSANITARY REGULATION

Please check the import conditions in your country and see below.

EU countries

We issue plant passports for countries within EU. The minimal number of items is not limited.

Non-EU countries

We are providing phytosanitary certificates after the 31st May, when all requests from non-EU botanical gardens are available. Minimum order is 10 packets of seeds due to the demanding phytosanitary controls.

INFORMATION

All Seeds are result of open pollination. Hybridization may occur.

Nomenclature of plants is mainly based on:

www.worldfloraonline.org

<http://apps.rhs.org.uk/horticulturaldatabase/HortGenera.asp>

ABBREVIATIONS:

O – plant is cultivated outdoors

G – plant is cultivated in greenhouses

PLEASE SEND THE REQUESTS TO THE ADDRESS:

curator@botanickateplice.cz or botanika@botanickateplice.cz

For easier application completion use the form „Desiderata“ to fill in PDF or docx forma (download <https://www.botanickateplice.cz/en/index-seminum>).

Order by e-mail is preferred, but you can order by post too.

Botanical Garden Teplice

Josefa Suka 1388/18

415 01 Teplice, Czech Republic

**Please, limit your request to 30 items,
deadline is 31st May 2022.**

Desiderata 2021-2022

MAILING ADDRESS:

Botanická zahrada Teplice
Josefa Suka 1388/18
415 01 Teplice, Czech Republic

VIA E-MAIL

(PREFERABLY):

curator@botanickateplice.cz
botanika@botanickateplice.cz

YOUR ADDRESS:

As a result, the number of people who have been infected with the virus has increased rapidly, leading to a significant increase in the number of deaths. The World Health Organization (WHO) has reported that there are now over 10 million confirmed cases of COVID-19 worldwide, with over 500,000 deaths.

**LEGIBLY WRITE OR TYPE NUMBERS OF DESIRED SEEDS IN BOXES BELOW
(LIMIT 30 ITEMS):**

IPEN
MEM

A small, empty rectangular box with a thin black border, likely intended for a child to draw or write something.

1

MEMBER: YES

MEMBER: YES NO

PHYTOSANITARY CERTIFICATE (NON-EU MEMBERS):

1

1

YES

NO

**IN THE FUTURE, PLEASE SEND THE INDEX SEMINUM
TO THE FOLLOWING E-MAIL ADDRESS:**

ANSWER The answer is 1000.

AGREEMENT ON THE SUPPLY OF LIVING PLANT MATERIAL FOR NON-COMMERCIAL PURPOSES LEAVING THE INTERNATIONAL PLANT EXCHANGE NETWORK

Against the background of the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources and benefit-sharing, the garden is dedicated to promoting the conservation, sustainable use, and research of biological diversity. The garden therefore expects its partners in acquiring, maintaining, and transferring plant material to always act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as scientific study and educational purposes as well as environmental protection. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. In the event that scientific publications are produced based on the supplied plant material, the recipient is obliged to indicate the origin of the material (the supplying garden and if known the country of origin) and to send these publications to the garden and to the country of origin without request.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form).

I ACCEPT THE ABOVE CONDITIONS.

Date	Signature, stamp
Recipient's name	Address



BOTANICKÁ ZAHRADA
TEPLICE