

Oriental Fruit fly, *Bactrocera dorsalis*, Host List

Source: https://www.aphis.usda.gov/plant_health/plant_pest_info/fruit_flies/downloads/host-lists/off-hostlist.pdf

The berries, fruit, nuts and vegetables of the listed plant species are now considered host articles for *B. dorsalis*. Unless proven otherwise, all cultivars, varieties, and hybrids of the plant species listed herein are considered suitable hosts of *B. dorsalis*.

| <u>Scientific Name</u> | <u>Common Name</u> |
|---|-----------------------------|
| <i>Acca sellowiana</i> (O. Berg) Burret | Guavasteen, pineapple-guava |
| <i>Adenanthera pavonina</i> L. | Red sandalwood |
| <i>Adenia cissampeloides</i> (Planch. ex Hook.) Harms | N/A |
| <i>Adonidia merrillii</i> (Becc.) Becc. | Manila palm |
| <i>Aegle marmelos</i> (L.) Corrêa | Baeltree |
| <i>Afzelia xylocarpa</i> (Kurz) Craib | Doussie |
| <i>Alangium chinense</i> (Lour.) Harms | Begonialeaf alangium |
| <i>Alangium salviifolium</i> (L. f.) Wangerin | Sage-leaf alangium |
| <i>Alpinia mutica</i> Roxb. | Small shell ginger |
| <i>Anacardium occidentale</i> L. | Cashew nut |
| <i>Ananas comosus</i> (L.) Merr. | Pineapple ¹ |
| <i>Annona ×atemoya</i> Mabb. | Atemoya |
| <i>Annona cherimola</i> Mill. | Cherimoya |
| <i>Annona glabra</i> L. | Pond-apple |
| <i>Annona macrophyllata</i> Donn. Sm. | Llama |
| <i>Annona montana</i> Macfad. | Mountain soursop |
| <i>Annona mucosa</i> Jacq. | Wild sweetsop |
| <i>Annona muricata</i> L. | Soursop |
| <i>Annona reticulata</i> L. | Custard apple |
| <i>Annona senegalensis</i> Pers. | Wild custard-apple |
| <i>Annona squamosa</i> L. | Custard apple, sugar apple |
| <i>Antidesma ghaesembilla</i> Gaertn. | Black currant tree |
| <i>Aporosa villosa</i> (Lindl.) Baill. | Ye-mein |
| <i>Ardisia crenata</i> Sims | Hen's eye, coralberry |
| <i>Areca catechu</i> L. | Areca palm, betel nut |
| <i>Arenga engleri</i> Becc. | Formosan sugar palm |
| <i>Arenga pinnata</i> (Wurmb) Merr. | Sugar palm |
| <i>Arenga westerhoutii</i> Griff. | N/A |

| | |
|---|------------------------|
| <i>Artabotrys monteiroae</i> Oliv. | N/A |
| <i>Artabotrys siamensis</i> Miq. | N/A |
| <i>Artocarpus altilis</i> (Parkinson) Fosberg | Breadfruit |
| <i>Artocarpus dadah</i> Miq. | N/A |
| <i>Artocarpus elasticus</i> Reinw. ex Blume | Terap |
| <i>Artocarpus heterophyllus</i> Lam. | Jack fruit |
| <i>Artocarpus integer</i> (Thunb.) Merr. | Chempedak |
| <i>Artocarpus lacucha</i> Buch.-Ham. | Monkeyfruit |
| <i>Artocarpus lanceifolius</i> Roxb. | Keledang |
| <i>Artocarpus lanceolatus</i> Trécul | N/A |
| <i>Artocarpus odoratissimus</i> Blanco | Marang |
| <i>Artocarpus rigidus</i> Blume | Monkey-jack |
| <i>Artocarpus sericicarpus</i> F. M. Jarrett | N/A |
| <i>Averrhoa bilimbi</i> L. | Bilimbi |
| <i>Averrhoa carambola</i> L. | Carambola, starfruit |
| <i>Azadirachta excelsa</i> (Jack) M. Jacobs | N/A |
| <i>Baccaurea angulata</i> Merr. | Red angled tampoi |
| <i>Baccaurea motleyana</i> (Müll. Arg.) Müll. Arg. | Rambai |
| <i>Baccaurea racemosa</i> (Reinw.) Müll. Arg. | Menteng |
| <i>Baccaurea ramiflora</i> Lour. | Burmese grape |
| <i>Bactris gasipaes</i> Kunth | Peach palm |
| <i>Balakata baccata</i> (Roxb.) Esser | Jiang guo wu jiu |
| <i>Barringtonia edulis</i> Seem. | Cutnut |
| <i>Benincasa hispida</i> (Thunb.) Cogn. | Ash gourd, ash pumpkin |
| <i>Bischofia javanica</i> Blume | Java-cedar, needlebark |
| <i>Blighia sapida</i> K. D. Koenig | Akee |
| <i>Borassus flabellifer</i> L. | Toddy palm |
| <i>Bouea macrophylla</i> Griff. | Gandaria |
| <i>Bouea oppositifolia</i> (Roxb.) Meisn. | Plum mango |
| <i>Breynia reclinata</i> (Roxb.) Hook. f. | N/A |
| <i>Bridelia stipularis</i> (L.) Blume | Lulalub |
| <i>Callicarpa longifolia</i> Lam. | Chukin |

| | |
|---|---|
| <i>Calophyllum inophyllum</i> L. | Alexandrian laurel, kamani |
| <i>Cananga odorata</i> (Lam.) hook. f. & Thomson | Ylang-ylang |
| <i>Canarium album</i> (Lour.) Raeusch | Chinese olive |
| <i>Capparis sepiaria</i> L. | Hedge caper bush |
| <i>Capparis tomentosa</i> Lam. | African caper |
| <i>Capsicum annuum</i> L. | Chili Bell pepper, chili, nioii lei, red pepper, sweet pepper |
| <i>Capsicum chinense</i> Jacq. | Bonnet pepper |
| <i>Capsicum frutescens</i> L. | Tabasco pepper |
| <i>Capsicum pubescens</i> Ruiz & Pav. | Apple chile |
| <i>Careya arborea</i> Roxb. | N/A |
| <i>Careya sphaerica</i> Roxb. | Kra doon |
| <i>Carica papaya</i> L. | Papaya |
| <i>Carissa carandas</i> L. | Carandas-plum |
| <i>Carissa spinarum</i> L. | Currentbush |
| <i>Caryota mitis</i> Lour. | Burmese fishtail palm |
| <i>Casimiroa edulis</i> La Llave & Lex. | White sapote |
| <i>Celtis tetrandra</i> Roxb. | Si rui po |
| <i>Chionanthus parkinsonii</i> (Hutch.) Bennet & Raizada | N/A |
| <i>Choerospondias axillaris</i> (Roxb.) B. L. Burt & A. W. Hill | N/A |
| <i>Chrysobalanus icaco</i> L. | Coco plum |
| <i>Chrysophyllum albidum</i> G. Don | White star apple |
| <i>Chrysophyllum cainito</i> L. | Caimito, star apple |
| <i>Chrysophyllum roxburghii</i> G. Don | Athapala |
| <i>Chukrasia tabularis</i> A. Juss. | Burmese almondwood |
| <i>Cinnamomum yabunikkei</i> H. Ohba | Yabu-nikkei |
| <i>Cissus repens</i> Lam. | N/A |
| × <i>Citrofortunella floridana</i> J. W. Ingram & H. E. Moore | Limequat |
| × <i>Citrofortunella microcarpa</i> (Bunge) Wijnands | Calamandarin, calamondin |
| <i>Citrullus colocynthis</i> (L.) Schrad. | Bitter apple, wild gourd |
| <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai | Watermelon |

| | |
|---|--|
| <i>Citrus aurantiifolia</i> (Christm. Swingle) | Sour lime, lime |
| <i>Citrus aurantium</i> L. | Sour orange |
| <i>Citrus clementina</i> Hort. ex Tanaka | Clementine |
| <i>Citrus deliciosa</i> Ten. | Italian tangerine, willow-leaf mandarin |
| <i>Citrus depressa</i> Hayata | N/A |
| <i>Citrus hystrix</i> DC. | Kaffir lime |
| <i>Citrus jambhiri</i> Lush. | Rough lemon |
| <i>Citrus keraji</i> Hort. ex Tanaka | Kabuchi, keraji |
| <i>Citrus latifolia</i> (Yu. Tanaka) Tanaka | Persian lime |
| <i>Citrus limetta</i> Risso | Sweet lime |
| <i>Citrus limettioides</i> Tanaka | Indian sweet lime |
| <i>Citrus limon</i> (L.) Burm. f. | Lemon |
| <i>Citrus limonia</i> Osbeck | Rangpur lime |
| <i>Citrus maxima</i> (Burm.) Merrill | Pummelo, shaddock |
| <i>Citrus natsudaidai</i> Hayata | Japanese summer grapefruit, natsu-daidai |
| <i>Citrus nobilis</i> Lour. | King orange |
| <i>Citrus oto</i> Hort. ex Yu. Tanaka | N/A |
| <i>Citrus paradisi</i> Macfady | Grapefruit |
| <i>Citrus reticulata</i> Blanco | Mandarin orange, tangerine |
| <i>Citrus sinensis</i> (L.) Osbeck | Common, Kona, or sweet orange |
| <i>Citrus</i> × <i>tangelo</i> J. W. Ingram & H. E. Moore | Tangelo |
| <i>Citrus unshiu</i> Marcow. | Satsuma orange, unshū-mikan |
| <i>Clausena lansium</i> (Lour.) Skeels | Wampi |
| <i>Clusia rosea</i> Jacq. | Copey |
| <i>Coccinia grandis</i> (L.) Voigt | Ivy gourd |
| <i>Coccoloba uvifera</i> (L.) L. | Sea grape |
| <i>Coffea arabica</i> L. | Arabian coffee, coffee |
| <i>Coffea canephora</i> Pierre ex A. Froehner | Robusta coffee |
| <i>Cordia dentata</i> Poir. | English clammy berry |
| <i>Cordyla pinnata</i> (A. Rich.) Milne-Redh. | N/A |
| <i>Crescentia cujete</i> L. | Calabash |
| <i>Crinum asiaticum</i> L. | Asiatic poisonbulb, spider lily |
| <i>Cucumis ficifolius</i> A. Rich. | Cucumis |

| | |
|---|--|
| <i>Cucumis melo</i> L. | Cantaloupe, melon |
| <i>Cucumis sativus</i> L. | Cucumber |
| <i>Cucurbita argyrosperma</i> C. Huber | Cushaw |
| <i>Cucurbita maxima</i> Duchesne | Squash |
| <i>Cucurbita moschata</i> Duchesne | Butternut pumpkin, butternut squash |
| <i>Cucurbita pepo</i> L. | Pumpkin, zucchini squash |
| <i>Desmos chinensis</i> Lour. | Jia ying zhua |
| <i>Dillenia obovata</i> (Blume) Hoogland | Simpoh padang |
| <i>Dimocarpus longan</i> Lour. | Longan |
| <i>Diospyros abyssinica</i> (Hiern) F. White | Native persimmon |
| <i>Diospyros areolata</i> King & Gamble | N/A |
| <i>Diospyros blancoi</i> A. DC. | Mabolo, velvet apple |
| <i>Diospyros castanea</i> (Craib). H. R. Fletcher | N/A |
| <i>Diospyros dasyphylla</i> Kurz | N/A |
| <i>Diospyros dipehorstii</i> Miq. | Kaya malam |
| <i>Diospyros digyna</i> Jacq. | Black persimmon, black sapote |
| <i>Diospyros glandulosa</i> Lace | Mai kua thoun |
| <i>Diospyros japonica</i> Siebold & Zucc. | Ryūkyū-mamegaki |
| <i>Diospyros kaki</i> Thunb. | Japanese persimmon, kaki, Oriental persimmon |
| <i>Diospyros malabarica</i> (Desr.) Kostel. | Indian persimmon |
| <i>Diospyros maritima</i> Blume | Sea ebony |
| <i>Diospyros mespiliformis</i> Hochst. Ex A. DC. | Jackalberry, African ebony |
| <i>Diospyros mollis</i> Griff. | Ma kluea |
| <i>Diospyros montana</i> Roxb. | Mountain persimmon |
| <i>Diospyros sandwicensis</i> (A. DC.) Fosberg | Elama, lama |
| <i>Diospyros virginiana</i> L. | American persimmon |
| <i>Diplocyclos palmatus</i> (L.) C. Jeffrey | Striped-cucumber |
| <i>Dovyalis hebecarpa</i> (Gardner) Warb. | Ceylon gooseberry, kitembilla |

| | |
|--|--------------------------------------|
| <i>Dracaena steudneri</i> Schweinf. ex Engl. | Northern large leaf dragon tree |
| <i>Drypetes floribunda</i> (Mull. Arg.) Hutch. | N/A |
| <i>Ehretia microphylla</i> Lam. | Philippine tea |
| <i>Elaeocarpus hygrophilus</i> Kurz | Ma-kok-nam |
| <i>Elaeocarpus serratus</i> L. | Ceylon olive |
| <i>Eriobotrya japonica</i> (Thunb) Lindl. | Loquat |
| <i>Erycibe subspicata</i> Wall. ex G. Don | Zhui xu ding gong teng |
| <i>Eugenia brasiliensis</i> Lam. | Brazil cherry, Brazilian plum |
| <i>Eugenia megacarpa</i> Craib | N/A |
| <i>Eugenia palumbis</i> Merr. | N/A |
| <i>Eugenia uniflora</i> L. | Surinam cherry |
| <i>Excoecaria agallocha</i> L. | Blind-your-eye mangrove |
| <i>Fagraea berteriana</i> A. Gray ex Benth. | Pua kenikeni |
| <i>Fagraea ceilanica</i> Thunb. | Hui li |
| <i>Fibraurea tinctoria</i> Lour. | Sekunyit |
| <i>Ficus auriculata</i> Lour. | Roxburgh fig |
| <i>Ficus benjamina</i> L. | Benjamin fig |
| <i>Ficus carica</i> L. | Common fig, fig |
| <i>Ficus chartacea</i> (Wall. ex Kurz) Wall. ex King | Zhi ye rong |
| <i>Ficus erecta</i> Thunb. | Ai xiao tian xian guo |
| <i>Ficus fistulosa</i> Reinw. ex Blume | Yellow stem fig |
| <i>Ficus hirta</i> Vahl | Cu ye rong |
| <i>Ficus hispida</i> L. f. | Hairy fig |
| <i>Ficus lepicarpa</i> Blume | N/A |
| <i>Ficus microcarpa</i> L. f. | Chinese banyan |
| <i>Ficus obpyramidata</i> | N/A |
| <i>Ficus ottoniifolia</i> Miq. | N/A |
| <i>Ficus pumila</i> L. | Bi li, creeping mission fig |
| <i>Ficus racemosa</i> L. | Cluster fig |
| <i>Ficus religiosa</i> L. | Sacred fig |
| <i>Ficus septica</i> Burm. f. | Septic fig |
| <i>Ficus sycomorus</i> L. | Sycamore fig, mulberry fig, wild fig |
| <i>Ficus virgata</i> Reinw. ex Blume | Dao rong |

| | |
|--|--|
| <i>Flacourtia indica</i> (Burman f.) Merrill | Governor's plum, ramontehi, rukam |
| <i>Flacourtia rukam</i> Zoll. & Moritzi | Prunier café |
| <i>Flueggea virosa</i> (Roxb. ex Willd) Royle | Common bushweed |
| <i>Fortunella japonica</i> (Thunb.) Swingle | Calamondin orange, Chinese orange, kumquat |
| <i>Fortunella margarita</i> (Lour.) Swingle | Nagami kumquat |
| <i>Fortunella polyandra</i> (Ridl.) Tanaka | Malayan kumquat |
| <i>Garcinia atroviridis</i> Griff. ex T. Anderson | Gelugor |
| <i>Garcinia speciosa</i> Wall. | Ma pong |
| <i>Garcinia costata</i> Hemsl. ex King | N/A |
| <i>Garcinia cowa</i> Roxb. ex DC. | Cowa |
| <i>Garcinia dulcis</i> (Roxb.) Kurz | Eggtree |
| <i>Garcinia griffithii</i> T. Anderson | N/A |
| <i>Garcinia hombroniana</i> Pierre | N/A |
| <i>Garcinia intermedia</i> (Pittier) Hammel | N/A |
| <i>Garcinia mangostana</i> L. | Mangosteen |
| <i>Garcinia manni</i> Oliv. | Kar |
| <i>Garcinia parvifolia</i> Miq. | Kandis |
| <i>Garcinia prainiana</i> King | Button mangosteen |
| <i>Garcinia subelliptica</i> Merr. | N/A |
| <i>Garcinia venulosa</i> (Blanco) Choisy | N/A |
| <i>Garcinia xanthochymus</i> Hook. f. | Gourka, gamboge tree |
| <i>Garuga floribunda</i> Decne. | Garuga, nemismis |
| <i>Glochidion littorale</i> Blume | Saka saka |
| <i>Glycosmis pentaphylla</i> (Retz.) DC. | Shan xiao ju |
| <i>Gmelina elliptica</i> Sm. | Badhara bush |
| <i>Gmelina philippensis</i> Cham. | N/A |
| <i>Gymnopetalum scabrum</i> (Lour.) W. J. de Wilde & Duyfjes | Feng gua |
| <i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer | Common Indian mulberry |
| <i>Haematostaphis barteri</i> Hook. f. | N/A |

| | |
|--|-----------------------------------|
| <i>Hanguana malayana</i> (Jack) Merr. | N/A |
| <i>Hexalobus monopetalus</i> (A. Rich.) Engl. & Diels | N/A |
| <i>Heynea trijuga</i> Roxb. ex Sims | N/A |
| <i>Holigarna kurzii</i> King | N/A |
| <i>Horsfieldia subglobosa</i> Warb. | Penarahan |
| <i>Hylocereus undatus</i> (Haw.) Britton & Rose | Dragon fruit |
| <i>Icacina oliviformis</i> (Poir.) J. Raynal | False yam |
| <i>Inocarpus fagiferus</i> (Parkinson) Fosberg | Marrup, Tahitian chestnut |
| <i>Irvingia gabonensis</i> (Aubry-Lecomte ex O'Rorke) Baill. | Dikanut |
| <i>Irvingia malayana</i> Oliv. ex A. W. Benn. | Kabok |
| <i>Ixora javanica</i> (Blume) DC. | N/A |
| <i>Ixora macrothyrsa</i> (Teijsm. & Binn.) R. Br. | Santan-pula |
| <i>Juglans hindsii</i> (Jeps.) R. E. Sm. | California walnut, Hinds's walnut |
| <i>Juglans nigra</i> L. | Black walnut |
| <i>Juglans regia</i> L. | English walnut |
| <i>Kedrostis leloja</i> (Forssk.) C. Jeffrey | N/A |
| <i>Knema globularia</i> (Lam.) Warb. | Xiao ye hong guang shu |
| <i>Lagenaria siceraria</i> (Molina) Standl. | Bottle gourd |
| <i>Lansium domesticum</i> Corrêa | Langsat, lanzones |
| <i>Lansium parasiticum</i> (Osbeck) K. C. Sahni & Bennet | N/A |
| <i>Lepisanthes alata</i> (Blume) Leenh. | Sinpaju |
| <i>Lepisanthes fruticosa</i> (Roxb.) Leenh. | N/A |
| <i>Lepisanthes rubiginosa</i> (Roxb.) Leenh. | Kelatiayu |
| <i>Lepisanthes tetraphylla</i> (Vahl) Radlk. | N/A |
| <i>Litchi chinensis</i> Sonn. | Litchi, lychee |
| <i>Litsea glutinosa</i> (Lour.) C. B. Rob. | Bolly-beech |

| | |
|---|--|
| <i>Litsea salicifolia</i> (J. Roxb. ex Nees) Hook. f. | Hei mu jiang zi |
| <i>Luffa acutangula</i> (L.) Roxb. | Ribbed loofah |
| <i>Luffa aegyptiaca</i> Mill. | Loofah |
| <i>Lycianthes biflora</i> (Lour.) Bitter | Hong si xian |
| <i>Machilus thunbergii</i> Siebold & Zucc. | Tabu |
| <i>Maclura cochinchinensis</i> (Lour.) Corner | Cockspurthorn |
| <i>Maerua duchesnei</i> (De Wild.) F. White | N/A |
| <i>Malpighia emarginata</i> DC. | Barbados cherry, acerola |
| <i>Malpighia glabra</i> L. | Acerola, Acerola cherry, Barbados cherry, west Indian cherry |
| <i>Malus pumila</i> Mill. | Apple, domestic apple |
| <i>Malus sylvestris</i> (L.) Mill. | Apple, crab apple |
| <i>Mammea siamensis</i> T. Anderson | N/A |
| <i>Mangifera caesia</i> Jack | Wani |
| <i>Mangifera caloneura</i> Kurz | Mamuangpa |
| <i>Mangifera foetida</i> Lour. | Bachang mango |
| <i>Mangifera griffithii</i> Hook. f. | Rawa |
| <i>Mangifera indica</i> L. | Mango |
| <i>Mangifera laurina</i> Blume | Boa pow, mangga |
| <i>Mangifera longipetiolata</i> King | Asam damaran, asam kumbang |
| <i>Mangifera odorata</i> Griff. | Kuine, Saipan mango |
| <i>Mangifera pajang</i> Kosterm. | Bambangan |
| <i>Manilkara jaimiqui</i> (C. Wright) Dubard | Wild sapodilla |
| <i>Manilkara zapota</i> (L.) P. Royen | Sapote, chicle, chiku, sapodilla |
| <i>Merremia vitifolia</i> (Burm. f.) Hallier f. | Zhang ye yu huang cao |
| <i>Microcos tomentosa</i> Sm. | N/A |
| <i>Mimusops elengi</i> L. | Elengi, pogada, Spanish cherry |
| <i>Mitrephora maingayi</i> Hook. f. & Thomson | Thabut-net |
| <i>Momordica balsamina</i> L. | Balsam apple, bitter melon |
| <i>Momordica charantia</i> L. | Balsam pear, bitter melon |

| | |
|--|---|
| <i>Momordica cochinchinensis</i> (Lour.) Spreng. | Balsam apple |
| <i>Morella rubra</i> Lour. | Chinese-arbutus |
| <i>Morinda citrifolia</i> L. | Noni, Indian mulberry |
| <i>Morinda coreia</i> Buch.-Ham. | N/A |
| <i>Morus alba</i> L. | White mulberry |
| <i>Morus nigra</i> L. | Black mulberry |
| <i>Muntingia calabura</i> L. | Jamaica cherry |
| <i>Murraya exotica</i> L. | Chinese-boxwood |
| <i>Murraya paniculata</i> (L.) Jack | Mock orange, orange jasmine |
| <i>Musa acuminata</i> Colla | Chinese banana, dwarf banana ² |
| <i>Musa balbisiana</i> Colla | Plantain |
| <i>Musa basjoo</i> Siebold & Zucc. ex Linuma | Japanese banana |
| <i>Musa ×paradisiaca</i> L. | Banana, common banana ² |
| <i>Musa troglodytarum</i> L. | Fe'i banana |
| <i>Myxopyrum smilacifolium</i> Blume | N/A |
| <i>Nauclea orientalis</i> (L.) L. | Canary wood |
| <i>Neolamarckia cadamba</i> (Roxb.) Bosser | Burflower tree |
| <i>Neolitsea sericea</i> (Blume) Koidz. | Shirodamo |
| <i>Nephelium cuspidatum</i> Blume | Panungaian |
| <i>Nephelium lappaceum</i> L. | Rambutan |
| <i>Nestegis sandwicensis</i> (A. Gray) O. Deg., I. Deg. & L. A. S. Johnson | Olopua |
| <i>Ochreinauclea maingayi</i> (Hook. f.) Ridsdale | N/A |
| <i>Ochrosia mariannensis</i> A. DC. | N/A |
| <i>Olax scandens</i> Roxb. | Dheniani |
| <i>Opilia amentacea</i> Roxb. | N/A |
| <i>Opuntia ficus-indica</i> (L.) Mill. | Cactus, prickly pear |
| <i>Palaquium maingayi</i> (C. B. Clarke) King & Gamble | Nyatoh |
| <i>Pandanus fragrans</i> Gaudich | Screw pine |
| <i>Pandanus odorifer</i> (Forssk.) Kuntze | Hala, pandanus, screw pine |
| <i>Parinari anamensis</i> Hance | N/A |

| | |
|--|---|
| <i>Parkia biglobosa</i> (Jacq.) R. Br. ex G. Don | African locust-bean |
| <i>Parkia speciosa</i> Hassk. | Petai |
| <i>Passiflora caerulea</i> L. | N/A |
| <i>Passiflora edulis</i> Sims | Lilikoi, passion fruit, purple granadilla, yellow lilikoi |
| <i>Passiflora foetida</i> L. | Love-in-a-mist, pohapoha, stinking passion fruit |
| <i>Passiflora incarnata</i> L. | Maypop, wild passion fruit |
| <i>Passiflora laurifolia</i> L. | Bell apple, water lemon, yellow granadilla |
| <i>Passiflora ligularis</i> Juss. | Sweet granadilla |
| <i>Passiflora quadrangularis</i> L. | Giant granadilla |
| <i>Passiflora suberosa</i> L. | N/A |
| <i>Passiflora tripartita</i> (Juss.) Poir. | Banana passion fruit, soft leaf passionflower |
| <i>Pereskia grandiflora</i> Pfeiff. | N/A |
| <i>Persea americana</i> Miller | Alligator pear, avocado |
| <i>Phoenix dactylifera</i> L. | Date palm |
| <i>Phyllanthus acidus</i> (L.) Skeels | Gooseberry tree |
| <i>Physalis minima</i> L. | Green gooseberry |
| <i>Physalis peruviana</i> L. | Ground cherry, poha |
| <i>Pimenta dioica</i> (L.) Merrill | Allspice |
| <i>Planchonella duclitan</i> (Blanco) Bakh. f. | N/A |
| <i>Polyalthia longifolia</i> (Sonn.) Thwaites | Cemetery tree, custard apple, India greenstar |
| <i>Polyalthia simiarum</i> (Buch.-Ham. ex Hook. f. & Thomson) Benth. ex Hook. f. & Thomson | N/A |
| <i>Pometia pinnata</i> J. R. Forst. & G. Forst. | Fijian longan |
| <i>Poncirus trifoliata</i> (L.) Raf. | Japanese bitter orange |
| <i>Pouteria alnifolia</i> (Baker) Roberty | N/A |
| <i>Pouteria caimito</i> (Ruiz & Pav.) Radlk. | Abiu |

| | |
|--|---|
| <i>Pouteria campechiana</i> (Kunth) Baehni | Canistel, egg fruit, egg fruit tree |
| <i>Pouteria sapota</i> (Jacq.) H. E. Moore & Stearn | Mamey sapote, marmalade fruit |
| <i>Pouteria viridis</i> (Pittier) Cronquist | Green sapote |
| <i>Premna serratifolia</i> L. | Coastal premna |
| <i>Prunus armeniaca</i> L. | Apricot |
| <i>Prunus avium</i> (L.) L. | Sweet cherry |
| <i>Prunus campanulata</i> Maxim. | Taiwan cherry |
| <i>Prunus cerasifera</i> Ehrh. | Cherry plum, methley plum |
| <i>Prunus cerasoides</i> D. Don | Sour cherry, wild Himalayan cherry |
| <i>Prunus cerasus</i> L. | Sour cherry, maraschino cherry |
| <i>Prunus domestica</i> L. | Common plum, European plum |
| <i>Prunus ilicifolia</i> (Nutt. ex Hook. & Arn.) D. Dietr. | Catalina cherry, hollyleaf cherry |
| <i>Prunus mume</i> Siebold & Zucc. | Japanese apricot |
| <i>Prunus persica</i> (L.) Batsch. | Peach. Nectarine |
| <i>Prunus salicina</i> Lindl. | Japanese plum |
| <i>Prunus salicina</i> Lindl. x <i>Prunus cerasifera</i> Ehrh. | Methley plum |
| <i>Psidium cattleianum</i> Sabine | Purple, red and yellow strawberry guava, strawberry guava |
| <i>Psidium guajava</i> L. | Common guava, guava |
| <i>Punica granatum</i> L. | Pomegranate ³ |
| <i>Pyrus communis</i> L. | Pear |
| <i>Pyrus pashia</i> Buch.-Ham. ex D. Don | N/A |
| <i>Pyrus pyrifolia</i> (Burm. f.) Nakai | Sand pear |
| <i>Rhodomyrtus tomentosa</i> (Aiton) Hassk. | Downy rose myrtle, myrtle |
| <i>Saba comorensis</i> (Bojer ex A. DC.) Pichon | N/A |
| <i>Saba senegalensis</i> (A. DC.) Pichon | Liane saba, mad, made |
| <i>Salacia verrucosa</i> Wight | N/A |
| <i>Sambucus javanica</i> Reinw. ex Blume | Chinese elder |
| <i>Sandoricum koetjape</i> (Burm. f.) Merrill | Santol |

| | |
|---|---|
| <i>Santalum paniculatum</i> Hook. & Arn. | Native Hawaiian sandalwood, sandalwood |
| <i>Sarcocephalus latifolius</i> (Sm.) Bruce | Country fig |
| <i>Sauropus androgynus</i> (L.) Merr. | Star gooseberry, katuk |
| <i>Schoepfia fragrans</i> Wall. | N/A |
| <i>Sclerocarya birrea</i> (A. Rich.) Hochst. | Maroola plum |
| <i>Shirakiopsis indica</i> (Willd.) Esser | N/A |
| <i>Simarouba glauca</i> DC. | Paradise tree |
| <i>Siphonodon celastrineus</i> Griff. | N/A |
| <i>Solanum aculeatissimum</i> Jacq. | Dutch eggplant |
| <i>Solanum aethiopicum</i> L. | Kumba |
| <i>Solanum americanum</i> Mill. | N/A |
| <i>Solanum anguivi</i> Lam. | African eggplant |
| <i>Solanum betaceum</i> Cav. | Tree tomato |
| <i>Solanum capsicoides</i> All. | N/A |
| <i>Solanum donianum</i> Walp. | Mullein, nightshade |
| <i>Solanum erianthum</i> D. Don | Big eggplant |
| <i>Solanum granulosoleprosum</i> Dunal | N/A |
| <i>Solanum incanum</i> L. | Bitter apple |
| <i>Solanum lasiocarpum</i> Dunal | Indian nightshade |
| <i>Solanum linnaeanum</i> Hepper & P.-M. L. Jaeger | Apple-of-sodom |
| <i>Solanum lycopersicum</i> L. | Tomato |
| <i>Solanum macrocarpon</i> L. | Gboma eggplant |
| <i>Solanum mammosum</i> L. | Macawbush |
| <i>Solanum mauritianum</i> Scop. | Bugtree |
| <i>Solanum melongena</i> L. | Eggplant |
| <i>Solanum muricatum</i> Aiton | Melon pear, pepino |
| <i>Solanum nigrescens</i> M. Martens & Galeotti | Divine nightshade |
| <i>Solanum nigrum</i> L. | Black nightshade |
| <i>Solanum pimpinellifolium</i> L. | Currant tomato |
| <i>Solanum pseudocapsicum</i> L. | Jerusalem cherry |
| <i>Solanum quitoense</i> Lam. | Quito orange |
| <i>Solanum seaforthianum</i> Andrews | Black nightshade |
| <i>Solanum sessiliflorum</i> Dunal | Cocona, peach tomato |
| <i>Solanum stramonifolium</i> Jacq. | N/A |

| | |
|--|---|
| <i>Solanum torvum</i> Sw. | Devil's fig, turkeyberry |
| <i>Solanum trilobatum</i> L. | N/A |
| <i>Sorindeia madagascariensis</i> DC. | Sondriry |
| <i>Spondias dulcis</i> Sol. ex Parkinson | Otaheite apple, Jew plum, wi apple |
| <i>Spondias mombin</i> L. | Jamaica plum, yellow mombin |
| <i>Spondias pinnata</i> L. | Common hog plum |
| <i>Spondias purpurea</i> L. | Purple mombin, red mombin, Spanish plum |
| <i>Streblus asper</i> Lour. | N/A |
| <i>Strychnos mellodora</i> S. Moore | N/A |
| <i>Strychnos nux-vomica</i> L. | N/A |
| <i>Syzygium aqueum</i> (Burm. f.) Alston | Water apple, watery rose apple |
| <i>Syzygium aromaticum</i> (L.) Merr. & L. M. Perry | Clove |
| <i>Syzygium borneense</i> (Miq.) Miq. | N/A |
| <i>Syzygium cumini</i> (L.) Skeels | Malay apple, Java plum |
| <i>Syzygium formosanum</i> (Hayata) Mori. | Tai wan pu tao |
| <i>Syzygium grande</i> (Wight) Walp. | N/A |
| <i>Syzygium jambos</i> (L.) Alston | Rose apple |
| <i>Syzygium lineatum</i> (DC.) Merr. & L. M. Perry | N/A |
| <i>Syzygium malaccense</i> (L.) Merrill & L. M. Perry | Mountain apple, Malay apple |
| <i>Syzygium nervosum</i> DC. | Daly River, satin-ash |
| <i>Syzygium samarangense</i> (Blume) Merr. & L. M. Perry | Java apple, water guava |
| <i>Terminalia bellirica</i> (Gaertn.) Roxb. | Belleric, beach almond |
| <i>Terminalia catappa</i> L. | False kamani, tropical almond |
| <i>Terminalia chebula</i> Retz. | Black myrobalan, chebula |
| <i>Terminalia citrina</i> (Gaertn.) Roxb. ex Fleming | Black chuglam |
| <i>Theobroma cacao</i> L. | Cocoa |
| <i>Thevetia peruviana</i> (pers.) K. Schum. | Yellow oleander |
| <i>Toddalia asiatica</i> (L.) Lam. | N/A |
| <i>Trichosanthes costata</i> Blume | N/A |
| <i>Trichosanthes pilosa</i> Lour. | Snake gourd |

| | |
|---|------------------------|
| <i>Triphasia trifolia</i> (Burm. f.) P. Wilson | Limeberry |
| <i>Turpinia ternata</i> Nakai | San ye shan xiang yuan |
| <i>Uvaria grandiflora</i> Roxb. ex Hornem. | N/A |
| <i>Uvaria littoralis</i> (Blume) Blume | N/A |
| <i>Vaccinium reticulatum</i> Sm. | Ohelo |
| <i>Viburnum japonicum</i> (Thunb.) Spreng. | Hakusan-boku |
| <i>Vitellaria paradoxa</i> C. F. Gaertn. | Shea-butter tree |
| <i>Vitis</i> spp. | Grapes |
| <i>Wikstroemia phillyreifolia</i> A. Gray | Akia, false ohelo |
| <i>Wikstroemia uva-ursi</i> A. Gray | Akia, false ohelo |
| <i>Willughbeia cochinchinensis</i> (Pierre) K. Schum. | N/A |
| <i>Willughbeia coriacea</i> Wall. | Borneo rubber |
| <i>Xanthophyllum flavescens</i> Roxb. | N/A |
| <i>Ximenia americana</i> L. | Yellow plum |
| <i>Zehneria mucronata</i> (Blume) Miq. | N/A |
| <i>Zehneria wallichii</i> (C. B. Clarke) C. Jeffrey | N/A |
| <i>Ziziphus jujuba</i> Mill. | Jujube |
| <i>Ziziphus mauritiana</i> Lam. | Chinese date, Jujube |
| <i>Ziziphus mucronata</i> Willd. | N/A |
| <i>Ziziphus nummularia</i> (Burm. f.) Wight & Arn. | N/A |
| <i>Ziziphus oenoplia</i> (L.) Mill. | N/A |

¹ Smooth Cayenne pineapples and hybrids with 50% or more smooth Cayenne parentage are not regulated

² Movement of green bananas of cultivars “Williams”, “Valery”, “Grand Nain” and standard and dwarf “Brazilian” without prematurely ripe fingers, fused fingers or exposed flesh may be allowed through the system approach listed in 7 CFR § 318.13-22

³ Movement of pomegranate arils is unrestricted