

# 한반도 자생식물 영어이름 목록집



# 한반도 자생식물 영어이름 목록집

English Names for Korean Native Plants



# 머리말

우리는 누구나 좋은 이름을 갖기를 원하고, 또 불리기를 원합니다. 아이가 태어나면 제일 먼저 뜻과 소리를 염두에 두고 이름을 짓습니다. 또한 나쁜 이름은 법적인 절차를 거쳐 바꾸기도 합니다. 이름이 가지는 힘을 믿기 때문일 것입니다. 이름을 불러줌으로서 의미있는 존재가 된다는 시인의 식구처럼, 이름은 단순히 정보를 제공하는데 그치지 않고, 그 이름을 가진 존재의 의미와 가치를 결정짓게 됩니다. 식물의 이름도 마찬가지입니다. 단순히 식물이 가지고 있는 특징을 나타내는 것을 넘어서, 그 식물의 생태적 가치, 자라는 지역의 역사적 의미와 민족의 문화를 모두 내포하고 있습니다. 이것이 산림청과 국립수목원이 광복 70주년을 맞이하여 ‘우리 소나무의 진정한 광복’을 준비하게 된 까닭입니다.

2014년 10월 『나고야 의정서(Nagoya Protocol)』가 발표되면서, 식물의 원산지 주권은 한층 강화되었습니다. 이런 상황에서 우리나라의 식물주권은 그 어느 때보다 중요해졌으며, 다양한 방법을 통해 우리 식물 주권을 확보 할 필요가 있게 되었습니다.

우리 식물의 이름은 한반도의 아픈 역사를 그대로 반영하고 있습니다. 한반도의 식물이 일본이나 중국에 비해 100년 이상 늦게 알려진 것도 있지만, 일제 강점기를 통해 많은 식물들이 일본인 학자들에 의해 연구되고, 학계에 보고되면서, 뜻하지 않게 일본식 이름을 그대로 가져가게 되었습니다. 뒤늦게 이런 이름들을 고쳐보고자 하나, 학명이 가진 특수성 때문에 변경이 쉽지 않습니다. 그러나 누구나 흔히 부를 수 있는 이름, 즉, 일반명은 그렇지 않습니다.

이에, 국립수목원에서는 한반도를 대표하는 식물을 ‘코리아(Korea)의 식물’로 세계에 적극적으로 알릴 필요가 있다고 여겨, 한국식물분류학회

전문가들과 함께 『국가표준식물목록』 작성 사업에 이어, 우리 식물에 영어 이름을 지어주는 작업을 시작하게 되었습니다. 자생식물 4,173종의 영어이름을 검토하여, 2,500종에 대해 새롭게 이름을 붙이고, 특산식물은 한국이 원산지임을 알 수 있도록 하였습니다. 또한 우리 문화와 밀접한 관계가 있는 식물과 특산 속에 대해서는 한글이름이 그대로 영어이름이 되도록 하였습니다.

『한반도 자생식물 영어이름 목록집』 발간으로, 그 동안 일본 또는 다른 나라의 식물로만 인식되었던 우리 식물들의 제대로 된 이름을 찾아주고, 이름이 없었던 식물들은 새로운 영어이름을 가지게 됨으로서, 국제사회에 우리 식물임을 소개하는 계기가 될 것입니다. 이 이름들이 확산되기 위해서는 모두 합심하여, 학술논문, 자료집, 표찰, SNS 등을 통해 많이 사용해 주는 것이 필요하며, 이를 통해 우리 식물은 합당한 이름을 가지게 되고, 우리가 진정한 이름의 주인이 될 수 있을 것입니다.

본 목록집이 나오기 까지 애써주신 국가수목유전자원목록심의회와 한국 식물분류학회 전문가분들에게 감사드리고, 국립수목원 관계자들의 노고를 치하하는 바입니다.

아무쪼록 본 목록집이 우리 식물의 주권 확보에 기여할 수 있기를 바라며, 국립수목원은 앞으로도 우리 자생식물에 대한 지속적인 연구와 지원을 아끼지 않을 것을 약속드립니다.

국립수목원장  
이유미

# FOREWORD

We all want to have a good name, and to be called by a good name. When a baby is born, the first thing we do is, give a name to the baby considering the meaning and the sound. This is because we believe in the power of the name. As a phrase of a poem of a poet, call out the name, we become a meaningful existence. The name does not only provide simple meaning, but also determine the significance and the value of the existing being with the name. It is likewise with the plant's name. Plant's name shows not only the characteristics of the plant, but also the ecological value, and contains the historical meaning and the national culture of their habitat. This is why and National Arboretum have prepared 'True Independence of our pine' commemorating the Independence Day 70th Anniversary.

At the announcement of the『Nagoya protocol』in Oct. 2014, the sovereignty of the plants was strengthened. In this circumstance, our plants' sovereignty became more important than ever, and we realized the necessity to secure our plants' sovereignty through various methods. The names of our plants reflect the painful history of Korean peninsula. The plants of Korean peninsula were known more than 100 years later than those of Japanese and Chinese, but through the Japanese Colonial Period, plants were researched and reported by Japanese scientists, unintendedly, the names were given in Japanese style. We have tried to modify the names, but it is not easy because of the peculiarity of the scientific names. But the names we call out, the common names, they are different.

Hence, Korea National Arboretum have recognized that, it is needed to inform actively Korean peninsula typical plants as 'The plants of Korea' to the world, we have started to give English names to our plants, following to the『Korean Plant Names Index』preparation business with the experts of The Korean Society of

Plant Taxonomists. We have reviewed 4,173 species of native plants, and gave new names to 2,500 species, indigenous plants' names showing that the plants origin is Korea. Moreover the names of the indigenous plants and indigenous species that are closely related to our culture, we have decided to give English names literally same as the Korean names.

The publication of 『English Names for Korean native plants』, will be the opportunity to introduce these plants as our plants globally, giving proper names to our plants those were perceived as Japanese or other countries' plants, and giving names to those, which did not have any names at all. To widespread these names, we will have to work together in using these names, in treatise, materials, labels, SNS. Through these activities, our plants will have the reasonable names, and we will be the real host of the names.

Thank you to the experts of 'Korea National Plant List Committee' and 'The Korean Society of Plant Taxonomists' who have made efforts for this book to be published, and I also want to appreciate to the persons concerned of Korea National Arboretum.

I hope this book will contribute in securing the sovereignty of our plants, and the Korea National Arboretum will provide continuous research and support on our native plants in the future.

YOU MI LEE  
Director General  
Korea National Arboretum

# 책임편저자의 변

동식물의 모든 종은 이름을 갖고 있습니다. 이름이 있어야 진정한 종의 정체성을 확보하게 되고, 그 이름으로 서로 무엇을 지칭하는지 정확하게 이해할 수 있기 때문에, 종을 처음 기재할 때는 세계적으로 통용되는 라틴어 학명을 부여합니다. 동시에 그 나라 국문으로 지정된 이름이 있고, 이외에 지역이나 민간에서 부르는 통속명이 있는데 종종 혼란을 초래하곤 합니다.

우리나라 식물의 학명과 국명은 식물도감을 보면 다 알 수 있습니다. 그러나 외국인들을 위해 국제어화 된 영어로는 이름이 있는 경우도 있지만 없는 것이 대부분입니다. 그래서 외국인들이 우리 식물의 영어 이름을 물으면 궁색했던 적이 많았습니다. 그래서 누군가 언젠가는 모든 종에 대해 영어명을 부여했으면 했고, 그 일을 본인이 하고 싶은 바람을 갖고 있었습니다. 하지만 재직 시절엔 강의와 연구를 하느라 여유가 없었고, 퇴임을 하고서도 방대한 작업이라 막상 엄두도 못 내고 몇 해가 흘렀습니다.

그러던 차 국립수목원에서 우리나라 식물에 대해서 영명을 부여하는 프로젝트를 수립, 본인에게 그 주요 작업을 해달라는 제의를 받게 되었습니다. 정년을 해서 시간도 여유롭고, 하고 싶은 바람도 있었지만, 정말이지 분류학자로서 뜻 깊고 가치 있는 일이라 믿었기에 선뜻 응하게 되었습니다. 그러나 그간 모든 종에 대해 불려온 영명을 조사해야 하는 일이 큰일이라 걱정이 많았는데, 이 일은 국립수목원에서 다 해 놓았답니다. 옳거니! 그럼 일의 절반은 된 셈입니다.

한 종의 이름은 학명이던 국명이던 영명이던 하나만 있어야 하고, 한 이름은 하나의 종에만 부여되어야 혼란을 피할 수 있습니다. 이것은 영명에도 똑같이 적용됩니다. 따라서 영명을 부여하는 일도 간단한 일이 아닙니다. 혹 외국인이 그 종에 대해 사용하던 영어명이 있는지를 조사해야 하고, 그 이름이 적

합한지도 봐야하고, 여기에 라틴어로 된 학명과 국명이 무엇을 의미하는지도 알아야하며, 가급적 부르기도 좋고 뜻이 좋으며 주권적인 가치도 높은 이름을 붙여야 하기 때문입니다. 그래서 이름을 선정하고 새로 붙이는 일은 많은 시간과 노력을 요하는 작업이었습니다.

국립수목원의 이 훌륭한 프로젝트에 본인이 참여할 수 있게 된 것은 특권이었습니다. 저에게 이 일을 맡겨 주신 이유미 국립수목원장님께 감사드립니다. 그간의 영명을 모으는 기초작업을 해 주신 분들과, 본인의 영명을 일일이 검토하고 편집해주신 국립수목원 및 한국식물분류학회 관계자 여러분께도 감사드립니다.

성균관대학교 명예교수  
이상태

# Editor-in-Chief's Preface

All species of plants and animals have their own names, by which their true identities are established and can be communicated perfectly. The names of all the species, with species described first, are given in Latin for a worldwide usage. A local name is also given in the author's language. Often vernacular names, if any, cause a confusion in the scientific community.

The scientific and Korean names of Korean plants appear in the flora books. Some Korean plants have English names, however, most do not. When foreigners asked me the names in English, now an international language, I have often been frustrated because they do not have English names. Thus I thought that English names should be given to all Korean plant species and wished to conduct the project giving them English names. While engaged as a professor, however, due to the burden of lectures and research, I was unable to progress in this work. After my retirement, few years passed without doing anything because the job was too colossal to conduct alone.

At that time the Korean National Arboretum planned a project to give English names to the Korean plants and proposed for me to have a major part in it. Since I was somewhat free in time owing to my retirement, and had interest in the job, I accepted the proposal. I did so happily because I believed, as a plant taxonomist, it would be truly meaningful and valuable to conduct the project. I worried about documenting previously used English names, but they said it was done already, that meant half the job was already finished.

To avoid a confusion, a species should have only one name, whether scientific or local, and one name should be given to only one species. In relation to English,

it is not a simple job to give one name to each species. We have to document the English names used so far, analyze if the names are appropriate, and understand the meaning of both Latin and local names. English names should be unique and natural to call, and they need to have good meaning and sovereign value as far as possible. Thus the job of selecting and giving the names required a fair amount of time and many challenging processes.

It was my privilege to participate in this great project with the Korean National Arboretum. I appreciate Dr. You Mi Lee, the General Director of the Arboretum, who gave me this opportunity, and those who helped with the basic documentation for the job. I would like to express my deep gratitude to the authorities of the Arboretum, and the Korean Plant Taxonomy Society, who examined and edited all of my English names of Korean plants.

Sangtae Lee, Ph.D.  
Emeritus Professor of Sungkyunkwan University



# 목 차 Contents

일리두기

Introduction

국명\_1

Korean name

학명\_331

Scientific name

찾아보기\_687

Index

참고문헌\_759

Reference

# 일러두기

우리 민족과 함께해 온 소나무의 영어이름으로 재페니즈 레드 파인(Japanese red pine)이 사용되고 있습니다. ‘줄기가 붉은 일본의 소나무’라는 뜻입니다. 세계적으로 한반도가 소나무 분포의 중심이지만 일본의 소나무가 서양인들에게 먼저 알려진 탓입니다. 이제 소나무가 한반도 중심의 나무임을 알려야 합니다.

우리 식물이 다른 나라의 식물로 알려진 경우 외에도 영어이름이 없는 식물도 있습니다. 식물주권의 확보는 한반도를 대표하는 식물을 ‘코리아(Korea) 식물’로 부르도록 세계에 알리는 일에서 출발합니다.

산림청 국립수목원은 우리 식물의 정체성을 확립하고 그 가치를 세계에 알리기 위해 아래와 같이 한반도 자생식물의 영어이름을 새롭게 정리했습니다.

- 한반도가 식물분포의 중심지이나 다른 국가명이 들어간 식물
- 우리 문화·생활과 밀접한 관계가 있는 식물
- 한반도에만 살고 있는 특산식물
- 세계적으로 넓게 분포함에도 불구하고 특정 국가명이 들어간 식물

- ❶ 우리나라에 자생하는 관속식물 4,173 종류를 대상으로 하였으며, 목록의 배열은 국명의 한글 및 학명의 알파벳 순으로 각각 표기하였다.
- ❷ 분류군에 대한 학명과 국명은 국가표준식물목록(KPNI, The Korean Plant Names Index)을 기준으로 하였으며, 일부 분류군의 계급의 변화나 이명 처리 등에 대해서는 Tropicos, The Plant List 와 기타 문헌을 이용하여 보완 및 수정하였다.
- ❸ 국명의 로마자는 국립국어원의 ‘국어의 로마자 표기법’에 따라 표기하였으며, 각 음절은 붙임표(–) 부호를 사용하여 구분하였다.

한라감자난초	(Han-ra-gam-ja-nan-cho)
광릉골무꽃	(Gwang-reung-gol-mu-kkot)

- ❹ 영문이름은 가능한 한자어나 일본어의 영향을 받은 용어를 배제하고, 학명, 국명, 식물의 형태, 생태적 특성 및 분포 등을 반영하여 작성함을 기본으로 하였으나, 이미 전 세계적으로 널리 통용되고 있을 경우 미국 농무부 자연 자원보전 서비스의 식물 데이터 베이스 (USDA, United States Department of Agriculture, Natural Resources Conservation Service, Plants Database), 위키페디아(Wikipedia), 영국왕립원예 학회의 가드닝 사전 (The New RHS Dictionary of Gardening) 등을 참고하여 반영하였다. 다만, 여러 종에서 영문이름이 혼용되는 경우에는 일부 수정하여 사용하였다.

# 일러두기

- ❸ 지명이 포함된 식물의 영문이름은 지명을 나타내는 단어의 첫 글자를 대문자로 표기하되, 국명에서 사용된 지명을 그대로 반영함을 원칙으로 하였다. 국명에는 지명이 표시되지 않았으나, 분포지역을 근거로 작성한 영문명의 경우, 지명 전체(~도, ~산)를 포함하여 영문이름에 표기하였다.

거문도닥나무 (Geo-mun-do-dak-na-mu)	Geomundo false ohelo
거문천남성 (Geo-mun-cheon-nam-seong)	Geomun jack-in-the-pulpit
한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)	Hallasan azalea
한라고들빼기 (Han-ra-go-deul-ppae-gi)	Halla lettuce
섬시호 (Seom-si-ho)	Ulleungdo hare's ear
섬매발톱나무 (Seom-mae-bal-top-na-mu)	Jejudo barberry

- ❹ 영문이름 내에서 인명의 표기는 가급적 배제하였으나, 부득이한 경우 및 의미가 있는 경우에는 인명 뒤에 「s」를 붙여 표기하였다.

가는갯는쟁이 (Ga-neun-gaet-neun-jaeng-i)	Gmelin's saltbush
겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi)	Taquet's smartweed
줄댕강나무 (Jul-daeng-gang-na-mu)	Taihyun's abelia
장대냉이 (Jang-dae-naeng-i)	Maximowicz's berteroella

- ❺ 국내에서 일반인들에게 널리 알려져 있고 사용되는 분류군에 대한 영문이름의 경우, 이해를 돋기 위해 국명의 로마자 표기를 그대로 영문이름으로 사용하였으며, 일반 영어이름이 있는 경우 함께 표기하였다.

갈참나무 (Gal-cham-na-mu)

Galcham oak (Oriental white oak)

개나리 (Gae-na-ri)

Gaenari (Korean goldenbell tree)

고려엉겅퀴 (Go-ryeo-eong-geong-kwi)

Gondre (Korean thistle)

- ❸ 영문이름의 첫글자만 대문자로 표기하되, 인물명이나 지명에 대한 용어의 첫 글자는 항상 대문자로 표기하였다.

팽나무 (Paeng-na-mu)

East Asian hackberry

좀깨묵 (Jom-kke-muk)

Small Maximowicz's hololeion

세모산부추 (Se-mo-san-bu-chu)

Triangular-leaf Thunberg's chive

- ❹ 국제명명규약 (ICN, International Code of Nomenclature for Algae, Fungi, and Plants)에 따른 비합법적으로 발표된 이름과 비정 당명에 대해서는 학명 앞에 별표(\*)로 표시하였다.

# INTRODUCTION

The pine tree that have shared the fate with Korean people is called a Japanese red pine in English. It means ‘Japanese pine tree with red trunk’. Internationally, it is known that the Korean peninsula is the center of pine tree habitat, but the Japanese pine tree was reported to the world before. Now is the time to inform the world that the pine trees are the main tree of Korean peninsula.

Besides Korean plants known as other country’s plants, there are plants without any English common names at all. To secure the plants’ sovereignty, we have to start make the world understand that our plants ‘Korean plants’.

The Korea National Arboretum have classified English names of Korean peninsula to establish the identity of our plants and to inform the world their value.

- The name of plants which their habitat is Korean peninsula, but have other country’s name
- The name of plants closely related to our culture and our life
- The name of plants indigenous of Korean peninsula
- The name of plants widespread worldwide but have specific country’s name

- ❶ It is targeted on the 4,173 species of vascular plants that inhabit in Korea, and the arrangement of the index is in Korean name order and alphabetic order of the scientific names.
- ❷ The scientific names and Korean names of the taxon are based on the Korean Plants Names Index, and in case of the change of class and giving a synonym to a part of taxon, we used the Tropicos, The Plant List and other documentary records for the complementation and revision.
- ❸ In case of romanization of Korean names, we have inscribed following the ‘Romanization of Korean’ and we used hyphen between syllables.

한라감자난초

(Han-ra-gam-ja-nan-cho)

광릉골무꽃

(Gwang-reung-gol-mu-kkot)

- ❹ In case of English names, we have excluded the Chinese and Japanese terms as possible, and we have worked based on the scientific names, Korean Names, morphological and, ecological characteristics and distribution, but if the names were already common around the world, we have referred to the USDA (United States Department of Agriculture, Natural Resources Conservation Service, Plants Database), Wikipedia, The New RHS Dictionary of Gardening. But in case of English names used in several species, we have partly modified the names.

# INTRODUCTION

- ⑤ In case of English names with geographical names, we have used the capital letter for the first letter of the geographical name, and we used the Korean geographical name literally same in English. In case of the English names based on the habitat but no geographical names within the Korean name, we have used full geographical names (~do, ~san) in English names.

Geo-mun-do-dak-na-mu (거문도닥나무)	Geomundo false ohelo
Geo-mun-cheon-nam-seong (거문천남성)	Geomun jack-in-the-pulpit
Han-ra-san-cham-kkot-na-mu (한라산참꽃나무)	Hallasan azalea
Han-ra-go-deul-ppae-gi (한라고들빼기)	Halla lettuce
Seom-si-ho (섬시호)	Ulleungdo hare's ear
Seom-mae-bal-top-na-mu (섬매발톱나무)	Jejudo barberry

- ⑥ We have excluded a person's name as possible in the English names, but if necessary and if needed in the meaning, we have put 「's」 after the person's name.

Ga-neun-gaet-neun-jaeng-i (가는갯는쟁이)	Gmelin's saltbush
Gyeo-i-sak-yeo-kkwi (거이삭여뀌)	Taquet's smartweed
Jul-daeng-gang-na-mu (줄댕강나무)	Taihyun's abelia
Jang-dae-naeng-i (장대냉이)	Maximowicz's berteroella

- ⑦ In case of English names of the taxon used and known widely to domestic people, we used romanization of the Korean names literally same in English names in order to facilitate understanding, and specified common English names.

Gal-cham-na-mu (갈참나무)

Gae-na-ri (개나리)

Go-ryeo-eong-geong-kwi (고려엉겅퀴)

Galcham oak (Oriental white oak)

Gaenari (Korean goldenbell tree)

Gondre (Korean thistle)

- ❸ We have used the capital letter in the first letter of English names, and always capital letter for a person's names or geographical names.

Geom-eun-gu-sang (검은구상)

Paeng-na-mu (팽나무)

Jom-kke-muk (좀깨묵)

Se-mo-san-bu-chu (세모산부추)

Black-cone Korean fir

East Asian hackberry

Small Maximowicz's hololeion

Triangular-leaf Thunberg's chive

- ❹ In case of the invalidly published and illegitimate names according to the ICN, International Code of Nomenclature for Algae, Fungi, and Plants, we have marked (\*) in front of the scientific name.





Korean name (Romanization)	English name Scientific name
가는가래 (Ga-neun-ga-rae)	<b>Little-leaf pondweed</b> <i>Potamogeton cristatus</i> Regel & Maack
가는갈퀴 (Ga-neun-gal-kwi)	<b>Lesser narrow-leaf vetch</b> <i>Vicia angustifolia</i> var. <i>minor</i> (Bertol.) Ohwi
가는갈퀴나물 (Ga-neun-gal-kwi-na-mul)	<b>Narrow-pinnate vetch</b> <i>Vicia anguste-pinnata</i> Nakai
가는개밀 (Ga-neun-gae-mil)	<b>Slender wheatgrass</b> <i>Elymus ciliaris</i> var. <i>hackelianus</i> (Honda) G.Zhu & S.L.Chen
가는개수염 (Ga-neun-gae-su-yeom)	<b>Slender pipewort</b> <i>Eriocaulon tenuissimum</i> Nakai
가는개여뀌 (Ga-neun-gae-yeo-kkwi)	<b>East Asian slender smartweed</b> <i>Persicaria trigonocarpa</i> (Makino) Nakai
가는갯는쟁이 (Ga-neun-gaet-neun-jaeng-i)	<b>Gmelin's saltbush</b> <i>Atriplex gmelinii</i> C.A.Mey.
가는골무꽃 (Ga-neun-gol-mu-kkot)	<b>Slender-leaf skullcap</b> <i>Scutellaria regeliana</i> Nakai
가는괴불주머니 (Ga-neun-goe-bul-ju-meo-ni)	<b>Dissected-leaf yellow corydalis</b> <i>Corydalis raddeana</i> Regel
가는금강아지풀 (Ga-neun-geum-gang-a-ji-pul)	<b>Cattail bristlegrass</b> <i>Setaria pumila</i> subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon
가는금불초 (Ga-neun-geum-bul-cho)	<b>Linear-leaf British yellowhead</b> <i>Inula britannica</i> var. <i>linariifolia</i> (Turcz.) Regel
가는기름나물 (Ga-neun-gi-reum-na-mul)	<b>Elegant hogfennel</b> <i>Peucedanum elegans</i> Kom.
가는기린초 (Ga-neun-gi-rin-cho)	<b>Aizoon stonecrop</b> <i>Sedum aizoon</i> L.
가는나래새 (Ga-neun-na-rae-sae)	<b>Needlegrass</b> <i>Stipa sibirica</i> (L.) Lam.

Korean name (Romanization)	English name Scientific name
가는네잎갈퀴 (Ga-neun-ne-ip-gal-kwi)	<b>Three-petal bedstraw</b> <i>Galium trifidum</i> L.
가는다리장구채 (Ga-neun-da-ri-jang-gu-chae)	<b>Slender catchfly</b> <i>Silene jenisseensis</i> Willd.
가는대나물 (Ga-neun-dae-na-mul)	<b>Pink baby's-breath</b> <i>Gypsophila pacifica</i> Kom.
가는돌짜귀 (Ga-neun-dol-jjeo-gwi)	<b>Dissected-leaf monk's-hood</b> <i>Aconitum macrorhynchum</i> Turcz. ex Ledeb.
가는동자꽃 (Ga-neun-dong-ja-kkot)	<b>Narrow-leaf campion</b> <i>Lychnis kiusiana</i> Makino
가는등갈퀴 (Ga-neun-deung-gal-kwi)	<b>Fine-leaf vetch</b> <i>Vicia tenuifolia</i> Roth
가는마디꽃 (Ga-neun-ma-di-kkot)	<b>Diminutive rotala</b> <i>Rotala mexicana</i> Cham. & Schltdl.
가는명아주 (Ga-neun-myeong-a-ju)	<b>Narrow-leaf goosefoot</b> <i>Chenopodium album</i> var. <i>stenophyllum</i> Makino
가는물부추 (Ga-neun-mul-bu-chu)	<b>Narrow quillwort</b> <i>Isoetes sinensis</i> Palmer
가는바다  (Ga-neun-ba-di)	<b>Maximowicz's ostericum</b> <i>Ostericum maximowiczii</i> (F.Schmidt) Kitag.
가는범꼬리 (Ga-neun-beom-kko-ri)	<b>Slender bistort</b> <i>Bistorta alopecuroides</i> (Turcz. ex Besser) Kom.
가는비늘사초 (Ga-neun-bi-neul-sa-cho)	<b>Narrow-scale sedge</b> <i>Carex suifunensis</i> Kom.
가는사초 (Ga-neun-sa-cho)	<b>Two-seed sedge</b> <i>Carex disperma</i> Dewey
가는산부추 (Ga-neun-san-bu-chu)	<b>Glittering chive</b> <i>Allium splendens</i> Willd. ex Schult. & Schult.f.
가는살갈퀴 (Ga-neun-sal-gal-kwi)	<b>Narrow-leaf vetch</b> <i>Vicia angustifolia</i> L. ex Reichard
가는쇠고사리 (Ga-neun-soe-go-sa-ri)	<b>East Indian hollyfern</b> <i>Arachniodes aristata</i> (G.Forst.) Tindale

#### 4 가는쑥부쟁이

Korean name (Romanization)	English name Scientific name
가는쑥부쟁이 (Ga-neun-ssuk-bu-jaeng-i)	<b>Thick-stem aster</b> <i>Aster integrifolius</i> (Turcz. ex DC.) Franch.
가는여뀌 (Ga-neun-yeo-kkwi)	<b>Fastigiate wetland smartweed</b> <i>Persicaria hydropiper</i> var. <i>fastigiatum</i> Nakai
가는오이풀 (Ga-neun-o-i-pul)	<b>Asian burnet</b> <i>Sanguisorba × tenuifolia</i> Fisch. ex Link
가는잎감국 (Ga-neun-ip-gam-guk)	<b>Acute-leaf Indian dendranthema</b> <i>Dendranthema indicum</i> var. <i>acuta</i> (Uyeki) Kitam.
가는잎개고사리 (Ga-neun-ip-gae-go-sa-ri)	<b>Narrow-leaf ladyfern</b> <i>Athyrium iseanum</i> Rosenst.
가는잎가별꽃 (Ga-neun-ip-gae-byeol-kkot)	<b>Narrow-leaf false-starwort</b> <i>Pseudostellaria sylvatica</i> (Maxim.) Pax
가는잎그늘사초 (Ga-neun-ip-geu-neul-sa-cho)	<b>Low sedge</b> <i>Carex humilis</i> var. <i>nana</i> (H.Lév. & Vaniot) Ohwi
가는잎꽃버들 (Ga-neun-ip-kkot-beo-deul)	<b>Narrow-leaf willow</b> <i>Salix viminalis</i> var. <i>angustifolia</i> Turcz.
가는잎독미나리 (Ga-neun-ip-dok-mi-na-ri)	<b>Upright water hemlock</b> <i>Cicuta virosa</i> var. <i>stricta</i> K.F.Schultz
가는잎모새달 (Ga-neun-ip-mo-sae-dal)	<b>Slender-leaf phacelurus</b> <i>Phacelurus latifolius</i> var. <i>angustifolius</i> (Debeaux) Kitag.
가는잎물억새 (Ga-neun-ip-mul-eok-sae)	<b>Narrow-leaf Amur silvergrass</b> <i>Miscanthus sacchariflorus</i> var. <i>gracilis</i> Y.N.Lee
가는잎물질경이 (Ga-neun-ip-mul-jil-gyeong-i)	<b>Slender-leaf duck lettuce</b> <i>Ottelia alismoides</i> f. <i>oryzetorum</i> Kom.
가는잎방풍 (Ga-neun-ip-bang-pung)	<b>Sesel-like libanotis</b> <i>Libanotis seselooides</i> (Fisch. & C.A.Mey. ex Turcz.) Turcz.
가는잎산들깨 (Ga-neun-ip-san-deul-kkae)	<b>East Asian dwarf mosla</b> <i>Mosla chinensis</i> Maxim.
가는잎소리쟁이 (Ga-neun-ip-so-ri-jaeng-i)	<b>Narrow-leaf dock</b> <i>Rumex stenophyllus</i> Ledeb.
가는잎쐐기풀 (Ga-neun-ip-sswae Gi-pul)	<b>Narrow-leaf nettle</b> <i>Urtica angustifolia</i> Fisch. ex Hornem.

Korean name (Romanization)	English name Scientific name
가는잎쑥 (Ga-neun-ip-ssuk)	<b>Slender-leaf wormwood</b> <i>Artemisia integrifolia</i> f. <i>subulata</i> (Nakai) Kitag.
가는잎억새 (Ga-neun-ip-eok-sae)	<b>Delicate maiden silvergrass</b> <i>Miscanthus sinensis</i> f. <i>gracillimum</i> Hitchc.
가는잎왕고들빼기 (Ga-neun-ip-wang-go-deul-ppae-gi)	<b>Slender-leaf Indian lettuce</b> <i>Lactuca indica</i> var. <i>lacinata</i> (Houtt.) H.Hara
가는잎음나무 (Ga-neun-ip-eum-na-mu)	<b>Narrow-leaf prickly castor oil tree</b> <i>Kalopanax septemlobus</i> var. <i>maximowiczi</i> (Van Houtte) Hand.-Mazz.
가는잎잔대 (Ga-neun-ip-jan-dae)	<b>Linear three-leaf ladybell</b> <i>Adenophora triphylla</i> f. <i>linearis</i> (Hayata) Kitam.
가는잎족제비고사리 (Ga-neun-ip-jok-je-bi-go-sa-ri)	<b>Narrow-leaf buckler fern</b> <i>Dryopteris chinensis</i> (Baker) Koidz.
가는잎처녀고사리 (Ga-neun-ip-cheo-nyeo-go-sa-ri)	<b>Slender-leaf marsh fern</b> <i>Parathelypteris beddomei</i> (Baker) Ching
가는잎활미꽃 (Ga-neun-ip-hal-mi-kkot)	<b>Narrow-leaf pasque-flower</b> <i>Pulsatilla cernua</i> (Thunb.) Bercht. & J.Presl
가는잎향유 (Ga-neun-ip-hyang-yu)	<b>Narrow-leaf mint</b> <i>Elsholtzia angustifolia</i> (Loes.) Kitag.
가는장구채 (Ga-neun-jang-gu-chae)	<b>Seoul catchfly</b> <i>Silene seoulensis</i> Nakai
가는장대 (Ga-neun-jang-dae)	<b>Dentate dontostemon</b> <i>Dontostemon dentatus</i> (Bunge) C.A.Mey. ex Ledeb.
가는장대속 [십자화과] (Ga-neun-jang-dae-sok)	<b>Dontostemon</b> <i>Dontostemon</i> Andrz. ex Ledeb. [Brassicaceae]
가는정영경퀴 (Ga-neun-jeong-yeong-eong-geng-kwi)	<b>Sword-leaf Jeongyeong thistle</b> <i>Cirsium chanroenicum</i> var. <i>lanceolata</i> Kitam.
가는줄돌찌귀 (Ga-neun-jul-dol-jjeo-gwi)	<b>Twining monk'shood</b> <i>Aconitum volubile</i> Pall.
가는참나물 (Ga-neun-cham-na-mul)	<b>Korean pimpinella</b> <i>Pimpinella koreana</i> (Y.Yabe) Nakai

## 6 가는총총잔대

Korean name (Romanization)	English name Scientific name
가는총총잔대 (Ga-neun-cheung-cheung-jan-dae)	<b>Narrow whorled-leaf ladybell</b> <i>Adenophora verticillata</i> var. <i>angustifolia</i> Regel
가는털백미 (Ga-neun-teol-baek-mi)	<b>Hairy swallow-wort</b> <i>Cynanchum chinense</i> R.Brown
가는포아풀 (Ga-neun-po-a-pul)	<b>Slender kentucky bluegrass</b> <i>Poa matsumurae</i> Hack.
가는하늘지기 (Ga-neun-ha-neul-ji-gi)	<b>Slender two-leaf fimbrystis</b> <i>Fimbristylis dichotoma</i> f. <i>depauperata</i> (R.Br.) Ohwi
가는홍지네고사리 (Ga-neun-hong-ji-ne-go-sa-ri)	<b>Caudate autumn fern</b> <i>Dryopteris caudipinna</i> Nakai
가락지나물 (Ga-rak-ji-na-mul)	<b>Anemone cinquefoil</b> <i>Potentilla anemonifolia</i> Lehm.
가래 (Ga-rae)	<b>Pondweed</b> <i>Potamogeton distinctus</i> A.Benn.
가래고사리 (Ga-rae-go-sa-ri)	<b>Long beech fern</b> <i>Phegopteris connectilis</i> (Michx.) Watt.
가래과 (Ga-rae-gwa)	<b>Pondweed family</b> Potamogetonaceae Bercht. & J.Presl
가래나무 (Ga-rae-na-mu)	<b>Manchurian walnut</b> <i>Juglans mandshurica</i> Maxim.
가래나무과 (Ga-rae-na-mu-gwa)	<b>Walnut family</b> Juglandaceae DC. ex Perleb
가래나무속 [가래나무과] (Ga-rae-na-mu-sok)	<b>Walnut, Walnut tree</b> <i>Juglans</i> L. [Juglandaceae]
가래바람꽃 (Ga-rae-ba-ram-kkot)	<b>Dichotomous anemone</b> <i>Anemone dichotoma</i> L.
가래속 [가래과] (Ga-rae-sok)	<b>Pondweed</b> <i>Potamogeton</i> L. [Potamogetonaceae]
가막사리 (Ga-mak-sa-ri)	<b>Three-lobe beggartick</b> <i>Bidens tripartita</i> L.
가막살나무 (Ga-mak-sal-na-mu)	<b>Linden viburnum</b> <i>Viburnum dilatatum</i> Thunb.

Korean name (Romanization)	English name Scientific name
가문비나무 (Ga-mun-bi-na-mu)	<b>Dark-bark spruce</b> <i>Picea jezoensis</i> (Siebold & Zucc.) Carrière
가문비나무속 [소나무과] (Ga-mun-bi-na-mu-sok)	<b>Spruce</b> <i>Picea</i> A.Dietr. [Pinaceae]
가새덜꿩나무 (Ga-sae-deol-kkhwong-na-mu)	<b>Dissected-leaf viburnum</b> <i>Viburnum erosum</i> var. <i>taquetii</i> (H.Lév.) Rehder
가새뽕나무 (Ga-sae-ppong-na-mu)	<b>Dissected mulberry</b> <i>Morus bombycina</i> f. <i>dissecta</i> Nakai
가새수리취 (Ga-sae-su-ri-chwi)	<b>Deeply-lobe deltoid synurus</b> <i>Synurus deltoides</i> var. <i>incisolobata</i> (DC.) Kitam.
가새쑥부쟁이 (Ga-sae-ssuk-bu-jaeng-i)	<b>Incised-leaf aster</b> <i>Aster incisus</i> Fisch.
가새씀바귀 (Ga-sae-sseum-ba-gwi)	<b>Changing-color ikeris</b> <i>Ikeris chinensis</i> subsp. <i>versicolor</i> (Fisch.) Kitam.
가새잎가머루 (Ga-sae-ip-gae-meo-ru)	<b>Dissected-leaf porcelainberry</b> <i>Ampelopsis brevipedunculata</i> f. <i>citrulloides</i> (Lebas) Rehder
가새잎산사 (Ga-sae-ip-san-sa)	<b>Dissected-leaf mountain hawthorn</b> * <i>Crataegus pinnatifida</i> var. <i>partita</i> Nakai ex T.H.Chung
가새함경딸기 (Ga-sae-ham-gyeong-ttal-gi)	<b>Denticulate-petal arctic raspberry</b> <i>Rubus arcticus</i> f. <i>dentipetala</i> Uyeki & Sakata
가솔송 (Ga-sol-song)	<b>Blue mountain-heath</b> <i>Phyllodoce caerulea</i> (L.) Bab.
가솔송속 [진달래과] (Ga-sol-song-sok)	<b>Mountain-heaths, Mountain heathers</b> <i>Phyllodoce</i> Salisb. [Ericaceae]
가시개관중 (Ga-si-gae-gwan-jung)	<b>Stiff holly fern</b> <i>Polystichum rigens</i> Tagawa
가시끼치밥나무 (Ga-si-kka-chi-bap-na-mu)	<b>Siberian currant</b> <i>Ribes diacanthum</i> Pall.
가시꽈리 (Ga-si-kkwa-ri)	<b>East Asian physaliastrum</b> <i>Physaliastrum japonicum</i> (Franch. & Sav.) Honda
가시꽈리속 [가지과] (Ga-si-kkwa-ri-sok)	<b>Physaliastrum</b> <i>Physaliastrum</i> Makino [Solanaceae]

Korean name (Romanization)	English name Scientific name
가시나무 (Ga-si-na-mu)	<b>Bamboo-leaf oak</b> <i>Quercus myrsinifolia</i> Blume
가시딸기 (Ga-si-ttal-gi)	<b>Hongno orange raspberry</b> <i>Rubus hongnoensis</i> Nakai
가시복분자딸기 (Ga-si-bok-bun-ja-ttal-gi)	<b>Creeping bokbunja</b> <i>Rubus schizostylus</i> H.Lév.
가시엉겅퀴 (Ga-si-eong-geong-kwi)	<b>Spined Japanese thistle</b> <i>Cirsium japonicum</i> var. <i>spinossimum</i> Kitam.
가시여뀌 (Ga-si-yeo-kkwi)	<b>Hastate-leaf smartweed</b> <i>Persicaria dissitiflora</i> (Hemsl.) H.Gross ex T.Mori
가시연연 [수련과] (Ga-si-yeon-sok)	<b>Euryale</b> <i>Euryale ferox</i> Salisb. [Nymphaeaceae]
가시오갈피 (Ga-si-o-gal-pi)	<b>Devil's bush</b> <i>Eleutherococcus senticosus</i> (Rupr. & Maxim.) Maxim.
가야단풍취 (Ga-ya-dan-pung-chwi)	<b>Shallow maple-leaf ainsliaea</b> <i>Ainsliaea acerifolia</i> var. <i>subapoda</i> Nakai
가야물봉선 (Ga-ya-mul-bong-seon)	<b>Gaya touch-me-not</b> <i>Impatiens atrosanguinea</i> (Nakai) B.U.Oh & Y.P.Hong
가야산은분취 (Ga-ya-san-eun-bun-chwi)	<b>Gayasan silvery-hair saussurea</b> <i>Saussurea pseudogracilis</i> Kitam.
가야산잔대 (Ga-ya-san-jan-dae)	<b>Gayasan ladybell</b> <i>Adenophora kayasanensis</i> Kitam.
가지고비고사리 (Ga-ji-go-bi-go-sa-ri)	<b>Bamboo fern</b> <i>Coniogramme japonica</i> (Thunb.) Diels
가지곡정초 (Ga-ji-gok-jeong-cho)	<b>Setaceous-leaf pipewort</b> <i>Eriocaulon setaceum</i> L.
가지과 (Ga-ji-gwa)	<b>Nightshade family</b> <i>Solanaceae</i> Juss.
가지괭이눈 (Ga-ji-gwaeng-i-nun)	<b>Many-branch golden saxifrage</b> <i>Chrysosplenium ramosum</i> Maxim.

Korean name (Romanization)	English name Scientific name
가지금불초 (Ga-ji-geum-bul-cho)	<b>Branching British yellowhead</b> <i>Inula britannica</i> var. <i>ramosa</i> Kom.
가지기린초 (Ga-ji-gi-rin-cho)	<b>Branching aizoon stonecrop</b> <i>Sedum aizoon</i> var. <i>ramosum</i> Uyeki & Sakata
가지꼭두서니 (Ga-ji-kkok-du-seo-ni)	<b>Six-leaf madder</b> <i>Rubia hexaphylla</i> (Makino) Makino
가지꽃고비 (Ga-ji-kkot-go-bi)	<b>Loosely-flower Jacob's ladder</b> <i>Polemonium racemosum</i> var. <i>laxiflorum</i> (Kitam.) Nakai
가지더부살이 (Ga-ji-deo-bu-sal-i)	<b>Tubiflorous phacellanthus</b> <i>Phacellanthus tubiflorus</i> Siebold & Zucc.
가지더부살이속 [열당과] (Ga-ji-deo-bu-sal-i-sok)	<b>Phacellanthus</b> <i>Phacellanthus</i> Siebold & Zucc. [Orobanchaceae]
가지돌꽃 (Ga-ji-dol-kkot)	<b>Branching rhodiola</b> <i>Rhodiola ramosa</i> Nakai
가지민박주 (Ga-ji-min-bak-jwi)	<b>Branched Indian plantain</b> <i>Parasenecio hastata</i> var. <i>ramosa</i> (Maxim.) Kizmura
가지바위솔 (Ga-ji-ba-wi-sol)	<b>Branching rock pine</b> <i>Orostachys ramosa</i> Y.N.Lee
가지복수초 (Ga-ji-bok-su-cho)	<b>Forked-stem adonis</b> <i>Adonis ramosa</i> Franch.
가지속 [가지과] (Ga-ji-sok)	<b>Nightshade</b> <i>Solanum</i> L. [Solanaceae]
가지주름조개풀 (Ga-ji-ju-reum-jo-gae-pul)	<b>Running mountain basketgrass</b> <i>Oplismenus compositus</i> (L.) P.Beauv.
가지청사초 (Ga-ji-cheong-sa-cho)	<b>Sakhalin mitra sedge</b> <i>Carex polyschoena</i> H.Lév. & Vaniot
가침박달 (Ga-chim-bak-dal)	<b>Korean pearl bush</b> <i>Exochorda serratifolia</i> S.Moore
가침박달속 [장미과] (Ga-chim-bak-dal-sok)	<b>Pearl bush</b> <i>Exochorda</i> Lindl. [Rosaceae]
가회톱 (Ga-hoe-top)	<b>East Asian peppervine</b> <i>Ampelopsis japonica</i> (Thunb.) Makino

Korean name (Romanization)	English name Scientific name
각시고사리 (Gak-si-go-sa-ri)	<b>Few-vein marsh fern</b> <i>Macrothelypteris oligophlebia</i> var. <i>elegans</i> (Koidz.) Ching
각시고사리속 [면마과] (Gak-si-go-sa-ri-sok)	<b>Macrothelypteris</b> <i>Macrothelypteris</i> (H.Ito) Ching [Dryopteridaceae]
각시괴불나무 (Gak-si-goe-bul-na-mu)	<b>Chrysanthia honeysuckle</b> <i>Lonicera chrysanthia</i> Turcz. ex Ledeb.
각시그령 (Gak-si-geu-ryeong)	<b>Pond lovegrass</b> <i>Eragrostis japonica</i> (Thunb.) Trin.
각시둥굴레 (Gak-si-dung-gul-re)	<b>Dwarf solomon's seal</b> <i>Polygonatum humile</i> Fisch. ex Maxim.
각시마 (Gak-si-ma)	<b>Sweet mountain yam</b> <i>Dioscorea tenuipes</i> Franch. & Sav.
각시미꾸리광이 (Gak-si-mi-kku-ri-gwang-i)	<b>Jinnampo alkaligrass</b> <i>Puccinellia chinampoensis</i> Ohwi
각시미꾸리광이속 [벼과] (Gak-si-mi-kku-ri-gwang-i-sok)	<b>Alkaligrass, Salt grass</b> <i>Puccinellia</i> Parl. [Poaceae]
각시붓꽃 (Gak-si-but-kkot)	<b>Long-tail iris</b> <i>Iris rossii</i> Baker
각시서덜취 (Gak-si-seo-deol-chwi)	<b>Serrate-leaf saussurea</b> <i>Saussurea macrolepis</i> (Nakai) Kitam.
각시수련 (Gak-si-su-ryeon)	<b>Pretty pygmy water-lily</b> <i>Nymphaea tetragona</i> var. <i>minima</i> (Nakai) W.T.Lee
각시원추리 (Gak-si-won-chu-ri)	<b>Dumortier's daylily</b> <i>Hemerocallis dumortieri</i> C.Morren
각시제비꽃 (Gak-si-je-bi-kkot)	<b>Delicate violet</b> <i>Viola boissieuana</i> Makino
각시족도리풀 (Gak-si-jok-do-ri-pul)	<b>Glabrate wildginger</b> <i>Asarum glabratum</i> (C.S.Yook & J.G.Kim) B.U.Oh
각시취 (Gak-si-chwi)	<b>Maiden saussurea</b> <i>Saussurea pulchella</i> (Fisch.) Fisch.
각시통점나도나물 (Gak-si-tong-jeom-na-do-na-mul)	<b>Amur mouse-ear chickweed</b> <i>Cerastium pauciflorum</i> var. <i>amurense</i> (Regel) Mizush.

Korean name (Romanization)	English name Scientific name
각시투구꽃 (Gak-si-tu-gu-kkot)	<b>Alpine monk'shoo</b> <i>Aconitum monanthum</i> Nakai
각시현호색 (Gak-si-hyeon-ho-saek)	<b>Bride corydalis</b> <i>Corydalis misandra</i> B.U.Oh
간도취오줌풀 (Gan-do-jwi-o-jum-pul)	<b>Gando valerian</b> <i>Valeriana pulchra</i> Nakai
간장풀 (Gan-jang-pul)	<b>Stewart's catnip</b> <i>Nepeta stewartiana</i> Diels
갈고리네잎갈퀴 (Gal-go-ri-ne-ip-gal-kwi)	<b>Four-leaf bedstraw</b> <i>Galium pseudoasprellum</i> Makino
갈기조팝나무 (Gal-gi-jo-pap-na-mu)	<b>Korean meadow spiraea</b> <i>Spiraea trichocarpa</i> Nakai
갈대 (Gal-dae)	<b>Common reed</b> <i>Phragmites australis</i> (Cav.) Trin ex Steud.
갈대속 [벼과] (Gal-dae-sok)	<b>Common reed, Reed</b> <i>Phragmites</i> Adans. [Poaceae]
갈래두메양귀비 (Gal-rae-du-me-yang-gwi-bi)	<b>Dissected-petal montane poppy</b> <i>Papaver radicatum</i> var. <i>dissectipetalum</i> Y.N.Lee
갈래등골나물 (Gal-lae-deung-gol-na-mul)	<b>Dissected eupatorium</b> <i>Eupatorium chinense</i> var. <i>dissectum</i> (Makino) H.Hara
갈매기난초 (Gal-mae-gi-nan-cho)	<b>East Asian platanthera</b> <i>Platanthera japonica</i> (Thunb.) Lindl.
갈매나무 (Gal-mae-na-mu)	<b>Dahurian buckthorn</b> <i>Rhamnus davurica</i> Pall.
갈매나무과 (Gal-mae-na-mu-gwa)	<b>Buckthorn family</b> Rhamnaceae Juss.
갈매나무속 [갈매나무과] (Gal-mae-na-mu-sok)	<b>Buckthorn</b> <i>Rhamnus</i> L. [Rhamnaceae]
갈미바위솔 (Gal-mi-ba-wi-sol)	<b>Gwanmo rock pine</b> <i>Orostachys kanboensis</i> Ohwi
갈미사초 (Gal-mi-sa-cho)	<b>Gwanmo sedge</b> <i>Carex bigelowii</i> Torr. ex Schwein.

Korean name (Romanization)	English name Scientific name
갈미취손이 (Gal-mi-jwi-son-i)	<b>Woolly-stem cranesbill</b> <i>Geranium lasiocaulon</i> Nakai
갈사초 (Gal-sa-cho)	<b>Ligulate sedge</b> <i>Carex hebecarpa</i> subsp. <i>ligulata</i> (Nees) T.Koyama
갈색사초 (Gal-saek-sa-cho)	<b>Short-hair spring sedge</b> <i>Carex caryophyllea</i> var. <i>microtricha</i> (Franch.) Kük.
갈줄참나무 (Gal-jol-cham-na-mu)	<b>Galjolcham oak (Aliena × serrata oak)</b> <i>Quercus × urticifolia</i> Blume
갈참나무 (Gal-cham-na-mu)	<b>Galcham oak (Oriental white oak)</b> <i>Quercus aliena</i> Blume
갈퀴꼭두서니 (Gal-kwi-kkok-du-seo-ni)	<b>Heart-leaf Indian madder</b> <i>Rubia cordifolia</i> var. <i>pratensis</i> Maxim.
갈퀴나물 (Gal-kwi-na-mul)	<b>Cheder vetch</b> <i>Vicia amoena</i> Fisch. ex DC.
갈퀴덩굴 (Gal-kwi-deong-gul)	<b>Stickwilly</b> <i>Galium spurium</i> var. <i>echinospermon</i> (Wallr.) Hayek
갈퀴덩굴속 [꼭두서니과] (Gal-kwi-deong-gul-sok)	<b>Bedstraw</b> <i>Galium</i> L. [Rubiaceae]
갈퀴아재비 (Gal-kwi-a-jae-bi)	<b>Korean woodruff</b> <i>Asperula lasiantha</i> Nakai
갈퀴현호색 (Gal-kwi-hyeon-ho-saek)	<b>Large-sepal corydalis</b> <i>Corydalis grandicalyx</i> B.U.Oh & Y.S.Kim
갈풀 (Gal-pul)	<b>Reed canary grass</b> <i>Phalaris arundinacea</i> L.
갈풀속 [벼과] (Gal-pul-sok)	<b>Canary grass</b> <i>Phalaris</i> L. [Poaceae]
감국 (Gam-guk)	<b>Indian dendranthema</b> <i>Dendranthema indicum</i> (L.) Des Moul.
감나무 (Gam-na-mu)	<b>Oriental persimmon</b> <i>Diospyros kaki</i> Thunb.
감나무과 (Gam-na-mu-gwa)	<b>Ebony family</b> <i>Ebenaceae</i> Gürke

Korean name (Romanization)	English name Scientific name
감나무속 [감나무과] (Gam-na-mu-sok)	<b>Diospyros, Ebony, Persimmon trees</b> <i>Diospyros</i> L. [Ebenaceae]
감동사초 (Gam-dung-sa-cho)	<b>Black-spike sedge</b> <i>Carex atrata</i> L.
감자개발나물 (Gam-ja-gae-bal-na-mul)	<b>Tuberous water parsnip</b> <i>Sium ninsi</i> L.
감자난초 (Gam-ja-nan-cho)	<b>Common oreorchis</b> <i>Oreorchis patens</i> (Lindl.) Lindl.
감자난초속 [난초과] (Gam-ja-nan-cho-sok)	<b>Oreorchis</b> <i>Oreorchis</i> Lindl. [Orchidaceae]
감절대 (Gam-jeol-dae)	<b>Forbes' knotweed</b> <i>Fallopia forbesii</i> (Hance) K.Yonekura & Ohashi
감탕나무 (Gam-tang-na-mu)	<b>Elegance female holly</b> <i>Ilex integra</i> Thunb.
감탕나무과 (Gam-tang-na-mu-gwa)	<b>Holly family</b> Aquifoliaceae Bercht. & J.Presl
감탕나무속 [감탕나무과] (Gam-tang-na-mu-sok)	<b>Holly</b> <i>Ilex</i> L. [Aquifoliaceae]
감태나무 (Gam-tae-na-mu)	<b>Gray-blue spicebush</b> <i>Lindera glauca</i> (Siebold & Zucc.) Blume
갑산제비꽃 (Gap-san-je-bi-kkot)	<b>Gapsan violet</b> <i>Viola kapsanensis</i> Nakai
갑산포아풀 (Gap-san-po-a-pul)	<b>Ussuri bluegrass</b> <i>Poa ussuriensis</i> Roshev.
갓대 (Gat-dae)	<b>Jirisan bamboo</b> <i>Sasa chiisanensis</i> (Nakai) Y.N.Lee
강계버들 (Gang-gye-beo-deul)	<b>Ganggye willow</b> <i>Salix kangensis</i> Nakai
강계큰물통이 (Gang-gye-keun-mul-tong-i)	<b>Ganggye clearweed</b> <i>Pilea oligantha</i> Nakai
강부추 (Gang-bu-chu)	<b>Riverside chive</b> <i>Allium longistylum</i> Baker

Korean name (Romanization)	English name Scientific name
강아지풀속 [벼과] (Gang-a-ji-pul-sok)	<b>Bristlegrass, Foxtail</b> <i>Setaria</i> P.Beauv. [Poaceae]
강원고사리 (Gang-won-go-sa-ri)	<b>Gangwon ladyfern</b> <i>Athyrium nakaiii</i> Tagawa
강활 (Gang-hwal)	<b>By-gone ostericum</b> <i>Ostericum praeteritum</i> Kitag.
개가시나무 (Gae-ga-si-na-mu)	<b>Red-bark oak</b> <i>Quercus</i> <i>gilva</i> Blume
개가지고비고사리 (Gae-ga-ji-go-bi-go-sa-ri)	<b>Faurie's bamboo fern</b> <i>Coniogramme</i> × <i>fauriei</i> Hieron
개갈퀴 (Gae-gal-kwi)	<b>Maximowicz's woodruff</b> <i>Asperula</i> <i>maximowiczii</i> Kom.
개갈퀴속 [꼭두서니과] (Gae-gal-kwi-sok)	<b>Woodruff</b> <i>Asperula</i> L. [Rubiaceae]
개감수 (Gae-gam-su)	<b>Siebold's spurge</b> <i>Euphorbia sieboldiana</i> Morren & Decne.
개감채 (Gae-gam-chae)	<b>Snowdon alplily</b> <i>Lloydia serotina</i> (L.) Rchb.
개감채속 [백합과] (Gae-gam-chae-sok)	<b>Alplily</b> <i>Lloydia</i> Salisb. ex Rchb. [Liliaceae]
개갓냉이 (Gae-gat-naeng-i)	<b>Variable-leaf yellowcress</b> <i>Rorippa</i> <i>indica</i> (L.) Hiern
개갓냉이속 [십자화과] (Gae-gat-naeng-i-sok)	<b>Yellowcress</b> <i>Rorippa</i> Scop. [Brassicaceae]
개고사리 (Gae-go-sa-ri)	<b>Oriental ladyfern</b> <i>Athyrium</i> <i>niponicum</i> (Mett.) Hance
개고사리속 [면마과] (Gae-go-sa-ri-sok)	<b>Ladyfern</b> <i>Athyrium</i> Roth [Dryopteridaceae]
개곽향 (Gae-gwak-hyang)	<b>Spike-flower germander</b> <i>Teucrium</i> <i>japonicum</i> Houtt.
개구리갓 (Gae-gu-ri-gat)	<b>Catclaw buttercup</b> <i>Ranunculus</i> <i>ternatus</i> Thunb.

Korean name (Romanization)	English name Scientific name
개구리미나리 (Gae-gu-ri-mi-na-ri)	<b>Long-beak buttercup</b> <i>Ranunculus tachiroei</i> Franch. & Sav.
개구리발톱 (Gae-gu-ri-bal-top)	<b>Muskroot-like semiaquilegia</b> <i>Semiaquilegia adoxoides</i> (DC.) Makino
개구리발톱속 [미나리아재비과] (Gae-gu-ri-bal-top-sok)	<b>Semiaquilegia</b> <i>Semiaquilegia</i> Makino [Ranunculaceae]
개구리밥 (Gae-gu-ri-bap)	<b>Great duckmeat</b> <i>Spirodela polyrhiza</i> (L.) Schleid.
개구리밥과 (Gae-gu-ri-bap-gwa)	<b>Duckweed family</b> Lemnaceae Martinov
개구리밥속 [개구리밥과] (Gae-gu-ri-bap-sok)	<b>Duckmeat</b> <i>Spirodela</i> Schleid. [Lemnaceae]
개구리자리 (Gae-gu-ri-ja-ri)	<b>Celery-leaf buttercup</b> <i>Ranunculus sceleratus</i> L.
개구릿대 (Gae-gu-rit-dae)	<b>Eumenol angelica</b> <i>Angelica anomala</i> Avé-Lall.
개기장 (Gae-gi-jang)	<b>Chaff panicgrass</b> <i>Panicum bisulcatum</i> Thunb.
개꽃마리 (Gae-kkot-ma-ri)	<b>Small-flower forget-me-not</b> <i>Myosotis laxa</i> Lehm.
개꽃마리속 [지치과] (Gae-kkot-ma-ri-sok)	<b>Forget-me-not</b> <i>Myosotis</i> L. [Boraginaceae]
개나리 (Gae-na-ri)	<b>Gaenari (Korean goldenbell tree)</b> <i>Forsythia koreana</i> (Rehder) Nakai
개나리속 [풀풀레나무과] (Gae-na-ri-sok)	<b>Forsythia</b> <i>Forsythia</i> Vahl [Oleaceae]
개노박덩굴 (Gae-no-bak-deong-gul)	<b>Bristle oriental bittersweet</b> <i>Celastrus orbiculatus</i> var. <i>strigulosus</i> (Nakai) Makino
개느삼 (Gae-neu-sam)	<b>Korean necklace pod</b> <i>Echinosophora koreensis</i> (Nakai) Nakai
개느삼속 [콩과] (Gae-neu-sam-sok)	<b>Echinosophora</b> <i>Echinosophora</i> Nakai [Fabaceae]

Korean name (Romanization)	English name Scientific name
개다래 (Gae-da-rae)	<b>Silver vine</b> <i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim.
개담배 (Gae-dam-bae)	<b>Schmidt's ragwort</b> <i>Ligularia schmidtii</i> (Maxim.) Makino
개당주나무 (Gae-dang-ju-na-mu)	<b>Winter-berry currant</b> <i>Ribes fasciculatum</i> Siebold & Zucc.
개대황 (Gae-dae-hwang)	<b>Dooryard dock</b> <i>Rumex longifolius</i> DC.
개덜꿩나무 (Gae-deol-kkwong-na-mu)	<b>Large-leaf viburnum</b> <i>Viburnum erosum</i> var. <i>vegetum</i> Nakai
개도둑놈의갈고리 (Gae-do-duk-nom-ui-gal-go-ri)	<b>Common tick clover</b> <i>Desmodium podocarpum</i> DC.
개들쭉나무 (Gae-deul-jjuk-na-mu)	<b>Leaf-like-calyx deepblue honeysuckle</b> <i>Lonicera caerulea</i> var. <i>emphyllocalyx</i> (Maxim.) Nakai
개똥쑥 (Gae-ttong-ssuk)	<b>Sweet wormwood</b> <i>Artemisia annua</i> L.
개마디풀 (Gae-ma-di-pul)	<b>Horse-tail knotweed</b> <i>Polygonum equisetiforme</i> Sibth. & Sm.
개마쇠서나물 (Gae-ma-soe-seo-na-mul)	<b>Gaema hawkweed ox tongue</b> <i>Picris hieracioides</i> subsp. <i>kaimensis</i> (Kitam.) Kitam.
개망초속 [국화과] (Gae-mang-cho-sok)	<b>Fleabane</b> <i>Erigeron</i> L. [Asteraceae]
개맥문동 (Gae-maeck-mun-dong)	<b>Creeping lilyturf</b> <i>Liriope spicata</i> (Thunb.) Lour.
개머루 (Gae-meo-ru)	<b>Porcelainberry</b> <i>Ampelopsis heterophylla</i> (Thunb.) Siebold & Zucc.
개머루속 [포도과] (Gae-meo-ru-sok)	<b>Peppervine, Porcelainberry</b> <i>Ampelopsis</i> Michx. [Vitaceae]
개머위 (Gae-meo-wi)	<b>Reddish butterbur</b> <i>Petasites rubellus</i> (J.F.Gmel.) M.Toman
개면마 (Gae-myeon-ma)	<b>Oriental ostrich fern</b> <i>Matteuccia orientalis</i> (Hook.) Trev.

Korean name (Romanization)	English name Scientific name
개모시풀 (Gae-mo-si-pul)	<b>Sycamore-leaf false-nettle</b> <i>Boehmeria platanifolia</i> (Franch. & Sav.) C.H.Wright
개뚝새 (Gae-muk-sae)	<b>Smooth Asian fescue</b> <i>Festuca takedana</i> Ohwi
개물통이  (Gae-mul-tong-i)	<b>Small-flower pellitory</b> <i>Parietaria micrantha</i> Ledeb.
개물통이속 [쐐기풀과] (Gae-mul-tong-i-sok)	<b>Pellitory</b> <i>Parietaria</i> L. [Urticaceae]
개물푸레나무 (Gae-mul-pu-re-na-mu)	<b>Buerger's maackia</b> <i>Maackia amurensis</i> var. <i>buergeri</i> (Maxim.) C.K.Schneid
개미나리  (Gae-mi-na-ri)	<b>False Java water-dropwort</b> <i>Oenanthe javanica</i> var. <i>japonica</i> (Miq.) Honda
개미난초 (Gae-mi-nan-cho)	<b>Japanese myrmecis</b> <i>Myrmecis japonica</i> (Rchb.f.) Rolfe
개미난초속 [난초과] (Gae-mi-nan-cho-sok)	<b>Myrmecis</b> <i>Myrmecis</i> (Lindl.) Blume [Orchidaceae]
개미자리  (Gae-mi-ja-ri)	<b>Asian pearlwort</b> <i>Sagina japonica</i> (Sw.) Ohwi
개미자리속 [석죽과] (Gae-mi-ja-ri-sok)	<b>Pearlwort</b> <i>Sagina</i> L. [Caryophyllaceae]
개미취 (Gae-mi-chwi)	<b>Tatarinow's aster</b> <i>Aster tataricus</i> L.f.
개미탑 (Gae-mi-tap)	<b>Small-flower seaberry</b> <i>Haloragis micrantha</i> (Thunb.) R.Br. ex Siebold & Zucc.
개미탑과 (Gae-mi-tap-gwa)	<b>Watermilfoil family</b> <i>Haloragaceae</i> R.Br.
개미탑속 [개미탑과] (Gae-mi-tap-sok)	<b>Seaberry</b> <i>Haloragis</i> J.R. Forst. & G. Forst. [Haloragaceae]
개밀 (Gae-mil)	<b>Wheatgrass</b> <i>Elymus tsukushiensis</i> var. <i>transiens</i> (Hack.) Osada
개밀아재비 (Gae-mil-a-jae-bi)	<b>False wheatgrass</b> <i>Leymus chinensis</i> (Trin.) Tzvelev

Korean name (Romanization)	English name Scientific name
개밀아재비속 [벼과] (Gae-mil-a-jae-bi-sok)	<b>Wheatgrass, Wild rye</b> <i>Koeleria Pers.</i> [Poaceae]
개바늘사초 (Gae-ba-neul-sa-cho)	<b>Uda needle sedge</b> <i>Carex uda</i> Maxim.
개박달나무 (Gae-bak-dal-na-mu)	<b>Dwarf small-leaf birch</b> <i>Betula chinensis</i> Maxim.
개박하 (Gae-bak-ha)	<b>Catnip</b> <i>Nepeta cataria</i> L.
개박하속 [꿀풀과] (Gae-bak-ha-sok)	<b>Catmints, Catnip</b> <i>Nepeta L.</i> [Lamiaceae]
개발나물 (Gae-bal-na-mul)	<b>Hemlock water parsnip</b> <i>Sium suave</i> Walter
개발나물속 [산형과] (Gae-bal-na-mul-sok)	<b>Water parsnip</b> <i>Sium L.</i> [Apiaceae]
개벼무리 (Gae-beo-mu-ri)	<b>Hermitgold clematis</b> <i>Clematis serratifolia</i> Rehder
개벗지나무 (Gae-beot-ji-na-mu)	<b>Amur choke cherry</b> <i>Prunus maackii</i> Rupr.
개벼룩 (Gae-byeo-ruk)	<b>Blunt-leaf sandwort</b> <i>Moehringia lateriflora</i> (L.) Fenzl
개벼룩속 [석죽과] (Gae-byeo-ruk-sok)	<b>Moehringia</b> <i>Moehringia L.</i> [Caryophyllaceae]
개별꽃 (Gae-byeo-kkot)	<b>Heterophylly false-starwort</b> <i>Pseudostellaria heterophylla</i> (Miq.) Pax
개별꽃속 [석죽과] (Gae-byeo-kkot-sok)	<b>False-starwort, Pseudostellaria</b> <i>Pseudostellaria Pax</i> [Caryophyllaceae]
개병풍 (Gae-byeong-pung)	<b>Common astilboides</b> <i>Astilboides tabularis</i> (Hemsl.) Engl.
개병풍속 [범의귀과] (Gae-byeong-pung-sok)	<b>Astilboides</b> <i>Astilboides Engl.</i> [Saxifragaceae]
개보리 (Gae-bo-ri)	<b>Siberian wheatgrass</b> <i>Elymus sibiricus</i> L.

Korean name (Romanization)	English name Scientific name
개보리뱅이 (Gae-bo-ri-ppaeng-i)	<b>Common nipplewort</b> <i>Lapsanastrum apogonooides</i> (Maxim.) J.H.Pak & K.Bremer
개보리뱅이속 [국화과] (Gae-bo-ri-ppaeng-i-sok)	<b>Nipplewort</b> <i>Lapsanastrum</i> Pak & K. Bremer [Asteraceae]
개부싯깃고사리 (Gae-bu-sit-git-go-sa-ri)	<b>Ford's clockfern</b> <i>Cheilanthes fordii</i> Baker
개부싯깃고사리속 [고사리과] (Gae-bu-sit-git-go-sa-ri-sok)	<b>Lip ferns, Lipfern</b> <i>Cheilanthes</i> Sw. [Pteridaceae]
개부처순 (Gae-bu-cheo-son)	<b>Red-stem spikemoss</b> <i>Selaginella stauntoniana</i> Spring
개불알풀 (Gae-bul-al-pul)	<b>Wayside speedwell</b> <i>Veronica didyma</i> var. <i>lilacina</i> (H.Hara) T.Yamaz.
개불알풀속 [현삼과] (Gae-bul-al-pul-sok)	<b>Speedwell</b> <i>Veronica</i> L. [Scrophulariaceae]
개붉가시나무 (Gae-buk-ga-si-na-mu)	<b>Wando evergreen oak</b> <i>Quercus acuta</i> f. <i>subserra</i> (Uyeki) T.B.Lee
개비자나무 (Gae-bi-ja-na-mu)	<b>Plum yew</b> <i>Cephalotaxus koreana</i> Nakai
개비자나무과 (Gae-bi-ja-na-mu-gwa)	<b>Plum yew family</b> <i>Cephalotaxaceae</i> Neger
개비자나무속 [개비자나무과] (Gae-bi-ja-na-mu-sok)	<b>Cephalotaxus, Cowtail pine, Plum yew</b> <i>Cephalotaxus</i> Siebold & Zucc. ex Endl. [Cephalotaxaceae]
개밥새귀리 (Gae-bip-sae-gwi-ri)	<b>Richardson's brome</b> <i>Bromus richardsonii</i> Link
개사상자 (Gae-sa-sang-ja)	<b>Rough hedgeparsley</b> <i>Torilis scabra</i> (Thunb.) DC.
개사철속 (Gae-sa-cheol-ssuk)	<b>Celery sand wormwood</b> <i>Artemisia apiacea</i> Hance ex Walp.
개사탕수수 (Gae-sa-tang-su-su)	<b>Wild sugarcane</b> <i>Saccharum spontaneum</i> L.
개사탕수수속 [벼과] (Gae-sa-tang-su-su-sok)	<b>Sugarcane</b> <i>Saccharum</i> L. [Poaceae]

Korean name (Romanization)	English name Scientific name
개산초 (Gae-san-cho)	<b>Winged prickly-ash</b> <i>Zanthoxylum planispinum</i> Siebold & Zucc.
개살구나무 (Gae-sal-gu-na-mu)	<b>Manchurian cherry</b> <i>Prunus mandshurica</i> (Maxim.) Koehne
개새비나무 (Gae-sae-bi-na-mu)	<b>Hybrid beautyberry</b> <i>Callicarpa × shirasawana</i> Makino
개서어나무 (Gae-seo-eo-na-mu)	<b>Asian hornbeam</b> <i>Carpinus tschonoskii</i> Maxim.
개석송 (Gae-seok-song)	<b>Stiff clubmoss</b> <i>Lycopodium annotinum</i> L.
개석잠풀 (Gae-seok-jam-pul)	<b>Rough woundwort</b> * <i>Stachys japonica</i> var. <i>hispidula</i> (H.Hara) Y.M.Lee & H.J.Choi
개선갈퀴 (Gae-seon-gal-kwi)	<b>Three-flower bedstraw</b> <i>Galium trifloriforme</i> Kom.
개속새 (Gae-sok-sae)	<b>Branched horsetail</b> <i>Equisetum ramosissimum</i> Desf.
개솔나물 (Gae-sol-na-mul)	<b>Medium hairy-fruit lady's bedstraw</b> <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>intermedium</i> Nakai
개솔새 (Gae-sol-sae)	<b>Georing's lemon grass</b> <i>Cymbopogon georingii</i> (Steud.) A.Camus
개솔새속 [벼과] (Gae-sol-sae-sok)	<b>Lemon grass</b> <i>Cymbopogon</i> Spreng. [Poaceae]
개소뜨기 (Gae-soe-tteu-gi)	<b>Marsh horsetail</b> <i>Equisetum palustre</i> L.
개수양버들 (Gae-su-yang-beo-deul)	<b>Weeping willow</b> <i>Salix dependens</i> Nakai
개수염 (Gae-su-yeom)	<b>Miquel's pipewort</b> <i>Eriocaulon miquelianum</i> Korn.
개쉽싸리 (Gae-swip-ssa-ri)	<b>Korean bugleweed</b> <i>Lycopus ramosissimus</i> (Makino) Makino
개승마 (Gae-seung-ma)	<b>Southern bugbane</b> <i>Cimicifuga biternata</i> (Siebold & Zucc.) Miq.

Korean name (Romanization)	English name Scientific name
개승마속 [장미과] (Gae-seung-ma-sok)	<b>Aruncus, Goatsbeard</b> <i>Aruncus L.</i> [Rosaceae]
개시호 (Gae-si-ho)	<b>Big-leaf hare's ear</b> <i>Bupleurum longiradiatum</i> Turcz.
개실사리 (Gae-sil-sa-ri)	<b>Dense-leaf selarginella</b> <i>Selaginella shakotensis</i> (Franch. & Sav.) Miyabe & Kudo
개싱아 (Gae-sing-a)	<b>Small-flower knotweed</b> <i>*Aconogonon micranthum</i> Nakai ex T.Mori
개싸리 (Gaessa-ri)	<b>Woolly lespedeza</b> <i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim.
개쑥부쟁이 (Gae-ssuk-bu-jaeng-i)	<b>Meyendorf's aster</b> <i>Aster meyendorfii</i> (Regel & Maack) Voss
개쓴풀 (Gae-sseun-pul)	<b>Diluted swertia</b> <i>Swertia diluta</i> var. <i>tosaensis</i> (Makino) H.Hara
개씀배 (Gae-sseum-bae)	<b>Tatarinow's rattlesnake-root</b> <i>Prenanthes tatarinowii</i> Maxim.
개아그배나무 (Gae-a-geu-bae-na-mu)	<b>Midget crabapple</b> <i>Malus micromalus</i> Makino
개아마 (Gae-a-ma)	<b>Asian wild flax</b> <i>Linum stellereoides</i> Planch.
개암나무 (Gae-am-na-mu)	<b>Asian hazel</b> <i>Corylus heterophylla</i> Fisch. ex Trautv.
개암나무속 [자작나무과] (Gae-am-na-mu-sok)	<b>Hazelnut</b> <i>Corylus L.</i> [Betulaceae]
개앵도나무 (Gae-aeng-do-na-mu)	<b>Hairy Manchurian currant</b> <i>Ribes mandshuricum</i> f. <i>subglabrum</i> (Kom.) Kitag.
개억새 (Gae-eok-sae)	<b>Beautiful eulalia</b> <i>Eulalia speciosa</i> (Debeaux) Kuntze
개억새속 [벼과] (Gae-eok-sae-sok)	<b>Eulalia</b> <i>Eulalia</i> Kunth [Poaceae]
개엉겅퀴 (Gae-eong-geong-kwi)	<b>Japanese thistle</b> <i>Cirsium japonicum</i> (Thunb.) Fisch. ex DC.

Korean name (Romanization)	English name Scientific name
개여뀌 (Gae-yeo-kkwi)	<b>Oriental smartweed</b> <i>Persicaria longiseta</i> (Brujin) Kitag.
개연꽃 (Gae-yeon-kkot)	<b>East Asian yellow water-lily</b> <i>Nuphar japonica</i> DC.
개연속 [수련과] (Gae-yeon-sok)	<b>Pond-lily, Water-lily</b> <i>Nuphar</i> Sibth. & Sm. [Nymphaeaceae]
개염주나무 (Gae-yeom-ju-na-mu)	<b>Bibaldo seashore linden</b> <i>Tilia semicostata</i> Nakai
개옻나무 (Gae-ot-na-mu)	<b>Bristly-fruit lacquer tree</b> <i>Toxicodendron trichocarpum</i> (Miq.) Kuntze
개위봉배나무 (Gae-wi-bong-bae-na-mu)	<b>False Uibong wild pear</b> <i>Pyrus pseudouipongensis</i> Uyeki
개잠자리난초 (Gae-jam-ja-ri-nan-cho)	<b>Cruciform habenaria</b> <i>Habenaria cruciformis</i> Ohwi
개정향풀 (Gae-jeong-hyang-pul)	<b>Sword-leaf dogbane</b> <i>Apocynum lancifolium</i> Russanov
개제비난 (Gae-je-bi-nan)	<b>Frog orchid</b> <i>Dactylorhiza viridis</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase
개제비난속 [난초과] (Gae-je-bi-nan-sok)	<b>Coeloglossum viride, Dactylorhiza viridis, The frog orchid</b> <i>Dactylorhiza</i> Neck. ex Nevski [Orchidaceae]
개족도리풀 (Gae-jok-do-ri-pul)	<b>Spotted wildginger</b> <i>Asarum maculatum</i> Nakai
개좀진고사리 (Gae-jom-jin-go-sa-ri)	<b>Hybrid false spleenwort</b> <i>Deparia × angustata</i> (Nakai) Nakaike
개종용 (Gae-jong-yong)	<b>Mountain toothwort</b> <i>Lathraea japonica</i> Miq.
개종용속 [현삼과] (Gae-jong-yong-sok)	<b>Toothwort</b> <i>Lathraea</i> L. [Scrophulariaceae]
개중대가리 (Gae-jung-dae-ga-ri)	<b>Common symphyllocarpus</b> <i>Symphyllocarpus exilis</i> Maxim.
개중대가리속 [국화과] (Gae-jung-dae-ga-ri-sok)	<b>Symphyllocarpus</b> <i>Symphyllocarpus</i> Maxim. [Asteraceae]

Korean name (Romanization)	English name Scientific name
개지치 (Gae-ji-chi)	<b>Corn gromwell</b> <i>Lithospermum arvense</i> L.
개질경이 (Gae-jil-gyeong-i)	<b>Kamchatka plantain</b> <i>Plantago camtschatica</i> Cham. ex Link
개찌버리사초 (Gae-jji-beo-ri-sa-cho)	<b>East Asian sedge</b> <i>Carex japonica</i> Thunb.
개차고사리 (Gae-cha-go-sa-ri)	<b>Big-ear spleenwort</b> <i>Asplenium oligophlebium</i> Baker
개차꼬리고사리 (Gae-cha-kko-ri-go-sa-ri)	<b>Tri-wing maidenhair spleenwort</b> <i>Asplenium tripteropus</i> Nakai
개차즈기 (Gae-cha-jeu-gi)	<b>Blue amethystea</b> <i>Amethystea caerulea</i> L.
개차즈기속 [꿀풀과] (Gae-cha-jeu-gi-sok)	<b>Amethystea</b> <i>Amethystea</i> L. [Lamiaceae]
개키비들 (Gae-ki-beo-deul)	<b>False winnow willow</b> <i>Salix koriyanagi</i> Kimura ex Goerz
개털이슬 (Gae-teol-i-seul)	<b>Pilose enchanter's nightshade</b> <i>Ciraea alpina</i> subsp. <i>caulescens</i> (Kom.) Tatew.
개톱고사리 (Gae-top-go-sa-ri)	<b>East Asian twinsorus fern</b> <i>Diplazium okudairai</i> Makino
개톱날고사리 (Gae-top-nal-go-sa-ri)	<b>Shallow-tooth ladyfern</b> <i>Athyrium sheareri</i> (Baker) Ching
개통발 (Gae-tong-bal)	<b>Flat-leaf bladderwort</b> <i>Utricularia intermedia</i> Hayne
개파리채 (Gae-pa-ri-chae)	<b>Silky juncea lespedeza</b> <i>Lespedeza juncea</i> var. <i>subsericea</i> Kom.
개피 (Gae-pi)	<b>American sloughgrass</b> <i>Beckmannia syzigachne</i> (Steud.) Fernald
개피속 [벼과] (Gae-pi-sok)	<b>Sloughgrass</b> <i>Beckmannia</i> Host [Poaceae]
개해당화 (Gae-hae-dang-hwa)	<b>Small-fruit rugose rose</b> <i>Rosa rugosa</i> var. <i>kamtschatica</i> (Vent.) Regel

Korean name (Romanization)	English name Scientific name
개현삼 (Gae-hyeon-sam)	<b>Gray's figwort</b> <i>Scrophularia grayana</i> Maxim. ex Kom.
개형개 (Gae-hyeong-gae)	<b>Multifidous-leaf catnip</b> <i>Schizonepeta multifida</i> (L.) Briq.
개황기 (Gae-hwang-gi)	<b>Fen milkvetch</b> <i>Astragalus uliginosus</i> L.
개회나무 (Gae-hoe-na-mu)	<b>Manchurian lilac</b> <i>Syringa reticulata</i> (Blume) H.Hara
개회향 (Gae-hoe-hyang)	<b>Rocky licorice-root</b> <i>Ligusticum tachiroei</i> (Franch. & Sav.) M.Hiroe & Constance
개회향속 [산형과] (Gae-hoe-hyang-sok)	<b>Tilingia</b> <i>Tilingia</i> Regel & Tiling [Apiaceae]
갯강아지풀 (Gaet-gang-a-ji-pul)	<b>Coastal green bristlegrass</b> <i>Setaria viridis</i> var. <i>pachystachys</i> (Franch. & Sav.) Makino & Nemoto
갯강활 (Gaet-gang-hwal)	<b>Japanese angelica</b> <i>Angelica japonica</i> A.Gray
갯개미자리 (Gaet-gae-mi-ja-ri)	<b>Salt sandspurry</b> <i>Spergularia marina</i> (L.) Besser
갯개미자리속 [석죽과] (Gaet-gae-mi-ja-ri-sok)	<b>Sandspurrys, Sea-spurreys</b> <i>Spergularia</i> (Pers.) J.Presl & C.Presl [Caryophyllaceae]
갯개미취 (Gaet-gae-mi-chwi)	<b>Seashore aster</b> <i>Aster tripolium</i> L.
갯겨이삭 (Gaet-gyeo-i-sak)	<b>Korean alkaligrass</b> <i>Puccinellia coreensis</i> Honda
갯고들빼기 (Gaet-go-deul-ppae-gi)	<b>Sword-leaf crepidiastrum</b> <i>Crepidiastrum lanceolatum</i> (Houtt.) Nakai
갯골풀 (Gaet-gol-pul)	<b>Haenke's rush</b> <i>Juncus haenkei</i> E.Mey.
갯고불주머니 (Gaet-goe-bul-ju-meo-ni)	<b>Seashore yellow corydalis</b> <i>Corydalis platycarpa</i> (Maxim. ex Palib.) Makino
갯그령 (Gaet-geu-ryeong)	<b>Sea wheatgrass</b> <i>Leymus mollis</i> (Trin.) Pilg.

Korean name (Romanization)	English name Scientific name
갯금불초 (Gaet-geum-bul-cho)	<b>Beach prostrating wedelia</b> <i>Wedelia prostrata</i> Hemsl.
갯금불초속 [국화과] (Gaet-geum-gul-cho-sok)	<b>Creepingoxeye, Wedelia</b> <i>Wedelia</i> Jacq. [Asteraceae]
갯기름나물 (Gaet-gi-reum-na-mul)	<b>Coastal hogfennel</b> <i>Peucedanum japonicum</i> Thunb.
갯까치수염 (Gaet-kka-chi-su-yeom)	<b>Spoon-leaf yellow loosestrife</b> <i>Lysimachia mauritiana</i> Lam.
갯꾸러미풀 (Gaet-kku-reo-mi-pul)	<b>Seashore alkaligrass</b> <i>Puccinellia nipponica</i> Ohwi
갯는쟁이 (Gaet-neun-jaeng-i)	<b>Asian seashore saltbush</b> <i>Atriplex subcordata</i> Kitag.
갯는쟁이속 [명아주과] (Gaet-neun-jaeng-i-sok)	<b>Orach, Orache, Saltbush</b> <i>Atriplex L.</i> [Chenopodiaceae]
갯당근 (Gaet-dang-geun)	<b>Seashore carrot</b> <i>Daucus littoralis</i> Sm.
갯대추나무 (Gaet-dae-chu-na-mu)	<b>Maritime jujuba</b> <i>Paliurus ramosissimus</i> (Lour.) Poir.
갯대추나무속 [갈매나무과] (Gaet-dae-chu-na-mu-sok)	<b>Jerusalem thorn</b> <i>Paliurus Mill.</i> [Rhamnaceae]
갯댑싸리 (Gaet-daep-ssa-ri)	<b>Coastal mock-cypress</b> <i>Kochia scoparia</i> var. <i>littorea</i> Makino
갯돌나물 (Gaet-dol-na-mul)	<b>Coastal stringy stoncroc</b> <i>Sedum lepidopodium</i> Nakai
갯마디풀 (Gaet-ma-di-pul)	<b>Oval-leaf knotweed</b> <i>Polygonum arenastrum</i> Boreau
갯메꽃 (Gaet-me-kkot)	<b>Beach morning glory</b> <i>Calystegia soldanella</i> (L.) R.Br.
갯무 (Gaet-mu)	<b>Seashore wild radish</b> <i>Raphanus sativus</i> f. <i>raphanistroides</i> Makino
갯바랭이 (Gaet-ba-raeng-i)	<b>Coastal dimeria</b> <i>Dimeria ornithopoda</i> var. <i>subrobusta</i> Hack.
갯바위고사리 (Gaet-ba-wi-go-sa-ri)	<b>Biflorate wedgelet fern</b> <i>Sphenomeris biflora</i> (Kaulf.) Tagawa

Korean name (Romanization)	English name Scientific name
갯방동사니 (Gaet-bang-dong-sa-ni)	<b>Many-spike flatsedge</b> <i>Cyperus polystachyos</i> Rottb.
갯방풍 (Gaet-bang-pung)	<b>Beach silvertop</b> <i>Glehnia littoralis</i> F.Schmidt ex Miq.
갯방풍속 [산형과] (Gaet-bang-pung-sok)	<b>American silvertop, Beach silvertop, Silvertop</b> <i>Glehnia</i> F.Schmidt ex Miq. [Apiaceae]
갯벼들 (Gaet-beo-deul)	<b>Rose-gold pussy willow</b> <i>Salix gracilistyla</i> Miq.
갯별꽃 (Gaet-byeol-kkot)	<b>Beach sandwort</b> <i>Honkenya peploides</i> var. <i>major</i> (Hook.) Abrams
갯별꽃속 [석죽과] (Gaet-byeol-kkot-sok)	<b>Sea sandwort, Seaside sandplant</b> <i>Honkenya</i> Willd. ex Cothen. [Caryophyllaceae]
갯보리 (Gaet-bo-ri)	<b>Dahurian wheatgrass</b> <i>Elymus dahuricus</i> Turcz. ex Griseb.
갯보리사초 (Gaet-bo-ri-sa-cho)	<b>Bent-beak sedge</b> <i>Carex laticeps</i> C.B.Clarke ex Franch.
갯보리속 [벼과] (Gaet-bo-ri-sok)	<b>Wildrye, Wheatgrass</b> <i>Elymus</i> L. [Poaceae]
갯봄맞이 (Gaet-bom-mat-i)	<b>Blunt-leaf sea milkwort</b> <i>Glaux maritima</i> var. <i>obtusifolia</i> Fernald
갯봄맞이꽃속 [앵초과] (Gaet-bom-mat-i-kkot-sok)	<b>Milkwort</b> <i>Glaux</i> L. [Primulaceae]
갯부추 (Gaet-bu-chu)	<b>Coastal chive</b> <i>Allium pseudojaponicum</i> Makino
갯사상자 (Gaet-sa-sang-ja)	<b>Seashore snowparsley</b> <i>Cnidium japonicum</i> Miq.
갯쇠돌피 (Gaet-soe-dol-pi)	<b>Annual rabbit's-foot grass</b> <i>Polypogon monspeliensis</i> (L.) Desf.
갯쇠보리 (Gaet-soe-bo-ri)	<b>Asian murainagrass</b> <i>Ischaemum anthephoroides</i> (Steud.) Miq.
갯실새삼 (Gaet-sil-sae-sam)	<b>Chinese dodder</b> <i>Cuscuta chinensis</i> Lam.

Korean name (Romanization)	English name Scientific name
갯쑥부쟁이 (Gaet-ssuk-bu-jaeng-i)	<b>Bristle-hair aster</b> <i>Aster hispidus</i> Thunb.
갯씀바귀 (Gaet-sseum-ba-gwi)	<b>Creeping beach ikeris</b> <i>Ikeris repens</i> (L.) A.Gray
갯완두 (Gaet-wan-du)	<b>Beach vetchling</b> <i>Lathyrus japonicus</i> Willd.
갯율무 (Gaet-yul-mu)	<b>Common prickleglass</b> <i>Crypsis aculeata</i> (L.) Aiton
갯율무속 [벼과] (Gaet-yul-mu-sok)	<b>Prickleglass</b> <i>Crypsis</i> Aiton [Poaceae]
갯잔디 (Gaet-jan-di)	<b>Seaside lawngrass</b> <i>Zoysia sinica</i> Hance
갯잠자리피 (Gaet-jam-ja-ri-pi)	<b>Asian fiveminute grass</b> <i>Tripogon chinensis</i> (Franch.) Hack.
갯잠자리피속 [벼과] (Gaet-jam-ja-ri-pi-sok)	<b>Fiveminute grass</b> <i>Tripogon</i> Roem. & Schult. [Poaceae]
갯장구채 (Gaet-jang-gu-chae)	<b>Seashore catchfly</b> <i>Silene aprica</i> var. <i>oldhamiana</i> (Miq.) C.Y.Wu
갯장대 (Gaet-jang-dae)	<b>Coastal rockcress</b> <i>Arabis stelleri</i> DC.
갯제비쑥 (Gaet-je-be-ssuk)	<b>Seashore oriental wormwood</b> <i>Artemisia japonica</i> subsp. <i>littoricola</i> (Kitam.) Kitam.
갯조풀 (Gaet-jo-pul)	<b>Coastal small reedgrass</b> <i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler
갯지치 (Gaet-ji-chi)	<b>Beach bluebell</b> <i>Mertensia asiatica</i> (Takeda) J.F.Macbr.
갯지치속 [지치과] (Gaet-ji-chi-sok)	<b>Bluebells</b> <i>Mertensia</i> Roth [Boraginaceae]
갯질경 (Gaet-jil-gyeong)	<b>Square-stem statice</b> <i>Limonium tetragonum</i> (Thunb.) Bullock
갯질경과 (Gaet-jil-gyeong-gwa)	<b>Leadwort family</b> <i>Plumbaginaceae</i> Juss.

Korean name (Romanization)	English name Scientific name
갯질경속 [갯질경과] (Gaet-jil-gyeong-sok)	<b>Marsh-rosemary, Sea-lavender, Statice</b> <i>Limonium</i> Mill. [Plumbaginaceae]
갯질경이 (Gaet-jil-gyeong-i)	<b>Coastal glossy plantain</b> <i>Plantago major</i> f. <i>yezomaritima</i> (Koidz.) Ohwi
갯천문동 (Gaet-cheon-mun-dong)	<b>Short-leaf asparagus</b> <i>Asparagus brachyphyllus</i> Turcz.
갯청사초 (Gaet-cheong-sa-cho)	<b>Fibrillose short-stem sedge</b> <i>Carex breviculmis</i> var. <i>fibrillosa</i> (Franch. & Sav.) Matsum. & Hayata
갯취 (Gaet-chwi)	<b>Jejudo ragwort</b> <i>Ligularia taquetii</i> (H.Lév. & Vaniot) Nakai
갯패랭이꽃 (Gaet-pae-raeng-i-kkot)	<b>Seashore pink</b> <i>Dianthus japonicus</i> Thunb.
갯하늘지기 (Gaet-ha-neul-ji-gi)	<b>Rusty fimbriostylis</b> <i>Fimbristylis ferruginea</i> var. <i>sieboldii</i> (Miq. ex Franch. & Sav.) Ohwi
갯활랑나물 (Gaet-hwal-ryang-na-mul)	<b>Northeastern goldenbanner</b> <i>Thermopsis lupinoides</i> (L.) Link
갯활랑나물속 [콩과] (Gaet-hwal-ryang-na-mul-sok)	<b>Goldenbanner</b> <i>Thermopsis</i> R.Br. [Fabaceae]
갯황기 (Gaet-hwang-gi)	<b>Seashore milkvetch</b> <i>Astragalus sikokianus</i> Nakai
거꾸리개고사리 (Geo-kku-ri-gae-go-sa-ri)	<b>Downward-leaf ladyfern</b> <i>Athyrium reflexipinnum</i> Hayata
거머리말 (Geo-meo-ri-mal)	<b>Common eelgrass</b> <i>Zostera marina</i> L.
거머리말과 (Geo-meo-ri-mal-gwa)	<b>Eelgrass family, Seagrass family</b> <i>Zosteraceae</i> Dumort.
거머리말속 [거머리말과] (Geo-meo-ri-mal-sok)	<b>Eelgrass, Marine eelgrass, Simply eelgrass</b> <i>Zostera</i> L. [Zosteraceae]
거문누리장나무 (Geo-mun-nu-ri-jang-na-mu)	<b>Glabrous harlequin glorybower</b> <i>Clerodendrum trichotomum</i> var. <i>esculentum</i> Makino

Korean name (Romanization)	English name Scientific name
거문도개미자리 (Geo-mun-do-gae-mi-ja-ri)	<b>Alpine pearlwort</b> <i>Sagina saginoides</i> (L.) H.Karst.
거문도닥나무 (Geo-mun-do-dak-na-mu)	<b>Geomundo false ohelo</b> <i>Wikstroemia ganpi</i> (Siebold & Zucc.) Maxim.
거문억새 (Geo-mun-eok-sae)	<b>Geomun maiden silvergrass</b> <i>Miscanthus sinensis</i> var. <i>keumunensis</i> Y.N.Lee
거문천남성 (Geo-mun-cheon-nam-seong)	<b>Geomun jack-in-the-pulpit</b> <i>Arisaema thunbergii</i> subsp. <i>geomundoense</i> S.C.Ko
거미고사리 (Geo-mi-go-sa-ri)	<b>Asian walking fern</b> <i>Camptosorus sibiricus</i> Rupr.
거미고사리속 [꼬리고사리과] (Geo-mi-go-sa-ri-sok)	<b>Camptosorus</b> <i>Camptosorus</i> Link [Aspleniaceae]
거미꼬리고사리 (Geo-mi-kko-ri-go-sa-ri)	<b>Hybrid spleenwort</b> <i>Asplenium × castaneoviride</i> Baker
거미난초속 [난초과] (Geo-mi-nan-cho-sok)	<b>Taeniophyllum</b> <i>Taeniophyllum</i> Blume [Orchidaceae]
거미란 (Geo-mi-ran)	<b>Glandular taeniophyllum</b> <i>Taeniophyllum glandulosum</i> Blume
거북꼬리 (Geo-buk-kko-ri)	<b>Tricuspidate falsenettle</b> <i>Boehmeria tricuspis</i> (Hance) Makino
거센털꽃마리 (Geo-sen-teol-kkot-ma-ri)	<b>Rooting trigonotis</b> <i>Trigonotis radicans</i> (Turcz.) Steven
거제딸기 (Geo-je-ttal-gi)	<b>Geoje raspberry</b> <i>*Rubus longisepalus</i> var. <i>tozawae</i> (Nakai ex Kawamoto) T.B.Lee
거제수나무 (Geo-je-su-na-mu)	<b>Korean birch</b> <i>Betula costata</i> Trautv.
거지덩굴 (Geo-ji-deong-gul)	<b>Bushkiller</b> <i>Cayratia japonica</i> (Thunb.) Gagnep.
거지덩굴속 [포도과] (Geo-ji-deong-gul-sok)	<b>Cayratia</b> <i>Cayratia</i> Juss. [Vitaceae]
거지딸기 (Geo-ji-ttal-gi)	<b>Sorbus-leaf yellow raspberry</b> <i>Rubus sorbifolius</i> Maxim.

Korean name (Romanization)	English name Scientific name
검나무싸리 (Geom-na-mussa-ri)	<b>Black-flower lespedeza</b> <i>Lespedeza melanantha</i> Nakai
검노린재나무 (Geom-no-rin-jae-na-mu)	<b>Black sweetleaf</b> <i>Symplocos tanakana</i> Nakai
검산초롱꽃 (Geom-san-cho-rong-kkot)	<b>Wide-sepal geumgangchoronkkot</b> <b>(Wide-sepal Geumgang bluebell)</b> <i>Hanabusaya latisepala</i> Nakai
검양옻나무 (Geom-yang-ot-na-mu)	<b>Wax lacquer tree</b> <i>Toxicodendron succedaneum</i> (L.) Kuntze
검은개선갈퀴 (Geom-eun-gae-seon-gal-kwi)	<b>Black bedstraw</b> <i>Galium japonicum</i> Makino
검은개수염 (Geom-eun-gae-su-yeom)	<b>Black pipewort</b> <i>Eriocaulon parvum</i> Körn.
검은거이삭 (Geom-eun-gyeo-i-sak)	<b>Velvety bentgrass</b> <i>Agrostis canina</i> L.
검은곡정초 (Geom-eun-gok-jeong-cho)	<b>Dark-flower pipewort</b> <i>Eriocaulon atrum</i> Nakai
검은구상 (Geom-eun-gu-sang)	<b>Black-cone Korean fir</b> <i>Abies koreana</i> f. <i>nigrocarpa</i> Hatus.
검은꽃장포 (Geom-eun-kkot-jang-po)	<b>Black northern asphodel</b> <i>Tofieldia coccinea</i> var. <i>fusca</i> (Miyabe & Kudô) H.Hara
검은낭아초 (Geom-eun-nang-a-cho)	<b>Purple marshlocks</b> <i>Potentilla palustris</i> (L.) Scop.
검은도루박이 (Geom-eun-do-ru-bak-i)	<b>Oriental woodland bulrush</b> <i>Scirpus orientalis</i> Ohwi
검은딸기 (Geom-eun-ttal-gi)	<b>Hooked-thorn raspberry</b> <i>Rubus croceacanthus</i> H.Lév.
검은별고사리 (Geom-eun-byeol-go-sa-ri)	<b>Swamp shield-fern</b> <i>Cyclosorus interruptus</i> (Willd.) H.Ito
검은삿갓나물 (Geom-eun-sat-gat-na-mul)	<b>Black verticillate paris</b> * <i>Paris verticillata</i> var. <i>nigra</i> Y.N.Lee
검은솜아마존 (Geom-eun-som-a-ma-jon)	<b>Black amplexicaul swallow-wort</b> <i>Cynanchum amplexicaule</i> f. <i>castaneum</i> (Makino) C.Y.Li

Korean name (Romanization)	English name Scientific name
검은재나무 (Geom-eun-jae-na-mu)	<b>Cherry-leaf sweetleaf</b> <i>Symplocos prunifolia</i> Siebold & Zucc.
검은종덩굴 (Geom-eun-jong-deong-gul)	<b>Stanavoi clematis</b> <i>Clematis fusca</i> Turcz.
검정개관중 (Geom-jeong-gae-gwan-jung)	<b>Korean rock fern</b> <i>Polystichum tsus-simense</i> (Hook.) J.Sm.
검정거이삭 (Geom-jeong-gyeo-i-sak)	<b>Trin's bentgrass</b> <i>Agrostis flaccida</i> Hack.
검정말 (Geom-jeong-mal)	<b>Perfect aquatic weed</b> <i>Hydrilla verticillata</i> (L.f.) Royle
검정말속 [자라풀과] (Geom-jeong-mal-sok)	<b>Esthwaite waterweed, Hydrilla, Waterthyme</b> <i>Hydrilla</i> Rich. [Hydrocharitaceae]
검정방동사니 (Geom-jeong-bang-dong-sa-ni)	<b>Ciliate fuirena</b> <i>Fuirena ciliaris</i> (L.) Roxb.
검정방동사니속 [사초과] (Geom-jeong-bang-dong-sa-ni-sok)	<b>Umbrella-sedge</b> <i>Fuirena</i> Rottb. [Cyperaceae]
검정비늘고사리 (Geom-jeong-bi-neul-go-sa-ri)	<b>Green twinsorus fern</b> <i>Diplazium virescens</i> Kunze
검정진들피 (Geom-jeong-jin-deul-pi)	<b>Waxy mannagrass</b> <i>Glyceria debilior</i> (Trin.) Kudo
검정타래사초 (Geom-jeong-ta-rae-sa-cho)	<b>Norway sedge</b> <i>Carex norvegica</i> Retz.
검정하늘지기 (Geom-jeong-ha-neul-ji-gi)	<b>Setaceous-bract fimbrylis</b> <i>Fimbristylis diphylloides</i> Makino
검팽나무 (Geom-paeng-na-mu)	<b>Black-fruit hackberry</b> <i>Celtis choseniana</i> Nakai
게바다말 (Ge-ba-da-mal)	<b>Asian surfgrass</b> <i>Phyllospadix japonicus</i> Makino
게박주나물 (Ge-bak-jwi-na-mul)	<b>Glandular-style Indian plantain</b> <i>Parasenecio adenostyloides</i> (Franch. & Sav. ex Maxim.) H.Koyama
겨락겨사초 (Gyeo-rak-gyeo-sa-cho)	<b>Aristate mitra sedge</b> <i>Carex mitrata</i> var. <i>aristata</i> Ohwi

Korean name (Romanization)	English name Scientific name
겨사초 (Gyeo-sa-cho)	<b>Mitra sedge</b> <i>Carex mitrata</i> Franch.
겨우살이 (Gyeo-u-sal-i)	<b>Korean mistletoe</b> <i>Viscum album</i> var. <i>coloratum</i> (Kom.) Ohwi
겨우살이과 (Gyeo-u-sal-i-gwa)	<b>Showy mistletoe family</b> <i>Loranthaceae</i> Juss.
겨우살이속 [겨우살이과] (Gyeo-u-sal-i-sok)	<b>Mistletoe</b> <i>Viscum</i> L. [Loranthaceae]
겨울딸기 (Gyeo-ul-ttal-gi)	<b>Winter raspberry</b> <i>Rubus buergeri</i> Miq.
겨이삭 (Gyeo-i-sak)	<b>Asian bentgrass</b> <i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi
겨이삭속 [벼과] (Gyeo-i-sak-sok)	<b>Bent, Bentgrass</b> <i>Agrostis</i> L. [Poaceae]
겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi)	<b>Taquet's smartweed</b> <i>Persicaria taquetii</i> (H.Lév.) Koidz.
겨자복주머니란 (Gyeo-ja-bok-ju-meo-ni-ran)	<b>Mustard-color lady's slipper</b> <i>Cypripedium sinapoides</i> Y.N.Lee
겨풀 (Gyeo-pul)	<b>Gyeopul (Asian cutgrass)</b> <i>Leersia sayanuka</i> Ohwi
겨풀속 [벼과] (Gyeo-pul-sok)	<b>Cutgrass</b> <i>Leersia</i> Sw. [Poaceae]
겹도라지 (Gyeop-do-ra-ji)	<b>Double balloon-flower</b> <i>Platycodon grandiflorus</i> var. <i>duplex</i> Makino
겹돌잔고사리 (Gyeop-dol-jan-go-sa-ri)	<b>False scraggy lace fern</b> <i>Microlepia pseudostrigosa</i> Makino
겹왜미나리아재비 (Gyeop-wae-mi-na-ri-a-jae-bi)	<b>Double-petal Franchet's buttercup</b> * <i>Ranunculus franchetii</i> f. <i>duplicatus</i> Y.N.Lee
겹함박꽃나무 (Gyeop-ham-bak-kkot-na-mu)	<b>Double Siebold's magnolia</b> * <i>Magnolia sieboldii</i> f. <i>semiplena</i> T.B.Lee
경성사초 (Gyeong-seong-sa-cho)	<b>Seoul sedge</b> <i>Carex accrescens</i> Ohwi

Korean name (Romanization)	English name Scientific name
경성서덜취 (Gyeong-seong-seo-deol-chwi)	<b>Gyeongseong saussurea</b> <i>Saussurea koidzumiana</i> Kitam.
경성제비꽃 (Gyeong-seong-je-bi-kkot)	<b>Gyeongseong violet</b> <i>Viola yamatsuma</i> Ishid. ex Kitag.
계곡고사리 (Gye-gok-go-sa-ri)	<b>Valley wood fern</b> <i>Dryopteris subexaltata</i> (Christ) C.Chr.
계룡쇠물푸레 (Gye-ryong-soe-mul-pu-re)	<b>Three-some flowering ash</b> <i>Fraxinus sieboldiana</i> var. <i>trijuga</i> Nakai
계방나비나물 (Gye-bang-na-bi-na-mul)	<b>Gyebang vetch</b> <i>Vicia linearifolia</i> Y.N.Lee
계요등 (Gye-yo-deung)	<b>Skunk vine</b> <i>Paederia scandens</i> (Lour.) Merr.
계요등속 [꼭두서니과] (Gye-yo-deung-sok)	<b>Sewer vine</b> <i>Paederia</i> L. [Rubiaceae]
고광나무 (Go-gwang-na-mu)	<b>Korean mock orange</b> <i>Philadelphus schrenkii</i> Rupr.
고광나무속 [범의귀과] (Go-gwang-na-mu-sok)	<b>Mock orange</b> <i>Philadelphus</i> L. [Saxifragaceae]
고깔제비꽃 (Go-kkal-je-bi-kkot)	<b>Conical-leaf violet</b> <i>Viola rossii</i> Hemsl.
고들빼기 (Go-deul-ppae-gi)	<b>Sonchus-leaf crepidiastrum</b> <i>Crepidiastrum sonchifolium</i> (Maxim.) Pak & Kawano
고들빼기속 [국화과] (Go-deul-ppae-gi-sok)	<b>Crepidiastrum</b> <i>Crepidiastrum</i> Nakai [Asteraceae]
고란초 (Go-ran-cho)	<b>Spear-leaf selliquea fern</b> <i>Crypsinus hastatus</i> (Thunb.) Copel.
고란초과 (Go-ran-cho-gwa)	<b>Polypody family</b> <i>Polypodiaceae</i> J.Presl & C.Presl
고란초속 [고란초과] (Go-ran-cho-sok)	<b>Crypsinus</b> <i>Crypsinus</i> C.Presl [Polypodiaceae]
고랭이속 [사초과] (Go-raeng-i-sok)	<b>Bulrush, Club-rush, Deergrass, Grassweed</b> <i>Scirpus</i> L. [Cyperaceae]

Korean name (Romanization)	English name Scientific name
고려개보리 (Go-ryeo-gae-bo-ri)	<b>Korean wheatgrass</b> <i>Elymus coreanus</i> Honda
고려공작고사리 (Go-ryeo-gong-jak-go-sa-ri)	<b>Korean maidenhair fern</b> <i>Adiantum coreanum</i> Tagawa
고려엉겅퀴 (Go-ryeo-eong-geong-kwi)	<b>Gondre (Korean thistle)</b> <i>Cirsium setidens</i> (Dunn) Nakai
고로쇠나무 (Go-ro-soe-na-mu)	<b>Mono maple</b> <i>Acer pictum</i> var. <i>mono</i> (Maxim.) Maxim. ex Franch.
고마리 (Go-ma-ri)	<b>Thunberg's smartweed</b> <i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross
고본 (Go-bon)	<b>Korean gobon (Slender angelica)</b> <i>Angelica tenuissima</i> Nakai
고비 (Go-bi)	<b>Asian royal fern</b> <i>Osmunda japonica</i> Thunb.
고비고사리 (Go-bi-go-sa-ri)	<b>Oriental bamboo fern</b> <i>Coniogramme intermedia</i> Hieron
고비고사리속 [고사리과] (Go-bi-go-sa-ri-sok)	<b>Coniogramme</b> <i>Coniogramme</i> Fée [Pteridaceae]
고비과 (Go-bi-gwa)	<b>Royal fern family</b> Osmundaceae Martinov
고비속 [고비과] (Go-bi-sok)	<b>Osmunda</b> <i>Osmunda</i> L. [Osmundaceae]
고사리 (Go-sa-ri)	<b>Eastern brakenfern</b> <i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A.Heller
고사리과 (Go-sa-ri-gwa)	<b>Maidenhair fern family</b> Pteridaceae E.D.M. Kirchn.
고사리삼 (Go-sa-ri-sam)	<b>Glabrous-ternate grapefern</b> <i>Sceptridium ternatum</i> (Thunb.) Lyon
고사리삼과 (Go-sa-ri-sam-gwa)	<b>Adder's tongue family</b> Ophioglossaceae Martinov
고사리삼속 [고사리삼과] (Go-sa-ri-sam-sok)	<b>Sceptridium</b> <i>Sceptridium</i> Lyon [Ophioglossaceae]

Korean name (Romanization)	English name Scientific name
고사리속 [고사리과] (Go-sa-ri-sok)	<b>Brakenfern</b> <i>Pteridium</i> Gled. ex Scop. [Pteridaceae]
고산구슬봉이 (Go-san-gu-seul-bung-i)	<b>Korean alpine gentian</b> <i>Gentiana wootchuliana</i> W.K.Paik
고산바다 (Go-san-ba-di)	<b>High-mountain angelica</b> <i>Coelopleurum saxatile</i> (Turcz. ex Ledeb.) Drude
고산봄맞이 (Go-san-bom-mat-i)	<b>Dry rockjasmine</b> <i>Androsace lehmanniana</i> Spreng.
고산잔대 (Go-san-jan-dae)	<b>Alpine three-leaf ladybell</b> <i>Adenophora triphylla</i> var. <i>hakusanensis</i> (Nakai) Kitam.
고삼 (Go-sam)	<b>Shrubby sophora</b> <i>Sophora flavescens</i> Solander ex Aiton
고삼속 [콩과] (Go-sam-sok)	<b>Necklacepod</b> <i>Sophora</i> L. [Fabaceae]
고성골 (Go-seong-gol)	<b>Goseong hybrid bulrush</b> <i>Scirpus juncoides</i> Roxb. × <i>S. wallichii</i> Nees
고슴도치풀 (Go-seum-do-chi-pul)	<b>Japanese burbark</b> <i>Triumfetta japonica</i> Makino
고슴도치풀속 [피나무과] (Go-seum-do-chi-pul-sok)	<b>Burbark</b> <i>Triumfetta</i> L. [Tiliaceae]
고양싸리 (Go-yang-ssa-ri)	<b>Goyang lespedeza</b> <i>Lespedeza</i> × <i>robusta</i> Nakai
고양이수염 (Go-yang-i-su-yeom)	<b>Spiked beaksedge</b> <i>Rhynchospora chinensis</i> Nees & Mey ex Nees
고욤나무 (Go-yom-na-mu)	<b>Date-plum</b> <i>Diospyros lotus</i> L.
고추나무 (Go-chu-na-mu)	<b>Bumald's bladdernut</b> <i>Staphylea bumalda</i> DC.
고추나무과 (Go-chu-na-mu-gwa)	<b>Bladdernut family</b> Staphyleaceae Martinov
고추나무속 [고추나무과] (Go-chu-na-mu-sok)	<b>Bladdernut</b> <i>Staphylea</i> L. [Staphyleaceae]

Korean name (Romanization)	English name Scientific name
고추나물 (Go-chu-na-mul)	<b>Erect St. Johnswort</b> <i>Hypericum erectum</i> Thunb.
고추냉이 (Go-chu-naeng-i)	<b>Wild wasabi</b> <i>Eutrema japonicum</i> (Miq.) Koidz.
고추냉이속 [십자화과] (Go-chu-naeng-i-sok)	<b>Eutrema</b> <i>Eutrema</i> R.Br. [Brassicaceae]
곡정초 (Gok-jeong-cho)	<b>Ashy pipewort</b> <i>Eriocaulon cinereum</i> R.Br.
곡정초과 (Gok-jeong-cho-gwa)	<b>Pipewort family</b> Eriocaulaceae Martinov
곡정초속 [곡정초과] (Gok-jeong-cho-sok)	<b>Pipewort</b> <i>Eriocaulon</i> L. [Eriocaulaceae]
곤달비 (Gon-dal-bi)	<b>Narrow-head ragwort</b> <i>Ligularia stenocephala</i> (Maxim.) Matsum. & Koidz.
골개고사리 (Gol-gae-go-sa-ri)	<b>Eared ladyfern</b> <i>Athyrium otophorum</i> (Miq.) Koidz.
골고사리 (Gol-go-sa-ri)	<b>Hart's-tongue fern</b> <i>Phyllitis scolopendrium</i> (L.) Newman
골고사리속 [꼬리고사리과] (Gol-go-sa-ri-sok)	<b>Phyllitis</b> <i>Phyllitis</i> Hill [Aspleniaceae]
골담초 (Gol-dam-cho)	<b>Chinese peashrub</b> <i>Caragana sinica</i> (Buc'hoz) Rehder
골담초속 [콩과] (Gol-dam-cho-sok)	<b>Peashrub</b> <i>Caragana</i> Fabr. [Fabaceae]
골등골나물 (Gol-deung-gol-na-mul)	<b>Lindley's eupatorium</b> <i>Eupatorium lindleyanum</i> DC.
골무꽃 (Gol-mu-kkot)	<b>Indian skullcap</b> <i>Scutellaria indica</i> L.
골무꽃속 [꿀풀과] (Gol-mu-kkot-sok)	<b>Skullcap</b> <i>Scutellaria</i> L. [Lamiaceae]
골병꽃나무 (Gol-byeong-kkot-na-mu)	<b>Garden weigela</b> <i>Weigela hortensis</i> C.A.Mey.
골사초 (Gol-sa-cho)	<b>Nerved-scale sedge</b> <i>Carex aphanolepis</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
골잎원추리 (Gol-ip-won-chu-ri)	<b>Citron daylily</b> <i>Hemerocallis citrina</i> Baroni
골풀 (Gol-pul)	<b>Golpul (Common rush)</b> <i>Juncus decipiens</i> (Buchenau) Nakai
골풀과 (Gol-pul-gwa)	<b>Rush family</b> <i>Juncaceae</i> Durande
골풀속 [골풀과] (Gol-pul-sok)	<b>Rush</b> <i>Juncus</i> L. [Juncaceae]
골풀아재비 (Gol-pul-a-jae-bi)	<b>Bulrush-like beaksedge</b> <i>Rhynchospora faberi</i> C.B.Clarke
골풀아재비속 [사초과] (Gol-pul-a-jae-bi-sok)	<b>Beakrush, Beaksedge</b> <i>Rhynchospora</i> Vahl [Cyperaceae]
곰딸기 (Gom-ttal-gi)	<b>Wine raspberry</b> <i>Rubus phoenicolasius</i> Maxim.
곰반송 (Gom-ban-song)	<b>Many-stem black pine</b> <i>Pinus thunbergii</i> f. <i>multicaulis</i> Uyeki
곰비늘고사리 (Gom-bi-neul-go-sa-ri)	<b>Uniform wood fern</b> <i>Dryopteris uniformis</i> (Makino) Makino
곰솔 (Gom-sol)	<b>Black pine</b> <i>Pinus thunbergii</i> Parl.
곰의말채나무 (Gom-ui-mal-chae-na-mu)	<b>Large-leaf dogwood</b> <i>Cornus macrophylla</i> Wall.
곰취 (Gom-chwi)	<b>Fischer's ragwort</b> <i>Ligularia fischeri</i> (Ledeb.) Turcz.
곰취속 [국화과] (Gom-chwi-sok)	<b>Leopard plant, Ragwort</b> <i>Ligularia</i> Cass. [Asteraceae]
곱새고사리 (Gop-sae-go-sa-ri)	<b>Korean tapping glade fern</b> <i>Deparia coreana</i> (Christ) M.Kato
곱슬사초 (Gop-seul-sa-cho)	<b>Glabrate sedge</b> <i>Carex glabrescens</i> (Kük.) Ohwi
곱향나무 (Gop-hyang-na-mu)	<b>Alpine juniper</b> <i>Juniperus communis</i> subsp. <i>alpina</i> (Suter) Celak.

Korean name (Romanization)	English name Scientific name
공작고사리 (Gong-jak-go-sa-ri)	<b>Northern maidenhair fern</b> <i>Adiantum pedatum</i> L.
공작고사리속 [고사리과] (Gong-jak-go-sa-ri-sok)	<b>Maidenhair fern</b> <i>Adiantum</i> L. [Pteridaceae]
과남풀 (Gwa-nam-pul)	<b>East Asian clustered gentian</b> <i>Gentiana triflora</i> var. <i>japonica</i> (Kusn.) H.Hara
곽향 (Gwak-hyang)	<b>Mountain germander</b> <i>Teucrium veronicoides</i> Maxim.
곽향속 [꿀풀과] (Gwak-hyang-sok)	<b>Germander</b> <i>Teucrium</i> L. [Lamiaceae]
관모개미자리 (Gwan-mo-gae-mi-ja-ri)	<b>Slender mountain sandwort</b> <i>Arenaria capillaris</i> Poir.
관모두메자운 (Gwan-mo-du-me-ja-un)	<b>Blue locoweed</b> <i>Oxytropis caerulea</i> (Pall.) DC.
관모박새 (Gwan-mo-bak-sae)	<b>Dahurian false-hellebore</b> <i>Veratrum dahuricum</i> (Turcz.) Loes.
관모포아풀 (Gwan-mo-po-a-pul)	<b>Gwanmo bluegrass</b> <i>Poa kanboensis</i> Ohwi
관중 (Gwan-jung)	<b>Shield fern</b> <i>Dryopteris crassirhizoma</i> Nakai
관중속 [면마과] (Gwan-jung-sok)	<b>Buckler fern, Male fern, Wood fern</b> <i>Dryopteris</i> Adans. [Dryopteridaceae]
광나무 (Gwang-na-mu)	<b>Wax-leaf privet</b> <i>Ligustrum japonicum</i> Thunb.
광능골 (Gwang-neung-gol)	<b>Komarov's bulrush</b> <i>Scirpus komarovii</i> Roshev.
광대나물 (Gwang-dae-na-mul)	<b>Henbit deadnettle</b> <i>Lamium amplexicaule</i> L.
광대나물속 [꿀풀과] (Gwang-dae-na-mul-sok)	<b>Deadnettle</b> <i>Lamium</i> L. [Lamiaceae]
광대수염 (Gwang-dae-su-yeom)	<b>Beard white deadnettle</b> <i>Lamium album</i> var. <i>barbatum</i> (Siebold & Zucc.) Franch. & Sav.

Korean name (Romanization)	English name Scientific name
광대싸리 (Gwang-daessa-ri)	Suffrutescent securinega <i>Securinega suffruticosa</i> (Pall.) Rehder
광대싸리속 [대극과] (Gwang-daessa-ri-sok)	Securinega <i>Securinega</i> Comm. ex Juss. [Euphorbiaceae]
광릉갈퀴 (Gwang-reung-gal-kwi)	Gwangneung vetch <i>Vicia venosa</i> var. <i>cuspidata</i> Maxim.
광릉개고사리 (Gwang-reung-gae-go-sa-ri)	Elegant ladyfern <i>Athyrium concinnum</i> Nakai
광릉개밀 (Gwang-reung-gae-mil)	Gwangneung wheatgrass <i>Elymus yezoensis</i> var. <i>koryoensis</i> (Honda) Osada
광릉골무꽃 (Gwang-reung-gol-mu-kkot)	Gwangneung skullcap <i>Scutellaria insignis</i> Nakai
광릉물풀 (Gwang-reung-mul-pu-re)	Gwangneung ash <i>*Fraxinus rhynchophylla</i> var. <i>densata</i> (Nakai) Y.N.Lee
광릉요강꽃 (Gwang-reung-yo-gang-kkot)	Korean lady's slipper <i>Cypripedium japonicum</i> Thunb.
광릉용수염 (Gwang-reung-yong-su-yeom)	Gwangneung beakgrain <i>Diarrhena fauriei</i> (Hack.) Ohwi
광릉족제비고사리 (Gwang-reung-jok-je-bi-go-sa-ri)	Gwangneung buckler fern <i>Dryopteris saxifragi-varia</i> Nakai
광릉쥐오줌풀 (Gwang-reung-jwi-o-jum-pul)	Dense-fruit valerian <i>Valeriana fauriei</i> var. <i>dasycarpa</i> H.Hara
광릉털중나리 (Gwang-reung-teol-jung-na-ri)	Gwangneung friendly lily <i>*Lilium amabile</i> var. <i>kwangnungensis</i> Y.S.Kim & W.B.Lee
광양나비나물 (Gwang-yang-na-bi-na-mul)	Sweet two-leaf vetch <i>Vicia unijuga</i> var. <i>venusta</i> Nakai
괭이눈 (Gwaeng-i-nun)	Gray's golden saxifrage <i>Chrysosplenium grayanum</i> Maxim.
괭이눈속 [범의귀과] (Gwaeng-i-nun-sok)	Golden saxifrage, Golden-saxifrage <i>Chrysosplenium</i> L. [Saxifragaceae]
괭이밥 (Gwaeng-i-bap)	Creeping wood sorrel <i>Oxalis corniculata</i> L.

Korean name (Romanization)	English name Scientific name
괭이밥과 (Gwaeng-i-bap-gwa)	<b>Wood sorrel family</b> Oxalidaceae R.Br.
괭이밥속 [괭이밥과] (Gwaeng-i-bap-sok)	<b>Wood sorrel</b> <i>Oxalis</i> L. [Oxalidaceae]
괭이사초 (Gwaeng-i-sa-cho)	<b>Nerved-fruit sedge</b> <i>Carex neurocarpa</i> Maxim.
괭이싸리 (Gwaeng-i-ssa-ri)	<b>Pilose lespedeza</b> <i>Lespedeza pilosa</i> (Thunb.) Siebold & Zucc.
괴불나무 (Goe-bul-na-mu)	<b>Amur honeysuckle</b> <i>Lonicera maackii</i> (Rupr.) Maxim.
괴불이끼 (Goe-bul-i-kki)	<b>Insignificant bristle fern</b> <i>Crepidomanes latealatum</i> (Bosch) Copel.
괴불이끼속 [처녀이끼과] (Goe-bul-i-kki-sok)	<b>Crepidomanes</b> <i>Crepidomanes</i> C.Presl [Hymenophyllaceae]
괴불주머니 (Goe-bul-ju-meo-ni)	<b>Pale-yellow corydalis</b> <i>Corydalis pallida</i> (Thunb.) Pers.
교래잠자리피 (Gyo-rae-jam-jam-ja-ri-pi)	<b>Gyoraean five-minute grass</b> <i>Tripogon longearistatus</i> Hack. ex Honda
구내풀 (Gu-nae-pul)	<b>Ditch bluegrass</b> <i>Poa hisauchii</i> Honda
구례종덩굴 (Gu-rye-jong-deong-gul)	<b>Mankyu's clematis</b> * <i>Clematis mankiuensis</i> Y.N.Lee
구름골풀 (Gu-reum-gol-pul)	<b>Three-hull rush</b> <i>Juncus triglumis</i> L.
구름국화 (Gu-reum-guk-hwa)	<b>Korean alpine fleabane</b> <i>Erigeron thunbergii</i> subsp. <i>glabratius</i> (A.Gray) H.Hara
구름꽃다지 (Gu-reum-kkot-da-ji)	<b>Many-branch whitlow-grass</b> <i>Draba daurica</i> var. <i>ramosa</i> Pohl & Bush
구름꿩의밥 (Gu-reum-kkwong-ui-bap)	<b>High-mountain woodrush</b> <i>Luzula oligantha</i> Sam.
구름떡쑥 (Gu-reum-tteok-ssuk)	<b>Alpine pearly everlasting</b> <i>Anaphalis sinica</i> var. <i>mori</i> (Nakai) Ohwi

Korean name (Romanization)	English name Scientific name
구름범의귀 (Gu-reum-beom-ui-gwi)	<b>Laciniate rockfoil</b> <i>Saxifraga laciniata</i> Nakai & Takeda
구름병아리난초 (Gu-reum-byeong-a-ri-nan-cho)	<b>Cucullate neottianthe orchid</b> <i>Neottianthe cucullata</i> (L.) Schltr.
구름병아리난초속 [난초과] (Gu-reum-byeong-a-ri-nan-cho-sok)	<b>Neottianthe orchid</b> <i>Neottianthe</i> (Rchb.) Schltr. [Orchidaceae]
구름사초 (Gu-reum-sa-cho)	<b>Subumbellate sedge</b> <i>Carex subumbellata</i> Meinh.
구름송이풀 (Gu-reum-song-i-pul)	<b>Whorled-leaf lousewort</b> <i>Pedicularis verticillata</i> L.
구름오이풀 (Gu-reum-o-i-pul)	<b>High-mountain burnet</b> <i>Sanguisorba argutidens</i> Nakai
구름제비꽃 (Gu-reum-je-bi-kkot)	<b>Alpine violet</b> <i>Viola crassa</i> Makino
구름제비란 (Gu-reum-je-bi-ran)	<b>Cloud Asian platanthera</b> <i>Platanthera ophrydioides</i> F.Schmidt
구름체꽃 (Gu-reum-che-kkot)	<b>Alpine scabious</b> <i>Scabiosa tschiliensis</i> f. <i>alpina</i> (Nakai) W.T.Lee
구름페랭이꽃 (Gu-reum-pae-raeng-i-kkot)	<b>Alpine pink</b> <i>Dianthus superbus</i> var. <i>alpestris</i> Kablik. ex Celak.
구릿대 (Gu-rit-dae)	<b>Dahurian angelica</b> <i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav.
구상나무 (Gu-sang-na-mu)	<b>Korean fir</b> <i>Abies koreana</i> E.H.Wilson
구상난풀 (Gu-sang-nan-pul)	<b>Yellow Indian pipe</b> <i>Monotropa hypopithys</i> L.
구슬갓냉이 (Gu-seul-gat-naeng-i)	<b>Globe yellowcress</b> <i>Rorippa globosa</i> (Turcz. ex Fisch. & C.A.Mey.) Hayek
구슬개고사리 (Gu-seul-gae-go-sa-ri)	<b>Triangular-leaf ladyfern</b> <i>Athyrium deltoidofrons</i> Makino
구슬골무꽃 (Gu-seul-gol-mu-kkot)	<b>Moniliform skullcap</b> <i>Scutellaria moniliorrhiza</i> Kom.

Korean name (Romanization)	English name Scientific name
구슬꽃나무 (Gu-seul-kkot-na-mu)	<b>Glossy adina</b> <i>Adina rubella</i> Hance
구슬꽃나무속 [꼭두서니과] (Gu-seul-kkot-na-mu-sok)	<b>Adina</b> <i>Adina</i> Salisb. [Rubiaceae]
구슬댕댕이 (Gu-seul-daeng-daeng-i)	<b>Wavy-leaf honeysuckle</b> <i>Lonicera vesicaria</i> Kom.
구슬붕이 (Gu-seul-bung-i)	<b>Squarrose-leaf gentian</b> <i>Gentiana squarrosa</i> Ledeb.
구슬사초 (Gu-seul-sa-cho)	<b>Orbicular sedge</b> <i>Carex tegulata</i> H.Lév. et Vaniot
구슬오이풀 (Gu-seul-o-i-pul)	<b>Globular great burnet</b> <i>Sanguisorba officinalis</i> var. <i>globularis</i> (Nakai) W.T.Lee
구실바위취 (Gu-sil-ba-wi-chwi)	<b>Round rockfoil</b> <i>Saxifraga octopetala</i> Nakai
구실사리 (Gu-sil-sa-ri)	<b>Bead selaginella</b> <i>Selaginella rossii</i> (Baker) Warb.
구실잣밤나무 (Gu-sil-jat-bam-na-mu)	<b>Siebold's chinquapin</b> <i>Castanopsis sieboldii</i> (Makino) Hatus.
구와가막사리 (Gu-wa-ga-mak-sa-ri)	<b>Pinnatifid-radiate beggartick</b> <i>Bidens radiata</i> var. <i>pinnatifida</i> (Turcz. ex DC.) Kitam.
구와꼬리풀 (Gu-wa-kko-ri-pul)	<b>Dahurian spike speedwell</b> <i>Veronica dahurica</i> Steven
구와말 (Gu-wa-mal)	<b>Asian marshweed</b> <i>Limnophila sessiliflora</i> (Vahl) Blume
구와말속 [현삼과] (Gu-wa-mal-sok)	<b>Marshweed</b> <i>Limnophila</i> R.Br. [Scrophulariaceae]
구와쑥 (Gu-wa-ssuk)	<b>Siberian wormwood</b> <i>Artemisia laciniata</i> Will.
구와취 (Gu-wa-chwi)	<b>Ussuri saussurea</b> <i>Saussurea ussuriensis</i> Maxim.
구절초 (Gu-jeol-cho)	<b>White-lobe Korean dendranthema</b> <i>Dendranthema zawadskii</i> var. <i>latilobum</i> (Maxim.) Kitam.

Korean name (Romanization)	English name Scientific name
국경찔레 (Guk-gyeong-jjil-re)	<b>Northern baby rose</b> <i>Rosa jaluana</i> Kom.
국수나무 (Guk-su-na-mu)	<b>Laceshrub</b> <i>Stephanandra incisa</i> (Thunb.) Zabel
국수나무속 [장미과] (Guk-su-na-mu-sok)	<b>Stephanandra</b> <i>Stephanandra</i> Siebold & Zucc. [Rosaceae]
국화갈퀴 (Guk-hwa-gal-kwi)	<b>Chrysanthemum bedstraw</b> <i>Galium kikumugura</i> Ohwi
국화과 (Guk-hwa-gwa)	<b>Sunflower family</b> Asteraceae Bercht. & J.Presl (= Compositae Giseke)
국화마 (Guk-hwa-ma)	<b>Chrysanthemum-leaf mountain yam</b> <i>Dioscorea septemloba</i> Thunb.
국화바람꽃 (Guk-hwa-ba-ram-kkot)	<b>Chrysanthemum anemone</b> <i>Anemone pseudoaltaica</i> H.Hara
국화방망이 (Guk-hwa-bang-mang-i)	<b>Korean butterweed</b> <i>Sinosenecio koreanus</i> (Kom.) B.Nord.
국화방망이속 [국화과] (Guk-hwa-bang-mang-i-sok)	<b>Butterweed</b> <i>Sinosenecio</i> B. Nord. [Asteraceae]
국화수리취 (Guk-hwa-su-ri-chwi)	<b>Chrysanthemum-leaf synurus</b> <i>Synurus palmatopinnatifidus</i> (Makino) Kitam.
국화잎쑥 (Guk-hwa-ip-ssuk)	<b>Dissected-leaf wormwood</b> <i>Artemisia stolonifera</i> f. <i>dissecta</i> (Pamp.) Kitam.
국화쥐손이 (Guk-hwa-jwi-son-i)	<b>Stephan's filaree</b> <i>Erodium stephannianum</i> Willd.
국화쥐손이속 [쥐손이풀과] (Guk-hwa-jwi-son-i-sok)	<b>Filarees, Heron's bill, Stork's bill</b> <i>Erodium</i> L'Hér. ex Aiton [Geraniaceae]
굴거리나무 (Gul-geo-ri-na-mu)	<b>Macropodous daphniphyllum</b> <i>Daphniphyllum macropodium</i> Miq.
굴거리나무과 (Gul-geo-ri-na-mu-gwa)	<b>Daphniphyllum family</b> Daphniphyllaceae Müll. Arg.
굴거리나무속 [굴거리나무과] (Gul-geo-ri-na-mu-sok)	<b>Daphniphyllum</b> <i>Daphniphyllum</i> Blume [Daphniphyllaceae]

Korean name (Romanization)	English name Scientific name
굴참나무 (Gul-cham-na-mu)	<b>Oriental cork oak</b> <i>Quercus variabilis</i> Blume
굴피나무 (Gul-pi-na-mu)	<b>Cone-fruit platycarya</b> <i>Platycarya strobilacea</i> Siebold & Zucc.
굴피나무속 [가래나무과] (Gul-pi-na-mu-sok)	<b>Platycarya</b> <i>Platycarya</i> Siebold & Zucc. [Juglandaceae]
굵은들쭉나무 (Gul-geun-deul-jjuk-na-mu)	<b>Flat-bush bog blueberry</b> <i>Vaccinium uliginosum</i> f. <i>depressum</i> Nakai ex Uyeki
굽은노란장대 (Gup-eun-no-ran-jang-dae)	<b>Drooping-fruit hedgemustard</b> <i>Sisymbrium heteromallum</i> C.A.Mey.
궁궁이 (Gung-gung-i)	<b>Polymorphic angelica</b> <i>Angelica polymorpha</i> Maxim.
귀룽나무 (Gwi-rung-na-mu)	<b>Bird cherry</b> <i>Prunus padus</i> L.
귀박쥐나물 (Gwi-bak-jwi-na-mul)	<b>Eared Indian plantain</b> <i>Parasenecio auriculatus</i> (DC.) J.R.Grant
그늘개고사리 (Geu-neul-gae-go-sa-ri)	<b>Gwangneung ladyfern</b> <i>Athyrium koryoense</i> Tagawa
그늘골무꽃 (Geu-neul-gol-mu-kkot)	<b>Understory skullcap</b> <i>Scutellaria fauriei</i> H.Lév. & Vaniot
그늘꿩의다리 (Geu-neul-kkwong-ui-da-ri)	<b>Shady meadow-rue</b> <i>Thalictrum osmorrhizoides</i> Nakai
그늘보리뱅이 (Geu-neul-bo-ri-ppaeng-i)	<b>Shady nipplewort</b> <i>Lapsanastrum humile</i> (Thunb.) J.H.Pak & K.Bremer
그늘사초 (Geu-neul-sa-cho)	<b>Lanceolate sedge</b> <i>Carex lanceolata</i> Boott
그늘송이풀 (Geu-neul-song-i-pul)	<b>Shady lousewort</b> <i>Pedicularis resupinata</i> var. <i>umbrosa</i> Kom. ex Nakai
그늘실사초 (Geu-neul-sil-sa-cho)	<b>Slender shadow sedge</b> <i>Carex tenuiformis</i> var. <i>neofilipes</i> (Nakai) Ohwi ex Hatus.
그늘쑥 (Geu-neul-ssuk)	<b>Woodland wormwood</b> <i>Artemisia sylvatica</i> Maxim.

Korean name (Romanization)	English name Scientific name
그늘참나물 (Geu-neul-cham-na-mul)	<b>Shady short-fruit pimpinella</b> <i>Pimpinella brachycarpa</i> var. <i>uchiyamana</i> (Y.Yabe) W.T.Lee & C.G.Jang
그늘취 (Geu-neul-chwi)	<b>Shady saussurea</b> <i>Saussurea uchiyamana</i> Nakai
그늘흰사초 (Geu-neul-huin-sa-cho)	<b>Shady mucronate sedge</b> <i>Carex planiculmis</i> Kom.
그령 (Geu-ryeong)	<b>Korean lovegrass</b> <i>Eragrostis ferruginea</i> (Thunb.) P.Beauv.
금강가물고사리 (Geum-gang-ga-mul-go-sa-ri)	<b>Geumgang woodsia</b> <i>Woodsia microsora</i> Kodama
금강봄맞이 (Geum-gang-bom-mat-i)	<b>Geumgang rockjasmine</b> <i>Androsace cortusifolia</i> Nakai
금강분취 (Geum-gang-bun-chwi)	<b>Geumgang saussurea</b> <i>Saussurea diamantica</i> Nakai
금강산돌배 (Geum-gang-san-dol-bae)	<b>Geumgangsan wild pear</b> <i>Pyrus ussuriensis</i> var. <i>diamantica</i> Uyeki
금강산뚝사초 (Geum-gang-san-ttuk-sa-cho)	<b>Scabrous scissors-like sedge</b> <i>Carex forficula</i> var. <i>scabrida</i> Kük.
금강소나무 (Geum-gang-so-na-mu)	<b>Upright Korean red pine</b> <i>Pinus densiflora</i> f. <i>erecta</i> Uyeki
금강솜방망이 (Geum-gang-som-bang-mang-i)	<b>Geumgang groundsel</b> <i>Senecio birubonensis</i> Kitam.
금강쑥 (Geum-gang-ssuk)	<b>Short-leaf wormwood</b> <i>Artemisia brachyphylla</i> Kitam.
금강아지풀 (Geum-gang-a-ji-pul)	<b>Yellow bristlegrass</b> <i>Setaria pumila</i> (Poir.) Roem. & Schult.
금강애기나리 (Geum-gang-ae-gi-na-ri)	<b>Geumgang twisted-stalk</b> <i>Streptopus ovalis</i> (Ohwi) F.T.Wang & Y.C.Tang
금강인가목 (Geum-gang-in-ga-mok)	<b>Korean pentactina</b> <i>Pentactina rupicola</i> Nakai

<b>Korean name (Romanization)</b>	<b>English name Scientific name</b>
금강인가목속 [장미과] (Geum-gang-in-ga-mok-sok)	<b>Pentactina</b> <i>Pentactina</i> Nakai [Rosaceae]
금강잔대 (Geum-gang-jan-dae)	<b>Beautiful ladybell</b> <i>Adenophora pulchra</i> Kitam.
금강제비꽃 (Geum-gang-je-bi-kkot)	<b>Geumgang violet</b> <i>Viola diamantiaca</i> Nakai
금강처녀이끼 (Geum-gang-cheo-nyeo-i-kki)	<b>Long-hair filmy fern</b> <i>Mecodium oligosorum</i> (Makino) H.Ito
금강초롱꽃 (Geum-gang-cho-rong-kkot)	<b>Geumgangchoronkkot (Geumgang bluebell)</b> <i>Hanabusaya asiatica</i> (Nakai) Nakai
금강초롱꽃속 [초롱꽃과] (Geum-gang-cho-rong-kkot-sok)	<b>Diamond bluebell</b> <i>Hanabusaya</i> Nakai [Campanulaceae]
금강포아풀 (Geum-gang-po-a-pul)	<b>Geumgang bluegrass</b> <i>Poa kumgangsanii</i> Ohwi
금괭이눈 (Geum-gwaeng-i-nun)	<b>Globose-fruit golden saxifrage</b> <i>Chrysosplenium pilosum</i> var. <i>sphaerospermum</i> (A.Terracc.) H.Hara
금꿩의다리 (Geum-kkwong-ui-da-ri)	<b>Yellow-filamentous meadow-rue</b> <i>Thalictrum rochebrunnianum</i> var. <i>grandisepalum</i> (H.Lév.) Nakai
금나리 (Geum-na-ri)	<b>Golden-flower lily</b> <i>Lilium tenuifolium</i> var. <i>chrysanthum</i> (Nakai & F.Maek.) Nakai
금난초 (Geum-nan-cho)	<b>Golden cephalanthera</b> <i>Cephalanthera falcata</i> (Thunb.) Blume
금낭화 (Geum-nang-hwa)	<b>Bleeding heart</b> <i>Dicentra spectabilis</i> (L.) Lem.
금낭화속 [현호색과] (Geum-nang-hwa-sok)	<b>Bleeding heart</b> <i>Dicentra</i> Bernh. [Fumariaceae]
금떡쑥 (Geum-tteok-ssuk)	<b>Autumn cudweed</b> <i>Pseudognaphalium hypoleucum</i> (DC.) Hilliard & B.L.Burtt
금마타리 (Geum-ma-ta-ri)	<b>Sanicula-leaf golden lace</b> <i>Patrinia saniculifolia</i> Hemsl.

Korean name (Romanization)	English name Scientific name
금매화 (Geum-mae-hwa)	<b>Short-petal globe-flower</b> <i>Trollius ledebourii</i> Rchb.
금매화속 [미나리아재비과] (Geum-mae-hwa-sok)	<b>Globe-flower</b> <i>Trollius</i> L. [Ranunculaceae]
금방동사니 (Geum-bang-dong-sa-ni)	<b>Awned rice flatsedge</b> <i>Cyperus microiria</i> Steud.
금방망이 (Geum-bang-mang-i)	<b>Shady groundsel</b> <i>Senecio nemorensis</i> L.
금방망이속 [국화과] (Geum-bang-mang-i-sok)	<b>Ragworts, Groundsels</b> <i>Senecio</i> L. [Asteraceae]
금불초 (Geum-bul-cho)	<b>Oriental yellowhead</b> <i>Inula britannica</i> var. <i>japonica</i> (Thunb.) Franch. & Sav.
금불초속 [국화과] (Geum-bul-cho-sok)	<b>Yellowhead</b> <i>Inula</i> L. [Asteraceae]
금붓꽃 (Geum-but-kkot)	<b>Grassy-leaf yellow iris</b> <i>Iris minutiaurea</i> Makino
금새우난초 (Geum-sae-u-nan-cho)	<b>Island golden calanthe</b> <i>Calanthe sieboldii</i> Decne. ex Regel
금소리쟁이 (Geum-so-ri-jaeng-i)	<b>Golden dock</b> <i>Rumex maritimus</i> L.
금쑥 (Geum-ssuk)	<b>Golden-yellow wormwood</b> <i>Artemisia aurata</i> Kom.
금역사 (Geum-eok-sae)	<b>Jejudo maiden silvergrass</b> <i>Misanthus sinensis</i> var. <i>chejuensis</i> (Y.N.Lee) Y.N.Lee
금오족도리풀 (Geum-o-jok-do-ri-pul)	<b>Spreading wildginger</b> <i>Asarum patens</i> (K.Yamaki) B.U.Oh
금자란 (Geum-ja-ran)	<b>Purple-spotted gastrochilus</b> <i>Gastrochilus matsuran</i> (Makino) Schltr.
금자란속 [난초과] (Geum-ja-ran-sok)	<b>Gastrochilus</b> <i>Gastrochilus</i> D.Don [Orchidaceae]

Korean name (Romanization)	English name Scientific name
금족제비고사리 (Geum-jok-je-bi-go-sa-ri)	<b>Golden buckler fern</b> <i>Dryopteris gymnophylla</i> (Baker) C.Chr.
금창초 (Geum-chang-cho)	<b>Decumbent bugle</b> <i>Ajuga decumbens</i> Thunb.
금털고사리 (Geum-teol-go-sa-ri)	<b>Golden hair fern</b> <i>Hypodematum glandulos-pilosum</i> (Tagawa) Ohwi
금털고사리속 [면마과] (Geum-teol-go-sa-ri-sok)	<b>Hypodematum</b> <i>Hypodematum</i> Kunze [Dryopteridaceae]
금흔초 (Geum-hon-cho)	<b>Ciliate cat's ear</b> <i>Hypochaeris ciliata</i> (Thunb.) Makino
금흔초속 [국화과] (Geum-hon-cho-sok)	<b>Cat's ear</b> <i>Hypochaeris</i> L. [Asteraceae]
기는미나리아재비 (Gi-neun-mi-na-ri-a-jae-bi)	<b>Creeping buttercup</b> <i>Ranunculus repens</i> L.
기름나물 (Gi-reum-na-mul)	<b>Terebinthaceous hogfennel</b> <i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz.
기름나물속 [산형과] (Gi-reum-na-mul-sok)	<b>Hogfennel, Peucedanum</b> <i>Peucedanum</i> L. [Apiaceae]
기름당귀 (Gi-reum-dang-gwi)	<b>Hulten's licorice-root</b> <i>Ligusticum hultenii</i> Fernald
기름당귀속 [산형과] (Gi-reum-dang-gwi-sok)	<b>Licorice-root</b> <i>Ligusticum</i> L. [Apiaceae]
기름새 (Gi-reum-sae)	<b>Articulation-bearing spodiopogon</b> <i>Spodiopogon cotulifer</i> (Thunb.) Hack.
기름새속 [벼과] (Gi-reum-sae-sok)	<b>Spodiopogon</b> <i>Spodiopogon</i> Trin. [Poaceae]
기린초 (Gi-rin-cho)	<b>Orange stonecrop</b> <i>Sedum kamtschaticum</i> Fisch. & Mey.
기생꽃 (Gi-saeng-kkot)	<b>Arctic starflower</b> <i>Trientalis europaea</i> var. <i>arctica</i> (Fisch. ex Hook.) Ledeb.
기생꽃속 [앵초과] (Gi-saeng-kkot-sok)	<b>Starflower, Wintergreens</b> <i>Trientalis</i> L. [Primulaceae]

Korean name (Romanization)	English name Scientific name
기생여뀌 (Gi-saeng-yeo-kkwi)	<b>Reddish marsh smartweed</b> <i>Persicaria viscosa</i> (Buch.-Ham. ex D.Don) H.Gross ex T.Mori
기수초 (Gi-su-cho)	<b>Brackish zone seepweed</b> <i>Suaeda malacosperma</i> H.Hara
기장대풀 (Gi-jang-dae-pul)	<b>Swamp bloodgrass</b> <i>Isachne globosa</i> (Thunb.) Kuntze
기장대풀속 [벼과] (Gi-jang-dae-pul-sok)	<b>Bloodgrass</b> <i>Isachne</i> R.Br. [Poaceae]
기장속 [벼과] (Gi-jang-sok)	<b>Panicgrass</b> <i>Panicum</i> L. [Poaceae]
기장풀속 [벼과] (Gi-jang-pul-sok)	<b>Phaenosperma</b> <i>Phaenosperma</i> Renvoize & Clayton [Poaceae]
긴가래나무 (Gin-ga-rae-na-mu)	<b>Long-leaflet Manchurian walnut</b> <i>Juglans mandshurica</i> f. <i>stenocarpa</i> Uyeki
긴개관중 (Gin-gae-gwan-jung)	<b>Lusterless holly fern</b> <i>Polystichum tagawanum</i> Sa Kurata
긴개별꽃 (Gin-gae-byeol-kkot)	<b>East Asian false-starwort</b> <i>Pseudostellaria japonica</i> (Korsh.) Pax
긴개싱아 (Gin-gae-sing-a)	<b>Long-leaf knotweed</b> <i>Aconogonon ajanense</i> (Regel & Tiling) H.Hara
긴갓금불초 (Gin-gaet-geum-bul-cho)	<b>Chinese wedelia</b> <i>Wedelia chinensis</i> (Osbeck) Merr.
긴겨이삭 (Gin-gyeo-i-sak)	<b>Rough bentgrass</b> <i>Agrostis scabra</i> Willd.
긴고로쇠 (Gin-go-ro-soe)	<b>Dissected-leaf mono maple</b> <i>Acer mono</i> f. <i>dissectum</i> (Wesm.) Rehder
긴诳이싸리 (Gin-gwaeng-i-ssa-ri)	<b>Long-peduncle pilose lespedeza</b> <i>Lespedeza pilosa</i> var. <i>pedunculata</i> T.B.Lee
긴꼬리쐐기풀 (Gin-kko-ri-sswae-gi-pul)	<b>Long narrow-leaf nettle</b> <i>Urtica angustifolia</i> var. <i>sikokiana</i> (Makino) Ohwi
긴꽃고사리삼 (Gin-kkot-go-sa-ri-sam)	<b>Straight fern</b> <i>Botrychium strictum</i> Underw.

Korean name (Romanization)	English name Scientific name
긴꽃대황기 (Gin-kkot-dae-hwang-gi)	<b>Long-pedicel milkvetch</b> <i>Astragalus schelichowii</i> Turcz.
긴꽃먼느리밥풀 (Gin-kkot-myeo-neu-ri-bap-pul)	<b>Korean cow-wheat</b> <i>Melampyrum koreanum</i> K.J.Kim & S.M.Yun
긴꽃뽀리뱅이 (Gin-kkot-ppo-ri-baeng-i)	<b>Long-head oriental false hawksbeard</b> <i>Youngia japonica</i> subsp. <i>longiflora</i> Babc. & Stebbins
긴다람쥐꼬리 (Gin-da-ram-jwi-kko-ri)	<b>Jeju clubmoss</b> <i>Huperzia jejuensis</i> B. Y. Sun & J. Lim
긴담배풀 (Gin-dam-bae-pul)	<b>Divariccate carpesium</b> <i>Carpesium divaricatum</i> Siebold & Zucc.
긴당잔대 (Gin-dang-jan-dae)	<b>Sword-leaf upright ladybell</b> <i>Adenophora stricta</i> var. <i>lancifolia</i> Honda
긴도둑놈의갈고리 (Gin-do-duk-nom-ui-gal-go-ri)	<b>Long-fruit tick clover</b> <i>Desmodium podocarpum</i> subsp. <i>fallax</i> (Schindl.) H.Ohashi
긴돌가시나무 (Gin-dol-ga-si-na-mu)	<b>Elliptic-fruit Wichura's rose</b> <i>Rosa wichuraiana</i> f. <i>ellipsoidea</i> Nakai
긴동강할미꽃 (Gin-dong-gang-hal-mi-kkot)	<b>Long-sepal Donggang pasque-flower</b> <i>Pulsatilla tongkangensis</i> f. <i>longisepala</i> Y.N.Lee
긴두잎갈퀴 (Gin-du-ip-gal-kwi)	<b>Long-pedicel snake-tongue starviolet</b> <i>Hedyotis diffusa</i> var. <i>longipes</i> Nakai
긴들쭉나무 (Gin-deul-jjuk-na-mu)	<b>Elliptic-fruit bog blueberry</b> <i>Vaccinium uliginosum</i> f. <i>ellipticum</i> Nakai ex Uyeki
긴매자잎벼들 (Gin-mae-ja-ip-beo-deul)	<b>Long-leaf alpine willow</b> <i>Salix berberifolia</i> var. <i>brayi</i> (Ledeb.) Trautv. ex Herder
긴목포사초 (Gin-mok-po-sa-cho)	<b>Long Mokpo sedge</b> <i>Carex formosensis</i> H.Lév. & Vaniot
긴미꾸리낚시 (Gin-mi-kku-ri-nak-si)	<b>Long arrow-head smartweed</b> <i>Persicaria hastatosagittata</i> (Makino) Nakai ex T. Mori
긴병꽃풀 (Gin-byeong-kkot-pul)	<b>Ground ivy</b> <i>Glechoma grandis</i> (A.Gray) Kuprian.
긴병꽃풀속 [꿀풀과] (Gin-byeong-kkot-pul-sok)	<b>Glechoma</b> <i>Glechoma</i> L. [Lamiaceae]

Korean name (Romanization)	English name Scientific name
긴보리수나무 (Gin-bo-ri-su-na-mu)	<b>Long-fruit autumn oleaster</b> <i>Elaeagnus umbellata</i> var. <i>longicarpa</i> (Uyeki) T.B.Lee
긴분취 (Gin-bun-chwi)	<b>Recurved-leaf saussurea</b> <i>Saussurea recurvata</i> (Maxim.) Lipsch.
긴사상자 (Gin-sa-sang-ja)	<b>Aristate sweetroot</b> <i>Osmorhiza aristata</i> (Thunb.) Rydb.
긴사상자속 [산형과] (Gin-sa-sang-ja-sok)	<b>Sweet cicely, Sweetroot</b> <i>Osmorhiza</i> Raf. [ Apiaceae ]
긴산개나리 (Gin-san-gae-na-ri)	<b>Lanceolate rocky forsythia</b> <i>Forsythia saxatilis</i> var. <i>lanceolata</i> S.T.Lee
긴산꼬리풀 (Gin-san-kko-ri-pul)	<b>Long-leaf spike speedwell</b> <i>Veronica longifolia</i> L.
긴산취 (Gin-san-chwi)	<b>Long mountain maiden saussurea</b> <i>Saussurea umbrosa</i> var. <i>herbicola</i> Nakai
긴생열귀 (Gin-saeng-yeol-gwi)	<b>Ellipsoid Amur rose</b> * <i>Rosa davurica</i> var. <i>ellipsoidea</i> Nakai ex Kawamoto
긴서어나무 (Gin-seo-eo-na-mu)	<b>Long loose-flower hornbeam</b> <i>Carpinus laxiflora</i> var. <i>longispica</i> Uyeki
긴오이풀 (Gin-o-i-pul)	<b>Long-leaf burnet</b> <i>Sanguisorba longifolia</i> Bertol.
긴잎갈퀴 (Gin-ip-gal-kwi)	<b>Northern bedstraw</b> <i>Galium boreale</i> L.
긴잎곰취 (Gin-ip-gom-chwi)	<b>Jalu ragwort</b> <i>Ligularia jaluensis</i> Kom.
긴잎꿩의다리 (Gin-ip-kkwong-ui-da-ri)	<b>Short-stalk slimtop meadow-rue</b> <i>Thalictrum simlex</i> var. <i>brevipes</i> H.Hara
긴잎끈끈이주걱 (Gin-ip-kkeun-kkeun-i-ju-geok)	<b>English sundew</b> <i>Drosera anglica</i> Huds.
긴잎나비나물 (Gin-ip-na-bi-na-mul)	<b>Narrow two-leaf vetch</b> <i>Vicia unijuga</i> f. <i>angustifolia</i> Makino ex Ohwi

Korean name (Romanization)	English name Scientific name
긴잎다정큼 (Gin-ip-da-jeong-keum)	<b>Long-leaf Indian hawthorn</b> <i>Rhaphiolepis indica</i> var. <i>liukiuensis</i> (Koidz.) Kitam.
긴잎도깨비쇠고비 (Gin-ip-do-kkae-bi-soe-go-bi)	<b>Long-leaf Asian hollyfern</b> <i>Cyrtomium devexiscapulae</i> (Koidz.) Koidz. & Ching
긴잎떡버들 (Gin-ip-tteok-beo-deul)	<b>Long-leaf Hallasan willow</b> <i>Salix hallaisanensis</i> var. <i>longifolia</i> Nakai
긴잎모시풀 (Gin-ip-mo-si-pul)	<b>Siebold's falso-nettle</b> <i>Boehmeria sieboldiana</i> Blume
긴잎별꽃 (Gin-ip-byeol-kkot)	<b>Long-leaf chickweed</b> <i>Stellaria longifolia</i> Muhl. ex Willd.
긴잎사시나무 (Gin-ip-sa-si-na-mu)	<b>Long-leaf Korean aspen</b> <i>Populus davidiana</i> f. <i>laticuneata</i> Nakai
긴잎산박하 (Gin-ip-san-bak-ha)	<b>Long-leaf mountain isodon</b> <i>Isodon inflexus</i> var. <i>transiticus</i> Matsum. & Kudo
긴잎산조팝나무 (Gin-ip-san-jo-pap-na-mu)	<b>Long-leaf mountain spiraea</b> <i>Spiraea pseudocrenata</i> Nakai
긴잎여로 (Gin-ip-yeo-ro)	<b>Korean meadow false-hellebore</b> <i>Veratrum maackii</i> var. <i>japonicum</i> (Baker) Shimizu
긴잎여우버들 (Gin-ip-yeo-u-beo-deul)	<b>Long-leaf beak willow</b> <i>Salix xerophila</i> f. <i>manshurica</i> (Siuzew) Kitag.
긴잎이팝나무 (Gin-ip-i-pap-na-mu)	<b>Long-leaf fringetree</b> <i>Chionanthus retusus</i> var. <i>coreana</i> (H.Lév.) Nakai
긴잎장다리풀 (Gin-ip-jang-da-ri-pul)	<b>Elongate-leaf bugseed</b> <i>Corispermum elongatum</i> Bunge ex Maxim.
긴잎제비꽃 (Gin-ip-je-bi-kkot)	<b>Long-leaf violet</b> <i>Viola ovato-oblonga</i> (Miq.) Makino
긴잎조팝나무 (Gin-ip-jo-pap-na-mu)	<b>Oriental spiraea</b> <i>Spiraea media</i> Schmidt
긴잎쥐오줌풀 (Gin-ip-jwi-o-jum-pul)	<b>Long-leaf valerian</b> <i>Valeriana dageletiana</i> var. <i>integra</i> (Nakai) Nakai ex F.Maek.
긴잎참싸리 (Gin-ip-cham-ssa-ri)	<b>Long-leaf lespedeza</b> <i>Lespedeza cyrtobotrya</i> var. <i>longifolia</i> Nakai

Korean name (Romanization)	English name Scientific name
긴잎큰개미자리 (Gin-ip-keun-gae-mi-ja-ri)	<b>Long-leaf sticky-stem pearlwort</b> <i>*Sagina maxima f. longifolia</i> (T.H.Chung) W.T.Lee
긴잎풀배나무 (Gin-ip-pat-bae-na-mu)	<b>Oblong-leaf Korean mountain ash</b> <i>Sorbus alnifolia f. oblongifolia</i> (Nakai) W.T.Lee
긴잎회양목 (Gin-ip-hoe-yang-mok)	<b>Long-leaf Korean boxwood</b> <i>Buxus koreana f. elongata</i> (Nakai) Y.S.Kim & J.H.Kim
긴제비꽃 (Gin-je-bi-kkul)	<b>Long-leaf thesium</b> <i>Thesimum refractum</i> C.A.Mey.
긴진들피 (Gin-jin-deul-pi)	<b>Spreading mannagrass</b> <i>Glyceria effusa</i> Kitag.
긴콩짜개덩굴 (Gin-kong-jja-gae-deong-gul)	<b>Elongate bean fern</b> <i>Lemmaphyllum microphyllum</i> var. <i>obovatum</i> (Harr.) Christ
긴팥배나무 (Gin-pat-bae-na-mu)	<b>Long-fruit Korean mountain ash</b> <i>Sorbus alnifolia</i> var. <i>lasiocarpa</i> T.B.Lee
긴호모초 (Gin-ho-mo-cho)	<b>Declinate bugseed</b> <i>Corispermum declinatum</i> Steph. ex Iljin
긴화살여뀌 (Gin-hwa-sal-yeo-kkwi)	<b>Narrow arrow-head smartweed</b> <i>Persicaria brevirostrata</i> (Makino) Ohki
긴흑삼름 (Gin-heuk-sam-reung)	<b>Long-stem bur-reed</b> <i>Sparganium japonicum</i> Rorthert
길골풀 (Gil-gol-pul)	<b>Field rush</b> <i>Juncus tenuis</i> Willd.
길뚝사초 (Gil-ttuk-sa-cho)	<b>Curled-stigma sedge</b> <i>Carex bostrychostigma</i> Maxim.
길마가지나무 (Gil-ma-ga-ji-na-mu)	<b>Early-blooming ivory honeysuckle</b> <i>Lonicera harsae</i> Makino
김의털 (Gim-ui-teol)	<b>Sheep's fescue</b> <i>Festuca ovina</i> L.
김의털속 [벼과] (Gim-ui-teol-sok)	<b>Fescue</b> <i>Festuca</i> L. [Poaceae]
김의털아재비 (Gim-ui-teol-a-jae-bi)	<b>Small-glum fescue</b> <i>Festuca parvigluma</i> Steud.

Korean name (Romanization)	English name Scientific name
깃고사리 (Git-go-sa-ri)	<b>Rainforest spleenwort</b> <i>Asplenium normale</i> D.Don
깃덤불취 (Git-deom-bul-chwi)	<b>Dissected-leaf Manchurian saussurea</b> <i>Saussurea manshurica</i> var. <i>pinnatifida</i> Nakai
깃돌잔고사리 (Git-dol-jan-go-sa-ri)	<b>Bipinnate lace fern</b> <i>Microlepia × bipinnata</i> (Makino) Y.Shimura
깃떡갈나무 (Git-tteok-gal-na-mu)	<b>Cut-leaf Korean oak</b> <i>Quercus dentata</i> var. <i>pinnatifida</i> Matsum.
깃반쪽고사리 (Git-ban-jjok-go-sa-ri)	<b>Feather-like-unequal-lobe brake fern</b> <i>Pteris excelsa</i> Gaudich.
깃참나무 (Git-cham-na-mu)	<b>East-Liaoning oak</b> <i>Quercus mongolica</i> var. <i>liaotungensis</i> (Koidz.) Nakai
까락골 (Kka-rak-gol)	<b>Horsetail-like spikerush</b> <i>Eleocharis equisetiformis</i> (Meinsh.) B.Fedtsch.
까락향기풀 (Kka-rak-hyang-gi-pul)	<b>Awned vernalgrass</b> <i>Anthoxanthum aristatum</i> Boiss.
까마귀머루 (Kka-ma-gwi-meo-ru)	<b>Sinuate mulberry-leaf grapevine</b> <i>Vitis ficifolia</i> var. <i>sinuata</i> (Regel) H.Hara
까마귀밥나무 (Kka-ma-gwi-bap-na-mu)	<b>Chinese winter-berry currant</b> <i>Ribes fasciculatum</i> var. <i>chinense</i> Maxim.
까마귀베개 (Kka-ma-gwi-be-gae)	<b>Crow's pillow</b> <i>Rhamnella franguloides</i> (Maxim.) Weberb.
까마귀베개속 [갈매나무과] (Kka-ma-gwi-be-gae-sok)	<b>Rhamnella</b> <i>Rhamnella</i> Miq. [Rhamnaceae]
까마귀쪽나무 (Kka-ma-gwi-jjok-na-mu)	<b>Yellowish velvety-leaf litsea</b> <i>Litsea japonica</i> (Thunb.) Juss.
까마귀쪽나무속 [녹나무과] (Kka-ma-gwi-jjok-na-mu-sok)	<b>Litsea</b> <i>Litsea</i> Lam. [Lauraceae]
까막까치밥나무 (Kka-mak-kka-chi-bap-na-mu)	<b>Korean black currant</b> <i>Ribes ussuriense</i> Jancz.
까막바늘까치밥나무 (Kka-mak-ba-neul-kka-chi-bap-na-mu)	<b>Thorny currant</b> <i>Ribes horridum</i> Rupr. ex Maxim.

Korean name (Romanization)	English name Scientific name
까실쑥부쟁이 (Kka-sil-ssuk-bu-jaeng-i)	<b>Rough-surface aster</b> <i>Aster ageratoides</i> Turcz.
까치고들빼기 (Kka-chi-go-deul-ppae-gi)	<b>Pinnate-compound crepidiastrum</b> <i>Crepidiastrum chelidoniifolium</i> (Makino) Pak & Kawano
까치끼 (Kka-chi-kkiae)	<b>Glabrous-fruit corchoropsis</b> <i>Corchoropsis psilocarpa</i> Harms & Loes.
까치깨속 [벽오동과] (Kka-chi-kkae-sok)	<b>Corchoropsis</b> <i>Corchoropsis</i> Siebold & Zucc. [Sterculiaceae]
까치박달 (Kka-chi-bak-dal)	<b>Heart-leaf hornbeam</b> <i>Carpinus cordata</i> Blume
까치발 (Kka-chi-bal)	<b>Small-flower beggartick</b> <i>Bidens parviflora</i> Willd.
까치밥나무 (Kka-chi-bap-na-mu)	<b>Manchurian currant</b> <i>Ribes mandshuricum</i> (Maxim.) Kom.
까치밥나무속 [범의귀과] (Kka-chi-bap-na-mu-sok)	<b>Currant</b> <i>Ribes</i> L. [Saxifragaceae]
까치수염 (Kka-chi-su-yeom)	<b>Manchurian yellow loosestrife</b> <i>Lysimachia barystachys</i> Bunge
깔끔좁쌀풀 (Kkal-kkeum-jop-ssal-pul)	<b>Korean eyebright</b> <i>Euphrasia coreana</i> W.Becker
깨나물 (Kkae-na-mul)	<b>Large-leaf mountain isodon</b> <i>Isodon inflexus</i> var. <i>macrophyllus</i> (Maxim.) Kitag.
깨풀 (Kkae-pul)	<b>Asian copperleaf</b> <i>Acalypha australis</i> L.
깨풀속 [대극과] (Kkae-pul-sok)	<b>Copperleaf</b> <i>Acalypha</i> L. [Euphorbiaceae]
깽깽이풀 (Kkaeng-kkaeng-i-pul)	<b>Asian twinleaf</b> <i>Jeffersonia dubia</i> (Maxim.) Benth. & Hook.f. ex Baker & S.Moore
깽깽이풀속 [매자나무과] (Kkaeng-kkaeng-i-pul-sok)	<b>Jeffersonia, Rheumatism root, Twinleaf</b> <i>Jeffersonia</i> Barton [Berberidaceae]
껄껄이풀 (Kkeol-kkeol-i-pul)	<b>Korean hawkweed</b> <i>Hieracium coreanum</i> Nakai

Korean name (Romanization)	English name Scientific name
결끔방동사니 (Kkeol-kkueum-bang-dong-sa-ni)	<b>Diaphanous flatsedge</b> <i>Cyperus diaphanus</i> Schrad. ex Roem. & Schult.
껍질용수염 (Kkeop-jil-yong-su-yeom)	<b>Manchurian beakgrain</b> <i>Diarrhena mandshurica</i> Maxim.
께묵 (Kke-muk)	<b>Maximowicz's hololeion</b> <i>Hololeion maximowiczii</i> Kitam.
께묵속 [국화과] (Kke-muk-sok)	<b>Hololeion</b> <i>Hololeion</i> Kitam. [Asteraceae]
꼬랑사초 (Kko-rang-sa-cho)	<b>Remarkable sedge</b> <i>Carex mira</i> Kük.
꼬리겨우살이 (Kko-ri-gyeo-u-sal-i)	<b>Spike mulberry mistletoe</b> <i>Loranthus tanakae</i> Franch. & Sav.
꼬리겨우살이속 [겨우살이과] (Kko-ri-gyeo-u-sal-i-sok)	<b>Mulberry mistletoe</b> <i>Loranthus</i> Jacq. [Loranthaceae]
꼬리고사리 (Kko-ri-go-sa-ri)	<b>Long-tail spleenwort</b> <i>Asplenium incisum</i> Thunb.
꼬리고사리과 (Kko-ri-go-sa-ri-gwa)	<b>Spleenwort family</b> <i>Aspleniaceae</i> Newman
꼬리고사리속 [꼬리고사리과] (Kko-ri-go-sa-ri-sok)	<b>Spleenwort</b> <i>Asplenium</i> L. [Aspleniaceae]
꼬리까치밥나무 (Kko-ri-kka-chi-bap-na-mu)	<b>Komarov's currant</b> <i>Ribes komarovii</i> Pojark.
꼬리말발도리 (Kko-ri-mal-bal-do-ri)	<b>Paniculate Korean deutzia</b> <i>Deutzia paniculata</i> Nakai
꼬리뽕나무 (Kko-ri-ppong-na-mu)	<b>Caudate-leaf mulberry</b> <i>Morus bombycis</i> var. <i>caudatifolia</i> (Koidz.) Koidz.
꼬리새 (Kko-ri-sae)	<b>Few-flower brome</b> <i>Bromus remotiflorus</i> (Steud.) Ohwi
꼬리서덜취 (Kko-ri-seo-deol-chwi)	<b>Tailed calyx-lobe saussurea</b> <i>Saussurea subtriangulata</i> Kom.
꼬리쇠고사리 (Kko-ri-soe-go-sa-ri)	<b>Caudate hollyfern</b> <i>Arachniodes simplicior</i> (Makino) Ohwi

Korean name (Romanization)	English name Scientific name
꼬리조팝나무 (Kko-ri-jo-pap-na-mu)	<b>Willow-leaf spiraea</b> <i>Spiraea salicifolia</i> L.
꼬리족제비고사리 (Kko-ri-jok-je-be-go-sa-ri)	<b>Limelight wood fern</b> <i>Dryopteris formosana</i> (Christ) C.Chr.
꼬리진달래 (Kko-ri-jin-dal-rae)	<b>Spike rosebay</b> <i>Rhododendron micranthum</i> Turcz.
꼬리풀 (Kko-ri-pul)	<b>Linear-leaf spike speedwell</b> <i>Veronica linariifolia</i> Pall. ex Link
꼬리호모초 (Kko-ri-ho-mo-cho)	<b>Broad-wing bugseed</b> <i>Corispermum platypteron</i> Kitag.
꼬마냉이 (Kko-ma-naeng-i)	<b>Dwarf bittercress</b> <i>Cardamine tanakae</i> Franch. & Sav.
꼬마부들 (Kko-ma-bu-deul)	<b>Slender cattail</b> <i>Typha laxmannii</i> Lepech.
꼬마은난초 (Kko-ma-eun-nan-cho)	<b>Short erect cephalanthera</b> <i>Cephalanthera erecta</i> var. <i>subaphylla</i> (Miyabe & Kudô) Ohwi
꼬인용담 (Kko-in-yong-dam)	<b>Contorted fringe gentian</b> <i>Gentianopsis contorta</i> (Royle) Ma
꼭두서니 (Kkok-du-seo-ni)	<b>Asian madder</b> <i>Rubia akane</i> Nakai
꼭두서니과 (Kkok-du-seo-ni-gwa)	<b>Madder family</b> Rubiaceae Juss.
꼭두서니속 [꼭두서니과] (Kkok-du-seo-ni-sok)	<b>Madder, Rubia</b> <i>Rubia</i> L. [Rubiaceae]
꼭지고광나무 (Kkok-ji-go-gwang-na-mu)	<b>Asian mock orange</b> <i>Philadelphus schrenkii</i> var. <i>mandshuricus</i> (Maxim.) Kitag.
꼭지연잎꿩의다리 (Kkok-ji-yeon-ip-kkwong-ui-da-ri)	<b>Pallid lotus-leaf meadow-rue</b> <i>Thalictrum ichangense</i> Lecoy. ex Oliv.
꼴하늘지기 (Kkol-ha-neul-ji-gi)	<b>Two-spikelet fimbriostylis</b> <i>Fimbriostylis tristachya</i> var. <i>subbispicata</i> (Nees & Meyen) T.Koyama
꽃개화나무 (Kkot-gae-hoe-na-mu)	<b>Beautiful Wolf's lilac</b> <i>Syringa wolfii</i> C.K.Schneid.

Korean name (Romanization)	English name Scientific name
꽃고비 (Kkot-go-bi)	<b>Racemose Jacob's ladder</b> <i>Polemonium caeruleum</i> subsp. <i>kiushianum</i> (Kitam.) H.Hara
꽃고비과 (Kkot-go-bi-gwa)	<b>Phlox family</b> Polemoniaceae Juss.
꽃고비속 [꽃고비과] (Kkot-go-bi-sok)	<b>Jacob's ladder</b> <i>Polemonium</i> L. [Polemoniaceae]
꽃꿩의다리 (Kkot-kkwong-ui-da-ri)	<b>Petaloid meadow-rue</b> <i>Thalictrum petaloideum</i> L.
꽃나비나물 (Kkot-na-bi-na-mul)	<b>Beautiful two-leaf vetch</b> <i>Vicia unijuga</i> var. <i>apoda</i> Nakai
꽃다지 (Kkot-da-ji)	<b>Woodland whitlow-grass</b> <i>Draba nemorosa</i> L.
꽃다지속 [십자화과] (Kkot-da-ji-sok)	<b>Draba, Whitlow-grasses</b> <i>Draba</i> L. [Brassicaceae]
꽃대 (Kkot-dae)	<b>Serrate-leaf chloranthus</b> <i>Chloranthus serratus</i> (Thunb.) Roem. & Schult.
꽃마리 (Kkot-ma-ri)	<b>Common Asian trigonotis</b> <i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore
꽃마리속 [지치과] (Kkot-ma-ri-sok)	<b>Trigonotis</b> <i>Trigonotis</i> Steven [Boraginaceae]
꽃며느리밥풀 (Kkot-myeo-neu-ri-bap-pul)	<b>Rosy cow-wheat</b> <i>Melampyrum roseum</i> Maxim.
꽃며느리밥풀속 [현삼과] (Kkot-myeo-neu-ri-bap-pul-sok)	<b>Cow-wheat</b> <i>Melampyrum</i> L. [Scrophulariaceae]
꽃밭이 (Kkot-bat-i)	<b>Leaf between flower</b> <i>Bothriospermum tenellum</i> (Hornem.) Fisch. & C.A.Mey.
꽃밭이속 [지치과] (Kkot-bat-i-sok)	<b>Bothriospermum</b> <i>Bothriospermum</i> Bunge [Boraginaceae]
꽃벼들 (Kkot-beo-deul)	<b>Stipulate willow</b> <i>Salix stipularis</i> Sm.
꽃산수국 (Kkot-san-su-guk)	<b>Serrate-petal hydrangea</b> <i>Hydrangea serrata</i> f. <i>buergeri</i> Nakai

Korean name (Romanization)	English name Scientific name
꽃싸리 (Kkot-ssa-ri)	<b>False bush-clover</b> <i>Campylotropis macrocarpa</i> (Bunge) Rehder
꽃싸리속 [콩과] (Kkot-ssa-ri-sok)	<b>Campylotropis</b> <i>Campylotropis</i> Bunge [Fabaceae]
꽃여뀌 (Kkot-yeo-kkwi)	<b>Conspicuous smartweed</b> <i>Persicaria conspicua</i> (Nakai) Nakai ex T.Mori
꽃잔대 (Kkot-jan-dae)	<b>Korean ladybell</b> <i>Adenophora koreana</i> Kitam.
꽃장포 (Kkot-jang-po)	<b>White-flower rock asphodel</b> <i>Tofieldia nuda</i> Maxim.
꽃참싸리 (Kkot-cham-ssa-ri)	<b>Long-peduncle lespedeza</b> <i>Lespedeza × nakaii</i> T.B.Lee
꽃창포 (Kkot-chang-po)	<b>Beautiful-flower water iris</b> <i>Iris ensata</i> Thunb.
꽃층층이꽃 (Kkot-cheung-cheung-i-kkot)	<b>Large-flower Asian calamint</b> <i>Clinopodium chinense</i> var. <i>grandiflorum</i> (Maxim.) Kitag.
꽃파대가리 (Kkot-pa-dae-ga-ri)	<b>Pasture spikesedge</b> <i>Kyllinga gracillima</i> Miq.
꽃패랭이꽃 (Kkot-pae-raeng-i-kkot)	<b>Intermediate fringed pink</b> <i>*Dianthus superbus-chinensis</i> Y.N.Lee
꽃하늘자기 (Kkot-ha-neul-ji-gi)	<b>Dense watergrass</b> <i>Bulbostylis densa</i> (Wall.) Hand.-Mazz.
꽃향유 (Kkot-hyang-yu)	<b>Shiny mint</b> <i>Elsholtzia splendens</i> Nakai
꽃황새냉이 (Kkot-hwang-sae-naeng-i)	<b>Beautiful woodland bittercress</b> <i>Cardamine amaraeformis</i> Nakai
꽝꽝나무 (Kkwang-kkwang-na-mu)	<b>Box-leaf holly</b> <i>Ilex crenata</i> Thunb.
꾸지나무 (Kku-ji-na-mu)	<b>Paper mulberry</b> <i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent.
꾸지뽕나무 (Kku-ji-ppong-na-mu)	<b>Silkworm thorn</b> <i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée

Korean name (Romanization)	English name Scientific name
꾸지뽕나무속 [뽕나무과] (Kku-ji-ppong-na-mu-sok)	<b>Cudrania</b> <i>Cudrania Trécul</i> [Moraceae]
꿀풀 (Kkul-pul)	<b>Lilac self-heal</b> <i>Prunella vulgaris</i> subsp. <i>asiatica</i> (Nakai) H.Hara
꿀풀과 (Kkul-pul-gwa)	<b>Mint family</b> Lamiaceae Martinov (= Labiateae Juss.)
꿀풀속 [꿀풀과] (Kkul-pul-sok)	<b>Self-heals, Heal-all, Allheal</b> <i>Prunella L.</i> [Lamiaceae]
꿩고비 (Kkwong-go-bi)	<b>Cinnamon fern</b> <i>Osmunda cinnamomea</i> var. <i>fokienense</i> Copel.
꿩고사리 (Kkwong-go-sa-ri)	<b>Pheasant's tail fern</b> <i>Plagiogyria euphlebia</i> (Kunze) Mett.
꿩고사리과 (Kkwong-go-sa-ri-gwa)	<b>Plagiogyria family</b> Plagiogyriaceae Bower
꿩고사리속 [꿩고사리과] (Kkwong-go-sa-ri-sok)	<b>Plagiogyria</b> <i>Plagiogyria</i> (Kunze) Mett. [Plagiogyriaceae]
꿩의다리 (Kkwong-ui-da-ri)	<b>Siberian columbine meadow-rue</b> <i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling
꿩의다리속 [미나리아재비과] (Kkwong-ui-da-ri-sok)	<b>Meadow-rue</b> <i>Thalictrum L.</i> [Ranunculaceae]
꿩의다리아재비 (Kkwong-ui-da-ri-a-jae-bi)	<b>Asian blue cohosh</b> <i>Caulophyllum robustum</i> Maxim.
꿩의다리아재비속 [매자나무과] (Kkwong-ui-da-ri-a-jae-bi-sok)	<b>Blue cohosh, Cohosh, Papoose root, Squaw root</b> <i>Caulophyllum Michx.</i> [Berberidaceae]
꿩의바람꽃 (Kkwong-ui-ba-ram-kkot)	<b>Many-sepal anemone</b> <i>Anemone raddeana</i> Regel
꿩의밥 (Kkwong-ui-bap)	<b>Sweep's woodrush</b> <i>Luzula capitata</i> (Miq. ex Franch. & Sav.) Kom.
꿩의밥속 [꿀풀과] (Kkwong-ui-bap-sok)	<b>Wood rush, Wood-rush, Woodrush</b> <i>Luzula DC.</i> [Juncaceae]
꿩의비름 (Kkwong-ui-bi-reum)	<b>Garden stonecrop</b> <i>Hylotelephium erythrostictum</i> (Miq.) H.Ohba

Korean name (Romanization)	English name Scientific name
꿩의비름속 [돌나물과] (Kkwong-ui-bi-reum-sok)	<b>Live-for-ever, Orpine, Stonecrop</b> <i>Hylotelephium</i> H.Ohba [Crassulaceae]
끈끈이귀개 (Kkeun-kkeun-i-gwi-gae)	<b>East Asian shield sundew</b> <i>Drosera peltata</i> var. <i>nipponica</i> (Masam.) Ohwi ex E.Walker
끈끈이귀개과 (Kkeun-kkeun-i-gwi-gae-gwa)	<b>Sundew family</b> Droseraceae Salisb.
끈끈이귀개속 [끈끈이귀개과] (Kkeun-kkeun-i-gwi-gae-sok)	<b>Sundew</b> <i>Drosera</i> L. [Droseraceae]
끈끈이딱지 (Kkeun-kkeun-i-ttak-ji)	<b>Viscous cinquefoil</b> <i>Potentilla viscosa</i> J.Don
끈끈이여뀌 (Kkeun-kkeun-i-yeo-kkwi)	<b>Sticky smartweed</b> <i>Persicaria viscosa</i> (Makino) H.Gross
끈끈이장구채 (Kkeun-kkeun-i-jang-gu-chae)	<b>Sticky catchfly</b> <i>Silene koreana</i> Kom.
끈끈이장구채속 [석죽과] (Kkeun-kkeun-i-jang-gu-chae-sok)	<b>Campion, Catchfly</b> <i>Silene</i> L. [Caryophyllaceae]
끈끈이주걱 (Kkeun-kkeun-i-ju-geok)	<b>Round-leaf sundew</b> <i>Drosera rotundifolia</i> L.
끈적쥐꼬리풀 (Kkeun-jeok-jwi-kko-ri-pul)	<b>Sticky colicroot</b> <i>Aletris foliata</i> (Maxim.) Makino & Nemoto

나나벌이난초 (Na-na-beol-i-nan-cho)	<b>Kramer's widelip orchid</b> <i>Liparis krameri</i> Franch. & Sav.
나도강아지풀 (Na-do-gang-a-ji-pul)	<b>Uruguay fountaingrass</b> <i>Pennisetum latifolium</i> Spreng.
나도개감채 (Na-do-gae-gam-chae)	<b>Striation-flower alpily</b> <i>Lloydia triflora</i> (Ledeb.) Baker
나도개관중 (Na-do-gae-gwan-jung)	<b>Two-color-scale holly fern</b> <i>Polystichum pseudomakinoi</i> Tagawa
나도개미자리 (Na-do-gae-mi-ja-ri)	<b>Arctic stitchwort</b> <i>Minuartia arctica</i> (Steven ex Seringe) Graebn.

Korean name (Romanization)	English name Scientific name
나도개미자리속 [석죽과] (Na-do-gae-mi-ja-ri-sok)	<b>Sandworts, Stitchwort</b> <i>Minuartia</i> L. [Caryophyllaceae]
나도개피 (Na-do-gae-pi)	<b>Hairy cupgrass</b> <i>Eriochloa villosa</i> (Thunb.) Kunth
나도개피속 [벼과] (Na-do-gae-pi-sok)	<b>Cupgrass</b> <i>Eriochloa</i> Kunth [Poaceae]
나도겨이삭 (Na-do-gyeo-i-sak)	<b>Wood milletgrass</b> <i>Milium effusum</i> L.
나도겨이삭속 [벼과] (Na-do-gyeo-i-sak-sok)	<b>Milletgrass</b> <i>Milium</i> L. [Poaceae]
나도겨풀 (Na-do-gyeo-pul)	<b>East Asian cutgrass</b> <i>Leersia japonica</i> (Makino ex Honda) Honda
나도고사리삼 (Na-do-go-sa-ri-sam)	<b>Southern adder's tongue</b> <i>Ophioglossum vulgatum</i> L.
나도고사리삼속 [고사리삼과] (Na-do-go-sa-ri-sam-sok)	<b>Adderstongue, Adder's-tongue ferns</b> <i>Ophioglossum</i> L. [Ophioglossaceae]
나도국수나무 (Na-do-guk-su-na-mu)	<b>Northeast Asian neillia</b> <i>Neillia uekii</i> Nakai
나도국수나무속 [장미과] (Na-do-guk-su-na-mu-sok)	<b>Neillia</b> <i>Neillia</i> D.Don [Rosaceae]
나도그늘사초 (Na-do-geu-neul-sa-cho)	<b>Shadow sedge</b> <i>Carex tenuiformis</i> H.Lév. & Vaniot
나도기름새 (Na-do-gi-reum-sae)	<b>Small-flower scented-top</b> <i>Capillipedium parviflorum</i> (R.Br.) Stapf
나도기름새속 [벼과] (Na-do-gi-reum-sae-sok)	<b>Scented-tops</b> <i>Capillipedium</i> Stapf [Poaceae]
나도냉이 (Na-do-naeng-i)	<b>American yellowrocket</b> <i>Barbarea orthoceras</i> Ledeb.
나도냉이속 [십자화과] (Na-do-naeng-i-sok)	<b>Winter cress, Yellowrocket</b> <i>Barbarea</i> W.T.Aiton [Brassicaceae]
나도덥싸리 (Na-do-daep-ssa-ri)	<b>Russian pigweed</b> <i>Axyris amaranthoides</i> L.

Korean name (Romanization)	English name Scientific name
나도답싸리속 [명아주과] (Na-do-daep-ssa-ri-sok)	<b>Russian pigweed</b> <i>Axyris L.</i> [Chenopodiaceae]
나도딸기광이 (Na-do-ttal-gi-gwang-i)	<b>Drooping woodreed</b> <i>Cinna latifolia</i> (Trevir. ex Göpp.) Griseb.
나도딸기광이속 [벼과] (Na-do-ttal-gi-gwang-i-sok)	<b>Woodreed</b> <i>Cinna L.</i> [Poaceae]
나도마름아재비 (Na-do-ma-reum-a-jae-bi)	<b>Stolon water crowfoot</b> <i>Ranunculus sarmentosus</i> Adams
나도물통이 (Na-do-mul-tong-i)	<b>Serrate nanocnide</b> <i>Nanocnide japonica</i> Blume
나도물통이속 [쐐기풀과] (Na-do-mul-tong-i-sok)	<b>Nanocnide</b> <i>Nanocnide</i> Blume [Urticaceae]
나도미꾸리낚시 (Na-do-mi-kku-ri-nak-si)	<b>Maack's arrow-head smartweed</b> <i>Persicaria maackiana</i> (Regel) Nakai ex T.Mori
나도바람꽃 (Na-do-ba-ram-kkot)	<b>East Asian false rue anemone</b> <i>Enemion raddeanum</i> Regel
나도바람꽃속 [미나리아재비과] (Na-do-ba-ram-kkot-sok)	<b>False rue anemone</b> <i>Enemion Raf.</i> [Ranunculaceae]
나도바랭이새 (Na-do-ba-raeng-i-sae)	<b>Nepalese browntop</b> <i>Microstegium vimineum</i> (Trin.) A.Camus
나도바랭이속 [벼과] (Na-do-ba-raeng-i-sok)	<b>Browntop</b> <i>Microstegium</i> Nees [Poaceae]
나도밤나무 (Na-do-bam-na-mu)	<b>Abundant-flower meliosma</b> <i>Meliosma myriantha</i> Siebold & Zucc.
나도밤나무과 (Na-do-bam-na-mu-gwa)	<b>Sabia family</b> <i>Sabiaceae</i> Blume
나도밤나무속 [나도밤나무과] (Na-do-bam-na-mu-sok)	<b>Meliosma</b> <i>Meliosma</i> Blume [Sabiaceae]
나도범의귀 (Na-do-beom-ui-gwi)	<b>Naked miterwort</b> <i>Mitella nuda</i> L.
나도범의귀속 [범의귀과] (Na-do-beom-ui-gwi-sok)	<b>Miterworts, Bishop's caps</b> <i>Mitella L.</i> [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
나도별사초 (Na-do-byeoel-sa-cho)	<b>Gibbous sedge</b> <i>Carex gibba</i> Wahlenb.
나도새양버들 (Na-do-sae-yang-beo-deul)	<b>False Choseon-willow</b> <i>Chosenia arbutifolia</i> f. <i>adenantha</i> (Kimura) Kimura
나도생강 (Na-do-saeng-gang)	<b>East Asian pollia</b> <i>Pollia japonica</i> Thunb.
나도생강속 [닭의장풀과] (Na-do-saeng-gang-sok)	<b>Pollia</b> <i>Pollia</i> Thunb. [Commelinaceae]
나도송이풀 (Na-do-song-i-pul)	<b>Sticky phtheirospermum</b> <i>Phtheirospermum japonicum</i> (Thunb.) Kanitz
나도송이풀속 [현삼과] (Na-do-song-i-pul-sok)	<b>Phtheirospermum</b> <i>Phtheirospermum</i> Bunge ex Fisch. & C.A.Mey. [Scrophulariaceae]
나도수영 (Na-do-su-yeong)	<b>Mountain sorrel</b> <i>Oxyria digyna</i> (L.) Hill
나도수영속 [마디풀과] (Na-do-su-yeong-sok)	<b>Mountain sorrel</b> <i>Oxyria</i> Hill [Polygonaceae]
나도수정초 (Na-do-su-jeong-cho)	<b>Ghost plant</b> <i>Monotropastrum humile</i> (D.Don) H.Hara
나도수정초속 [수정난풀과] (Na-do-su-jeong-cho-sok)	<b>Monotropastrum</b> <i>Monotropastrum</i> Andres [Monotropaceae]
나도승마 (Na-do-seung-ma)	<b>Korean kirengeshoma</b> <i>Kirengeshoma koreana</i> Nakai
나도승마속 [범의귀과] (Na-do-seung-ma-sok)	<b>Kirengeshoma</b> <i>Kirengeshoma</i> Yatabe [Saxifragaceae]
나도씨눈란 (Na-do-ssi-nun-ran)	<b>Musk orchid</b> <i>Herminium monorchis</i> (L.) R.Br.
나도양지꽃 (Na-do-yang-ji-kkot)	<b>Siberian barren strawberry</b> <i>Waldsteinia ternata</i> (Stephan) Fritsch
나도양지꽃속 [장미과] (Na-do-yang-ji-kkot-sok)	<b>Barren strawberry</b> <i>Waldsteinia</i> Willd. [Rosaceae]

Korean name (Romanization)	English name Scientific name
나도여로 (Na-do-yeo-ro)	<b>Siberian death camas</b> <i>Zygadenus sibiricus</i> (L.) A.Gray
나도여로속 [백합과] (Na-do-yeo-ro-sok)	<b>Zygadenus</b> <i>Zygadenus</i> Endl. [Liliaceae]
나도옥잠화 (Na-do-ok-jam-hwa)	<b>Common bluebead lily</b> <i>Clintonia udensis</i> Trautv. & C.A.Mey.
나도옥잠화속 [백합과] (Na-do-ok-jam-hwa-sok)	<b>Bluebead</b> <i>Clintonia</i> Raf. [Liliaceae]
나도은조롱 (Na-do-eun-jo-rong)	<b>Tomentose condor-vine</b> <i>Marsdenia tomentosa</i> Morren & Decne.
나도은조롱속 [박주가리과] (Na-do-eun-jo-rong-sok)	<b>Marsdenia</b> <i>Marsdenia</i> R.Br. [Asclepiadaceae]
나도잔디 (Na-do-jan-di)	<b>Barundi sacaton grass</b> <i>Sporobolus piliferus</i> (Trin.) Kunt
나도잠자리란 (Na-do-jam-ja-ri-ran)	<b>Ussuri river platanthera</b> <i>Platanthera ussuriensis</i> (Regel & Maack) Maxim.
나도제비란 (Na-do-je-bi-ran)	<b>Circular-lip galearis</b> <i>Galearis cyclochila</i> (Franch. & Sav.) Soó
나도제비란속 [난초과] (Na-do-je-bi-ran-sok)	<b>Galearis</b> <i>Galearis</i> Raf. [Orchidaceae]
나도좀진고사리 (Na-do-jom-jin-go-sa-ri)	<b>Long false spleenwort</b> <i>Deparia pseudo-coniliifera</i> (Seriz.) Seriz.
나도진퍼리고사리 (Na-do-jin-peo-ri-go-sa-ri)	<b>Leveille's swamp fern</b> <i>Cyclogramma leveillei</i> (Christ) Ching
나도진퍼리고사리속 [면마과] (Na-do-jin-peo-ri-go-sa-ri-sok)	<b>Cyclogramma</b> <i>Cyclogramma</i> Tagawa [Dryopteridaceae]
나도풍란 (Na-do-pung-ran)	<b>Nadopungran (East Asian aerides)</b> <i>Sedirea japonica</i> (Rchb.f.) Garay & H.R.Sweet
나도풍란속 [난초과] (Na-do-pung-ran-sok)	<b>Sedirea</b> <i>Sedirea</i> Garay & H.R.Sweet [Orchidaceae]
나도하수오 (Na-do-ha-su-o)	<b>Hairy-vein knotweed</b> <i>Fallopia ciliinervis</i> (Nakai) K.Hammer

Korean name (Romanization)	English name Scientific name
나도황기 (Na-do-hwang-gi)	<b>Asian vetch-like sweetvetch</b> <i>Hedysarum vicioides</i> var. <i>japonicum</i> (Fedtsch.) B.H.Choi & Ohashi
나도히초미 (Na-do-hi-cho-mi)	<b>Multiciliate holly fern</b> <i>Polystichum polyblepharum</i> (Roem. ex Kunze) C.Presl
나도히초미속 [면마과] (Na-do-hi-cho-mi-sok)	<b>Holly fern, Polystichum</b> <i>Polystichum</i> Roth [Dryopteridaceae]
나래미역취 (Na-rae-mi-yeok-chwi)	<b>Korean goldenrod</b> <i>Solidago virgaurea</i> var. <i>coreana</i> Nakai
나래박주나물 (Na-rae-bak-jwi-na-mul)	<b>Kamchatka Indian plantain</b> <i>Parasenecio auriculatus</i> var. <i>kamtschatica</i> (Maxim.) H.Koyama
나래새 (Na-rae-sae)	<b>Chinese needlegrass</b> <i>Stipa pekinensis</i> Hance
나래새속 [벼과] (Na-rae-sae-sok)	<b>Feather grass, Needlegrass, Spear grass</b> <i>Stipa</i> L. [Poaceae]
나래수송나물 (Na-rae-su-song-na-mul)	<b>Winged-fruit Russian thistle</b> <i>Salsola ruthenica</i> Iljin
나래완두 (Na-rae-wan-du)	<b>Korean bird vetch</b> <i>Vicia hirticalycina</i> Nakai
나래회나무 (Na-rae-hoe-na-mu)	<b>Ussuri splindletree</b> <i>Euonymus macropterus</i> Rupr.
나리난초 (Na-ri-nan-cho)	<b>Miniature widelip orchid</b> <i>Liparis makinoana</i> Schlech.
나리난초속 [난초과] (Na-ri-nan-cho-sok)	<b>False twayblade, Widelip orchid</b> <i>Liparis</i> Rich. [Orchidaceae]
나리잔대 (Na-ri-jan-dae)	<b>Lily-leaf ladybell</b> <i>Adenophora liliifolia</i> (L.) Besser
나무딸기 (Na-mu-ttal-gi)	<b>Glabrous-red raspberry</b> <i>Rubus matsumuranus</i> var. <i>concolor</i> (Kom.) Kitag.
나문재 (Na-mun-jae)	<b>Asian common seepweed</b> <i>Suaeda glauca</i> (Bunge) Bunge

Korean name (Romanization)	English name Scientific name
나문재속 [명아주과] (Na-mun-jae-sok)	<b>Seepweed, Seablites</b> <i>Suaeda</i> Forssk. ex Scop. [Chenopodiaceae]
나비국수나무 (Na-bi-guk-su-na-mu)	<b>Quadrifid-leaf laceshrub</b> <i>Stephanandra incisa</i> var. <i>quadrifissa</i> (Nakai) T.B.Lee
나비나물 (Na-bi-na-mul)	<b>Two-leaf vetch</b> <i>Vicia unijuga</i> A.Braun
나비나물속 [콩과] (Na-bi-na-mul-sok)	<b>Vetch</b> <i>Vicia</i> L. [Fabaceae]
나비난초속 [난초과] (Na-bi-nan-cho-sok)	<b>Grass-like-leaf ponerorchis</b> <i>Ponerorchis graminifolia</i> Rchb.f.
나비난초속 [난초과] (Na-bi-nan-cho-sok)	<b>Ponerorchis</b> <i>Ponerorchis</i> Rchb.f. [Orchidaceae]
나사말 (Na-sa-mal)	<b>Asian tape grass</b> <i>Vallisneria natans</i> (Lour.) H.Hara
나사말속 [자라풀과] (Na-sa-mal-sok)	<b>Eelgrass, Tape grass, Vallis</b> <i>Vallisneria</i> L. [Hydrocharitaceae]
나사미역고사리 (Na-sa-mi-yeok-go-sa-ri)	<b>Spiral polypody</b> <i>Polypodium fauriei</i> Christ
나사줄말 (Na-sa-jul-mal)	<b>Spiral widgeon grass</b> <i>Ruppia cirrhosa</i> (Petagna) Grande
나자스말 (Na-ja-seu-mal)	<b>Ricefield water-nymph</b> <i>Najas graminea</i> Delile
나자스말과 (Na-ja-seu-mal-gwa)	<b>Water-nymph family</b> Najadaceae Juss.
나자스말속 [나자스말과] (Na-ja-seu-mal-sok)	<b>Water-nymph</b> <i>Najas</i> L. [Najadaceae]
낙동나사말 (Nak-dong-na-sa-mal)	<b>Spinulose tape grass</b> <i>Vallisneria spinulosa</i> S.Z.Yan
낙지다리 (Nak-ji-da-ri)	<b>Oriental penthorum</b> <i>Penthorum chinense</i> Pursh
낙지다리속 [돌나물과] (Nak-ji-da-ri-sok)	<b>Penthorum</b> <i>Penthorum</i> L. [Crassulaceae]

Korean name (Romanization)	English name Scientific name
낚시고사리 (Nak-si-go-sa-ri)	<b>Jumping holly fern</b> <i>Polystichum craspedosorum</i> (Maxim.) Diels
낚시돌풀 (Nak-si-dol-pul)	<b>Seashore rock starviolet</b> <i>Hedyotis biflora</i> var. <i>parvifolia</i> Hook. & Arn.
낚시사초 (Nak-si-sa-cho)	<b>Fishing-rod-like sedge</b> <i>Carex filipes</i> Franch. & Sav.
낚시제비꽃 (Nak-si-je-be-kkot)	<b>Creeping Korean violet</b> <i>Viola grypoceras</i> A.Gray
난사초 (Nan-sa-cho)	<b>Woolly-scale sedge</b> <i>Carex holotricha</i> Ohwi
난장이고사리삼 (Nan-jang-i-go-sa-ri-sam)	<b>Tiny moonwort</b> <i>Botrychium ramosum</i> (Roth) Asch.
난장이버들 (Nan-jang-i-beo-deul)	<b>Dwarf willow</b> <i>Salix divaricata</i> var. <i>orthostemma</i> (Nakai) Kitag.
난장이붓꽃 (Nan-jang-i-but-kkot)	<b>Single-flower iris</b> <i>Iris uniflora</i> Pall. ex Link
난장이이끼 (Nan-jang-i-i-kki)	<b>Pinnate-lobe bristle fern</b> <i>Lacosteopsis orientalis</i> var. <i>abbreviata</i> (C.Chr.) Nakaike
난쟁이바위솔 (Nan-jaeng-i-ba-wi-sol)	<b>Dwarf rock pine</b> <i>Meterostachys sikokianus</i> (Makino) Nakai
난쟁이바위솔속 [돌나물과] (Nan-jaeng-i-ba-wi-sol-sok)	<b>Meterostachys</b> <i>Meterostachys</i> Nakai [Crassulaceae]
난쟁이사초 (Nan-jaeng-i-sa-cho)	<b>Sedakov's sedge</b> <i>Carex sedakovii</i> C.A.Mey. ex Meinh.
난쟁이파랭이꽃 (Nan-jaeng-i-pae-raeng-i-kkot)	<b>Dwarf rainbow pink</b> <i>Dianthus chinensis</i> var. <i>morii</i> (Nakai) Y.C.Chu
난쟁이현호색 (Nan-jaeng-i-hyeon-ho-saek)	<b>Dwarf corydalis</b> <i>Corydalis humilis</i> B.U.Oh & Y.S.Kim
난초과 (Nan-cho-gwa)	<b>Orchid family</b> <i>Orchidaceae</i> Juss.
난티나무 (Nan-ti-na-mu)	<b>Manchurian elm</b> <i>Ulmus laciniata</i> (Trautv.) Mayr

Korean name (Romanization)	English name Scientific name
날개골풀 (Nal-gae-gol-pul)	<b>Winged-stem rush</b> <i>Juncus alatus</i> Franch. & Sav.
날개진범 (Nal-gae-jin-beom)	<b>Wing monk'shood</b> <i>Aconitum pteropus</i> Nakai
날개하늘나리 (Nal-gae-ha-neul-na-ri)	<b>Siberian lily</b> <i>Lilium dauricum</i> Ker Gawl.
날개현호색 (Nal-gae-hyeon-ho-saek)	<b>Winged corydalis</b> <i>Corydalis alata</i> B.U.Oh & W.R.Lee
남가새 (Nam-ga-sae)	<b>Puncturevine</b> <i>Tribulus terrestris</i> L.
남가새과 (Nam-ga-sae-gwa)	<b>Caltrop family</b> <i>Zygophyllaceae</i> R.Br.
남가새속 [남가새과] (Nam-ga-sae-sok)	<b>Puncturevine</b> <i>Tribulus</i> L. [Zygophyllaceae]
남개연 (Nam-gae-yeon)	<b>Red least water-lily</b> <i>Nuphar pumila</i> var. <i>ozeense</i> (Miki) H.Hara
남구절초 (Nam-gu-jeol-cho)	<b>Bluish dendranthema</b> <i>*Dendranthema zawadskii</i> var. <i>yezoense</i> (Maek.) Y.M.Lee & H.J.Choi
남도톱지네고사리 (Nam-do-top-ji-ne-go-sa-ri)	<b>Southern shaggy shield fern</b> <i>Dryopteris lunanensis</i> (H.Christ) C.Chr.
남도현호색 (Nam-do-hyeon-ho-saek)	<b>Namdo corydalis</b> <i>Corydalis namdoensis</i> B.U.Oh & J.G.Kim
남방개 (Nam-bang-gae)	<b>Water chestnut</b> <i>Eleocharis dulcis</i> (Burm.f.) Trin. ex Hensch.
남방고사리 (Nam-bang-go-sa-ri)	<b>Southern lacefern</b> <i>Ctenitis sinii</i> (Ching) Ohwi
남방고사리속 [면마과] (Nam-bang-go-sa-ri-sok)	<b>Lacefern</b> <i>Ctenitis</i> (C.Chr.) C.Chr. [Dryopteridaceae]
남복송 (Nam-bok-song)	<b>Aggregate Korean red pine</b> <i>Pinus densiflora</i> f. <i>aggregata</i> Nakai
남산제비꽃 (Nam-san-je-bi-kkot)	<b>Namsan violet</b> <i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F.Maek. ex H.Hara

Korean name (Romanization)	English name Scientific name
남오미자 (Nam-o-mi-ja)	<b>Kadsura vine</b> <i>Kadsura japonica</i> (L.) Dunal
남오미자속 [오미자과] (Nam-o-mi-ja-sok)	<b>Kadsura</b> <i>Kadsura</i> Juss. [Schisandraceae]
남포분취 (Nam-po-bun-chwi)	<b>Jinnampo saussurea</b> <i>Saussurea chinnampoensis</i> H.Lév. & Vaniot
남하늘지기 (Nam-ha-neul-ji-gi)	<b>Many-flower fimbriystilis</b> <i>Fimbriystilis dichotoma</i> f. <i>floribunda</i> (Miq.) Ohwi
남해배나무 (Nam-hae-bae-na-mu)	<b>Namhae wild pear</b> <i>*Pyrus ussuriensis</i> var. <i>nankaiensis</i> (Nakai) T.B.Lee
남해조팝나무 (Nam-hae-jo-pap-na-mu)	<b>Namhae spiraea</b> <i>Spiraea nankaiensis</i> Nakai
남흑삼릉 (Nam-heuk-sam-reung)	<b>Twisted bur-reed</b> <i>Sparganium fallax</i> Graebn.
낭독 (Nang-dok)	<b>Fischer's spurge</b> <i>Euphorbia fischeriana</i> Steud.
낭림새풀 (Nang-rim-sae-pul)	<b>Nangrim reedgrass</b> <i>Calamagrostis subacrochaeta</i> Nakai
낭아초 (Nang-a-cho)	<b>Dwarf false-indigo</b> <i>Indigofera pseudotinctoria</i> Matsum.
내버들 (Nae-beo-deul)	<b>Willow</b> <i>Salix gilgiana</i> Seem.
내장고사리 (Nae-jang-go-sa-ri)	<b>Naejang twinsorus fern</b> <i>Diplazium squamigerum</i> (Mett.) Matsum.
내장금란초 (Nae-jang-geum-ran-cho)	<b>Pink-flower bugle</b> <i>Ajuga decumbens</i> var. <i>rosa</i> Y.N.Lee
냇씀바귀 (Naet-sseum-ba-gwi)	<b>Stream-bank ikeris</b> <i>Ikeris tamagawaensis</i> (Makino) Kitam.
냉이 (Naeng-i)	<b>Naengi (Shepherd's purse)</b> <i>Capsella bursa-pastoris</i> (L.) Medik.
냉이속 [십자화과] (Naeng-i-sok)	<b>Capsella</b> <i>Capsella</i> Medik. [Brassicaceae]

Korean name (Romanization)	English name Scientific name
냉초 (Naeng-cho)	<b>Siberian veronicastrum</b> <i>Veronicastrum sibiricum</i> (L.) Pennell
냉초속 [현삼과] (Naeng-cho-sok)	<b>Veronicastrum</b> <i>Veronicastrum</i> Heist. ex Fabr. [Scrophulariaceae]
너도개미자리 (Neo-do-gae-mi-ja-ri)	<b>Larch-like stitchwort</b> <i>Minuartia laricina</i> (L.) Mattf.
너도고랭이 (Neo-do-go-raeng-i)	<b>Small nutrush</b> <i>Scleria parvula</i> Steud.
너도고랭이속 [사초과] (Neo-do-go-raeng-i-sok)	<b>Nutrush, Nutrushes</b> <i>Scleria</i> P.J.Bergius [Cyperaceae]
너도꼭두서니 (Neo-do-kkok-du-seo-ni)	<b>Four-leaf madder</b> <i>Rubia jesoensis</i> (Miq.) Miyabe & Miyake
너도바람꽃 (Neo-do-ba-ram-kkot)	<b>White snowdrop</b> <i>Eranthis stellata</i> Maxim.
너도바람꽃속 [미나리아재비과] (Neo-do-ba-ram-kkot-sok)	<b>Eranthis, Winter aconite</b> <i>Eranthis</i> Salisb. [Ranunculaceae]
너도밤나무 (Neo-do-bam-na-mu)	<b>Engler's beech</b> <i>Fagus engleriana</i> Seemen ex Diels
너도밤나무속 [참나무과] (Neo-do-bam-na-mu-sok)	<b>Beech</b> <i>Fagus</i> L. [Fagaceae]
너도방동사니 (Neo-do-bang-dong-sa-ni)	<b>Tidal-marsh flatsedge</b> <i>Cyperus serotinus</i> Rottb.
너도수정초 (Neo-do-su-jeong-cho)	<b>Glabrous Indian pipe</b> <i>Monotropa hypopithys</i> var. <i>glaberrima</i> H.Hara
너도양지꽃 (Neo-do-yang-ji-kkot)	<b>Creeping sibbaldia</b> <i>Sibbaldia procumbens</i> L.
너도양지꽃속 [장미과] (Neo-do-yang-ji-kkot-sok)	<b>Sibbaldia</b> <i>Sibbaldia</i> L. [Rosaceae]
너도제비란 (Neo-do-je-bi-ran)	<b>Baeduson ponerochis</b> <i>Ponerorchis joo-iokiana</i> (Makino) Nakai
너울취 (Neo-ul-chwi)	<b>Hogusan saussurea</b> <i>Saussurea nomurae</i> Kitam.

Korean name (Romanization)	English name Scientific name
넉줄고사리 (Neok-jul-go-sa-ri)	<b>Squirrel's-foot fern</b> <i>Davallia mariesii</i> T.Moore ex Baker
넉줄고사리과 (Neok-jul-go-sa-ri-gwa)	<b>Rabbit's foot ferns</b> <i>Davalliaceae</i> M.R. Schomb. ex A.B. Frank
넉줄고사리속 [넉줄고사리과] (Neok-jul-go-sa-ri-sok)	<b>Deer's foot fern, Hare's foot fern</b> <i>Davallia</i> Sm. [Davalliaceae]
넌줄비수리 (Neon-chul-bi-su-ri)	<b>Neonchul lespedeza</b> <i>Lespedeza intermixta</i> Makino
넌줄월귤 (Neon-chul-wol-gyul)	<b>Swamp blueberry</b> <i>Vaccinium oxycoccus</i> L.
넓은고로실나무 (Neol-beun-go-ro-sil-na-mu)	<b>Wide Korean maple</b> <i>Acer pseudosieboldianum</i> var. <i>ambiguum</i> Nakai
넓은긴잎갈퀴 (Neol-beun-gin-ip-gal-kwi)	<b>Amur northern bedstraw</b> <i>Galium boreale</i> var. <i>amurense</i> (Pobed.) Kitag.
넓은꽃잎개수염 (Neol-beun-kkot-ip-gae-su-yeom)	<b>Wide-petal pipewort</b> <i>Eriocaulon latipetalum</i> Y.C.Oh & C.S.Heo
넓은뫼황기 (Neol-beun-moet-hwang-gi)	<b>Alpine sainfoin sweetvetch</b> <i>Hedysarum hedysaroides</i> Schinz & Thell.
넓은산꼬리풀 (Neol-beun-san-kko-ri-pul)	<b>Jejudo spike speedwell</b> <i>Veronica ovata</i> Nakai
넓은옥잠화 (Neol-beun-ok-jam-hwa)	<b>Wide-leaf hosta</b> <i>Hosta japonica</i> var. <i>latifolia</i> Nakai
넓은잎각시붓꽃 (Neol-beun-ip-gak-si-but-kkot)	<b>Broad-leaf long-tail iris</b> <i>Iris rossii</i> var. <i>latifolia</i> J.K.Sim & Y.S.Kim
넓은잎갈퀴 (Neol-beun-ip-gal-kwi)	<b>Wide-leaf Asian vetch</b> <i>Vicia japonica</i> A.Gray
넓은잎개갈퀴 (Neol-beun-ip-gae-gal-kwi)	<b>Wide-leaf Maximowicz's woodruff</b> <i>Asperula maximowizii</i> f. <i>latifolia</i> (Nakai) W.T.Lee
넓은잎개고사리 (Neol-beun-ip-gae-go-sa-ri)	<b>Wide-leaf ladyfern</b> <i>Athyrium wardii</i> (Hook.) Makino
넓은잎개수염 (Neol-beun-ip-gae-su-yeom)	<b>Robust pipewort</b> <i>Eriocaulon alpestre</i> Hook.f. & Thomson ex Körn.

Korean name (Romanization)	English name Scientific name
넓은잎그늘사초 (Neol-beun-ip-geu-neul-sa-cho)	<b>Wide-leaf low sedge</b> <i>Carex pediformis</i> C.A.Mey.
넓은잎까치밥나무 (Neol-beun-ip-kka-chi-bap-na-mu)	<b>Broad-leaf currant</b> <i>Ribes latifolium</i> Jancz.
넓은잎꼬리풀 (Neol-beun-ip-kko-ri-pul)	<b>Long-hairy spike speedwell</b> <i>Veronica kiusiana</i> Furumi
넓은잎당마가목 (Neol-beun-ip-dang-ma-ga-mok)	<b>Wide-leaf Amur mountain ash</b> <i>Sorbus amurensis</i> f. <i>latifoliolata</i> (Nakai) W.T.Lee
넓은잎댕댕이 (Neol-beun-ip-daeng-daeng-i)	<b>Wide-leaf deepblue honeysuckle</b> <i>Lonicera caerulea</i> var. <i>longibracteata</i> f. <i>ovata</i> H.Hara
넓은잎딱총나무 (Neol-beun-ip-ttak-chong-na-mu)	<b>Korean red elder</b> <i>Sambucus latipinna</i> Nakai
넓은잎말 (Neol-beun-ip-mal)	<b>Clasping-leaf pondweed</b> <i>Potamogeton perfoliatus</i> L.
넓은잎물억새 (Neol-beun-ip-mul-eok-sae)	<b>Wide-leaf Amur silvergrass</b> <i>Misanthus sacchariflorus</i> f. <i>latifolius</i> Adati
넓은잎미꾸리낚시 (Neol-beun-ip-mi-kku-ri-nak-si)	<b>Broad arrow-head smartweed</b> <i>Persicaria muricata</i> (Meisn.) Nemoto
넓은잎바늘꽃 (Neol-beun-ip-ba-neul-kkot)	<b>Broad-leaf willowherb</b> <i>Epilobium cephalostigma</i> var. <i>nudicarpum</i> (Kom.) H.Hara
넓은잎산괴불 (Neol-beun-ip-san-goe-bul)	<b>Wide-leaf chrysanthia honeysuckle</b> * <i>Lonicera chrysanthia</i> var. <i>latifolia</i> Korsh. ex Uyeki
넓은잎산사 (Neol-beun-ip-san-sa)	<b>Wide-leaf mountain hawthorn</b> <i>Crataegus pinnatifida</i> var. <i>major</i> N.E.Br.
넓은잎ssuk (Neol-beun-ip-ssuk)	<b>Wide-leaf wormwood</b> <i>Artemisia latifolia</i> Ledeb.
넓은잎외잎ssuk (Neol-beun-ip-oe-ip-ssuk)	<b>Stolon-bearing wormwood</b> <i>Artemisia stolonifera</i> (Maxim.) Kom.
넓은잎잠자리란 (Neol-beun-ip-jam-ja-ri-ran)	<b>Asian platanthera</b> <i>Platanthera fuscescens</i> (L.) Kraenzl.
넓은잎제비꽃 (Neol-beun-ip-je-bi-kkot)	<b>Wonder violet</b> <i>Viola mirabilis</i> L.

Korean name (Romanization)	English name Scientific name
넓은잎조록나무 (Neol-beun-ip-jo-rok-na-mu)	<b>Broad evergreen witch hazel</b> <i>*Distylium racemosum f. latifolia</i> Nakai
넓은잎주오줌풀 (Neol-eun-ip-jwi-o-jum-pul)	<b>Wide-leaf valerian</b> <i>Valeriana dageletiana</i> Nakai ex F.Maek.
넓은잎참가시나무 (Neol-beun-ip-cham-ga-si-na-mu)	<b>Wide willow-leaf evergreen oak</b> <i>Quercus salicina</i> f. <i>latifolia</i> (Nakai) H.Ohba
넓은잎초오 (Neol-beun-ip-cho-o)	<b>Wide-leaf monk'shood</b> <i>Aconitum sczukinitii</i> Turcz.
넓은잎피사초 (Neol-beun-ip-pi-sa-cho)	<b>Sword-like sedge</b> <i>Carex xiphium</i> Kom.
넓은잔대 (Neol-beun-jan-dae)	<b>Spreading-branch ladybell</b> <i>Adenophora divaricata</i> Franch. & Sav.
네가래 (Ne-ga-rae)	<b>Four-leaf clover</b> <i>Marsilea quadrifolia</i> L.
네가래고 (Ne-ga-rae-gwa)	<b>Water clover family</b> <i>Marsileaceae</i> Mirb.
네가래속 [네가래과] (Ne-ga-rae-sok)	<b>Four-leaf clover, Water clover</b> <i>Marsilea</i> L. [Marsileaceae]
네귀쓴풀 (Ne-gwi-sseun-pul)	<b>Lesser tetrapetal swertia</b> <i>Swertia tetrapetala</i> Pall.
네마름 (Ne-ma-reum)	<b>Common water-chestnut</b> <i>Trapa natans</i> L.
네모골 (Ne-mo-gol)	<b>Square-stem spikerush</b> <i>Eleocharis tetraquetra</i> Nees
네잎갈퀴 (Ne-ip-gal-kwi)	<b>Rough-seed bedstraw</b> <i>Galium trachyspermum</i> A.Gray
네잎갈퀴나물 (Ne-ip-gal-kwi-na-mul)	<b>Four-leaf vetch</b> <i>Vicia nipponica</i> Matsum.
네잎삿갓나물 (Ne-ip-sat-gat-na-mul)	<b>Four-leaf paris</b> <i>Paris tetraphylla</i> A.Gray
노각나무 (No-gak-na-mu)	<b>Korean stewartia</b> <i>Stewartia pseudocamellia</i> Maxim.

Korean name (Romanization)	English name Scientific name
노각나무속 [차나무과] (No-gak-na-mu-sok)	<b>Stewartia</b> <i>Stewartia</i> L. [Theaceae]
노간주나무 (No-gan-ju-na-mu)	<b>Needle juniper</b> <i>Juniperus rigida</i> Siebold & Zucc.
노끈사초 (No-kkeun-sa-cho)	<b>Sakhalin tiny sedge</b> <i>Carex capillacea</i> var. <i>sachalinensis</i> (F.Schmidt) Ohwi
노란장대 (No-ran-jang-dae)	<b>Yellow-flower hedgemustard</b> <i>Sisymbrium luteum</i> (Maxim.) O.E.Schulz
노란장대속 [십자화과] (No-ran-jang-dae-sok)	<b>Hedgemustard</b> <i>Sisymbrium</i> L. [Brassicaceae]
노란장딸기 (No-ran-jang-ttal-gi)	<b>Yellow-fruit hirsute raspberry</b> <i>Rubus hirsutus</i> var. <i>xanthocarpus</i> Nakai
노랑갈퀴 (No-rang-gal-kwi)	<b>Yellow-flower vetch</b> <i>Vicia chosensis</i> Ohwi
노랑땅나리 (No-rang-ttang-na-ri)	<b>Yellow slim-stem lily</b> <i>Lilium callosum</i> var. <i>flavum</i> Y.N.Lee
노랑만병초 (No-rang-man-byeong-cho)	<b>Yellow-flower rosebay</b> <i>Rhododendron aureum</i> Georgi
노랑매발톱 (No-rang-mae-bal-top)	<b>Yellow oriental columbine</b> * <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> f. <i>pallidiflora</i> (Nakai) M.K.Park
노랑무느붓꽃 (No-rang-mu-nui-but-kkot)	<b>Odaesan iris</b> <i>Iris odaesanensis</i> Y.N.Lee
노랑물봉선 (No-rang-mul-bong-seon)	<b>Western touch-me-not</b> <i>Impatiens noli-tangere</i> L.
노랑미치광이풀 (No-rang-mi-chi-gwang-i-pul)	<b>Yellow scopolia</b> <i>Scopolia lutescens</i> Y.N.Lee
노랑복주머니란 (No-rang-bok-ju-meo-ni-ran)	<b>Lady's slipper orchid</b> <i>Cypripedium calceolus</i> L.
노랑부추 (No-rang-bu-ch1lu)	<b>Oriental yellow chive</b> <i>Allium condensatum</i> Turcz.

Korean name (Romanization)	English name Scientific name
노랑붓꽃 (No-rang-but-kkot)	<b>Dwarf woodland Korean iris</b> <i>Iris koreana</i> Nakai
노랑선씀바귀 (No-rang-seon-sseum-ba-gwi)	<b>Yellow bristle-hair ikeris</b> <i>Ixeris chinensis</i> (Thunb.) Nakai
노랑어리연꽃 (No-rang-eo-ri-yeon-kkot)	<b>Yellow floatingheart</b> <i>Nymphoides peltata</i> (S.G.Gmel.) Kuntze
노랑원추리 (No-rang-won-chu-ri)	<b>Thunberg's daylily</b> <i>Hemerocallis thunbergii</i> Baker
노랑제비꽃 (No-rang-je-bi-kkot)	<b>Oriental yellow violet</b> <i>Viola orientalis</i> (Maxim.) W.Becker
노랑털중나리 (No-rang-teol-jung-na-ri)	<b>Yellow friendly lily</b> <i>Lilium amabile</i> var. <i>flavum</i> Y.N.Lee
노랑투구꽃 (No-rang-tu-gu-kkot)	<b>Siberian monk'shood</b> <i>Aconitum barbatum</i> var. <i>hispidum</i> (DC.) Ser.
노랑팽나무 (No-rang-paeng-na-mu)	<b>Yellow-fruit hackberry</b> <i>Celtis edulis</i> Nakai
노랑하늘타리 (No-rang-ha-neul-ta-ri)	<b>Yellow Mongolian snakegourd</b> <i>Trichosanthes kirilowii</i> var. <i>japonica</i> (Miq.) Kitam.
노랑할미꽃 (No-rang-hal-mi-kkot)	<b>Yellow Korean pasque-flower</b> <i>Pulsatilla koreana</i> f. <i>flava</i> (Y.N.Lee) W.T.Lee
노루귀 (No-ru-gwi)	<b>Asian liverleaf</b> <i>Hepatica asiatica</i> Nakai
노루귀속 [미나리아재비과] (No-ru-gwi-sok)	<b>Hepatica, Liverleaf, Liverwort</b> <i>Hepatica</i> Mill. [Ranunculaceae]
노루발 (No-ru-bal)	<b>East Asian wintergreen</b> <i>Pyrola japonica</i> Klenze ex Alef.
노루발과 (No-ru-bal-gwa)	<b>Shinleaf family</b> <i>Pyrolaceae</i> Lindl.
노루발속 [노루발과] (No-ru-bal-sok)	<b>Wintergreen</b> <i>Pyrola</i> L. [Pyrolaceae]

Korean name (Romanization)	English name Scientific name
노루삼 (No-ru-sam)	<b>Asian baneberry</b> <i>Actaea asiatica</i> H.Hara
노루삼속 [미나리아재비과] (No-ru-sam-sok)	<b>Baneberry, Bugbane</b> <i>Actaea</i> L. [Ranunculaceae]
노루오줌 (No-ru-o-jum)	<b>False goat's beard</b> <i>Astilbe chinensis</i> (Maxim.) Franch. & Sav.
노루오줌속 [범의귀과] (No-ru-o-jum-sok)	<b>False goat's beard, False spirea</b> <i>Astilbe</i> Buch.-Ham. ex D.Don [Saxifragaceae]
노루참나물 (No-ru-cham-na-mul)	<b>Roe-buck pimpinella</b> <i>Pimpinella gustavohegiana</i> Koidz.
노린재나무 (No-rin-jae-na-mu)	<b>Asian sweetleaf</b> <i>Symplocos sawafutagi</i> Nagam.
노린재나무과 (No-rin-jae-na-mu-gwa)	<b>Sweetleaf family</b> Symplocaceae Desf.
노린재나무속 [노린재나무과] (No-rin-jae-na-mu-sok)	<b>Sweetleaf</b> <i>Symplocos</i> Jacq. [Symplocaceae]
노박덩굴 (No-bak-deong-gul)	<b>Oriental bittersweet</b> <i>Celastrus orbiculatus</i> Thunb.
노박덩굴과 (No-bak-deong-gul-gwa)	<b>Bittersweet family, Staff vine family</b> Celastraceae R.Br.
노박덩굴속 [노박덩굴과] (No-bak-deong-gul-sok)	<b>Bittersweet, Staff tree, Staff vine</b> <i>Celastrus</i> L. [Celastraceae]
노봉백산차 (No-bong-baek-san-cha)	<b>Wide-leaf labrador tea</b> <i>Ledum palustre</i> var. <i>latifolium</i> Michaux.
녹나무 (Nok-na-mu)	<b>Camphor tree</b> <i>Cinnamomum camphora</i> (L.) J.Presl
녹나무과 (Nok-na-mu-gwa)	<b>Laurel family</b> Lauraceae Juss.
녹나무속 [녹나무과] (Nok-na-mu-sok)	<b>Cinnamon</b> <i>Cinnamomum</i> Schaeff. [Lauraceae]
녹다래 (Nok-da-dae)	<b>Red-nerve hardy kiwi</b> <i>Actinidia arguta</i> var. <i>rufinervis</i> Nakai

Korean name (Romanization)	English name Scientific name
녹마가목 (Nok-ma-ga-mok)	<b>Red-brown mountain ash</b> <i>Sorbus commixta</i> var. <i>rufa-ferruginea</i> C.K.Schneid.
녹보리똥나무 (Nok-bo-ri-ttong-na-mu)	<b>Coastal oleaster</b> <i>Elaeagnus × maritima</i> Koidz.
녹빛사초 (Nok-bit-sa-cho)	<b>Four-flower sedge</b> <i>Carex quadriflora</i> (Kük.) Ohwi
녹빛실사초 (Nok-bit-sil-sa-cho)	<b>Green thread sedge</b> <i>Carex sachalinensis</i> var. <i>sikokiana</i> (Franch. & Sav.) Ohwi
녹화죽백란 (Nok-hwa-juk-baek-ran)	<b>Green-flower bamboo-leaf orchid</b> <i>Cymbidium lancifolium</i> var. <i>aspidistrifolium</i> (Fukuy.) S.S.Ying
논냉이 (Non-naeng-i)	<b>Paddy bittercress</b> <i>Cardamine lyrata</i> Bunge
논두렁사초 (Non-du-reong-sa-cho)	<b>Autumnal sand sedge</b> <i>Carex autumnalis</i> Ohwi
논뚝외풀 (Non-ttuk-oe-pul)	<b>Small-flower false pimpernel</b> <i>Lindernia micrantha</i> D.Don
논피 (Non-pi)	<b>Early barnyard grass</b> <i>Echinochloa oryzoides</i> (Ard.) Fritsch
놋젓가락나물 (Not-jeot-ga-rak-na-mul)	<b>Hairy monk'shood</b> <i>Aconitum ciliare</i> DC.
노성목 (Noe-seong-mok)	<b>Willow-leaf spicebush</b> <i>Lindera angustifolia</i> W.C.Cheng
누룩치속 [산형과] (Nu-ruk-chi-sok)	<b>Pleurospermum</b> <i>Pleurospermum</i> Hoffm. [Apiaceae]
누른괭이눈 (Nu-reun-gwaeng-i-nun)	<b>Yellow golden saxifrage</b> <i>Chrysosplenium flaviflorum</i> Ohwi
누리장나무 (Nu-ri-jang-na-mu)	<b>Harlequin glorybower</b> <i>Clerodendrum trichotomum</i> Thunb.
누리장나무속 [마편초과] (Nu-ri-jang-na-mu-sok)	<b>Bagflower, Bleeding-heart, Glorybower</b> <i>Clerodendrum</i> L. [Verbenaceae]
누린내풀 (Nu-rin-nae-pul)	<b>Odor bluebeard</b> <i>Tripura divaricata</i> (Maxim.) P.D.Cantino

Korean name (Romanization)	English name Scientific name
누린내풀속 [꿀풀과] (Nu-rin-nae-pul-sok)	<b>Odor bluebeard</b> <i>Tripura P.D.Cantino</i> [Lamiaceae]
누운괴불이끼 (Nu-un-goe-bul-i-kki)	<b>Burman bristle fern</b> <i>Lacosteopsis orientalis</i> (C.Chr.) Nakaike
누운괴불이끼속 [처녀이끼과] (Nu-un-goe-bul-i-kki-sok)	<b>Lacosteopsis</b> <i>Lacosteopsis</i> (Prantl) Nakaike [Hymenophyllaceae]
누운기장대풀 (Nu-un-gi-jang-dae-pul)	<b>Spreading swamp bloodgrass</b> <i>Isachne nipponensis</i> Ohwi
누운제비꽃 (Nu-un-je-bi-kkot)	<b>Dwarf marsh violet</b> <i>Viola epipsila</i> Ledeb.
누운주름잎 (Nu-un-ju-reum-ip)	<b>Miquel's mazus</b> <i>Mazus miquelianus</i> Makino
눈가막사리 (Nun-ga-mak-sa-ri)	<b>Creeping three-lobe beggartick</b> <i>Bidens tripartita</i> var. <i>repens</i> (D.Don) Sherff
눈개비자나무 (Nun-gae-bi-ja-na-mu)	<b>Dwarf Korean plum yew</b> <i>Cephalotaxus harringtonia</i> var. <i>nana</i> (Nakai) Rehder
눈개승마 (Nun-gae-seung-ma)	<b>Kamchatka goatsbeard</b> <i>Aruncus dioicus</i> var. <i>kamtschaticus</i> (Maxim.) H.Hara
눈개쑥부쟁이 (Nun-gae-ssuk-bu-jaeng-i)	<b>Korean montane aster</b> <i>Aster hayatae</i> H.Lév. & Vaniot
눈갓버들 (Nun-gaet-beo-deul)	<b>Creeping rose-gold pussy willow</b> <i>Salix graciliglans</i> Nakai
눈괴불주머니 (Nun-goe-bul-ju-meo-ni)	<b>Prostrate corydalis</b> <i>Corydalis ochotensis</i> Turcz.
눈까치밥나무 (Nun-kka-chi-bap-na-mu)	<b>Swamp red currant</b> <i>Ribes triste</i> Pall.
눈범꼬리 (Nun-beom-kko-ri)	<b>Ovate-leaf bistort</b> <i>Bistorta suffulta</i> (Maxim.) Greene ex H.Gross
눈비녀골풀 (Nun-bi-nyeo-gol-pul)	<b>Wallich's rush</b> <i>Juncus wallichianus</i> J.Gay ex Laharpe
눈비름 (Nun-bi-reum)	<b>Large-fruit amaranth</b> <i>Amaranthus deflexus</i> L.

Korean name (Romanization)	English name Scientific name
눈빛승마 (Nun-bit-seung-ma)	<b>Dahurian bugbane</b> <i>Cimicifuga dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Maxim.
눈사초 (Nun-sa-cho)	<b>Curly sedge</b> <i>Carex rupestris</i> All.
눈산벼들 (Nun-san-beo-deul)	<b>Spreading willow</b> <i>Salix divaricata</i> var. <i>metaformosa</i> (Nakai) Kitag.
눈썹고사리 (Nun-sseop-go-sa-ri)	<b>Asymmetric spleenwort</b> <i>Asplenium wrightii</i> D.C.Eaton ex Hook.
눈양지꽃 (Nun-yang-ji-kkot)	<b>Greenland cinquefoil</b> <i>Potentilla egedii</i> var. <i>groenlandica</i> (Tratt.) Polunin
눈여뀌바늘 (Nun-yeo-kkwi-ba-neul)	<b>Oval ludwigia</b> <i>Ludwigia ovalis</i> Miq.
눈잣나무 (Nun-jat-na-mu)	<b>Dwarf Siberian pine</b> <i>Pinus pumila</i> (Pall.) Regel
눈측백 (Nun-cheuk-baek)	<b>Korean arborvitae</b> <i>Thuja koraiensis</i> Nakai
눈측백속 [측백나무과] (Nun-cheuk-baek-sok)	<b>Arborvitae, Thujas</b> <i>Thuja</i> L. [Cupressaceae]
눈포아풀 (Nun-po-a-pul)	<b>Fowl bluegrass</b> <i>Poa palustris</i> L.
눈해변싸리 (Nun-hae-byeon-ssa-ri)	<b>Large wando lespedeza</b> <i>Lespedeza macrovirgata</i> Kitag.
눈향나무 (Nun-hyang-na-mu)	<b>Dwarf juniper</b> <i>Juniperus chinensis</i> var. <i>sargentii</i> A.Henry
눌맥이천남성 (Nul-maek-i-cheon-nam-seong)	<b>Spiral-leaf jack-in-the-pulpit</b> <i>Arisaema peninsulae</i> f. <i>convolutum</i> (Nakai) Y.S.Kim & S.C.Ko
느러진장대 (Neu-reo-jin-jang-dae)	<b>Pendulous rockcress</b> <i>Arabis pendula</i> L.
느릅나무 (Neu-reup-na-mu)	<b>Wilson's elm</b> <i>Ulmus davidiana</i> var. <i>japonica</i> (Rehder) Nakai
느릅나무과 (Neu-reup-na-mu-gwa)	<b>Elm family</b> <i>Ulmaceae</i> Mirb.

Korean name (Romanization)	English name Scientific name
느릅나무속 [느릅나무과] (Neu-reup-na-mu-sok)	<b>Elm</b> <i>Ulmus L.</i> [Ulmaceae]
느리미고사리 (Neu-ri-mi-go-sa-ri)	<b>Sword-leaf wood fern</b> <i>Dryopteris tokyoensis</i> (Matsum. ex Makino) C.Chr.
느티나무 (Neu-ti-na-mu)	<b>Sawleaf zelkova</b> <i>Zelkova serrata</i> (Thunb.) Makino
느티나무속 [느릅나무과] (Neu-ti-na-mu-sok)	<b>Zelkova</b> <i>Zelkova Spach</i> [Ulmaceae]
느쟁이냉이 (Neun-jaeng-i-naeng-i)	<b>Asian bittercress</b> <i>Cardamine komarovii</i> Nakai
능수쇠뜨기 (Neung-su-soe-tteu-gi)	<b>Woodland horsetail</b> <i>Equisetum sylvaticum</i> L.
늦고사리삼 (Neut-go-sa-ri-sam)	<b>Rattlesnake fern</b> <i>Botrychium virginianum</i> (L.) Sw.
늦고사리삼속 [고사리삼과] (Neut-go-sa-ri-sam-sok)	<b>Botrypus</b> <i>Botrypus Michx.</i> [Ophioglossaceae]
늦둥굴레 (Neut-dung-gul-re)	<b>Late-blooming solomon's seal</b> <i>Polygonatum infundiflorum</i> Y.S.Kim, B.U.Oh & C.G.Jang
늦싸리 (Neut-ssa-ri)	<b>Elongate Korean lespedeza</b> <i>*Lespedeza maximowiczii</i> var. <i>elongata</i> Nakai
늪사초 (Neup-sa-cho)	<b>Marsh sedge</b> <i>Carex buxbaumii</i> Wahlenb.

**C**

다닥냉이속 [십자화과] (Da-dak-naeng-i-sok)	<b>Peppercress, Peppergrass, Pepperwort</b> <i>Lepidium L.</i> [Brassicaceae]
다도해비비추 (Da-do-hae-bi-bi-chu)	<b>Dadohae hosta</b> <i>Hosta jonesii</i> M.G.Chung
다람쥐꼬리 (Da-ram-jwi-kko-ri)	<b>Pacific firmoss</b> <i>Huperzia miyoshiana</i> (Makino) Ching
다람쥐꼬리속 [석송과] (Da-ram-jwi-kko-ri-sok)	<b>Clubmoss, Firmosses, Fir clubmosses</b> <i>Huperzia Bernh.</i> [Lycopodiaceae]

Korean name (Romanization)	English name Scientific name
다래 (Da-rae)	<b>Hardy kiwi</b> <i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.
다래나무과 (Da-rae-na-mu-gwa)	<b>Chinese gooseberry family, Kiwi family</b> Actinidiaceae Gilg & Werderm.
다래나무속 [다래나무과] (Da-rae-na-mu-sok)	<b>Actinidia, Kiwi</b> <i>Actinidia</i> Lindl. [Actinidiaceae]
다릅나무 (Da-reup-na-mu)	<b>Amur maackia</b> <i>Maackia amurensis</i> Rupr.
다릅나무속 [콩과] (Da-reup-na-mu-sok)	<b>Maackia</b> <i>Maackia</i> Rupr. [Fabaceae]
다발꽃무꽃 (Da-bal-gol-mu-kkot)	<b>Scattered-flower skullcap</b> <i>Scutellaria asperiflora</i> Nakai
다북고추나물 (Da-buk-go-chu-na-mul)	<b>Tuft St. Johnswort</b> <i>Hypericum erectum</i> var. <i>caespitosum</i> Makino
다북떡쑥 (Da-buk-tteok-ssuk)	<b>Asian pearly everlasting</b> <i>Anaphalis sinica</i> Hance
다북떡쑥속 [국화과] (Da-buk-tteok-ssuk-sok)	<b>Pearly everlasting</b> <i>Anaphalis</i> DC. [Asteraceae]
다북바위솔 (Da-buk-ba-wi-sol)	<b>Many-head rock pine</b> <i>Orostachys japonica</i> f. <i>polycephala</i> (Makino) H.Ohba
다시마고사리삼 (Da-si-ma-go-sa-ri-sam)	<b>Old world adder's tongue</b> <i>Ophioglossum pendulum</i> L.
다시마일엽초 (Da-si-ma-il-yeop-cho)	<b>Kelp-leaf weeping fern</b> <i>Lepisorus annuifrons</i> (Makino) Ching
다정큼나무 (Da-jeong-keum-na-mu)	<b>Whole-leaf Indian hawthorn</b> <i>Rhaphiolepis indica</i> var. <i>umbellata</i> (Thunb.) H.Ohashi
다정큼나무속 [장미과] (Da-jeong-keum-na-mu-sok)	<b>Hawthorn, Rhodotypos</b> <i>Rhaphiolepis</i> Lindl. [Rosaceae]
닭나무속 [뽕나무과] (Dak-na-mu-sok)	<b>Broussonetia</b> <i>Broussonetia</i> L'Hér. ex Vent. [Moraceae]
닭장버들 (Dak-jang-beo-deul)	<b>Swamp silky willow</b> <i>Salix brachypoda</i> (Trautv. & C.A.Mey.) Kom.

Korean name (Romanization)	English name Scientific name
단양쑥부쟁이 (Dan-yang-ssuk-bu-jaeng-i)	<b>Danyang aster</b> <i>Aster altaicus</i> var. <i>uchiyamae</i> Kitam.
단주대극 (Dan-ju-dae-geuk)	<b>Short-style spurge</b> <i>Euphorbia hylonoma</i> Hand.-Mazz.
단천향나무 (Dan-cheon-hyang-na-mu)	<b>Dahurian juniper</b> <i>Juniperus davuricus</i> Pall.
단풍고사리삼 (Dan-pung-go-sa-ri-sam)	<b>Mountain leathery grapefern</b> <i>Sceptridium nipponicum</i> (Makino) Holub
단풍나무 (Dan-pung-na-mu)	<b>Palmate maple</b> <i>Acer palmatum</i> Thunb.
단풍나무과 (Dan-pung-na-mu-gwa)	<b>Maple family</b> <i>Aceraceae</i> Juss.
단풍나무속 [단풍나무과] (Dan-pung-na-mu-sok)	<b>Maple</b> <i>Acer</i> L. [Aceraceae]
단풍딸기 (Dan-pung-ttal-gi)	<b>Palmate-leaf raspberry</b> <i>Rubus palmatus</i> Thunb.
단풍마 (Dan-pung-ma)	<b>Maple-leaf mountain yam</b> <i>Dioscorea quinqueloba</i> Thunb.
단풍박쥐나무 (Dan-pung-bak-jwi-na-mu)	<b>Palmate-leaf alangium</b> <i>Alangium platanifolium</i> (Siebold & Zucc.) Harms
단풍잎석위 (Dan-pung-ip-seok-wi)	<b>Five-finger tongue fern</b> <i>Pyrrosia polydactyla</i> (Hance) Ching
단풍제비꽃 (Dan-pung-je-bi-kkot)	<b>Maple-leaf violet</b> <i>Viola albida</i> f. <i>takahashii</i> (Makino) W.T.Lee
단풍취취 (Dan-pung-chwi)	<b>Maple-leaf ainsliaea</b> <i>Ainsliaea acerifolia</i> Sch.Bip.
단풍취속 [국화과] (Dan-pung-chwi-sok)	<b>Ainsliaea</b> <i>Ainsliaea</i> DC. [Asteraceae]
단풍터리풀 (Dan-pung-teo-ri-pul)	<b>Siberian meadowsweet</b> <i>Filipendula palmata</i> (Pall.) Maxim.
단향과 (Dan-hyang-gwa)	<b>Sandalwood family</b> <i>Santalaceae</i> R.Br.

Korean name (Romanization)	English name Scientific name
달구지풀 (Dal-gu-ji-pul)	<b>Lupine clover</b> <i>Trifolium lupinaster</i> L.
달래 (Dal-rae)	<b>Korean wild chive</b> <i>Allium monanthum</i> Maxim.
달뿌리풀 (Dal-ppu-ri-pul)	<b>Runner reed</b> <i>Phragmites japonica</i> Steud.
닭의난초 (Dak-ui-nan-cho)	<b>Thunberg's helleborine</b> <i>Epipactis thunbergii</i> A.Gray
닭의난초속 [난초과] (Dak-ui-nan-cho-sok)	<b>Helleborine</b> <i>Epipactis</i> Zinn [Orchidaceae]
닭의덩굴속 [마디풀과] (Dak-ui-deong-gul-sok)	<b>Fallopia</b> <i>Fallopia</i> Adans. [Polygonaceae]
닭의장풀 (Dak-ui-jang-pul)	<b>Asian dayflower</b> <i>Commelina communis</i> L.
닭의장풀과 (Dak-ui-jang-pul-gwa)	<b>Dayflower family, Spiderwort family</b> Commelinaceae Mirb.
닭의장풀속 [닭의장풀과] (Dak-ui-jang-pul-sok)	<b>Dayflowers, Widow's tears</b> <i>Commelina</i> L. [Commelinaceae]
담배취 (Dam-bae-chwi)	<b>Tobacco-leaf saussurea</b> <i>Saussurea conandrifolia</i> Nakai
담배풀 (Dam-bae-pul)	<b>Common carpesium</b> <i>Carpesium abrotanoides</i> L.
담배풀속 [국화과] (Dam-bae-pul-sok)	<b>Carpesium</b> <i>Carpesium</i> L. [Asteraceae]
담상이삭풀 (Dam-sang-i-sak-pul)	<b>East Asian shorthusk</b> <i>Brachyelytrum japonicum</i> (Hack.) Matsum. ex Honda
담상이삭풀속 [벼과] (Dam-sang-i-sak-pul-sok)	<b>Shorthusk</b> <i>Brachyelytrum</i> P.Beauv. [Poaceae]
담자리꽃나무 (Dam-ja-ri-kkot-na-mu)	<b>Asian eight-petal dryas</b> <i>Dryas octopetala</i> var. <i>asiatica</i> (Nakai) Nakai
담자리꽃나무속 [장미과] (Dam-ja-ri-kkot-na-mu-sok)	<b>Mountain-avens</b> <i>Dryas</i> L. [Rosaceae]

Korean name (Romanization)	English name Scientific name
담자리참꽃 (Dam-ja-ri-cham-kkot)	<b>Alpine lapland rosebay</b> <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> var. <i>alpinum</i> (Glehn) T.Yamaz.
담쟁이덩굴 (Dam-jaeng-i-deong-gul)	<b>Boston ivy</b> <i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.
담쟁이덩굴속 [포도과] (Dam-jaeng-i-deong-gul-sok)	<b>Creeper, Virginia creeper</b> <i>Parthenocissus</i> Planch. [Vitaceae]
담풀수 (Dam-pal-su)	<b>Wild dampalsu trees</b> <i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i> (Thunb.) H.Hara
담풀수과 (Dam-pal-su-gwa)	<b>Elaeocarpus family</b> <i>Elaeocarpaceae</i> Juss.
담풀수속 [담풀수과] (Dam-pal-su-sok)	<b>Elaeocarpus</b> <i>Elaeocarpus</i> L. [Elaeocarpaceae]
당개서어나무 (Dang-gae-seo-eo-na-mu)	<b>Short-calyx Asian hornbeam</b> <i>*Carpinus tschonoskii</i> var. <i>brevicalycina</i> Nakai ex Kawamoto
당개지자  (Dang-gae-ji-chi)	<b>Dropping bell flower</b> <i>Brachybotrys paridiformis</i> Maxim. ex Oliv.
당개지자속 [자치과] (Dang-gae-ji-chi-sok)	<b>Brachybotrys</b> <i>Brachybotrys</i> Maxim. ex Oliv. [Boraginaceae]
당광나무 (Dang-gwang-na-mu)	<b>Glossy privet</b> <i>Ligustrum lucidum</i> W.T.Aiton
당귀속 [산형과] (Dang-gwi-sok)	<b>Angelica</b> <i>Angelica</i> L. [Apiaceae]
당근속 [산형과] (Dang-geun-sok)	<b>Wild carrot</b> <i>Daucus</i> L. [Apiaceae]
당느릅나무 (Dang-neu-reup-na-mu)	<b>David's elm</b> <i>Ulmus davidiana</i> Planch. ex DC.
당단풍나무 (Dang-dan-pung-na-mu)	<b>Korean maple</b> <i>Acer pseudosieboldianum</i> (Pax) Kom.
당마가목 (Dang-ma-ga-mok)	<b>Amur mountain ash</b> <i>Sorbus amurensis</i> Koehne
당매자나무 (Dang-mae-ja-na-mu)	<b>Chinese barberry</b> <i>Berberis poiretii</i> C.K.Schneid.

Korean name (Romanization)	English name Scientific name
당버들 (Dang-beo-deul)	<b>Simon's poplar</b> <i>Populus simonii</i> Carrière
당분취 (Dang-bun-chwi)	<b>Tall woolly saussurea</b> <i>Saussurea tanakae</i> Franch. & Sav. ex Maxim.
당삽주 (Dang-sap-ju)	<b>Korean atracylodes</b> <i>Atractylodes koreana</i> (Nakai) Kitam.
당양지꽃 (Dang-yang-ji-kkot)	<b>Wrinkled cinquefoil</b> <i>Potentilla rugulosa</i> Kitag.
당잔대 (Dang-jan-dae)	<b>Upright ladybell</b> <i>Adenophora stricta</i> Miq.
당조팝나무 (Dang-jo-pap-na-mu)	<b>Chinese spiraea</b> <i>Spiraea chinensis</i> Maxim.
당키버들 (Dang-ki-beo-deul)	<b>Smith's purple willow</b> <i>Salix purpurea</i> var. <i>smithiana</i> Trautv.
당회잎나무 (Dang-hoe-ip-na-mu)	<b>Cork spindletree</b> <i>Euonymus alatus</i> f. <i>apterus</i> (Regel) Rehder
닻꽃 (Dat-kkot)	<b>Corniculate spurred gentian</b> <i>Halenia corniculata</i> (L.) Cornaz
닻꽃속 [용담과] (Dat-kkot-sok)	<b>Spurred gentian</b> <i>Halenia</i> Borkh. [Gentianaceae]
대가래 (Dae-ga-rae)	<b>Bamboo-leaf pondweed</b> <i>Potamogeton malaianus</i> Miq.
대구돌나물 (Dae-gu-dol-na-mul)	<b>Water pygmyweed</b> <i>Tillaea aquatica</i> L.
대구돌나물속 [돌나물과] (Dae-gu-dol-na-mul-sok)	<b>Pygmyweed</b> <i>Tillaea</i> L. [Crassulaceae]
대구사초 (Dae-gu-sa-cho)	<b>Pax's sedge</b> <i>Carex paxii</i> Kük.
대구으아리 (Dae-gu-eu-a-ri)	<b>Daegu clematis</b> <i>Clematis taeguensis</i> Y.N.Lee
대극 (Dae-geuk)	<b>Common spurge</b> <i>Euphorbia pekinensis</i> Rupr.

Korean name (Romanization)	English name Scientific name
대극과 (Dae-geuk-gwa)	<b>Spurge family</b> Euphorbiaceae Juss.
대극속 [대극과] (Dae-geuk-sok)	<b>Spurge</b> <i>Euphorbia</i> L. [Euphorbiaceae]
대나물 (Dae-na-mul)	<b>Manchurian baby's-breath</b> <i>Gypsophila oldhamiana</i> Miq.
대나물속 [석죽과] (Dae-na-mul-sok)	<b>Baby's-breath</b> <i>Gypsophila</i> L. [Caryophyllaceae]
대동여뀌 (Dae-dong-yeo-kkwi)	<b>Dwarf smartweed</b> <i>Persicaria erectominor</i> var. <i>koreensis</i> (Nakai) H.Ito
대마참나물 (Dae-ma-cham-na-mul)	<b>South tilingia</b> <i>Tilingia tsusimensis</i> (Y.Yabe) Kitag.
대만피 (Dae-man-pi)	<b>Hairless barnyard grass</b> <i>Echinochloa glabrescens</i> Munro ex Hook.f.
대반하 (Dae-ban-ha)	<b>Green dragon</b> <i>Pinellia tripartita</i> (Blume) Schott
대사초 (Dae-sa-cho)	<b>Creeping broad-leaf sedge</b> <i>Carex siderosticta</i> Hance
대새풀 (Dae-sae-pul)	<b>Hackel's cleistogenes</b> <i>Cleistogenes hackelii</i> (Honda) Honda
대새풀속 [벼과] (Dae-sae-pul-sok)	<b>Cleistogenes</b> <i>Cleistogenes</i> Keng [Poaceae]
대성쓴풀 (Dae-seong-sseun-pul)	<b>Dichotomous swertia</b> <i>Anagallidium dichotomum</i> (L.) Griseb.
대성쓴풀속 [용담과] (Dae-seong-sseun-pul-sok)	<b>Anagallidium</b> <i>Anagallidium</i> Griseb. [Gentianaceae]
대송이풀 (Dae-song-i-pul)	<b>Moor king lousewort</b> <i>Pedicularis sceptrumcarolinum</i> L.
대암개발나물 (Dae-am-gae-bal-na-mul)	<b>Heterophylloous water parsnip</b> <i>Sium heterophyllum</i> Y.N.Lee
대암사초 (Dae-am-sa-cho)	<b>Creeping sedge</b> <i>Carex chordorrhiza</i> L.f.

Korean name (Romanization)	English name Scientific name
대청 (Dae-cheong)	Dyer's woad <i>Isatis tinctoria</i> L.
대청가시나무 (Dae-cheong-ga-si-na-mu)	Daecheong rose <i>Rosa taisensis</i> Nakai
대청부채 (Dae-cheong-bu-chae)	Vesper iris <i>Iris dichotoma</i> Pall.
대청속 [십자화과] (Dae-cheong-sok)	Bloodgrasses, Woad <i>Isatis</i> L. [Brassicaceae]
대청지치 (Dae-cheong-ji-chi)	Curved-tooth thyrocarpus <i>Thyrocarpus glochidiatus</i> Maxim.
대청지치속 [지치과] (Dae-cheong-ji-chi-sok)	Thyrocarpus <i>Thyrocarpus</i> Hance [Boraginaceae]
대추나무속 [갈매나무과] (Dae-chu-na-mu-sok)	Zizyphus <i>Zizyphus</i> Adans. [Rhamnaceae]
대택광이 (Dae-taek-gwang-i)	Fine-point mannagrass <i>Glyceria spiculosa</i> (F.Schmidt) Roshev.
대택비녀골풀 (Dae-taek-bi-nyeo-gol-pul)	Moor rush <i>Juncus stygius</i> L.
대택사초 (Dae-taek-sa-cho)	Mud sedge <i>Carex limosa</i> L.
대택소구나물 (Dae-taek-so-gwi-na-mul)	Floating arrowhead <i>Sagittaria natans</i> Pall.
대팻집나무 (Dae-paet-jip-na-mu)	Macropoda holly <i>Ilex macropoda</i> Miq.
대황속 [마디풀과] (Dae-hwang-sok)	Rhubarb <i>Rheum</i> L. [Polygonaceae]
대홍란 (Dae-heung-ran)	Big-root cymbidium <i>Cymbidium macrorhizon</i> Lindl.
댑싸리속 [명아주과] (Daep-ssa-ri-sok)	Smotherweed <i>Kochia</i> Roth [Chenopodiaceae]
댕강나무 (Daeng-gang-na-mu)	Maengsan abelia <i>Abelia mosanensis</i> T.H.Chung ex Nakai

Korean name (Romanization)	English name Scientific name
댕강나무속 [인동과] (Daeng-gang-na-mu-sok)	<b>Abelia</b> <i>Abelia</i> R.Br. [Caprifoliaceae]
댕댕이나무 (Daeng-daeng-i-na-mu)	<b>Edible deepblue honeysuckle</b> <i>Lonicera caerulea</i> var. <i>edulis</i> Turcz. ex Herder
댕댕이덩굴 (Daeng-daeng-i-deong-gul)	<b>Queen coralbead</b> <i>Cocculus orbiculatus</i> (L.) DC.
댕댕이덩굴속 [새모래덩굴과] (Daeng-daeng-i-deong-gul-sok)	<b>Coralbead</b> <i>Cocculus</i> DC. [Menispermaceae]
더덕 (Deo-deok)	<b>Deodeok (Lance Asiabell, Bonnet bellflower)</b> <i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv.
더덕속 [초롱꽃과] (Deo-deok-sok)	<b>Codonopsis</b> <i>Codonopsis</i> Wall. [Campanulaceae]
더부살이고사리 (Deo-bu-sal-i-go-sa-ri)	<b>Whipcord eyelash fern</b> <i>Polystichum lepidocaulon</i> (Hook.) J.Sm.
더위지기 (Deo-wi-ji-gi)	<b>Gmelin's wormwood</b> <i>Artemisia gmelinii</i> Weber ex Stechm.
덕우기름나물 (Deok-u-gi-reum-na-mul)	<b>Deokwoo hogfennel</b> <i>Peucedanum insolens</i> Kitag.
덕진사초 (Deok-jin-sa-cho)	<b>Gmelin's sedge</b> <i>Carex gmelinii</i> Hook. & Arn.
덜꿩나무 (Deol-kkwong-na-mu)	<b>Leather-leaf viburnum</b> <i>Viburnum erosum</i> Thunb.
덤불꼭두서니 (Deom-bul-kkok-du-seo-ni)	<b>Shrubby Indian madder</b> <i>Rubia cordifolia</i> var. <i>sylvatica</i> Maxim.
덤불노박덩굴 (Deom-bul-no-bak-deong-gul)	<b>Bush oriental bittersweet</b> <i>Celastrus orbiculatus</i> var. <i>sylvestris</i> (Siebold) Nakai ex T.Mori
덤불쑥 (Deom-bul-ssuk)	<b>Red-foot wormwood</b> <i>Artemisia rubripes</i> Nakai
덤불오리나무 (Deom-bul-o-ri-na-mu)	<b>Northeast Asian alder</b> <i>Alnus mandshurica</i> (Callier) Hand.-Mazz.
덤불조팝나무 (Deom-bul-jo-pap-na-mu)	<b>Thin-leaf spiraea</b> <i>Spiraea miyabei</i> Koidz.

Korean name (Romanization)	English name Scientific name
덤불초 (Deom-bul-chwi)	<b>Manchurian saussurea</b> <i>Saussurea manshurica</i> Kom.
덧나무 (Deot-na-mu)	<b>Siebold's red elder</b> <i>Sambucus racemosa</i> subsp. <i>sieboldiana</i> (Blume ex Miq.) H.Hara
덧잎가막살나무 (Deot-ip-ga-mak-sal-na-mu)	<b>Stipulate Wright's viburnum</b> <i>Viburnum wrightii</i> var. <i>stipitatum</i> Nakai
덩굴개별꽃 (Deong-gul-gae-byeol-kkot)	<b>Dwarf false-starwort</b> <i>Pseudostellaria davidiiflora</i> (Franch.) Pax ex Pax & Hoffm.
덩굴곽향 (Deong-gul-gwak-hyang)	<b>Procumbent sticky germander</b> <i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H.Hara
덩굴꽃마리 (Deong-gul-kkot-ma-ri)	<b>Stoloniferous trigonotis</b> <i>Trigonotis icumae</i> (Maxim.) Makino
덩굴닭의장풀 (Deong-gul-dak-ui-jang-pul)	<b>Twining streptolirion</b> <i>Streptolirion volubile</i> Edgew.
덩굴닭의장풀속 [닭의장풀과] (Deong-gul-dak-ui-jang-pul-sok)	<b>Streptolirion</b> <i>Streptolirion</i> Edgew. [Commelinaceae]
덩굴모밀 (Deong-gul-mo-mil)	<b>Creeping smartweed</b> <i>Persicaria chinensis</i> (L.) H.Gross
덩굴민백미꽃 (Deong-gul-min-baek-mi-kkot)	<b>Japanese swallow-wort</b> <i>Cynanchum japonicum</i> (C.Morren & Decne.) Hemsl.
덩굴박주가리 (Deong-gul-bak-ju-ga-ri)	<b>Climbing swallow-wort</b> <i>Cynanchum nipponicum</i> Matsum.
덩굴뱀딸기 (Deong-gul-baem-ttal-gi)	<b>Flagellar cinquefoil</b> <i>Potentilla flagellaris</i> Willd. ex Schlehd.
덩굴별꽃 (Deong-gul-byeol-kkot)	<b>Berry catchfly</b> <i>Silene baccifera</i> (L.) Roth
덩굴별꽃속 [석죽과] (Deong-gul-byeol-kkot-sok)	<b>Cucubalus</b> <i>Cucubalus</i> L. [Caryophyllaceae]
덩굴사초 (Deong-gul-sa-cho)	<b>Creeper-like sedge</b> <i>Carex pseudocuraica</i> F.Schmidt
덩굴옻나무 (Deong-gul-ot-na-mu)	<b>Asian lacquer tree</b> <i>Toxicodendron orientale</i> Greene

Korean name (Romanization)	English name Scientific name
덩굴용담 (Deong-gul-yong-dam)	<b>Climbing gentian</b> <i>Tripterospermum japonicum</i> (Siebold & Zucc.) Maxim.
덩굴용담속 [용담과] (Deong-gul-yong-dam-sok)	<b>Tripterospermum</b> <i>Tripterospermum</i> Blume [Gentianaceae]
덩이뿌리개별꽃 (Deong-i-ppu-ri-gae-byeol-kkot)	<b>Tuberous false-starwort</b> <i>Pseudostellaria bulbosa</i> (Nakai) Ohwi
도깨비바늘 (Do-kkae-bi-ba-neul)	<b>Spanish needle</b> <i>Bidens bipinnata</i> L.
도깨비바늘속 [국화과] (Do-kkae-bi-ba-neul-sok)	<b>Beggarticks, Black jack, Burr marigolds, Cobbler's pegs, Spanish needles, Stickseeds, Tickseeds, Tickseed sunflowers</b> <i>Bidens</i> L. [Asteraceae]
도깨비부채 (Do-kkae-bi-bu-chae)	<b>Rodger's bronze leaf</b> <i>Rodgersia podophylla</i> A.Gray
도깨비부채속 [범의귀과] (Do-kkae-bi-bu-chae-sok)	<b>Rodgersia</b> <i>Rodgersia</i> A.Gray [Saxifragaceae]
도깨비사초 (Do-kkae-bi-sa-cho)	<b>Dickins' sedge</b> <i>Carex dickinsii</i> Franch. & Sav.
도깨비쇠고비 (Do-kkae-bi-soe-go-bi)	<b>Hollyfern</b> <i>Cyrtomium falcatum</i> (L.f.) C.Presl
도깨비엉겅퀴 (Do-kkae-bi-eong-geong-kwi)	<b>Woodland thistle</b> <i>Cirsium schantarensse</i> Trautv. & C.A.Mey.
도꼬로마 (Do-kko-ro-ma)	<b>Tokoro mountain yam</b> <i>Dioscorea tokoro</i> Makino ex Miyabe
도둑놈의갈고리 (Do-duk-nom-ui-gal-go-ri)	<b>Big-leaf tick clover</b> <i>Desmodium podocarpum</i> var. <i>oxyphyllum</i> (DC.) H.Ohashi
도둑놈의갈고리속 [콩과] (Do-duk-nom-ui-gal-go-ri-sok)	<b>Beggar lice, Hitch hikers, Tick clover, Tick-trefoil</b> <i>Desmodium</i> Desv. [Fabaceae]
도라지 (Do-ra-ji)	<b>Balloon-flower</b> <i>Platycodon grandiflorus</i> (Jacq.) A.DC.
도라지모시대 (Do-ra-ji-mo-si-dae)	<b>Big-flower ladybell</b> <i>Adenophora grandiflora</i> Nakai

Korean name (Romanization)	English name Scientific name
도라지속 [초롱꽃과] (Do-ra-ji-sok)	<b>Platycodon</b> <i>Platycodon</i> A.DC. [Campanulaceae]
도랭이피속 [벼과] (Do-raeng-i-pi-sok)	<b>Junegrass</b> <i>Koeleria</i> Pers. [Poaceae]
도랭이사초 (Do-raeng-i-sa-cho)	<b>Ditch sedge</b> <i>Carex albata</i> Boott ex Franch. & Sav.
도랭이피 (Do-raeng-i-pi)	<b>Prairie junegrass</b> <i>Koeleria macrantha</i> (Ledeb.) Schult.
도루박이 (Do-ru-bak-i)	<b>Rooting bulrush</b> <i>Scirpus radicans</i> Schkuhr
독미나리 (Dok-mi-na-ri)	<b>Northern water hemlock</b> <i>Cicuta virosa</i> L.
독미나리속 [산형과] (Dok-mi-na-ri-sok)	<b>Cowbane, Poison parsnip, Water hemlock</b> <i>Cicuta</i> L. [Apiaceae]
독활 (Dok-hwal)	<b>Manchurian angelica</b> <i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y.C.Chu
돈나무 (Don-na-mu)	<b>Australian laurel</b> <i>Pittosporum tobira</i> (Thunb.) W.T.Aiton
돈나무과 (Don-na-mu-gwa)	<b>Pittosporum family</b> Pittosporaceae R.Br.
돈나무속 [돈나무과] (Don-na-mu-sok)	<b>Cheesewood, Pittosporums</b> <i>Pittosporum</i> Banks ex Gaertn. [Pittosporaceae]
돌가시나무 (Dol-ga-si-na-mu)	<b>Wichura's rose</b> <i>Rosa wichuriana</i> Crep. ex Franch. & Sav.
돌갈매나무 (Dol-gal-mae-na-mu)	<b>Little-leaf buckthorn</b> <i>Rhamnus parvifolia</i> Bunge
돌기네모골 (Dol-gi-ne-mo-gol)	<b>Changchaen spikerush</b> * <i>Eleocharis changchaensis</i> Y.C.Oh & G.Y.Lee
돌꽃 (Dol-kkot)	<b>Elongate-leaf rhodiola</b> <i>Rhodiola elongata</i> (Ledeb.) Fisch. & Mey.
돌꽃속 [돌나물과] (Dol-kkot-sok)	<b>Rhodiola</b> <i>Rhodiola</i> L. [Crassulaceae]

Korean name (Romanization)	English name Scientific name
돌나물 (Dol-na-mul)	<b>Stringy stonecrop</b> <i>Sedum sarmentosum</i> Bunge
돌나물과 (Dol-na-mul-gwa)	<b>Stonecrop family</b> Crassulaceae J.St.-Hil.
돌나물속 [돌나물과] (Dol-na-mul-sok)	<b>Stonecrop</b> <i>Sedum L.</i> [Crassulaceae]
돌단풍 (Dol-dan-pung)	<b>Maple-leaf mukdenia</b> <i>Mukdenia rossii</i> (Oliv.) Koidz.
돌단풍속 [범의귀과] (Dol-dan-pung-sok)	<b>Mukdenia</b> <i>Mukdenia</i> Koidz. [Saxifragaceae]
돌담고사리 (Dol-dam-go-sa-ri)	<b>Stone-wall spleenwort</b> <i>Asplenium sarelii</i> Hook.
돌동부 (Dol-dong-bu)	<b>Seashore black-eye cowpea</b> <i>Vigna vexillata</i> var. <i>tsusimensis</i> Matsum.
돌마타리 (Dol-ma-ta-ri)	<b>Rocky golden lace</b> <i>Patrinia rupestris</i> (Pall.) Juss.
돌방풍 (Dol-bang-pung)	<b>Rock carlesia</b> <i>Carlesia sinensis</i> Dunn
돌방풍속 [산형과] (Dol-bang-pung-sok)	<b>Carlesia</b> <i>Carlesia</i> Dunn [Apiaceae]
돌배나무 (Dol-bae-na-mu)	<b>Sand pear</b> <i>Pyrus pyrifolia</i> (Burm.f.) Nakai
돌부채 (Dol-bu-chae)	<b>Korean elephant-ear</b> <i>Bergenia coreana</i> Nakai
돌부채속 [범의귀과] (Dol-bu-chae-sok)	<b>Elephant-ear, Elephant-eared saxifrage, Elephant's ears</b> <i>Bergenia</i> Moench [Saxifragaceae]
돌부채순 (Dol-bu-chae-son)	<b>Round-leaf mukdenia</b> <i>Mukdenia acanthifolia</i> Nakai
돌부추 (Dol-bu-chu)	<b>Korean rocky chive</b> <i>Allium koreanum</i> H.J.Choi & B.U.Oh
돌봉나무 (Dol-ppong-na-mu)	<b>Chinese mulberry</b> <i>Morus cathayana</i> Hemsl.

Korean name (Romanization)	English name Scientific name
돌맹초 (Dol-aeng-cho)	<b>Rock primrose</b> <i>Primula saxatilis</i> Kom.
돌양지꽃 (Dol-yang-ji-kkot)	<b>Korean cinquefoil</b> <i>Potentilla dickinsii</i> Franch. & Sav.
돌외 (Dol-oe)	<b>Five-leaf gynostemma</b> <i>Gynostemma pentaphyllum</i> (Thunb.) Makino
돌외속 [박과] (Dol-oe-sok)	<b>Gynostemma</b> <i>Gynostemma</i> Blume [Cucurbitaceae]
돌잔고사리 (Dol-jan-go-sa-ri)	<b>Rock lace fern</b> <i>Microlepia marginata</i> (Panzer) C.Chr.
돌잔고사리속 [고사리과] (Dol-jan-go-sa-ri-sok)	<b>Palapalai, Lace fern</b> <i>Microlepia</i> C.Presl [Pteridaceae]
돌좀고사리 (Dol-jom-go-sa-ri)	<b>Wall-rue</b> <i>Asplenium ruta-muraria</i> L.
돌지치 (Dol-ji-chi)	<b>Spiny stickseed</b> <i>Lappula heteracantha</i> (Lebed.) Guerke
돌채송화 (Dol-chae-song-hwa)	<b>Rocky moss-rose stonecrop</b> <i>Sedum japonicum</i> Siebold ex Miq.
돌콩 (Dol-kong)	<b>Wild soybean</b> <i>Glycine soja</i> Siebold & Zucc.
돌토끼고사리 (Dol-to-kki-go-sa-ri)	<b>Rigid lace fern</b> <i>Microlepia strigosa</i> (Thunb.) C.Presl
돌피 (Dol-pi)	<b>Barnyard grass</b> <i>Echinochloa crus-galli</i> (L.) P.Beauv.
동강할미꽃 (Dong-gang-hal-mi-kkot)	<b>Donggang pasque-flower</b> <i>Pulsatilla tongkangensis</i> Y.N.Lee & T.C.Lee
동래엉겅퀴 (Dong-rae-eong-geong-kwi)	<b>Dongrae thistle</b> <i>Cirsium toraiense</i> Nakai ex Kitam.
동백나무 (Dong-baek-na-mu)	<b>Common camellia</b> <i>Camellia japonica</i> L.
동백나무겨우살이 (Dong-baek-na-mu-gyeo-u-sal-i)	<b>Oriental korthal mistletoe</b> <i>Korthalsella japonica</i> (Thunb.) Engl.

Korean name (Romanization)	English name Scientific name
동백나무겨우살이속 [겨우살이과] (Dong-baek-na-mu-gyeo-u-sal-i-sok)	<b>Korthal mistletoe</b> <i>Korthalsella Tiegh.</i> [Loranthaceae]
동백나무속 [차나무과] (Dong-baek-na-mu-sok)	<b>Camellia</b> <i>Camellia L.</i> [Theaceae]
동백사초 (Dong-baek-sa-cho)	<b>Livid sedge</b> <i>Carex livida</i> (Wahlenb.) Willd.
동부속 [콩과] (Dong-bu-sok)	<b>Cowpea</b> <i>Vigna Savi</i> [Fabaceae]
동아나자스말 (Dong-a-na-ja-seu-mal)	<b>Asian water-nymph</b> <i>Najas chinensis</i> N.Z.Wang
동의나물 (Dong-ui-na-mul)	<b>Marsh marigold</b> <i>Caltha palustris</i> L.
동의나물속 [미나리아재비과] (Dong-ui-na-mul-sok)	<b>Marsh marigold</b> <i>Caltha L.</i> [Ranunculaceae]
동자꽃 (Dong-ja-kkot)	<b>Orange campion</b> <i>Lychnis cognata</i> Maxim.
동자꽃속 [석죽과] (Dong-ja-kkot-sok)	<b>Campion</b> <i>Lychnis L.</i> [Caryophyllaceae]
된장풀 (Doen-jang-pul)	<b>Caudate tick clover</b> <i>Desmodium caudatum</i> (Thunb.) DC.
두루미꽃 (Du-ru-mi-kkot)	<b>Two-leaf beadrbuby</b> <i>Maianthemum bifolium</i> (L.) F.W.Schmidt
두루미꽃속 [백합과] (Du-ru-mi-kkot-sok)	<b>False lily of the valley, Mayflower</b> <i>Maianthemum</i> F.H.Wigg. [Liliaceae]
두루미천남성 (Du-ru-mi-cheon-nam-seong)	<b>Diverse-leaf jack-in-the-pulpit</b> <i>Arisaema heterophyllum</i> Blume
두릅나무 (Du-reup-na-mu)	<b>Korean angelica tree</b> <i>Aralia elata</i> (Miq.) Seem.
두릅나무과 (Du-reup-na-mu-gwa)	<b>Aralia family</b> Araliaceae Juss.
두릅나무속 [두릅나무과] (Du-reup-na-mu-sok)	<b>Spikenard</b> <i>Aralia L.</i> [Araliaceae]

Korean name (Romanization)	English name Scientific name
두메갈퀴 (Du-me-gal-kwi)	<b>Montane bedstraw</b> <i>Galium paradoxum</i> Maxim.
두메개고사리 (Du-me-gae-go-sa-ri)	<b>High-mountain ladyfern</b> <i>Athyrium spinulosum</i> (Maxim.) Milde
두메고들빼기 (Du-me-go-deul-ppae-gi)	<b>Triangular lettuce</b> <i>Lactuca triangulata</i> Maxim.
두메고사리 (Du-me-go-sa-ri)	<b>Mountain twinsorus fern</b> <i>Diplazium sibiricum</i> (Turcz. ex Kunze) Sa.Kurata
두메기름나물 (Du-me-gi-reum-na-mul)	<b>Korean hogfennel</b> <i>Peucedanum coreanum</i> Nakai
두메김의털 (Du-me-gim-ui-teol)	<b>Alpine sheep's fescue</b> <i>Festuca ovina</i> var. <i>koreanoalpina</i> Ohwi
두메꿀풀 (Du-me-kkul-pul)	<b>Alpine self-heal</b> <i>Prunella vulgaris</i> var. <i>aleutica</i> Fernald
두메꿩의밥 (Du-me-kkhwong-ui-bap)	<b>Montane woodrush</b> <i>Luzula sudetica</i> var. <i>pauciflora</i> Nakai
두메냉이 (Du-me-naeng-i)	<b>Baedusun bittercress</b> <i>Cardamine changbaiana</i> Al-Shehbaz
두메닥나무 (Du-me-dak-na-mu)	<b>Mountain daphne</b> <i>Daphne pseudomezereum</i> var. <i>koreana</i> (Nakai) Hamaya
두메담배풀 (Du-me-dam-bae-pul)	<b>Alpine carpesium</b> <i>Carpesium triste</i> Maxim.
두메당근 (Du-me-dang-geun)	<b>Montane angelica</b> <i>Angelica florentii</i> Franch. & Sav. ex Maxim.
두메대극 (Du-me-dae-geuk)	<b>Korean mountain spurge</b> <i>Euphorbia fauriei</i> H.Lév. & Vaniot ex H.Lév.
두메미꾸리광이 (Du-me-mi-kku-ri-gwang-i)	<b>Aleutian mannagrass</b> <i>Glyceria alnasteretum</i> Kom.
두메바늘꽃 (Du-me-ba-neul-kkot)	<b>Angular willowherb</b> <i>Epilobium angulatum</i> Kom.
두메부추 (Du-me-bu-chu)	<b>Aging chive</b> <i>Allium senescens</i> L.

Korean name (Romanization)	English name Scientific name
두메분취 (Du-me-bun-chwi)	<b>Montane woolly saussurea</b> <i>Saussurea tomentosa</i> Kom.
두메애기풀 (Du-me-ae-gi-pul)	<b>Asian milkwort</b> <i>Polygala sibirica</i> L.
두메양귀비 (Du-me-yang-gwi-bi)	<b>Montane poppy</b> <i>Papaver radicatum</i> var. <i>pseudoradicatum</i> (Kitag.) Kitag.
두메오리나무 (Du-me-o-ri-na-mu)	<b>Montane alder</b> <i>Alnus maximowiczii</i> Callier
두메오이풀 (Du-me-o-i-pul)	<b>Alpine burnet</b> <i>Sanguisorba obtusa</i> Maxim.
두메우드풀 (Du-me-u-deu-pul)	<b>Rusty woodsia</b> <i>Woodsia ilvensis</i> (L.) R.Br.
두메자운 (Du-me-ja-un)	<b>Mountain locoweed</b> <i>Oxytropis anertii</i> Nakai ex Kitag.
두메자운속 [콩과] (Du-me-ja-un-sok)	<b>Locoweed</b> <i>Oxytropis</i> DC. [Fabaceae]
두메잔대 (Du-me-jan-dae)	<b>Lamark's ladybell</b> <i>Adenophora lamarckii</i> Fisch.
두메취 (Du-me-chwi)	<b>Highland saussurea</b> <i>Saussurea triangulata</i> Trautv. & Mey.
두메층층이 (Du-me-cheung-cheung-i)	<b>Small-flower mountain calamint</b> <i>Clinopodium micranthum</i> (Regel) H.Hara
두메탑풀 (Du-me-tap-pul)	<b>Alpine calamint</b> <i>Clinopodium sachalinense</i> (F.Schmidt) Koidz.
두메투구꽃 (Du-me-tu-gu-kkot)	<b>High-mountain speedwell</b> <i>Veronica stelleri</i> var. <i>longistyla</i> Kitag.
두메포아풀 (Du-me-po-a-pul)	<b>Mountain bluegrass</b> <i>Poa malacantha</i> var. <i>shinanoana</i> (Ohwi) Ohwi
두메홍고불나무 (Du-me-hong-goe-bul-na-mu)	<b>Montane honeysuckle</b> <i>Lonicera maximowiczii</i> (Rupr.) Regel
두메황새풀 (Du-me-hwang-sae-pul)	<b>Mountain cottonsedge</b> <i>Eriophorum japonicum</i> Maxim.

Korean name (Romanization)	English name Scientific name
두잎감자난초 (Du-ip-gam-ja-nan-cho)	<b>Two-leaf oreorchis</b> <i>Oreorchis coreana</i> Finet
두잎약난초 (Du-ip-yak-nan-cho)	<b>Two-leaf cremastra</b> <i>Cremastra unguiculata</i> (Finet) Finet
동굴레 (Dung-gul-re)	<b>Lesser solomon's seal</b> <i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi
동굴레속 [백합과] (Dung-gul-re-sok)	<b>King solomon's-seal, Solomon's seal</b> <i>Polygonatum</i> Mill. [Liliaceae]
둥근검바늘꼴 (Dung-geun-geom-ba-neul-gol)	<b>Ovate spikerush</b> <i>Eleocharis ovata</i> (Roth) Roem. & Schult.
둥근매듭풀 (Dung-geun-mae-deup-pul)	<b>Korean clover</b> <i>Kummerowia stipulacea</i> (Maxim.) Makino
둥근미선나무 (Dung-geun-mi-seon-na-mu)	<b>Round-fruit miseonnamu (Round-fruit abeliophyllum)</b> * <i>Abeliophyllum distichum</i> var. <i>rotundicarpum</i> T.B.Lee
둥근바위솔 (Dung-geun-ba-wi-sol)	<b>Spatulate rock pine</b> <i>Orostachys malacophylla</i> (Pall.) Fisch.
둥근배암차즈기 (Dung-geun-bae-am-cha-jeu-gi)	<b>East Asian sage</b> <i>Salvia japonica</i> Thunb.
둥근볍꼬리 (Dung-geun-beom-kko-ri)	<b>Globose-spike bistort</b> <i>Bistorta globispica</i> Nakai
둥근산꼬리풀 (Dung-geun-san-kko-ri-pul)	<b>Round-leaf spike speedwell</b> <i>Veronica rotunda</i> Nakai
둥근산부추 (Dung-geun-san-bu-chu)	<b>Terete-leaf Thunberg's chive</b> <i>Allium thunbergii</i> var. <i>teretifolium</i> H.J.Choi & B.U.Oh
둥근오리방풀 (Dung-geun-o-ri-bang-pul)	<b>Korean tailed-leaf isodon</b> <i>Isodon excisus</i> var. <i>coreanus</i> T.B.Lee
둥근이질풀 (Dung-geun-i-jil-pul)	<b>Korean cranesbill</b> <i>Geranium koreanicum</i> Kom.
둥근인가목 (Dung-geun-in-ga-mok)	<b>Burnet rose</b> <i>Rosa pimpinellifolia</i> L.
둥근잎개야광 (Dung-geun-ip-gae-ya-gwang)	<b>Common cotoneaster</b> <i>Cotoneaster integerrima</i> Medik.

Korean name (Romanization)	English name Scientific name
등근잎고추풀 (Dung-geun-ip-go-chu-pul)	Ovate-leaf deinostema <i>Deinostema adenocaulum</i> (Maxim.) T.Yamaz.
등근잎광나무 (Dung-geun-ip-gwang-na-mu)	Round wax-leaf privet <i>Ligustrum japonicum</i> var. <i>rotundifolium</i> Blume
등근잎꿩의비름 (Dung-geun-ip-kkwong-ui-bi-reum)	Round-leaf hylotelephium <i>Hylotelephium ussurense</i> (Kom.) H.Ohba
등근잎녹나무 (Dung-geun-ip-nok-na-mu)	Round-leaf camphor tree <i>Cinnamomum camphora</i> var. <i>cyclophyllum</i> Nakai
등근잎다정큼 (Dung-geun-ip-da-jeong-keum)	Round-leaf Indian hawthorn <i>Rhaphiolepis indica</i> var. <i>integerrima</i> (Hook. & Arn.) Kitam.
등근잎댕댕이 (Dung-geun-ip-daeng-daeng-i)	Ovate-leaf deepblue honeysuckle <i>Lonicera caerulea</i> var. <i>venulosa</i> (Maxim.) Rehder
등근잎명아주 (Dung-geun-ip-myeong-a-ju)	Acuminate goosefoot <i>Chenopodium acuminatum</i> Willd.
등근잎비름 (Dung-geun-ip-bi-reum)	Round-leaf stonecrop <i>Sedum makinoi</i> Maxim.
등근잎생강나무 (Dung-geun-ip-saeng-gang-na-mu)	Ovate blunt-lobe spicebush * <i>Lindera obtusiloba</i> f. <i>ovata</i> T.B.Lee
등근잎섬취똥나무 (Dung-geun-ip-seom-jwi-ttong-na-mu)	Oval-leaf Korean privet <i>Ligustrum foliosum</i> f. <i>ovale</i> Nakai
등근잎염주나무 (Dung-geun-ip-yeom-ju-na-mu)	Round-leaf beads linden <i>Tilia megaphylla</i> f. <i>subintegra</i> Nakai
등근잎조팝나무 (Dung-geun-ip-jo-pap-na-mu)	White spiraea <i>Spiraea betulifolia</i> Pall.
등근잎참빗살나무 (Dung-geun-ip-cham-bit-sal-na-mu)	Jejudo spindletree <i>Euonymus quelpaertensis</i> Nakai
등근잎천남성 (Dung-geun-ip-cheon-nam-seong)	Amur jack-in-the-pulpit <i>Arisaema amurense</i> Maxim.
등근잎택사 (Dung-geun-ip-taek-sa)	Parnassus-leaf caldesia <i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.
등근잎택사속 [택사과] (Dung-geun-ip-taek-sa-sok)	Caldesia <i>Caldesia</i> Parl. [Alismataceae]

Korean name (Romanization)	English name Scientific name
등근잔대 (Dung-geun-jan-dae)	<b>Round-leaf ladybell</b> <i>Adenophora coronopifolia</i> Fisch.
등근털제비꽃 (Dung-geun-teol-je-bi-kkot)	<b>Hill violet</b> <i>Viola collina</i> Besser
등근하늘지기 (Dung-geun-ha-neul-ji-gi)	<b>Globose fimbriстиlis</b> <i>Fimbristylis umbellaris</i> (Lam.) Vahl
드렁방동사니 (Deu-reong-bang-dong-sa-ni)	<b>Yellow flatsedge</b> <i>Cyperus flavidus</i> (Retz.) T.Koyama
드렁새 (Deu-reong-sae)	<b>Asian sprangletop</b> <i>Leptochloa chinensis</i> (L.) Nees
드렁새속 [벼과] (Deu-reong-sae-sok)	<b>Sprangletop</b> <i>Leptochloa</i> P.Beauv. [Poaceae]
드문고사리 (Deu-mun-go-sa-ri)	<b>Loosely-leaf marsh fern</b> <i>Metathelypteris laxa</i> (Franch. & Sav.) Ching
드문고사리속 [면마과] (Deu-mun-go-sa-ri-sok)	<b>Metathelypteris</b> <i>Metathelypteris</i> (H.Itô) Ching [Dryopteridaceae]
들깨풀 (Deul-kkae-pul)	<b>Purplish field mosla</b> <i>Mosla punctulata</i> (J.F.Gmelin) Nakai
들떡쑥 (Deul-tteok-ssuk)	<b>Northern edelweiss</b> <i>Leontopodium leontopodioides</i> (Willd.) Beauverd
들메나무 (Deul-me-na-mu)	<b>Manchurian ash</b> <i>Fraxinus mandshurica</i> Rupr.
들바람꽃 (Deul-ba-ram-kkot)	<b>Amur anemone</b> <i>Anemone amurensis</i> (Korsh.) Kom.
들배나무 (Deul-bae-na-mu)	<b>Field Ussuri pear</b> <i>Pyrus uyematsuana</i> Makino
들벼들 (Deul-beo-deul)	<b>Meadow little willow</b> <i>Salix subopposita</i> Miq.
들사초 (Deul-sa-cho)	<b>Needle-leaf sedge</b> <i>Carex duriuscula</i> C.A.Mey.
들새풀 (Deul-sae-pul)	<b>Heteroglumous reedgrass</b> <i>Calamagrostis heterogluma</i> (Nakai) Honda

Korean name (Romanization)	English name Scientific name
들지치 (Deul-ji-chi)	<b>European stickseed</b> <i>Lappula echinata</i> (L.) Gilib.
들지치속 [지치과] (Deul-ji-chi-sok)	<b>Stickseed</b> <i>Lappula</i> Moench [Boraginaceae]
들쭉나무 (Deul-jjuk-na-mu)	<b>Bog blueberry</b> <i>Vaccinium uliginosum</i> L.
들통발 (Deul-tong-bal)	<b>Asian golden bladderwort</b> <i>Utricularia pilosa</i> (Makino) Makino
들하늘자기 (Deul-ha-neul-ji-gi)	<b>Field flat fimbriстиlis</b> <i>Fimbristylis pierottii</i> Miq.
들현호색 (Deul-hyeon-ho-saek)	<b>Pink corydalis</b> <i>Corydalis ternata</i> (Nakai) Nakai
등 (Deung)	<b>Japanese wisteria</b> <i>Wisteria floribunda</i> (Willd.) DC.
등갈퀴나물 (Deung-gal-kwi-na-mul)	<b>Turfed vetch</b> <i>Vicia cracca</i> L.
등골나물 (Deung-gol-na-mul)	<b>Fragrant eupatorium</b> <i>Eupatorium japonicum</i> Thunb.
등골나물속 [국화과] (Deung-gol-na-mul-sok)	<b>Boneset, Snakeroot, Thoroughwort</b> <i>Eupatorium</i> L. [Asteraceae]
등대시호 (Deung-dae-si-ho)	<b>Big-bract hare's ear</b> <i>Bupleurum euphorbiooides</i> Nakai
등대풀 (Deung-dae-pul)	<b>Madwoman's milk</b> <i>Euphorbia helioscopia</i> L.
등속 [콩과] (Deung-sok)	<b>Wisteria</b> <i>Wisteria</i> Nutt. [Fabaceae]
등수국 (Deung-su-guk)	<b>Climbing hydrangea</b> <i>Hydrangea petiolaris</i> Siebold & Zucc.
등심붓꽃속 [붓꽃과] (Deung-sim-but-kkot-sok)	<b>Blue-eye grass</b> <i>Sisyrinchium</i> L. [Iridaceae]
등예풀 (Deung-e-pul)	<b>Horsefly's eye</b> <i>Dopatrium junceum</i> (Roxb.) Buch.-Ham. ex Benth.

Korean name (Romanization)	English name Scientific name
등에풀속 [현삼과] (Deung-e-pul-sok)	<b>Dopatrium</b> <i>Dopatrium</i> Buch.-Ham. ex Benth. [Scrophulariaceae]
등칡 (Deung-chik)	<b>Manchurian pipevine</b> <i>Aristolochia manshuriensis</i> Kom.
등포잎가래 (Deung-po-ip-ga-rae)	<b>Eight-stamen pondweed</b> <i>Potamogeton octandrus</i> var. <i>mizuhikimo</i> (Makino) H.Hara
등포풀 (Deung-po-pul)	<b>Water mudwort</b> <i>Limosella aquatica</i> L.
등포풀속 [현삼과] (Deung-po-pul-sok)	<b>Mudwort</b> <i>Limosella</i> L. [Scrophulariaceae]
딱지꽃 (Ttak-ji-kkot)	<b>East Asian cinquefoil</b> <i>Potentilla chinensis</i> Ser.
딱총나무 (Ttak-chong-na-mu)	<b>Northeast Asian red elder</b> <i>Sambucus williamsii</i> Hance
딱총나무속 [인동과] (Ttak-chong-na-mu-sok)	<b>Elder, Elderberry</b> <i>Sambucus</i> L. [Caprifoliaceae]
딸기속 [장미과] (Ttal-gi-sok)	<b>Strawberry</b> <i>Fragaria</i> L. [Rosaceae]
땃두릅나무 (Ttat-du-reup-na-mu)	<b>Tall olopanax</b> <i>Olopanax elatus</i> (Nakai) Nakai
땃두릅나무속 [두릅나무과] (Ttat-du-reup-na-mu-sok)	<b>Olopanax</b> <i>Olopanax</i> (Torr. & A.Gray) Miq. [Araliaceae]
땃딸기 (Ttat-ttal-gi)	<b>Northeast Asian wild strawberry</b> <i>Fragaria yezoensis</i> H.Hara
땅괭이싸리 (Ttang-gwaeng-i-ssa-ri)	<b>Hair-spreading lespedeza</b> <i>Lespedeza × patentihirta</i> T.B.Lee
땅귀개 (Ttang-gwi-gae)	<b>Bifid bladderwort</b> <i>Utricularia bifida</i> L.
땅나리 (Ttang-na-ri)	<b>Slim-stem lily</b> <i>Lilium callosum</i> Siebold & Zucc.
땅비수리 (Ttang-bi-su-ri)	<b>Juncea lespedeza</b> <i>Lespedeza juncea</i> (L.f.) Pers.

Korean name (Romanization)	English name Scientific name
땅비싸리 (Ttang-bissa-ri)	<b>Kirilow's indigo</b> <i>Indigofera kirilowii</i> Maxim. ex Palib.
땅비싸리속 [콩과] (Ttang-bissa-ri-sok)	<b>Indigo</b> <i>Indigofera</i> L. [Fabaceae]
땅빈대 (Ttang-bin-dae)	<b>Humifuse spurge</b> <i>Euphorbia humifusa</i> Willd. ex Schltdl.
땅채송화 (Ttang-chae-song-hwa)	<b>Coastal moss-like stonecrop</b> <i>Sedum oryzifolium</i> Makino
때죽나무 (Ttae-juk-na-mu)	<b>Snowbell tree</b> <i>Styrax japonicus</i> Siebold & Zucc.
때죽나무과 (Ttae-juk-na-mu-gwa)	<b>Styrax family</b> Styracaceae DC. & Spreng.
때죽나무속 [때죽나무과] (Ttae-juk-na-mu-sok)	<b>Snowbell, Styrax</b> <i>Styrax</i> L. [Styracaceae]
떡갈나무 (Tteok-gal-na-mu)	<b>Korean oak</b> <i>Quercus dentata</i> Thunb.
떡갈줄참나무 (Tteok-gal-jol-cham-na-mu)	<b>Dentata × aliena × serrata hybrid oak</b> * <i>Quercus × mccormickoserrata</i> T.B.Lee
떡갈참나무 (Tteok-gal-cham-na-mu)	<b>Dentata × aliena hybrid oak</b> <i>Quercus × mccormickii</i> Carruth.
떡벼들 (Tteok-beo-deul)	<b>Hallasan willow</b> <i>Salix hallasanensis</i> H.Lév.
떡사스레피나무 (Tteok-sa-seu-re-pi-na-mu)	<b>Yellow East Asian eurya</b> <i>Eurya japonica</i> var. <i>aureescens</i> Redde & E.H.Wilson
떡속소리나무 (Tteok-sok-so-ri-na-mu)	<b>Fabre's oak</b> <i>Quercus × fabri</i> Hance
떡신갈나무 (Tteok-sin-gal-na-mu)	<b>Dentata × mongolica hybrid oak</b> <i>Quercus × dentatomongolica</i> Nakai
떡신갈참나무 (Tteok-sin-gal-cham-na-mu)	<b>Dentata × mongolica × aliena hybrid oak</b> * <i>Quercus × mccormickomongolica</i> T.B.Lee
떡신줄참나무 (Tteok-sin-jol-cham-na-mu)	<b>Dentata × mongolica × serrata hybrid oak</b> * <i>Quercus × dentatoserratooides</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
떡쑥 (Tteok-ssuk)	<b>Jersey cudweed</b> <i>Pseudognaphalium affine</i> (D.Don) Anderb.
떡쑥속 (Tteok-ssuk-sok)	<b>Cudweeds</b> <i>Pseudognaphalium</i> Kirp. & Kuprian. [Asteraceae]
떡오리나무 (Tteok-o-ri-na-mu)	<b>Northern alder</b> <i>Alnus borealis</i> Koidz.
떡윤노리나무 (Tteok-yun-no-ri-na-mu)	<b>Brown oriental photinia</b> <i>Pourthiaea villosa</i> var. <i>brunnea</i> (H.Lév.) Nakai
떡잎골무꽃 (Tteok-ip-gol-mu-kkot)	<b>Thick-leaf Indian skullcap</b> <i>Scutellaria indica</i> var. <i>tsusimensis</i> (H.Hara) Ohwi
떡잎산수국 (Tteok-ip-san-su-guk)	<b>Korean hydrangea</b> <i>Hydrangea serrata</i> f. <i>coreana</i> (Nakai) T.B.Lee
떡조팝나무 (Tteok-jo-pap-na-mu)	<b>Thick-leaf summer spiraea</b> <i>Spiraea chartacea</i> Nakai
뚜껑덩굴 (Ttu-kkeong-deong-gul)	<b>Lobed actinostemma</b> <i>Actinostemma lobatum</i> (Maxim.) Maxim.
뚜껑덩굴속 [박과] (Ttu-kkeong-deong-gul-sok)	<b>Actinostemma</b> <i>Actinostemma</i> Griff. [Cucurbitaceae]
뚜껑별꽃 (Ttu-kkeong-byeol-kkot)	<b>Blue-scarlet pimpernel</b> <i>Anagallis arvensis</i> L.
뚜껑별꽃속 [앵초과] (Ttu-kkeong-byeol-kkot-sok)	<b>Pimpernel</b> <i>Anagallis</i> L. [Primulaceae]
똑갈 (Ttuk-gal)	<b>White-flower golden lace</b> <i>Patrinia villosa</i> (Thunb.) Juss.
똑사초 (Ttuk-sa-cho)	<b>Appendicular sedge</b> <i>Carex thunbergii</i> var. <i>appendiculata</i> (Trautv. & C.A.Mey.) Ohwi
똑새풀 (Ttuk-sae-pul)	<b>Short-awn foxtail grass</b> <i>Alopecurus aequalis</i> Sobol.
똑새풀속 [벼과] (Ttuk-sae-pul-sok)	<b>Foxtail, Foxtail grass</b> <i>Alopecurus</i> L. [Poaceae]
똑지치 (Ttuk-ji-chi)	<b>Nodding stickseed</b> <i>Hackelia deflexa</i> (Wahlenb.) Opiz

Korean name (Romanization)	English name Scientific name
뚝지치속 [지치과] (Ttuk-ji-chi-sok)	<b>Hackelia</b> <i>Hackelia Opiz</i> [Boraginaceae]
뚝향나무 (Ttuk-hyang-na-mu)	<b>Horizontal Chinese juniper</b> <i>Juniperus chinensis</i> var. <i>horizontalis</i> Nakai ex Uyeki
띠 (Tti)	<b>Blady grass</b> <i>Imperata cylindrica</i> (L.) P.Beauv.
띠속 [벼과] (Tti-sok)	<b>Satintail</b> <i>Imperata Cirillo</i> [Poaceae]

**☲**

라프랜드새풀 (Ra-peu-raen-deu-sae-pul)	<b>Lapland reedgrass</b> <i>Calamagrostis lapponica</i> (Wahlenb.) Hartm.
레만사초 (Re-man-sa-cho)	<b>Lehman's sedge</b> <i>Carex lehmannii</i> Drejer
레분복주머니란 (Re-bun-bok-ju-meo-ni-ran)	<b>Rebun big-flower lady's slipper</b> <i>Cypripedium macranthos</i> f. <i>rebunense</i> (Kudô) Ohwi
린네풀 (Rin-ne-pul)	<b>Twinflower</b> <i>Linnaea borealis</i> L.
린네풀속 [인동과] (Rin-ne-pul-sok)	<b>Twinflower</b> <i>Linnaea</i> L. [Caprifoliaceae]

**▣**

마 (Ma)	<b>Chinese yam</b> <i>Dioscorea polystachya</i> Turcz.
마가목 (Ma-ga-mok)	<b>Silvery mountain ash</b> <i>Sorbus commixta</i> Hedl.
마가목속 [장미과] (Ma-ga-mok-sok)	<b>Mountain ash</b> <i>Sorbus</i> L. [Rosaceae]
마고 (Ma-gwa)	<b>Yam family</b> <i>Dioscoreaceae</i> R.Br.
마디꽃 (Ma-di-kkot)	<b>Indian rotala</b> <i>Rotala indica</i> (Willd.) Koehne

근

口

Korean name (Romanization)	English name Scientific name
마디꽃속 [부처꽃과] (Ma-di-kkot-sok)	<b>Rotala</b> <i>Rotala</i> L. [Lythraceae]
마디포아풀 (Ma-di-po-a-pul)	<b>Swollen-node white-top bluegrass</b> <i>Poa acroleuca</i> var. <i>submoniliformis</i> Makino
마디풀 (Ma-di-pul)	<b>Knotweed</b> <i>Polygonum aviculare</i> L.
마디풀과 (Ma-di-pul-gwa)	<b>Buckwheat family</b> <b>Polygonaceae</b> Juss.
마디풀속 [마디풀과] (Ma-di-pul-sok)	<b>Bistort, Knotweed, Knotgrass, Mile-a-minute, Tearthumb</b> <i>Polygonum</i> L. [Polygonaceae]
마름 (Ma-reum)	<b>East Asian water-chestnut</b> <i>Trapa japonica</i> Flerow
마름과 (Ma-reum-gwa)	<b>Water-chestnut family</b> <i>Trapaceae</i> Dumort.
마름속 [마름과] (Ma-reum-sok)	<b>Water-chestnut</b> <i>Trapa</i> L. [Trapaceae]
마삭줄 (Ma-sak-jul)	<b>Asian jasmine</b> <i>Trachelospermum asiaticum</i> (Siebold & Zucc.) Nakai
마삭줄속 [협죽도과] (Ma-sak-jul-sok)	<b>Trachelospermum</b> <i>Trachelospermum</i> Lem. [Apocynaceae]
마속 [마과] (Ma-sok)	<b>Yam</b> <i>Dioscorea</i> L. [Dioscoreaceae]
마전과 (Ma-jeon-gwa)	<b>Pinkroot family</b> <i>Loganiaceae</i> R.Br. ex Mart.
마주잎꾸지나무 (Ma-ju-ip-kku-ji-na-mu)	<b>Opposite-leaf paper mulberry</b> <i>Broussonetia papyrifera</i> f. <i>oppositifolia</i> Nakai
마타리 (Ma-ta-ri)	<b>Golden lace</b> <i>Patrinia scabiosifolia</i> Fisch. ex Trevir.
마타리과 (Ma-ta-ri-gwa)	<b>Valerian family</b> <i>Valerianaceae</i> Batsch
마타리속 [마타리과] (Ma-ta-ri-sok)	<b>Patrinia</b> <i>Patrinia</i> Juss. [Valerianaceae]

Korean name (Romanization)	English name Scientific name
마편초 (Ma-pyeon-cho)	<b>Common verbena</b> <i>Verbena officinalis</i> L.
마편초과 (Ma-pyeon-cho-gwa)	<b>Verbena family</b> Verbenaceae J.St.-Hil.
마편초속 [마편초과] (Ma-pyeon-cho-sok)	<b>Vervain</b> <i>Verbena</i> L. [Verbenaceae]
만년석송 (Man-nyeon-seok-song)	<b>Rare clubmoss</b> <i>Lycopodium obscurum</i> L.
만년콩 (Man-nyeon-kong)	<b>East Asian euchresta</b> <i>Euchresta japonica</i> Hook.f. ex Regel
만년콩속 [콩과] (Man-nyeon-kong-sok)	<b>Euchresta</b> <i>Euchresta</i> Benn. [Fabaceae]
만리화 (Man-ri-hwa)	<b>Early forsythia</b> <i>Forsythia ovata</i> Nakai
만병초 (Man-byeong-cho)	<b>Short-fruit rosebay</b> <i>Rhododendron brachycarpum</i> D.Don ex G.Don
만삼 (Man-sam)	<b>Pilose bellflower</b> <i>Codonopsis pilosula</i> (Franch.) Nannf.
만주거이삭여뀌 (Man-ju-gyeo-i-sak-yeo-kkwi)	<b>Manchurian smartweed</b> <i>Persicaria foliosa</i> (H.Lindb.) Kitag.
만주고로쇠 (Man-ju-go-ro-soe)	<b>Manchurian paint maple</b> <i>Acer pictum</i> var. <i>truncatum</i> (Bunge) C.S.Chang
만주곰솔 (Man-ju-gom-sol)	<b>Manchurian red pine</b> <i>Pinus tabuliformis</i> Carrière
만주논냉이 (Man-ju-non-naeng-i)	<b>Manchurian bittercress</b> <i>Cardamine regeliana</i> var. <i>manshurica</i> (Kom.) Kitag.
만주딱지꽃 (Man-ju-ttak-ji-kkot)	<b>Divided cinquefoil</b> <i>Potentilla multifida</i> L.
만주미나리아재비 (Man-ju-mi-na-ri-a-jae-bi)	<b>Manchurian buttercup</b> <i>Ranunculus grandis</i> Honda
만주바람꽃 (Man-ju-ba-ram-kkot)	<b>Manchurian isopyrum</b> <i>Isopyrum manshuricum</i> (Kom.) Kom.

Korean name (Romanization)	English name Scientific name
만주바람꽃속 [미나리아재비과] (Man-ju-ba-ram-kkot-sok)	<b>Isopyrum</b> <i>Isopyrum</i> L. [Ranunculaceae]
만주붓꽃 (Man-ju-but-kkot)	<b>Manchurian iris</b> <i>Iris mandshurica</i> Maxim.
만주사초 (Man-ju-sa-cho)	<b>Manchurian sedge</b> <i>Carex mandshurica</i> Meinsch.
만주송이풀 (Man-ju-song-i-pul)	<b>Manchurian lousewort</b> <i>Pedicularis mandshurica</i> Maxim.
만주애기마름 (Man-ju-ae-gi-ma-reum)	<b>Manchurian water-chestnut</b> <i>Trapa maximowiczae</i> Korsh.
만주우드풀 (Man-ju-u-deu-pul)	<b>Manchurian woodsia</b> <i>Woodsia manchuriensis</i> Hook.
만주잎갈나무 (Man-ju-ip-gal-na-mu)	<b>Manchurian larch</b> <i>Larix gmelinii</i> var. <i>olgensis</i> (A.Henry) Ostenf. & Syrach
만주잔대 (Man-ju-jan-dae)	<b>Manchurian ladybell</b> <i>Adenophora pereskiiifolia</i> (Fisch. ex Roem. & Schult.) G.Don
만주족도리풀 (Man-ju-jok-do-ri-pul)	<b>Manchurian wildginger</b> <i>Asarum heterotropoides</i> var. <i>mandshuricum</i> (Maxim.) Kitag.
만첩산철쭉 (Man-cheop-san-cheol-jjuk)	<b>Multipetalous Korean azalea</b> <i>Rhododendron yedoense</i> Maxim.
말 (Mal)	<b>Acuminate-leaf pondweed</b> <i>Potamogeton oxyphyllus</i> Miq.
말나리 (Mal-na-ri)	<b>Manchurian turk's-cap lily</b> <i>Lilium distichum</i> Nakai ex Kamib.
말냉이장구채 (Mal-naeng-i-jang-gu-chae)	<b>Night-flowering catchfly</b> <i>Silene noctiflora</i> L.
말똥비름 (Mal-ttong-bi-reum)	<b>Bulbose stonecrop</b> <i>Sedum bulbiferum</i> Makino
말발도리 (Mal-bal-do-ri)	<b>Mongolian deutzia</b> <i>Deutzia parviflora</i> Bunge
말발도리속 [범의귀과] (Mal-bal-do-ri-sok)	<b>Pride-of-rochester</b> <i>Deutzia</i> Thunb. [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
말오줌나무 (Mal-o-jum-na-mu)	<b>Ulleungdo elder</b> <i>Sambucus racemosa</i> subsp. <i>pendula</i> (Nakai) H.I.Lim & Chin S.Chang
말오줌때 (Mal-o-jum-ttae)	<b>Korean sweetheart tree</b> <i>Euscaphis japonica</i> (Thunb.) Kanitz
말오줌때속 [고추나무과] (Mal-o-jum-ttae-sok)	<b>Euscaphis</b> <i>Euscaphis</i> Siebold & Zucc. [Staphyleaceae]
말증 (Mal-jeum)	<b>Curled pondweed</b> <i>Potamogeton crispus</i> L.
말채나무 (Mal-chae-na-mu)	<b>Walter's dogwood</b> <i>Cornus walteri</i> Wangerin
말털이슬 (Mal-teol-i-seul)	<b>Four-angle enchanter's nightshade</b> <i>Circaeaa quadrifolia</i> (Maxim.) Franch. & Sav.
맑은대쑥 (Mal-geun-dae-ssuk)	<b>False wormwood</b> <i>Artemisia keiskeana</i> Miq.
망개나무 (Mang-gae-na-mu)	<b>Asian supplejack</b> <i>Berchemia berchemiifolia</i> (Makino) Koidz.
망개나무속 [갈매나무과] (Mang-gae-na-mu-sok)	<b>Supplejack</b> <i>Berchemia</i> Neck. ex DC. [Rhamnaceae]
망사초 (Mang-sa-cho)	<b>Northern meadow sedge</b> <i>Carex vanheurckii</i> Müll. Arg.
망적천문동 (Mang-jeok-cheon-mun-dong)	<b>Dahurian asparagus</b> <i>Asparagus dauricus</i> Fisch. ex Link
매듭풀 (Mae-deup-pul)	<b>Japanese clover</b> <i>Kummerowia striata</i> (Thunb.) Schindl.
매듭풀속 [콩과] (Mae-deup-pul-sok)	<b>Kummerowia</b> <i>Kummerowia</i> Schindl. [Fabaceae]
매미꽃 (Mae-mi-kkot)	<b>Korean forest poppy</b> <i>Coreanomecon hylomeconoides</i> Nakai
매미꽃속 [양귀비과] (Mae-mi-kkot-sok)	<b>Coreanomecon</b> <i>Coreanomecon</i> Nakai [Papaveraceae]
매발톱 (Mae-bal-top)	<b>Oriental columbine</b> <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> (Trautv. & Meyer) Kitam.

Korean name (Romanization)	English name Scientific name
매발톱나무 (Mae-bal-top-na-mu)	<b>Amur barberry</b> <i>Berberis amurensis</i> Rupr.
매발톱속 [미나리아재비과] (Mae-bal-top-sok)	<b>Granny's bonnet, Columbine</b> <i>Aquilegia</i> L. [Ranunculaceae]
매자기 (Mae-ja-gi)	<b>Sea club rush</b> <i>Scirpus maritimus</i> L.
매자나무 (Mae-ja-na-mu)	<b>Korean barberry</b> <i>Berberis koreana</i> Palib.
매자나무과 (Mae-ja-na-mu-gwa)	<b>Barberry family</b> Berberidaceae Juss.
매자나무속 [매자나무과] (Mae-ja-na-mu-sok)	<b>Barberry</b> <i>Berberis</i> L. [Berberidaceae]
매자잎버들 (Mae-ja-ip-beo-deul)	<b>Alpine willow</b> <i>Salix berberifolia</i> Pall.
매화노루발 (Mae-hwa-no-ru-bal)	<b>Asian prince's pine</b> <i>Chimaphila japonica</i> Miq.
매화노루발속 [노루발과] (Mae-hwa-no-ru-bal-sok)	<b>Prince's pine, Wintergreen</b> <i>Chimaphila</i> Pursh [Pyrolaceae]
매화마름 (Mae-hwa-ma-reum)	<b>Maehwamareum (Korean water crowfoot)</b> <i>Ranunculus kazusensis</i> Makino
매화말발도리 (Mae-hwa-mal-bal-do-ri)	<b>Korean deutzia</b> <i>Deutzia uniflora</i> Shirai
매화바람꽃 (Mae-hwa-ba-ram-kkot)	<b>Remarkable callianthemum</b> <i>Callianthemum insigne</i> (Nakai) Nakai
매화바람꽃속 [미나리아재비과] (Mae-hwa-ba-ram-kkot-sok)	<b>Callianthemum</b> <i>Callianthemum</i> C.A.Mey. [Ranunculaceae]
매화오리과 (Mae-hwa-o-ri-gwa)	<b>White alder family</b> Clethraceae Klotzsch
매화오리나무 (Mae-hwa-o-ri-na-mu)	<b>Tree clethra</b> <i>Clethra barbinervis</i> Siebold & Zucc.
매화오리속 [매화오리과] (Mae-hwa-o-ri-sok)	<b>Sweetpepperbush</b> <i>Clethra</i> L. [Clethraceae]

Korean name (Romanization)	English name Scientific name
맥도딸기  (Maek-do-ttal-gi)	<b>Maekdo raspberry</b> <i>*Rubus longisepalus</i> Nakai ex Kawamoto
맥문동 (Maek-mun-dong)	<b>Big blue lilyturf</b> <i>Liriope muscari</i> (Decne.) L.H.Bailey
맥문동속 [백합과] (Maek-mun-dong-sok)	<b>Lilyturf</b> <i>Liriope</i> Lour. [Liliaceae]
맥문아재비 (Maek-mun-a-jae-bi)	<b>Wild lilyturf</b> <i>Ophiopogon jaburan</i> (Siebold) Lodd.
맥문아재비속 [백합과] (Maek-mun-a-jae-bi-sok)	<b>Lilyturf, Ophiopogon</b> <i>Ophiopogon</i> Ker Gawl. [Liliaceae]
머귀나무 (Meo-gwi-na-mu)	<b>Alianthus-like prickly-ash</b> <i>Zanthoxylum ailanthoides</i> Siebold & Zucc.
머루 (Meo-ru)	<b>Crimson grapevine</b> <i>Vitis coignetiae</i> Pulliat ex Planch.
머위 (Meo-wi)	<b>Giant butterbur</b> <i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.
머위속 [국화과] (Meo-wi-sok)	<b>Butterbur</b> <i>Petasites</i> Mill. [Asteraceae]
먹년출 (Meok-neon-chul)	<b>Large-leaf paniculous supplejack</b> <i>Berchemia floribunda</i> (Wall.) Brongn.
먼나무 (Meon-na-mu)	<b>Round-leaf holly</b> <i>Ilex rotunda</i> Thunb.
멀꿀 (Meol-kkul)	<b>Stauntonia vine</b> <i>Stauntonia hexaphylla</i> (Thunb.) Decne.
멀꿀속 [으름덩굴과] (Meol-kkul-sok)	<b>Stauntonia</b> <i>Stauntonia</i> DC. [Lardizabalaceae]
멍덕딸기  (Meong-deok-ttal-gi)	<b>Asian red raspberry</b> <i>Rubus idaeus</i> var. <i>microphyllus</i> Turcz.
멍석딸기  (Meong-seok-ttal-gi)	<b>Trailing raspberry</b> <i>Rubus parvifolius</i> L.

Korean name (Romanization)	English name Scientific name
멍풀속 [쐐기풀과] (Meong-ul-pul-sok)	<b>Elatostema</b> <i>Elatostema</i> J.R.Forst. & G.Forst. [Urticaceae]
메가물고사리 (Me-ga-mul-go-sa-ri)	<b>False-elba woodsia</b> <i>Woodsia pseudoilvensis</i> Tagawa
메고사리삼 (Me-go-sa-ri-sam)	<b>Northern moonwort</b> <i>Botrychium boreale</i> J.Milde
메꽃 (Me-kkot)	<b>Short-hairy morning glory</b> <i>Calystegia pubescens</i> Lindl.
메꽃과 (Me-kkot-gwa)	<b>Bindweed family, Morning glory family</b> Convolvulaceae Juss.
메꽃속 [메꽃과] (Me-kkot-sok)	<b>Bindweed, False bindweed, Morning glory</b> <i>Calystegia</i> R.Br. [Convolvulaceae]
멧수영 (Met-su-yeong)	<b>Montane dock</b> <i>Rumex montanus</i> Desf.
멧용담 (Met-yong-dam)	<b>Alpine-snowbed gentian</b> <i>Gentiana nipponica</i> Maxim.
며느리밀씻개 (Myeo-neu-ri-mit-ssit-gae)	<b>Prickled-vine smartweed</b> <i>Persicaria senticosus</i> (Meisn.) H.Gross ex Nakai
며느리배꼽 (Myeo-neu-ri-bae-kkop)	<b>Asian tearthumb</b> <i>Persicaria persoliata</i> (L.) H.Gross
멱쇠채 (Myeok-soe-chae)	<b>Single-flower serpentroot</b> <i>Scorzonera austriaca</i> subsp. <i>glabra</i> (Rupr.) Lipsch. & Krasch. ex Lipsch.
면마과 (Myeon-ma-gwa)	<b>Wood fern family</b> Dryopteridaceae Herter
멸가치 (Myeol-ga-chi)	<b>Asian trailplant</b> <i>Adenocaulon himalaicum</i> Edgew.
멸가치속 [국화과] (Myeol-ga-chi-sok)	<b>Trailplant</b> <i>Adenocaulon</i> Hook. [Asteraceae]
명아자여뀌 (Myeong-a-ja-yeo-kkwi)	<b>Node smartweed</b> <i>Persicaria nodosa</i> (Pers.) Opiz
명아주 (Myeong-a-ju)	<b>Red-center goosefoot</b> <i>Chenopodium album</i> var. <i>centrorubrum</i> Makino

Korean name (Romanization)	English name Scientific name
명아주과 (Myeong-a-ju-gwa)	<b>Goosefoot family</b> <i>Chenopodiaceae</i> Vent.
명아주속 [명아주과] (Myeong-a-ju-sok)	<b>Goosefoot</b> <i>Chenopodium</i> L. [Chenopodiaceae]
명자나무속 [장미과] (Myeong-ja-na-mu-sok)	<b>Flowering quince</b> <i>Chaenomeles</i> Lindl. [Rosaceae]
명자순 (Myeong-ja-sun)	<b>Common Korean currant</b> <i>Ribes maximowiczianum</i> Kom.
명천바늘꽃 (Myeong-cheon-ba-neul-kkot)	<b>Cylindrical-stigma willowherb</b> <i>Epilobium cylindrostigma</i> Kom.
명천봄맞이 (Myeong-cheon-bom-mat-i)	<b>Northern rockjasmine</b> <i>Androsace septentrionalis</i> L.
명천쑥 (Myeong-cheon-ssuk)	<b>Myeongcheon wormwood</b> <i>Artemisia leucophylla</i> (Turcz.) Turcz. ex C.B.Clarke
명천장구채 (Myeong-cheon-jang-gu-chae)	<b>Myeongcheon catchfly</b> <i>Silene myongcheonensis</i> S.P.Hong & H.K.Moon
모감주나무 (Mo-gam-ju-na-mu)	<b>Goldenrain tree</b> <i>Koelreuteria paniculata</i> Laxm.
모감주나무속 [무환자나무과] (Mo-gam-ju-na-mu-sok)	<b>Koelreuteria</b> <i>Koelreuteria</i> Laxm. [Sapindaceae]
모기골 (Mo-gi-gol)	<b>Watergrass</b> <i>Bulbostylis barbata</i> (Rottb.) C.B.Clarke
모기골속 [사초과] (Mo-gi-gol-sok)	<b>Hairsedge</b> <i>Bulbostylis</i> Kunth [Cyperaceae]
모기방동사니 (Mo-gi-bang-dong-sa-ni)	<b>Haspan flatsedge</b> <i>Cyperus haspan</i> L.
모데미풀 (Mo-de-mi-pul)	<b>Modemipul (Sanicle-leaf megalanthis)</b> <i>Megalanthis saniculifolia</i> Ohwi
모데미풀속 [미나리아재비과] (Mo-de-mi-pul-sok)	<b>Megaleranthis</b> <i>Megaleranthis</i> Ohwi [Ranunculaceae]
모란바위솔 (Mo-ran-ba-wi-sol)	<b>Mountain rock pine</b> <i>Orostachys saxatilis</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
모람 (Mo-ram)	<b>Oriental vining fig</b> <i>Ficus oxyphylla</i> Miq. ex Zoll.
모래사초 (Mo-rae-sa-cho)	<b>Hairy forest-live sedge</b> <i>Carex drymophila</i> var. <i>pilifera</i> Kük.
모래지치 (Mo-rae-ji-chi)	<b>Siberian sea rosemary</b> <i>Argusia sibirica</i> (L.) Dandy
모래지치속 [지치과] (Mo-rae-ji-chi-sok)	<b>Sea rosemary</b> <i>Argusia</i> Boehm. [Boraginaceae]
모밀잣밤나무 (Mo-mil-jat-bam-na-mu)	<b>Japanese chinquapin</b> <i>Castanopsis cuspidata</i> (Thunb.) Schottky
모밀잣밤나무속 [참나무과] (Mo-mil-jat-bam-na-mu-sok)	<b>Chinquapin, Chinkapin</b> <i>Castanopsis</i> (D.Don) Spach [Fagaceae]
모새나무 (Mo-sae-na-mu)	<b>Sea blueberry</b> <i>Vaccinium bracteatum</i> Thunb.
모새달 (Mo-sae-dal)	<b>Broad-leaf phacelurus</b> <i>Phacelurus latifolius</i> (Steud.) Ohwi
모새달속 [벼과] (Mo-sae-dal-sok)	<b>Phacelurus</b> <i>Phacelurus</i> Griseb. [Poaceae]
모시대 (Mo-si-dae)	<b>Scattered ladybell</b> <i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq.
모시물통이 (Mo-si-mul-tong-i)	<b>Mongolian clearweed</b> <i>Pilea mongolica</i> Wedd.
모시풀 (Mo-si-pul)	<b>Ramie</b> <i>Boehmeria nivea</i> (L.) Gaudich.
모시풀속 [쐐기풀과] (Mo-si-pul-sok)	<b>Falsenettle</b> <i>Boehmeria</i> Jacq. [Urticaceae]
목련 (Mok-ryeon)	<b>Mokryeon (Kobus magnolia)</b> <i>Magnolia kobus</i> DC.
목련과 (Mok-ryeon-gwa)	<b>Magnolia family</b> Magnoliaceae Juss.
목련속 [목련과] (Mok-ryeon-sok)	<b>Magnolia</b> <i>Magnolia</i> L. [Magnoliaceae]

Korean name (Romanization)	English name Scientific name
목서속 [물푸레나무과] (Mok-seo-sok)	<b>Devilwood</b> <i>Osmanthus</i> Lour. [Oleaceae]
목포대극 (Mok-po-dae-geuk)	<b>Mokpo spurge</b> <i>*Euphorbia pekinensis</i> var. <i>subulatifolius</i> (Hurus.) T.B.Lee
목포사초 (Mok-po-sa-cho)	<b>Mokpo sedge</b> <i>Carex genkaiensis</i> Ohwi
목포용등굴레 (Mok-po-yong-dung-gul-re)	<b>Mokpo wide-bract solomon's seal</b> <i>Polygonatum cryptanthum</i> H.Lév. & Vaniot
몽고뽕나무 (Mong-go-ppong-na-mu)	<b>Mongolian mulberry</b> <i>Morus mongolica</i> (Bureau) C.K.Schneid.
몽울토현삼 (Mong-ul-to-hyeon-sam)	<b>Headed-flower figwort</b> <i>Scrophularia cephalantha</i> Nakai
몽울풀 (Mong-ul-pul)	<b>Dense-flower elatostema</b> <i>Elatostema densiflorum</i> Franch. & Sav.
뫼석송 (Moe-seok-song)	<b>Mountain clubmoss</b> <i>Lycopodium nikoense</i> Franch. & Sav.
뫼제비꽃 (Moe-je-bi-kkot)	<b>Great-spur violet</b> <i>Viola selkirkii</i> Pursh ex Goldie
뫼족제비고사리 (Moe-jok-je-bi-go-sa-ri)	<b>Montane buckler fern</b> <i>Dryopteris sabaei</i> (Franch. & Sav.) C.Chr.
뫼꿩의다리 (Moet-kkwong-ui-da-ri)	<b>Northern-mountain meadow-rue</b> <i>Thalictrum sachalinense</i> Lecoy.
뫼대추나무 (Moet-dae-chu-na-mu)	<b>Jujube</b> <i>Zizyphus jujuba</i> Mill.
뫼미나리 (Moet-mi-na-ri)	<b>East Asian ostericum</b> <i>Ostericum sieboldii</i> (Miq.) Nakai
뫼미나리속 [산형과] (Moet-mi-na-ri-sok)	<b>Ostericum</b> <i>Ostericum</i> Hoffm. [Apiaceae]
뫼억새 (Moet-eok-sae)	<b>Mountain maiden silvergrass</b> <i>Misanthus sinensis</i> var. <i>ionandros</i> (Nakai) Y.N.Lee
뫼장대 (Moet-jang-dae)	<b>Lyrate-leaf rockcress</b> <i>Arabis lyra</i> L.

Korean name (Romanization)	English name Scientific name
뒷풀사초 (Moet-pul-sa-cho)	<b>Hair-like sedge</b> <i>Carex capillaris</i> L.
뒷황기 (Moet-hwang-gi)	<b>Alpine sweetvetch</b> <i>Hedysarum alpinum</i> L.
뒷황기속 [콩과] (Moet-hwang-gi-sok)	<b>Sweetvetch</b> <i>Hedysarum</i> L. [Fabaceae]
묘향분취 (Myo-hyang-bun-chwi)	<b>Myohyang saussurea</b> <i>Saussurea myokoensis</i> Kitam.
무궁화 (Mu-gung-hwa)	<b>Mugunghwa (Rose of sharon)</b> <i>Hibiscus syriacus</i> L.
무궁화속 [아욱과] (Mu-gung-hwa-sok)	<b>Rosemallow</b> <i>Hibiscus</i> L. [Malvaceae]
무늬등굴레 (Mu-nui-dung-gul-re)	<b>Variegate lesser solomon's seal</b> <i>Polygonatum odoratum</i> var. <i>pluriflorum</i> f. <i>variegatum</i> Y.N.Lee
무늬사초 (Mu-nui-sa-cho)	<b>Maculate sedge</b> <i>Carex maculata</i> Boott
무늬족도리풀 (Mu-nui-jok-do-ri-pul)	<b>Coloured wildginger</b> <i>Asarum versicolor</i> (K.Yamaki) Y.N.Lee
무늬자리대사초 (Mu-nui-ji-ri-dae-sa-cho)	<b>Variegate creeping narrow-leaf sedge</b> <i>Carex okamotoi</i> f. <i>variegata</i> Y.N.Lee
무늬천남성 (Mu-nui-cheon-nam-seong)	<b>Asian jack-in-the-pulpit</b> <i>Arisaema thunbergii</i> Blume
무등취 (Mu-deung-chwi)	<b>Mudeung saussurea</b> <i>Saussurea nipponica</i> subsp. <i>higomontana</i> (Honda) H.T. Im
무등풀 (Mu-deung-pul)	<b>Mudeung nutrush</b> <i>Scleria mutoensis</i> Nakai
무릇 (Mu-reut)	<b>East Asian squill</b> <i>Scilla scilloides</i> (Lindl.) Druce
무릇속 [백합과] (Mu-reut-sok)	<b>Scilla, Squill</b> <i>Scilla</i> L. [Liliaceae]
무산곰취 (Mu-san-gom-chwi)	<b>Musan ragwort</b> <i>Ligularia japonica</i> (Thunb.) Less.

Korean name (Romanization)	English name Scientific name
무산사초 (Mu-san-sa-cho)	<b>Musan sedge</b> <i>Carex arnellii</i> Christ
무산상자 (Mu-san-sang-ja)	<b>Thin sphallerocarpus</b> <i>Sphallerocarpus gracilis</i> (Besser ex Trevir.) Koso-Pol.
무산상자속 [산형과] (Mu-san-sang-ja-sok)	<b>Sphallerocarpus</b> <i>Sphallerocarpus</i> Besser ex DC. [Apiaceae]
무속 [십자화과] (Mu-sok)	<b>Radish</b> <i>Raphanus</i> L. [Brassicaceae]
무엽란 (Mu-yeop-ran)	<b>Leafless lecanorchis</b> <i>Lecanorchis japonica</i> Blume
무엽란속 [난초과] (Mu-yeop-ran-sok)	<b>Lecanorchis</b> <i>Lecanorchis</i> Blume [Orchidaceae]
무주나무 (Mu-ju-na-mu)	<b>Japanese lasianthus</b> <i>Lasianthus japonicus</i> Miq.
무주나무속 [꼭두서니과] (Mu-ju-na-mu-sok)	<b>Lasianthus</b> <i>Lasianthus</i> Jack [Rubiaceae]
무화과나무속 [뽕나무과] (Mu-hwa-gwa-na-mu-sok)	<b>Fig</b> <i>Ficus</i> L. [Moraceae]
무화피을방개아재비 (Mu-hwa-pi-ol-bang-gae-a-jae-bi)	<b>Non-perianth bristleless spikerush</b> <i>Eleocharis kamtschatica</i> f. <i>reducta</i> (Ohwi) Ohwi
무환자나무과 (Mu-hwan-ja-na-mu-gwa)	<b>Soapberry family</b> Sapindaceae Juss.
목발소리쟁이 (Muk-bat-so-ri-jaeng-i)	<b>Clustered dock</b> <i>Rumex conglomeratus</i> Murray
문모초 (Mun-mo-cho)	<b>Purslane speedwell</b> <i>Veronica peregrina</i> L.
문배 (Mun-bae)	<b>Munbae (Seoul Ussuri pear)</b> * <i>Pyrus ussuriensis</i> var. <i>seoulensis</i> (Nakai) T.B.Lee
문수조릿대 (Mun-su-jo-rit-dae)	<b>Munsu bamboo</b> * <i>Arundinaria munsuensis</i> Y.N.Lee
문주란 (Mun-ju-ran)	<b>Poison-bulb</b> <i>Crinum asiaticum</i> var. <i>japonicum</i> Baker

<b>Korean name (Romanization)</b>	<b>English name Scientific name</b>
문주란속 [수선화과] (Mun-ju-ran-sok)	<b>Swamplily</b> <i>Crinum L.</i> [Amaryllidaceae]
물개구리밥 (Mul-gae-gu-ri-bap)	<b>Mosquitofern</b> <i>Azolla pinnata</i> R.Br.
물개구리밥속 [생이가래과] (Mul-gae-gu-ri-bap-sok)	<b>Duckweed fern, Fairy moss, Mosquito fern, Mosquitofern, Water fern</b> <i>Azolla Lam.</i> [Salviniaceae]
물개암나무 (Mul-gae-am-na-mu)	<b>Manchurian hazel</b> <i>Corylus sieboldiana</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.
물고랭이 (Mul-go-raeng-i)	<b>Stalked-spike bulrush</b> <i>Scirpus nipponicus</i> Makino
물고사리 (Mul-go-sa-ri)	<b>Oriental waterfern</b> <i>Ceratopteris thalictroides</i> (L.) Brongn.
물고사리과 (Mul-go-sa-ri-gwa)	<b>Water fern family</b> <i>Parkeriaceae</i> Hook.
물고사리속 [물고사리과] (Mul-go-sa-ri-sok)	<b>Antlerfern</b> <i>Ceratopteris</i> Brongn. [Parkeriaceae]
물고추나물 (Mul-go-chu-na-mul)	<b>Pink-flower marsh St.Johnswort</b> <i>Triadenum japonicum</i> (Blume) Makino
물고추나물속 [물레나물과] (Mul-go-chu-na-mul-sok)	<b>Marsh St. Johnswort</b> <i>Triadenum Raf.</i> [Clusiaceae]
물골취 (Mul-gol-chwi)	<b>Woolly-hair saussurea</b> <i>Saussurea stenolepis</i> Nakai
물골풀 (Mul-gol-pul)	<b>Slender-stem rush</b> <i>Juncus gracillimus</i> (Buchenau) V.I.Krecz. & Gontsch.
물까치수염 (Mul-kka-chi-su-yeom)	<b>Swamp-white loosestrife</b> <i>Lysimachia leucantha</i> Miq.
물꼬리풀 (Mul-kko-ri-pul)	<b>Water star</b> <i>Dysophylla stellata</i> (Lour.) Benth.
물꼬리풀속 [꿀풀과] (Mul-kko-ri-pul-sok)	<b>Dysophylla</b> <i>Dysophylla</i> Blume [Lamiaceae]
물꼬챙이골 (Mul-kko-chaeng-i-gol)	<b>Ussuri spikerush</b> <i>Eleocharis mamillata</i> var. <i>cyclocarpa</i> Kitag.

Korean name (Romanization)	English name Scientific name
물꽈리아재비 (Mul-kkwa-ri-a-jae-bi)	<b>Nepalese monkey-flower</b> <i>Mimulus nepalensis</i> Benth.
물꽈리아재비속 [현삼과] (Mul-kkwa-ri-a-jae-bi-sok)	<b>Monkey-flowers, Musk-flowers</b> <i>Mimulus</i> L. [Scrophulariaceae]
물달개비 (Mul-dal-gae-bi)	<b>Sheathed monochoria</b> <i>Monochoria vaginalis</i> var. <i>plantaginea</i> (Roxb.) Solms
물들메나무 (Mul-deul-me-na-mu)	<b>Jirisan ash</b> <i>Fraxinus chiisanensis</i> Nakai
물뚝새 (Mul-ttuk-sae)	<b>Paddy field glenwoodgrass</b> <i>Sacciolepis indica</i> var. <i>oryzetorum</i> (Makino) Ohwi
물뚝새속 [벼과] (Mul-ttuk-sae-sok)	<b>Cupscale grass</b> <i>Sacciolepis</i> Nash [Poaceae]
물레나물 (Mul-re-na-mul)	<b>Great St. John's-wort</b> <i>Hypericum ascyron</i> L.
물레나물과 (Mul-re-na-mul-gwa)	<b>Mangosteen family</b> Clusiaceae Lindl. (= Guttiferae Juss.)
물레나물속 [물레나물과] (Mul-re-na-mul-sok)	<b>Hypericum, St. Johnswort, Tutsan</b> <i>Hypericum</i> L. [Clusiaceae]
물마름 (Mul-ma-reum)	<b>Small water-chestnut</b> <i>Trapa pseudoincisa</i> Nakai
물매화 (Mul-mae-hwa)	<b>Marsh grass-of-parnassus</b> <i>Parnassia palustris</i> L.
물매화속 [범의귀과] (Mul-mae-hwa-sok)	<b>Grass of parnassus, Bog-stars</b> <i>Parnassia</i> L. [Saxifragaceae]
물머위 (Mul-meo-wi)	<b>Common adenostemma</b> <i>Adenostemma lavenia</i> (L.) Kuntze
물머위속 [국화과] (Mul-meo-wi-sok)	<b>Adenostemma, Medicineplant</b> <i>Adenostemma</i> J.R.Forst. & G.Forst. [Asteraceae]
물미나리아재비 (Mul-mi-na-ri-a-jae-bi)	<b>Gmelin's buttercup</b> <i>Ranunculus gmelinii</i> DC.
물박달나무 (Mul-bak-dal-na-mu)	<b>Asian black birch</b> <i>Betula davurica</i> Pall.

Korean name (Romanization)	English name Scientific name
물방동사니 (Mul-bang-dong-sa-ni)	<b>Glomerate flatsedge</b> <i>Cyperus glomeratus</i> L.
물뱀고사리 (Mul-baem-go-sa-ri)	<b>False ladyfern</b> <i>Athyrium fallaciosum</i> Milde
물벼룩이자리 (Mul-byeo-ruk-i-ja-ri)	<b>Three-stamen waterwort</b> <i>Elatine triandra</i> Schkuhr
물별 (Mul-byeol)	<b>Pedicellate three-stamen waterwort</b> <i>Elatine triandra</i> var. <i>pedicellata</i> Krylov
물별과 (Mul-byeol-gwa)	<b>Waterwort family</b> <i>Elatinaceae</i> Dumort.
물별속 [물별과] (Mul-byeol-sok)	<b>Waterwort</b> <i>Elatine</i> L. [Elatinaceae]
물별이끼 (Mul-byeol-i-kki)	<b>Vernal water-starwort</b> <i>Callitriches palustris</i> L.
물봉선 (Mul-bong-seon)	<b>Field touch-me-not</b> <i>Impatiens textori</i> Miq.
물봉선속 [봉선화과] (Mul-bong-seon-sok)	<b>Impatiens, Jewelweed, Snapweed, Touch-me-not</b> <i>Impatiens</i> L. [Balsaminaceae]
물부추 (Mul-bu-chu)	<b>Japanese quillwort</b> <i>Isoetes japonica</i> A.Braun
물부추과 (Mul-bu-chu-gwa)	<b>Quillwort family</b> <i>Isoetaceae</i> Dumort.
물부추속 [물부추과] (Mul-bu-chu-sok)	<b>Quillwort</b> <i>Isoetes</i> L. [Isoetaceae]
물사초 (Mul-sa-cho)	<b>Round sedge</b> <i>Carex rotundata</i> Wahlenb.
물삿갓사초 (Mul-sat-gat-sa-cho)	<b>Northern beak sedge</b> <i>Carex rostrata</i> var. <i>borealis</i> (Hartm.) Kük
물석송 (Mul-seok-song)	<b>Staghorn clubmoss</b> <i>Lycopodium cernuum</i> L.
물속새 (Mul-sok-sae)	<b>Water horsetail</b> <i>Equisetum fluviatile</i> L.

Korean name (Romanization)	English name Scientific name
물솜방망이 (Mul-som-bang-mang-i)	<b>Alpine-swamp groundsel</b> <i>Tephroseris pseudosonchus</i> (Vaniot) C.Jeffrey & Y.L.Chen
물쇠뜨기 (Mul-soe-tteu-gi)	<b>Meadow horsetail</b> <i>Equisetum pratense</i> Ehrh.
물수세미 (Mul-su-se-mi)	<b>Whorled water-milfoil</b> <i>Myriophyllum verticillatum</i> L.
물수세미속 [개미탑과] (Mul-su-se-mi-sok)	<b>Water-milfoil</b> <i>Myriophyllum</i> L. [Haloragaceae]
물싸리 (Mul-ssa-ri)	<b>Stiff shrubby cinquefoil</b> <i>Potentilla fruticosa</i> L.
물싸리풀 (Mul-ssa-ri-pul)	<b>Glabrous forked-leaf cinquefoil</b> <i>Potentilla bifurca</i> L.
물쑥 (Mul-ssuk)	<b>Riverside wormwood</b> <i>Artemisia selengensis</i> Turcz. ex Besser
물앵도나무 (Mul-aeng-do-na-mu)	<b>Manchurian honeysuckle</b> <i>Lonicera ruprechtiana</i> Regel
물양지꽃 (Mul-yang-ji-kkot)	<b>Marsh cinquefoil</b> <i>Potentilla cryptotaeniae</i> Maxim.
물역새 (Mul-eok-sae)	<b>Amur silvergrass</b> <i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hook. f. ex Franch
물엉겅퀴 (Mul-eong-geong-kwi)	<b>Island thistle</b> <i>Cirsium nipponicum</i> (Maxim.) Makino
물여뀌 (Mul-yeo-kkwi)	<b>Water smartweed</b> <i>Persicaria amphibia</i> (L.) Delarbre
물오리나무 (Mul-o-ri-na-mu)	<b>Manchurian alder</b> <i>Alnus hirsuta</i> (Spach) Rupr.
물옥잠 (Mul-ok-jam)	<b>Korsakow's monochoria</b> <i>Monochoria korsakowii</i> Regel & Maack
물옥잠과 (Mul-ok-jam-gwa)	<b>Water-hyacinth family</b> <i>Pontederiaceae</i> Kunth
물옥잠속 [물옥잠과] (Mul-ok-jam-sok)	<b>Monochoria</b> <i>Monochoria</i> C.Presl [Pontederiaceae]

Korean name (Romanization)	English name Scientific name
물잎풀 (Mul-ip-pul)	<b>Erect hygrophila</b> <i>Hygrophila ringens</i> (L.) Steud.
물잎풀속 [주꼬리망초과] (Mul-ip-pul-sok)	<b>Swampweed</b> <i>Hygrophila</i> R.Br. [Acanthaceae]
물잔디 (Mul-jan-di)	<b>East Asian mudgrass</b> <i>Pseudoraphis sordida</i> (Thwaites) S.M.Phillips & S.L.Chen
물잔디속 [벼과] (Mul-jan-di-sok)	<b>Mudgrasses</b> <i>Pseudoraphis</i> Griff. [Poaceae]
물지채 (Mul-ji-chae)	<b>Marsh arrowgrass</b> <i>Triglochin palustris</i> L.
물질경이 (Mul-jil-gyeong-i)	<b>Duck lettuce</b> <i>Ottelia alismoides</i> (L.) Pers.
물질경이속 [자라풀과] (Mul-jil-gyeong-i-sok)	<b>Ottelia</b> <i>Ottelia</i> Pers. [Hydrocharitaceae]
물참나무 (Mul-cham-na-mu)	<b>Mulcham oak (Wavy Mongolian oak)</b> <i>Quercus mongolica</i> var. <i>crispula</i> (Blume) H.Ohashi
물참대 (Mul-cham-dae)	<b>Glabrous deutzia</b> <i>Deutzia glabrata</i> Kom.
물칭개나물 (Mul-ching-gae-na-mul)	<b>Undulate speedwell</b> <i>Veronica undulata</i> Wall.
물통이 (Mul-tong-i)	<b>Pacific island clearweed</b> <i>Pilea peploides</i> (Gaudich.) Hook. & Arn.
물통이속 [쐐기풀과] (Mul-tong-i-sok)	<b>Clearweed</b> <i>Pilea</i> Lindl. [Urticaceae]
물푸레나무 (Mul-pu-re-na-mu)	<b>East Asian ash</b> <i>Fraxinus rhynchophylla</i> Hance
물푸레나무과 (Mul-pu-re-na-mu-gwa)	<b>Olive family</b> Oleaceae Hoffmanns. & Link
물푸레나무속 [물푸레나무과] (Mul-pu-re-na-mu-sok)	<b>Ash</b> <i>Fraxinus</i> L. [Oleaceae]
물황칠나무 (Mul-hwang-cheol-na-mu)	<b>Korean poplar</b> <i>Populus koreana</i> Rehder

Korean name (Romanization)	English name Scientific name
미꾸리광이속 [벼과] (Mi-kku-ri-gwang-i-sok)	<b>Mannagrass, Sweet-grass</b> <i>Glyceria</i> R.Br. [Poaceae]
미꾸리낚시 (Mi-kku-ri-nak-si)	<b>Arrow-leaf smartweed</b> <i>Persicaria sagittata</i> (L.) H.Gross
미나리 (Mi-na-ri)	<b>Java water-dropwort</b> <i>Oenanthe javanica</i> (Blume) DC.
미나리냉이 (Mi-na-ri-naeng-i)	<b>White-flower bittercress</b> <i>Cardamine leucantha</i> (Tausch) O.E.Schulz
미나리속 [산형과] (Mi-na-ri-sok)	<b>Water-dropwort</b> <i>Oenanthe</i> L. [Apiaceae]
미나리아재비 (Mi-na-ri-a-jae-bi)	<b>East Asian buttercup</b> <i>Ranunculus japonicus</i> Thunb.
미나리아재비과 (Mi-na-ri-a-jae-bi-gwa)	<b>Buttercup family</b> Ranunculaceae Juss.
미나리아재비속 [미나리아재비과] (Mi-na-ri-a-jae-bi-sok)	<b>Buttercups, Spearworts, Water crowfoots</b> <i>Ranunculus</i> L. [Ranunculaceae]
미색물봉선 (Mi-saek-mul-bong-seon)	<b>Pale touch-me-not</b> <i>Impatiens noli-tangere</i> var. <i>pallescens</i> Nakai
미색복주머니란 (Mi-saek-bok-ju-meo-ni-ran)	<b>Ivory lady's slipper</b> <i>Cypripedium neoparviflorum</i> Y.N.Lee
미선나무 (Mi-seon-na-mu)	<b>Miseonnamu (Korean abeliophyllum)</b> <i>Abeliophyllum distichum</i> Nakai
미선나무속 [풀푸레나무과] (Mi-seon-na-mu-sok)	<b>Korean abelialeaf, Miseonnamu, White forsythia</b> <i>Abeliophyllum</i> Nakai [Oleaceae]
미역고사리 (Mi-yeok-go-sa-ri)	<b>Common polypody</b> <i>Polypodium vulgare</i> L.
미역고사리속 [고란초과] (Mi-yeok-go-sa-ri-sok)	<b>Polypody, Rockcap fern</b> <i>Polypodium</i> L. [Polypodiaceae]
미역줄나무 (Mi-yeok-jul-na-mu)	<b>Regel's threewingnut</b> <i>Tripterygium regelii</i> Sprague & Takeda
미역줄나무속 [노박덩굴과] (Mi-yeok-jul-na-mu-sok)	<b>Tripterygium</b> <i>Tripterygium</i> Hook.f. [Celastraceae]

Korean name (Romanization)	English name Scientific name
미역취 (Mi-yeok-chwi)	<b>Asian goldenrod</b> <i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H.Hara
미역취속 [국화과] (Mi-yeok-chwi-sok)	<b>Goldenrod</b> <i>Solidago</i> L. [Asteraceae]
미치광이풀 (Mi-chi-gwang-i-pul)	<b>Korean scopolia</b> <i>Scopolia japonica</i> Maxim.
미치광이풀속 [가지과] (Mi-chi-gwang-i-pul-sok)	<b>Scopolia</b> <i>Scopolia</i> Jacq. [Solanaceae]
민개구리미나리 (Min-gae-gu-ri-mi-na-ri)	<b>Smooth long-beak buttercup</b> <i>Ranunculus tachiroei</i> f. <i>glabrescens</i> (Sakata) W.T.Lee
민구와말 (Min-gu-wa-mal)	<b>Indian marshweed</b> <i>Limnophila indica</i> (L.) Druce
민국화수리취 (Min-guk-hwa-su-ri-chwi)	<b>Undivided chrysanthemum-leaf synurus</b> <i>Synurus palmatopinnatifidus</i> var. <i>indivisus</i> (Makino) Kitam.
민금강제비꽃 (Min-geum-gang-je-bi-kkot)	<b>Glabrous Geumgang violet</b> <i>Viola diamantiaca</i> f. <i>glabrior</i> (Kitag.) Kitag.
민긴잎갈퀴 (Min-gin-ip-gal-kwi)	<b>Long-leaf northern bedstraw</b> <i>Galium boreale</i> var. <i>lanceolatum</i> Nakai
민꼭두서니 (Min-kkok-du-seo-ni)	<b>Glabrous erect Asian madder</b> <i>Rubia chinensis</i> var. <i>glabrescens</i> (Nakai) Kitag.
민꽃다지 (Min-kkot-da-jji)	<b>Smooth woodland whitlow-grass</b> <i>Draba nemorosa</i> f. <i>leiocarpa</i> (Lindb.) Kitag.
민꾸지나무 (Min-kku-ji-na-mu)	<b>Shining paper mulberry</b> <i>Broussonetia papyrifera</i> f. <i>lucida</i> (Hatus.) T.B.Lee
민나도국수나무 (Min-na-do-guk-su-na-mu)	<b>Korean neillia</b> <i>Neillia uekii</i> f. <i>papillosa</i> (Nakai) W.T.Lee
민나자스말 (Min-na-ja-seu-mal)	<b>Spiny water-nymph</b> <i>Najas marina</i> L.
민눈양지꽃 (Min-nun-yang-ji-kkot)	<b>Smooth silverweed</b> <i>Potentilla yokusaina</i> Makino
민대팻집나무 (Min-dae-paet-jip-na-mu)	<b>Glabrous macropoda holly</b> <i>Ilex macropoda</i> f. <i>pseudomacropoda</i> (Loes.) H.Hara

Korean name (Romanization)	English name Scientific name
민두메고사리 (Min-du-me-go-sa-ri)	<b>Smooth mountain twinsorus fern</b> <i>Diplazium sibiricum</i> var. <i>glabrum</i> (Tagawa) Sa.Kurata
민둥갈퀴 (Min-dung-gal-kwi)	<b>Smooth bedstraw</b> <i>Galium kinuta</i> Nakai & H.Hara
민둥뫼제비꽃 (Min-dung-moe-je-bi-kkot)	<b>Sunny violet</b> <i>Viola tokubuchiana</i> var. <i>takedana</i> (Makino) F.Maek.
민둥제비꽃 (Min-dung-je-bi-kkot)	<b>Glabrous red-flower violet</b> <i>Viola phalacrocarpa</i> f. <i>glaberrima</i> (W.Becker) F.Mack. ex H.Hara
민둥체꽃 (Min-dung-che-kkot)	<b>Glabrous-leaf scabious</b> <i>Scabiosa tschiliensis</i> f. <i>zuikoensis</i> (Nakai) W.T.Lee
민들레 (Min-deul-re)	<b>Korean dandelion</b> <i>Taraxacum platycarpum</i> Dahlst.
민들레속 [국화과] (Min-deul-re-sok)	<b>Dandelion</b> <i>Taraxacum</i> Zinn [Asteraceae]
민등골나물 (Min-deung-gol-na-mul)	<b>Smooth eupatorium</b> <i>Eupatorium chinense</i> var. <i>angustatum</i> H.Hara
민땅비싸리 (Min-ttang-bissa-ri)	<b>Korean indigo</b> <i>Indigofera koreana</i> Ohwi
민말똥비름 (Min-mal-ttong-bi-reum)	<b>Simple stonecrop</b> <i>Sedum alfredii</i> Hance
민망초 (Min-mang-cho)	<b>Bitter fleabane</b> <i>Erigeron acris</i> L.
민매화마름 (Min-mae-hwa-ma-reum)	<b>Smooth water crowfoot</b> <i>Ranunculus yezoensis</i> Nakai
민메기이삭 (Min-me-gi-i-sak)	<b>Awnless velvet bentgrass</b> <i>*Agrostis canina</i> var. <i>mutica</i> G.Sinclair
민물오리나무 (Min-mul-o-ri-na-mu)	<b>Glabrous Manchurian alder</b> <i>*Alnus hirsuta</i> f. <i>glabra</i> T.B.Lee
민물푸레나무 (Min-mul-pu-re-na-mu)	<b>Hairless East Asian ash</b> <i>*Fraxinus rhynchophylla</i> var. <i>glabrescens</i> Nakai
민미꾸리낚시 (Min-mi-kku-ri-nak-si)	<b>Glabrous Siebold's smartweed</b> <i>*Persicaria sieboldii</i> var. <i>aestiva</i> Ohki ex T.B.Lee

Korean name (Romanization)	English name Scientific name
민바꽃 (Min-ba-kkot)	<b>Glabrous monk's-hood</b> <i>Aconitum ambiguum</i> (Regel) Rchb.
민바랭이 (Min-ba-raeng-i)	<b>Violet crabgrass</b> <i>Digitaria violascens</i> Link
민바랭이새 (Min-ba-raeng-i-sae)	<b>East Asian glabrate browntop</b> <i>Microstegium japonicum</i> (Miq.) Koidz.
민박쥐나물 (Min-bak-jwi-na-mul)	<b>Oriental Indian plantain</b> <i>Parasenecio hastatus</i> subsp. <i>orientalis</i> (Kitam.) H.Koyama
민백미꽃 (Min-baek-mi-kkot)	<b>Asian white swallow-wort</b> <i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum.
민뱀딸기 (Min-baem-ttal-gi)	<b>Mock strawberry</b> <i>Duchesnea indica</i> (Andrews) Focke
민보리수나무 (Min-bo-ri-su-na-mu)	<b>Small-leaf autumn oleaster</b> <i>Elaeagnus umbellata</i> var. <i>parvifolia</i> (Royle) C.K.Schneid.
민산갈퀴 (Min-san-gal-kwi)	<b>Glabrous-flower mountain bedstraw</b> <i>Galium pogananthum</i> f. <i>nudiflorum</i> (Makino) Ohwi
민산작약 (Min-san-jak-yak)	<b>Smooth woodland peony</b> <i>Paeonia japonica</i> var. <i>glabra</i> Makino
민산초나무 (Min-san-cho-na-mu)	<b>Smooth mastic-leaf prickly ash</b> <i>Zanthoxylum schinifolium</i> var. <i>inermis</i> (Nakai) T.B.Lee
민생열귀 (Min-saeng-yeol-gwi)	<b>Glabrous Dahurian rose</b> * <i>Rosa sileniflora</i> Nakai ex Kawamoto
민섬말나리 (Min-seom-mal-na-ri)	<b>Glabrous turk's-cap lily</b> * <i>Lilium hansonii</i> f. <i>mutatum</i> Y.N.Lee
민솜대 (Min-som-dae)	<b>Smooth solomon's seal</b> <i>Smilacina dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) LaFrankie
민솜방망이 (Min-som-bang-mang-i)	<b>Smooth-leaf scarlet groundsel</b> <i>Tephroseris flammea</i> var. <i>glabrifolia</i> (Cufod.) K.J.Kim
민숲개밀 (Min-sup-gae-mil)	<b>Smooth wood false brome</b> <i>Brachypodium sylvaticum</i> var. <i>miserum</i> (Thunb.) Koidz.
민숲이삭사초 (Min-sup-i-sak-sa-cho)	<b>Short forest-live sedge</b> <i>Carex drymophila</i> var. <i>abbreviata</i> (Kük.) Ohwi

Korean name (Romanization)	English name Scientific name
민쑥부쟁이 (Min-ssuk-bu-jaeng-i)	<b>Connected aster</b> <i>Aster associatus</i> Kitag.
민야광나무 (Min-ya-gwang-na-mu)	<b>Smooth Siberian crabapple</b> <i>Malus baccata</i> f. <i>jackii</i> Rehder
민윤노리나무 (Min-yun-no-ri-na-mu)	<b>Smooth oriental photinia</b> <i>Pourthiaeavillosa</i> var. <i>laevis</i> (Thunb.) Stapf
민은난초 (Min-eun-nan-cho)	<b>Oblanceolate erect cephalanthera</b> <i>Cephalanthera erecta</i> var. <i>oblanceolata</i> N.Pearce & P.J.Cribb.
민작살나무 (Min-jak-sal-na-mu)	<b>Glabrous beautyberry</b> <i>Callicarpa japonica</i> var. <i>glabra</i> Nakai
민잠자리난초 (Min-jam-ja-ri-nan-cho)	<b>Smooth linear-leaf habenaria</b> <i>Habenaria linearifolia</i> f. <i>integriloba</i> Ohwi
민졸방제비꽃 (Min-jol-bang-je-bi-kkot)	<b>Glabrous acuminate violet</b> <i>Viola acuminata</i> f. <i>glaberrima</i> (H.Hara) Kitam.
민종가시나무 (Min-jong-ga-si-na-mu)	<b>Smooth ring-cup oak</b> <i>Quercus glauca</i> var. <i>nudata</i> Blume
민주름조개풀 (Min-ju-reum-jo-gae-pul)	<b>Smooth wavy-leaf basketgrass</b> <i>Oplismenus undulatifolius</i> var. <i>japonicus</i> (Steud.) Koidz.
민주엽나무 (Min-ju-yeop-na-mu)	<b>Spineless Japanese honey locust</b> <i>Gleditsia japonica</i> f. <i>inarmata</i> Nakai
민지네고사리 (Min-ji-ne-go-sa-ri)	<b>Smooth gland fern</b> <i>Parathelypteris formosa</i> Nakaike
민참대극 (Min-cham-dae-geuk)	<b>Glabrous shiny spurge</b> <i>Euphorbia lucorum</i> f. <i>glabrata</i> (Maxim.) Hurus.
민참작약 (Min-cham-jak-yak)	<b>Glabrous white peony</b> <i>Paeonia lactiflora</i> f. <i>nuda</i> Nakai
민청가시덩굴 (Min-cheong-ga-si-deong-gul)	<b>Smooth Siebold's greenbrier</b> <i>Smilax sieboldii</i> f. <i>intermis</i> (Nakai) H.Hara
민탐라풀 (Min-tam-ra-pul)	<b>Glabrous Tamra starviolet</b> <i>Hedyotis lindleyana</i> var. <i>glabra</i> H.Hara
민하늘지기 (Min-ha-neul-ji-gi)	<b>Curved-awn fimbriystylis</b> <i>Fimbriystylis squarrosa</i> Vahl

Korean name (Romanization)	English name Scientific name
민해당화 (Min-hae-dang-hwa)	<b>Thornless rugose rose</b> <i>Rosa rugosa</i> var. <i>chamissoniana</i> C.A.Mey.
민흰잎엉겅퀴 (Min-huin-ip-eong-geong-kwi)	<b>Glabrous vlassoviana thistle</b> <i>Cirsium vlassovianum</i> var. <i>album</i> Nakai
밀나물 (Mil-na-mul)	<b>Riparian greenbrier</b> <i>Smilax riparia</i> A.DC.
밀사초 (Mil-sa-cho)	<b>Coastal rock sedge</b> <i>Carex boottiana</i> Hook. & Arn.

**ㅂ**

바늘골 (Ba-neul-gol)	<b>Dense-flower spikerush</b> <i>Eleocharis congesta</i> D.Don
바늘골속 [사초과] (Ba-neul-gol-sok)	<b>Spikerushes, Spikesedges</b> <i>Eleocharis</i> R.Br. [Cyperaceae]
바늘까치밥나무 (Ba-neul-kka-chi-bap-na-mu)	<b>Stinky black currant</b> <i>Ribes burejense</i> F.Schmidt
바늘꽃 (Ba-neul-kkot)	<b>Long-seed willowherb</b> <i>Epilobium pyrricholophum</i> Franch. & Sav.
바늘꽃과 (Ba-neul-kkot-gwa)	<b>Evening primrose family</b> Onagraceae Juss.
바늘꽃속 [바늘꽃과] (Ba-neul-kkot-sok)	<b>Willowherb</b> <i>Epilobium</i> L. [Onagraceae]
바늘명아주 (Ba-neul-myeong-a-ju)	<b>Aristate goosefoot</b> <i>Chenopodium aristatum</i> L.
바늘사초 (Ba-neul-sa-cho)	<b>Needle sedge</b> <i>Carex onoei</i> Franch. & Sav.
바늘엉겅퀴 (Ba-neul-eong-geong-kwi)	<b>Korean prickly thistle</b> <i>Cirsium rhinoceros</i> (H.Lév. & Vaniot) Nakai
바늘여뀌 (Ba-neul-yeo-kkwi)	<b>Prickly smartweed</b> <i>Persicaria bungeana</i> (Turcz.) Nakai ex T.Mori
바다지기 (Ba-da-ji-gi)	<b>Tropical fimbriстиlis</b> <i>Fimbristylis cymosa</i> R.Br.

Korean name (Romanization)	English name Scientific name
바디나물 (Ba-di-na-mul)	<b>Purple-flower angelica</b> <i>Angelica decursiva</i> (Miq.) Franch. & Sav.
바디풀 (Ba-di-pul)	<b>Common leptopyrum</b> <i>Leptopyrum fumariooides</i> (L.) Rchb.
바디풀속 [미나리아재비과] (Ba-di-pul-sok)	<b>Leptopyrum</b> <i>Leptopyrum</i> Rchb. [Ranunculaceae]
바람고사리 (Ba-ram-go-sa-ri)	<b>Bladderfern</b> <i>Cystopteris sudetica</i> A.Braun. & Milde
바람꽃 (Ba-ram-kkot)	<b>Narcissus anemone</b> <i>Anemone narcissiflora</i> L.
바람꽃속 [미나리아재비과] (Ba-ram-kkot-sok)	<b>Anemone</b> <i>Anemone</i> L. [Ranunculaceae]
바람하늘지기 (Ba-ram-ha-neul-ji-gi)	<b>Lesser fimbriostylis</b> <i>Fimbristylis littoralis</i> Gaudich.
바랭이 (Ba-raeng-i)	<b>Southern crabgrass</b> <i>Digitaria ciliaris</i> (Retz.) Koeler
바랭이사초 (Ba-raeng-i-sa-cho)	<b>Digitaria-like sedge</b> <i>Carex incisa</i> Boott
바랭이새 (Ba-raeng-i-sae)	<b>Yellow bluestem</b> <i>Bothriochloa ischaemum</i> (L.) Keng
바랭이새속 [벼과] (Ba-raeng-i-sae-sok)	<b>Beardgrass, Bluestem</b> <i>Bothriochloa</i> Kuntze [Poaceae]
바랭이속 [벼과] (Ba-raeng-i-sok)	<b>Crabgrass, Finger-grass</b> <i>Digitaria</i> Haller [Poaceae]
바보여뀌 (Ba-bo-yeo-kkwi)	<b>Nonspicy smartweed</b> <i>Persicaria pubescens</i> (Blume) H.Hara
바위고사리 (Ba-wi-go-sa-ri)	<b>Pala'a lace fern</b> <i>Sphenomeris chinensis</i> (L.) Maxon
바위고사리속 [고사리과] (Ba-wi-go-sa-ri-sok)	<b>Sphenomeris</b> <i>Sphenomeris</i> Maxon [Pteridaceae]
바위괭이눈 (Ba-wi-gwaeng-i-nun)	<b>Big-leaf golden saxifrage</b> <i>Chrysosplenium macrostemon</i> Maxim. ex Franch. & Sav.

Korean name (Romanization)	English name Scientific name
바위구절초 (Ba-wi-gu-jeol-cho)	<b>Rocky dendranthema</b> <i>Dendranthema sichotense</i> Tzvelev
바위까치밥나무 (Ba-wi-kka-chi-bap-na-mu)	<b>Few-flower currant</b> <i>Ribes pauciflorum</i> Turcz. ex Ledeb.
바위댕강나무 (Ba-wi-daeng-gang-na-mu)	<b>Entire-leaf abelia</b> <i>Abelia integrifolia</i> Koidz.
바위돌꽃 (Ba-wi-dol-kkot)	<b>Rose-root rhodiola</b> <i>Rhodiola rosea</i> L.
바위떡풀 (Ba-wi-tteok-pul)	<b>Serrate-petal rockfoil</b> <i>Saxifraga fortunei</i> var. <i>incisolobata</i> (Engl. & Irmsch.) Nakai
바위말발도리 (Ba-wi-mal-bal-do-ri)	<b>Large-flower deutzia</b> <i>Deutzia grandiflora</i> var. <i>baroniana</i> Diels
바위모시 (Ba-wi-mo-si)	<b>Shrubby oreocnide</b> <i>Oreocnide frutescens</i> (Thunb.) Miq.
바위미나리아재비 (Ba-wi-mi-na-ri-a-jae-bi)	<b>Hallasan buttercup</b> <i>Ranunculus crucilobus</i> H.Lév.
바위사초 (Ba-wi-sa-cho)	<b>Rock-loving sedge</b> <i>Carex lithophila</i> Turcz.
바위손 (Ba-wi-son)	<b>Little club-moss</b> <i>Selaginella tamariscina</i> (P.Beauv.) Spring
바위솔 (Ba-wi-sol)	<b>Rock pine</b> <i>Orostachys japonica</i> (Maxim.) A.Berger
바위솔속 [돌나물과] (Ba-wi-sol-sok)	<b>Orostachys, Rock pine</b> <i>Orostachys</i> Fisch. [Crassulaceae]
바위솜나물 (Ba-wi-som-na-mul)	<b>Rocky alpine groundsel</b> <i>Tephroseris phaeantha</i> (Nakai) C.Jeffrey & Y.L.Chen
바위송이풀 (Ba-wi-song-i-pul)	<b>Rocky lousewort</b> <i>Pedicularis nigrescens</i> Nakai
바위수국 (Ba-wi-su-guk)	<b>Rocky hydrangea vine</b> <i>Schizophragma hydrangeoides</i> Siebold & Zucc.
바위수국속 [범의귀과] (Ba-wi-su-guk-sok)	<b>Hydrangea vine</b> <i>Schizophragma</i> Siebold & Zucc. [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
바위장대 (Ba-wi-jang-dae)	Serrate-leaf rockcress <i>Arabis serrata</i> Franch. & Sav.
바위족제비고사리 (Ba-wi-jok-je-bi-go-sa-ri)	Rock buckler fern <i>Dryopteris saxifraga</i> H.Ito
바위좀고사리 (Ba-wi-jom-go-sa-ri)	Small stone-wall spleenwort <i>Asplenium sarelii</i> var. <i>anogrammoides</i> (H.Christ) Tagawa
바위종덩굴 (Ba-wi-jong-deong-gul)	Rock clematis <i>Clematis calcicola</i> J.S.Kim
바위채송화 (Ba-wi-chae-song-hwa)	Moss-like stonecrop <i>Sedum polytrichoides</i> Hemsl.
바위틈고사리 (Ba-wi-teum-go-sa-ri)	Goering's wood fern <i>Dryopteris goeringiana</i> (Kunze) Koidz.
바위포기사초 (Ba-wi-po-gi-sa-cho)	Tufted rock-living sedge <i>Carex makinoensis</i> Franch.
바이칼꿩의다리 (Ba-i-kal-kkwong-ui-da-ri)	Baical meadow-rue <i>Thalictrum baicalense</i> Turcz.
바이칼바람꽃 (Ba-i-kal-ba-ram-kkot)	Glabrous Baical anemone <i>Anemone baicalensis</i> var. <i>glabratra</i> Maxim.
박과 (Bak-gwa)	Gourd family Cucurbitaceae Juss.
박달나무 (Bak-dal-na-mu)	Bakdal birch <i>Betula schmidtii</i> Regel
박달목서 (Bak-dal-mok-seo)	Island devilwood <i>Osmanthus insularis</i> Koidz.
박새 (Bak-sae)	East Asian white false-hellebore <i>Veratrum oxysepalum</i> Turcz.
박주가리 (Bak-ju-ga-ri)	Rough potato <i>Metaplexis japonica</i> (Thunb.) Makino
박주가리과 (Bak-ju-ga-ri-gwa)	Milkweed family Asclepiadaceae Borkh.
박주가리속 [박주가리과] (Bak-ju-ga-ri-sok)	Metaplexis <i>Metaplexis</i> R.Br. [Asclepiadaceae]

Korean name (Romanization)	English name Scientific name
박쥐나무 (Bak-jwi-na-mu)	<b>Trilobed-leaf alangium</b> <i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi
박쥐나무과 (Bak-jwi-na-mu-gwa)	<b>Alangium family</b> <i>Alangiaceae</i> DC.
박쥐나무속 [박쥐나무과] (Bak-jwi-na-mu-sok)	<b>Alangium</b> <i>Alangium</i> Lam. [Alangiaceae]
박쥐나물 (Bak-jwi-na-mul)	<b>Mountain Indian plantain</b> <i>Parasenecio auriculatus</i> var. <i>matsumurana</i> Nakai
박쥐나물속 [국화과] (Bak-jwi-na-mul-sok)	<b>Indian plantain</b> <i>Parasenecio</i> W.W. Sm. & J. Small [Asteraceae]
박하 (Bak-ha)	<b>Bakha (East Asian wild mint)</b> <i>Mentha arvensis</i> var. <i>piperascens</i> Malinv. ex Holmes
박하속 [꿀풀과] (Bak-ha-sok)	<b>Mint</b> <i>Mentha</i> L. [Lamiaceae]
반달콩제비꽃 (Ban-dal-kong-je-bi-kkot)	<b>Semilunar-leaf violet</b> <i>Viola verecunda</i> var. <i>semilunaris</i> Maxim.
반들깃고사리 (Ban-deul-git-go-sa-ri)	<b>Northern spleenwort</b> <i>Asplenium boreale</i> (Ohwi ex Kurata) Nakaike
반들사초 (Ban-deul-sa-cho)	<b>Shiny-spike sedge</b> <i>Carex tristachya</i> Thunb.
반들지네고사리 (Ban-deul-ji-ne-go-sa-ri)	<b>Shiny autumn fern</b> <i>Dryopteris medioxima</i> Koidz.
반들진달래 (Ban-deul-jin-dal-rae)	<b>Shiny-leaf Korean rhododendron</b> <i>Rhododendron mucronulatum</i> var. <i>lucidum</i> Nakai
반디미나리 (Ban-di-mi-na-ri)	<b>Linear-leaf pternopetalum</b> <i>Pternopetalum tanakae</i> (Franch. & Sav.) Hand.-Mazz.
반디미나리속 [산형과] (Ban-di-mi-na-ri-sok)	<b>Pternopetalum</b> <i>Pternopetalum</i> Franch. [Apiaceae]
반디지치 (Ban-di-ji-chi)	<b>Star-flower gromwell</b> <i>Lithospermum zollingeri</i> A.DC.
반송 (Ban-song)	<b>Many-stem Korean red pine</b> <i>Pinus densiflora</i> f. <i>multicaulis</i> Uyeki

Korean name (Romanization)	English name Scientific name
반용골담초 (Ban-yong-gol-dam-cho)	<b>Large-flower Chinese peashrub</b> <i>Caragana sinica</i> var. <i>megalantha</i> C.K.Schneid.
반짝버들 (Ban-jjak-beo-deul)	<b>Laurel willow</b> <i>Salix pentandra</i> L.
반쪽고사리 (Ban-jjok-go-sa-ri)	<b>Unequal-lobe brake fern</b> <i>Pteris dispar</i> Kunze
반하 (Ban-ha)	<b>Crow dipper</b> <i>Pinellia ternata</i> (Thunb.) Breitenb.
반하속 [천남성과] (Ban-ha-sok)	<b>Green dragons, Pinellia</b> <i>Pinellia</i> Ten. [Araceae]
발풀고사리 (Bal-pul-go-sa-ri)	<b>Old world forked fern</b> <i>Dicranopteris linearis</i> (Burm.f.) Underw.
발풀고사리속 [풀고사리과] (Bal-pul-go-sa-ri-sok)	<b>Forked fern</b> <i>Dicranopteris</i> Bernh. [Gleicheniaceae]
밤나무 (Bam-na-mu)	<b>Korean castanea</b> <i>Castanea crenata</i> Siebold & Zucc.
밤나무속 [참나무과] (Bam-na-mu-sok)	<b>Chestnut</b> <i>Castanea</i> Mill. [Fagaceae]
밤일엽 (Bam-il-yeop)	<b>Chestnut-leaf fern</b> <i>Neocheiropteris ensata</i> (Thunb.) Ching
밤일엽속 [고란초과] (Bam-il-yeop-sok)	<b>Neocheiropteris</b> <i>Neocheiropteris</i> Christ. [Polypodiaceae]
밤잎고사리 (Bam-ip-go-sa-ri)	<b>Chestnut-leaf colysis fern</b> <i>Colygonitis wrightii</i> (Hook.) Ching
방가지똥속 [국화과] (Bang-ga-ji-ttong-sok)	<b>Sowthistle</b> <i>Sonchus</i> L. [Asteraceae]
방기 (Bang-gi)	<b>Orientvine</b> <i>Sinomenium acutum</i> (Thunb.) Rehder & E.H.Wilson
방기속 [새모래덩굴과] (Bang-gi-sok)	<b>Sinomenium</b> <i>Sinomenium</i> Diels [Menispermaceae]
방동사니 (Bang-dong-sa-ni)	<b>Asian flatsedge</b> <i>Cyperus amuricus</i> Maxim.

Korean name (Romanization)	English name Scientific name
방동사니대가리 (Bang-dong-sa-ni-dae-ga-ri)	<b>Purple-glume flatsedge</b> <i>Cyperus sanguinolentus</i> Vahl
방동사니속 [사초과] (Bang-dong-sa-ni-sok)	<b>Flatsedges, Galingales, Nutsedges, Papyrus sedges, Umbrella-sedges</b> <i>Cyperus</i> L. [Cyperaceae]
방동사니아재비 (Bang-dong-sa-ni-a-jae-bi)	<b>Pacific island flatsedge</b> <i>Cyperus cyperoides</i> (L.) Kuntze
방망이일엽초 (Bang-mang-i-il-yeop-cho)	<b>Club weeping fern</b> <i>Lepisorus uchiyamae</i> (Makino) H.Ito
방석나물 (Bang-seok-na-mul)	<b>Southern seepweed</b> <i>Suaeda australis</i> (R.Br.) Moq.
방아풀 (Bang-a-pul)	<b>Bangahpul (East Asian soup-mint)</b> <i>Isodon japonicus</i> (Burm.) H.Hara
방울고랭이 (Bang-ul-go-raeng-i)	<b>Long pine-cone bulrush</b> <i>Scirpus wichurae</i> Boeckeler
방울꽃 (Bang-ul-kkot)	<b>Few-flower conehead</b> <i>Strobilanthes oliganthus</i> Miq.
방울꽃속 [주꼬리망초과] (Bang-ul-kkot-sok)	<b>Strobilanthes</b> <i>Strobilanthes</i> Blume [Acanthaceae]
방울난초 (Bang-ul-nan-cho)	<b>Black crucifera habenaria</b> <i>Habenaria flagellifera</i> (Maxim.) Makino
방울비짜루 (Bang-ul-bi-jja-ru)	<b>Few-twigs asparagus</b> <i>Asparagus oligoclonos</i> Maxim.
방울새란 (Bang-ul-sae-ran)	<b>Minor pogonia</b> <i>Pogonia minor</i> (Makino) Makino
방울새란속 [난초과] (Bang-ul-sae-ran-sok)	<b>Pogonia</b> <i>Pogonia</i> Juss. [Orchidaceae]
방패꽃 (Bang-pae-kkot)	<b>Bright-blue speedwell</b> <i>Veronica tenella</i> All.
발뚝외풀 (Bat-ttuk-oe-pul)	<b>Prostrate false pimpernel</b> <i>Lindernia procumbens</i> (Krock.) Philcox
발뚝외풀속 [현삼과] (Bat-ttuk-oe-pul-sok)	<b>False pimpernel</b> <i>Lindernia</i> All. [Scrophulariaceae]

Korean name (Romanization)	English name Scientific name
밭하늘자기 (Bat-ha-neul-ji-gi)	<b>Yentai fimbriстиlis</b> <i>Fimbristylis stauntonii</i> Debeaux & Franch.
배나무속 [장미과] (Bae-na-mu-sok)	<b>Pear</b> <i>Pyrus L.</i> [Rosaceae]
배암나무 (Bae-am-na-mu)	<b>Korean viburnum</b> <i>Viburnum koreeanum</i> Nakai
배암차즈기 (Bae-am-cha-jeu-gi)	<b>Plebeian sage</b> <i>Salvia plebeia</i> R.Br.
배암차즈기속 [꿀풀과] (Bae-am-cha-jeu-gi-sok)	<b>Sage</b> <i>Salvia L.</i> [Lamiaceae]
배초향 (Bae-cho-hyang)	<b>Korean mint</b> <i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze
배초향속 [꿀풀과] (Bae-cho-hyang-sok)	<b>Giant hyssop</b> <i>Agastache J.Clayton ex Gronov.</i> [Lamiaceae]
배풍등 (Bae-pung-deung)	<b>Lyre-leaf nightshade</b> <i>Solanum lyratum</i> Thunb.
백당나무 (Baek-dang-na-mu)	<b>Smooth-cranberrybush viburnum</b> <i>Viburnum opulus</i> var. <i>calvescens</i> (Rehder) H.Hara
백도라지 (Baek-do-ra-ji)	<b>White balloon-flower</b> <i>Platycodon grandiflorus</i> f. <i>albiflorus</i> (Honda) H.Hara
백두사초 (Baek-du-sa-cho)	<b>Baekdu sedge</b> <i>Carex peiktusani</i> Kom.
백두산고사리삼 (Baek-du-san-go-sa-ri-sam)	<b>Common moonwort</b> <i>Botrychium lunaria</i> (L.) Sw.
백두산고사리삼속 [고사리삼과] (Baek-du-san-go-sa-ri-sam-sok)	<b>Grapefern, Moonwort</b> <i>Botrychium</i> Sw. [Ophioglossaceae]
백두산구슬봉이 (Baek-du-san-gu-seul-bung-i)	<b>Baedusasan gentian</b> <i>Gentiana takahashii</i> T.Mori
백두산대극 (Baek-du-san-dae-geuk)	<b>Baedusasan spurge</b> <i>Euphorbia hakutoshanensis</i> Hurus.
백두산떡쑥 (Baek-du-san-tteok-ssuk)	<b>Mountain everlasting</b> <i>Antennaria dioica</i> (L.) Gaertn.

Korean name (Romanization)	English name Scientific name
백두산떡쑥속 [국화과] (Baek-du-san-tteok-ssuk-sok)	<b>Catsfoot, Cat's-foot, Everlasting, Pussytoes</b> <i>Antennaria</i> Gaertn. [Asteraceae]
백두산바위취 (Baek-du-san-ba-wi-chwi)	<b>Baedusun lancinate rockfoil</b> <i>Saxifraga laciniata</i> var. <i>takedana</i> (Nakai) H.Hara
백두산자작나무 (Baek-du-san-ja-jak-na-mu)	<b>Baedusun birch</b> <i>Betula ovalifolia</i> Rupr.
백두실골풀 (Baek-du-sil-gol-pul)	<b>Potanin's rush</b> <i>Juncus potaninii</i> Buchenau
백량금 (Baek-ryang-geum)	<b>Coralberry</b> <i>Ardisia crispa</i> (Thunb.) A.DC.
백리향 (Baek-ri-hyang)	<b>Five-rib thyme</b> <i>Thymus quinquecostatus</i> Celak.
백리향속 [꿀풀과] (Baek-ri-hyang-sok)	<b>Thyme</b> <i>Thymus</i> L. [Lamiaceae]
백미꽃 (Baek-mi-kkot)	<b>Black-end swallow-wort</b> <i>Cynanchum atratum</i> Bunge
백미꽃속 [박주가리과] (Baek-mi-kkot-sok)	<b>Dog-strangling vine, Swallow-wort</b> <i>Cynanchum</i> L. [Asclepiadaceae]
백부자 (Baek-bu-ja)	<b>Korean monk'shood</b> <i>Aconitum coreanum</i> (H.Lév.) Rapaics
백산버들 (Baek-san-beo-deul)	<b>Brownish beak willow</b> <i>Salix xerophila</i> var. <i>fuscescens</i> (Nakai) W.T.Lee
백산새풀 (Baek-san-sae-pul)	<b>Narrow-leaf reedgrass</b> <i>Calamagrostis angustifolia</i> Kom.
백산차 (Baek-san-cha)	<b>Hairy labrador tea</b> <i>Ledum palustre</i> var. <i>diversipilosum</i> Nakai
백산차속 [진달래과] (Baek-san-cha-sok)	<b>Labrador tea</b> <i>Ledum</i> L. [Ericaceae]
백서향 (Baek-seo-hyang)	<b>White daphne</b> <i>Daphne kiusiana</i> Miq.
백선 (Baek-seon)	<b>Dense-fruit dittany</b> <i>Dictamnus dasycarpus</i> Turcz.

Korean name (Romanization)	English name Scientific name
백선속 [운향과] (Baek-seon-sok)	Burning bush, Dictamnus, Dittany, Fraxinella, Gas plant <i>Dictamnus</i> L. [Rutaceae]
백설취 (Baek-seol-chwi)	Snow-white saussurea <i>Saussurea rectinervis</i> Nakai
백양꽃 (Baek-yang-kkot)	Orange-flower surprise lily <i>Lycoris sanguinea</i> Maxim.
백양더부살이 (Baek-yang-deo-bu-sal-i)	Baekyang broomrape <i>Orobanche filicicola</i> Nakai
백운기름나물 (Baek-un-gi-reum-na-mul)	Baekun hogfennel <i>Peucedanum hakuunense</i> Nakai
백운란 (Baek-un-ran)	Baekun kuhlhasseltia orchid <i>Kuhlhasseltia nakaiana</i> (F.Maek.) Ormerod
백운란속 [난초과] (Baek-un-ran-sok)	Kuhlhasseltia <i>Kuhlhasseltia</i> J.J.Sm. [Orchidaceae]
백운배나무 (Baek-un-bae-na-mu)	Baekun wild pear <i>*Pyrus ussuriensis</i> var. <i>hakunensis</i> (Nakai) T.B.Lee
백운산원추리 (Baek-un-san-won-chu-ri)	Baekunsan daylily <i>Hemerocallis hakuunensis</i> Nakai
백운쇠물푸레 (Baek-un-soe-mul-pu-re)	Baekun flowering ash <i>*Fraxinus sieboldiana</i> var. <i>quadrijuga</i> (Nakai) T.B.Lee
백운취 (Baek-un-chwi)	Baekun saussurea <i>Saussurea insularis</i> Kitam.
백운풀 (Baek-un-pul)	Snake-tongue starviolet <i>Hedyotis diffusa</i> Willd.
백운풀속 [꼭두서니과] (Baek-un-pul-sok)	Dickwort, Oldenlandia <i>Oldenlandia</i> L. [Rubiaceae]
백작약 (Baek-jak-yak)	White woodland peony <i>Paeonia japonica</i> (Makino) Miyabe & Takeda
백합과 (Baek-hap-gwa)	Lily family Liliaceae Juss.
백합속 [백합과] (Baek-hap-sok)	Lily <i>Lilium</i> L. [Liliaceae]

Korean name (Romanization)	English name Scientific name
백화등 (Baek-hwa-deung)	<b>White-flower Asian jasmine</b> <i>Trachelospermum asiaticum</i> var. <i>majus</i> (Nakai) Ohwi
뱀고사리 (Baem-go-sa-ri)	<b>Asian common ladyfern</b> <i>Athyrium yokoscense</i> (Franch. & Sav.) Christ
뱀딸기 (Baem-ttal-gi)	<b>Wrinkled mock strawberry</b> <i>Duchesnea chrysanthia</i> (Zoll. & Moritz) Miq.
뱀딸기속 [장미과] (Baem-ttal-gi-sok)	<b>Duchesnea</b> <i>Duchesnea</i> Sm. [Rosaceae]
뱀무 (Baem-mu)	<b>Asian herb bennet</b> <i>Geum japonicum</i> Thunb.
뱀무속 [장미과] (Baem-mu-sok)	<b>Avens</b> <i>Geum</i> L. [Rosaceae]
뱀톱 (Baem-top)	<b>Toothed clubmoss</b> <i>Huperzia serrata</i> (Thunb.) Trevisan
버드나무 (Beo-deu-na-mu)	<b>Korean willow</b> <i>Salix koreensis</i> Andersson
버드나무과 (Beo-deu-na-mu-gwa)	<b>Willow family</b> <i>Salicaceae</i> Mirb.
버드나무속 [버드나무과] (Beo-deu-na-mu-sok)	<b>Willow</b> <i>Salix</i> L. [Salicaceae]
버드쟁이나물 (Beo-deu-jaeng-i-na-mul)	<b>Perennial false aster</b> <i>Aster iinumae</i> Kitam. ex H.Hara
버들개화나무 (Beo-deul-gae-hoe-na-mu)	<b>Willow-leaf Manchurian lilac</b> <i>Syringa fauriei</i> H.Lév.
버들겨이삭여뀌 (Beo-deul-gyeo-i-sak-yeo-kkwi)	<b>East Asian willow smartweed</b> <i>Persicaria foliosa</i> var. <i>paludicola</i> (Makino) H.Hara ex H.Ito
버들금불초 (Beo-deul-geum-bul-cho)	<b>Asian willow-leaf yellowhead</b> <i>Inula salicina</i> var. <i>asiatica</i> Kitam.
버들까치수염 (Beo-deul-kka-chi-su-yeom)	<b>Tufted loosestrife</b> <i>Lysimachia thyrsiflora</i> L.

Korean name (Romanization)	English name Scientific name
벼들바늘꽃 (Beo-deul-ba-neul-kkot)	<b>Marsh willowherb</b> <i>Epilobium palustre</i> L.
벼들분취 (Beo-deul-bun-chwi)	<b>Maximowicz's saussurea</b> <i>Saussurea maximowiczii</i> Herd
벼들일엽 (Beo-deul-il-yeop)	<b>Willow-leaf lance fern</b> <i>Loxogramme salicifolia</i> (Makino) Makino
벼들잎꼬리풀 (Beo-deul-ip-kko-ri-pul)	<b>Willow-leaf veronicastrum</b> <i>Veronicastrum tubiflorum</i> (Fisch. & C.A.Mey.) H.Hara
벼들잎엉겅퀴 (Beo-deul-ip-eong-geong-kwi)	<b>Linear-leaf thistle</b> <i>Cirsium lineare</i> (Thunb.) Sch.Bip.
벼들쥐똥나무 (Beo-deul-jwi-ttong-na-mu)	<b>Willow-leaf privet</b> <i>Ligustrum salicinum</i> Nakai
벼들참빗 (Beo-deul-cham-bit)	<b>Simple-leaf false spleenwort</b> <i>Neotriblemma lancea</i> (Thunb.) Nakaike
벼들참빗속 [면마과] (Beo-deul-cham-bit-sok)	<b>Neotriblemma</b> <i>Neotriblemma</i> Nakaike [Dryopteridaceae]
벼들취 (Beo-deul-chwi)	<b>Amur saussurea</b> <i>Saussurea amurensis</i> Turcz. ex DC.
벼들회나무 (Beo-deul-hoe-na-mu)	<b>Willow spindletree</b> <i>Euonymus trapococca</i> Nakai
벼어먼초 (Beo-eo-meon-cho)	<b>Hidden-petal bluethread</b> <i>Burmannia cryptopetala</i> Makino
벼어먼초과 (Beo-eo-meon-cho-gwa)	<b>Burmannia family</b> Burmanniaceae Blume
벼어먼초속 [벼어먼초과] (Beo-eo-meon-cho-sok)	<b>Bluethread</b> <i>Burmannia</i> L. [Burmanniaceae]
번행초 (Beon-haeng-cho)	<b>Common tetragonia</b> <i>Tetragonia tetragonoides</i> (Pall.) Kuntze
번행초과 (Beon-haeng-cho-gwa)	<b>Fig-marigold family, Ice plant family</b> Aizoaceae Martinov
번행초속 [번행초과] (Beon-haeng-cho-sok)	<b>Tetragonia</b> <i>Tetragonia</i> L. [Aizoaceae]

Korean name (Romanization)	English name Scientific name
별음씀바귀 (Beot-eum-sseum-ba-gwi)	<b>Weak ixeris</b> <i>Ixeris debilis</i> (Thunb.) A.Gray
별개미취 (Beol-gae-mi-chwi)	<b>Korean aster</b> <i>Aster koraiensis</i> Nakai
별깨냉이 (Beol-kkae-naeng-i)	<b>Hallasan bittercress</b> <i>Cardamine glechomifolia</i> H.Lév.
별깨덩굴 (Beol-kkae-deong-gul)	<b>Nettle-leaf mint</b> <i>Meehania urticifolia</i> (Miq.) Makino
별깨덩굴속 [꿀풀과] (Beol-kkae-deong-gul-sok)	<b>Meehania</b> <i>Meehania</i> Britton [Lamiaceae]
별깨풀 (Beol-kkae-pul)	<b>Rupestrine dragonhead</b> <i>Dracocephalum rupestre</i> Hance
별노랑이 (Beol-no-rang-i)	<b>Asian birdsfoot-trefoil</b> <i>Lotus corniculatus</i> var. <i>japonicus</i> Regel
별노랑이속 [콩과] (Beol-no-rang-i-sok)	<b>Trefoil</b> <i>Lotus</i> L. [Fabaceae]
별등골나물 (Beol-deung-gol-na-mul)	<b>Opposite-leaf eupatorium</b> <i>Eupatorium makinoi</i> var. <i>oppositifolium</i> (Koidz.) Kawahara & Yahara
벌레먹이말 (Beol-re-meok-i-mal)	<b>Waterwheel plant</b> <i>Aldrovanda vesiculosa</i> L.
벌레먹이말속 [끈끈이귀개과] (Beol-re-meok-i-mal-sok)	<b>Waterwheel plant</b> <i>Aldrovanda</i> L. [Droseraceae]
벌레잡이속 [통발과] (Beol-re-jap-i-sok)	<b>Butterwort</b> <i>Pinguicula</i> L. [Lentibulariaceae]
벌레잡이제비꽃 (Beol-re-jap-i-je-be-kkot)	<b>California butterwort</b> <i>Pinguicula vulgaris</i> var. <i>macroceras</i> (Pall. ex Link) Herder
별배나무 (Beol-bae-na-mu)	<b>Lobulate-leaf Korean mountain ash</b> <i>Sorbus alnifolia</i> var. <i>lobulata</i> (Koidz.) Rehder
별사상자 (Beol-sa-sang-ja)	<b>Monnier's snowparsley</b> <i>Cnidium monnierii</i> (L.) Cusson
별사초 (Beol-sa-cho)	<b>Woolly-fruit sedge</b> <i>Carex lasiocarpa</i> Ehrh.

Korean name (Romanization)	English name Scientific name
벌씀바귀 (Beol-sseum-ba-gwi)	<b>Many-head ikeris</b> <i>Ixeris polyccephala</i> Cass.
벌완두 (Beol-wan-du)	<b>Amur vetch</b> <i>Vicia amurensis</i> Oett.
범꼬리 (Beom-kko-ri)	<b>Asian bistort</b> <i>Bistorta manshuriensis</i> (Petrov ex Kom.) Kom.
범꼬리속 [마디풀과] (Beom-kko-ri-sok)	<b>Bistort</b> <i>Bistorta</i> (L.) Scop. [Polygonaceae]
범부채 (Beom-bu-chae)	<b>Leopard lily</b> <i>Belamcanda chinensis</i> (L.) DC.
범부채속 [붓꽃과] (Beom-bu-chae-sok)	<b>Belamcanda</b> <i>Belamcanda</i> Adans. [Iridaceae]
범의귀 (Beom-ui-gwi)	<b>Nampotaesan rockfoil</b> <i>Saxifraga furumii</i> Nakai
범의귀과 (Beom-ui-gwi-gwa)	<b>Saxifrage family</b> Saxifragaceae Juss.
범의귀속 [범의귀과] (Beom-ui-gwi-sok)	<b>Saxifrage, Rockfoils</b> <i>Saxifraga</i> L. [Saxifragaceae]
벗풀 (Beot-pul)	<b>Three-leaf arrowhead</b> <i>Sagittaria trifolia</i> L.
벗나무 (Beot-na-mu)	<b>Oriental flowering cherry</b> <i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang
벗나무속 [장미과] (Beot-na-mu-sok)	<b>Cherry, Plum</b> <i>Prunus</i> L. [Rosaceae]
벼과 (Byeo-gwa)	<b>Grass family</b> Poaceae Barnhart (= Gramineae Juss.)
벼룩나물 (Byeo-ruk-na-mul)	<b>Bog chickweed</b> <i>Stellaria alsine</i> var. <i>undulata</i> (Thunb.) Ohwi
벼룩아재비 (Byeo-ruk-a-jae-bi)	<b>Annual mitrewort</b> <i>Mitrasacme alsinoides</i> R.Br.
벼룩아재비속 [마전과] (Byeo-ruk-a-jae-bi-sok)	<b>Mitrasacme</b> <i>Mitrasacme</i> Labill. [Loganiaceae]

Korean name (Romanization)	English name Scientific name
벼룩이울타리 (Byeo-ruk-i-ul-ta-ri)	<b>Rush sandwort</b> <i>Arenaria juncea</i> M.Bieb.
벼룩이자리 (Byeo-ruk-i-ja-ri)	<b>Thyme-leaf sandwort</b> <i>Arenaria serpyllifolia</i> L.
벼룩이자리속 [석죽과] (Byeo-ruk-i-ja-ri-sok)	<b>Arenaria</b> <i>Arenaria</i> L. [Caryophyllaceae]
벽오동과 (Byeok-o-dong-gwa)	<b>Sterculia family</b> <i>Sterculiaceae</i> Vent.
변산바람꽃 (Beyon-san-ba-ram-kkot)	<b>Byeonsan winter aconite</b> <i>Eranthis byunsanensis</i> B.Y.Sun
별고사리 (Byeol-go-sa-ri)	<b>Sail fern</b> <i>Cyclosorus acuminata</i> (Houtt.) Nakai ex H.Ito
별고사리속 [면마과] (Byeol-go-sa-ri-sok)	<b>Cyclosorus</b> <i>Cyclosorus</i> Link [Dryopteridaceae]
별꽃 (Byeol-kkot)	<b>Common chickweed</b> <i>Stellaria media</i> (L.) Vill.
별꽃속 [석죽과] (Byeol-kkot-sok)	<b>Stitchwort, Chickweed</b> <i>Stellaria</i> L. [Caryophyllaceae]
별꽃풀 (Byeol-kkot-pul)	<b>Spatulate-leaf swertia</b> <i>Swertia veratroides</i> Maxim. ex Kom.
별꿩의밥 (Byeol-kkwong-ui-bap)	<b>Small-star woodrush</b> <i>Luzula rufescens</i> var. <i>macrocarpa</i> Buchenau
별날개골풀 (Byeol-nal-gae-gol-pul)	<b>Narrow-winged-stem rush</b> <i>Juncus diastrophanthus</i> Buchenau
별사초 (Byeol-sa-cho)	<b>Sparse-flower sedge</b> <i>Carex tenuiflora</i> Wahlenb.
별이끼 (Byeol-i-kki)	<b>Oriental water-starwort</b> <i>Callitricha japonica</i> Engelm. ex Hegelm.
별이끼과 (Byeol-i-kki-gwa)	<b>Water-starwort family</b> <i>Callitrichaceae</i> Link
별이끼속 [별이끼과] (Byeol-i-kki-sok)	<b>Water-starwort</b> <i>Callitricha</i> L. [Callitrichaceae]

Korean name (Romanization)	English name Scientific name
별풍경사초 (Byeol-pung-gyeong-sa-cho)	<b>Smooth Maximowicz's sedge</b> <i>Carex maximowiczii</i> var. <i>levisaccus</i> Ohwi
병개암나무 (Byeong-gae-am-na-mu)	<b>Short-beak hazel</b> <i>Corylus hallaisanensis</i> Nakai
병꽃나무 (Byeong-kkot-na-mu)	<b>Korean weigela</b> <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
병꽃나무속 [인동과] (Byeong-kkot-na-mu-sok)	<b>Weigela</b> <i>Weigela</i> Thunb. [Caprifoliaceae]
병물개암나무 (Byeong-mul-gae-am-na-mu)	<b>Short Asian beaked hazel</b> <i>Corylus sieboldiana</i> var. <i>brevirostris</i> C.K.Schneid.
병아리꽃나무 (Byeong-a-ri-kkot-na-mu)	<b>Black jetbead</b> <i>Rhodotypos scandens</i> (Thunb.) Makino
병아리꽃나무속 [장미과] (Byeong-a-ri-kkot-na-mu-sok)	<b>Rhodotypos</b> <i>Rhodotypos</i> Siebold & Zucc. [Rosaceae]
병아리난초 (Byeong-a-ri-nan-cho)	<b>Delicate amitostigma</b> <i>Amitostigma gracile</i> (Blume) Schltr.
병아리난초속 [난초과] (Byeong-a-ri-nan-cho-sok)	<b>Amitostigma</b> <i>Amitostigma</i> Schltr. [Orchidaceae]
병아리다리 (Byeong-a-ri-da-ri)	<b>Oblong-leaf salomonia</b> <i>Salomonia oblongifolia</i> DC.
병아리다리속 [원지과] (Won-ji-sok)	<b>Salomonia</b> <i>Salomonia</i> Lour. [Polygalaceae]
병아리방동사니 (Byeong-a-ri-bang-dong-sa-ni)	<b>Small flatsedge</b> <i>Cyperus hakonensis</i> Franch. & Sav.
병아리풀 (Byeong-a-ri-pul)	<b>Oriental milkwort</b> <i>Polygala tatarinowii</i> Regel
병조희풀 (Byeong-jo-hui-pul)	<b>Hyacinth-flower clematis</b> <i>Clematis heracleifolia</i> DC.
병풀 (Byeong-pul)	<b>Asian pennywort</b> <i>Centella asiatica</i> (L.) Urb.
병풀속 [산형과] (Byeong-pul-sok)	<b>Centella</b> <i>Centella</i> L. [Apiaceae]

Korean name (Romanization)	English name Scientific name
병풍쌈 (Byeong-pung-ssam)	<b>Firm Indian plantain</b> <i>Parasenecio firmus</i> (Kom.) Y.L.Chen
보라노랑무늬붓꽃 (Bo-ra-no-rang-mu-nui-but-kkot)	<b>Violet-flower Odaesan iris</b> <i>Iris odaesanensis</i> f. <i>purpurascens</i> Y.N.Lee
보리밥나무 (Bo-ri-bap-na-mu)	<b>Broad-leaf oleaster</b> <i>Elaeagnus macrophylla</i> Thunb.
보리수나무 (Bo-ri-su-na-mu)	<b>Autumn oleaster</b> <i>Elaeagnus umbellata</i> Thunb.
보리수나무과 (Bo-ri-su-na-mu-gwa)	<b>Oleaster family</b> <i>Elaeagnaceae</i> Juss.
보리수나무속 [보리수나무과] (Bo-ri-su-na-mu-sok)	<b>Oleaster, Silverberry</b> <i>Elaeagnus</i> L. [Elaeagnaceae]
보리장나무 (Bo-ri-jang-na-mu)	<b>Autumn-flower oleaster</b> <i>Elaeagnus glabra</i> Thunb.
보은대추나무 (Bo-eun-dae-chu-na-mu)	<b>Boeun jujube</b> * <i>Zizyphus jujuba</i> var. <i>hoonensis</i> (Kawamoto) T.B.Lee
보춘화 (Bo-chun-hwa)	<b>Goering's cymbidium</b> <i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f.
보춘화속 [난초과] (Bo-chun-hwa-sok)	<b>Boat orchid</b> <i>Cymbidium</i> Sw. [Orchidaceae]
보풀 (Bo-pul)	<b>Narrow-leaf arrowhead</b> <i>Sagittaria aginashi</i> Makino
보풀속 [택사과] (Bo-pul-sok)	<b>Arrowhead, Duck potato, Katniss, Swan potato, Tule potato, Wapato, Wapato</b> <i>Sagittaria</i> L. [Alismataceae]
보현개별꽃 (Bo-hyeon-gae-byeo-lkkot)	<b>Bohyeon false-starwort</b> <i>Pseudostellaria davidii</i> × <i>P. palibiniana</i>
복딸나무 (Bok-ttal-na-mu)	<b>White-berry raspberry</b> <i>Rubus sorbifolius</i> var. <i>myriadenus</i> (H.Lév. & Vaniot) T.B.Lee
복분자딸기 (Bok-bun-ja-ttal-gi)	<b>Bokbunja (Korean blackberry)</b> <i>Rubus coreanus</i> Miq.
복사앵도나무 (Bok-sa-aeng-do-na-mu)	<b>Peach-nanking cherry</b> <i>Prunus choreiana</i> Nakai ex H.T.Im

Korean name (Romanization)	English name Scientific name
복수초 (Bok-su-cho)	<b>Amur adonis</b> <i>Adonis amurensis</i> Regel & Radde
복수초속 [미나리아재비과] (Bok-su-cho-sok)	<b>Adonis, Pheasant's eye</b> <i>Adonis L.</i> [Ranunculaceae]
복자기 (Bok-ja-gi)	<b>Three-flower maple</b> <i>Acer triflorum</i> Kom.
복장나무 (Bok-jang-na-mu)	<b>Manchurian maple</b> <i>Acer mandshuricum</i> Maxim.
복주머니란 (Bok-ju-meo-ni-ran)	<b>Big-flower lady's slipper</b> <i>Cypripedium macranthos</i> Sw.
복주머니란속 [난초과] (Bok-ju-meo-ni-ran-sok)	<b>Camel's foot, Lady's slipper orchids, Moccasin flower, Slipper orchids, Squirrel foot, Steeple cap, Venus' shoes, Whippoorwill shoe</b> <i>Cypripedium L.</i> [Orchidaceae]
볼레괴불나무 (Bol-re-goe-bul-na-mu)	<b>Single-flower honeysuckle</b> <i>Lonicera monantha</i> Nakai
봄구슬봉이 (Bom-gu-seul-bung-i)	<b>Early-blooming gentian</b> <i>Gentiana thunbergii</i> (G.Don) Griseb.
봄나도냉이 (Bom-na-do-naeng-i)	<b>Early yellowrocket</b> <i>Barbarea verna</i> (Mill.) Asch.
봄맞이 (Bom-mat-i)	<b>Umbelled rockjasmine</b> <i>Androsace umbellata</i> (Lour.) Merr.
봄맞이꽃속 [앵초과] (Bom-mat-i-kkot-sok)	<b>Rockjasmine</b> <i>Androsace L.</i> [Primulaceae]
봄여뀌 (Bom-yeo-kkwi)	<b>Spring smartweed</b> <i>Persicaria vulgaris</i> Webb & Moq.
봉동참나무 (Bong-dong-cham-na-mu)	<b>Bongdongcham oak (Aliena × mongolica oak)</b> <i>Quercus × pontungensis</i> Uyeki
봉래꼬리풀 (Bong-rae-kko-ri-pul)	<b>Geumgangsan spike speedwell</b> <i>Veronica kiusiana</i> var. <i>diamantiaca</i> (Nakai) T.Yamaz.
봉선화과 (Bong-seon-hwa-gwa)	<b>Balsam family</b> <i>Balsaminaceae A.Rich.</i>
봉의꼬리 (Bong-ui-kko-ri)	<b>Spider brake fern</b> <i>Pteris multifida</i> Poir.

Korean name (Romanization)	English name Scientific name
봉의꼬리속 [고사리과] (Bong-ui-kko-ri-sok)	<b>Brake fern</b> <i>Pteris L.</i> [Pteridaceae]
부게꽃나무 (Bu-ge-kkot-na-mu)	<b>Candle-shape maple</b> <i>Acer ukurunduense</i> Trautv. & C.A.Mey.
부들 (Bu-deul)	<b>Oriental cattail</b> <i>Typha orientalis</i> C.Presl
부들과 (Bu-deul-gwa)	<b>Cattail family</b> <i>Typhaceae</i> Juss.
부들속 [부들과] (Bu-deul-sok)	<b>Bulrush, Cattnetail, Cattail, Corn dog grass, Cumbungi, Punks, Reedmace</b> <i>Typha L.</i> [Typhaceae]
부령소리쟁이 (Bu-ryeong-so-ri-jaeng-i)	<b>Patience dock</b> <i>Rumex patientia</i> L.
부리실청사초 (Bu-ri-sil-cheong-sa-cho)	<b>Beaked-fruit narrow mitra sedge</b> <i>Carex sabynensis</i> var. <i>rostrata</i> (Maxim.) Ohwi
부산마디풀 (Bu-san-ma-di-pul)	<b>Alaska knotweed</b> <i>Polygonum humifusum</i> C.Merck ex K.Koch
부싯깃고사리 (Bu-sit-git-go-sa-ri)	<b>Silver clockfern</b> <i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze
부전란 (Bu-jeon-ran)	<b>Bujeon helleborine</b> <i>Epipactis puzenensis</i> T.H.Chung
부전바디 (Bu-jeon-ba-di)	<b>Bujeon angelica</b> <i>Coelopleurum nakaianum</i> (Kitag.) Kitag.
부전바디속 [산형과] (Bu-jeon-ba-di-sok)	<b>Coelopleurum</b> <i>Coelopleurum</i> Ledeb. [Apiaceae]
부전송이풀 (Bu-jeon-song-i-pul)	<b>Hooked big-flower lousewort</b> <i>Pedicularis palustris</i> L.
부전제비고깔 (Bu-jeon-je-bi-go-kkal)	<b>Bujeon larkspur</b> <i>Delphinium maackianum</i> var. <i>lasiophyllum</i> Nakai
부전쥐손이 (Bu-jeon-jwi-son-i)	<b>Glabrous cranesbill</b> <i>Geranium eriostemon</i> var. <i>glabrescens</i> Nakai ex H.Hara
부지깽이나물 (Bu-ji-kkaeng-i-na-mul)	<b>Amur wallflower</b> <i>Erysimum amurense</i> Kitag.

Korean name (Romanization)	English name Scientific name
부채괴불이끼 (Bu-chae-goe-bul-i-kki)	Tiny bristle fern <i>Crepidomanes minutum</i> (Blume) K.Iwats.
부채마 (Bu-chae-ma)	Fan-leaf mountain yam <i>Dioscorea nipponica</i> Makino
부채붓꽃 (Bu-chae-but-kkot)	Wild flag iris <i>Iris setosa</i> Pall. ex Link
부채싸리 (Bu-chae-ssa-ri)	Notched-leaf tall lespedeza <i>*Lespedeza thunbergii</i> var. <i>retusa</i> T.B.Lee
부처꽃 (Bu-cheo-kkot)	Purple loosestrife <i>Lythrum anceps</i> (Koehne) Makino
부처꽃과 (Bu-cheo-kkot-gwa)	Loosestrife family Lythraceae J.St.-Hil.
부처꽃속 [부처꽃과] (Bu-cheo-kkot-sok)	Loosestrife <i>Lythrum</i> L. [Lythraceae]
부처손 (Bu-cheo-son)	Tree spikemoss <i>Selaginella involvens</i> (Sw.) Spring
부처손과 (Bu-cheo-son-gwa)	Spikemoss family Selaginellaceae Willk.
부처손속 [부처손과] (Bu-cheo-son-sok)	Spikemoss, Lesser clubmosses, Selaginella <i>Selaginella</i> P.Beauv. [Selaginellaceae]
부추속 [백합과] (Bu-chu-sok)	Ornamental onion, Onion <i>Allium</i> L. [Liliaceae]
복개벗지나무 (Buk-gae-beot-ji-na-mu)	Meyer's cherry <i>Prunus meyeri</i> Rehder
복관중 (Buk-gwan-jung)	Northern shield fern <i>Dryopteris coreano-montana</i> Nakai
복미나리아재비 (Buk-mi-na-ri-a-jae-bi)	Northern buttercup <i>Ranunculus grandis</i> var. <i>austrokurilensis</i> (Tatew.) H.Hara
북바위고사리 (Buk-ba-wi-go-sa-ri)	Parsley fern <i>Cryptogramma crispa</i> (L.) R.Br. ex Rich.
북바위고사리속 [고사리과] (Buk-ba-wi-go-sa-ri-sok)	Rockbrake <i>Cryptogramma</i> R.Br. [Pteridaceae]

Korean name (Romanization)	English name Scientific name
북부식깃고사리 (Buk-bu-sit-git-go-sa-ri)	<b>Thin northern lipfern</b> <i>Cheilanthes kuhnii f. gracilis</i> Kitag.
북분취 (Buk-bun-chwi)	<b>Mongolian saussurea</b> <i>Saussurea mongolica</i> (Franch.) Franch.
북사초 (Buk-sa-cho)	<b>Augustinowicz's sedge</b> <i>Carex augustinowiczzii</i> Menish. ex Korsh.
북새발고사리 (Buk-sae-bal-go-sa-ri)	<b>Black-scale ladyfern</b> <i>Athyrium melanolepis</i> (Franch. & Sav.) Christ
북선메뛰기피 (Buk-seon-me-ttwi-gi-pi)	<b>Alpine reedgrass</b> <i>Calamagrostis hymenoglossa</i> Ohwi
북선점나도나물 (Buk-seon-jeom-na-do-na-mul)	<b>Korean mouse-ear chickweed</b> <i>Cerastium rubescens</i> var. <i>koreanum</i> (Nakai) Miki
북쇠뜨기 (Buk-soe-tteu-gi)	<b>Northern field horsetail</b> <i>Equisetum arvense</i> var. <i>boreale</i> (Bong.) Rupr.
북점나도나물 (Buk-jeom-na-do-na-mul)	<b>Eurasian mouse-ear chickweed</b> <i>Cerastium holosteoides</i> Fries
북통발 (Buk-tong-bal)	<b>Yellowish-white bladderwort</b> <i>Utricularia ochroleuca</i> R.W.Hartm.
분개구리밥 (Bun-gae-gu-ri-bap)	<b>Rootless watermeal</b> <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.
분개구리밥속 [개구리밥과] (Bun-gae-gu-ri-bap-sok)	<b>Duckweed, Watermeal</b> <i>Wolffia</i> Horkel ex Schleid. [Lemnaceae]
분꽃나무 (Bun-kkot-na-mu)	<b>Korean spice viburnum</b> <i>Viburnum carlesii</i> Hemsl.
분단나무 (Bun-dan-na-mu)	<b>Forked viburnum</b> <i>Viburnum furcatum</i> Blume
분벼들 (Bun-beo-deul)	<b>Prunia-shoot willow</b> <i>Salix rorida</i> Laksch.
분비나무 (Bun-bi-na-mu)	<b>Khingan fir</b> <i>Abies nephrolepis</i> (Trautv. ex Maxim.) Maxim.
분취 (Bun-chwi)	<b>Seoul saussurea</b> <i>Saussurea seoulensis</i> Nakai

Korean name (Romanization)	English name Scientific name
분홍꽃향유 (Bun-hong-kkot-hyang-yu)	<b>Pink-flower shiny mint</b> <i>*Elsholtzia splendens f. roseola</i> Y.N.Lee
분홍노루발 (Bun-hong-no-ru-bal)	<b>Pink-flower wintergreen</b> <i>Pyrola asarifolia</i> subsp. <i>incarnata</i> (DC.) Haber & Hir. Takah.
분홍미선나무 (Bun-hong-mi-seon-na-mu)	<b>Pink-flower miseonnamu (Pink-flower abeliophyllum)</b> <i>Abeliophyllum distichum</i> f. <i>lilacinum</i> Nakai
분홍바늘꽃 (Bun-hong-ba-neul-kkot)	<b>Rosebay willowherb</b> <i>Epilobium angustifolium</i> L.
분홍벗나무 (Bun-hong-beot-na-mu)	<b>Hairy Sargent's cherry</b> <i>Prunus sargentii</i> var. <i>verecunda</i> (Koidz.) Chin S.Chang
분홍장구채 (Bun-hong-jang-gu-chae)	<b>Pink catchfly</b> <i>Silene capitata</i> Kom.
분홍좁쌀풀 (Bun-hong-jop-ssal-pul)	<b>Pink loosestrife</b> <i>Lysimachia vulgaris</i> var. <i>davurica</i> f. <i>koreana</i> W.T.Lee ex W.T.Lee & W.K.Paik
분홍쥐손이 (Bun-hong-jwi-son-i)	<b>Western purple cranesbill</b> <i>Geranium maximowiczii</i> Regel
분홍털복주머니란 (Bun-hong-teol-bok-ju-meo-ni-ran)	<b>Pink-hairy spotted lady's slipper</b> <i>Cypripedium guttatum</i> f. <i>punicum</i> YN.Lee
분홍할미꽃 (Bun-hong-hal-mi-kkot)	<b>Dahurian pasque-flower</b> <i>Pulsatilla dahurica</i> (Fisch. ex DC.) Spreng.
붉가시나무 (Buk-ga-si-na-mu)	<b>Red-wood evergreen oak</b> <i>Quercus acuta</i> Thunb.
붉나무 (Buk-na-mu)	<b>Nutgall tree</b> <i>Rhus chinensis</i> Mill.
붉나무속 [옻나무과] (Buk-na-mu-sok)	<b>Sumac</b> <i>Rhus</i> L. [Anacardiaceae]
붉노랑상사화 (Buk-no-rang-sang-sa-hwa)	<b>Reddish-yellow surprise lily</b> <i>Lycoris flavescens</i> M.Y.Kim & S.T.Lee
붉은가문비 (Bul-geun-ga-mun-bi)	<b>Red-cone spruce</b> <i>Picea jezoensis</i> f. <i>rubrilepis</i> Uyeki
붉은겨울살이 (Bul-geun-gyeo-ul-sal-i)	<b>Red-berry Korean mistletoe</b> <i>Viscum coloratum</i> f. <i>rubroaurantiacum</i> (Makino) Kitag.

Korean name (Romanization)	English name Scientific name
붉은고로쇠 (Bul-geun-go-ro-soe)	<b>Red-petiole mono maple</b> <i>Acer mono</i> f. <i>rubripes</i> T.B.Lee
붉은골풀아재비 (Bul-geun-gol-pul-a-jae-bi)	<b>Red-spike beaksedge</b> <i>Rhynchospora rubra</i> (Lour.) Makino
붉은구상 (Bul-geun-gu-sang)	<b>Red-cone Korean fir</b> <i>Abies koreana</i> f. <i>rubrocarpa</i> T.B.Lee
붉은꽃싸리 (Bul-geun-kkot-ssa-ri)	<b>Red false bush-clover</b> <i>Campylotropis macrocarpa</i> f. <i>rosea</i> Uyeki
붉은노루삼 (Bul-geun-no-ru-sam)	<b>Red baneberry</b> <i>Actaea erythrocarpa</i> Fisch.
붉은대극 (Bul-geun-dae-geuk)	<b>Red spurge</b> <i>Euphorbia ebracteolata</i> Hayata
붉은대산뽕 (Bul-geun-dae-san-ppong)	<b>Red-stem mulberry</b> * <i>Morus bombycina</i> var. <i>rubricaulis</i> Uyeki
붉은별깨덩굴 (Bul-geun-beol-kkae-deong-gul)	<b>Red nettle-leaf mint</b> * <i>Meehania urticifolia</i> f. <i>rubra</i> T.B.Lee
붉은병꽃나무 (Bul-geun-byeong-kkot-na-mu)	<b>Old-fashion weigela</b> <i>Weigela florida</i> (Bunge) A.DC.
붉은사철란 (Bul-geun-sa-cheol-ran)	<b>Reddish rattlesnake plantain</b> <i>Goodyera biflora</i> (Lindl.) Hook.f.
붉은수크령 (Bul-geun-su-keu-ryeong)	<b>Reddish foxtail fountaingrass</b> <i>Pennisetum alopecuroides</i> var. <i>erythrochaetum</i> Ohwi
붉은여로 (Bul-geun-yeo-ro)	<b>Reddish-flower false-hellebore</b> <i>Veratrum versicolor</i> f. <i>brunnea</i> Nakai
붉은조개나물 (Bul-geun-jo-gae-na-mul)	<b>Red Korean pyramid bugle</b> <i>Ajuga multiflora</i> f. <i>rosea</i> Y.N.Lee
붉은참반디 (Bul-geun-cham-ban-di)	<b>Red-flower sanicle</b> <i>Sanicula rubriflora</i> F.Schmidt ex Maxim.
붉은키버들 (Bul-geun-ki-beo-deul)	<b>Red winnow willow</b> <i>Salix koriyanagi</i> f. <i>rubra</i> (Nakai) W.T.Lee
붉은터리풀 (Bul-geun-teo-ri-pul)	<b>Red Korean meadowsweet</b> <i>Filipendula koreana</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
붉은털이슬 (Bul-geun-teol-i-seul)	<b>Red-hair enchanter's nightshade</b> <i>Circaea erubescens</i> Franch. & Sav.
붉은톱풀 (Bul-geun-top-pul)	<b>Reddish alpine yarrow</b> <i>Achillea alpina</i> subsp. <i>rhodoptarmica</i> (Nakai) Kitam.
붉은호장근 (Bul-geun-ho-jang-geun)	<b>Red Asian knotweed</b> <i>*Fallopia japonica</i> f. <i>elata</i> Y.M.Lee & H.J.Choi
붓꽃 (But-kkot)	<b>Blood iris</b> <i>Iris sanguinea</i> Donn ex Horn
붓꽃과 (But-kkot-gwa)	<b>Iris family</b> Iridaceae Juss.
붓꽃속 [붓꽃과] (But-kkot-sok)	<b>Iris</b> <i>Iris</i> L. [Iridaceae]
붓순나무 (But-sun-na-mu)	<b>Aniseed tree</b> <i>Illicium anisatum</i> L.
붓순나무과 (But-sun-na-mu-gwa)	<b>Star-anise family</b> Illiciaceae A.C. Sm.
붓순나무속 [붓순나무과] (But-sun-na-mu-sok)	<b>Anisetree, Star-anise</b> <i>Illicium</i> L. [Illiciaceae]
봉겐새풀 (Bung-gen-sae-pul)	<b>Bunge's reedgrass</b> <i>Calamagrostis bungeana</i> V.Petrov
봉어마름 (Bung-eo-ma-reum)	<b>Coon's tail</b> <i>Ceratophyllum demersum</i> L.
봉어마름과 (Bung-eo-ma-reum-gwa)	<b>Hornwort family</b> Ceratophyllaceae Gray
봉어마름속 [봉어마름과] (Bung-eo-ma-reum-sok)	<b>Coon's tail, Hornwort</b> <i>Ceratophyllum</i> L. [Ceratophyllaceae]
비고사리 (Bi-go-sa-ri)	<b>East Asian necklace fern</b> <i>Lindsaea japonica</i> (Baker) Diels
비고사리속 [고사리과] (Bi-go-sa-ri-sok)	<b>Necklace fern</b> <i>Lindsaea</i> Dryand. ex Sm. [Pteridaceae]
비녀골풀 (Bi-nyeo-gol-pul)	<b>Kramer's rush</b> <i>Juncus krameri</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
비노리 (Bi-no-ri)	<b>Multi-stem lovegrass</b> <i>Eragrostis multicaulis</i> Steud.
비늘개관종 (Bi-neul-gae-gwan-jung)	<b>Scaly holly fern</b> <i>Polystichum retrosopaleaceum</i> (Kodama) Tagawa
비늘고사리 (Bi-neul-go-sa-ri)	<b>Leathery wood fern</b> <i>Dryopteris lacera</i> (Thunb.) Kuntze
비늘사초 (Bi-neul-sa-cho)	<b>Lentoid sedge</b> <i>Carex phacota</i> Spreng.
비늘석송 (Bi-neul-seok-song)	<b>Ground pine</b> <i>Lycopodium complanatum</i> L.
비늘이끼 (Bi-neul-i-kki)	<b>Loose-leaf selaginella</b> <i>Selaginella remotifolia</i> Spring
비단분취 (Bi-dan-bun-chwi)	<b>Komarov's saussurea</b> <i>Saussurea komaroviana</i> Lipsch.
비단쑥 (Bi-dan-ssuk)	<b>White-mountain wormwood</b> <i>Artemisia lagocephala</i> f. <i>triloba</i> (Ledeb.) Pamp.
비로용담 (Bi-ro-yong-dam)	<b>Biro gentian</b> <i>Gentiana jamesii</i> Hemsl.
비름 (Bi-reum)	<b>Edible amaranth</b> <i>Amaranthus mangostanus</i> L.
비름과 (Bi-reum-gwa)	<b>Amaranth family</b> Amaranthaceae Juss.
비름속 [비름과] (Bi-reum-sok)	<b>Amaranth, Pigweed</b> <i>Amaranthus</i> L. [Amaranthaceae]
비목나무 (Bi-mok-na-mu)	<b>Red-fruit spicebush</b> <i>Lindera erythrocarpa</i> Makino
비바리골무꽃 (Bi-ba-ri-gol-mu-kkot)	<b>Bibari skullcap</b> <i>Scutellaria indica</i> var. <i>alba</i> S.T.Kim & S.T.Lee
비비추난초 (Bi-bi-chu-nan-cho)	<b>Hosta-leaf orchid</b> <i>Tipularia japonica</i> Matsum.
비비추난초속 [난초과] (Bi-bi-chu-nan-cho-sok)	<b>Tipularia</b> <i>Tipularia</i> Nutt. [Orchidaceae]

Korean name (Romanization)	English name Scientific name
비비추속 [백합과] (Bi-bi-chu-sok)	<b>Plantain lily, Hosta</b> <i>Hosta</i> Tratt. [Liliaceae]
비수리 (Bi-su-ri)	<b>Sericea lespedeza</b> <i>Lespedeza cuneata</i> (Dum.Cours.) G.Don
비술나무 (Bi-sul-na-mu)	<b>Siberian elm</b> <i>Ulmus pumila</i> L.
비슬개별꽃 (Bi-seul-gae-byeol-kkot)	<b>Biseul false-starwort</b> <i>Pseudostellaria heterophylla</i> × <i>P. palibiniana</i> K.Choi & J.H.Pak
비쑥 (Bi-ssuk)	<b>Virgate wormwood</b> <i>Artemisia scoparia</i> Waldst. & Kit.
비양나무속 [쐐기풀과] (Bi-yang-na-mu-sok)	<b>Oreocnide</b> <i>Oreocnide</i> Miq. [Urticaceae]
비자나무 (Bi-ja-na-mu)	<b>Nut-bearing torreya</b> <i>Torreya nucifera</i> (L.) Siebold & Zucc.
비자나무속 [주목과] (Bi-ja-na-mu-sok)	<b>Nutmeg yew, Torreya</b> <i>Torreya</i> Arn. [Taxaceae]
비자란 (Bi-ja-ran)	<b>East Asian thrixspermum</b> <i>Thrixspermum japonicum</i> (Miq.) Rchb.f.
비자란속 [난초과] (Bi-ja-ran-sok)	<b>Thrixspermum</b> <i>Thrixspermum</i> Lour. [Orchidaceae]
비진도콩 (Bi-jin-do-kong)	<b>Bijindo bean</b> <i>Dumasia truncata</i> Siebold & Zucc.
비진도콩속 [콩과] (Bi-jin-do-kong-sok)	<b>Dumasia</b> <i>Dumasia</i> DC. [Fabaceae]
비짜루 (Bi-jja-ru)	<b>Schoberia-like asparagus</b> <i>Asparagus schoberioides</i> Kunth
비짜루속 [백합과] (Bi-jja-ru-sok)	<b>Asparagus, Garden asparagus</b> <i>Asparagus</i> L. [Liliaceae]
비쭈기나무 (Bi-jju-gi-na-mu)	<b>Japanese cleyera</b> <i>Cleyera japonica</i> Thunb.
비쭈기나무속 [차나무과] (Bi-jju-gi-na-mu-sok)	<b>Cleyera</b> <i>Cleyera</i> Thunb. [Theaceae]

Korean name (Romanization)	English name Scientific name
빈추나무 (Bin-chu-na-mu)	<b>Cherry prinsepia</b> <i>Prinsepia sinensis</i> (Oliv.) Oliv. ex Bean
빈추나무속 [장미과] (Bin-chu-na-mu-sok)	<b>Prinsepia</b> <i>Prinsepia</i> Royle [Rosaceae]
빌레나무 (Bil-re-na-mu)	<b>Broad flat-rock tree</b> <i>Maesa japonica</i> (Thunb.) Moritzi & Zoll.
빌레나무과 (Bil-re-na-mu-gwa)	<b>Maesa family</b> Maesaceae Anderb., B.Ståhl & Källersjö
빌레나무속 [빌레나무과] (Bil-re-na-mu-sok)	<b>Maesa</b> <i>Maesa</i> Forssk. [Maesaceae]
빕새귀리 (Bip-sae-gwi-ri)	<b>Fringed brome</b> <i>Bromus canadensis</i> subsp. <i>yekoensis</i> (Ohwi) V.N.Voroshilov.
빗살새 (Bit-sal-sae)	<b>Crested dog's tail grass</b> <i>Cynosurus cristatus</i> L.
빗살새속 [벼과] (Bit-sal-sae-sok)	<b>Dog's tail grass</b> <i>Cynosurus</i> L. [Poaceae]
빗살서덜취 (Bit-sal-seo-deol-chwi)	<b>Deeply-lobe saussurea</b> <i>Saussurea odontolepis</i> (Herder) Sch.Bip. ex Maxim.
뺑쑥 (Ppaeng-ssuk)	<b>Fedde's wormwood</b> <i>Artemisia feddei</i> H.Lév. & Vaniot
빼꾹나리 (Ppeo-kkuk-na-ri)	<b>Toad lily</b> <i>Tricyrtis macropoda</i> Miq.
빼꾹나리속 [백합과] (Ppeo-kkuk-na-ri-sok)	<b>Toad lilies, Tricyrtis</b> <i>Tricyrtis</i> Wall. [Liliaceae]
빼꾹채 (Ppeo-kkuk-chae)"	<b>Uniflower swisscentaury</b> <i>Rhaponticum uniflorum</i> (L.) DC.
빼꾹채속 [국화과] (Ppeo-kkuk-chae-sok)"	<b>Rhaponticum</b> <i>Rhaponticum</i> Ludw. [Asteraceae]
쁘리뱅이 (Ppo-ri-baeng-i)	<b>Oriental false hawksbeard</b> <i>Youngia japonica</i> (L.) DC.
쁘리뱅이속 [국화과] (Ppo-ri-baeng-i-sok)	<b>Youngia</b> <i>Youngia</i> Cass. [Asteraceae]

Korean name (Romanization)	English name Scientific name
뽕나무과 (Ppong-na-mu-gwa)	<b>Mulberry family</b> Moraceae Gaudich.
뽕나무속 [뽕나무과] (Ppong-na-mu-sok)	<b>Mulberry</b> <i>Morus L.</i> [Moraceae]
뽕모시풀 (Ppong-mo-si-pul)	<b>Hairy crabweed</b> <i>Fatoua villosa</i> (Thunb.) Nakai
뽕모시풀속 [뽕나무과] (Ppong-mo-si-pul-sok)	<b>Fatoua</b> <i>Fatoua</i> Gaudich. [Moraceae]
뽕잎피나무 (Ppong-ip-pi-na-mu)	<b>Mulberry-leaf linden</b> <i>Tilia taquetii</i> C.K.Schneid.
뾰족잎사철나무 (Ppyo-jok-ip-sa-cheol-na-mu)	<b>Acute-leaf evergreen spindletree</b> <i>Euonymus japonicus</i> var. <i>acutus</i> Rehder
뿔고사리 (Ppul-go-sa-ri)	<b>Horn fern</b> <i>Cornopteris decurrenti-alata</i> (Hook.) Nakai
뿔고사리속 [면마과] (Ppul-go-sa-ri-sok)	<b>Cornopteris</b> <i>Cornopteris</i> Nakai [Dryopteridaceae]
뿔말 (Ppul-mal)	<b>Horned pondweed</b> <i>Zannichellia palustris</i> L.
뿔말속 [가래과] (Ppul-mal-sok)	<b>Horned pondweed</b> <i>Zannichellia</i> [Potamogetonaceae]

**人**

사과나무속 [장미과] (Sa-gwa-na-mu-sok)	<b>Apple, Crabapples, Crab apples, Crabs, Wild apples</b> <i>Malus</i> Mill. [Rosaceae]
사국이질풀 (Sa-guk-i-jil-pul)	<b>Shikoku marbled cranesbill</b> <i>Geranium shikokianum</i> Matsum.
사다리고사리 (Sa-da-ri-go-sa-ri)	<b>Ladder-shape gland fern</b> <i>Parathelypteris glanduligera</i> (Kunze) Ching
사다리고사리속 [면마과] (Sa-da-ri-go-sa-ri-sok)	<b>Gland fern, Marsh fern, Parathelypteris</b> <i>Parathelypteris</i> (H. Itô) Ching [Dryopteridaceae]
사데풀 (Sa-de-pul)	<b>Seashore sowthistle</b> <i>Sonchus brachyotus</i> DC.

人

Korean name (Romanization)	English name Scientific name
사동미나리 (Sa-dong-mi-na-ri)	<b>Dahurian snowparsley</b> <i>Cnidium dauricum</i> (Jacq.) Fisch. & C.A.Mey
사람주나무 (Sa-ram-ju-na-mu)	<b>Tallow tree</b> <i>Neoshirakia japonica</i> (Siebold & Zucc.) Esser
사람주나무속 [대극과] (Sa-ram-ju-na-mu-sok)	<b>Milktree</b> <i>Neoshirakia</i> Esser [Euphorbiaceae]
사마귀풀 (Sa-ma-gwi-pul)	<b>Marsh dewflower</b> <i>Murdannia keisak</i> (Hassk.) Hand.-Mazz.
사마귀풀속 [닭의장풀과] (Sa-ma-gwi-pul-sok)	<b>Murdannia</b> <i>Murdannia</i> Royle [Commelinaceae]
사상자 (Sa-sang-ja)	<b>Erect hedgeparsley</b> <i>Torilis japonica</i> (Houtt.) DC.
사상자속 [산형과] (Sa-sang-ja-sok)	<b>Hedgeparsley</b> <i>Torilis</i> Adans. [ Apiaceae ]
사스래나무 (Sa-seu-rae-na-mu)	<b>Erman's birch</b> <i>Betula ermanii</i> Cham.
사스래피나무 (Sa-seu-re-pi-na-mu)	<b>East Asian eurya</b> <i>Eurya japonica</i> Thunb.
사스래피나무속 [차나무과] (Sa-seu-re-pi-na-mu-sok)	<b>Eurya</b> <i>Eurya</i> Thunb. [Theaceae]
사슨딸기 (Sa-seun-ttal-gi)	<b>Small-leaf trailing raspberry</b> <i>Rubus parvifolius</i> var. <i>taquetii</i> (H.Lév.) Nemoto
사시나무 (Sa-si-na-mu)	<b>Korean aspen</b> <i>Populus davidiana</i> Dode
사시나무속 [버드나무과] (Sa-si-na-mu-sok)	<b>Cottonwood, Poplar</b> <i>Populus</i> L. [Salicaceae]
사위질빵 (Sa-wi-jil-ppang)	<b>Three-leaf clematis</b> <i>Clematis apiifolia</i> DC.
사창분취 (Sa-chang-bun-chwi)	<b>Northern saussurea</b> <i>Saussurea calcicola</i> Nakai
사철검은재나무 (Sa-cheol-geom-eun-jae-na-mu)	<b>Thick sweetleaf</b> <i>Symplocos lucida</i> (Thunb.) Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
사철고사리 (Sa-cheol-go-sa-ri)	<b>Evergreen spleenwort</b> <i>Asplenium pekinense</i> Hance
사철나무 (Sa-cheol-na-mu)	<b>Evergreen spindletree</b> <i>Euonymus japonicus</i> Thunb.
사철란 (Sa-cheol-ran)	<b>Schlechtendal's rattlesnake plantain</b> <i>Goodyera schlechtendaliana</i> Rchb.f.
사철란속 [난초과] (Sa-cheol-ran-sok)	<b>Rattlesnake plantain</b> <i>Goodyera</i> R.Br. [Orchidaceae]
사철쑥 (Sa-cheol-ssuk)	<b>Capillary wormwood</b> <i>Artemisia capillaris</i> Thunb.
사철잔고사리 (Sa-cheol-jan-go-sa-ri)	<b>Rough hay-scented fern</b> <i>Dennstaedtia scabra</i> (Wall. ex Hook.) T.Moore
사초과 (Sa-cho-gwa)	<b>Sedges</b> Cyperaceae Juss.
사초속 [사초과] (Sa-cho-sok)	<b>Sedge</b> <i>Carex</i> L. [Cyperaceae]
사할린새풀 (Sa-hal-rin-sae-pul)	<b>Sakhalin reedgrass</b> <i>Calamagrostis sachalinensis</i> F.Schmidt
사향제비꽃 (Sa-hyang-je-bi-kkot)	<b>Musky violet</b> <i>Viola obtusa</i> (Makino) Makino
산가막살나무 (San-ga-mak-sal-na-mu)	<b>Wright's viburnum</b> <i>Viburnum wrightii</i> Miq.
산각시취 (San-gak-si-chwi)	<b>Mountain maiden saussurea</b> <i>Saussurea umbrosa</i> Kom.
산갈퀴 (San-gal-kwi)	<b>Mountain bedstraw</b> <i>Galium pogananthum</i> Franch. & Sav.
산개갈퀴 (San-gae-gal-kwi)	<b>Asian montane woodruff</b> <i>Asperula platygallum</i> Maxim.
산개고사리 (San-gae-go-sa-ri)	<b>Vidal's ladyfern</b> <i>Athyrium vidalii</i> (Franch. & Sav.) Nakai
산개나리 (San-gae-na-ri)	<b>Rocky forsythia</b> <i>Forsythia saxatilis</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
산개벗지나무 (San-gae-beot-ji-na-mu)	<b>Korean mountain cherry</b> <i>Prunus maximowiczii</i> Rupr.
산개별꽃 (San-gae-byeol-kkot)	<b>Mountain false-starwort</b> <i>Pseudostellaria monantha</i> Ohwi
산개쑥 (San-gae-ssuk)	<b>High-mountain wormwood</b> <i>Artemisia orthobotrys</i> Kitam.
산갓보리 (San-gaet-bo-ri)	<b>Velvety Dahurian wheatgrass</b> <i>Elymus dahuricus</i> var. <i>vilosulus</i> (Ohwi) Ohwi
산검양옻나무 (San-geom-yang-ot-na-mu)	<b>Wood lacquer tree</b> <i>Toxicodendron sylvestre</i> (Siebold & Zucc.) Kuntze
산겨릅나무 (San-gyeo-reup-na-mu)	<b>East Asian stripe maple</b> <i>Acer tegmentosum</i> Maxim.
산겨이삭 (San-gyeo-i-sak)	<b>Clavate bentgrass</b> <i>Agrostis clavata</i> Trin.
산고사리 (San-go-sa-ri)	<b>Mountain ladyfern</b> <i>Athyrium alpestre</i> (Hoppe) Clairv.
산고사리삼 (San-go-sa-ri-sam)	<b>Coloured grapefern</b> <i>Sceptridium multifidum</i> var. <i>rebustum</i> (Rupr. ex Milde) M.Nishida ex Tagawa
산골무꽃 (San-gol-mu-kkot)	<b>Mountain skullcap</b> <i>Scutellaria pekinensis</i> var. <i>transitra</i> (Makino) H.Hara
산골취 (San-gol-chwi)	<b>Elliptic-leaf saussurea</b> <i>Saussurea neoserrata</i> Nakai
산괭이눈 (San-gwaeng-i-nun)	<b>Mountain golden saxifrage</b> <i>Chrysosplenium japonicum</i> (Maxim.) Makino
산괭이사초 (San-gwaeng-i-sa-cho)	<b>Mountain cat-tail sedge</b> <i>Carex leiorhyncha</i> C.A.Mey.
산괴불나무 (San-goe-bul-na-mu)	<b>Mountain chrysanthia honeysuckle</b> <i>Lonicera chrysanthia</i> var. <i>crassipes</i> Nakai
산괴불주머니 (San-goe-bul-ju-meo-ni)	<b>Beautiful corydalis</b> <i>Corydalis speciosa</i> Maxim.
산구절초 (San-gu-jeol-cho)	<b>Korean dendranthema</b> <i>Dendranthema zawadskii</i> (Herb.) Tzvelev

Korean name (Romanization)	English name Scientific name
산국 (San-guk)	<b>Northern dendranthema</b> <i>Dendranthema boreale</i> (Makino) Ling ex Kitam.
산국속 [국화과] (San-guk-sok)	<b>Arctic daisy, Dendranthema</b> <i>Dendranthema</i> (DC.) Des Moul. [Asteraceae]
산국수나무 (San-guk-su-na-mu)	<b>Amur ninebark</b> <i>Physocarpus amurensis</i> (Maxim.) Maxim.
산국수나무속 [장미과] (San-guk-su-na-mu-sok)	<b>Ninebark</b> <i>Physocarpus</i> Maxim. [Rosaceae]
산기름나물 (San-gi-reum-na-mul)	<b>Mountain hogfennel</b> <i>Peucedanum terebinthaceum</i> var. <i>deltaeideum</i> (Makino ex K. Yabe) Makino
산기장 (San-gi-jang)	<b>Globose phaenosperma</b> <i>Phragmites japonicus</i> Steud.
산꼬리사초 (San-kko-ri-sa-cho)	<b>Long-tail-spike sedge</b> <i>Carex shimidzensis</i> Franch.
산꼬리풀 (San-kko-ri-pul)	<b>Mountain spike speedwell</b> <i>Veronica rotunda</i> var. <i>subintegra</i> (Nakai) T.Yamaz.
산꽃고사리삼 (San-kkot-go-sa-ri-sam)	<b>East Asian grapefern</b> <i>Sceptridium japonicum</i> (Prantl) Lyon
산꽃다지 (San-kkot-da-ji)	<b>Rock whitlow-grass</b> <i>Draba glabella</i> Pursh
산꿩의다리 (San-kkwong-ui-da-ri)	<b>Tuberous-rooted meadow-rue</b> <i>Thalictrum filamentosum</i> var. <i>tenerum</i> (Huth) Ohwi
산꿩의밥 (San-kkwong-ui-bap)	<b>Common woodrush</b> <i>Luzula multiflora</i> (Ehrh.) Lej.
산냉이 (San-naeng-i)	<b>Northern meadow bittercress</b> <i>Cardamine prorepens</i> Fisch. ex DC.
산닥나무 (San-dak-na-mu)	<b>Montane false ohelo</b> <i>Wikstroemia trichotoma</i> (Thunb.) Makino
산닥나무속 [팥꽃나무과] (San-dak-na-mu-sok)	<b>False ohelo</b> <i>Wikstroemia</i> Endl. [Thymelaeaceae]
산단풍나무 (San-dan-pung-na-mu)	<b>Mountain Korean maple</b> <i>Acer pseudosieboldianum</i> var. <i>ishidoyanum</i> Uyeki

Korean name (Romanization)	English name Scientific name
산달래 (San-dal-rae)	<b>Long-stamen chive</b> <i>Allium macrostemon</i> Bunge
산돌배 (San-dol-bae)	<b>Ussuri pear</b> <i>Pyrus ussuriensis</i> Maxim.
산동쥐똥나무 (San-dong-jwi-ttong-na-mu)	<b>Sharp-leaf privet</b> <i>Ligustrum acutissimum</i> Koehne
산동굴레 (San-dung-gul-re)	<b>Thunberg's solomon's seal</b> <i>Polygonatum thunbergii</i> Morr. & Decone.
산들깨 (San-deul-kkae)	<b>Large-bract mosla</b> <i>Mosla japonica</i> (Benth. ex Oliv.) Maxim
산들쭉나무 (San-deul-jjuk-na-mu)	<b>Alpine bog blueberry</b> <i>Vaccinium uliginosum</i> var. <i>alpinum</i> Bigelow
산딸기 (San-ttal-gi)	<b>Korean raspberry</b> <i>Rubus crataegifolius</i> Bunge
산딸기속 [장미과] (San-ttal-gi-sok)	<b>Blackberry</b> <i>Rubus</i> L. [Rosaceae]
산딸나무 (San-ttal-na-mu)	<b>Korean dogwood</b> <i>Cornus kousa</i> F.Buerger ex Hance
산떡쑥 (San-tteok-ssuk)	<b>Pearly everlasting</b> <i>Anaphalis margaritacea</i> (L.) Benth. & Hook.f.
산뚝사초 (San-ttuk-sa-cho)	<b>Scissors-like sedge</b> <i>Carex forficula</i> Franch. & Sav.
산마가목 (San-ma-ga-mok)	<b>Siberian mountain ash</b> <i>Sorbus sambucifolia</i> var. <i>pseudogracilis</i> C.K.Schneid.
산마늘 (San-ma-neul)	<b>Alpine broad-leaf allium</b> <i>Allium victorialis</i> L.
산매자나무 (San-mae-ja-na-mu)	<b>Mountain blueberry</b> <i>Vaccinium japonicum</i> Miq.
산목새 (San-muk-sae)	<b>Oriental fescue</b> <i>Festuca japonica</i> Makino
산물봉선 (San-mul-bong-seon)	<b>Small white touch-me-not</b> <i>Impatiens furcillata</i> Hemsl.

Korean name (Romanization)	English name Scientific name
산물통이 (San-mul-tong-i)	<b>Montane clearweed</b> <i>Pilea japonica</i> (Maxim.) Hand.-Mazz.
산미나리 (San-mi-na-ri)	<b>Goutweed</b> <i>Aegopodium podagraria</i> L.
산미나리속 [산형과] (San-mi-na-ri-sok)	<b>Goutweed</b> <i>Aegopodium</i> L. [Apiaceae]
산미나리아재비 (San-mi-na-ri-a-jae-bi)	<b>Mountain meadow buttercup</b> <i>Ranunculus acris</i> var. <i>monticola</i> (Kitag.) Tamura
산미역취 (San-mi-yeok-chwi)	<b>European goldenrod</b> <i>Solidago virgaurea</i> var. <i>leiocarpa</i> (Benth.) A.Gray
산민들레 (San-min-deul-re)	<b>Montane dandelion</b> <i>Taraxacum ohwianum</i> Kitam.
산민망초 (San-min-mang-cho)	<b>Kamchatka fleabane</b> <i>Erigeron acris</i> var. <i>kamtschaticus</i> (DC.) Herder
산바늘사초 (San-ba-neul-sa-cho)	<b>Few-flower sedge</b> <i>Carex pauciflora</i> Lightf.
산바위싱아 (San-ba-wi-sing-a)	<b>Mountain knotweed</b> <i>Aconogonon limosum</i> (Kom.) H.Hara
산박하 (San-bak-ha)	<b>Mountain isodon</b> <i>Isodon inflexus</i> (Thunb.) Kudô
산박하속 [꿀풀과] (San-bak-ha-sok)	<b>Isodon</b> <i>Isodon</i> (Schrad. ex Benth.) Spach [Lamiaceae]
산밤나무 (San-bam-na-mu)	<b>Korean mountain castanea</b> <i>Castanea crenata</i> var. <i>kusakuri</i> (Blume) Nakai
산뱀고사리 (San-baem-go-sa-ri)	<b>Faurie's ladyfern</b> <i>Athyrium fauriei</i> (Christ) Makino
산벚나무 (San-beot-na-mu)	<b>Sargent's cherry</b> <i>Prunus sargentii</i> Rehder
산복사나무 (San-bok-sa-na-mu)	<b>Pere David's cherry</b> <i>Prunus davidiana</i> (Carrière) Franch.
산부싯깃고사리 (San-bu-sit-git-go-sa-ri)	<b>Northern lipfern</b> <i>Cheilanthes kuhnii</i> Milde

Korean name (Romanization)	English name Scientific name
산부채 (San-bu-chae)	<b>Water-arum</b> <i>Calla palustris</i> L.
산부채속 [천남성과] (San-bu-chae-sok)	<b>Bog arum, Callalily, Marsh calla, Water-arum, Wild calla</b> <i>Calla</i> L. [Araceae]
산부추 (San-bu-chu)	<b>Thunberg's chive</b> <i>Allium thunbergii</i> G.Don
산분꽃나무 (San-bun-kkot-na-mu)	<b>Manchurian viburnum</b> <i>Viburnum burejaeticum</i> Regel & Herder
산분꽃나무속 [인동과] (San-bun-kkot-na-mu-sok)	<b>Viburnum</b> <i>Viburnum</i> L. [Caprifoliaceae]
산비늘고사리 (San-bi-neul-go-sa-ri)	<b>Japanese shield fern</b> <i>Dryopteris polylepis</i> (Franch. & Sav.) C.Chr.
산비늘사초 (San-bi-neul-sa-cho)	<b>Different-scale sedge</b> <i>Carex heterolepis</i> Bunge
산비장이 (San-bi-jang-i)	<b>Mountain coronate sawwort</b> <i>Serratula coronata</i> var. <i>insularis</i> (Iljin) Kitam.
산비장이속 [국화과] (San-bi-jang-i-sok)	<b>Plumeless sawwort</b> <i>Serratula</i> L. [Asteraceae]
산뽕나무 (San-ppong-na-mu)	<b>Korean mulberry</b> <i>Morus bombycina</i> Koidz.
산사나무 (San-sa-na-mu)	<b>Mountain hawthorn</b> <i>Crataegus pinnatifida</i> Bunge
산사나무속 [장미과] (San-sa-na-mu-sok)	<b>Hawberry, Hawthorn, May-tree, Thornapple, Whitethorn</b> <i>Crataegus</i> L. [Rosaceae]
산사초 (San-sa-cho)	<b>Silvery sedge</b> <i>Carex canescens</i> L.
산새밥 (San-sae-bap)	<b>Eurasian woodrush</b> <i>Luzula pallescens</i> Sw.
산새콩 (San-sae-kong)	<b>Korean mountain vetchling</b> <i>Lathyrus vaniotii</i> H.Lév.
산새풀 (San-sae-pul)	<b>Langsdorf's reedgrass</b> <i>Calamagrostis langsdorffii</i> (Link) Trin.

Korean name (Romanization)	English name Scientific name
산새풀속 [벼과] (San-sae-pul-sok)	<b>Small reed, Reed grass</b> <i>Calamagrostis</i> Adans. [Poaceae]
산석송 (San-seok-song)	<b>Alpine clubmoss</b> <i>Lycopodium alpinum</i> L.
산소영도리나무 (San-so-yeong-do-ri-na-mu)	<b>Hairy early-blooming weigela</b> <i>Weigela praecox</i> var. <i>pilosa</i> (Nakai) Nakai
산속단 (San-sok-dan)	<b>Korean Jerusalem sage</b> <i>Phlomis koraiensis</i> Nakai
산솜다리 (San-som-da-ri)	<b>Bristle-tip edelweiss</b> <i>Leontopodium leiolepis</i> Nakai
산솜방망이 (San-som-bang-mang-i)	<b>Scarlet groundsel</b> <i>Tephroseris flammea</i> (Turcz. ex DC.) Holub
산쇠고비 (San-soe-go-bi)	<b>Arching hollyfern</b> <i>Cyrtomium fortunei</i> var. <i>clivicola</i> (Makino) Tagawa
산수국 (San-su-guk)	<b>Mountain hydrangea</b> <i>Hydrangea serrata</i> f. <i>acuminata</i> (Siebold & Zucc.) E.H.Wilson
산쐐기풀 (San-sswae-gi-pul)	<b>Devil's woodnettle</b> <i>Laportea macrostachya</i> (Maxim.) Ohwi
산쑥 (San-ssuk)	<b>Montane wormwood</b> <i>Artemisia montana</i> (Nakai) Pamp.
산쑥부쟁이 (San-ssuk-bu-jaeng-i)	<b>Mountain aster</b> <i>Aster laudreanus</i> (Debeaux) Franch.
산씀바귀 (San-sseum-ba-gwi)	<b>Hairy-vein lettuce</b> <i>Lactuca raddeana</i> Maxim.
산앵도나무 (San-aeng-do-na-mu)	<b>Korean blueberry</b> <i>Vaccinium hirtum</i> var. <i>koreanum</i> (Nakai) Kitam.
산앵도나무속 [진달래과] (San-aeng-do-na-mu-sok)	<b>Blueberry</b> <i>Vaccinium</i> L. [Ericaceae]
산양지사초 (San-yang-ji-sa-cho)	<b>Montane sedge</b> <i>Carex ulobasis</i> V.I.Krecz.
산여뀌 (San-yeo-kkwi)	<b>Nepalese smartweed</b> <i>Persicaria nepalensis</i> (Meisn.) H.Gross

Korean name (Romanization)	English name Scientific name
산오이풀 (San-o-i-pul)	<b>Korean mountain burnet</b> <i>Sanguisorba hakusanensis</i> Makino
산옥잠화 (San-ok-jam-hwa)	<b>Narrow-leaf hosta</b> <i>Hosta longissima</i> Honda
산외 (San-oe)	<b>Cracking melon</b> <i>Schizopepon bryoniifolius</i> Maxim.
산외속 [박과] (San-oe-sok)	<b>Schizopepon</b> <i>Schizopepon</i> Maxim. [Cucurbitaceae]
산용담 (San-yong-dam)	<b>Whitish gentian</b> <i>Gentiana algida</i> Pall.
산우드풀 (San-u-deu-pul)	<b>Subcordate woodsia</b> <i>Woodsia subcordata</i> Turcz.
산유자나무 (San-yu-ja-na-mu)	<b>Shiny xylosma</b> <i>Xylosma congesta</i> (Lour.) Merr.
산유자나무과 (San-yu-ja-na-mu-gwa)	<b>Flacourtie family</b> Flacourtiaceae Rich. ex DC.
산유자나무속 [산유자나무과] (San-yu-ja-na-mu-sok)	<b>Brushhollies, Xylosmas</b> <i>Xylosma</i> G.Forst. [Flacourtiaceae]
산이삭사초 (San-i-sak-sa-cho)	<b>Lyngbye's sedge</b> <i>Carex lyngbyei</i> Hornem.
산이스라지 (San-i-seu-ra-ji)	<b>Mountain bush cherry</b> <i>Prunus ishidoyana</i> Nakai
산이질풀 (San-i-jil-pul)	<b>Nepalese cranesbill</b> <i>Geranium nepalense</i> Sweet
산일엽초 (San-il-yeop-cho)	<b>Ussuri weeping fern</b> <i>Lepisorus ussuriensis</i> (Regel & Maack) Ching
산자고 (San-ja-go)	<b>Edible tulip</b> <i>Tulipa edulis</i> (Miq.) Baker
산자고속 [백합과] (San-ja-go-sok)	<b>Tulip</b> <i>Tulipa</i> L. [Liliaceae]
산작약 (San-jak-yak)	<b>Woodland peony</b> <i>Paeonia obovata</i> Maxim.

Korean name (Romanization)	English name Scientific name
산잠자리피 (San-jam-ja-ri-pi)	<b>Two-fork oatgrass</b> <i>Trisetum spicatum</i> (L.) K.Richt.
산장대 (San-jang-dae)	<b>Budding rockcress</b> <i>Arabis gemmifera</i> (Matsum.) Makino
산제비란 (San-je-bi-ran)	<b>Common Korean platanthera</b> <i>Platanthera mandarinorum</i> Rchb.f.
산조아재비 (San-jo-a-jae-bi)	<b>Alpine timothy</b> <i>Phleum alpinum</i> L.
산조아재비속 [벼과] (San-jo-a-jae-bi-sok)	<b>Timothy</b> <i>Phleum</i> L. [Poaceae]
산조팝나무 (San-jo-pap-na-mu)	<b>Montane spiraea</b> <i>Spiraea blumei</i> G.Don
산조풀 (San-jo-pul)	<b>Wood small reed</b> <i>Calamagrostis epigeios</i> (L.) Roth
산족제비고사리 (San-jok-je-bi-go-sa-ri)	<b>Mountain buckler fern</b> <i>Dryopteris bissetiana</i> (Baker) C.Chr.
산중개고사리 (San-jung-gae-go-sa-ri)	<b>Montane ladyfern</b> <i>Athyrium epirachis</i> (H.Christ) Ching
산쥐손이 (San-jwiсон-i)	<b>Dahurian cranesbill</b> <i>Geranium dahuricum</i> DC.
산지치 (San-ji-chi)	<b>East Asian alpine forget-me-not</b> <i>Eritrichium sichotense</i> Popov
산지치속 [지치과] (San-ji-chi-sok)	<b>Alpine forget-me-not</b> <i>Eritrichium</i> Schrad. ex Gaudin [Boraginaceae]
산진달래 (San-jin-dal-rae)	<b>Dahurian rhododendron</b> <i>Rhododendron dauricum</i> L.
산짚신나물 (San-jip-sin-na-mul)	<b>Korean agrimony</b> <i>Agrimonia coreana</i> Nakai
산쪽풀 (San-jjok-pul)	<b>Glabrous-fruit mercury</b> <i>Mercurialis leiocarpa</i> Siebold & Zucc.
산쪽풀속 [대극과] (San-jjok-pul-sok)	<b>Mercurialis, Mercuries</b> <i>Mercurialis</i> L. [Euphorbiaceae]

Korean name (Romanization)	English name Scientific name
산천궁 (San-cheon-gung)	<b>Kamchatka hemlock parsley</b> <i>Conioselinum kamtschaticum</i> Rupr.
산천궁속 [산형과] (San-cheon-gung-sok)	<b>Hemlock parsley</b> <i>Conioselinum</i> Fisch. ex Hoffm. [Apiaceae]
산철쭉 (San-cheol-jjuk)	<b>Korean azalea</b> <i>Rhododendron yedoense</i> f. <i>poukhanense</i> (H.Lév.) M.Sugim. ex T.Yamaz.
산초나무 (San-cho-na-mu)	<b>Mastic-leaf prickly ash</b> <i>Zanthoxylum schinifolium</i> Siebold & Zucc.
산총총이 (San-cheung-cheung-i)	<b>Mountain Asian calamint</b> <i>Clinopodium chinense</i> var. <i>shibetchenense</i> (H.Lév.) Koidz.
산타래사초 (San-ta-rae-sa-cho)	<b>Two-tip sedge</b> <i>Carex lachenalii</i> Schkuhr
산토끼고사리 (San-to-kki-go-sa-ri)	<b>Asian oak fern</b> <i>Gymnocarpium jessoense</i> (Koidz.) Koidz.
산토끼꽃 (San-to-kki-kkot)	<b>East Asian teasel</b> <i>Dipsacus japonicus</i> Miq.
산토끼꽃과 (San-to-kki-kkot-gwa)	<b>Teasel family</b> Dipsacaceae Juss.
산토끼꽃속 [산토끼꽃과] (San-to-kki-kkot-sok)	<b>Teasel, Teazel, Teazle</b> <i>Dipsacus</i> L. [Dipsacaceae]
산톱풀 (San-top-pul)	<b>Discoid-involucrate alpine yarrow</b> <i>Achillea alpina</i> var. <i>discoidea</i> (Regel) Kitam.
산파 (San-pa)	<b>Oriental chive</b> <i>Allium maximowiczii</i> Regel
산팽나무 (San-paeng-na-mu)	<b>Orange-fruit hawberry</b> <i>Celtis aurantiaca</i> Nakai
산활미꽃 (San-hal-mi-kkot)	<b>Mountain pasque-flower</b> <i>Pulsatilla nivalis</i> Nakai
산해박 (San-hae-bak)	<b>Paniculate swallow-wort</b> <i>Cynanchum paniculatum</i> (Bunge) Kitag.

Korean name (Romanization)	English name Scientific name
산향모 (San-hyang-mo)	<b>Alpine sweetgrass</b> <i>Hierochloe alpina</i> (Sw. ex Willd.) Roem. & Schult.
산형과 (San-hyeong-gwa)	<b>Celery family, Carrot family, Parsley family</b> Apiaceae Lindl. (= Umbelliferae Juss.)
산형쇠방동사니 (San-hyeong-soe-bang-dong-sa-ni)	<b>Umbel rice flatsedge</b> <i>Cyperus orthostachyus</i> var. <i>umbellus</i> Y.C.Oh & Y.B.Lee
산호란 (San-ho-ran)	<b>Early coralroot</b> <i>Corallorrhiza trifida</i> Châtel.
산호란속 [난초과] (San-ho-ran-sok)	<b>Coralroot</b> <i>Corallorrhiza</i> Gagnepin [Orchidaceae]
산호수 (San-ho-su)	<b>Tiny ardisia</b> <i>Ardisia pusilla</i> A.DC.
산황나무 (San-hwang-na-mu)	<b>Oriental buckthorn</b> <i>Rhamnus crenata</i> Siebold & Zucc.
산흰쑥 (San-huin-ssuk)	<b>Sievers' wormwood</b> <i>Artemisia sieversiana</i> Ehrh. ex Willd.
살갈퀴 (Sal-gal-kwi)	<b>Infield narrow-leaf vetch</b> <i>Vicia angustifolia</i> var. <i>segetilis</i> (Thuill.) Arcang.
삼과 (Sam-gwa)	<b>Dagga family, Hemp family, Hop family</b> Cannabaceae Martinov
삼도하수오 (Sam-do-ha-su-o)	<b>Korean knotweed</b> <i>Fallopia koreana</i> B.U.Oh & J.G.Kim
삼백초 (Sam-baek-cho)	<b>Asian lizard's tail</b> <i>Saururus chinensis</i> (Lour.) Baill.
삼백초과 (Sam-baek-cho-gwa)	<b>Lizard's tail family</b> Saururaceae Rich. ex T. Lestib.
삼백초속 [삼백초과] (Sam-baek-cho-sok)	<b>Lizard's tail, Saururus</b> <i>Saururus</i> L. [Saururaceae]
삼색싸리 (Sam-saekssa-ri)	<b>Three-color Korean lespedeza</b> <i>Lespedeza maximowiczii</i> var. <i>tricolor</i> Nakai

Korean name (Romanization)	English name Scientific name
삼수개미자리 (Sam-su-gae-mi-ja-ri)	<b>Asian spring stitchwort</b> <i>Minuartia verna</i> var. <i>coreana</i> (Nakai) H.Hara
삼수구릿대 (Sam-su-gu-rit-dae)	<b>Amrokgang angelica</b> <i>Angelica jaluanana</i> Nakai
삼수여로 (Sam-su-yeo-ro)	<b>Samsu false-hellebore</b> <i>Veratrum bohnhoefii</i> var. <i>latifolium</i> Nakai
삼잎구와가막사리 (Sam-ip-gu-wa-ga-mak-sa-ri)	<b>Radiate beggartick</b> <i>Bidens radiata</i> Thuill.
삼잎방망이 (Sam-ip-bang-mang-i)	<b>Aleutian groundsel</b> <i>Senecio cannabifolius</i> Less.
삼쥐손이 (Sam-jwi-son-i)	<b>Hardy geranium</b> <i>Geranium soboliferum</i> Kom.
삼지구엽초 (Sam-ji-gu-yeop-cho)	<b>Korean epimedium</b> <i>Epimedium koreanum</i> Nakai
삼지구엽초속 [매자나무과] (Sam-ji-gu-yeop-cho-sok)	<b>Barrenwort, Bishop's hat, Epimedium, Fairy wings, Horny goat weed, Randy beef grass, Rowdy lamb herb, Yin yang huo</b> <i>Epimedium L.</i> [Berberidaceae]
삽주 (Sap-ju)	<b>Ovate-leaf atractylodes</b> <i>Atractylodes ovata</i> (Thunb.) DC.
삽주속 [국화과] (Sap-ju-sok)	<b>Atractylodes</b> <i>Atractylodes</i> DC. [Asteraceae]
삿갓나물 (Sat-gat-na-mul)	<b>Verticillate paris</b> <i>Paris verticillata</i> M.Bieb.
삿갓나물속 [백합과] (Sat-gat-na-mul-sok)	<b>Paris</b> <i>Paris L.</i> [Liliaceae]
삿갓사초 (Sat-gat-sa-cho)	<b>Curved-utricle sedge</b> <i>Carex dispalata</i> Boott
상동나무 (Sang-dong-na-mu)	<b>Mock buckthorn</b> <i>Sageretia thea</i> (Osbeck) M.C.Johnst.
상동나무속 [갈매나무과] (Sang-dong-na-mu-sok)	<b>Sageretia, Mock buckthorn</b> <i>Sageretia Brongn.</i> [Rhamnaceae]

Korean name (Romanization)	English name Scientific name
상동잎쥐똥나무 (Sang-dong-ip-jwi-ttong-na-mu)	<b>Quihoui privet</b> <i>Ligustrum quihoui</i> var. <i>latifolium</i> Nakai
상사화속 [수선화과] (Sang-sa-hwa-sok)	<b>Cluster amaryllis, Hurricane lilies, Lycoris, Surprise lily</b> <i>Lycoris</i> Herb. [Amaryllidaceae]
상산 (Sang-san)	<b>East Asian orixa</b> <i>Orixa japonica</i> Thunb.
상산속 [운향과] (Sang-san-sok)	<b>Orixa</b> <i>Orixa</i> Thunb. [Rutaceae]
상수리나무 (Sang-su-ri-na-mu)	<b>Sawtooth oak</b> <i>Quercus acutissima</i> Carruth.
상아미선나무 (Sang-a-mi-seon-na-mu)	<b>Ivory-flower misonnamu (Ivory-flower abeliophyllum)</b> <i>Abeliophyllum distichum</i> f. <i>eburneum</i> T.B.Lee
새 (Sae)	<b>Ciliate hairy arundinella</b> <i>Arundinella hirta</i> var. <i>ciliara</i> (Thunb.) Koidz.
새깃고사리 (Sae-git-go-sa-ri)	<b>Fragrant necklace fern</b> <i>Lindsaea odorata</i> Roxb.
새깃아재비 (Sae-git-a-jae-bi)	<b>Asian chain fern</b> <i>Woodwardia japonica</i> (L.f) Sm.
새깃아재비과 (Sae-git-a-jae-bi-gwa)	<b>Chain fern family</b> <i>Blechnaceae</i> Newman
새깃아재비속 [새깃아재비과] (Sae-git-a-jae-bi-sok)	<b>Chain fern</b> <i>Woodwardia</i> Sm. [Blechnaceae]
새끼꿩의비름 (Sae-kki-kkwong-ui-bi-reum)	<b>Bulbil stonecrop</b> <i>Hylotelephium viviparum</i> (Maxim.) H.Ohba
새끼노루귀 (Sae-kki-no-ru-gwi)	<b>Seaside liverleaf</b> <i>Hepatica insularis</i> Nakai
새끼노루발 (Sae-kki-no-ru-bal)	<b>Sidebells wintergreen</b> <i>Pyrola secunda</i> L.
새덕이 (Sae-deok-i)	<b>Irregular-streak newlitsea</b> <i>Neolitsea aciculata</i> (Blume) Koidz.

Korean name (Romanization)	English name Scientific name
새둥지란 (Sae-dung-ji-ran)	<b>Manchurian bird's nest orchid</b> <i>Neottia papilligera</i> Schltr.
새둥지란속 [난초과] (Sae-dung-ji-ran-sok)	<b>Bird's nest orchid, Neottia</b> <i>Neottia</i> Guett. [Orchidaceae]
새며루 (Sae-meo-ru)	<b>Creeping grapevine</b> <i>Vitis flexuosa</i> Thunb.
새며느리밥풀 (Sae-myeo-neu-ri-bap-pul)	<b>Big bristled-leaf cow-wheat</b> <i>Melampyrum setaceum</i> var. <i>nakaianum</i> (Tuyama) T.Yamaz.
새모래덩굴 (Sae-mo-rae-deong-gul)	<b>Asian moonseed</b> <i>Menispermum dauricum</i> DC.
새모래덩굴과 (Sae-mo-rae-deong-gul-gwa)	<b>Moonseed family</b> Menispermaceae Juss.
새모래덩굴속 [새모래덩굴과] (Sae-mo-rae-deong-gul-sok)	<b>Moonseed</b> <i>Menispermum</i> L. [Menispermaceae]
새박 (Sae-bak)	<b>Bird's egg cucumber</b> <i>Melothria japonica</i> (Thunb.) Maxim. ex Cogn.
새박속 [박과] (Sae-bak-sok)	<b>Melothria</b> <i>Melothria</i> L. [Cucurbitaceae]
새발노랑매미꽃 (Sae-bal-no-rang-mae-mi-kkot)	<b>Bird-foot forest poppy</b> <i>Hylomecon vernalis</i> var. <i>sasundaeensis</i> Y.N.Lee
새밥 (Sae-bap)	<b>Rufous woodrush</b> <i>Luzula rufescens</i> Fisch. ex E.Mey.
새방울사초 (Sae-bang-ul-sa-cho)	<b>Blister sedge</b> <i>Carex vesicaria</i> L.
새비나무 (Sae-bi-na-mu)	<b>Jejudo beautyberry</b> <i>Callicarpa mollis</i> Siebold & Zucc.
새삼 (Sae-sam)	<b>Japanese dodder</b> <i>Cuscuta japonica</i> Choisy
새삼속 [매꽃과] (Sae-sam-sok)	<b>Dodder</b> <i>Cuscuta</i> L. [Convolvulaceae]
새수염가래꽃 (Sae-su-yeom-ga-rae-kkot)	<b>Four-petal Asian lobelia</b> * <i>Lobelia chinensis</i> var. <i>tetrapetala</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
새양버들 (Sae-yang-beo-deul)	<b>Riparian Choseon-willow</b> <i>Chosenia arbutifolia</i> (Pall.) A.K.Skvortsov
새양버들속 [버드나무과] (Sae-yang-beo-deul-sok)	<b>Choseonia, Choseon-willow</b> <i>Chosenia</i> Nakai [Salicaceae]
새완두 (Sae-wan-du)	<b>Hairy vetch</b> <i>Vicia hirsuta</i> (L.) Gray
새우가래 (Sae-u-ga-rae)	<b>Maack's pondweed</b> <i>Potamogeton maackianus</i> A.Benn.
새우나무 (Sae-u-na-mu)	<b>East Asian hophornbeam</b> <i>Ostrya japonica</i> Sarg.
새우나무속 [자작나무과] (Sae-u-na-mu-sok)	<b>Hophornbeam, Hop-hornbeam</b> <i>Ostrya</i> Scop. [Betulaceae]
새우난초 (Sae-u-nan-cho)	<b>Common calanthe</b> <i>Calanthe discolor</i> Lindl.
새우난초속 [난초과] (Sae-u-nan-cho-sok)	<b>Calanthe</b> <i>Calanthe</i> R.Br. [Orchidaceae]
새우말 (Sae-u-mal)	<b>Surfgrass</b> <i>Phyllospadix iwatensis</i> Makino
새우말속 [거머리말과] (Sae-u-mal-sok)	<b>Surfgrass</b> <i>Phyllospadix</i> Hook. [Zosteraceae]
새이삭여뀌 (Sae-i-sak-yeo-kkwi)	<b>New spike smartweed</b> <i>Persicaria neofiliformis</i> (Nakai) Ohki
새콩 (Sae-kong)	<b>Edgeworth's hogpeanut</b> <i>Amphicarpa bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H.Ohashi
새콩속 [콩과] (Sae-kong-sok)	<b>Hogpeanut</b> <i>Amphicarpa</i> Elliott ex Nutt. [Fabaceae]
새팥 (Sae-pat)	<b>Wild red cowpea</b> <i>Vigna angularis</i> var. <i>nipponensis</i> (Ohwi) Ohwi & H.Ohashi
새포아풀 (Sae-po-a-pul)	<b>Annual bluegrass</b> <i>Poa annua</i> L.

Korean name (Romanization)	English name Scientific name
색산앵도나무 (Saek-san-aeng-do-na-mu)	<b>Variegate Korean blueberry</b> <i>*Vaccinium hirtum</i> var. <i>variegatum</i> Nakai ex T.Mori
생강나무 (Saeng-gang-na-mu)	<b>Blunt-lobe spicebush</b> <i>Lindera obtusiloba</i> Blume
생강나무속 [녹나무과] (Saeng-gang-na-mu-sok)	<b>Benjamin bush, Spicebush, Spicewood</b> <i>Lindera</i> Thunb. [Lauraceae]
생달나무 (Saeng-dal-na-mu)	<b>Japanese camphor tree</b> <i>Cinnamomum yabunikkei</i> H.Ohba
생열귀나무 (Saeng-yeol-gwi-na-mu)	<b>Amur rose</b> <i>Rosa davurica</i> Pall.
생이가래 (Saeng-i-ga-rae)	<b>Floating watermoss</b> <i>Salvinia natans</i> (L.) All.
생이가래과 (Saeng-i-ga-rae-gwa)	<b>Floating fern family</b> Salviniaceae Martinov
생이가래속 [생이가래과] (Saeng-i-ga-rae-sok)	<b>Watermoss</b> <i>Salvinia</i> Ség. [Salviniaceae]
서덜취 (Seo-deol-chwi)	<b>Large-flower saussurea</b> <i>Saussurea grandifolia</i> Maxim.
서수리사초 (Seo-su-ra-sa-cho)	<b>Seosura sedge</b> <i>Carex kirganica</i> Kom.
서양갓냉이 (Seo-yang-gaet-naeng-i)	<b>American searocket</b> <i>Cakile edentula</i> (Bigelow) Hook.
서양갓냉이속 [십자화과] (Seo-yang-gaet-naeng-i-sok)	<b>Searocket</b> <i>Cakile</i> Mill. [Brassicaceae]
서어나무 (Seo-eo-na-mu)	<b>Loose-flower hornbeam</b> <i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume
서어나무속 [자작나무과] (Seo-eo-na-mu-sok)	<b>Hornbeam</b> <i>Carpinus</i> L. [Betulaceae]
서울개발나물 (Seo-ul-gae-bal-na-mul)	<b>Nerved-leaf pterygopleurum</b> <i>Pterygopleurum neurophyllum</i> (Maxim.) Kitag.
서울개발나물속 [산형과] (Seo-ul-gae-bal-na-mul-sok)	<b>Pterygopleurum</b> <i>Pterygopleurum</i> Kitag. [ Apiaceae ]

Korean name (Romanization)	English name Scientific name
서울고광나무 (Seo-ul-go-gwang-na-mu)	<b>Seoul mock orange</b> <i>Philadelphus seoulensis</i> Y.H.Chung & H.C.Shin
서울귀룽나무 (Seo-ul-gwi-rung-na-mu)	<b>Seoul bird cherry</b> <i>Prunus padus</i> var. <i>seoulensis</i> (H.Lév.) Nakai
서울김의털 (Seo-ul-gim-ui-teol)	<b>Seoul sheep's fescue</b> <i>Festuca ovina</i> var. <i>duriuscula</i> (L.) W.D.J. Koch
서울민바랭이 (Seo-ul-min-ba-raeng-i)	<b>Seoul violet crabgrass</b> <i>Digitaria violascens</i> var. <i>intersita</i> (Ohwi) Ohwi
서울제비꽃 (Seo-ul-je-bi-kkot)	<b>Seoul violet</b> <i>Viola seoulensis</i> Nakai
서울족도리풀 (Seo-ul-jok-do-ri-pul)	<b>Seoul wildginger</b> <i>Asarum heterotropoides</i> var. <i>seoulense</i> (Nakai) Kitag.
석곡 (Seok-gok)	<b>Seokgok (Moniliform dendrobium)</b> <i>Dendrobium moniliforme</i> (L.) Sw.
석곡속 [난초과] (Seok-gok-sok)	<b>Dendrobium</b> <i>Dendrobium</i> Sw. [Orchidaceae]
석류풀 (Seok-ryu-pul)	<b>Five-leaf carpetweed</b> <i>Mollugo pentaphylla</i> L.
석류풀과 (Seok-ryu-pul-gwa)	<b>Carpetweed family</b> <i>Molluginaceae</i> Bartl.
석류풀속 [석류풀과] (Seok-ryu-pul-sok)	<b>Carpetweed</b> <i>Mollugo</i> L. [Molluginaceae]
석송 (Seok-song)	<b>Running clubmoss</b> <i>Lycopodium clavatum</i> L.
석송과 (Seok-song-gwa)	<b>Clubmoss family</b> <i>Lycopodiaceae</i> P.Beauv. ex Mirb.
석송속 [석송과] (Seok-song-sok)	<b>Clubmoss, Creeping cedar, Ground pines</b> <i>Lycopodium</i> L. [Lycopodiaceae]
석위 (Seok-wi)	<b>Tongue fern</b> <i>Pyrrosia lingua</i> (Thunb.) Farw.
석위속 [고란초과] (Seok-wi-sok)	<b>Felt fern, Pyrrosia, Tongue fern</b> <i>Pyrrosia</i> Mirb. [Polypodiaceae]

Korean name (Romanization)	English name Scientific name
석잠풀 (Seok-jam-pul)	<b>Hairless woundwort</b> <i>Stachys japonica</i> Miq.
석잠풀속 [꿀풀과] (Seok-jam-pul-sok)	<b>Betony, Heal-all, Hedgenettle, Lamb's ears, Self-heal, Woundwort</b> <i>Stachys</i> L. [Lamiaceae]
석장포속 [백합과] (Seok-jang-po-sok)	<b>Tofieldia, Asphodel</b> <i>Tofieldia</i> Huds. [Liliaceae]
석죽과 (Seok-juk-gwa)	<b>Pink family, Carnation family</b> <i>Caryophyllaceae</i> Juss.
석창포 (Seok-chang-po)	<b>Grass-leaf sweet flag</b> <i>Acorus gramineus</i> Sol.
선가래 (Seon-ga-rae)	<b>Fryer's pondweed</b> <i>Potamogeton fryeri</i> A.Benn.
선갈퀴 (Seon-gal-kwi)	<b>Sweet woodruff</b> <i>Asperula odorata</i> L.
선괭이눈 (Seon-gwaeng-i-nun)	<b>Upright golden saxifrage</b> <i>Chrysosplenium pseudofauriei</i> H.Lév.
선괭이밥 (Seon-gwaeng-i-bap)	<b>Yellow wood sorrel</b> <i>Oxalis stricta</i> L.
선괴불주머니 (Seon-goe-bul-ju-meo-ni)	<b>Upright yellow corydalis</b> <i>Corydalis pauciovulata</i> Ohwi
선녀고사리 (Seon-nyeo-go-sa-ri)	<b>Shallow-teeth spleenwort</b> <i>Asplenium tenerum</i> G.Forst.
선녀싸리 (Seon-nyeo-ssa-ri)	<b>White leafy lespedeza</b> * <i>Lespedeza cyrtobotrya</i> f. <i>alba</i> T.B.Lee
선둥굴레 (Seon-dung-gul-re)	<b>Upright solomon's seal</b> <i>Polygonatum grandicaule</i> Y.S.Kim, B.U.Oh & C.G.Jang
선등갈퀴 (Seon-deung-gal-kwi)	<b>Seven-pair-leaflet vetch</b> * <i>Vicia heptajuga</i> Nakai
선매꽃 (Seon-me-kkot)	<b>Dahurian morning glory</b> <i>Calystegia dahurica</i> (Herb.) Choisy
선모시대 (Seon-mo-si-dae)	<b>Erect ladybell</b> <i>Adenophora erecta</i> S.Lee, Joongku Lee & S.Kim

Korean name (Romanization)	English name Scientific name
선물수세미 (Seon-mul-su-se-mi)	<b>Ussuri water-milfoil</b> <i>Myriophyllum ussuricense</i> (Regel) Maxim.
선밀나물 (Seon-mil-na-mul)	<b>White back greenbrier</b> <i>Smilax nipponica</i> Miq.
선바위고사리 (Seon-ba-wi-go-sa-ri)	<b>Carrot fern</b> <i>Onychium japonicum</i> (Thunb.) Kunze
선바위고사리속 [고사리과] (Seon-ba-wi-go-sa-ri-sok)	<b>Onychium</b> <i>Onychium</i> Kaulf. [Pteridaceae]
선백미꽃 (Seon-baek-mi-kkot)	<b>Upright Asian swallow-wort</b> * <i>Cynanchum inamoenum</i> (Maxim.) Loes.
선버들 (Seon-beo-deul)	<b>Erect willow</b> <i>Salix subfragilis</i> Andersson
선부추 (Seon-bu-chu)	<b>Linear-leaf chive</b> <i>Allium linearifolium</i> H.J.Choi & B.U.Oh
선비늘이끼 (Seon-bi-neul-i-kki)	<b>Erect selaginella</b> <i>Selaginella nipponica</i> Franch. & Sav.
선사초 (Seon-sa-cho)	<b>Alternate-flower thread sedge</b> <i>Carex sachalinensis</i> var. <i>alterniflora</i> (Franch.) Ohwi
선씀바귀 (Seon-sseum-ba-gwi)	<b>Short bristle-like-hair ikeris</b> <i>Ikeris strigosa</i> (H.Lév. & Vaniot) J.H.Pak & Kawano
선씀바귀속 [국화과] (Seon-sseum-ba-gwi-sok)	<b>Ikeris</b> <i>Ikeris</i> (Cass.) Cass. [Asteraceae]
선연리초 (Seon-yeon-ri-cho)	<b>Erect vetchling</b> <i>Lathyrus komarovii</i> Ohwi
선이질풀 (Seon-i-jil-pul)	<b>Upright cranesbill</b> <i>Geranium krameri</i> Franch. & Sav.
선제비꽃 (Seon-je-bi-kkot)	<b>Erect violet</b> <i>Viola raddeana</i> Regel
선주름잎 (Seon-ju-reum-ip)	<b>Betony-leaf mazus</b> <i>Mazus stachydifolius</i> (Turcz.) Maxim.
선줄바꽃 (Seon-jul-ba-kkot)	<b>Big-bract monk'shood</b> <i>Aconitum raddeanum</i> Regel

Korean name (Romanization)	English name Scientific name
선취꼬리새 (Seon-jwi-kko-ri-sae)	<b>Erect muhly</b> <i>Muhlenbergia hakonensis</i> (Hack. ex Matsum.) Makino
선투구꽃 (Seon-tu-gu-kkot)	<b>Meadow monk'shoo</b> <i>Aconitum umbrosum</i> (Korsh.) Kom.
선포아풀 (Seon-po-a-pul)	<b>Wood bluegrass</b> <i>Poa nemoralis</i> L.
선피막이 (Seon-pi-mak-i)	<b>Asian dwarf pennywort</b> <i>Hydrocotyle maritima</i> Honda
선현호색 (Seon-hyeon-ho-saek)	<b>Narrow-lobe corydalis</b> <i>Corydalis lineariloba</i> Siebold & Zucc.
설령개현삼 (Seol-ryeong-gae-hyeon-sam)	<b>Northern Korean figwort</b> <i>Scrophularia borealikoreana</i> Nakai
설령골풀 (Seol-ryeong-gol-pul)	<b>Triceps chestnut rush</b> <i>Juncus castaneus</i> subsp. <i>triceps</i> (Rostk.) Novikov
설령쥐오줌풀 (Seol-ryeong-jwi-o-jum-pul)	<b>Amur valerian</b> <i>Valeriana amurensis</i> P.A.Smirn. ex Kom.
설령황기 (Seol-ryeong-hwang-gi)	<b>Alpine milkvetch</b> <i>Astragalus setsureianus</i> Nakai
설령황사풀 (Seol-ryeong-hwang-sae-pul)	<b>Northland cottonsedge</b> <i>Eriophorum brachyantherum</i> Trautv. & C.A.Mey.
설설고사리 (Seol-seol-go-sa-ri)	<b>Winged beech fern</b> <i>Phegopteris decursive-pinnata</i> (H.C. Hall) Fée
설설고사리속 [면마과] (Seol-seol-go-sa-ri-sok)	<b>Beech fern</b> <i>Phegopteris</i> (C. Presl) Fée [Dryopteridaceae]
설악눈주목 (Seol-ak-nun-ju-mok)	<b>Korean spreading yew</b> <i>Taxus cuspidata</i> var. <i>nana</i> Rehder
설악대극 (Seol-ak-dae-geuk)	<b>Seorak spurge</b> <i>Euphorbia ebracteolata</i> f. <i>magna</i> Y.N.Lee
설악조팝나무 (Seol-ak-jo-pap-na-mu)	<b>Woolly-fruit pubescent spiraea</b> <i>Spiraea pubescens</i> var. <i>lasiocarpa</i> Nakai
설앵초 (Seol-aeng-cho)	<b>Alpine modest primrose</b> <i>Primula modesta</i> var. <i>hannasanensis</i> T.Yamaz.

Korean name (Romanization)	English name Scientific name
섬개벗나무 (Seom-gae-beot-na-mu)	<b>Amur cherry</b> <i>Prunus buergeriana</i> Miq.
섬개야광나무 (Seom-gae-ya-gwang-na-mu)	<b>Ulleungdo cotoneaster</b> <i>Cotoneaster wilsonii</i> Nakai
섬개야광나무속 [장미과] (Seom-gae-ya-gwang-na-mu-sok)	<b>Cotoneaster</b> <i>Cotoneaster</i> Medik. [Rosaceae]
섬개회나무 (Seom-gae-hoe-na-mu)	<b>Ulleungdo Miss Kim lilac</b> <i>Syringa patula</i> var. <i>venosa</i> (Nakai) M.Kim
섬갯쑥부쟁이 (Seom-gaet-ssuk-bu-jaeng-i)	<b>Beach-sand aster</b> <i>Aster arenarius</i> (Kitam.) Nemoto
섬거북고리 (Seom-geo-buk-kko-ri)	<b>Hallasan false-nettle</b> <i>Boehmeria taquetii</i> Nakai
섬고광나무 (Seom-go-gwang-na-mu)	<b>Rough mock orange</b> <i>Philadelphus scaber</i> Nakai
섬고사리 (Seom-go-sa-ri)	<b>Ulleungdo ladyfern</b> <i>Athyrium acutipinnulum</i> Kodama ex Nakai
섬공작고사리 (Seom-gong-jak-go-sa-ri)	<b>Mono-sorus maidenhair fern</b> <i>Adiantum monochlamys</i> D.C.Eaton
섬곽향 (Seom-gwak-hyang)	<b>Sticky germander</b> <i>Teucrium viscidum</i> Blume
섬광대수염 (Seom-gwang-dae-su-yeom)	<b>Ulleungdo deadnettle</b> <i>Lamium takesimense</i> Nakai
섬괴불나무 (Seom-goe-bul-na-mu)	<b>Ulleungdo honeysuckle</b> <i>Lonicera insularis</i> Nakai
섬국수나무 (Seom-guk-su-na-mu)	<b>Island ninebark</b> <i>Physocarpus insularis</i> (Nakai) Nakai
섬기린초 (Seom-gi-rin-cho)	<b>Ulleungdo stonecrop</b> <i>Sedum takesimense</i> Nakai
섬깃반쪽고사리 (Seom-git-ban-jjok-go-sa-ri)	<b>Simple unequal-lobe brake fern</b> <i>Pteris excelsa</i> var. <i>simplicior</i> (Tagawa) W.C.Shih
섬까치수염 (Seom-kka-chi-su-yeom)	<b>Jejudo glandular loosestrife</b> <i>Lysimachia acroadenia</i> Maxim.

Korean name (Romanization)	English name Scientific name
섬꼬리풀 (Seom-kko-ri-pul)	<b>Ulleungdo spike speedwell</b> <i>Veronica nakaiana</i> Ohwi
섬꽃마리 (Seom-kkot-ma-ri)	<b>Ceylon hound's tongue</b> <i>Cynoglossum zeylanicum</i> (Vahl ex Hornem.) Thunb. ex Lehm.
섬꽃마리속 [자치과] (Seom-kkot-ma-ri-sok)	<b>Hound's tongue</b> <i>Cynoglossum</i> L. [Boraginaceae]
섬꿩고사리 (Seom-kkwong-go-sa-ri)	<b>Petiole pheasant's tail fern</b> <i>Plagiogyria japonica</i> Nakai
섬꿩의비름 (Seom-kkwong-ui-bi-reum)	<b>Green-flower stonecrop</b> <i>Hylotelephium viridescens</i> (Nakai) H.Ohba
섬나도하초미 (Seom-na-do-hi-cho-mi)	<b>Long-frond holly fern</b> <i>Polystichum longifrons</i> Sa Kurata
섬나무딸기 (Seom-na-mu-ttal-gi)	<b>Ulleungdo raspberry</b> <i>Rubus takesimensis</i> Nakai
섬남성 (Seom-nam-seong)	<b>Ulleungdo jack-in-the-pulpit</b> <i>Arisaema takesimense</i> Nakai
섬노루귀 (Seom-no-ru-gwi)	<b>Ulleungdo liverleaf</b> <i>Hepatica maxima</i> (Nakai) Nakai
섬노린재나무 (Seom-no-rin-jae-na-mu)	<b>Korean sweetleaf</b> <i>Symplocos coreana</i> (H.Lév.) Ohwi
섬다래 (Seom-da-rae)	<b>Reddish-brown hardy kiwi</b> <i>Actinidia rufa</i> (Siebold & Zucc.) Planch. ex Miq.
섬단풍나무 (Seom-dan-pung-na-mu)	<b>Ulleungdo maple</b> <i>Acer takesimense</i> Nakai
섬대 (Seom-dae)	<b>Slender northern bamboo</b> <i>Sasa borealis</i> var. <i>gracilis</i> (Nakai) T.B.Lee
섬댕강나무 (Seom-daeng-gang-na-mu)	<b>Ulleungdo abelia</b> <i>Abelia biflora</i> Turcz.
섬딸기 (Seom-ttal-gi)	<b>Thornless southern raspberry</b> <i>Rubus ribisoideus</i> Matsum.

Korean name (Romanization)	English name Scientific name
섬말나리 (Seom-mal-na-ri)	<b>Ulleungdo turk's-cap lily</b> <i>Lilium hansonii</i> Leichtlin ex D.D.T.Moore
섬매발톱나무 (Seom-mae-bal-top-na-mu)	<b>Jejudo barberry</b> <i>Berberis amurensis</i> var. <i>quelpaertensis</i> (Nakai) Nakai
섬머루 (Seom-meo-ru)	<b>Ulleungdo crimson grapevine</b> <i>Vitis coignetiae</i> f. <i>glabrescens</i> (Nakai) H.Hara
섬모시풀 (Seom-mo-si-pul)	<b>Island ramie</b> <i>Boehmeria nivea</i> var. <i>nippononivea</i> (Koidz.) W.T.Wang
섬바디 (Seom-ba-di)	<b>Ulleungdo dystaenia</b> <i>Dystaenia takesimana</i> (Nakai) Kitag.
섬바디속 [산형과] (Seom-ba-di-sok)	<b>Dystaenia</b> <i>Dystaenia</i> Kitag. [Apiaceae]
섬백리향 (Seom-back-ri-hyang)	<b>Ulleungdo thyme</b> <i>Thymus quinquecostatus</i> var. <i>japonicus</i> H.Hara
섬버들 (Seom-beo-deul)	<b>Ulleungdo willow</b> <i>Salix ishidoyana</i> Nakai
섬벚나무 (Seom-beot-na-mu)	<b>Ulleungdo flowering cherry</b> <i>Prunus takesimensis</i> Nakai
섬뽕나무 (Seom-ppong-na-mu)	<b>Seaside mulberry</b> <i>Morus bombycina</i> var. <i>maritima</i> Koidz.
섬사스레피나무 (Seom-sa-seu-re-pi-na-mu)	<b>East Asian island eurya</b> <i>Eurya japonica</i> f. <i>integra</i> (Nakai) T.B.Lee
섬사철란 (Seom-sa-cheol-ran)	<b>Short-raceme rattlesnake plantain</b> <i>Goodyera maximowicziana</i> Makino
섬새우난초 (Seom-sae-u-nan-cho)	<b>Korean calanthe</b> <i>Calanthe coreana</i> Nakai
섬시호 (Seom-si-ho)	<b>Ulleungdo hare's ear</b> <i>Bupleurum latissimum</i> Nakai
섬싸리냉이 (Seomssa-ri-naeng-i)	<b>Island narrow-leaf bittercress</b> <i>Cardamine impatiens</i> var. <i>obutusifolia</i> Knaf
섬쓰기풀 (Seom-sswae-gi-pul)	<b>Island small-leaf nettle</b> <i>Urtica laetevirens</i> var. <i>robusta</i> F.Maek.

Korean name (Romanization)	English name Scientific name
섬쑥 (Seom-ssuk)	<b>Hallasan wormwood</b> <i>Artemisia japonica</i> var. <i>hallaianensis</i> (Nakai) Kitam.
섬쑥부쟁이 (Seom-ssuk-bu-jaeng-i)	<b>Ulleungdo aster</b> <i>Aster glehnii</i> F.Schmidt
섬양지꽃 (Seom-yang-ji-kkot)	<b>Glabrous Korean cinquefoil</b> <i>Potentilla dickinsii</i> var. <i>glabrata</i> Nakai
섬오갈피나무 (Seom-o-gal-pi-na-mu)	<b>Hairy-style eleuthero</b> <i>Eleutherococcus gracilistylus</i> (W.W.Sm.) S.Y.Hu
섬오리나무 (Seom-o-ri-na-mu)	<b>Ulleungdo alder</b> <i>*Alnus japonica</i> var. <i>serrata</i> Nakai
섬일엽아재비 (Seom-il-yeop-a-jae-bi)	<b>Island single-leaf fern</b> <i>Haplopteris zosterifolia</i> (Willd.) E.H.Crane
섬자리공 (Seom-ja-ri-gong)	<b>Island pokeweed</b> <i>Phytolacca insularis</i> Nakai
섬잔고사리 (Seom-jan-go-sa-ri)	<b>Jejudo twinsorus fern</b> <i>Diplazium hachijoense</i> Nakai
섬잔대 (Seom-jan-dae)	<b>Jejudo ladybell</b> <i>Adenophora taquetii</i> H.Lév.
섬잣나무 (Seom-jat-na-mu)	<b>Ulleungdo white pine</b> <i>Pinus parviflora</i> Siebold & Zucc.
섬장대 (Seom-jang-dae)	<b>Ulleungdo rockcress</b> <i>Arabis takesimana</i> Nakai
섬제비꽃 (Seom-je-bi-kkot)	<b>Ulleungdo violet</b> <i>Viola takesimana</i> Nakai
섬조릿대 (Seom-jo-rit-dae)	<b>Kuril bamboo</b> <i>Sasa kurilensis</i> (Rupr.) Makino & Shibata
섬쥐깨풀 (Seom-jwi-kkae-pul)	<b>Island large-bract mosla</b> <i>Mosla japonica</i> var. <i>thymolifera</i> (Makino) Kitam.
섬쥐똥나무 (Seom-jwi-ttong-na-mu)	<b>Korean privet</b> <i>Ligustrum foliosum</i> Nakai
섬쥐손이 (Seom-jwi-son-i)	<b>Hallasan cranesbill</b> <i>Geranium shikokianum</i> var. <i>quelpartense</i> Nakai

Korean name (Romanization)	English name Scientific name
섬질경이 (Seom-jil-gyeong-i)	<b>Island plantain</b> <i>Plantago asiatica f. polystachya</i> (Makino) Nakai
섬참이질풀 (Seom-cham-i-jil-pul)	<b>Jejudo cranesbill</b> <i>Geranium koraiense</i> var. <i>chejuense</i> S.-J.Park et K.-J.Kim
섬천남성 (Seom-cheon-nam-seong)	<b>Island jack-in-the-pulpit</b> <i>Arisaema negishii</i> Makino
섬초롱꽃 (Seom-cho-rong-kkot)	<b>Korean bellflower</b> <i>Campanula takesimana</i> Nakai
섬패랭이꽃 (Seom-pae-raeng-i-kkot)	<b>Beach pink</b> * <i>Dianthus littorus</i> Makino ex Nakai
섬포아풀 (Seom-po-a-pul)	<b>Island bluegrass</b> <i>Poa takesimana</i> Honda
섬피나무 (Seom-pi-na-mu)	<b>Ulleungdo linden</b> <i>Tilia insularis</i> Nakai
섬향나무 (Seom-hyang-na-mu)	<b>Procumbens Chinese juniper</b> <i>Juniperus chinensis</i> var. <i>procumbens</i> (Siebold) Endl.
섬현삼 (Seom-hyeon-sam)	<b>Ulleungdo figwort</b> <i>Scrophularia takesimensis</i> Nakai
섬현호색 (Seom-hyeon-ho-saek)	<b>Island corydalis</b> <i>Corydalis filistipes</i> Nakai
섬회나무 (Seom-hoe-na-mu)	<b>Geomundo evergreen spindletree</b> <i>Euonymus chibae</i> Makino
섬회양목 (Seom-hoe-yang-mok)	<b>Glabrous Korean boxwood</b> <i>Buxus koreana</i> f. <i>insularis</i> (Nakai) Y.S.Kim & J.H.Kim
성널수국 (Seong-neol-su-guk)	<b>Sweet hydrangea</b> <i>Hydrangea liukiuensis</i> Nakai
성주풀 (Seong-ju-pul)	<b>Yellow-swamp foxglove</b> <i>Centranthera cochinchinensis</i> var. <i>lutea</i> (H.Hara) H.Hara
성주풀속 [현삼과] (Seong-ju-pul-sok)	<b>Centranthera</b> <i>Centranthera</i> R.Br. [Scrophulariaceae]
세대가리 (Se-dae-ga-ri)	<b>Small-head lipocarpha</b> <i>Lipocarpha microcephala</i> (R.Br.) Kunth

Korean name (Romanization)	English name Scientific name
세대가리속 [사초과] (Se-dae-ga-ri-sok)	<b>Halfchaff sedge, Lipocarpha</b> <i>Lipocarpha</i> R.Br. [Cyperaceae]
세모고랭이 (Se-mo-go-raeng-i)	<b>Triangular bulrush</b> <i>Schoenoplectus triquetus</i> (L.) Palla
세모부추 (Se-mo-bu-chu)	<b>Triangular chive</b> <i>Allium deltoideifistulosum</i> S.O.Yu, S.Lee & W.T.Lee
세모산부추 (Se-mo-san-bu-chu)	<b>Triangular-leaf Thunberg's chive</b> <i>Allium thunbergii</i> var. <i>deltoides</i> (S.O.Yu, S.Lee & W.T.Lee) H.J.Choi & B.U.Oh
세바람꽃 (Se-ba-ram-kkot)	<b>Stolon-bearing anemone</b> <i>Anemone stolonifera</i> Maxim.
세복수초 (Se-bok-su-cho)	<b>Acute-tip adonis</b> <i>Adonis multiflora</i> Nishikawa & Koji Ito
세뿔석위 (Se-ppul-seok-wi)	<b>Three-finger tongue fern</b> <i>Pyrrosia hastata</i> (Thunb.) Ching
세뿔여뀌 (Se-ppul-yeo-kkwi)	<b>Weak smartweed</b> <i>Persicaria debilis</i> H.Gross ex W.T.Lee
세뿔투구꽃 (Se-ppul-tu-gu-kkot)	<b>Trilobe monk'shood</b> <i>Aconitum austrokoreense</i> Koidz.
세수염마름 (Se-su-yeom-ma-reum)	<b>Three-appendage trapella</b> <i>Trapella sinensis</i> Oliv.
세잎개발나물 (Se-ip-gae-bal-na-mul)	<b>Ternate-leaf water parsnip</b> <i>Sium ternifolium</i> B.Y.Lee & S.C.Ko
세잎꿩의비름 (Se-ip-kkwong-ui-bi-reum)	<b>Whorled-leaf stonecrop</b> <i>Hylotelephium verticillatum</i> (L.) H.Ohba
세잎돌舛귀 (Se-ip-dol-jjeo-gwi)	<b>Three-leaf monk'shood</b> <i>Aconitum triphyllum</i> Nakai
세잎솜대 (Se-ip-som-dae)	<b>Three-leaf false lily of the valley</b> <i>Maianthemum trifolium</i> (L.) Sloboda
세잎승마 (Se-ip-seung-ma)	<b>Three-leaf Komarov's bugbane</b> <i>Cimicifuga heracleifolia</i> var. <i>bifida</i> Nakai
세잎양지꽃 (Se-ip-yang-ji-kkot)	<b>Freyen's cinquefoil</b> <i>Potentilla freyniana</i> Bormm.

Korean name (Romanization)	English name Scientific name
세잎종덩굴 (Se-ip-jong-deong-gul)	<b>Korean clematis</b> <i>Clematis koreana</i> Kom.
세잎쥐순이 (Se-ip-jwi-son-i)	<b>Wilford's cranesbill</b> <i>Geranium wilfordii</i> Maxim.
세잎쥐오줌풀 (Se-ip-jwi-o-jum-pul)	<b>Verticillate valerian</b> <i>Valeriana dageletiana</i> var. <i>verticillata</i> S.H.Park
세잎참꽃 (Se-ip-cham-kkot)	<b>Three-leaf white chick azalea</b> <i>Rhododendron tschonoskii</i> var. <i>trinerve</i> (Franch. ex Boiss.) Makino
세잎풀 (Se-ip-pul)	<b>East Asian deer's foot</b> <i>Achlys japonica</i> Maxim.
세잎풀속 [매자나무과] (Se-ip-pul-sok)	<b>Achlys</b> <i>Achlys</i> DC. [Berberidaceae]
세포큰조롱 (Se-po-keun-jo-rong)	<b>Twining swallow-wort</b> <i>Cynanchum volubile</i> (Maxim.) Hemsl.
센달나무 (Sen-dal-na-mu)	<b>Long-leaf bay-tree</b> <i>Machilus japonica</i> Siebold & Zucc.
소경불알 (So-gyeong-bul-al)	<b>Ussuri bellflower</b> <i>Codonopsis ussuriensis</i> (Rupr. & Maxim.) Hemsl.
소귀나무 (So-gwi-na-mu)	<b>Waxberry tree</b> <i>Myrica rubra</i> (Lour.) Siebold & Zucc.
소귀나무과 (So-gwi-na-mu-gwa)	<b>Bayberry family</b> <i>Myricaceae</i> Rich. ex Kunth
소귀나무속 [소귀나무과] (So-gwi-na-mu-sok)	<b>Bayberry, Bay-rum tree, Candleberry, Sweet gale, Wax-myrtle</b> <i>Myrica L.</i> [Myricaceae]
소나무 (So-na-mu)	<b>Korean red pine</b> <i>Pinus densiflora</i> Siebold & Zucc.
소나무과 (So-na-mu-gwa)	<b>Pine family</b> <i>Pinaceae</i> Spreng. ex Rudolphi
소나무속 [소나무과] (So-na-mu-sok)	<b>Pine</b> <i>Pinus L.</i> [Pinaceae]
소란 (So-ran)	<b>Four-season orchid</b> <i>Cymbidium ensifolium</i> (L.) Sw.

Korean name (Romanization)	English name Scientific name
소래풀 (So-rae-pul)	<b>Violet orychnophragmus</b> <i>Orychophragmus violaceus</i> (L.) O.E.Schulz
소래풀속 [십자화과] (So-rae-pul-sok)	<b>Orychophragmus</b> <i>Orychophragmus</i> Bunge [Brassicaceae]
소리챙이속 [마디풀과] (So-ri-jaeng-i-sok)	<b>Dock</b> <i>Rumex</i> L. [Polygonaceae]
소사나무 (So-sa-na-mu)	<b>Korean hornbeam</b> <i>Carpinus turezanninowii</i> Hance
소엽맥문동 (So-yeop-maek-mun-dong)	<b>Dwarf lilyturf</b> <i>Ophiopogon japonicus</i> (L.f.) Ker Gawl
소엽풀 (So-yeop-pul)	<b>Rice paddy marshweed</b> <i>Limnophila aromatica</i> (Lam.) Merr.
소영도리나무 (So-yeong-do-ri-na-mu)	<b>Early-blooming weigela</b> <i>Weigela praecox</i> (Lemoine) L.H.Bailey
소태나무 (So-tae-na-mu)	<b>Bitterwood</b> <i>Picrasma quassoides</i> (D.Don) Benn.
소태나무과 (So-tae-na-mu-gwa)	<b>Quassia family</b> Simaroubaceae DC.
소태나무속 [소태나무과] (So-tae-na-mu-sok)	<b>Picrasma</b> <i>Picrasma</i> Blume [Simaroubaceae]
속단 (Sok-dan)	<b>Shady Jerusalem sage</b> <i>Phlomis umbrosa</i> Turcz.
속단속 [꿀풀과] (Sok-dan-sok)	<b>Jerusalem sage, Lampwick plant</b> <i>Phlomis</i> L. [Lamiaceae]
속리기린초 (Sok-ri-gi-rin-cho)	<b>Songni stonecrop</b> <i>Sedum zokuriense</i> Nakai
속리싸리 (Sok-ri-ssa-ri)	<b>Songni lespedeza</b> <i>Lespedeza tetraloba</i> Nakai
속리참나물 (Sok-ri-cham-na-mul)	<b>Songni tilingia</b> <i>Tilingia nakaiana</i> Kitag.
속새 (Sok-sae)	<b>Scouringrush horsetail</b> <i>Equisetum hyemale</i> L.

Korean name (Romanization)	English name Scientific name
속새과 (Sok-sae-gwa)	<b>Horsetail family</b> <i>Equisetaceae</i> Michx. ex DC.
속새속 [속새과] (Sok-sae-sok)	<b>Horsetail, Puzzleglass, Snake grass</b> <i>Equisetum</i> L. [Equisetaceae]
속속이풀 (Sok-sok-i-pul)	<b>Bog yellowcress</b> <i>Rorippa palustris</i> (L.) Besser
속털개밀 (Sok-teol-gae-mil)	<b>Ciliate wheatgrass</b> <i>Elymus ciliaris</i> (Trin.) Tzvelev
손고비 (Son-go-bi)	<b>Elliptic colysis fern</b> <i>Colysis elliptica</i> (Thunb.) Ching
손고비속 [고란초과] (Son-go-bi-sok)	<b>Colysis</b> <i>Colysis</i> C.Presl [Polypodiaceae]
손바닥나비난초 (Son-ba-dak-na-bi-nan-cho)	<b>Spiked dactylorhiza</b> <i>Dactylorhiza aristata</i> (Fisch. ex Lindl.) Soó
손바닥난초 (Son-ba-dak-nan-cho)	<b>Fragrant orchid</b> <i>Gymnadenia conopsea</i> (L.) R.Br.
손바닥난초속 [난초과] (Son-ba-dak-nan-cho-sok)	<b>Gymnadenia</b> <i>Gymnadenia</i> R.Br. [Orchidaceae]
솔나리 (Sol-na-ri)	<b>Nodding lily</b> <i>Lilium cernuum</i> Kom.
솔나물 (Sol-na-mul)	<b>Asian yellow spring bedstraw</b> <i>Galium verum</i> var. <i>asiaticum</i> Nakai
솔방울고랭이 (Sol-bang-ul-go-raeng-i)	<b>Oriental bulrush</b> <i>Scirpus karuisawensis</i> Makino
솔방울꼴 (Sol-bang-ul-gol)	<b>Pine-cone bulrush</b> <i>Scirpus mitsukurianus</i> Makino
솔붓꽃 (Sol-but-kkot)	<b>Beardless iris</b> <i>Iris ruthenica</i> Ker Gawl.
솔비나무 (Sol-bi-na-mu)	<b>Jejudo maackia</b> <i>Maackia floribunda</i> (Miq.) Takeda
솔비녀골풀 (Sol-bi-nyeo-gol-pul)	<b>Wonsan rush</b> <i>*Juncus ounsanensis</i> T.H.Chung

Korean name (Romanization)	English name Scientific name
솔새 (Sol-sae)	<b>Solsae (Brush grass)</b> <i>Themedia triandra</i> var. <i>japonica</i> (Willd.) Makino
솔새속 [벼과] (Sol-sae-sok)	<b>Kangaroo grass</b> <i>Themedia</i> Forssk. [Poaceae]
솔송나무 (Sol-song-na-mu)	<b>Ulleungdo hemlock</b> <i>Tsuga diversifolia</i> (Maxim.) Mast.
솔송나무속 [소나무과] (Sol-song-na-mu-sok)	<b>Hemlock</b> <i>Tsuga</i> (Endl.) Carrière [Pinaceae]
솔인진 (Sol-in-jin)	<b>Northeast Asian ajania</b> <i>Ajania pallasiana</i> (Fisch. ex Besser) Poljakov
솔인진속 [국화과] (Sol-in-jin-sok)	<b>Ajania</b> <i>Ajania</i> Poljakov [Asteraceae]
솔잎가래 (Sol-ip-ga-rae)	<b>Sago pondweed</b> <i>Potamogeton pectinatus</i> L.
솔잎란 (Sol-ip-ran)	<b>Whisk fern</b> <i>Psilotum nudum</i> (L.) P.Beauv.
솔잎란과 (Sol-ip-ran-gwa)	<b>Whisk fern family</b> <i>Psilotaceae</i> J.W. Griff. & Henfr.
솔잎란속 [솔잎란과] (Sol-ip-ran-sok)	<b>Whisk fern</b> <i>Psilotum</i> Sw. [Psilotaceae]
솔잎사초 (Sol-ip-sa-cho)	<b>Pine-leaf sedge</b> <i>Carex biwensis</i> Franch.
솔잎잔대 (Sol-ip-jan-dae)	<b>Narrow-leaf ladybell</b> <i>Adenophora gmelinii</i> (Biehler) Fisch.
솔장다리 (Sol-jang-da-ri)	<b>Slender Russian thistle</b> <i>Salsola collina</i> Pall.
솔체꽃 (Sol-che-kkot)	<b>Northeastern scabious</b> <i>Scabiosa tschiliensis</i> Grüning
솜나물 (Som-na-mul)	<b>Gebera anandra</b> <i>Leibnitzia anandria</i> (L.) Turcz.
솜나물속 [국화과] (Som-na-mul-sok)	<b>Sunbonnets</b> <i>Leibnitzia</i> Cass. [Asteraceae]

Korean name (Romanization)	English name Scientific name
솜다리 (Som-da-ri)	<b>Korean edelweiss</b> <i>Leontopodium coreanum</i> Nakai
솜다리속 [국화과] (Som-da-ri-sok)	<b>Edelweiss</b> <i>Leontopodium</i> R.Br. ex Cass. [Asteraceae]
솜대속 [백합과] (Som-dae-sok)	<b>Smilacina, Solomon's seal</b> <i>Smilacina</i> Desf. [Liliaceae]
솜방망이 (Som-bang-mang-i)	<b>East Asian groundsel</b> <i>Tephroseris kirilowii</i> (Turcz. ex DC.) Holub
솜방망이속 [국화과] (Som-bang-mang-i-sok)	<b>Groundsel</b> <i>Tephroseris</i> (Rchb.) Rchb. [Asteraceae]
솜분취 (Som-bun-chwi)	<b>Woolly-leaf saussurea</b> <i>Saussurea eriophylla</i> Nakai
솜쑥방망이 (Som-ssuk-bang-mang-i)	<b>Asian swamp groundsel</b> <i>Senecio pierotii</i> Miq.
솜아마존 (Som-a-ma-jon)	<b>Amplexicaul swallow-wort</b> <i>Cynanchum amplexicaule</i> (Siebold & Zucc.) Hemsl.
솜양지꽃 (Som-yang-ji-kkot)	<b>Discolor cinquefoil</b> <i>Potentilla discolor</i> Bunge
솜흰여뀌 (Som-huin-yeo-kkwi)	<b>Willow-leaf white-flower smartweed</b> <i>Persicaria lapathifolia</i> var. <i>salicifolia</i> Miyabe
송금나무 (Song-geum-na-mu)	<b>Small-leaf beautyberry</b> <i>Callicarpa japonica</i> var. <i>taquetii</i> (L.f.) Nakai
송악 (Song-ak)	<b>Songak (Songak ivy)</b> <i>Hedera rhombea</i> (Miq.) Siebold & Zucc. ex Bean
송악속 [두릅나무과] (Song-ak-sok)	<b>Ivy</b> <i>Hedera</i> L. [Araliaceae]
송양나무 (Song-yang-na-mu)	<b>Oboval-leaf ehretia</b> <i>Ehretia acuminata</i> var. <i>obovata</i> (Lindl.) I.M.Johnst.
송양나무속 [지치과] (Song-yang-na-mu-sok)	<b>Ehretia</b> <i>Ehretia</i> P.Browne [Boraginaceae]
송이고랭이 (Song-i-go-raeng-i)	<b>Big bog bulrush</b> <i>Schoenoplectus triangulatus</i> (Roxb.) Soják

Korean name (Romanization)	English name Scientific name
송이풀 (Song-i-pul)	<b>Resupinate lousewort</b> <i>Pedicularis resupinata</i> L.
송이풀속 [현삼과] (Song-i-pul-sok)	<b>Lousewort</b> <i>Pedicularis</i> L. [Scrophulariaceae]
송장풀 (Song-jang-pul)	<b>Large-flower motherwort</b> <i>Leonurus macranthus</i> Maxim.
쇠고비 (Soe-go-bi)	<b>Fortune's hollyfern</b> <i>Cyrtomium fortunei</i> J.Sm.
쇠고비속 [면마과] (Soe-go-bi-sok)	<b>Netvein hollyfern</b> <i>Cyrtomium</i> C.Presl [Dryopteridaceae]
쇠고사리 (Soe-go-sa-ri)	<b>Attractive hollyfern</b> <i>Arachniodes amabilis</i> (Blume) Tindale
쇠고사리속 [면마과] (Soe-go-sa-ri-sok)	<b>Hollyfern</b> <i>Arachniodes</i> Blume [Dryopteridaceae]
쇠나무 (Soe-na-mu)	<b>Serrate-leaf flowering ash</b> <i>Fraxinus sieboldiana</i> var. <i>serrata</i> Nakai
쇠낚시사초 (Soe-nak-si-sa-cho)	<b>Papillose sedge</b> <i>Carex filipes</i> var. <i>oligostachys</i> Kük.
쇠돌피 (Soe-dol-pi)	<b>Asian minor rabbit's-foot grass</b> <i>Polypogon fugax</i> Nees ex Steud.
쇠돌피속 [벼과] (Soe-dol-pi-sok)	<b>Beard grass, Rabbit's-foot grass</b> <i>Polypogon</i> Desf. [Poaceae]
쇠뜨기 (Soe-tteu-gi)	<b>Field horsetail</b> <i>Equisetum arvense</i> L.
쇠뜨기말풀 (Soe-tteu-gi-mal-pul)	<b>Common mare's-tail</b> <i>Hippuris vulgaris</i> L.
쇠뜨기말풀과 (Soe-tteu-gi-mal-pul-gwa)	<b>Mare's-tail family</b> <b>Hippuridaceae</b> Vest
쇠뜨기말풀속 [쇠뜨기말풀과] (Soe-tteu-gi-mal-pul-sok)	<b>Mare's-tail</b> <i>Hippuris</i> L. [Hippuridaceae]
쇠무름 (Soe-mu-reup)	<b>Oriental chaff flower</b> <i>Achyranthes japonica</i> (Miq.) Nakai

Korean name (Romanization)	English name Scientific name
쇠무릎속 [비름과] (Soe-mu-reup-sok)	<b>Chaff flower</b> <i>Achyranthes</i> L. [Amaranthaceae]
쇠물푸레나무 (Soe-mul-pu-re-na-mu)	<b>Asian flowering ash</b> <i>Fraxinus sieboldiana</i> Blume
쇠방동사니 (Soe-bang-dong-sa-ni)	<b>Upright-spike flatsedge</b> <i>Cyperus orthostachyus</i> Franch. & Sav.
쇠별꽃 (Soe-byeol-kkot)	<b>Giant chickweed</b> <i>Stellaria aquatica</i> (L.) Scop.
쇠보리 (Soe-bo-ri)	<b>Toco grass</b> <i>Ischaemum aristatum</i> var. <i>glaucum</i> (Honda) T.Koyama
쇠보리속 [벼과] (Soe-bo-ri-sok)	<b>Murainagrass</b> <i>Ischaemum</i> L. [Poaceae]
쇠비름 (Soe-bi-reum)	<b>Purslane</b> <i>Portulaca oleracea</i> L.
쇠비름과 (Soe-bi-reum-gwa)	<b>Purslane family</b> Portulacaceae Juss.
쇠비름속 [쇠비름과] (Soe-bi-reum-sok)	<b>Moss roses, Purslane</b> <i>Portulaca</i> L. [Portulacaceae]
쇠뿔현호색 (Soe-ppul-hyeon-ho-saek)	<b>Bull's-horn corydalis</b> <i>Corydalis cornupetala</i> Y.H.Kim et J.H.Jeong
쇠서나물 (Soe-seo-na-mul)	<b>Korean hawkweed oxtongue</b> <i>Picris hieracioides</i> var. <i>koreana</i> Kitam.
쇠서나물속 [국화과] (Soe-seo-na-mul-sok)	<b>Oxtongue</b> <i>Picris</i> L. [Asteraceae]
쇠채 (Soe-chae)	<b>White-stem serpentroot</b> <i>Scorzonera albicaulis</i> Bunge
쇠채속 [국화과] (Soe-chae-sok)	<b>Scorzonera, Serpentroot</b> <i>Scorzonera</i> L. [Asteraceae]
쇠치기풀속 [벼과] (Soe-chi-gi-pul-sok)	<b>Jointgrass</b> <i>Hemarthria</i> R.Br. [Poaceae]
쇠치기풀 (Soe-chi-gi-pul)	<b>Siberian jointgrass</b> <i>Hemarthria sibirica</i> (Gand.) Ohwi

Korean name (Romanization)	English name Scientific name
쇠털골 (Soe-teol-gol)	<b>Needle spikerush</b> <i>Eleocharis acicularis</i> f. <i>longisetosa</i> (Svenson) T.Koyama
쇠털이슬 (Soe-teol-i-seul)	<b>Cordata enchanter's nightshade</b> <i>Circaeae cordata</i> Royle
쇠풀 (Soe-pul)	<b>Short-leaf bluestemgrass</b> <i>Schizachyrium brevifolium</i> (Sw.) Nees ex Buse
쇠풀속 [벼과] (Soe-pul-sok)	<b>Bluestem</b> <i>Schizachyrium</i> Nees [Poaceae]
쇠하늘지기 (Soe-ha-neul-ji-gi)	<b>Uni-spikelet fimbriostylis</b> <i>Fimbristylis ovata</i> (Burm.f.) J.Kern
수강아지풀 (Su-gang-a-ji-pul)	<b>Dense-flower bristlegrass</b> <i>Setaria viridis</i> subsp. <i>pycnocoma</i> (Steud.) Tzvelev
수개미자리 (Su-gae-mi-ja-ri)	<b>Glabrous sticky-stem pearlwort</b> <i>Sagina maxima</i> f. <i>crassicaulis</i> (S.Watson) Mizush
수거머리말 (Su-geo-meo-ri-mal)	<b>Northeastern eelgrass</b> <i>Zostera caulescens</i> Miki
수골무꽃 (Su-gol-mu-kkot)	<b>Alpine dentate skullcap</b> <i>Scutellaria dentata</i> var. <i>alpina</i> Nakai
수국속 [범의귀과] (Su-guk-sok)	<b>Hydrangea, Hortensia</b> <i>Hydrangea</i> L. [Saxifragaceae]
수궁초 (Su-gung-cho)	<b>Hemp dogbane</b> <i>Apocynum cannabinum</i> L.
수궁초속 [협죽도과] (Su-gung-cho-sok)	<b>Dogbane, Indian hemp</b> <i>Apocynum</i> L. [Apocynaceae]
수까치끼 (Su-kka-chi-kkac)	<b>Tomentose corchoropsis</b> <i>Corchoropsis tomentosa</i> (Thunb.) Makino
수련 (Su-ryeon)	<b>Pygmy water-lily</b> <i>Nymphaea tetragona</i> Georgi
수련과 (Su-ryeon-gwa)	<b>Water-lily family</b> <i>Nymphaeaceae</i> Salisb.

Korean name (Romanization)	English name Scientific name
수련속 [수련과] (Su-ryeon-sok)	<b>Water-lily, Water lilies, Waterlily</b> <i>Nymphaea</i> L. [Nymphaeaceae]
수리딸기 (Su-ri-ttal-gi)	<b>Jute-leaf raspberry</b> <i>Rubus corchorifolius</i> L.f.
수리취 (Su-ri-chwi)	<b>Deltoid synurus</b> <i>Synurus deltoides</i> (Aiton) Nakai
수리취속 [국화과] (Su-ri-chwi-sok)	<b>Synurus</b> <i>Synurus Iljin</i> [Asteraceae]
수선화과 (Su-seon-hwa-gwa)	<b>Amaryllis family</b> <i>Amaryllidaceae</i> J. St.-Hil.
수송나물 (Su-song-na-mul)	<b>Komarov's Russian thistle</b> <i>Salsola komarovii</i> Iljin
수송나물속 [명아주과] (Su-song-na-mul-sok)	<b>Russian thistle</b> <i>Salsola</i> L. [Chenopodiaceae]
수수고사리 (Su-su-go-sa-ri)	<b>Wilford's spleenwort</b> <i>Asplenium wilfordii</i> Mett. ex Kuhn
수수꽃다리 (Su-su-kkot-da-ri)	<b>Korean early lilac</b> <i>Syringa oblata</i> var. <i>dilatata</i> (Nakai) Rehder
수수꽃다리속 [물푸레나무과] (Su-su-kkot-da-ri-sok)	<b>Lilac</b> <i>Syringa</i> L. [Oleaceae]
수수새 (Su-su-sae)	<b>Shining sorghum</b> <i>Sorghum nitidum</i> (Vahl) Pers.
수수새속 [벼과] (Su-su-sae-sok)	<b>Sorghum</b> <i>Sorghum</i> Moench [Poaceae]
수염가래꽃 (Su-yeom-ga-rae-kkot)	<b>Asian lobelia</b> <i>Lobelia chinensis</i> Lour.
수염개밀 (Su-yeom-gae-mil)	<b>Long-beard porcupine</b> <i>Hystrix longearistata</i> (Hack.) Honda
수염개밀속 [벼과] (Su-yeom-gae-mil-sok)	<b>Hystrix</b> <i>Hystrix</i> Moench [Poaceae]
수염김의털 (Su-yeom-gim-ui-teol)	<b>Choseon sheep's fescue</b> <i>Festuca ovina</i> var. <i>chosonica</i> Ohwi

Korean name (Romanization)	English name Scientific name
수염대새풀 (Su-yeom-dae-sae-pul)	<b>Beard Hackel's cleistogenes</b> <i>Cleistogenes hackelii</i> var. <i>nakaii</i> (Keng) Ohwi
수염마름 (Su-yeom-ma-reum)	<b>Five-appendage trapella</b> <i>Trapella sinensis</i> var. <i>antenifera</i> (H.Lév.) H.Hara
수염마름속 [참깨고] (Su-yeom-ma-reum-sok)	<b>Trapella</b> <i>Trapella</i> Oliv. [Pedaliaceae]
수염며느리밥풀 (Su-yeom-myeo-neu-ri-bap-pul)	<b>Bearded cow-wheat</b> <i>Melampyrum roseum</i> var. <i>japonicum</i> Franch. & Sav.
수염용담 (Su-yeom-yong-dam)	<b>Bearded fringe gentian</b> <i>Gentianopsis barbata</i> (Froel.) Ma
수염용담속 [용담과] (Su-yeom-yong-dam-sok)	<b>Fringed gentian</b> <i>Gentianopsis</i> Ma [Gentianaceae]
수염이끼 (Su-yeom-i-kki)	<b>Beard filmy fern</b> <i>Hymenophyllum barbatum</i> (Bosch) Baker
수염이끼속 [처녀이끼과] (Su-yeom-i-kki-sok)	<b>Filmy fern</b> <i>Hymenophyllum</i> Sm. [Hymenophyllaceae]
수염치자풀 (Su-yeom-chi-ja-pul)	<b>Delicate starviolet</b> <i>Hedyotis tenelliflora</i> Blume
수염치자풀속 [꼭두서니과] (Su-yeom-chi-ja-pul-sok)	<b>Starviolet</b> <i>Hedyotis</i> L. [Rubiaceae]
수염패랭이꽃 (Su-yeom-pae-raeng-i-kkot)	<b>Asian pink</b> <i>Dianthus barbatus</i> var. <i>asiaticus</i> Nakai
수염풀 (Su-yeom-pul)	<b>Mongolian false needlegrass</b> <i>Ptilagrostis mongholica</i> (Turcz. ex Trin.) Griseb.
수염풀속 [벼과] (Su-yeom-pul-sok)	<b>False needlegrass</b> <i>Ptilagrostis</i> Griseb. [Poaceae]
수염현호색 (Su-yeom-hyeon-ho-saek)	<b>Tailed corydalis</b> <i>Corydalis caudata</i> (Lam.) Pers.
수영 (Su-yeong)	<b>Garden dock</b> <i>Rumex acetosa</i> L.
수원고랭이 (Su-won-go-raeng-i)	<b>Wallich's bulrush</b> <i>Scirpus wallichii</i> Nees

Korean name (Romanization)	English name Scientific name
수원사시나무 (Su-won-sa-si-na-mu)	<b>Suwon aspen</b> <i>Populus glandulosa</i> (Uyeki) Uyeki
수원사초 (Su-won-sa-cho)	<b>Suwon sedge</b> <i>Carex omiana</i> Franch. & Sav.
수원잔대 (Su-won-jan-dae)	<b>Many-flower ladybell</b> <i>Adenophora polyantha</i> Nakai
수정난풀 (Su-jeong-nan-pul)	<b>Indian pipe</b> <i>Monotropa uniflora</i> L.
수정난풀과 (Su-jeong-nan-pul-gwa)	<b>Indian pipe family</b> Monotropaceae Nutt.
수정난풀속 [수정난풀과] (Su-jeong-nan-pul-sok)	<b>Indian pipe</b> <i>Monotropa</i> L. [Monotropaceae]
수정목 (Su-jeong-mok)	<b>Big-leaf damnacanthus</b> <i>Damnacanthus major</i> Siebold & Zucc.
수크령 (Su-keu-ryeong)	<b>Foxtail fountaingrass</b> <i>Pennisetum alopecuroides</i> (L.) Spreng.
수크령속 [벼과] (Su-keu-ryeong-sok)	<b>Fountaingrass</b> <i>Pennisetum</i> Rich. [Poaceae]
숙은꽃장포 (Suk-eun-kkot-jang-po)	<b>Northern asphodel</b> <i>Tofieldia coccinea</i> Rich.
숙은노루오줌 (Suk-eun-no-ru-o-jum)	<b>Korean false goat's beard</b> <i>Astilbe koreana</i> (Kom.) Nakai
숙은처녀치마 (Suk-eun-cheo-nyeo-chi-ma)	<b>Tubular-flower swamppink</b> <i>Heloniopsis tubiflora</i> Fuse, N.S.Lee & M.N.Tamura
순비기나무 (Sun-bi-gi-na-mu)	<b>Beach vitex</b> <i>Vitex rotundifolia</i> L.f.
순비기나무속 [마편초과] (Sun-bi-gi-na-mu-sok)	<b>Chastetree</b> <i>Vitex</i> L. [Verbenaceae]
순안억새 (Sun-an-eok-sae)	<b>Sunan maiden silvergrass</b> <i>Miscanthus sinensis</i> var. <i>sunanensis</i> Y.N.Lee
순채 (Sun-chae)	<b>Watershield</b> <i>Brasenia schreberi</i> J.F.Gmelin

Korean name (Romanization)	English name Scientific name
순채속 [수련과] (Sun-chae-sok)	<b>Brasenia</b> <i>Brasenia</i> Schreb. [Nymphaeaceae]
술갈일엽 (Sut-gal-il-yeop)	<b>Linear-sorus lance fern</b> <i>Loxogramme duclouxii</i> Christ
술페랭이꽃 (Sul-pae-raeng-i-kkot)	<b>Long-calyx pink</b> <i>Dianthus longicalyx</i> Miq.
숫돌담고사리 (Sut-dol-dam-go-sa-ri)	<b>Protruding spleenwort</b> <i>Asplenium prolongatum</i> Hook.
숫명다래나무 (Sut-myeong-da-rae-na-mu)	<b>Korean honeysuckle</b> <i>Lonicera coreana</i> Nakai
숫잔대 (Sut-jan-dae)	<b>Sessile lobelia</b> <i>Lobelia sessilifolia</i> Lamb.
숫잔대속 [초롱꽃과] (Sut-jan-dae-sok)	<b>Lobelia</b> <i>Lobelia</i> L. [Campanulaceae]
숲갈퀴나물 (Sup-gal-kwi-na-mul)	<b>Pale Amur vetch</b> <i>Vicia amurensis</i> var. <i>pallida</i> (Turcz.) Kitag.
숲개밀 (Sup-gae-mil)	<b>Wood false brome</b> <i>Brachypodium sylvaticum</i> (Huds.) P.Beauv.
숲개밀속 [벼과] (Sup-gae-mil-sok)	<b>False brome</b> <i>Brachypodium</i> P.Beauv. [Poaceae]
숲개별꽃 (Sup-gae-byeol-kkot)	<b>Bristled false-starwort</b> <i>Pseudostellaria setulosa</i> Ohwi
숲바람꽃 (Sup-ba-ram-kkot)	<b>Shady anemone</b> <i>Anemone umbrosa</i> C.A.Mey.
숲이삭사초 (Sup-i-sak-sa-cho)	<b>Forest-live sedge</b> <i>Carex drymophila</i> Turcz.
쉬땅나무 (Swi-ttang-na-mu)	<b>False spiraea</b> <i>Sorbaria sorbifolia</i> var. <i>stellipila</i> Maxim.
쉬땅나무속 [장미과] (Swi-ttang-na-mu-sok)	<b>False spiraea</b> <i>Sorbaria</i> (Ser.) A.Braun [Rosaceae]
쉽싸리 (Swip-ssa-ri)	<b>Shiny bugleweed</b> <i>Lycopus lucidus</i> Turcz. ex Benth.

Korean name (Romanization)	English name Scientific name
쉽싸리속 [꿀풀과] (Swip-ssa-ri-sok)	<b>Bugleweed, Gypsywort, Waterhorehound</b> <i>Lycopus L.</i> [Lamiaceae]
승마 (Seung-ma)	<b>Komarov's bugbane</b> <i>Cimicifuga heracleifolia</i> Kom.
승마속 [미나리아재비과] (Seung-ma-sok)	<b>Bugbane, Cohosh</b> <i>Cimicifuga L.</i> ex Wernisch. [Ranunculaceae]
시닥나무 (Si-dak-na-mu)	<b>Red-twиг maple</b> <i>Acer komarovii</i> Pojark.
시로미 (Si-ro-mi)	<b>Korean crowberry</b> <i>Empetrum nigrum</i> var. <i>japonicum</i> K.Koch
시로미과 (Si-ro-mi-gwa)	<b>Crowberry family</b> Empetraceae Hook. & Lindl.
시로미속 [시로미과] (Si-ro-mi-sok)	<b>Crowberry</b> <i>Empetrum L.</i> [Empetraceae]
시루산동부 (Si-ru-san-dom-bu)	<b>Siberian locoweed</b> <i>Oxytropis strobilacea</i> Bunge
시무나무 (Si-mu-na-mu)	<b>Hemiptelea</b> <i>Hemiptelea davidii</i> (Hance) Planch.
시무나무속 [느릅나무과] (Si-mu-na-mu-sok)	<b>Hemiptelea</b> <i>Hemiptelea</i> Planch. [Ulmaceae]
시베리아다닥냉이 (Si-be-ri-a-da-dak-naeng-i)	<b>Siberian peppergrass</b> <i>Lepidium sibiricum</i> Schweigg.
시베리아살구 (Si-be-ri-a-sal-gu)	<b>Siberian cherry</b> <i>Prunus sibirica</i> L.
시베리아여뀌 (Si-be-ri-a-yeo-kkwi)	<b>Siberian knorringia</b> <i>Knorringia sibirica</i> (Laxm.) Tzvelev
시베리아여뀌속 (Si-be-ri-a-yeo-kkwi-sok)	<b>Knorringia</b> <i>Knorringia</i> (Czukav.) Tzvelev [Polygonaceae]
시베리아잠자리피 (Si-be-ri-a-jam-ja-ri-pi)	<b>Siberian oatgrass</b> <i>Trisetum sibiricum</i> Rupr.
시베리아포아풀 (Si-be-ri-a-po-a-pul)	<b>Siberian bluegrass</b> <i>Poa sibirica</i> Roshev.

Korean name (Romanization)	English name Scientific name
시호속 [산형과] (Si-ho-sok)	<b>Bupleurum</b> <i>Bupleurum</i> L. [Apiaceae]
식나무 (Sik-na-mu)	<b>Spotted laurel</b> <i>Aucuba japonica</i> Thunb.
식나무속 [충충나무과] (Sik-na-mu-sok)	<b>Aucuba</b> <i>Aucuba</i> Thunb. [Cornaceae]
신갈나무 (Sin-gal-na-mu)	<b>Mongolian oak</b> <i>Quercus mongolica</i> Fisch. ex Ledeb.
신갈매나무 (Sin-gal-mae-na-mu)	<b>Geumgangsan buckthorn</b> <i>Rhamnus diamantiaca</i> Nakai
신갈줄참나무 (Sin-gal-jol-cham-na-mu)	<b>Mongolica x serrata oak</b> * <i>Quercus × alienoserratooides</i> T.B.Lee
신감채 (Sin-gam-chae)	<b>Deeply-serrate-leaf ostericum</b> <i>Ostericum grosseserratum</i> (Maxim.) Kitag.
신나무 (Sin-na-mu)	<b>Amur maple</b> <i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm.
신부채붓꽃 (Sin-bu-chae-but-kkot)	<b>New wild flag iris</b> <i>Iris neosetosa</i> Y.N.Lee
신안새우난초 (Sin-an-sae-u-nan-cho)	<b>Sinan calanthe</b> <i>Calanthe aristulifera</i> Rchb.f.
신의주별꽃 (Sin-ui-ju-byeol-kkot)	<b>Sinuiju chickweed</b> <i>Stellaria neopalustris</i> Kitag.
신이대 (Sin-i-dae)	<b>Korean bamboo</b> <i>Sasa coreana</i> Nakai
신창구절초 (Sin-chang-gu-jeol-cho)	<b>Sinchang dendranthema</b> <i>Dendranthema sinchangense</i> (Uyeki) Kitam.
실갈퀴 (Sil-gal-kwi)	<b>Linear-leaf bedstraw</b> <i>Galium linearifolium</i> Turcz.
실개수염 (Sil-gae-su-yeom)	<b>Thread pipewort</b> <i>Eriocaulon decemflorum</i> var. <i>nipponicum</i> (Maxim.) Nakai
실거리나무 (Sil-geo-ri-na-mu)	<b>Mysore thorn</b> <i>Caesalpinia decapetala</i> (Roth) Alston

Korean name (Romanization)	English name Scientific name
실거리나무속 [콩과] (Sil-geo-ri-na-mu-sok)	<b>Nicker</b> <i>Caesalpinia</i> L. [Fabaceae]
실고사리  (Sil-go-sa-ri)	<b>Vine-like fern</b> <i>Lygodium japonicum</i> (Thunb.) Sw.
실고사리과 (Sil-go-sa-ri-gwa)	<b>Curly grass family</b> <i>Schizaeaceae</i> Kaulf.
실고사리속 [실고사리과] (Sil-go-sa-ri-sok)	<b>Climbing fern</b> <i>Lygodium</i> Sw. [Schizaeaceae]
실꽃풀 (Sil-kkot-pul)	<b>White stringflower</b> <i>Chionographis japonica</i> (Willd.) Maxim.
실꽃풀속 [백합과] (Sil-kkot-pul-sok)	<b>Chionographis</b> <i>Chionographis</i> Maxim. [Liliaceae]
실나자스말 (Sil-na-ja-seu-mal)	<b>Slender water-nymph</b> <i>Najas gracillima</i> (A.Braun ex Engelm.) Magnus
실말 (Sil-mal)	<b>Small pondweed</b> <i>Potamogeton pusillus</i> L.
실맥문동 (Sil-maek-mun-dong)	<b>Shady dwarf lilyturf</b> <i>Ophiopogon japonicus</i> var. <i>umbrosus</i> Maxim.
실미꾸리낚시 (Sil-mi-kku-ri-nak-si)	<b>Swamp Siebold's smartweed</b> <i>Persicaria sieboldii</i> var. <i>paludosa</i> (Kom.) Nakai ex Kitag.
실별꽃 (Sil-byeol-kkot)	<b>Slender chickweed</b> <i>Stellaria filicaulis</i> Makino
실부추 (Sil-bu-chu)	<b>Thread-leaf chive</b> <i>Allium anisopodium</i> Ledeb.
실비녀골풀 (Sil-bi-nyeo-gol-pul)	<b>Maximowicz's rush</b> <i>Juncus maximowiczii</i> Buchenau
실사리 (Sil-sa-ri)	<b>Siberian spikemoss</b> <i>Selaginella sibirica</i> (Milde) Hieron.
실사초 (Sil-sa-cho)	<b>Thread sedge</b> <i>Carex pisiformis</i> Boott
실새삼 (Sil-sae-sam)	<b>Australian dodder</b> <i>Cuscuta australis</i> R.Br.

Korean name (Romanization)	English name Scientific name
실새풀 (Sil-sae-pul)	<b>Purple reedgrass</b> <i>Calamagrostis brachytricha</i> Steud.
실쑥 (Sil-ssuk)	<b>Siberian filifolium</b> <i>Filifolium sibiricum</i> (L.) Kitam.
실쑥속 [국화과] (Sil-ssuk-sok)	<b>Filifolium</b> <i>Filifolium</i> Kitam. [Asteraceae]
실이삭사초 (Sil-i-sak-sa-cho)	<b>Loosely-spike sedge</b> <i>Carex laxa</i> Wahlenb.
실제비쑥 (Sil-je-bi-ssuk)	<b>Narrow oriental wormwood</b> <i>Artemisia japonica</i> var. <i>angustissima</i> (Nakai) Kitam.
실청사초 (Sil-cheong-sa-cho)	<b>Narrow mitra sedge</b> <i>Carex sabynensis</i> Less. ex Kunth
실통발 (Sil-tong-bal)	<b>Lesser bladderwort</b> <i>Utricularia multispinosa</i> (Miki) Miki
실포아풀 (Sil-po-a-pul)	<b>White-top bluegrass</b> <i>Poa acroleuca</i> Steud.
실피사초 (Sil-pi-sa-cho)	<b>Pallid long-rostrate sedge</b> <i>Carex longerostrata</i> var. <i>pallida</i> (Kitag.) Ohwi
십자고사리 (Sip-ja-go-sa-ri)	<b>Cross holly fern</b> <i>Polystichum tripteron</i> (Kunze) C.Presl
십자화과 (Sip-ja-hwa-gwa)	<b>Cabbage family, Crucifers family, Mustards family, Mustard flowers family</b> Brassicaceae Burnett (= Cruciferae Juss.)
싱아 (Sing-a)	<b>Alpine knotweed</b> <i>Aconogonon alpinum</i> (All.) Schur
싱아속 [마디풀과] (Sing-a-sok)	<b>Aconogonon</b> <i>Aconogonon</i> (Meisn.) Rchb. [Polygonaceae]
싸라기사초 (Ssa-ra-gi-sa-cho)	<b>Ussuri sedge</b> <i>Carex ussuriensis</i> Kom.
싸리 (Ssa-ri)	<b>Shrub lespezea</b> <i>Lespedeza bicolor</i> Turcz.

Korean name (Romanization)	English name Scientific name
싸리냉이 (Ssa-ri-naeng-i)	<b>Narrow-leaf bittercress</b> <i>Cardamine impatiens</i> L.
싸리속 [콩과] (Ssa-ri-sok)	<b>Bush clovers, Japanese clovers, Lespedeza</b> <i>Lespedeza</i> Michx. [Fabaceae]
쌀사초 (Ssal-sa-cho)	<b>Pseudo-glaucous sedge</b> <i>Carex glauciformis</i> Meinh.
쌀새 (Ssal-sae)	<b>Broad-spike melic</b> <i>Melica onoei</i> Franch. & Sav.
쌀새속 [벼과] (Ssal-sae-sok)	<b>Melic, Melic grass, Oniongrass</b> <i>Melica</i> L. [Poaceae]
쌀파도풀 (Ssal-pa-do-pul)	<b>Long omphalotrix</b> <i>Omphalotrix longipes</i> Maxim.
쌀파도풀속 [현삼과] (Ssal-pa-do-pul-sok)	<b>Omphalotrix</b> <i>Omphalotrix</i> Maxim. [Scrophulariaceae]
쌍동바람꽃 (Ssang-dong-ba-ram-kkot)	<b>Twin-flower anemone</b> <i>Anemone rossii</i> S.Moore
쌍실버들 (Ssang-sil-beo-deul)	<b>Paired-fruit willow</b> <i>Salix bicarpa</i> Nakai
쌍잎난초 (Ssang-ip-nan-cho)	<b>Twin-leaf twayblade</b> <i>Neottia pinetorum</i> (Lindl.) Szlach.
쐐기풀 (Sswae-gi-pul)	<b>East Asian nettle</b> <i>Urtica thunbergiana</i> Siebold & Zucc.
쐐기풀과 (Sswae-gi-pul-gwa)	<b>Nettle family</b> <i>Urticaceae</i> Juss.
쐐기풀속 [쐐기풀과] (Sswae-gi-pul-sok)	<b>Nettle, Stinging nettles</b> <i>Urtica</i> L. [Urticaceae]
쑥 (Ssuk)	<b>Ssuk (Korean wormwood)</b> <i>Artemisia princeps</i> Pamp.
쑥국화 (Ssuk-guk-hwa)	<b>Tansy</b> <i>Tanacetum vulgare</i> L.
쑥국화속 [국화과] (Ssuk-guk-hwa-sok)	<b>Tansy</b> <i>Tanacetum</i> L. [Asteraceae]

Korean name (Romanization)	English name Scientific name
쑥방망이 (Ssuk-bang-mang-i)	<b>Argun groundsel</b> <i>Senecio argunensis</i> Turcz.
쑥부쟁이 (Ssuk-bu-jaeng-i)	<b>Field aster</b> <i>Aster yomena</i> (Kitam.) Honda
쑥부지깽이 (Ssuk-bu-ji-kkaeng-i)	<b>Wormseed wallflower</b> <i>Erysimum cheiranthoides</i> L.
쑥부지깽이속 [십자화과] (Ssuk-bu-ji-kkaeng-i-sok)	<b>Wallflower</b> <i>Erysimum</i> L. [Brassicaceae]
쑥속 [국화과] (Ssuk-sok)	<b>Mugwort, Sagebrush, Wormwood</b> <i>Artemisia</i> L. [Asteraceae]
쓴풀 (Sseun-pul)	<b>East Asian swertia</b> <i>Swertia japonica</i> (Schult.) Makino
쓴풀속 [용담과] (Sseun-pul-sok)	<b>Felwort, Swertia</b> <i>Swertia</i> L. [Gentianaceae]
씀바귀 (Sseum-ba-gwi)	<b>Toothed ikeridium</b> <i>Ikeridium dentatum</i> (Thunb.) Tzvelev
씀바귀속 [국화과] (Sseum-ba-gwi-sok)	<b>Ikeridium</b> <i>Ikeridium</i> (A. Gray) Tzvelev [Asteraceae]
씨눈난초 (Ssi-nun-nan-cho)	<b>Bead-root orchid</b> <i>Herminium lanceum</i> var. <i>longicrure</i> (C.Wright ex A.Gray) H.Hara
씨눈난초속 [난초과] (Ssi-nun-nan-cho-sok)	<b>Herminium</b> <i>Herminium</i> L. [Orchidaceae]
씨눈바위취 (Ssi-nun-ba-wi-chwi)	<b>Nodding saxifrage</b> <i>Saxifraga cernua</i> L.
씨범고리 (Ssi-beom-kko-ri)	<b>Alpine bistort</b> <i>Bistorta vivipara</i> (L.) Delarbre
<b>O</b>	
아광나무 (A-gwang-na-mu)	<b>Maximowicz's hawthorn</b> <i>Crataegus maximowiczii</i> C.K.Schneid.
아구장나무 (A-gu-jang-na-mu)	<b>Pubescent spirea</b> <i>Spiraea pubescens</i> Turcz.

Korean name (Romanization)	English name Scientific name
아그배나무 (A-geu-bae-na-mu)	<b>Three-lobe crabapple</b> <i>Malus toringo</i> (Siebold) de Vriese
아마과 (A-ma-gwa)	<b>Flax family</b> Linaceae DC. ex Perleb.
아마속 [백합과] (A-ma-sok)	<b>Flax</b> <i>Linum L.</i> [Linaceae]
아마풀 (A-ma-pul)	<b>Flax-leaf diarthron</b> <i>Diarthron linifolium</i> Turcz.
아마풀속 [팝꽃나무과] (A-ma-pul-sok)	<b>Diarthron</b> <i>Diarthron</i> Turcz. [Thymelaeaceae]
아물고사리 (A-mul-go-sa-ri)	<b>Amur wood fern</b> <i>Dryopteris amurensis</i> (Milde) Christ
아왜나무 (A-wae-na-mu)	<b>Sweet viburnum</b> <i>Viburnum odoratissimum</i> var. <i>awabuki</i> (K.Koch) Zabel ex Rümpler
아욱과 (A-uk-gwa)	<b>Hibiscus family</b> Malvaceae Juss.
아욱메풀속 [메꽃과] (A-uk-me-pul-sok)	<b>Ponysfoot</b> <i>Dichondra</i> J.R.Forst. & G.Forst. [Convolvulaceae]
아욱메풀 (A-uk-me-pul)	<b>Kidney weed</b> <i>Dichondra micrantha</i> Urb.
아욱제비꽃 (A-uk-je-bi-kkot)	<b>Chinese mallow-leaf violet</b> <i>Viola hondoensis</i> W.Becker & H.Boissieu
아자비과줄 (A-ja-bi-gwa-jeul)	<b>Straight-bean Japanese honey locust</b> <i>Gleditsia japonica</i> var. <i>stenocarpa</i> (Nakai) Nakai
안면용등굴레 (An-myeon-yong-dung-gul-re)	<b>Anmyeon wide-bract solomon's seal</b> <i>Polygonatum desoulavyi</i> Kom.
얇은가래 (An-jeun-ga-rae)	<b>Variegated-leaf pondweed</b> <i>Potamogeton heterophyllus</i> Schreb.
얇은부채 (An-jeun-bu-chae)	<b>Oriental skunk cabbage</b> <i>Symplocarpus renifolius</i> Schott ex Miq.
얇은부채속 [천남성과] (An-jeun-bu-chae-sok)	<b>Skunk cabbage</b> <i>Symplocarpus</i> Salisb. ex W.P.C. Barton [Araceae]

Korean name (Romanization)	English name Scientific name
앉은잎다닥냉이 (An-jeun-ip-da-dak-naeng-i)	<b>Heart-leaf peppergrass</b> <i>Lepidium cordatum</i> Willd. ex Stev.
앉은좁쌀풀 (An-jeun-jop-ssal-pul)	<b>Maximowicz's eyebright</b> <i>Euphrasia maximowiczii</i> Wettst.
알꽈리 (Al-kkwa-ri)	<b>Naked ground berry</b> <i>Tubocapsicum anomalum</i> (Franch. & Sav.) Makino
알꽈리속 [가지과] (Al-kkwa-ri-sok)	<b>Tubocapsicum</b> <i>Tubocapsicum</i> (Wettst.) Makino [Solanaceae]
알록제비꽃 (Al-rok-je-bi-kkot)	<b>Variegated-leaf violet</b> <i>Viola variegata</i> Fisch. ex Link
알록큰봉의꼬리 (Al-rok-keun-bong-ui-kko-ri)	<b>Variegate cretan brake fern</b> <i>Pteris nipponica</i> Shieh
알며느리밥풀 (Al-myeo-neu-ri-bap-pul)	<b>Oval-leaf cow-wheat</b> <i>Melampyrum roseum</i> var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd
알방동사니 (Al-bang-dong-sa-ni)	<b>Diffformed flatsedge</b> <i>Cyperus difformis</i> L.
암고사리 (Am-go-sa-ri)	<b>Asian twinsorus fern</b> <i>Diplazium chinense</i> (Baker) C.Chr.
암공작고사리 (Am-gong-jak-go-sa-ri)	<b>Junos-hair fern</b> <i>Adiantum capillus-junonis</i> Rupr.
암괴불나무 (Am-goe-bul-na-mu)	<b>Black honeysuckle</b> <i>Lonicera nigra</i> var. <i>barbinervis</i> (Kom.) Nakai
암까치깨 (Am-kka-chi-kkae)	<b>Intermediate corchoropsis</b> <i>Corchoropsis intermedia</i> Nakai
암대극 (Am-dae-geuk)	<b>Jolkin's spurge</b> <i>Euphorbia jolkinii</i> Boiss.
암매 (Am-mae)	<b>Pincushion plant</b> <i>Diapensia lapponica</i> var. <i>obovata</i> F.Schmidt
암매과 (Am-mae-gwa)	<b>Diapensia family</b> <i>Diapensiaceae</i> Lindl.
암매속 [암매과] (Am-mae-sok)	<b>Diapensia</b> <i>Diapensia</i> L. [Diapensiaceae]

Korean name (Romanization)	English name Scientific name
암뱀고사리 (Am-baem-go-sa-ri)	<b>Shady ladyfern</b> <i>Athyrium clivicola</i> Tagawa
암수둥굴레 (Am-su-dung-gul-re)	<b>Small-flower solomon's seal</b> <i>Polygonatum stenanthum</i> Nakai
암풀고사리 (Am-pul-go-sa-ri)	<b>Smooth forked fern</b> <i>Gleichenia laevissima</i> Christ
암하늘자기 (Am-ha-neul-ji-gi)	<b>Straight-awn fimbristylis</b> <i>Fimbristylis squarrosa</i> var. <i>esquarrosa</i> Makino
압록더부살이 (Ap-rok-deo-bu-sal-i)	<b>Amur yellow-flower broomrape</b> <i>Orobanche pycnostachya</i> var. <i>amurensis</i> Beck
애괭이사초 (Ae-gwaeng-i-sa-cho)	<b>Small nerved-fruit sedge</b> <i>Carex laevissima</i> Nakai
애기기라래 (Ae-gi-ga-rae)	<b>Little pondweed</b> <i>Potamogeton octandrus</i> Poir.
애기기물고사리 (Ae-gi-ga-mul-go-sa-ri)	<b>Smooth woodsia</b> <i>Woodsia glabella</i> R.Br. ex Richardson
애기기자별꽃 (Ae-gi-ga-ji-byeol-kkot)	<b>Spreading chickweed</b> <i>Stellaria diffusa</i> Willd. ex Schltld.
애기감동사초 (Ae-gi-gam-dung-sa-cho)	<b>Black-tiny sedge</b> <i>Carex fusanensis</i> Ohwi
애기거머리말 (Ae-gi-geo-meo-ri-mal)	<b>Dwarf eelgrass</b> <i>Zostera japonica</i> Asch. & Graebn.
애기겨여이삭 (Ae-gi-gyeo-i-sak)	<b>Creeping bentgrass</b> <i>Agrostis stolonifera</i> L.
애기고광나무 (Ae-gi-go-gwang-na-mu)	<b>Beijing mock orange</b> <i>Philadelphus pekinensis</i> Rupr.
애기고추나물 (Ae-gi-go-chu-na-mul)	<b>Tiny St. Johnswort</b> <i>Hypericum japonicum</i> Thunb.
애기곡정초 (Ae-gi-gok-jeong-cho)	<b>Moss-like pipewort</b> <i>Eriocaulon sphagnicolum</i> Ohwi
애기골무꽃 (Ae-gi-gol-mu-kkot)	<b>Delicate skullcap</b> <i>Scutellaria dependens</i> Maxim.



Korean name (Romanization)	English name Scientific name
애기골풀 (Ae-gi-gol-pul)	Toad rush <i>Juncus bufonius</i> L.
애기괭이눈 (Ae-gi-gwaeng-i-nun)	Stolon golden saxifrage <i>Chrysosplenium flagelliferum</i> F.Schmidt
애기괭이밥 (Ae-gi-gwaeng-i-bap)	Common wood sorrel <i>Oxalis acetosella</i> L.
애기금강제비꽃 (Ae-gi-geum-gang-je-bi-kkot)	Dwarf Geumgang violet <i>Viola yazawana</i> Makino
애기금매화 (Ae-gi-geum-mae-hwa)	Baedususan globe-flower <i>Trollius japonicus</i> Miq.
애기기린초 (Ae-gi-gi-rin-cho)	Miniature stonecrop <i>Sedum middendorffianum</i> Maxim.
애기꼬리고사리 (Ae-gi-kko-ri-go-sa-ri)	Variable spleenwort <i>Asplenium varians</i> Wall. ex Hook. & Grev.
애기나리 (Ae-gi-na-ri)	Star-flower fairybell <i>Disporum smilacinum</i> A.Gray
애기나리속 [백합과] (Ae-gi-na-ri-sok)	Disporum <i>Disporum</i> Salisb. [Liliaceae]
애기나비나물 (Ae-gi-na-bi-na-mul)	Hallasan two-leaf vetch <i>Vicia unijuga</i> f. <i>minor</i> Nakai
애기낚시제비꽃 (Ae-gi-nak-si-je-bi-kkot)	Small creeping violet <i>Viola grypoceras</i> var. <i>exilis</i> (Miq.) Nakai
애기냉이 (Ae-gi-naeng-i)	Alpine bittercress <i>Cardamine bellidifolia</i> L.
애기노루발 (Ae-gi-no-ro-bal)	Tooth-margined wintergreen <i>Pyrola denticulata</i> Koidz.
애기닥나무 (Ae-gi-dak-na-mu)	Small paper mulberry <i>*Broussonetia kazinoki</i> var. <i>humilis</i> Uyeki
애기닭의덩굴 (Ae-gi-dak-ui-deong-gul)	Small-flower knotweed <i>Fallopia pauciflora</i> (Maxim.) Kitag.
애기닭의장풀 (Ae-gi-dak-ui-jang-pul)	Minute blue dayflower <i>Commelina mina</i> Y.N.Lee & Y.J.Oh

Korean name (Romanization)	English name Scientific name
애기담배풀 (Ae-gi-dam-bae-pul)	<b>Rosette carpesium</b> <i>Carpesium rosulatum</i> Miq.
애기더덕 (Ae-gi-deo-deok)	<b>Sweet bonnet bellflower</b> <i>Codonopsis minima</i> Nakai
애기덕산풀 (Ae-gi-deok-san-pul)	<b>Fine-stalk nutrush</b> <i>Scleria pergracilis</i> (Nees) Kunth
애기도록노의갈고리 (Ae-gi-do-duk-nom-ui-gal-go-ri)	<b>Manchurian tick clover</b> <i>Desmodium podocarpum</i> var. <i>mandshuricum</i> Maxim.
애기도라지 (Ae-gi-do-ra-ji)	<b>Southern rockbell</b> <i>Wahlenbergia marginata</i> (Thunb.) A.DC.
애기도라지속 [초롱꽃과] (Ae-gi-do-ra-ji-sok)	<b>Wahlenbergia</b> <i>Wahlenbergia</i> Schrad. ex Roth [Campanulaceae]
애기동으나물 (Ae-gi-dong-ui-na-mul)	<b>Floating marsh marigold</b> <i>Caltha natans</i> Pall.
애기두릅나무 (Ae-gi-du-reup-na-mu)	<b>Small-leaf Korean angelica tree</b> <i>Aralia elata</i> f. <i>canescens</i> (Siebold & Zucc.) T.Yamaz.
애기등 (Ae-gi-deung)	<b>Summer-white oiltree</b> <i>Millettia japonica</i> (Siebold & Zucc.) A.Gray
애기등속 [콩과] (Ae-gi-deung-sok)	<b>Oiltree</b> <i>Millettia</i> Wight & Arn. [Fabaceae]
애기똥풀 (Ae-gi-ttong-pul)	<b>Asian greater celandine</b> <i>Chelidonium majus</i> var. <i>asiaticum</i> (H.Hara) Ohwi
애기똥풀속 [양귀비과] (Ae-gi-ttong-pul-sok)	<b>Celandine, Greater celandine, Nipplewort, Swallowwort, Tetterwort</b> <i>Chelidonium</i> L. [Papaveraceae]
애기마름 (Ae-gi-ma-reum)	<b>Tiny water-chestnut</b> <i>Trapa incisa</i> Siebold & Zucc.
애기메꽃 (Ae-gi-me-kkot)	<b>Ivy morning glory</b> <i>Calystegia hederacea</i> Wall.
애기며느리밥풀 (Ae-gi-myeo-neu-ri-bap-pul)	<b>Lanceolate-leaf cow-wheat</b> <i>Melampyrum setaceum</i> (Maxim. ex Palib.) Nakai
애기면모고사리 (Ae-gi-myeon-mo-go-sa-ri)	<b>Sinuate holly-fern woodsia</b> <i>Woodsia polystichoides</i> f. <i>sinuata</i> (Hook.) Kitag.

Korean name (Romanization)	English name Scientific name
애기무엽란 (Ae-gi-mu-yeop-ran)	<b>Asian leafless bird's nest orchid</b> <i>Neottia acuminata</i> Schltr.
애기풀꽈리아재비 (Ae-gi-mul-kkwa-ri-a-jae-bi)	<b>Tender monkey-flower</b> <i>Mimulus tenellus</i> Bunge
애기풀매화 (Ae-gi-mul-mae-hwa)	<b>Hallasan marsh parnassus</b> <i>Parnassia alpicola</i> Makino
애기미나리아재비 (Ae-gi-mi-na-ri-a-jae-bi)	<b>Meadow buttercup</b> <i>Ranunculus acris</i> L.
애기바늘꽃 (Ae-gi-ba-neul-kkot)	<b>Small marsh willowherb</b> <i>Epilobium palustre</i> var. <i>fischerianum</i> Hausskn.
애기바늘사초 (Ae-gi-ba-neul-sa-cho)	<b>Small-needle sedge</b> <i>Carex hakonensis</i> Franch. & Sav.
애기바위솔 (Ae-gi-ba-wi-sol)	<b>Narrow-leaf rock pine</b> <i>Orostachys filirera</i> (Nakai) Nakai
애기반들사초 (Ae-gi-ban-deul-sa-cho)	<b>Small shiny-spike sedge</b> <i>Carex tristachya</i> var. <i>pocilliformis</i> (Boott) Kük.
애기벼어먼초 (Ae-gi-beo-eo-meon-cho)	<b>Champion's bluethread</b> <i>Burmannia championii</i> Thwaites
애기복수초 (Ae-gi-bok-su-cho)	<b>Small Amur adonis</b> <i>*Adonis amurensis</i> subsp. <i>nana</i> Y.N.Lee
애기봄맞이 (Ae-gi-bom-mat-i)	<b>Filiform rockjasmine</b> <i>Androsace filiformis</i> Retz.
애기부들 (Ae-gi-bu-deul)	<b>Lesser cattail</b> <i>Typha angustifolia</i> L.
애기비쑥 (Ae-gi-bi-ssuk)	<b>Incheon wormwood</b> <i>Artemisia nakaii</i> Pamp.
애기사철란 (Ae-gi-sa-cheol-ran)	<b>Lesser rattlesnake plantain</b> <i>Goodyera repens</i> (L.) R.Br.
애기사초 (Ae-gi-sa-cho)	<b>Miniature sedge</b> <i>Carex conica</i> Boott
애기석남 (Ae-gi-seok-nam)	<b>Common bog rosemary</b> <i>Andromeda polifolia</i> L.

Korean name (Romanization)	English name Scientific name
애기석위 (Ae-gi-seok-wi)	<b>Petiolate tongue fern</b> <i>Pyrrosia petiolaris</i> (Christ) Ching
애기솔나물 (Ae-gi-sol-na-mul)	<b>Small yellow spring bedstraw</b> <i>*Galium verum</i> var. <i>asiaticum</i> f. <i>pusillum</i> (Nakai) M.Park
애기송이풀 (Ae-gi-song-i-pul)	<b>Radical-flower lousewort</b> <i>Pedicularis ishidoyana</i> Koidz. & Ohwi
애기수염이끼 (Ae-gi-su-yeom-i-kki)	<b>Korean filmy fern</b> <i>Hymenophyllum coreanum</i> Nakai
애기수영 (Ae-gi-su-yeong)	<b>Field dock</b> <i>Rumex acetosella</i> L.
애기쉽싸리 (Ae-gi-swip-ssa-ri)	<b>Maack's bugleweed</b> <i>Lycopus maackianus</i> (Maxim. ex Herder) Makino
애기싹기풀 (Ae-gi-sswae-gi-pul)	<b>Small-leaf nettle</b> <i>Urtica laetevirens</i> Maxim.
애기씨범고리 (Ae-gi-ssi-beom-kko-ri)	<b>Narrow-leaf alpine bistort</b> <i>Bistorta vivipara</i> var. <i>angustifolia</i> Nakai
애기앉은부채 (Ae-gi-an-jeun-bu-chae)	<b>East Asian skunk cabbage</b> <i>Symplocarpus nipponicus</i> Makino
애기염주사초 (Ae-gi-yeom-ju-sa-cho)	<b>Big-tongue jack sedge</b> <i>Carex jackiana</i> var. <i>macroglossa</i> (Franch. & Sav.) Kük.
애기완두 (Ae-gi-wan-du)	<b>Short vetchling</b> <i>Lathyrus humilis</i> (Ser.) Spreng.
애기우산나물 (Ae-gi-u-san-na-mul)	<b>Shredded umbrella plant</b> <i>Syneilesis aconitifolia</i> (Bunge) Maxim.
애기원추리 (Ae-gi-won-chu-ri)	<b>Small daylily</b> <i>Hemerocallis minor</i> Mill.
애기월귤 (Ae-gi-wol-gyul)	<b>Small blueberry</b> <i>Vaccinium oxycoccus</i> subsp. <i>microcarpus</i> (Turcz.) Kitam.
애기이삭사초 (Ae-gi-i-sak-sa-cho)	<b>Yellow-mantle sedge</b> <i>Carex ochrochlamys</i> Ohwi
애기일엽초 (Ae-gi-il-yeop-cho)	<b>Tiny weeping fern</b> <i>Lepisorus onoei</i> (Franch. & Sav.) Ching

Korean name (Romanization)	English name Scientific name
애기자운 (Ae-gi-ja-un)	<b>Spring gueldenstaedtia</b> <i>Gueldenstaedtia verna</i> (Georgi) Boriss.
애기자운속 [콩과] (Ae-gi-ja-un-sok)	<b>Gueldenstaedtia</b> <i>Gueldenstaedtia</i> Fisch. [Fabaceae]
애기장구채 (Ae-gi-jang-gu-chae)	<b>Meadow catchfly</b> <i>Silene aprica</i> Turcz. ex Fisch. & C.A.Mey.
애기장대 (Ae-gi-jang-dae)	<b>Arabidopsis</b> <i>Arabidopsis thaliana</i> (L.) Heynh.
애기장대속 [십자화과] (Ae-gi-jang-dae-sok)	<b>Arabidopsis</b> <i>Arabidopsis</i> Heynh. [Brassicaceae]
애기제비란 (Ae-gi-je-bi-ran)	<b>Baby Asian platanthera</b> <i>Platanthera mandarinorum</i> subsp. <i>maximowicziana</i> (Schltr.) K.Inoue
애기족제비고사리 (Ae-gi-jok-je-bi-go-sa-ri)	<b>Baby buckler fern</b> <i>Dryopteris sacrosanta</i> Koidz.
애기좁쌀풀 (Ae-gi-jop-ssal-pul)	<b>Korean alpine eyebright</b> <i>Euphrasia coreanalpina</i> Nakai ex Y.Kimura
애기주름조개풀 (Ae-gi-ju-reum-jo-gae-pul)	<b>Small wavy-leaf basketgrass</b> <i>Oplismenus undulatifolius</i> var. <i>microphyllus</i> (Honda) Ohwi
애기중의무릇 (Ae-gi-jung-ui-mu-reut)	<b>Small gagea</b> <i>Gagea hiensis</i> Pascher
애기지네고사리 (Ae-gi-ji-ne-go-sa-ri)	<b>Baby-saw autumn fern</b> <i>Dryopteris decipiens</i> var. <i>diplozioides</i> (Christ) Ching
애기참반디 (Ae-gi-cham-ban-di)	<b>Dwarf sanicle</b> <i>Sanicula tuberculata</i> Maxim.
애기천마 (Ae-gi-cheon-ma)	<b>Sweet cheonma</b> <i>Chamaegastrodia shikokiana</i> Makino & F.Maek.
애기천마속 [난초과] (Ae-gi-cheon-ma-sok)	<b>Chamaegastrodia</b> <i>Chamaegastrodia</i> Makino & F.Maek. [Orchidaceae]
애기천일사초 (Ae-gi-cheon-il-sa-cho)	<b>Hoppner's sedge</b> <i>Carex subspathacea</i> Wormsk. ex Hornem.
애기탑꽃 (Ae-gi-tap-kkot)	<b>Slender wild calamint</b> <i>Clinopodium gracile</i> (Benth.) Kuntze

Korean name (Romanization)	English name Scientific name
애기톱지네고사리 (Ae-gi-top-ji-ne-go-sa-ri)	<b>Little shaggy shield fern</b> <i>Dryopteris commixta</i> Tagawa
애기풀 (Ae-gi-pul)	<b>Dwarf milkwort</b> <i>Polygala japonica</i> Houtt.
애기하늘지기 (Ae-gi-ha-neul-ji-gi)	<b>Puerto Rico fimbriстиlis</b> <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.
애기향유 (Ae-gi-hyang-yu)	<b>Rocky mint</b> <i>Elsholtzia saxatilis</i> (Kom.) Nakai ex Kitag.
애기황새냉이 (Ae-gi-hwang-sae-naeng-i)	<b>Minute bittercress</b> <i>Cardamine manshurica</i> (Kom.) Nakai
애기황새풀 (Ae-gi-hwang-sae-pul)	<b>Alpine bulrush</b> <i>Trichophorum alpinum</i> (L.) Pers.
애기황새풀속 [사초과] (Ae-gi-hwang-sae-pul-sok)	<b>Bulrush</b> <i>Trichophorum</i> Pers. [Cyperaceae]
애기흰사초 (Ae-gi-huin-sa-cho)	<b>Small mucronate sedge</b> <i>Carex mollicula</i> Boott
앵초 (Aeng-cho)	<b>East Asian primrose</b> <i>Primula sieboldii</i> E.Morren
앵초과 (Aeng-cho-gwa)	<b>Primrose family</b> Primulaceae Batsch ex Borkh.
앵초속 [앵초과] (Aeng-cho-sok)	<b>Primrose</b> <i>Primula</i> L. [Primulaceae]
야고 (Ya-go)	<b>Indian broomrape</b> <i>Aeginetia indica</i> L.
야고속 [열당과] (Ya-go-sok)	<b>Aeginetia</b> <i>Aeginetia</i> L. [Orobanchaceae]
야광나무 (Ya-gwang-na-mu)	<b>Siberian crabapple</b> <i>Malus baccata</i> (L.) Borkh.
야산고비 (Ya-san-go-bi)	<b>Sensitive fern</b> <i>Onoclea sensibilis</i> var. <i>interrupta</i> Maxim.
야산고비속 [면마과] (Ya-san-go-bi-sok)	<b>Sensitive fern</b> <i>Onoclea</i> L. [Dryopteridaceae]

Korean name (Romanization)	English name Scientific name
야지피 (Ya-ji-pi)	<b>Slim-stem reedgrass</b> <i>Calamagrostis stricta</i> (Timm) Koeler
약난초 (Yak-nan-cho)	<b>Single-leaf cremastra</b> <i>Cremastra appendiculata</i> var. <i>variabilis</i> (Blume) I.D.Lund
약난초속 [난초과] (Yak-nan-cho-sok)	<b>Cremastra</b> <i>Cremastra</i> Lindl. [Orchidaceae]
야bam나무 (Yak-bam-na-mu)	<b>Chinese castanea</b> <i>Castanea mollissima</i> Blume
얇은개싱아 (Yal-beun-gae-sing-a)	<b>Thin-leaf knotweed</b> <i>Aconogonon mollifolium</i> (Kitag.) H.Hara
얇은잎고광나무 (Yal-beun-ip-go-gwang-na-mu)	<b>Slender-leaf mock orange</b> <i>Philadelphus tenuifolius</i> Rupr. & Maxim.
양귀비과 (Yang-gwi-bi-gwa)	<b>Poppy family</b> Papaveraceae Juss.
양귀비속 [양귀비과] (Yang-gwi-bi-sok)	<b>Poppy</b> <i>Papaver</i> L. [Papaveraceae]
양덕고광나무 (Yang-deok-go-gwang-na-mu)	<b>Yangdeok mock orange</b> <i>Philadelphus koreanus</i> Nakai
양덕사초 (Yang-deok-sa-cho)	<b>Awl-fruit sedge</b> <i>Carex stipata</i> Muhl. ex Willd.
양반풀 (Yang-ban-pul)	<b>Siberian swallow-wort</b> <i>Cynanchum sibiricum</i> (L.) R.Br.
양뿔사초 (Yang-ppul-sa-cho)	<b>Capricornis sedge</b> <i>Carex capricornis</i> Meinsh. ex Maxim.
양지꽃 (Yang-ji-kkot)	<b>Sunny-place cinquefoil</b> <i>Potentilla fragarioides</i> L.
양지꽃속 [장미과] (Yang-ji-kkot-sok)	<b>Cinquefoil</b> <i>Potentilla</i> L. [Rosaceae]
양지사초 (Yang-ji-sa-cho)	<b>Nerved-mitra sedge</b> <i>Carex nervata</i> Franch. & Sav.
어리곤달비 (Eo-ri-gon-dal-bi)	<b>Narrow-bract ragwort</b> <i>Ligularia intermedia</i> Nakai

Korean name (Romanization)	English name Scientific name
어리병풍 (Eo-ri-byeong-pung)	<b>Smaller Indian plantain</b> <i>Parasenecio pseudotaimingasa</i> (Nakai) B.U.Oh
어리연꽃 (Eo-ri-yeon-kkot)	<b>Floatingheart</b> <i>Nymphoides indica</i> (L.) Kuntze
어리연꽃속 [조름나물과] (Eo-ri-yeon-kkot-sok)	<b>Floatingheart</b> <i>Nymphoides</i> Ség. [Menyanthaceae]
어수리 (Eo-su-ri)	<b>East Asian hogweed</b> <i>Heracleum moellendorffii</i> Hance
어수리속 [산형과] (Eo-su-ri-sok)	<b>Cow parsnip, Hogweed</b> <i>Heracleum</i> L. [Apiaceae]
억새 (Eok-sae)	<b>Purple maiden silvergrass</b> <i>Miscanthus sinensis</i> var. <i>purpurascens</i> (Andersson) Matsum.
억새속 [벼과] (Eok-sae-sok)	<b>Silvergrass</b> <i>Miscanthus</i> Andersson [Poaceae]
억새아재비 (Eok-sae-a-jae-bi)	<b>Small Japanese silvergrass</b> <i>Miscanthus longiberberis</i> (Hack.) Nakai
언덕사초 (Eon-deok-sa-cho)	<b>Hill sedge</b> <i>Carex oxyandra</i> (Franch. & Sav.) Kudô
얼레지 (Eol-re-ji)	<b>Asian fawnlily</b> <i>Erythronium japonicum</i> Decone.
얼레지속 [백합과] (Eol-re-ji-sok)	<b>Fawnlily, Trout lily, Dog's-tooth violet, Adder's tongue</b> <i>Erythronium</i> L. [Liliaceae]
얼룩사초 (Eol-ruk-sa-cho)	<b>Short-leaf sedge</b> <i>Carex misandra</i> R.Br.
얼룩억새 (Eol-ruk-eok-sae)	<b>Variegate maiden silvergrass</b> <i>Miscanthus sinensis</i> f. <i>variegatus</i> Nakai
얼치기복주머니란 (Eol-chi-gi-bok-ju-meo-ni-ran)	<b>Eolchigi lady's slipper (Hybrid complex)</b> <i>Cypripedium</i> × <i>veticosum</i> Sw.
얼치기완두 (Eol-chi-gi-wan-du)	<b>Lentil vetch</b> <i>Vicia tetrasperma</i> (L.) Schreb.
엉겅퀴 (Eong-geong-kwi)	<b>Ussuri thistle</b> <i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum.



Korean name (Romanization)	English name Scientific name
영경퀴속 [국화과] (Eong-geong-kwi-sok)	<b>Thistle</b> <i>Cirsium</i> Mill. [Asteraceae]
엉성겨이삭 (Eong-seong-gyeo-i-sak)	<b>Many-fold sequence bentgrass</b> <i>Agrostis divaricatissima</i> Mez
여뀌 (Yeo-kkwi)	<b>Water pepper</b> <i>Persicaria hydropiper</i> (L.) Delarbre
여뀌바늘 (Yeo-kkwi-ba-neul)	<b>Climbing seedbox</b> <i>Ludwigia prostrata</i> Roxb.
여뀌바늘속 [바늘꽃과] (Yeo-kkwi-ba-neul-sok)	<b>Ludwigia, Primrose-willow, Water-primrose, Water-purslane</b> <i>Ludwigia</i> L. [Onagraceae]
여뀌속 [마디풀과] (Yeo-kkwi-sok)	<b>Smartweeds</b> <i>Persicaria</i> Mill. [Polygonaceae]
여뀌잎제비꽃 (Yeo-kkwi-ip-je-bi-kkot)	<b>Persicaria-leaf violet</b> <i>Viola thibaudieri</i> Franch. & Sav.
여덟잎으름 (Yeo-deol-ip-eu-reum)	<b>Eight-leaf chocolate vine</b> <i>Akebia quinata</i> f. <i>polyphylla</i> (Nakai) Hiyama
여로 (Yeo-ro)	<b>Hairy false-hellebore</b> <i>Veratrum maackii</i> Regel
여로속 [백합과] (Yeo-ro-sok)	<b>False-hellebore, Corn lilies</b> <i>Veratrum</i> L. [Liliaceae]
여름새우난초 (Yeo-reum-sae-u-nan-cho)	<b>Summer-flowering calanthe</b> <i>Calanthe reflexa</i> Maxim.
여복송 (Yeo-bok-song)	<b>Crowded Korean red pine</b> <i>Pinus densiflora</i> f. <i>congesta</i> Uyeki
여우구슬 (Yeo-u-gu-seul)	<b>Common leafflower</b> <i>Phyllanthus urinaria</i> L.
여우꼬리사초 (Yeo-u-kko-ri-sa-cho)	<b>Ciliated-fruit sedge</b> <i>Carex blepharicarpa</i> Franch.
여우꼬리풀 (Yeo-u-kko-ri-pul)	<b>Glabrous colicroot</b> <i>Aletris glabra</i> Bureau & Franch.
여우버들 (Yeo-u-beo-deul)	<b>Beak willow</b> <i>Salix xerophila</i> Flod.

Korean name (Romanization)	English name Scientific name
여우오줌 (Yeo-u-o-jum)	<b>Big-head carpesium</b> <i>Carpesium macrocephalum</i> Franch. & Sav.
여우주머니 (Yeo-u-ju-meo-ni)	<b>Ussuri river leafflower</b> <i>Phyllanthus ussuriensis</i> Rupr. & Maxim.
여우주머니속 [대극과] (Yeo-u-ju-meo-ni-sok)	<b>Leafflower</b> <i>Phyllanthus</i> L. [Euphorbiaceae]
여우콩 (Yeo-u-kong)	<b>Winding snoutbean</b> <i>Rhynchosia volubilis</i> Loureiro
여우콩속 [콩과] (Yeo-u-kong-sok)	<b>Snoutbean</b> <i>Rhynchosia</i> Lour. [Fabaceae]
여우팥 (Yeo-u-pat)	<b>Villous dunbaria</b> <i>Dunbaria villosa</i> (Thunb.) Makino
여우팥속 [콩과] (Yeo-u-pat-sok)	<b>Dunbaria</b> <i>Dunbaria</i> Wight & Arn. [Fabaceae]
연두솜대 (Yeon-du-som-dae)	<b>Green-flower solomon's seal</b> <i>Smilacina bicolor</i> var. <i>flavovirens</i> N.S.Lee & J.Y.Kim
연리갈퀴 (Yeon-ri-gal-kwi)	<b>Venose vetch</b> <i>Vicia venosa</i> (Willd.) Maxim.
연리초 (Yeon-ri-cho)	<b>Five-vein vetchling</b> <i>Lathyrus quinquenervius</i> (Miq.) Litv.
연리초속 [콩과] (Yeon-ri-cho-sok)	<b>Pea, Sweet peas, Vetchlings</b> <i>Lathyrus</i> L. [Fabaceae]
연밥갈매나무 (Yeon-bap-gal-mae-na-mu)	<b>Oblong-fruit buckthorn</b> <i>Rhamnus shozyoensis</i> Nakai
연밥매자나무 (Yeon-bap-mae-ja-na-mu)	<b>Elongate-fruit Korean barberry</b> <i>Berberis koreana</i> var. <i>ellipsoides</i> Nakai
연밥피나무 (Yeon-bap-pi-na-mu)	<b>Korean linden</b> <i>Tilia koreana</i> Nakai
연보라과남풀 (Yeon-bo-ra-gwa-nam-pul)	<b>Lilac clustered gentian</b> <i>Gentiana triflora</i> f. <i>alvoviolacea</i> W.K.Paik & W.T.Lee
연복초 (Yeon-bok-cho)	<b>Muskroot</b> <i>Adoxa moschatellina</i> L.

Korean name (Romanization)	English name Scientific name
연복초과 (Yeon-bok-cho-gwa)	<b>Moschatel family</b> Adoxaceae E.Mey.
연복초속 [연복초과] (Yeon-bok-cho-sok)	<b>Adoxa</b> <i>Adoxa L.</i> [Adoxaceae]
연영초 (Yeon-yeong-cho)	<b>Kamchatka trillium</b> <i>Trillium camschatcense</i> Ker Gawl.
연영초속 [백합과] (Yeon-yeong-cho-sok)	<b>Birthroot, Birthwort, Trillium, Tri flower, Wakerobin</b> <i>Trillium L.</i> [Liliaceae]
연잎꿩의다리 (Yeon-ip-kkwong-ui-da-ri)	<b>Korean meadow-rue</b> <i>Thalictrum coreanum</i> H.Lév.
연지골무꽃 (Yeon-ji-gol-mu-kkot)	<b>Pink Indian skullcap</b> <i>Scutellaria indica</i> var. <i>coccinea</i> S.T.Kim & S.T.Lee
연화바위솔 (Yeon-hwa-ba-wi-sol)	<b>Lotus rock pine</b> <i>Orostachys iwarenge</i> (Makino) H.Hara
열당과 (Yeoł-dang-gwa)	<b>Broomrape family</b> Orobanchaceae Vent.
엷은갈미사초 (Yeoł-beun-gal-mi-sa-cho)	<b>Goosegrass sedge</b> <i>Carex eleusinoides</i> Turcz. ex Kunth
엷은잎제비꽃 (Yeoł-beun-ip-je-bi-kkot)	<b>Thin-leaf violet</b> <i>Viola blandaeformis</i> Nakai
엷은잎지네고사리 (Yeoł-beun-ip-ji-ne-go-sa-ri)	<b>Thin autumn fern</b> <i>Dryopteris kinkiensis</i> Koidz. ex Tagawa
염낭사초 (Yeom-nang-sa-cho)	<b>Softest sedge</b> <i>Carex mollissima</i> Christ ex Scheutz
염주괴불주머니 (Yeom-ju-goe-bul-ju-meo-ni)	<b>Beaded yellow corydalis</b> <i>Corydalis heterocarpa</i> Siebold & Zucc.
염주나무 (Yeom-ju-na-mu)	<b>Beads linden</b> <i>Tilia megaphylla</i> Nakai
염주냉이 (Yeom-ju-naeng-i)	<b>Low torularia</b> <i>Torularia humilis</i> (C.A.Mey.) O.E.Schulz
염주냉이속 [십자화과] (Yeom-ju-naeng-i-sok)	<b>Torularia</b> <i>Torularia Bonnem.</i> [Brassicaceae]

Korean name (Romanization)	English name Scientific name
염주사초 (Yeom-ju-sa-cho)	<b>Thin-spiculate sedge</b> <i>Carex ischnostachya</i> Steud.
영도민들레 (Yeong-do-min-deul-re)	<b>Youngdo dandelion</b> <i>Taraxacum formosanum</i> Kitam.
영도산박하 (Yeong-do-san-bak-ha)	<b>Small-leaf mountain isodon</b> <i>Isodon inflexus</i> var. <i>microphyllus</i> Kudo
영아리난초 (Yeong-a-ri-nan-cho)	<b>East Asian nervilia</b> <i>Nervilia nipponica</i> Makino
영아리난초속 [난초과] (Yeong-a-ri-nan-cho-sok)	<b>Nervilia</b> <i>Nervilia</i> Comm. ex Gaudich. [Orchidaceae]
영아자 (Yeong-a-ja)	<b>East Asian harebell</b> <i>Asyneuma japonicum</i> (Miq.) Briq.
영아자속 [초롱꽃과] (Yeong-a-ja-sok)	<b>Harebell</b> <i>Asyneuma</i> Griseb. & Schenk [Campanulaceae]
영주치자 (Yeong-ju-chi-ja)	<b>Island gardneria</b> <i>Gardneria insularis</i> Nakai
영주치자속 [마전과] (Yeong-ju-chi-ja-sok)	<b>Gardneria</b> <i>Gardneria</i> Wall. [Loganiaceae]
예덕나무 (Ye-deok-na-mu)	<b>East Asian mallotus</b> <i>Mallotus japonicus</i> (L.f.) Müll.Arg.
예덕나무속 [대극과] (Ye-deok-na-mu-sok)	<b>Mallotus</b> <i>Mallotus</i> Lour. [Euphorbiaceae]
오갈피나무 (O-gal-pi-na-mu)	<b>Stalkless-flower eleuthero</b> <i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu
오갈피나무속 [두릅나무과] (O-gal-pi-na-mu-sok)	<b>Eleuthero, Ginseng, Siberian ginseng</b> <i>Eleutherococcus</i> Maxim. [Araliaceae]
오대산괭이눈 (O-dae-san-gwaeng-i-nun)	<b>Odaesan golden saxifrage</b> <i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> Ser. ex DC.
오대산새밥 (O-dae-san-sae-bap)	<b>Odaesan woodrush</b> <i>*Luzula odaesanesis</i> Y.N.Lee & Chae Y.
오동나무 (O-dong-na-mu)	<b>Korean paulownia</b> <i>Paulownia coreana</i> Uyeki

Korean name (Romanization)	English name Scientific name
오동나무속 [현삼과] (O-dong-na-mu-sok)	<b>Paulownia</b> <i>Paulownia</i> Siebold & Zucc. [Scrophulariaceae]
오랑캐장구채 (O-rang-kae-jang-gu-chae)	<b>Creeping catchfly</b> <i>Silene repens</i> Patrin
오리나무 (O-ri-na-mu)	<b>East Asian alder</b> <i>Alnus japonica</i> (Thunb.) Steud.
오리나무더부살이 (O-ri-na-mu-deo-bu-sal-i)	<b>Northern groundcone</b> <i>Boschniakia rossica</i> (Cham. & Schltdl.) B.Fedtsch.
오리나무더부살이속 [열당과] (O-ri-na-mu-deo-bu-sal-i-sok)	<b>Groundcone</b> <i>Boschniakia</i> C.A.Mey. ex Bong. [Orobanchaceae]
오리나무속 [자작나무과] (O-ri-na-mu-sok)	<b>Alder</b> <i>Alnus</i> Mill. [Betulaceae]
오리방풀 (O-ri-bang-pul)	<b>Tailed-leaf isodon</b> <i>Isodon excisus</i> (Maxim.) Kudô
오미자 (O-mi-ja)	<b>Five-flavor magnolia vine</b> <i>Schisandra chinensis</i> (Turcz.) Baill.
오미자과 (O-mi-ja-gwa)	<b>Schisandra family</b> Schisandraceae Blume.
오미자속 [오미자과] (O-mi-ja-sok)	<b>Magnolia vine, Schisandra</b> <i>Schisandra</i> Michx. [Schisandraceae]
오성봉어마름 (O-seong-bung-eo-ma-reum)	<b>Four-spin coon's tail</b> <i>Ceratophyllum demersum</i> var. <i>quadrispinum</i> Makino
오엽딸기 (O-yeop-ttal-gi)	<b>Five-palmate-leaf raspberry</b> <i>Rubus ikenoensis</i> H.Lév. & Vaniot
오엽명석딸기 (O-yeop-meong-seok-ttal-gi)	<b>Five-pinnate-leaf trailing raspberry</b> <i>Rubus parvifolius</i> f. <i>subpinnatus</i> (Nakai) Nakai
오이풀 (O-i-pul)	<b>Great burnet</b> <i>Sanguisorba officinalis</i> L.
오이풀속 [장미과] (O-i-pul-sok)	<b>Burnet</b> <i>Sanguisorba</i> L. [Rosaceae]
옥녀꽃대 (Ok-nyeo-kkot-dae)	<b>Maiden chloranthus</b> <i>Chloranthus fortunei</i> (A.Gray) Solms

Korean name (Romanization)	English name Scientific name
옥잠난초 (Ok-jam-nan-cho)	<b>Large widelip orchid</b> <i>Liparis kumokiri</i> F.Maec.
율괴불나무 (Ol-goe-bul-na-mu)	<b>Early-blooming honeysuckle</b> <i>Lonicera praeflorens</i> Batalin
율미 (Ol-mi)	<b>Pygmy arrowhead</b> <i>Sagittaria pygmaea</i> Miq.
율방개 (Ol-bang-gae)	<b>East Asian spikerush</b> <i>Eleocharis kuroguwai</i> Ohwi
율방개아재비 (Ol-bang-gae-a-jae-bi)	<b>Bristleless spikerush</b> <i>Eleocharis kamtschatica</i> (C.A.Mey.) Kom.
율벗나무 (Ol-beot-na-mu)	<b>Wild-spring cherry</b> <i>Prunus spachiana</i> f. <i>ascendens</i> (Makino) Kitam.
율보리수나무 (Ol-bo-ri-su-na-mu)	<b>Prematured autumn oleaster</b> <i>Elaeagnus umbellata</i> var. <i>prematura</i> (Koidz.) T.B.Lee
율챙이고랭이 (Ol-chaeng-i-go-raeng-i)	<b>Rush-like bulrush</b> <i>Scirpus juncoides</i> var. <i>hotarui</i> (Ohwi) Ohwi
율챙이슬 (Ol-chaeng-i-sol)	<b>Oriental bamboo plant</b> <i>Blyxa japonica</i> (Miq.) Maxim. ex Asch. & Gürke
율챙이자리 (Ol-chaeng-i-ja-ri)	<b>Round-fruit blyxa</b> <i>Blyxa aubertii</i> Rich.
율챙이자리속 [자라풀과] (Ol-chaeng-i-ja-ri-sok)	<b>Blyxa</b> <i>Blyxa Noronha</i> ex Thouars [Hydrocharitaceae]
율챙이풀 (Ol-chaeng-i-pul)	<b>Linear-fruit blyxa</b> <i>Blyxa aubertii</i> var. <i>echinosperma</i> (C.B.Clarke) C.D.K.Cook & Luond
옹긋나물 (Ong-gut-na-mul)	<b>Highly-branch aster</b> <i>Aster fastigiatus</i> Fisch.
옻나무과 (Ot-na-mu-gwa)	<b>Cashew family</b> Anacardiaceae R.Br.
옻나무속 [옻나무과] (Ot-na-mu-sok)	<b>Poison ivy, Poison oak, Lacquer tree</b> <i>Toxicodendron</i> Mill. [Rutaceae]



Korean name (Romanization)	English name Scientific name
왁살고사리 (Wak-sal-go-sa-ri)	<b>Northern upside-down fern</b> <i>Leptorumohra miqueliana</i> (Maxim. ex Franch. & Sav.) H.Itô
왁살고사리속 [면마과] (Wak-sal-go-sa-ri-sok)	<b>Leptorumohra</b> <i>Leptorumohra</i> (H.Itô) H.Itô [Dryopteridaceae]
완도현호색 (Wan-do-hyeon-ho-saek)	<b>Wando corydalis</b> <i>Corydalis wandoensis</i> Y.N.Lee
왕가래나무 (Wang-ga-rae-na-mu)	<b>Siebold's Manchurian walnut</b> <i>Juglans mandshurica</i> var. <i>sieboldiana</i> Makino
왕갓쑥부쟁이 (Wang-gaet-ssuk-bu-jaeng-i)	<b>Magnus aster</b> <i>Aster magnus</i> Y.N.Lee & C.S.Kim
왕거머리말 (Wang-geo-meo-ri-mal)	<b>Asian eelgrass</b> <i>Zostera asiatica</i> Miki
왕고광나무 (Wang-go-gwang-na-mu)	<b>Robust Korean mock orange</b> <i>Philadelphus koreanus</i> var. <i>robustus</i> (Nakai) W.T.Lee
왕고들빼기 (Wang-go-deul-ppae-gi)	<b>Indian lettuce</b> <i>Lactuca indica</i> L.
왕고들빼기속 [국화과] (Wang-go-deul-ppae-gi-sok)	<b>Lettuce</b> <i>Lactuca</i> L. [Asteraceae]
왕고로쇠나무 (Wang-go-ro-soe-na-mu)	<b>Straight-angle mono maple</b> <i>Acer mono</i> var. <i>savatieri</i> (Pax) Nakai
왕고사리 (Wang-go-sa-ri)	<b>Giant tapering glade fern</b> <i>Deparia pterorachis</i> (Christ) M.Kato
왕골 (Wang-gol)	<b>Great flatsedge</b> <i>Cyperus exaltatus</i> Retz.
왕괴불나무 (Wang-goe-bul-na-mu)	<b>Vidal's mountain honeysuckle</b> <i>Lonicera vidalii</i> Franch. & Sav.
왕그늘사초 (Wang-geu-neul-sa-cho)	<b>Peduncled wide-leaf low sedge</b> <i>Carex pediformis</i> var. <i>pedunculata</i> Maxim.
왕김의털 (Wang-gim-ui-teol)	<b>Red fescue</b> <i>Festuca rubra</i> L.
왕김의털아재비 (Wang-gim-ui-teol-a-jae-bi)	<b>Asian subulate fescue</b> <i>Festuca extremiorientalis</i> Ohwi

Korean name (Romanization)	English name Scientific name
왕꽃마리 (Wang-kkot-ma-ri)	<b>Rough-hair hound's tongue</b> <i>Cynoglossum aspernum Nakai</i>
왕느릅나무 (Wang-neu-reup-na-mu)	<b>Large-fruit elm</b> <i>Ulmus macrocarpa Hance</i>
왕다람쥐꼬리 (Wang-da-ram-jwi-kko-ri)	<b>Big clubmoss</b> <i>Huperzia cryptomeriana (Maxim.) R.D.Dixit</i>
왕대속 [벼과] (Wang-dae-sok)	<b>Bamboo</b> <i>Phyllostachys Siebold &amp; Zucc. [Poaceae]</i>
왕동굴레 (Wang-dung-gul-re)	<b>Robust solomon's seal</b> <i>Polygonatum robustum (Korsh.) Nakai</i>
왕매발톱나무 (Wang-mae-bal-top-na-mu)	<b>Ulleungdo barberry</b> <i>Berberis amurensis var. <i>latifolia</i> Nakai</i>
왕머루 (Wang-meo-ru)	<b>Amur grapevine</b> <i>Vitis amurensis Rupr.</i>
왕모람 (Wang-mo-ram)	<b>Climbing fig</b> <i>Ficus thunbergii Maxim.</i>
왕모시풀 (Wang-mo-si-pul)	<b>Seashore falsenettles</b> <i>Boehmeria pannosa Nakai &amp; Satake</i>
왕미꾸리광이 (Wang-mi-kku-ri-gwang-i)	<b>Broad-leaf managrass</b> <i>Glyceria leptolepis Ohwi</i>
왕밀사초 (Wang-mil-sa-cho)	<b>Big-wheat sedge</b> <i>Carex matsumurae Franch.</i>
왕바랭이 (Wang-ba-raeng-i)	<b>Indian goosegrass</b> <i>Eleusine indica (L.) Gaertn.</i>
왕바랭이속 [벼과] (Wang-ba-raeng-i-sok)	<b>Goosegrass</b> <i>Eleusine Gaertn. [Poaceae]</i>
왕배풍등 (Wang-bae-pung-deung)	<b>Big nightshade</b> <i>Solanum megacarpum Koidz.</i>
왕백산차 (Wang-baek-san-cha)	<b>Large-leaf labrador tea</b> <i>Ledum palustre var. <i>maximum</i> Nakai</i>
왕버들 (Wang-beo-deul)	<b>Giant pussy willow</b> <i>Salix chaenomeloides Kimura</i>



Korean name (Romanization)	English name Scientific name
왕벚나무 (Wang-beot-na-mu)	<b>Korean flowering cherry</b> <i>Prunus × yedoensis</i> Matsum.
왕별꽃 (Wang-byeol-kkot)	<b>Ciliate-petal chickweed</b> <i>Stellaria radians</i> L.
왕보리수나무 (Wang-bo-ri-su-na-mu)	<b>Korean autumn oleaster</b> <i>Elaeagnus umbellata</i> var. <i>coreana</i> (H.Lév.) H.Lév.
왕복주머니란 (Wang-bok-ju-meo-ni-ran)	<b>Big lady's slipper</b> * <i>Cypripedium macranthos</i> var. <i>hoteatsumorianum</i> Sadovsky
왕비늘사초 (Wang-bi-neul-sa-cho)	<b>Maximowicz's sedge</b> <i>Carex maximowiczzii</i> Miq.
왕삿갓사초 (Wang-sat-gat-sa-cho)	<b>Large-spike sedge</b> <i>Carex rhynchosperma</i> Fisch., C.A.Mey. & Avé-Lall
왕솜대 (Wang-som-dae)	<b>Large false solomon's seal</b> <i>Smilacina japonica</i> var. <i>mandshurica</i> Maxim.
왕쌀새 (Wang-ssal-sae)	<b>Mountain melic</b> <i>Melica nutans</i> L.
왕씀배 (Wang-sseum-bae)	<b>Yellow-white rattlesnake-root</b> <i>Prenanthes ochroleuca</i> (Maxim.) Hemsl.
왕씀배속 [국화과] (Wang-sseum-bae-sok)	<b>Purple lettuce, Rattlesnake-root</b> <i>Prenanthes</i> L. [Asteraceae]
왕용가시 (Wang-yong-ga-si)	<b>Korean Maximowicz's rose</b> <i>Rosa maximowicziana</i> var. <i>coreana</i> (R.Keller) Kitag.
왕자귀나무 (Wang-ja-gwi-na-mu)	<b>Kalkora mimosa</b> <i>Albizia kalkora</i> Prain
왕작살나무 (Wang-jak-sal-na-mu)	<b>Robust beautyberry</b> <i>Callicarpa japonica</i> var. <i>luxurians</i> Rehder
왕잔대 (Wang-jan-dae)	<b>Choseon ladybell</b> * <i>Adenophora tyosensis</i> Nakai ex T.H.Chung
왕잔디 (Wang-jan-di)	<b>Big-spike lawnggrass</b> <i>Zoysia macrostachya</i> Franch. & Sav.
왕제비꽃 (Wang-je-bi-kkot)	<b>Big violet</b> <i>Viola Websteri</i> Hemsl.

Korean name (Romanization)	English name Scientific name
왕죽대아재비 (Wang-juk-dae-a-jae-bi)	<b>Korean twisted-stalk</b> <i>Streptopus koreanus</i> (Kom.) Ohwi
왕쥐똥나무 (Wang-jwi-ttong-na-mu)	<b>Oval-leaf privet</b> <i>Ligustrum ovalifolium</i> Hassk.
왕지네고사리 (Wang-ji-ne-go-sa-ri)	<b>King wood fern</b> <i>Dryopteris monticola</i> (Makino) C.Chr.
왕질경이 (Wang-jil-gyeong-i)	<b>Giant plantain</b> <i>Plantago major</i> var. <i>japonica</i> (Franch. & Sav.) Miyabe
왕초피나무 (Wang-cho-pi-na-mu)	<b>Large-leaflet prickly-ash</b> <i>Zanthoxylum coreanum</i> Nakai
왕털마가목 (Wang-teol-ma-ga-mok)	<b>Red-hair mountain ash</b> <i>Sorbus commixta</i> f. <i>rufa-hirtella</i> Nakai
왕팽나무 (Wang-paeng-na-mu)	<b>Korean hackberry</b> <i>Celtis koraiensis</i> Nakai
왕호장근 (Wang-ho-jang-geun)	<b>Giant knotweed</b> <i>Fallopia sachalinensis</i> (F.Schmidt) Ronse Decr.
왜갓냉이 (Wae-gat-naeng-i)	<b>Northern mountain bittercress</b> <i>Cardamine yezoensis</i> Maxim.
왜개싱아 (Wae-gae-sing-a)	<b>Spreading knotweed</b> <i>Aconogonon divaricatum</i> (L.) Nakai ex T.Mori
왜개연꽃 (Wae-gae-yeon-kkot)	<b>Least water-lily</b> <i>Nuphar pumila</i> (Timm) DC.
왜골무꽃 (Wae-gol-mu-kkot)	<b>Wetland skullcap</b> <i>Scutellaria strigillosa</i> var. <i>yezoensis</i> (Kudo) Kitam.
왜광대수염 (Wae-gwang-dae-su-yeom)	<b>White deadnettle</b> <i>Lamium album</i> L.
왜구실사리 (Wae-gu-sil-sa-ri)	<b>Dwarf spikemoss</b> <i>Selaginella helvetica</i> (L.) Spring
왜떡쑥 (Wae-tteok-ssuk)	<b>Marsh cudweed</b> <i>Gnaphalium uliginosum</i> L.
왜떡쑥속 [국화과] (Wae-tteok-ssuk-sok)	<b>Cudweed</b> <i>Gnaphalium</i> L. [Asteraceae]



Korean name (Romanization)	English name Scientific name
왜모시풀 (Wae-mo-si-pul)	<b>Large-leaf false-nettle</b> <i>Boehmeria longispica</i> Steud.
왜미나리아재비 (Wae-mi-na-ri-a-jae-bi)	<b>Franchet's buttercup</b> <i>Ranunculus franchetii</i> H.Boissieu
왜박주가리 (Wae-bak-ju-ga-ri)	<b>Many-flower tylophora</b> <i>Tylophora floribunda</i> Miq.
왜박주가리속 [박주가리과] (Wae-bak-ju-ga-ri-sok)	<b>Tylophora</b> <i>Tylophora</i> R.Br. [Asclepiadaceae]
왜방풍 (Wae-bang-pung)	<b>Alpine goutweed</b> <i>Aegopodium alpestre</i> Ledeb.
왜솜다리 (Wae-som-da-ri)	<b>East Asian edelweiss</b> <i>Leontopodium japonicum</i> Miq.
왜승마 (Wae-seung-ma)	<b>Jejudo bugbane</b> <i>Cimicifuga japonica</i> (Thumb.) Spreng.
왜우산풀 (Wae-u-san-pul)	<b>Kamchatka pleurospermum</b> <i>Pleurospermum camtschaticum</i> Hoffm.
왜젓가락나물 (Wae-jeot-ga-rak-na-mul)	<b>Jejudo buttercup</b> <i>Ranunculus silerifolius</i> H.Lév.
왜제비꽃 (Wae-je-bi-kkot)	<b>Japanese violet</b> <i>Viola japonica</i> Langsd. ex DC.
왜졸방제비꽃 (Wae-jol-bang-je-bi-kkot)	<b>Sakhalin violet</b> <i>Viola saccharinensis</i> H.Boissieu
왜지치 (Wae-ji-chi)	<b>Woodland forget-me-not</b> <i>Myosotis sylvatica</i> Ehrh. ex Hoffm.
왜천궁 (Wae-cheon-gung)	<b>Kneeling angelica</b> <i>Angelica genuflexa</i> Nutt. ex Torr. & A. Gray
왜현호색 (Wae-hyeon-ho-saeck)	<b>Small corydalis</b> <i>Corydalis ambigua</i> Cham. & Schlecht.
외대바람꽃 (Oe-dae-ba-ram-kkot)	<b>Single-flower anemone</b> <i>Anemone nikoensis</i> Maxim.
외대으아리 (Oe-dae-eu-a-ri)	<b>Unifloral clematis</b> <i>Clematis brachyura</i> Maxim.

Korean name (Romanization)	English name Scientific name
외대잔대 (Oe-dae-jan-dae)	<b>Racemose ladybell</b> <i>Adenophora racemosa</i> J.Lee & S.Lee
외잎물쑥 (Oe-ip-mul-ssuk)	<b>Simple-leaf riverside wormwood</b> <i>Artemisia selengensis</i> f. <i>subintegra</i> (Pamp.) Kitag.
외잎승마 (Oe-ip-seung-ma)	<b>Entire-leaf false goat's beard</b> <i>Astilbe simplicifolia</i> Makino
외잎쑥 (Oe-ip-ssuk)	<b>Green wormwood</b> <i>Artemisia viridissima</i> (Kom.) Pamp.
외잎진고사리속 [면마과] (Oe-ip-jin-go-sa-ri-sok)	<b>Crenate fern</b> × <i>Neotribleparia lobatocrenata</i> (Tagawa) Nakaike
외잎진고사리속 [면마과] (Oe-ip-jin-go-sa-ri-sok)	<b>Neotribleparia</b> × <i>Neotribleparia</i> Nakaike [Dryopteridaceae]
외풀 (Oe-pul)	<b>Brittle false pimpernel</b> <i>Lindernia crustacea</i> (L.) F.Muell.
요강나물 (Yo-gang-na-mul)	<b>Black-flower Korean clematis</b> <i>Clematis fusca</i> var. <i>coreana</i> Nakai
용가시나무 (Yong-ga-si-na-mu)	<b>Maximowicz's rose</b> <i>Rosa maximowicziana</i> Regel
용담 (Yong-dam)	<b>Korean gentian</b> <i>Gentiana scabra</i> Bunge
용담과 (Yong-dam-gwa)	<b>Gentian family</b> Gentianaceae Juss.
용담속 [용담과] (Yong-dam-sok)	<b>Gentian</b> <i>Gentiana</i> L. [Gentianaceae]
용둥굴레 (Yong-dung-gul-re)	<b>Wide-bract solomon's seal</b> <i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim.
용머리 (Yong-meo-ri)	<b>Fischer's dragonhead</b> <i>Dracocephalum argunense</i> Fisch. ex Link
용머리속 [꿀풀과] (Yong-meo-ri-sok)	<b>Dragonhead</b> <i>Dracocephalum</i> L. [Lamiaceae]
용수염 (Yong-su-yeom)	<b>East Asian beakgrain</b> <i>Diarrhena japonica</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
용수염속 [벼과] (Yong-su-yeom-sok)	<b>Beakgrain</b> <i>Diarrhena P.Beauv.</i> [Poaceae]
우단꼭두서니 (U-dan-kkok-du-seo-ni)	<b>Hairy madder</b> <i>Rubia pubescens</i> Nakai
우단석점풀 (U-dan-seok-jam-pul)	<b>Velvety woundwort</b> <i>Stachys oblongifolia</i> Benth.
우단일엽 (U-dan-il-yeop)	<b>Lineate-leaf felt fern</b> <i>Pyrrosia linearifolia</i> (Hook.) Ching
우단쥐손이 (U-dan-jwi-son-i)	<b>Velvety cranesbill</b> <i>*Geranium wlassovianum</i> Fisher ex Link
우드풀 (U-deu-pul)	<b>Holly-fern woodsia</b> <i>Woodsia polystichoides</i> D.C.Eaton
우드풀속 [면마과] (U-deu-pul-sok)	<b>Cliff fern, Woodsia</b> <i>Woodsia</i> R.Br. [Dryopteridaceae]
우묵사스레피 (U-muk-sa-seu-re-pi)	<b>Emarginate eurya</b> <i>Eurya emarginata</i> (Thunb.) Makino
우산나물 (U-san-na-mul)	<b>Palmate shredded umbrella plant</b> <i>Syneilesis palmata</i> (Thunb.) Maxim.
우산나물속 [국화과] (U-san-na-mul-sok)	<b>Syneilesis</b> <i>Syneilesis</i> Maxim. [Asteraceae]
우산물통이 (U-san-mul-tong-i)	<b>Umbrella elatostema</b> <i>Elatostema umbellata</i> (Siebold & Zucc.) Blume
우산방동사니 (U-san-bang-dong-sa-ni)	<b>Narrow-spiculate flatsedge</b> <i>Cyperus tenuispica</i> Steud.
우산쇠방동사니 (U-san-soe-bang-dong-sa-ni)	<b>Pinnate rice flatsedge</b> <i>Cyperus orthostachyus</i> var. <i>pinnateformis</i> Y.C.Oh & Y.B.Lee
우산잔디 (U-san-jan-di)	<b>Bermuda grass</b> <i>Cynodon dactylon</i> (L.) Pers.
우산잔디속 [벼과] (U-san-jan-di-sok)	<b>Bermuda grass, Dog's-tooth grass</b> <i>Cynodon</i> Rich. [Poaceae]
우산제비꽃 (U-san-je-bi-kkot)	<b>Ulleungdo sweet violet</b> <i>Viola woosanensis</i> Y.N.Lee & J.Kim

Korean name (Romanization)	English name Scientific name
운향과 (Un-hyang-gwa)	Rue family Rutaceae Juss.
울릉국화 (Ul-reung-guk-hwa)	<b>Ulleung dendranthema</b> <i>Dendranthema zawadskii</i> var. <i>lucidum</i> (Nakai) J.H.Park
울릉미역취 (Ul-reung-mi-yeok-chwi)	<b>Ulleung goldenrod</b> <i>Solidago virgaurea</i> subsp. <i>gigantea</i> (Nakai) Kitam.
울릉산마늘 (Ul-reung-san-ma-neul)	<b>Myeongyi (Siberian onion)</b> <i>Allium ochotense</i> Prokh.
울릉연화바위솔 (Ul-reung-yeon-hwa-ba-wi-sol)	<b>Ulleungdo lotus rock pine</b> * <i>Orostachys iwarenge</i> f. <i>magnus</i> Y.N.Lee
울릉장구채 (Ul-reung-jang-gu-chae)	<b>Ulleung catchfly</b> <i>Silene takeshimensis</i> Uyeki & Sakata
울릉포아풀 (Ul-reung-po-a-pul)	<b>Ulleung bluegrass</b> <i>Poa ullungdoensis</i> Chung
웅기솜나물 (Ung-gi-som-na-mul)	<b>Seaside groundsel</b> <i>Senecio pseudoarnica</i> Less.
웅기오리나무 (Ung-gi-o-ri-na-mu)	<b>Sticky East Asian alder</b> <i>Alnus japonica</i> var. <i>resinosa</i> Nakai
웅기피나무 (Ung-gi-pi-na-mu)	<b>Oval-fruit linden</b> <i>Tilia ovalis</i> Nakai
원산딱지꽃 (Won-san-ttak-ji-kkot)	<b>Wonsan cinquefoil</b> <i>Potentilla niponica</i> Th.Wolf
원산바늘골 (Won-san-ba-neul-gol)	<b>Pellucid spikerush</b> <i>Eleocharis pellucida</i> J.Presl & C.Presl
원산소_teol_gol (Won-san-soe-teol-gol)	<b>Wonsan spikerush</b> <i>Eleocharis acicularis</i> subsp. <i>yokoscensis</i> (Franch. & Sav.) T.V.Egorova
원지 (Won-ji)	<b>Thin-leaf milkwort</b> <i>Polygala tenuifolia</i> Willd.
원지과 (Won-ji-gwa)	<b>Milkwort family</b> Polygalaceae Hoffmanns. & Link.
원지속 [원지과] (Won-ji-sok)	<b>Milkworts, Polygala, Snakeroots</b> <i>Polygala</i> L. [Polygalaceae]



Korean name (Romanization)	English name Scientific name
원추리속 [백합과] (Won-chu-ri-sok)	<b>Daylily</b> <i>Hemerocallis</i> L. [Liliaceae]
월귤 (Wol-gyul)	<b>Cowberry</b> <i>Vaccinium vitis-idaea</i> L.
위도상사화 (Wi-do-sang-sa-hwa)	<b>Uydo surprise lily</b> <i>Lycoris uydoensis</i> M.Y.Kim
위봉배 (Wi-bong-bae)	<b>Uibong wild pear</b> <i>Pyrus uipongensis</i> Uyeki
유가래나무 (Yu-ga-rae-na-mu)	<b>Glabrous beak willow</b> <i>Salix xerophila</i> f. <i>glabra</i> (Nakai) Kitag.
유령란 (Yu-ryeong-ran)	<b>Leafless epipogium</b> <i>Epipogium aphyllum</i> Sw.
유령란속 [난초과] (Yu-ryeong-ran-sok)	<b>Epipogium</b> <i>Epipogium</i> J.F.Gmel. ex Borkh. [Orchidaceae]
유성사초 (Yu-seong-sa-cho)	<b>Korshinsky's sedge</b> <i>Carex korshinskyi</i> Kom.
유전마름 (Yu-jeon-ma-reum)	<b>Korean water-chestnut</b> <i>Trapa bicornis</i> L.
육박나무 (Yuk-bak-na-mu)	<b>Sword-leaf litsea</b> <i>Litsea coreana</i> H.Lév.
육절보리풀 (Yuk-jeol-bo-ri-pul)	<b>Creeping mannagrass</b> <i>Glyceria acutiflora</i> subsp. <i>japonica</i> (Steud.) T. Koyama & Kawano
육지꽃버들 (Yuk-ji-kkot-beo-deul)	<b>Common willow</b> <i>Salix viminalis</i> L.
윤개관중 (Yun-gae-gwan-jung)	<b>Black-scale holly fern</b> <i>Polystichum makinoi</i> (Tagawa) Tagawa
윤노리나무 (Yun-no-ri-na-mu)	<b>Oriental photinia</b> <i>Pourthiaeae villosa</i> (Thunb.) Decne.
윤노리나무속 [장미과] (Yun-no-ri-na-mu-sok)	<b>Pourthiaeae</b> <i>Pourthiaeae</i> Decne. [Rosaceae]
윤판나물 (Yun-pan-na-mul)	<b>Korean fairybell</b> <i>Disporum uniflorum</i> Baker

Korean name (Romanization)	English name Scientific name
윤판나물아재비 (Yun-pan-na-mul-a-jae-bi)	<b>Common fairybell</b> <i>Disporum sessile</i> (Thunb.) D.Don ex Schult. & Schult.f.
율무쑥 (Yul-mu-ssuk)	<b>Job's tears wormwood</b> <i>Artemisia koidzumii</i> Nakai
으름난초 (Eu-reum-nan-cho)	<b>Akebian-fruit orchid</b> <i>Cyrtosia septentrionalis</i> (Rchb.f.) Garay
으름난초속 [난초과] (Eu-reum-nan-cho-sok)	<b>Cyrtosia</b> <i>Cyrtosia</i> Blume [Orchidaceae]
으름덩굴 (Eu-reum-deong-gul)	<b>Five-leaf chocolate vine</b> <i>Akebia quinata</i> (Houtt.) Decne.
으름덩굴과 (Eu-reum-deong-gul-gwa)	<b>Lardizabala family</b> <i>Lardizabalaceae</i> R.Br.
으름덩굴속 [으름덩굴과] (Eu-reum-deong-gul-sok)	<b>Akebia, Chocolate vine</b> <i>Akebia</i> Decne. [Lardizabalaceae]
으아리 (Eu-a-ri)	<b>Manchurian clematis</b> <i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi
으아리속 [미나리아재비과] (Eu-a-ri-sok)	<b>Clematis, Leather flower, Old man's beard, Traveller's joy, Vase vine, Virgin's bower</b> <i>Clematis</i> L. [Ranunculaceae]
은꿩의다리 (Eun-kkwong-ui-da-ri)	<b>Silver meadow-rue</b> <i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> Nakai
은난초 (Eun-nan-cho)	<b>Erect cephalanthera</b> <i>Cephalanthera erecta</i> (Thunb.) Blume
은대난초 (Eun-dae-nan-cho)	<b>Long-bract cephalanthera</b> <i>Cephalanthera longibracteata</i> Blume
은대난초속 [난초과] (Eun-dae-nan-cho-sok)	<b>Cephalanthera</b> <i>Cephalanthera</i> Rich. [Orchidaceae]
은방울꽃 (Eun-bang-ul-kkot)	<b>Lily of the valley</b> <i>Convallaria keiskei</i> Miq.
은방울꽃속 [백합과] (Eun-bang-ul-kkot-sok)	<b>Convallaria</b> <i>Convallaria</i> L. [Liliaceae]



Korean name (Romanization)	English name Scientific name
은분취 (Eun-bun-chwi)	Silvery-hair saussurea <i>Saussurea gracilis</i> Maxim.
은송 (Eun-song)	Silver Korean red pine <i>Pinus densiflora</i> f. <i>vittata</i> Uyeki
은양지꽃 (Eun-yang-ji-kkot)	Snow cinquefoil <i>Potentilla nivea</i> L.
음나무 (Eum-na-mu)	Prickly castor oil tree <i>Kalopanax septemlobus</i> (Thunb.) Koidz.
음나무속 [두릅나무과] (Eum-na-mu-sok)	Castor aralia, Prickly castor oil tree <i>Kalopanax</i> Miq. [Araliaceae]
음양고비 (Eum-yang-go-bi)	Interrupted fern <i>Osmunda claytoniana</i> L.
응달고사리 (Eung-dal-go-sa-ri)	Shady horn fern <i>Cornopteris crenulato-serrulata</i> (Makino) Nakai
이고들빼기 (I-go-deul-ppae-gi)	Teeth-margin crepidiastrum <i>Crepidiastrum denticulatum</i> (Houtt.) Pak & Kawano
이나무 (I-na-mu)	Idesia <i>Idesia polycarpa</i> Maxim.
이나무속 [산유자나무과] (I-na-mu-sok)	Idesia <i>Idesia</i> Maxim. [Flacourtiaceae]
이노리나무 (I-no-ri-na-mu)	Komarov's hawthorn <i>Crataegus komarovii</i> Sarg.
이대 (I-dae)	Arrow bamboo <i>Pseudosasa japonica</i> (Siebold & Zucc. ex Steud.) Makino ex Nakai
이대속 [벼과] (I-dae-sok)	Arrow bamboo <i>Pseudosasa</i> Makino ex Nakai [Poaceae]
이른 범꼬리 (I-reun-beom-kko-ri)	Early-blooming bistort <i>Bistorta tenuicaulis</i> (Bisset & S.Moore) Nakai
이삭귀가 (I-sak-gwi-gae)	Dense-flower bladderwort <i>Utricularia racemosa</i> Wall. ex Walp.
이삭단엽란 (I-sak-dan-yeop-ran)	White adder's mouth <i>Malaxis monophyllos</i> (L.) Sw.

Korean name (Romanization)	English name Scientific name
이삭단엽란속 [난초과] (I-sak-dan-yeop-ran-sok)	<b>Malaxis</b> <i>Malaxis</i> Sol. ex Sw. [Orchidaceae]
이삭물수세미 (I-sak-mul-su-se-mi)	<b>Eurasian water-milfoil</b> <i>Myriophyllum spicatum</i> L.
이삭바꽃 (I-sak-ba-kkot)	<b>Kusnezoff's monk'shood</b> <i>Aconitum kusnezoffii</i> Rchb.
이삭봄맞이 (I-sak-bom-mat-i)	<b>Common stimpsonia</b> <i>Stimpsonia chamaedrioides</i> C.Wright ex A.Gray
이삭봄맞이속 [앵초과] (I-sak-bom-mat-i-sok)	<b>Stimpsonia</b> <i>Stimpsonia</i> C.Wright ex A.Gray [Primulaceae]
이삭비비추 (I-sak-bi-bi-chu)	<b>Sword-like hosta</b> <i>Hosta ensata</i> F.Maek.
이삭사초 (I-sak-sa-cho)	<b>Dimorphous-spike sedge</b> <i>Carex dimorpholepis</i> Steud.
이삭송이풀 (I-sak-song-i-pul)	<b>Spicate lousewort</b> <i>Pedicularis spicata</i> Pall.
이삭여뀌 (I-sak-yeo-kkwi)	<b>Loose-spike smartweed</b> <i>Persicaria filiformis</i> (Thunb.) Nakai ex T.Mori
이삭호모초 (I-sak-ho-mo-cho)	<b>Chingan mountain bugseed</b> <i>Corispermum chinganicum</i> Iljin
이삼사초 (I-sam-sa-cho)	<b>Mountain nerved-fruit sedge</b> <i>Carex leucochlora</i> Bunge
이스라자  (I-seu-ra-ji)	<b>Oriental bush cherry</b> <i>Prunus japonica</i> var. <i>nakaii</i> (H.Lév.) Rehder
이질풀 (I-jil-pul)	<b>Thunberg's geranium</b> <i>Geranium thunbergii</i> Siebold & Zucc.
이팝나무 (I-pap-na-mu)	<b>Retusa fringetree</b> <i>Chionanthus retusus</i> Lindl. & Paxton
이팝나무속 [물푸레나무과] (I-pap-na-mu-sok)	<b>Fringetree</b> <i>Chionanthus</i> L. [Oleaceae]
이화구절초 (I-hwa-gu-jeol-cho)	<b>Intermediate dendranthema</b> <i>*Dendranthema × intermedium</i> (Y.N.Lee) Y.N.Lee

Korean name (Romanization)	English name Scientific name
익모초 (Ik-mo-cho)	<b>Oriental motherwort</b> <i>Leonurus japonicus</i> Houtt.
익모초속 [꿀풀과] (Ik-mo-cho-sok)	<b>Motherwort</b> <i>Leonurus</i> L. [Lamiaceae]
인가목 (In-ga-mok)	<b>Prickly rose</b> <i>Rosa acicularis</i> Lindl.
인가목조팝나무 (In-ga-mok-jo-pap-na-mu)	<b>Elm-leaf spiraea</b> <i>Spiraea chamaedryfolia</i> L.
인동과 (In-dong-gwa)	<b>Honeysuckle family</b> <i>Caprifoliaceae</i> Juss.
인동덩굴 (In-dong-deong-gul)	<b>Golden-and-silver honeysuckle</b> <i>Lonicera japonica</i> Thunb.
인동속 [인동과] (In-dong-sok)	<b>Honeysuckle</b> <i>Lonicera</i> L. [Caprifoliaceae]
인삼 (In-sam)	<b>Korean ginseng</b> <i>Panax ginseng</i> C.A.Mey.
인삼속 [두릅나무과] (In-sam-sok)	<b>Ginseng</b> <i>Panax</i> Hill [Araliaceae]
인제사초 (In-je-sa-cho)	<b>Different-spike sedge</b> <i>Carex heterostachya</i> Bunge
인천잔대 (In-cheon-jan-dae)	<b>Incheon ladybell</b> <i>Adenophora remotidens</i> Hemsl.
일본사초 (Il-bon-sa-cho)	<b>Hondo sedge</b> <i>Carex hondoensis</i> Ohwi
일색고사리 (Il-saek-go-sa-ri)	<b>Upside-down hollyfern</b> <i>Arachniodes standishii</i> (T.Moore) Ohwi
일엽아재비 (Il-yeop-a-jae-bi)	<b>Reflexed-margine single-leaf fern</b> <i>Haplopteris flexuosa</i> (Fée) E.H.Crane
일엽아재비과 (Il-yeop-a-jae-bi-gwa)	<b>Shoestring fern family</b> <i>Vittariaceae</i> Ching.
일엽아재비속 [일엽아재비과] (Il-yeop-a-jae-bi-sok)	<b>Haplópteris</b> <i>Haplópteris</i> C.Presl [Vittariaceae]

Korean name (Romanization)	English name Scientific name
일엽초 (Il-yeop-cho)	Weeping fern <i>Lepisorus thunbergianus</i> (Kaulf.) Ching
일엽초속 [고란초과] (Il-yeop-cho-sok)	Lepisorus, Weeping fern <i>Lepisorus</i> (J. Sm.) Ching [Polypodiaceae]
일월비비추 (Il-wol-bi-bi-chu)	Ilwol hosta <i>Hosta capitata</i> (Koidz.) Nakai
일월산별꽃 (Il-wol-san-byeol-kkot)	Diverse-flower chickweed <i>Stellaria diversiflora</i> Maxim.
일월산사나무 (Il-wol-san-sa-na-mu)	Large-bract mountain hawthorn <i>Crataegus pinnatifida</i> f. <i>bracteata</i> Nakai
일월토현삼 (Il-wol-to-hyeon-sam)	Velvety Korean figwort <i>Scrophularia koraiensis</i> var. <i>velutina</i> Sakata ex Uyeki & Sakata
임계청닭의난초 (Im-gye-cheong-dak-ui-nan-cho)	Imgye helleborine <i>Epipactis papillosa</i> var. <i>imkoeensis</i> Y.N.Lee & K.S.Lee
입술망초 (Ip-sul-mang-cho)	Small magenta plant <i>Dicliptera japonica</i> (Thunb.) Makino
입술망초속 [주꼬리망초과] (Ip-sul-mang-cho-sok)	Foldwing <i>Dicliptera</i> Juss. [Acanthaceae]
잎갈나무 (Ip-gal-na-mu)	Dahurian larch <i>Larix gmelinii</i> (Rupr.) Kuzen.
잎갈나무속 [소나무과] (Ip-gal-na-mu-sok)	Larch <i>Larix</i> Mill. [Pinaceae]
잎새바위솔 (Ip-sae-ba-wi-sol)	Spinose rock pine <i>Orostachys spinosa</i> (L.) Sweet

**火**

자귀나무 (Ja-gwi-na-mu)	Silk tree <i>Albizia julibrissin</i> Durazz.
자귀나무속 [콩과] (Ja-gwi-na-mu-sok)	Albizia, Albizzias, East Indian walnut, Mimosa, Silk plants, Silk trees, Sirises <i>Albizia</i> Durazz. [Fabaceae]
자귀풀 (Ja-gwi-pul)	Indian jointvetch <i>Aeschynomene indica</i> L.

Korean name (Romanization)	English name Scientific name
자귀풀속 [콩과] (Ja-gwi-pul-sok)	<b>Jointvetch</b> <i>Aeschynomene</i> L. [Fabaceae]
자금우 (Ja-geum-u)	<b>Marlberry</b> <i>Ardisia japonica</i> (Thunb.) Blume
자금우과 (Ja-geum-u-gwa)	<b>Myrsine family</b> Myrsinaceae R.Br.
자금우속 [자금우과] (Ja-geum-u-sok)	<b>Marlberry</b> <i>Ardisia</i> Sw. [Myrsinaceae]
자라풀 (Ja-ra-pul)	<b>Frogbit</b> <i>Hydrocharis dubia</i> (Blume) Backer
자라풀과 (Ja-ra-pul-gwa)	<b>Frog's bit family, Najad family, Tape-grass family, Waternymph family</b> Hydrocharitaceae Juss.
자라풀속 [자라풀과] (Ja-ra-pul-sok)	<b>Hydrocharis</b> <i>Hydrocharis</i> L. [Hydrocharitaceae]
자란 (Ja-ran)	<b>Hyacinth orchid</b> <i>Bletilla striata</i> (Thunb.) Rchb.f.
자란속 [난초과] (Ja-ran-sok)	<b>Bletilla, Urn orchid</b> <i>Bletilla</i> Rchb.f. [Orchidaceae]
자란초 (Ja-ran-cho)	<b>Korean bugle</b> <i>Ajuga spectabilis</i> Nakai
자루나도고사리삼 (Ja-ru-na-do-go-sa-ri-sam)	<b>Netted adder's tongue</b> <i>Ophioglossum petiolatum</i> Hook
자리공과 (Ja-ri-gong-gwa)	<b>Pokeweed family</b> Phytolaccaceae R.Br.
자리공속 [자리공과] (Ja-ri-gong-sok)	<b>Pokeweeds, Pokebush, Pokeberry, Pokeroot, Poke sallet</b> <i>Phytolacca</i> L. [Phytolaccaceae]
자반풀 (Ja-ban-pul)	<b>Kramer's navelwort</b> <i>Omphalodes krameri</i> Franch. & Sav.
자반풀속 [지치과] (Ja-ban-pul-sok)	<b>Navelwort</b> <i>Omphalodes</i> L. [Boraginaceae]

Korean name (Romanization)	English name Scientific name
자병취 (Ja-byeong-chwi)	<b>Jabyeong saussurea</b> <i>Saussurea chabyoungsanica</i> H.T.Im
자작나무 (Ja-jak-na-mu)	<b>East Asian white birch</b> <i>Betula pendula</i> Roth
자작나무과 (Ja-jak-na-mu-gwa)	<b>Birch family</b> <i>Betulaceae</i> Gray.
자작나무속 [자작나무과] (Ja-jak-na-mu-sok)	<b>Birch</b> <i>Betula</i> L. [Betulaceae]
자주가는오이풀 (Ja-ju-ga-neun-o-i-pul)	<b>Purple Asian burnet</b> <i>Sanguisorba × tenuiflora</i> var. <i>purpurea</i> Trautv. & C.A.Mey
자주개머루 (Ja-ju-gae-meo-ru)	<b>Purple-fruit porcelainberry</b> <i>Ampelopsis brevipedunculata</i> f. <i>elegans</i> (K.Koch) Rehder
자주개밀 (Ja-ju-gae-mil)	<b>Purplish wheatgrass</b> <i>Elymus nipponicus</i> Jaaska
자주개황기 (Ja-ju-gae-hwang-gi)	<b>Rattle milkvetch</b> <i>Astragalus adsurgens</i> Pall.
자주괴불주머니 (Ja-ju-goe-bul-ju-meo-ni)	<b>Incised corydalis</b> <i>Corydalis incisa</i> (Thunb.) Pers.
자주꽃방망이 (Ja-ju-kkot-bang-mang-i)	<b>Dahurian clustered bellflower</b> <i>Campanula glomerata</i> var. <i>dahurica</i> Fisch. ex Ker Gawl.
자주꿩의다리 (Ja-ju-kkwong-ui-da-ri)	<b>Seoul meadow-rue</b> <i>Thalictrum uchiyamae</i> Nakai
자주꿩의비름 (Ja-ju-kkwong-ui-bi-reum)	<b>Purple-flower stonecrop</b> <i>Hylotelephium telephium</i> (L.) H.Ohba
자주덩굴별꽃 (Ja-ju-deong-gul-byeol-kkot)	<b>Purple-stem berry catchfly</b> <i>Cucubalus baccifer</i> f. <i>atropurpureus</i> Nakai
자주땅귀개 (Ja-ju-ttang-gwi-gae)	<b>Purple-flower bladderwort</b> <i>Utricularia yakusimensis</i> Masam.
자주박주가리 (Ja-ju-bak-ju-ga-ri)	<b>Purple swallow-wort</b> <i>Cynanchum purpureum</i> (Pall.) K.Schum.
자주방가지똥 (Ja-ju-bang-ga-ji-ttong)	<b>Siberian lettuce</b> <i>Lactuca sibirica</i> (L.) Benth. ex Maxim.

Korean name (Romanization)	English name Scientific name
자주방아풀 (Ja-ju-bang-a-pul)	<b>Purple-leaf bangahpul</b> <i>Isodon serra</i> (Maxim.) Kudô
자주복주머니란 (Ja-ju-bok-ju-meo-ni-ran)	<b>Purple lady's slipper</b> <i>Cypripedium morinanthum</i> Y.N.Lee
자주솜대 (Ja-ju-som-dae)	<b>Purple-flower solomon's seal</b> <i>Smilacina bicolor</i> Nakai
자주쓴풀 (Ja-ju-sseun-pul)	<b>False Chinese swertia</b> <i>Swertia pseudochinensis</i> H.Hara
자주알록제비꽃 (Ja-ju-al-rok-je-bi-kkot)	<b>Purple variegated-leaf violet</b> <i>Viola variegata</i> var. <i>chinensis</i> Bunge
자주애기괭이밥 (Ja-ju-ae-gi-gwaeng-i-bap)	<b>Purple wood sorrel</b> <i>Oxalis acetosella</i> var. <i>purpurascens</i> Mart.
자주이대 (Ja-ju-i-dae)	<b>Purple arrow bamboo</b> <i>Pseudosasa japonica</i> var. <i>purpurascens</i> Nakai
자주잎제비꽃 (Ja-ju-ip-je-bi-kkot)	<b>Purple-leaf violet</b> <i>Viola violacea</i> Makino
자주장대나물 (Ja-ju-jang-dae-na-mul)	<b>Crown rockcress</b> <i>Arabis coronata</i> Nakai
자주조희풀 (Ja-ju-jo-hui-pul)	<b>Purple hyacinth-flower clematis</b> <i>Clematis heracleifolia</i> var. <i>tubulosa</i> (Turcz.) Kuntze
자주족도리풀 (Ja-ju-jok-do-ri-pul)	<b>Korean wildginger</b> <i>Asarum koreanum</i> (J.Kim & C.Yook) B.U.Oh & J.K.Kim
자주종덩굴 (Ja-ju-jong-deong-gul)	<b>Purple alpine clematis</b> <i>Clematis alpina</i> var. <i>ochotensis</i> (Pall.) S.Watson
자주지네고사리 (Ja-ju-ji-ne-go-sa-ri)	<b>Purple autumn fern</b> <i>Dryopteris purpurella</i> Tagawa
자주포아풀 (Ja-ju-po-a-pul)	<b>Glaucous bluegrass</b> <i>Poa glauca</i> Vahl
자주황기 (Ja-ju-hwang-gi)	<b>Dahurian milkvetch</b> <i>Astragalus dahuricus</i> (Pall.) DC.
작살나무 (Jak-sal-na-mu)	<b>East Asian beautyberry</b> <i>Callicarpa japonica</i> Thunb.

Korean name (Romanization)	English name Scientific name
작살나무속 [마편초과] (Jak-sal-na-mu-sok)	<b>Beautyberry</b> <i>Callicarpa</i> L. [Verbenaceae]
작약과 (Jak-yak-gwa)	<b>Peony family</b> <i>Paeoniaceae</i> Raf.
작약속 [작약과] (Jak-yak-sok)	<b>Peony</b> <i>Paeonia</i> L. [Paeoniaceae]
작은사위질빵 (Jak-eun-sa-wi-jil-ppang)	<b>Small virgin's-bower clematis</b> <i>Clematis pierotii</i> Miq.
작은황새풀 (Jak-eun-hwang-sae-pul)	<b>Slender cottonsedge</b> <i>Eriophorum gracile</i> Koch
잔고사리  (Jan-go-sa-ri)	<b>Hairy hay-scented fern</b> <i>Dennstaedtia hirsuta</i> (Sw.) Mett. ex Miq.
잔고사리속 [고사리과] (Jan-go-sa-ri-sok)	<b>Hayscented fern</b> <i>Dennstaedtia</i> Bernh. [Pteridaceae]
잔나비나물 (Jan-na-bi-na-mul)	<b>Lesser two-leaf vetch</b> <i>Vicia bifolia</i> Nakai
잔눈썹고사리 (Jan-nun-sseop-go-sa-ri)	<b>Slightly-asymmetric spleenwort</b> <i>Asplenium shikokianum</i> Makino
잔대  (Jan-dae)	<b>Three-leaf ladybell</b> <i>Adenophora triphylla</i> var. <i>japonica</i> (Regel) H.Hara
잔대속 [초롱꽃과] (Jan-dae-sok)	<b>Ladybells</b> <i>Adenophora</i> Fisch. [Campanulaceae]
잔디  (Jan-di)	<b>Korean lawngrass</b> <i>Zoysia japonica</i> Steud.
잔디갈고리 (Jan-di-gal-go-ri)	<b>Heterocarpous tick clover</b> <i>Desmodium heterocarpon</i> (L.) DC.
잔디바랭이 (Jan-di-ba-raeng-i)	<b>Birdleg dimeria</b> <i>Dimeria ornithopoda</i> Trin.
잔디바랭이속 [벼과] (Jan-di-ba-raeng-i-sok)	<b>Dimeria</b> <i>Dimeria</i> R.Br. [Poaceae]
잔디속 [벼과] (Jan-di-sok)	<b>Lawngrass, Zoysiagrass</b> <i>Zoysia</i> Willd. [Poaceae]

Korean name (Romanization)	English name Scientific name
잔솔잎사초 (Jan-sol-ip-sa-cho)	<b>Tiny sedge</b> <i>Carex capillacea</i> Boott
잔실쑥 (Jan-sil-ssuk)	<b>Korean filifolium</b> * <i>Filifolium koreananum</i> J.H.Pak
잔잎바디 (Jan-ip-ba-di)	<b>Diverse-petal angelica</b> <i>Angelica czernaevia</i> (Fisch. & C.A.Mey.) Kitag.
잔잎산비장이 (Jan-ip-san-bi-jang-i)	<b>Minute sawwort</b> <i>Serratula komarovii</i> Iljin
잔털드문고사리 (Jan-teol-deu-mun-go-sa-ri)	<b>East Asian loosely-leaf marsh fern</b> <i>Metathelypteris hattorii</i> (H.Ito) Ching
잔털마가목 (Jan-teol-ma-ga-mok)	<b>Hairy mountain ash</b> <i>Sorbus commixta</i> var. <i>pilosa</i> Nakai
잔털벗나무 (Jan-teol-beot-na-mu)	<b>Mountain oriental cherry</b> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
잔털오리나무 (Jan-teol-o-ri-na-mu)	<b>Downy East Asian alder</b> <i>Alnus × mayrii</i> Callier
잔털인동 (Jan-teol-in-dong)	<b>Downy golden-and-silver honeysuckle</b> <i>Lonicera japonica</i> f. <i>chinensis</i> H.Hara
잔털제비꽃 (Jan-teol-je-bi-kkot)	<b>Short-hair violet</b> <i>Viola keiskei</i> Miq.
잔톱비장이 (Jan-top-bi-jang-i)	<b>Serrate sawwort</b> <i>Serratula hayatae</i> Nakai
잠자리난초 (Jam-ja-ri-nan-cho)	<b>Linear-leaf habenaria</b> <i>Habenaria linearifolia</i> Maxim.
잠자리피 (Jam-ja-ri-pi)	<b>Spike oatgrass</b> <i>Trisetum bifidum</i> (Thunb.) Ohwi
잠자리피속 [벼과] (Jam-ja-ri-pi-sok)	<b>Oatgrass</b> <i>Trisetum</i> Pers. [Poaceae]
잡골사초 (Jap-gol-sa-cho)	<b>Mixed nerved-scale sedge</b> * <i>Carex aphanolepis</i> var. <i>mixta</i> Nakai
잡싸리 (Jap-ssa-ri)	<b>Schindler's lespedeza</b> <i>Lespedeza × schindleri</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
잣나무 (Jat-na-mu)	<b>Korean pine</b> <i>Pinus koraiensis</i> Siebold & Zucc.
장구밥나무 (Jang-gu-bap-na-mu)	<b>Bilobed grewia</b> <i>Grewia parviflora</i> Bunge
장구밥나무속 [피나무과] (Jang-gu-bap-na-mu-sok)	<b>Grewia</b> <i>Grewia L.</i> [Tiliaceae]
장구채 (Jang-gu-chae)	<b>Catchfly</b> <i>Silene firma</i> Siebold & Zucc.
장군대사초 (Jang-gun-dae-sa-cho)	<b>Bowl-shape-scale sedge</b> <i>Carex poulisquama</i> Kük.
장군풀 (Jang-gun-pul)	<b>Korean rhubarb</b> <i>Rheum coreanum</i> Nakai
장다리나물 (Jang-da-ri-na-mul)	<b>Tall bugseed</b> <i>Corispermum puberulum</i> f. <i>lissocarpum</i> (Kitag.) Kitag.
장대나물 (Jang-dae-na-mul)	<b>Tower rockcress</b> <i>Arabis glabra</i> (L.) Bernh.
장대나물속 [십자화과] (Jang-dae-na-mul-sok)	<b>Rockcress</b> <i>Arabis L.</i> [Brassicaceae]
장대냉이속 [십자화과] (Jang-dae-naeng-i-sok)	<b>Maximowicz's berteroella</b> <i>Berteroella maximowiczii</i> (Palib.) O.E.Schulz
장대냉이속 [십자화과] (Jang-dae-naeng-i-sok)	<b>Berteroella</b> <i>Berteroella</i> O.E.Schulz [Brassicaceae]
장대여뀌 (Jang-dae-yeo-kkwi)	<b>Tall smartweed</b> <i>Persicaria posumbu</i> var. <i>laxiflora</i> (Meisn.) H.Hara
장딸기 (Jang-ttal-gi)	<b>Hirsute raspberry</b> <i>Rubus hirsutus</i> Thunb.
장미과 (Jang-mi-gwa)	<b>Rose family</b> Rosaceae Juss.
장미빛복주머니란 (Jang-mi-bit-bok-ju-meo-ni-ran)	<b>Rosy lady's slipper</b> <i>Cypripedium roseum</i> Y.N.Lee
장미속 [장미과] (Jang-mi-sok)	<b>Rose</b> <i>Rosa L.</i> [Rosaceae]

Korean name (Romanization)	English name Scientific name
장백제비꽃 (Jang-baek-je-bi-kkot)	Arctic yellow violet <i>Viola biflora</i> L.
장백패랭이꽃 (Jang-baek-pae-raeng-i-kkot)	Northern pink <i>Dianthus repens</i> Willd.
장성사초 (Jang-seong-sa-cho)	Jangseong sedge <i>Carex kujuzana</i> Ohwi
장수고사리 (Jang-su-go-sa-ri)	Glandular wood fern <i>Dryopteris woodsiirosa</i> Hayata
장수만리화 (Jang-su-man-ri-hwa)	Hairy forsythia <i>Forsythia velutina</i> Nakai
장수팽나무 (Jang-su-paeng-na-mu)	Broad-leaf hackberry <i>Celtis cordifolia</i> Nakai
장억새 (Jang-eok-sae)	Chang's silvergrass <i>Misanthus changii</i> Y.N.Lee
장지석남 (Jang-ji-seok-nam)	Needle-leaf bog rosemary <i>Andromeda polifolia</i> f. <i>acerosa</i> C.Hartm.
장지석남속 [진달래과] (Jang-ji-seok-nam-sok)	Bog rosemary <i>Andromeda</i> L. [Ericaceae]
장지채 (Jang-ji-chae)	Pod grass <i>Scheuchzeria palustris</i> L.
장지채과 (Jang-ji-chae-gwa)	Scheuchzeria family <i>Scheuchzeriaceae</i> F. Rudolphi.
장지채속 [장지채과] (Jang-ji-chae-sok)	Pod grass, Rannoch-rush <i>Scheuchzeria</i> L. [Scheuchzeriaceae]
장흥곡정초 (Jang-heung-gok-jeong-cho)	Buerger's pipewort <i>Eriocaulon buergerianum</i> Körn.
재쑥 (Jae-ssuk)	Herb-sophia <i>Descurainia sophia</i> (L.) Webb ex Prantl
재쑥속 [십자화과] (Jae-ssuk-sok)	Tansymustard <i>Descurainia</i> Webb & Berthel. [Brassicaceae]
전나무 (Jeon-na-mu)	Needle fir <i>Abies holophylla</i> Maxim.

Korean name (Romanization)	English name Scientific name
전나무속 [소나무과] (Jeon-na-mu-sok)	<b>Firs</b> <i>Abies</i> Mill. [Pinaceae]
전의금불초 (Jeon-ui-geum-bul-cho)	<b>Small-petal yellowhead</b> <i>*Inula salicina</i> var. <i>minipetala</i> Y.N.Lee
전주물꼬리풀 (Jeon-ju-mul-kko-ri-pul)	<b>Jeonju pogostemon</b> <i>Dysophylla yatabeana</i> Makino
전호 (Jeon-ho)	<b>Wild chervil</b> <i>Anthriscus sylvestris</i> (L.) Hoffm.
전호속 [산형과] (Jeon-ho-sok)	<b>Chervil</b> <i>Anthriscus</i> Pers. [Apiaceae]
절국대 (Jeol-guk-dae)	<b>Asian siphonostegia</b> <i>Siphonostegia chinensis</i> Benth.
절국대속 [현삼과] (Jeol-guk-dae-sok)	<b>Siphonostegia</b> <i>Siphonostegia</i> Benth. [Scrophulariaceae]
절굿대 (Jeol-gut-dae)	<b>Purple globe thistle</b> <i>Echinops setifer</i> Iljin
절굿대속 [국화과] (Jeol-gut-dae-sok)	<b>Globe thistles</b> <i>Echinops</i> L. [Asteraceae]
절영풀 (Jeol-yeong-pul)	<b>Broad-leaf crepidiastrum</b> <i>Crepidiastrum platyphyllum</i> (Franch. & Sav.) Kitam.
절초나무 (Jeol-cho-na-mu)	<b>Long-peduncle chrysanthia honeysuckle</b> <i>Lonicera chrysanthia</i> var. <i>longipes</i> Maxim.
점고사리 (Jeom-go-sa-ri)	<b>Dotted beadfern</b> <i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn
점고사리속 [고사리과] (Jeom-go-sa-ri-sok)	<b>Beadfern</b> <i>Hypolepis</i> Bernh. [Pteridaceae]
점나도나물 (Jeom-na-do-na-mul)	<b>Common mouse-ear chickweed</b> <i>Cerastium holosteoides</i> var. <i>hallasanense</i> (Nakai) Mizush.
점나도나물속 [석죽과] (Jeom-na-do-na-mul-sok)	<b>Mouse-ear chickweed</b> <i>Cerastium</i> L. [Caryophyllaceae]
점박이구름병아리난초 (Jeom-bak-i-gu-reum-byeong-a-ri-nan-cho)	<b>Variegate cucullate neotianthe orchid</b> <i>*Gymnadenia cucullata</i> var. <i>variegata</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
점박이별꽃풀 (Jeom-bak-i-byeol-kkot-pul)	<b>Red-spot swertia</b> <i>Swertia erythrosticta</i> Maxim.
점박이천남성 (Jeom-bak-i-cheon-nam-seong)	<b>Variegate jack-in-the-pulpit</b> <i>Arisaema serratum</i> (Thunb.) Schott
점봉산엉겅퀴 (Jeom-bong-san-eong-geong-kwi)	<b>Jeombongsan thistle</b> <i>Cirsium zenii</i> Nakai
점수땅나무 (Jeom-swi-ttang-na-mu)	<b>Glandular false spiraea</b> * <i>Sorbaria sorbifolia</i> f. <i>glandulosa</i> (Nakai) T.B.Lee
점현호색 (Jeom-hyeon-ho-saek)	<b>Spotted corydalis</b> <i>Corydalis maculata</i> B.U.Oh & Y.S.Kim
젓가락나물 (Jeot-ga-rak-na-mul)	<b>Asian buttercup</b> <i>Ranunculus chinensis</i> Bunge
정금나무 (Jeong-geum-na-mu)	<b>Oldham's blueberry</b> <i>Vaccinium oldhamii</i> Miq.
정능참나무 (Jeong-neung-cham-na-mu)	<b>Jeongreungcham oak (Acuti x variabilis oak)</b> <i>Quercus acutissima</i> Carruth. x <i>Q. variabilis</i> Blume
정선바위솔 (Jeong-seon-ba-wi-sol)	<b>Jeongseon rock pine</b> <i>Orostachys chongsunensis</i> Y.N.Lee
정선황기 (Jeong-seon-hwang-gi)	<b>Korean milkvetch</b> <i>Astragalus koraiensis</i> Y.N.Lee
정영엉겅퀴 (Jeong-yeong-eong-geong-kwi)	<b>Jeongyeong thistle</b> <i>Cirsium chanroenicum</i> (L.) Nakai
정향나무 (Jeong-hyang-na-mu)	<b>Korean lilac</b> <i>Syringa patula</i> var. <i>kamibayshii</i> (Nakai) M.Kim
정향풀 (Jeong-hyang-pul)	<b>Asian bluestar</b> <i>Amsonia elliptica</i> (Thunb.) Roem. & Schult.
정향풀속 [협죽도과] (Jeong-hyang-pul-sok)	<b>Bluestar</b> <i>Amsonia</i> Walter [Apocynaceae]
제비고깔 (Je-bi-go-kkal)	<b>Siberian larkspur</b> <i>Delphinium grandiflorum</i> L.
제비고깔속 [미나리아재비과] (Je-bi-go-kkal-sok)	<b>Larkspur</b> <i>Delphinium</i> L. [Ranunculaceae]

Korean name (Romanization)	English name Scientific name
제비꼬리고사리 (Je-bi-kko-ri-go-sa-ri)	<b>Swallow-tail marsh fern</b> <i>Pseudocyclosorus esquirolii</i> (Christ) Ching
제비꼬리고사리속 [면마과] (Je-bi-kko-ri-go-sa-ri-sok)	<b>Pseudocyclosorus</b> <i>Pseudocyclosorus</i> Ching [Dryopteridaceae]
제비꽃 (Je-bi-kkot)	<b>Manchurian violet</b> <i>Viola mandshurica</i> W.Becker
제비꽃과 (Je-bi-kkot-gwa)	<b>Violet family</b> Violaceae Batsch.
제비꽃속 [제비꽃과] (Je-bi-kkot-sok)	<b>Violet</b> <i>Viola</i> L. [Violaceae]
제비꼴 (Je-bi-kkul)	<b>East Asian thesium</b> <i>Thesium chinense</i> Turcz.
제비꼴속 [단향과] (Je-bi-kkul-sok)	<b>Thesium</b> <i>Thesium</i> L. [Santalaceae]
제비난초 (Je-bi-nan-cho)	<b>Greater platanthera</b> <i>Platanthera bifolia</i> (L.) Rich.
제비난초속 [난초과] (Je-bi-nan-cho-sok)	<b>Fringed orchid</b> <i>Platanthera</i> Rich. [Orchidaceae]
제비동자꽃 (Je-bi-dong-ja-kkot)	<b>Laciniate-flower campion</b> <i>Lychnis wilfordii</i> (Regel) Maxim.
제비붓꽃 (Je-bi-but-kkot)	<b>Rabbit's-ear iris</b> <i>Iris laevigata</i> Fisch.
제비쑥 (Je-bi-ssuk)	<b>Oriental wormwood</b> <i>Artemisia japonica</i> Thunb.
제주개관중 (Je-ju-gae-gwan-jung)	<b>Jeju holly fern</b> <i>Polystichum cyrtolepidotum</i> Franch.
제주검정곡정초 (Je-ju-geom-jeong-gok-jeong-cho)	<b>Jeju pipewort</b> <i>Eriocaulon glaberrimum</i> var. <i>platypetalum</i> (Satake) Satake
제주고사리삼 (Je-ju-go-sa-ri-sam)	<b>Mankyua</b> <i>Mankya chejuense</i> B.Y.Sun, M.H.Kim et C.H.Kim
제주고사리삼속 [고사리삼과] (Je-ju-go-sa-ri-sam-sok)	<b>Mankyua</b> <i>Mankya</i> B.Y.Sun, M.H.Kim & C.H.Kim [Ophioglossaceae]

Korean name (Romanization)	English name Scientific name
제주국화 (Je-ju-guk-hwa)	<b>Jeju aster</b> <i>Aster chejuensis</i> (Kitam.) Nakai
제주긴잎모시풀 (Je-ju-gin-ip-mo-si-pul)	<b>Jeju long-leaf false-nettle</b> <i>Boehmeria nakaiana</i> Satake
제주나래새 (Je-ju-na-rae-sae)	<b>Jeju needlegrass</b> <i>Stipa coreana</i> var. <i>japonica</i> (Matsum.) Y.N.Lee
제주달구지풀 (Je-ju-dal-gu-ji-pul)	<b>Alpine lupine clover</b> <i>Trifolium lupinaster</i> f. <i>alpinus</i> (Nakai) M.K.Park
제주대극 (Je-ju-dae-geuk)	<b>Jeju spurge</b> <i>Euphorbia octoradiata</i> H.Lév. & Vaniot ex H.Lév.
제주모시풀 (Je-ju-mo-si-pul)	<b>Jeju false-nettle</b> <i>Boehmeria quelpaertense</i> Satake
제주무엽란 (Je-ju-mu-yeop-ran)	<b>Jeju leafless lecanorchis</b> <i>Lecanorchis kiusiana</i> Tuyama
제주물부추 (Je-ju-mul-bu-chu)	<b>Jeju quillwort</b> <i>Isoetes jejuensis</i> H.-K. Choi, C. Kim & J. Jung
제주방울란 (Je-ju-bang-ul-ran)	<b>Jeju habenaria</b> <i>Habenaria chejuensis</i> Y.N.Lee & K.S.Lee
제주백운풀 (Je-ju-baek-un-pul)	<b>Sprawling dickwort</b> <i>Oldenlandia brachypoda</i> DC.
제주벚나무 (Je-ju-beot-na-mu)	<b>Jeju flowering cherry</b> <i>Prunus × yedoensis</i> f. <i>nudiflora</i> (Koehne) Rehder
제주산딸기 (Je-ju-san-ttal-gi)	<b>Jeju raspberry</b> <i>Rubus nishimuranus</i> Koidz.
제주산버들 (Je-ju-san-beo-deul)	<b>Jeju mountain willow</b> <i>Salix blinii</i> H.Lév.
제주상사화 (Je-ju-sang-sa-hwa)	<b>Jeju surprise lily</b> <i>Lycoris chejuensis</i> K.H.Tae & S.C.Ko
제주새풀 (Je-ju-sae-pul)	<b>Jeju purple reedgrass</b> <i>Calamagrostis brachytricha</i> var. <i>inaequata</i> (Hack. ex Honda) Yonek.
제주십자고사리 (Je-ju-sip-ja-go-sa-ri)	<b>Jeju cross holly fern</b> <i>Polystichum hancockii</i> (Hance) Diels

Korean name (Romanization)	English name Scientific name
제주싸리냉이 (Je-ju-ssa-ri-naeng-i)	<b>Jeju narrow-leaf bittercress</b> <i>Cardamine impatiens</i> var. <i>fumaria</i> H.Lév.
제주양지꽃 (Je-ju-yang-ji-kkot)	<b>Jeju cinquefoil</b> <i>Potentilla stolonifera</i> var. <i>quelpaertensis</i> Nakai
제주엉겅퀴 (Je-ju-eong-geong-kwi)	<b>Chinese thistle</b> <i>Cirsium chinense</i> Gardner & Cham.
제주올챙이골 (Je-ju-ol-chaeng-i-gol)	<b>Jeju rush-like bulrush</b> <i>Scirpus lineolatus</i> Franch. & Sav.
제주장딸기 (Je-ju-jang-ttal-gi)	<b>Jeju hirsute raspberry</b> <i>Rubus hirsutus</i> f. <i>argyi</i> (H.Lév.) W.T.Lee
제주조릿대 (Je-ju-jo-rit-dae)	<b>Broad-leaf bamboo</b> <i>Sasa palmata</i> (Hort. ex Burb.) E.G.Camus
제주지네고사리 (Je-ju-ji-ne-go-sa-ri)	<b>Champion's autumn fern</b> <i>Dryopteris championii</i> (Benth.) C. Chr. ex Ching
제주진득찰 (Je-ju-jin-deuk-chal)	<b>Common St. Paul's wort</b> <i>Sigesbeckia orientalis</i> L.
제주찔레 (Je-ju-jjil-re)	<b>Memorial rose</b> <i>Rosa luciae</i> Franch. & Rochebr. ex Crép.
제주창고사리 (Je-ju-chang-go-sa-ri)	<b>Jeju spear colysis fern</b> <i>Colygon x shintenensis</i> (Hayata) H.Ito
제주큰물통이 (Je-ju-keun-mul-tong-i)	<b>Jeju clearweed</b> <i>Pilea taquetii</i> Nakai
제주큰옥매듭풀 (Je-ju-keun-ok-mae-deup-pul)	<b>Jeju knotweed</b> <i>Polygonum aviculare</i> var. <i>fusco-ochreatum</i> (Kom.) A.J.Li
제주피막이 (Je-ju(pi)-mak-i)	<b>Jeju pennywort</b> <i>Hydrocotyle yabei</i> Makino
제주하늘지기 (Je-ju-ha-neul-ji-gi)	<b>Few-spikelet fimbriostylis</b> <i>Fimbriostylis schoenoides</i> (Retz.) Vahl
제주현삼 (Je-ju-hyeon-sam)	<b>Jeju Buerger's figwort</b> <i>Scrophularia buergeriana</i> var. <i>quelpartensis</i> Yamaiz.
제주황기 (Je-ju-hwang-gi)	<b>Jeju membranous milkvetch</b> <i>Astragalus membranaceus</i> var. <i>alpinus</i> Nakai

Korean name (Romanization)	English name Scientific name
조개나물 (Jo-gae-na-mul)	<b>Korean pyramid bugle</b> <i>Ajuga multiflora</i> Bunge
조개나물속 [꿀풀과] (Jo-gae-na-mul-sok)	<b>Bugle, Bugleweed, Carpet bugle, Ground pine</b> <i>Ajuga</i> L. [Lamiaceae]
조개풀 (Jo-gae-pul)	<b>Small carpetgrass</b> <i>Arthraxon hispidus</i> (Thunb.) Makino
조개풀속 [벼과] (Jo-gae-pul-sok)	<b>Carpetgrass</b> <i>Arthraxon</i> P.Beauv. [Poaceae]
조도만두나무 (Jo-do-man-du-na-mu)	<b>Jodo cheesetree</b> <i>Glochidion chodoense</i> J.S.Lee & H.T.Im
조도만두나무속 [대극과] (Jo-do-man-du-na-mu-sok)	<b>Glochidion</b> <i>Glochidion</i> J.R.Forst. & G.Forst. [Euphorbiaceae]
조령으아리 (Jo-ryeong-eu-a-ri)	<b>Six-sepal clematis</b> <i>Clematis brachyura</i> var. <i>hexasepala</i> Y.N.Lee
조록나무 (Jo-rok-na-mu)	<b>Evergreen witch hazel</b> <i>Distylium racemosum</i> Siebold & Zucc.
조록나무과 (Jo-rok-na-mu-gwa)	<b>Witch hazel family</b> Hamamelidaceae R.Br.
조록나무속 [조록나무과] (Jo-rok-na-mu-sok)	<b>Winter-hazel</b> <i>Distylium</i> Siebold & Zucc. [Hamamelidaceae]
조록싸리 (Jo-rok-ssa-ri)	<b>Korean lespedeza</b> <i>Lespedeza maximowiczii</i> C.K.Schneid.
조름나물 (Jo-reum-na-mul)	<b>Buckbean</b> <i>Menyanthes trifoliata</i> L.
조름나물과 (Jo-reum-na-mul-gwa)	<b>Buckbean family</b> Menyanthaceae Dumort.
조름나물속 [조름나물과] (Jo-reum-na-mul-sok)	<b>Bogbean, Buckbean</b> <i>Menyanthes</i> L. [Menyanthaceae]
조릿대 (Jo-rit-dae)	<b>Northern bamboo</b> <i>Sasa borealis</i> (Hack.) Makino & Shibata
조릿대속 [벼과] (Jo-rit-dae-sok)	<b>Broad-leaf bamboo</b> <i>Sasa</i> Makino & Shibata [Poaceae]

Korean name (Romanization)	English name Scientific name
조릿대풀 (Jo-rit-dae-pul)	<b>Common lophatherum</b> <i>Lophatherum gracile</i> Brongn.
조릿대풀속 [벼과] (Jo-rit-dae-pul-sok)	<b>Lophatherum</b> <i>Lophatherum</i> Brongn. [Poaceae]
조밥나물 (Jo-bap-na-mul)	<b>Narrow-leaf hawkweed</b> <i>Hieracium umbellatum</i> L.
조밥나물속 [국화과] (Jo-bap-na-mul-sok)	<b>Hawkweed</b> <i>Hieracium</i> L. [Asteraceae]
조뱅이 (Jo-baeng-i)	<b>Common breea</b> <i>Breea segeta</i> (Bunge) Kitam.
조뱅이속 [국화과] (Jo-baeng-i-sok)	<b>Breea</b> <i>Breea</i> Less. [Asteraceae]
조선마늘 (Jo-seon-ma-neul)	<b>Korean pickled-peel garlic</b> <i>Allium scorodoprasum</i> var. <i>multibilossum</i> Y.N.Lee
조선사초 (Jo-seon-sa-cho)	<b>Korean sedge</b> <i>Carex chosenica</i> Ohwi
조선현호색 (Jo-seon-hyeon-ho-saek)	<b>Korean corydalis</b> <i>Corydalis turtschaninovii</i> Besser
조아재비 (Jo-a-jae-bi)	<b>Hard bristlegrass</b> <i>Setaria chondrachne</i> (Steud.) Honda
조이삭사초 (Jo-i-sak-sa-cho)	<b>Brown-spike sedge</b> <i>Carex phaeothrix</i> Ohwi
조팝나무 (Jo-pap-na-mu)	<b>Simple bridalwreath spiraea</b> <i>Spiraea prunifolia</i> f. <i>simpliciflora</i> Nakai
조팝나무속 [장미과] (Jo-pap-na-mu-sok)	<b>Spiraea</b> <i>Spiraea</i> L. [Rosaceae]
족도리풀 (Jok-do-ri-pul)	<b>Wildginger</b> <i>Asarum sieboldii</i> Miq.
족도리풀속 [주방울덩굴과] (Jok-do-ri-pul-sok)	<b>Wildginger</b> <i>Asarum</i> L. [Aristolochiaceae]
족제비고사리 (Jok-je-bi-go-sa-ri)	<b>Apricot fern</b> <i>Dryopteris varia</i> (L.) Kuntze

Korean name (Romanization)	English name Scientific name
졸갈참나무 (Jol-gal-cham-na-mu)	<b>Jolgalcham oak (Acute-serrate white oak)</b> <i>Quercus aliena</i> var. <i>acuteserrata</i> Maxim. ex Wenz.
졸방제비꽃 (Jol-bang-je-bi-kkot)	<b>Long-stem violet</b> <i>Viola acuminata</i> Ledeb.
졸참나무 (Jol-cham-na-mu)	<b>Jolcham oak (Konara oak)</b> <i>Quercus serrata</i> Murray
좀가지풀 (Jom-ga-ji-pul)	<b>Small loosestrife</b> <i>Lysimachia japonica</i> Thunb.
좀갈매나무 (Jom-gal-mae-na-mu)	<b>Jejudo buckthorn</b> <i>Rhamnus taquetii</i> (H.Lév. & Vaniot) H.Lév.
좀개갓냉이 (Jom-gae-gat-naeng-i)	<b>Small-seed yellowcress</b> <i>Rorippa cantoniensis</i> (Lour.) Ohwi
좀개구리밥 (Jom-gae-gu-ri-bap)	<b>Minute duckweed</b> <i>Lemna perpusilla</i> Torr.
좀개구리밥속 [개구리밥과] (Jom-gae-gu-ri-bap-sok)	<b>Duckweed</b> <i>Lemna Martinov</i> [Lemnaceae]
좀개미취 (Jom-gae-mi-chwi)	<b>Maack's aster</b> <i>Aster maackii</i> Regel
좀개수염 (Jom-gae-su-yeom)	<b>Small pipewort</b> <i>Eriocaulon decemflorum</i> Maxim.
좀겨풀 (Jom-gyeo-pul)	<b>Rice cutgrass</b> <i>Leersia oryzoides</i> (L.) Sw.
좀고사리 (Jom-go-sa-ri)	<b>Small moss-like fern</b> <i>Pleurosoriopsis makinoi</i> (Maxim. ex Makino) Fomin
좀고사리삼 (Jom-go-sa-ri-sam)	<b>Little moonwort</b> <i>Botrychium simplex</i> E.Hitchc.
좀고사리속 [고사리과] (Jom-go-sa-ri-sok)	<b>Pleurosoriopsis</b> <i>Pleurosoriopsis</i> Fomin [Pteridaceae]
좀고양이수염 (Jom-go-yang-i-su-yeom)	<b>Small beaksedge</b> <i>Rhynchospora fujianana</i> Makino
좀고추나물 (Jom-go-chu-na-mul)	<b>Loose St. Johnswort</b> <i>Hypericum laxum</i> (Blume) Koidz.

Korean name (Romanization)	English name Scientific name
좀골담초 (Jom-gol-dam-cho)	<b>Little-leaf peashrub</b> <i>Caragana microphylla</i> Lam.
좀골무꽃 (Jom-gol-mu-kkot)	<b>Dwarf Indian skullcap</b> <i>Scutellaria indica</i> var. <i>parvifolia</i> (Makino) Makino
좀구슬봉이 (Jom-gu-seul-bung-i)	<b>Small squarrose-leaf gentian</b> <i>Gentiana squarrosa</i> var. <i>microphylla</i> Nakai
좀굴거리나무 (Jom-gul-geo-ri-na-mu)	<b>Common daphniphyllum</b> <i>Daphniphyllum teijsmannii</i> Zoll. ex Teijsm. & Binn
좀깨잎나무 (Jom-kkae-ip-na-mu)	<b>Spicate falsenettle</b> <i>Boehmeria spicata</i> (Thunb.) Thunb.
좀께묵 (Jom-kke-muk)	<b>Small Maximowicz's hololeion</b> <i>Hololeion maximowiczii</i> var. <i>fauriei</i> (H.Lév. & Vaniot) J. H. Pak
좀꼬리까치밥나무 (Jom-kko-ri-kka-chi-bap-na-mu)	<b>Slender-racemose currant</b> <i>Ribes komarovii</i> var. <i>breviracemum</i> (Nakai) T.B.Lee
좀꽃버들 (Jom-kkot-beo-deul)	<b>Small willow</b> <i>Salix viminalis</i> var. <i>abbreviata</i> Doell.
좀꽝꽝나무 (Jom-kkwang-kkwang-na-mu)	<b>Small box-leaf holly</b> <i>Ilex crenata</i> var. <i>microphylla</i> Maxim. ex Matsum.
좀꾸리미풀 (Jom-kku-reo-mi-pul)	<b>Mountain ridge bluegrass</b> <i>Poa radula</i> Franch. & Sav.
좀꿩의다리 (Jom-kkwong-ui-da-ri)	<b>East Asian low meadow-rue</b> <i>Thalictrum kemense</i> var. <i>hypoleucum</i> (Siebold & Zucc.) Kitag.
좀꿩의밥 (Jom-kkwong-ui-bap)	<b>Reindeer woodrush</b> <i>Luzula wahlenbergii</i> Rupr.
좀나도고사리삼 (Jom-na-do-go-sa-ri-sam)	<b>Meadow adder's tongue</b> <i>Ophioglossum thermale</i> Kom.
좀나도히초미 (Jom-na-do-hi-cho-mi)	<b>Braun's holly fern</b> <i>Polystichum braunii</i> (Spenn.) Féé
좀낭아초 (Jom-nang-a-cho)	<b>Ground little rose</b> <i>Chamaerhodos erecta</i> (L.) Bunge
좀낭아초속 [장미과] (Jom-nang-a-cho-sok)	<b>Little rose</b> <i>Chamaerhodos</i> Bunge [Rosaceae]

Korean name (Romanization)	English name Scientific name
좀냉이 (Jom-naeng-i)	<b>Small-flower bittercress</b> <i>Cardamine parviflora</i> L.
좀네모골 (Jom-ne-mo-gol)	<b>Small-square spikerush</b> <i>Eleocharis wichurae</i> Boeckeler
좀네잎갈퀴 (Jom-ne-ip-gal-kwi)	<b>Slender-leaf bedstraw</b> <i>Galium gracilens</i> (A.Gray) Makino
좀다람쥐꼬리 (Jom-da-ram-jwi-kko-ri)	<b>Fir clubmoss</b> <i>Huperzia selago</i> (L.) Bernh. ex Schrank & Mart.
좀닭의장풀 (Jom-dak-ui-jang-pul)	<b>Narrow-flower Asian dayflower</b> <i>Commelina communis</i> var. <i>angustifolia</i> Nakai
좀담배풀 (Jom-dam-bae-pul)	<b>Drooping carpesium</b> <i>Carpesium cernuum</i> L.
좀댕강나무 (Jom-daeng-gang-na-mu)	<b>Dwarf abelia</b> <i>Abelia serrata</i> Siebold & Zucc.
좀도깨비사초 (Jom-do-kkae-bi-sa-cho)	<b>Small Dickins' sedge</b> <i>Carex idzuroei</i> Franch. & Sav.
좀돌팥 (Jom-dol-pat)	<b>Common Asian cowpea</b> <i>Vigna nakashimae</i> (Ohwi) Ohwi & H.Ohashi
좀돌피 (Jom-dol-pi)	<b>Meadow barnyard grass</b> <i>Echinochloa crus-galli</i> var. <i>praticola</i> Ohwi
좀딱취 (Jom-ttak-chwi)	<b>Small maple-leaf ainsliaea</b> <i>Ainsliaea apiculata</i> Sch.Bip.
좀딸기 (Jom-ttal-gi)	<b>Mockstrawberry cinquefoil</b> <i>Potentilla centigrana</i> Maxim.
좀마디거머리말 (Jom-ma-di-geo-meo-ri-mal)	<b>Sub-nod eelgrass</b> <i>Zostera geojeensis</i> H.Shin, Cho & Y.S.Oh
좀매자기 (Jom-mae-ja-gi)	<b>Flat-stalk bulrush</b> <i>Scirpus planiculmis</i> F.Schmidt
좀맥문동 (Jom-maek-mun-dong)	<b>Lesser lilyturf</b> <i>Liriopae minor</i> (Maxim.) Makino
좀머귀나무 (Jom-meo-gwi-na-mu)	<b>Lesser alianthus-like prickly-ash</b> <i>Zanthoxylum fauriei</i> (Nakai) Ohwi

Korean name (Romanization)	English name Scientific name
좀명아주 (Jom-myeong-a-ju)	<b>Fig-leaf goosefoot</b> <i>Chenopodium ficifolium</i> Sm.
좀목형 (Jom-mok-hyeong)	<b>Five-leaf chastetree</b> <i>Vitex negundo</i> var. <i>incisa</i> (Lam.) C.B.Clarke
좀물뚝새 (Jom-mul-ttuk-sae)	<b>Glenwoodgrass</b> <i>Sacciolepis indica</i> (L.) Chase
좀미꾸리광이 (Jom-mi-kku-ri-gwang-i)	<b>Pale false mannagrass</b> <i>Torreyochoa pallida</i> (Torr.) Church
좀미꾸리광이속 [벼과] (Jom-mi-kku-ri-gwang-i-sok)	<b>False mannagrass</b> <i>Torreyochoa</i> G.L.Church [Poaceae]
좀미역고사리 (Jom-mi-yeok-go-sa-ri)	<b>Rock polypody</b> <i>Polypodium virginianum</i> L.
좀민들레 (Jom-min-deul-re)	<b>Hallasan small dandelion</b> <i>Taraxacum hallasanense</i> Nakai
좀민하늘지기 (Jom-min-ha-neul-ji-gi)	<b>Summer fimbriostylis</b> <i>Fimbristylis aestivalis</i> (Retz.) Vahl
좀바늘꽃 (Jom-ba-neul-kkot)	<b>Slender willowherb</b> <i>Epilobium tenue</i> Kom.
좀바늘사초 (Jom-ba-neul-sa-cho)	<b>Bellard's kobresia</b> <i>Kobresia bellardii</i> (All.) Degl. ex Loisel.
좀바늘사초속 [사초과] (Jom-ba-neul-sa-cho-sok)	<b>Bog sedge</b> <i>Kobresia</i> Willd. [Cyperaceae]
좀바랭이 (Jom-ba-raeng-i)	<b>Trailing crabgrass</b> <i>Digitaria radicosa</i> (J. Presl) Miq.
좀바위솔 (Jom-ba-wi-sol)	<b>Minute rock pine</b> <i>Orostachys minuta</i> (Kom.) A.Berger
좀보리사초 (Jom-bo-ri-sa-cho)	<b>Dwarf sand sedge</b> <i>Carex pumila</i> Thunb.
좀부처꽃 (Jom-bu-cheo-kkot)	<b>Many-flower ammannia</b> <i>Ammannia multiflora</i> Roxb.
좀부처꽃속 [부처꽃과] (Jom-bu-cheo-kkot-sok)	<b>Redstem, Ammannia</b> <i>Ammannia</i> L. [Lythraceae]

Korean name (Romanization)	English name Scientific name
좀부추 (Jom-bu-chu)	<b>Manchurian aging chive</b> <i>Allium minus</i> (S.O.Yu, S.Lee & W.Lee) H.J.Chi & B.U.Oh
좀분벼들 (Jom-bun-beo-deul)	<b>Glandless pruina-shoot willow</b> <i>Salix rorida</i> var. <i>roridaeformis</i> (Nakai) Ohwi
좀비비추 (Jom-bi-bi-chu)	<b>Minor hosta</b> <i>Hosta minor</i> (Baker) Nakai
좀사다리고사리 (Jom-sa-da-ri-go-sa-ri)	<b>Small gland fern</b> <i>Parathelypteris cystopteroides</i> (D.C.Eaton) Ching
좀사위질빵 (Jom-sa-wi-jil-ppang)	<b>Short plumous clematis</b> <i>Clematis brevicaudata</i> DC.
좀사철나무 (Jom-sa-cheol-na-mu)	<b>Winter creeper spindletree</b> <i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz.
좀산미나리아재비 (Jom-san-mi-na-ri-a-jae-bi)	<b>Small mountain meadow buttercup</b> <i>Ranunculus acris</i> f. <i>oreodoxa</i> (Kitag.) Tamura
좀산서어나무 (Jom-san-seo-eo-na-mu)	<b>Small-leaf Korean hornbeam</b> * <i>Carpinus turczaninovii</i> var. <i>arguta</i> Uyeki
좀산초나무 (Jom-san-cho-na-mu)	<b>Small mastic-leaf prickly ash</b> * <i>Zanthoxylum schinifolium</i> f. <i>microphyllum</i> (Nakai) W.T.Lee
좀새그령 (Jom-sae-geu-ryeong)	<b>Little lovegrass</b> <i>Eragrostis minor</i> Host
좀새비나무 (Jom-sae-bi-na-mu)	<b>Many-stem Jejudo beautyberry</b> <i>Callicarpa mollis</i> f. <i>ramosissima</i> (Nakai) W.T.Lee
좀새포아풀 (Jom-sae-po-a-pul)	<b>Korean bluegrass</b> <i>Poa deschampsoides</i> Ohwi
좀새풀 (Jom-sae-pul)	<b>Tufted hairgrass</b> <i>Deschampsia cespitosa</i> (L.) P.Beauv.
좀새풀속 [벼과] (Jom-sae-pul-sok)	<b>Hairgrass, Tussock grass</b> <i>Deschampsia</i> P.Beauv. [Poaceae]
좀설앵초 (Jom-seol-aeng-cho)	<b>Baedusun primrose</b> <i>Primula sachalinensis</i> Nakai
좀속새 (Jom-sok-sae)	<b>Dwarf horsetail</b> <i>Equisetum scirpoides</i> Michx.

Korean name (Romanization)	English name Scientific name
종술방울고랭이 (Jom-sol-bang-ul-go-raeng-i)	<b>Lesser oriental bulrush</b> <i>Scirpus furenlodes</i> Maxim.
종송이고랭이 (Jom-song-i-go-raeng-i)	<b>Bog bulrush</b> <i>Schoenoplectus mucronatus</i> (L.) Palla
종쇠고사리 (Jom-soe-go-sa-ri)	<b>Short-rhizome hollyfern</b> <i>Arachniodes sporadosora</i> (Kunze) Nakaike
종쇠물푸레 (Jom-soe-mul-pu-re)	<b>Narrow-leaf flowering ash</b> <i>Fraxinus sieboldiana</i> var. <i>angusta</i> Blume
종수땅나무 (Jom-swi-ttang-na-mu)	<b>Drooping-flower false spiraea</b> <i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim.
종시호 (Jom-si-ho)	<b>Leveille's big-leaf hare's ear</b> <i>Bupleurum longiradiatum</i> f. <i>leveillei</i> (H.Boissieu) Kitag.
종싸리 (Jom-ssa-ri)	<b>Wando lespedeza</b> <i>Lespedeza virgata</i> (Thunb.) DC.
종씀바귀 (Jom-sseum-ba-gwi)	<b>Creeping ikeris</b> <i>Ikeris stolonifera</i> A.Gray
종야광나무 (Jom-ya-gwang-na-mu)	<b>Small-leaf Siberian crabapple</b> <i>Malus baccata</i> f. <i>minor</i> (Nakai) T.B.Lee
종양지꽃 (Jom-yang-ji-kkot)	<b>High mountain cinquefoil</b> <i>Potentilla matsumurae</i> Th.Wolf
종어리연꽃 (Jom-eo-ri-yeon-kkot)	<b>East Asian floatingheart</b> <i>Nymphoides coreana</i> (H.Lév.) H.Hara
종우드풀 (Jom-u-deu-pul)	<b>Intermediate woodsia</b> <i>Woodsia intermedia</i> Tagawa
종윤노리 (Jom-yun-no-ri)	<b>Korean photinia</b> <i>Pourthiaeavillosa</i> var. <i>coreana</i> Nakai
종자작나무 (Jom-ja-jak-na-mu)	<b>Dwarf bog birch</b> <i>Betula fruticosa</i> Pall.
종작살나무 (Jom-jak-sal-na-mu)	<b>Purple beautyberry</b> <i>Callicarpa dichotoma</i> (Lour.) K.Koch
종장구밥나무 (Jom-jang-gu-bap-na-mu)	<b>Narrow-leaf grewia</b> <i>Grewia parviflora</i> f. <i>angusta</i> (Nakai) W.T.Lee

Korean name (Romanization)	English name Scientific name
좀조개풀 (Jom-jo-gae-pul)	<b>East Asian basketgrass</b> <i>Coelachne japonica</i> Hack.
좀조개풀속 [벼과] (Jom-jo-gae-pul-sok)	<b>Coelachne</b> <i>Coelachne</i> R.Br. [Poaceae]
좀조팝나무 (Jom-jo-pap-na-mu)	<b>Small spiraea</b> <i>Spiraea microgyna</i> Nakai
좀종덩굴 (Jom-jong-deong-gul)	<b>Thick-sepal clematis</b> <i>Clematis crassisepala</i> Ohwi
좀쥐똥나무 (Jom-jwi-ttong-na-mu)	<b>Small-leaf privet</b> <i>Ligustrum ibota</i> f. <i>microphyllum</i> Nakai
좀쥐손이 (Jom-jwi-son-i)	<b>Three-lobe cranesbill</b> <i>Geranium tripartitum</i> R.Knuth
좀쥐오줌 (Jom-jwi-o-jum)	<b>Little valerian</b> <i>Valeriana fauriei</i> f. <i>coreana</i> (Briq.) H.Hara
좀진고사리 (Jom-jin-go-sa-ri)	<b>Small false spleenwort</b> <i>Deparia conilii</i> (Franch. & Sav.) M.Kato
좀짚신나물 (Jom-jip-sin-na-mul)	<b>Small hairy agrimony</b> <i>Agrimonia nipponica</i> Koidz.
좀쪽동백나무 (Jom-jjok-dong-baek-na-mu)	<b>Jirisan snowbell</b> <i>Styrax shiraianus</i> Makino
좀찔레 (Jom-jjil-re)	<b>Jejudo multiflora rose</b> <i>Rosa multiflora</i> var. <i>quelpaertensis</i> (H.Lév.) Nakai
좀참꽃 (Jom-cham-kkot)	<b>Cute azalea</b> <i>Rhododendron redowskianum</i> Maxim.
좀참빗살나무 (Jom-cham-bit-sal-na-mu)	<b>Winter-berry spindletree</b> <i>Euonymus bungeanus</i> Maxim.
좀처녀이끼 (Jom-cheo-nyeo-i-kki)	<b>Smooth filmy fern</b> <i>Mecodium polyanthos</i> (Sw.) Copel.
좀층층잔대 (Jom-cheung-cheung-jan-dae)	<b>Hallasan ladybell</b> <i>Adenophora verticillata</i> var. <i>abbreviata</i> H.Lév.
좀털쥐똥나무 (Jom-teol-jwi-ttong-na-mu)	<b>Hairy small-leaf privet</b> <i>Ligustrum ibota</i> Siebold

Korean name (Romanization)	English name Scientific name
좁풍게나무 (Jom-pung-ge-na-mu)	<b>Bunge's hackberry</b> <i>Celtis bungeana</i> Blume
좁향유 (Jom-hyang-yu)	<b>Smallest mint</b> <i>Elsholtzia minima</i> Nakai
좁현삼 (Jom-hyeon-sam)	<b>Small-leaf mountain figwort</b> <i>Scrophularia kakudensis</i> var. <i>microphylla</i> Nakai
좁현호색 (Jom-hyeon-ho-saek)	<b>Decumbent corydalis</b> <i>Corydalis decumbens</i> (Thunb.) Pers.
좁호랑밭들 (Jom-ho-rang-beo-deul)	<b>Elongate-leaf goat willow</b> <i>Salix caprea</i> f. <i>elongata</i> (Nakai) Kitag.
좁황해쑥 (Jom-hwang-hae-ssuk)	<b>Small-head silvery wormwood</b> <i>Artemisia argyi</i> f. <i>microcephala</i> Pamp.
좁쌀냉이 (Jop-ssal-naeng-i)	<b>False bittercress</b> <i>Cardamine fallax</i> L.
좁쌀사초 (Jop-ssal-sa-cho)	<b>Small-flower sedge</b> <i>Carex micrantha</i> Kük.
좁쌀우드풀 (Jop-ssal-u-deu-pul)	<b>Korean woodsia</b> <i>Woodsia saitoana</i> Tagawa
좁쌀풀 (Jop-ssal-pul)	<b>Dahurian loosestrife</b> <i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) R.Kunth
좁쌀풀속 [현삼과] (Jop-ssal-pul-sok)	<b>Eyebright</b> <i>Euphrasia</i> L. [Scrophulariaceae]
좁은백산차 (Jop-eun-baek-san-chá)	<b>Narrow-leaf labrador tea</b> <i>Ledum palustre</i> var. <i>decumbens</i> Aiton
좁은어수리 (Jop-eun-eo-su-ri)	<b>Narrow East Asian hogweed</b> <i>Heracleum moellendorffii</i> f. <i>angustum</i> (Kitag.) Kitag.
좁은잎가막사리 (Jop-eun-ip-ga-mak-sa-ri)	<b>Nodding beggartick</b> <i>Bidens cernua</i> L.
좁은잎계요등 (Jop-eun-ip-gye-yo-deung)	<b>Narrow-leaf skunk vine</b> <i>Paederia scandens</i> var. <i>angustifolia</i> (Nakai) T.B.Lee
좁은잎덩굴용담 (Jop-eun-ip-deong-gul-yong-dam)	<b>Twining pterygocalyx</b> <i>Pterygocalyx volubilis</i> Maxim.

Korean name (Romanization)	English name Scientific name
좁은잎덩굴용담속 [용담과] (Jop-eun-ip-deong-gul-yong-dam-sok)	<b>Pterygocalyx</b> <i>Pterygocalyx</i> Maxim. [Gentianaceae]
좁은잎돌꽃 (Jop-eun-ip-dol-kkot)	<b>Narrow-leaf rhodiola</b> <i>Rhodiola angusta</i> Nakai
좁은잎말 (Jop-eun-ip-mal)	<b>Alpine pondweed</b> <i>Potamogeton alpinus</i> Balb.
좁은잎매자 (Jop-eun-ip-mae-ja)	<b>Narrow-leaf Korean barberry</b> <i>Berberis koreana</i> var. <i>angustifolia</i> Nakai
좁은잎미꾸리낚시 (Jop-eun-ip-mi-kku-ri-nak-si)	<b>Linear arrow-head smartweed</b> <i>Persicaria praetermissa</i> (Hook.f.) H.Hara
좁은잎미나리냉이 (Jop-eun-ip-mi-na-ri-naeng-i)	<b>Schulz's bittercress</b> <i>Cardamine trifida</i> (Lam. ex Poir.) B.M.G.Jones
좁은잎밀나물 (Jop-eun-ip-mil-na-mul)	<b>Narrow-leaf riparian greenbrier</b> <i>Smilax riparia</i> var. <i>ussuriensis</i> f. <i>stenophylla</i> (H.Hara) T.Koyama
좁은잎배풍등 (Jop-eun-ip-bae-pung-deung)	<b>Narrow-leaf nightshade</b> <i>Solanum japonense</i> Nakai
좁은잎보리장 (Jop-eun-ip-bo-ri-jang)	<b>Narrow-leaf autumn-flower oleaster</b> <i>Elaeagnus glabra</i> f. <i>oxyphylla</i> (Servett.) W.T.Lee
좁은잎사위질빵 (Jop-eun-ip-sa-wi-jil-ppang)	<b>Narrow three-leaf clematis</b> <i>Clematis hexapetala</i> Pall.
좁은잎엉겅퀴 (Jop-eun-ip-eong-geong-kwi)	<b>Narrow-leaf Japanese thistle</b> <i>Cirsium japonicum</i> f. <i>nakaianum</i> (H.Lév. & Vaniot) W.T.Lee
좁은잎육지꽃버들 (Jop-eun-ip-yuk-ji-kkot-beo-deul)	<b>Linear-leaf willow</b> <i>Salix viminalis</i> var. <i>linearifolia</i> Wimmer & Grabowski
좁은잎참빗살나무 (Jop-eun-ip-cham-bit-sal-na-mu)	<b>Maack's spindletree</b> <i>Euonymus hamiltonianus</i> var. <i>maackii</i> (Rupr.) Kom.
좁은잎천선과 (Jop-eun-ip-cheon-seon-gwa)	<b>Narrow-leaf erect fig</b> <i>Ficus erecta</i> var. <i>sieboldii</i> (Miq.) King.
좁은잎해란초 (Jop-eun-ip-hae-ran-cho)	<b>Yellow toadflax</b> <i>Linaria vulgaris</i> Hill
좁은잎흑삼릉 (Jop-eun-ip-heuk-sam-reung)	<b>Northern bur-reed</b> <i>Sparganium hyperboreum</i> Laest. ex Beurl.

Korean name (Romanization)	English name Scientific name
좁은해홍나물 (Jop-eun-hae-hong-na-mul)	<b>Narrow-saline seepweed</b> <i>Suaeda heteroptera</i> Kitag.
종가시나무 (Jong-ga-si-na-mu)	<b>Ring-cup oak</b> <i>Quercus glauca</i> Thunb.
종다리꽃 (Jong-da-ri-kkot)	<b>Dentate-lobe alpine bell</b> * <i>Cortusa matthioli</i> var. <i>pekinensis</i> (V.A.Richt.) T.B.Lee
종다리꽃속 [앵초과] (Jong-da-ri-kkot-sok)	<b>Cortusa</b> <i>Cortusa</i> L. [Primulaceae]
종덩굴 (Jong-deong-gul)	<b>Violet Stanavoi clematis</b> <i>Clematis fusca</i> var. <i>violacea</i> Maxim.
종둥굴레 (Jong-dung-gul-re)	<b>Sharp-tipped-leaf solomon's seal</b> <i>Polygonatum acuminatifolium</i> Kom.
종비나무 (Jong-bi-na-mu)	<b>Korean spruce</b> <i>Picea koraiensis</i> Nakai
주걱노루발 (Ju-geok-no-ru-bal)	<b>Lesser wintergreen</b> <i>Pyrola minor</i> L.
주걱댕강나무 (Ju-geok-daeng-gang-na-mu)	<b>Spatulate-leaf abelia</b> <i>Abelia spathulata</i> Siebold & Zucc.
주걱비름 (Ju-geok-bi-reum)	<b>Spatulate-leaf stonecrop</b> <i>Sedum tosaense</i> Makino
주걱비비추 (Ju-geok-bi-bi-chu)	<b>Closed-flower hosta</b> <i>Hosta clausa</i> Nakai
주걱일엽 (Ju-geok-il-yeop)	<b>Oblong-sorus lance fern</b> <i>Loxogramme grammoides</i> (Baker) C.Chr.
주걱일엽속 [고란초과] (Ju-geok-il-yeop-sok)	<b>Loxogramme, Lace fern</b> <i>Loxogramme</i> (Blume) C. Presl [Polypodiaceae]
주걱장대 (Ju-geok-jang-dae)	<b>Spatulate-leaf rockcress</b> <i>Arabis ligulifolia</i> Nakai
주름고사리 (Ju-reum-go-sa-ri)	<b>Big-ear twinsorus fern</b> <i>Diplazium wichurae</i> (Mett.) Diels
주름고사리속 [면마과] (Ju-reum-go-sa-ri-sok)	<b>Twinsorus fern</b> <i>Diplazium</i> Sw. [Dryopteridaceae]

Korean name (Romanization)	English name Scientific name
주름금강아지풀 (Ju-reum-geum-gang-a-ji-pul)	<b>Wrinkled-glume yellow bristlegrass</b> <i>Setaria glauca</i> var. <i>dura</i> (I.C.Chung) I.C.Chung
주름사초 (Ju-reum-sa-cho)	<b>Slender-culm thick-nerve sedge</b> <i>Carex rugulosa</i> var. <i>graciliculmis</i> (Ohwi) Kitag.
주름잎 (Ju-reum-ip)	<b>Asian mazus</b> <i>Mazus pumilus</i> (Burm.f.) Steenis
주름잎속 [현삼과] (Ju-reum-ip-sok)	<b>Mazus</b> <i>Mazus</i> Lour. [Scrophulariaceae]
주름제비란속 [난초과] (Ju-reum-je-bi-ran-sok)	<b>Wrinkled-margin gymnandenia</b> <i>Neolindleya camtschatica</i> (Cham.) Nevski
주름조개풀 (Ju-reum-jo-gae-pul)	<b>Neolindleya</b> <i>Neolindleya</i> Kranezel [Orchidaceae]
주름조개풀속 [벼과] (Ju-reum-jo-gae-pul-sok)	<b>Wavy-leaf basketgrass</b> <i>Oplismenus undulatifolius</i> (Ard.) P.Beauv.
주목 (Ju-mok)	<b>Basketgrass</b> <i>Oplismenus</i> P.Beauv. [Poaceae]
주목과 (Ju-mok-gwa)	<b>Rigid-branch yew</b> <i>Taxus cuspidata</i> Siebold & Zucc.
주목속 [주목과] (Ju-mok-sok)	<b>Yew family</b> Taxaceae Gray.
주엽나무 (Ju-yeop-na-mu)	<b>Yew</b> <i>Taxus</i> L. [Taxaceae]
주엽나무속 [콩과] (Ju-yeop-na-mu-sok)	<b>Japanese honey locust</b> <i>Gleditsia japonica</i> Miq.
주저리고사리 (Ju-jeo-ri-go-sa-ri)	<b>Gleditsia</b> <i>Gleditsia</i> L. [Fabaceae]
죽대 (Juk-dae)	<b>Fragrant fern</b> <i>Dryopteris fragrans</i> (L.) Schott
죽대아재비 (Juk-dae-a-jae-bi)	<b>Korean solomon's seal</b> <i>Polygonatum lasianthum</i> Maxim.
	<b>Clasping-leaf twisted-stalk</b> <i>Streptopus amplexifolius</i> (L.) DC.

Korean name (Romanization)	English name Scientific name
죽대아재비속 [백합과] (Juk-dae-a-jae-bi-sok)	<b>Twisted-stalk</b> <i>Streptopus</i> Michx. [Liliaceae]
죽백란 (Juk-baek-ran)	<b>White bamboo-leaf orchid</b> <i>Cymbidium lancifolium</i> Hook.
죽절초 (Juk-jeol-cho)	<b>Glabrous sarcandra herb</b> <i>Sarcandra glabra</i> (Thunb.) Nakai
죽절초속 [훌아비꽃대과] (Juk-jeol-cho-sok)	<b>Sarcandra</b> <i>Sarcandra</i> Gardner [Chloranthaceae]
줄 (Jul)	<b>Manchurian wild rice</b> <i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf
줄고사리 (Jul-go-sa-ri)	<b>Narrow sword fern</b> <i>Nephrolepis cordifolia</i> (L.) C.Presl
줄고사리속 [넉줄고사리과] (Jul-go-sa-ri-sok)	<b>Sword fern</b> <i>Nephrolepis</i> Schott [Davalliaceae]
줄꽃주머니 (Jul-kkot-ju-meo-ni)	<b>Asian mountain fringe</b> <i>Adlumia asiatica</i> Ohwi
줄꽃주머니속 [현호색과] (Jul-kkot-ju-meo-ni-sok)	<b>Adlumia</b> <i>Adlumia</i> Raf. [Fumariaceae]
줄댕강나무 (Jul-daeng-gang-na-mu)	<b>Taihyun's abelia</b> <i>Abelia taihyoni</i> Nakai
줄딸기 (Jul-ttal-gi)	<b>Korean creeping raspberry</b> <i>Rubus oldhamii</i> Miq.
줄말 (Jul-mal)	<b>Widgeon grass</b> <i>Ruppia maritima</i> L.
줄말속 [가래과] (Jul-mal-sok)	<b>Ditch grasses, Widgeon grass, Widgeonweed</b> <i>Ruppia</i> L. [Potamogetonaceae]
줄바꽃 (Jul-ba-kkot)	<b>Whitish-purple monk's hood</b> <i>Aconitum alboviolaceum</i> Kom.
줄바늘꽃 (Jul-ba-neul-kkot)	<b>Northern Asian willowherb</b> <i>Epilobium glandulosum</i> var. <i>asiaticum</i> H.Hara
줄사철나무 (Jul-sa-cheol-na-mu)	<b>Radicans winter creeper spindletree</b> <i>Euonymus fortunei</i> var. <i>radicans</i> (Miq.) Rehder

Korean name (Romanization)	English name Scientific name
줄사초 (Jul-sa-cho)	<b>Sluggish sedge</b> <i>Carex lenta</i> D.Don
줄석송 (Jul-seok-song)	<b>Siebold's clubmoss</b> <i>Huperzia sieboldii</i> (Miq.) Holub
줄속 [벼과] (Jul-sok)	<b>Wild rice</b> <i>Zizania</i> L. [Poaceae]
줄현호색 (Jul-hyeon-ho-saek)	<b>Bunge's corydalis</b> <i>Corydalis bungeana</i> Turcz.
중나리 (Jung-na-ri)	<b>Lesser tiger lily</b> <i>Lilium leichtlinii</i> var. <i>maximowiczii</i> (Regel) Baker
중느릅나무 (Jung-neu-reup-na-mu)	<b>Medium-fruit elm</b> <i>Ulmus × mesocarpa</i> M.Y.Kim & S.T.Lee
중대가리풀 (Jung-dae-ga-ri-pul)	<b>Spreading sneezeweed</b> <i>Centipeda minima</i> (L.) A.Braun & Asch
중대가리풀속 [국화과] (Jung-dae-ga-ri-pul-sok)	<b>Centipeda</b> <i>Centipeda</i> Lour. [Asteraceae]
중삿갓사초 (Jung-sat-gat-sa-cho)	<b>Dumangang sedge</b> <i>Carex tuminensis</i> Kom.
중의무릇 (Jung-ui-mu-reut)	<b>Oriental yellow gagea</b> <i>Gagea nakaiana</i> Kitag.
중의무릇속 [백합과] (Jung-ui-mu-reut-sok)	<b>Gagea, Yellow star-of-Bethlehem</b> <i>Gagea</i> Salisb. [Liliaceae]
중정억새 (Jung-jeong-eok-sae)	<b>Smooth maiden silvergrass</b> <i>Misanthus sinensis</i> var. <i>nakaianus</i> (Honda) I.C.Chung
쥐깨풀 (Jwi-kkae-pul)	<b>Miniature mosla</b> <i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim
쥐깨풀속 [꿀풀과] (Jwi-kkae-pul-sok)	<b>Mosla</b> <i>Mosla</i> (Benth.) Buch.-Ham. ex Maxim. [Lamiaceae]
쥐꼬리망초 (Jwi-kko-ri-mang-cho)	<b>Oriental water-willow</b> <i>Justicia procumbens</i> L.
쥐꼬리망초과 (Jwi-kko-ri-mang-cho-gwa)	<b>Acanthus family</b> <b>Acanthaceae</b> Juss.

Korean name (Romanization)	English name Scientific name
주꼬리망초속 [주꼬리망초과] (Jwi-kko-ri-mang-cho-sok)	<b>Water-willow</b> <i>Justicia</i> L. [Acanthaceae]
주꼬리새 [주꼬리새속] (Jwi-kko-ri-sae)	<b>Purple-awn muhly</b> <i>Muhlenbergia japonica</i> Steud.
주꼬리새속 [벼과] (Jwi-kko-ri-sae-sok)	<b>Muhly</b> <i>Muhlenbergia</i> Schreb. [Poaceae]
주꼬리새풀 (Jwi-kko-ri-sae-pul)	<b>Sacaton grass</b> <i>Sporobolus fertilis</i> (Steud.) Clayton
주꼬리새풀속 [벼과] (Jwi-kko-ri-sae-pul-sok)	<b>Dropseed grasses, Sacaton grasses</b> <i>Sporobolus</i> R.Br. [Poaceae]
주꼬리풀 (Jwi-kko-ri-pul)	<b>Spike colicroot</b> <i>Aletris spicata</i> (Thunb.) Franch.
주꼬리풀속 [백합과] (Jwi-kko-ri-pul-sok)	<b>Colicroot, Colicweed, Crow corn, Unicorn root</b> <i>Aletris</i> L. [Liliaceae]
주다래 (Jwi-da-rae)	<b>Variegated-leaf hardy kiwi</b> <i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim.
주똥나무 (Jwi-ttong-na-mu)	<b>Border privet</b> <i>Ligustrum obtusifolium</i> Siebold & Zucc.
주똥나무속 [물푸레나무과] (Jwi-ttong-na-mu-sok)	<b>Privet</b> <i>Ligustrum</i> L. [Oleaceae]
주방울덩굴 (Jwi-bang-ul-deong-gul)	<b>Northern pipevine</b> <i>Aristolochia contorta</i> Bunge
주방울덩굴과 (Jwi-bang-ul-deong-gul-gwa)	<b>Birthwort family</b> <i>Aristolochiaceae</i> Juss.
주방울덩굴속 [주방울덩굴과] (Jwi-bang-ul-deong-gul-sok)	<b>Birthwort, Dutchman's pipe, Pipevine</b> <i>Aristolochia</i> L. [Aristolochiaceae]
취손이풀 (Jwi-son-i-pul)	<b>Siberian geranium</b> <i>Geranium sibiricum</i> L.
취손이풀과 (Jwi-son-i-pul-gwa)	<b>Geranium family</b> <i>Geraniaceae</i> Juss.
취손이풀속 [취손이풀과] (Jwi-son-i-pul-sok)	<b>Cranesbills, Geranium</b> <i>Geranium</i> L. [Geraniaceae]

Korean name (Romanization)	English name Scientific name
쥐오줌풀 (Jwi-o-jum-pul)	<b>Korean valerian</b> <i>Valeriana fauriei</i> Briq.
쥐오줌풀속 [마타리과] (Jwi-o-jum-pul-sok)	<b>Valerian</b> <i>Valeriana</i> L. [Valerianaceae]
쥐털이슬 (Jwi-teol-i-seul)	<b>Alpine enchanter's nightshade</b> <i>Circaealpina</i> L.
증산쑥 (Jeung-san-ssuk)	<b>Northern wormwood</b> <i>Artemisia borealis</i> var. <i>ledebourii</i> Besser
지네고사리 (Ji-ne-go-sa-ri)	<b>East Asian gland fern</b> <i>Parathelypteris japonica</i> (Baker) Ching
지네발란 (Ji-ne-bal-ran)	<b>Centipede's foot orchid</b> <i>Cleisostoma scolopendrifolia</i> (Makino) Garay
지네발란속 [난초과] (Ji-ne-bal-ran-sok)	<b>Cleisostoma</b> <i>Cleisostoma</i> Blume [Orchidaceae]
지느러미고사리 (Ji-neu-reo-mi-go-sa-ri)	<b>Fin maiden spleenwort</b> <i>Hymenophyllum hondoense</i> (N.Murak. et Hatan.) Nakaike
지느러미고사리속 [꼬리고사리과] (Ji-neu-reo-mi-go-sa-ri-sok)	<b>Hymenophyllum</b> <i>Hymenophyllum</i> Hayata [Aspleniaceae]
지령쿠나무 (Ji-reong-ku-na-mu)	<b>Kamchatka red elder</b> <i>Sambucus racemosa</i> subsp. <i>kamtschatica</i> (E.Wolf) Hultén
지리강활 (Ji-ri-gang-hwal)	<b>Amur angelica</b> <i>Angelica amurensis</i> Schischk.
지리개관종 (Ji-ri-gae-gwan-jung)	<b>Jiri holly fern</b> <i>Polystichum ovatopaleaceum</i> (Kodama) Sa Kurata
지리고들빼기 (Ji-ri-go-deul-ppae-gi)	<b>Jiri crepidiastrum</b> <i>Crepidiastrum koidzumianum</i> (Kitam.) Pak & Kawano
지리괴불나무 (Ji-ri-goe-bul-na-mu)	<b>Jiri honeysuckle</b> <i>Lonicera cerasoides</i> Nakai
지리대극 (Ji-ri-dae-geuk)	<b>Jiri spurge</b> <i>Euphorbia togakusensis</i> Hayata
지리대사초 (Ji-ri-dae-sa-cho)	<b>Creeping narrow-leaf sedge</b> <i>Carex okamotoi</i> Ohwi

Korean name (Romanization)	English name Scientific name
자리바꽃 (Ji-ri-ba-kkot)	Jiri monk'shood <i>Aconitum chiisanense</i> Nakai
자리산개별꽃 (Ji-ri-san-gae-byeol-kkot)	Jirisan false-starwort <i>Pseudostellaria okamotoi</i> Ohwi
자리산고사리 (Ji-ri-san-go-sa-ri)	Jirisan ladyfern <i>Athyrium excelsius</i> Nakai
자리산김의털 (Ji-ri-san-gim-ui-teol)	Jirisan sheep's fescue <i>Festuca ovina</i> var. <i>chiisanensis</i> Ohwi
자리산꼬리풀 (Ji-ri-san-kko-ri-pul)	Korean spike speedwell <i>Veronica rotunda</i> var. <i>coreana</i> (Nakai) T.Yamaz.
자리산숲고사리 (Ji-ri-san-sup-go-sa-ri)	Jirisan horn fern <i>Cornopteris × christenseniana</i> (Koidz.) Tagawa
자리산오갈피 (Ji-ri-san-o-gal-pi)	Jirisan spreading-hair eleuthero <i>Eleutherococcus divaricatus</i> var. <i>chiisanensis</i> (Nakai) C.H.Kim & B.Y.Sun
자리산하늘말나리 (Ji-ri-san-ha-neul-mal-na-ri)	Jirisan twilight lily * <i>Lilium tsingtauense</i> f. <i>carneum</i> (Nakai) Y.N.Lee
자리실청사초 (Ji-ri-sil-cheong-sa-cho)	Smooth-fruit narrow mitra sedge <i>Carex sabynensis</i> var. <i>leiosperma</i> Ohwi
자리오리방풀 (Ji-ri-o-ri-bang-pul)	Jiri tailed-leaf isodon * <i>Isodon excisus</i> var. <i>chiisanensis</i> T.B.Lee
자리터리풀 (Ji-ri-teo-ri-pul)	Jiri meadowsweet <i>Filipendula formosa</i> Nakai
자채 (Ji-chae)	Sea arrowgrass <i>Triglochin maritima</i> L.
자채과 (Ji-chae-gwa)	Arrowgrass family <i>Juncaginaceae</i> Rich.
자채속 [자채과] (Ji-chae-sok)	Arrowgrass <i>Triglochin</i> L. [ <i>Juncaginaceae</i> ]
자 자  (Ji-chi)	Red-root gromwell <i>Lithospermum erythrorhizon</i> Siebold & Zucc.
자 자 과 (Ji-chi-gwa)	Borage family <i>Boraginaceae</i> Juss.

Korean name (Romanization)	English name Scientific name
지치속 [지치과] (Ji-chi-sok)	<b>Gromwells, Stonesseeds</b> <i>Lithospermum</i> L. [Boraginaceae]
지칭개 (Ji-ching-gae)	<b>Lyre-shape hemistepeta</b> <i>Hemistepeta lyrata</i> Bunge
지칭개속 [국화과] (Ji-ching-gae-sok)	<b>Hemistepeta</b> <i>Hemistepeta</i> Bunge [Asteraceae]
지포나무 (Ji-po-na-mu)	<b>Glaucous Oldham's blueberry</b> <i>Vaccinium oldhamii</i> f. <i>glaucinum</i> (Nakai) Kitam.
진고사리 (Jin-go-sa-ri)	<b>False spleenwort</b> <i>Deparia japonica</i> (Thunb.) M.Kato
진고사리속 [면마과] (Jin-go-sa-ri-sok)	<b>False spleenwort</b> <i>Deparia</i> Hook. & Grev. [Dryopteridaceae]
진남포사초 (Jin-nam-po-sa-cho)	<b>Rigescens sedge</b> <i>Carex rigescens</i> (Franch.) V.I.Krecz.
진노랑상사화 (Jin-no-rang-sang-sa-hwa)	<b>Yellow surprise lily</b> <i>Lycoris chinensis</i> Traub
진달래 (Jin-dal-rae)	<b>Korean rhododendron</b> <i>Rhododendron mucronulatum</i> Turcz.
진달래과 (Jin-dal-rae-gwa)	<b>Heath family</b> Ericaceae Juss.
진달래속 [진달래과] (Jin-dal-rae-sok)	<b>Azalea, Rhododendron, Rosebay</b> <i>Rhododendron</i> L. [Ericaceae]
진도싸리 (Jin-do-ssa-ri)	<b>Jindo lespedeza</b> <i>Lespedeza × patentibicolor</i> T.B.Lee
진득찰 (Jin-deuk-chal)	<b>Hair-stalk St. Paul's wort</b> <i>Sigesbeckia glabrescens</i> (Makino) Makino
진득찰속 [국화과] (Jin-deuk-chal-sok)	<b>St. Paul's wort</b> <i>Sigesbeckia</i> L. [Asteraceae]
진들검정사초 (Jin-deul-geom-jeong-sa-cho)	<b>Meyer's sedge</b> <i>Carex meyeriana</i> Kunth
진들딸기 (Jin-deul-ttal-gi)	<b>Cloudberry</b> <i>Rubus chamaemorus</i> L.

Korean name (Romanization)	English name Scientific name
진들사초 (Jin-deul-sa-cho)	<b>Globular-spike sedge</b> <i>Carex globularis</i> L.
진들피 (Jin-deul-pi)	<b>Protruding mannagrass</b> <i>Glyceria ischyronoeura</i> Steud.
진땅고추풀 (Jin-ttang-go-chu-pul)	<b>Violet deinostema</b> <i>Deinostema violacea</i> (Maxim.) T.Yamaz.
진땅고추풀속 [현삼과] (Jin-ttang-go-chu-pul-sok)	<b>Deinostema</b> <i>Deinostema</i> T.Yamaz. [Scrophulariaceae]
진범 (Jin-beom)	<b>Upright monk'shood</b> <i>Aconitum pseudolaeve</i> Nakai
진보라붓꽃 (Jin-bo-ra-but-kkot)	<b>Violet blood iris</b> <i>Iris sanguinea</i> var. <i>violacea</i> Makino
진저리고사리 (Jin-jeo-ri-go-sa-ri)	<b>East Asian wood fern</b> <i>Dryopteris maximowiczii</i> (Baker) Kuntz.
진주고추나물 (Jin-ju-go-chu-na-mul)	<b>Few-flower St. Johnswort</b> <i>Hypericum oliganthum</i> Franch. & Sav.
진주바위솔 (Jin-ju-ba-wi-sol)	<b>Margaric leaf rock pine</b> <i>Orostachys margaritifolia</i> Y.N.Lee
진퍼리개고사리 (Jin-peo-ri-gae-go-sa-ri)	<b>Marsh false spleenwort</b> <i>Deparia okuboana</i> (Makino) M.Kato
진퍼리고사리 (Jin-peo-ri-go-sa-ri)	<b>Soft-hair swamp fern</b> <i>Leptogramma mollissima</i> (Kunze) Ching
진퍼리고사리속 [면마과] (Jin-peo-ri-go-sa-ri-sok)	<b>Leptogramma</b> <i>Leptogramma</i> J.Sm. [Dryopteridaceae]
진퍼리끼치수염 (Jin-peo-ri-kka-chi-su-yeom)	<b>Fortune's loosestrife</b> <i>Lysimachia fortunei</i> Maxim.
진퍼리꽃나무 (Jin-peo-ri-kkot-na-mu)	<b>Leatherleaf</b> <i>Chamaedaphne calyculata</i> (L.) Moench
진퍼리꽃나무속 [진달래과] (Jin-peo-ri-kkot-na-mu-sok)	<b>Leatherleaf</b> <i>Chamaedaphne</i> Moench [Ericaceae]
진퍼리노루오줌 (Jin-peo-ri-no-ru-o-jum)	<b>Spreading false goat's beard</b> <i>Astilbe chinensis</i> var. <i>divaricata</i> Nakai

Korean name (Romanization)	English name Scientific name
진퍼리버들 (Jin-peo-ri-beo-deul)	<b>Swamp willow</b> <i>Salix myrtilloides</i> L.
진퍼리사초 (Jin-peo-ri-sa-cho)	<b>Wet-sand sedge</b> <i>Carex arenicola</i> F.Schmidt
진퍼리사 (Jin-peo-ri-sae)	<b>Japanese moorgrass</b> <i>Molinia japonica</i> Hack.
진퍼리새속 [벼과] (Jin-peo-ri-sae-sok)	<b>Moorgrass</b> <i>Molinia</i> Schrank [Poaceae]
진퍼리용담 (Jin-peo-ri-yong-dam)	<b>Linear-leaf Korean gentian</b> <i>Gentiana scabra</i> f. <i>stenophylla</i> (H.Hara) W.K.Paik & W.T.Lee
진퍼리잔대 (Jin-peo-ri-jan-dae)	<b>Marsh ladybell</b> <i>Adenophora palustris</i> Kom.
진펄현호색 (Jin-peol-hyeon-ho-saek)	<b>Busch's corydalis</b> <i>Corydalis buschii</i> Nakai
진황정 (Jin-hwang-jeong)	<b>Moniliform-rhizome solomon's seal</b> <i>Polygonatum falcatum</i> A.Gray
진흙풀 (Jin-heuk-pul)	<b>Chickweed sparrow</b> <i>Microcarpaea minima</i> (K.D.Koenig ex Retz.) Merr.
진흙풀속 [현삼과] (Jin-heuk-pul-sok)	<b>Microcarpaea</b> <i>Microcarpaea</i> R.Br. [Scrophulariaceae]
질경이 (Jil-gyeong-i)	<b>Asian plantain</b> <i>Plantago asiatica</i> L.
질경이과 (Jil-gyeong-i-gwa)	<b>Plantain family</b> <i>Plantaginaceae</i> Juss.
질경이속 [질경이과] (Jil-gyeong-i-sok)	<b>Plantain, Fleawort</b> <i>Plantago</i> L. [Plantaginaceae]
질경이택사 (Jil-gyeong-i-taek-sa)	<b>Asian water plantain</b> <i>Alisma plantago-aquatica</i> subsp. <i>orientale</i> (Sam.) Sam.
집께고로쇠 (Jip-kke-go-ro-soe)	<b>Connivent-wing mono maple</b> <i>Acer mono</i> f. <i>connivens</i> (Nichols.) Rehder
집사초 (Jip-sa-cho)	<b>Sheathed sedge</b> <i>Carex vaginata</i> Tausch

Korean name (Romanization)	English name Scientific name
짚신나물 (Jip-sin-na-mul)	<b>Hairy agrimony</b> <i>Agrimonia pilosa</i> Ledeb.
짚신나물속 [장미과] (Jip-sin-na-mul-sok)	<b>Agrimony</b> <i>Agrimonia</i> L. [Rosaceae]
짠자래나무 (Jjak-ja-rae-na-mu)	<b>Basally-pored-seed buckthorn</b> <i>Rhamnus yoshinoi</i> Makino
짧은개여뀌 (Jjal-beun-gae-yeo-kkwi)	<b>Short-stalk oriental smartweed</b> <i>Persicaria longiseta</i> f. <i>breviseta</i> (Meisn.) W.T.Lee
짧은사상자 (Jjal-beun-sa-sang-ja)	<b>Mountain aristate sweetroot</b> <i>Osmorrhiza aristata</i> var. <i>montana</i> Makino
쪽가래나무 (Jjok-ga-rae-na-mu)	<b>Heart-shape walnut</b> <i>Juglans cordiformis</i> Maxim.
쪽동백나무 (Jjok-dong-baek-na-mu)	<b>Fragrant snowbell</b> <i>Styrax obassia</i> Siebold & Zucc.
쪽버들 (Jjok-beo-deul)	<b>Maximowicz's willow</b> <i>Salix maximowiczii</i> Kom.
쪽잔고사리 (Jjok-jan-go-sa-ri)	<b>Asian single-sorus spleenwort</b> <i>Asplenium ritoense</i> Hayata
찔레꽃 (Jjil-re-kkot)	<b>Multiflora rose</b> <i>Rosa multiflora</i> Thunb.

**ㅊ**

차걸이란 (Cha-geol-i-ran)	<b>East Asian fairy orchid</b> <i>Oberonia japonica</i> (Maxim.) Makino
차걸이란속 [난초과] (Cha-geol-i-ran-sok)	<b>Fairy orchids</b> <i>Oberonia</i> Lindl. [Orchidaceae]
차꼬리고사리 (Cha-kko-ri-go-sa-ri)	<b>Maidenhair spleenwort</b> <i>Asplenium trichomanes</i> L.
차나무 (Cha-na-mu)	<b>Tea camellia</b> <i>Camellia sinensis</i> L.
차나무과 (Cha-na-mu-gwa)	<b>Tea family</b> <i>Theaceae</i> Mirb.

Korean name (Romanization)	English name Scientific name
차빛귀를 (Cha-bit-gwi-rung)	<b>Red-brown bird cherry</b> <i>*Prunus padus f. rufa-ferruginea</i> (Nakai) W.T.Lee
차빛당마가목 (Cha-bit-dang-ma-ga-mok)	<b>Reddish Amur mountain ash</b> <i>Sorbus amurensis</i> var. <i>rufa</i> Nakai
차일봉개미자리 (Cha-il-bong-gae-mi-ja-ri)	<b>Korean big-fruit stitchwort</b> <i>Minuartia macrocarpa</i> var. <i>koreana</i> (Nakai) H.Hara
차풀 (Cha-pul)	<b>Field sensitive pea</b> <i>Chamaecrista nomame</i> (Siebold) H.Ohashi
차풀속 [콩과] (Cha-pul-sok)	<b>Sensitive pea</b> <i>Chamaecrista</i> Moench [Fabaceae]
찰피나무 (Chal-pi-na-mu)	<b>Manchurian lime</b> <i>Tilia mandshurica</i> Rupr. & Maxim.
참가시나무 (Cham-ga-si-na-mu)	<b>Willow-leaf evergreen oak</b> <i>Quercus salicina</i> Blume
참갈매나무 (Cham-gal-mae-na-mu)	<b>Ussuri buckthorn</b> <i>Rhamnus ussuriensis</i> J.J.Vassil.
참갈퀴덩굴 (Cham-gal-kwi-deong-gul)	<b>Korean lady's bedstraw</b> <i>Galium koreanum</i> (Nakai) Nakai
참개별꽃 (Cham-gae-byeol-kkot)	<b>Korean false-starwort</b> <i>Pseudostellaria coreana</i> (Nakai) Ohwi
참개싱아 (Cham-gae-sing-a)	<b>Small-fruit knotweed</b> <i>*Aconogonon microcarpum</i> (Kitag.) H.Hara
참개암나무 (Cham-gae-am-na-mu)	<b>Asian beaked hazel</b> <i>Corylus sieboldiana</i> Blume
참개연꽃 (Cham-gae-yeon-kkot)	<b>Yellow water-lily</b> <i>Nuphar subintegerrima</i> Makino
참고추냉이 (Cham-go-chu-naeng-i)	<b>Korean bittercress</b> <i>Cardamine koreana</i> (Nakai) Nakai
참골담초 (Cham-gol-dam-cho)	<b>Manchurian peashrub</b> <i>Caragana fruticosa</i> (Pall.) Besser
참골무꽃 (Cham-gol-mu-kkot)	<b>Sandy skullcap</b> <i>Scutellaria strigillosa</i> Hemsl.

Korean name (Romanization)	English name Scientific name
참골풀 (Cham-gol-pul)	<b>High mountain rush</b> <i>Juncus brachyspathus</i> Maxim.
참곰비늘고사리 (Cham-gom-bi-neul-go-sa-ri)	<b>Korean uniform wood fern</b> <i>Dryopteris uniformis</i> f. <i>coreana</i> H.Ito
참기생꽃 (Cham-gi-saeng-kkot)	<b>European starflower</b> <i>Trientalis europaea</i> L.
참김의털 (Cham-gim-ui-teol)	<b>Korean sheep's fescue</b> <i>Festuca ovina</i> var. <i>coreana</i> St.-Yves
참깨과 (Cham-kkae-gwa)	<b>Sesame family</b> <i>Pedaliaceae</i> R.Br.
참꽃나무 (Cham-kkot-na-mu)	<b>Weyrich's azalea</b> <i>Rhododendron weyrichii</i> Maxim.
참꽃마리 (Cham-kkot-ma-ri)	<b>Korean trigonotis</b> <i>Trigonotis radicans</i> var. <i>sericea</i> (Maxim.) H.Hara
참꽃밭이 (Cham-kkot-bat-i)	<b>Many-bract bothriospermum</b> <i>Bothriospermum secundum</i> Maxim.
참나도하초미 (Cham-na-do-hi-cho-mi)	<b>Korean holly fern</b> <i>Polystichum ovatopaleaceum</i> var. <i>coraiense</i> (Christ) Sa Kurata
참나래박주 (Cham-na-rae-bak-jwi)	<b>Korean Indian plantain</b> <i>Parasenecio koraiensis</i> (Nakai) B.U.Oh
참나래새 (Cham-na-rae-sae)	<b>Korean needlegrass</b> <i>Stipa coreana</i> Honda
참나리 (Cham-na-ri)	<b>Tiger lily</b> <i>Lilium lancifolium</i> Thunb.
참나리난초 (Cham-na-ri-nan-cho)	<b>Korean widelip orchid</b> <i>Liparis koreana</i> (Nakai) Nakai
참나무겨우살이 (Cham-na-mu-gyeo-u-sal-i)	<b>Silverberry-like taxillus</b> <i>Taxillus yadoriki</i> (Siebold ex Maxim.) Danser
참나무겨우살이속 [겨우살이과] (Cham-na-mu-gyeo-u-sal-i-sok)	<b>Taxillus</b> <i>Taxillus</i> Tiegh. [Loranthaceae]
참나무과 (Cham-na-mu-gwa)	<b>Beech family, Oak family</b> <i>Fagaceae</i> Dumort.

Korean name (Romanization)	English name Scientific name
참나무속 [참나무과] (Cham-na-mu-sok)	<b>Oak</b> <i>Quercus</i> L. [Fagaceae]
참나물 (Cham-na-mul)	<b>Chamnamul (Short-fruit pimpernel)</b> <i>Pimpinella brachycarpa</i> (Kom.) Nakai
참나물속 [산형과] (Cham-na-mul-sok)	<b>Burnet saxifrage, Pimpernel</b> <i>Pimpinella</i> L. [Apiaceae]
참느릅나무 (Cham-neu-reup-na-mu)	<b>Lacebark elm</b> <i>Ulmus parvifolia</i> Jacq.
참당귀 (Cham-dang-gwi)	<b>Korean angelica</b> <i>Angelica gigas</i> Nakai
참대극 (Cham-dae-geuk)	<b>Shiny spurge</b> <i>Euphorbia lucorum</i> Rupr.
참두메부추 (Cham-du-me-bu-chu)	<b>Korean aging chive</b> <i>Allium spirale</i> Willd.
참똑사초 (Cham-ttuk-sa-cho)	<b>Schmidt's sedge</b> <i>Carex schmidii</i> Meinh.
참마 (Cham-ma)	<b>East Asian mountain yam</b> <i>Dioscorea japonica</i> Thunb.
참명아주 (Cham-myeong-a-ju)	<b>Korean goosefoot</b> <i>Chenopodium koraiense</i> Nakai
참물부추 (Cham-mul-bu-chu)	<b>Korean quillwort</b> <i>Isoetes sinensis</i> var. <i>coreana</i> (Y.H.Chung & H.K.Choi) M.Takamiya, Mits.Watan. & K.Ono
참바늘골 (Cham-ba-neul-gol)	<b>True needle spikerush</b> <i>Eleocharis attenuata</i> (Franch. & Sav.) Palla
참바위취 (Cham-ba-wi-chwi)	<b>Geumgangsan rockfoil</b> <i>Saxifraga oblongifolia</i> Nakai
참박쥐나물 (Cham-bak-jwi-na-mul)	<b>Colt's-foot-leaf Indian plantain</b> <i>Parasenecio hastatus</i> var. <i>farfaraefolia</i> (Siebold et Zucc.) Ohwi
참반디 (Cham-ban-di)	<b>East Asian sanicle</b> <i>Sanicula chinensis</i> Bunge
참반디속 [산형과] (Cham-ban-di-sok)	<b>Sanicle</b> <i>Sanicula</i> L. [Apiaceae]

Korean name (Romanization)	English name Scientific name
참방동사니 (Cham-bang-dong-sa-ni)	Ricefield flatsedge <i>Cyperus iria</i> L.
참배암차즈기 (Cham-bae-am-cha-jeu-gi)	Korean snake sage <i>Salvia chanryoenica</i> Nakai
참범꼬리 (Cham-beom-kko-ri)	Common bistort <i>Bistorta pacifica</i> (Petrov ex Kom.) Kom.
참비녀골풀 (Cham-bi-nyeo-gol-pul)	Prism-fruit rush <i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner
참비비추 (Cham-bi-bi-chu)	Normal closed-flower hosta <i>Hosta clausa</i> var. <i>normalis</i> F.Maek.
참빗살나무 (Cham-bit-sal-na-mu)	Hamilton's spindletree <i>Euonymus hamiltonianus</i> Wall.
참사다리고사리 (Cham-sa-da-ri-go-sa-ri)	Korean gland fern <i>Parathelypteris glanduligera</i> var. <i>koreana</i> (Nakai) H.Itô
참산부추 (Cham-san-bu-chu)	Northern plain chive <i>Allium sacciferum</i> Maxim.
참삿갓사초 (Cham-sat-gat-sa-cho)	Amrokgang sedge <i>Carex jalensis</i> Kom.
참새귀리 (Cham-sae-gwi-ri)	Common brome <i>Bromus japonicus</i> Houtt.
참새귀리속 [벼과] (Cham-sae-gwi-ri-sok)	Brome, Brome grasses, Cheat grasses, Chess grasses <i>Bromus</i> L. [Poaceae]
참새그령 (Cham-sae-geu-ryeong)	Lovegrass <i>Eragrostis cilianensis</i> (Bellardi) Vignolo ex Janch.
참새그령속 [벼과] (Cham-sae-geu-ryeong-sok)	Lovegrass, Canegrass <i>Eragrostis</i> Wolf [Poaceae]
참새발고사리 (Cham-sae-bal-go-sa-ri)	Glandular ladyfern <i>Athyrium brevifrons</i> Kodama ex Nakai
참새피 (Cham-sae-pi)	Asian crownglass <i>Paspalum thunbergii</i> Kunth ex Steud.

Korean name (Romanization)	English name Scientific name
참새피속 [벼과] (Cham-sae-pi-sok)	<b>Bahiagrasses, Crowngrass, Dallis grasses</b> <i>Paspalum</i> L. [Poaceae]
참소리쟁이 (Cham-so-ri-jaeng-i)	<b>Northeast Asian curly dock</b> <i>Rumex japonicus</i> Houtt.
참쇠고비 (Cham-soe-go-bi)	<b>Korean caryota-leaf hollyfern</b> * <i>Cyrtomium caryotideum</i> var. <i>coreanum</i> Nakai
참쇠보리 (Cham-soe-bo-ri)	<b>Korean murainagrass</b> <i>Ischaemum antephoroides</i> f. <i>coreanum</i> (Nakai) Y.N.Lee
참시호 (Cham-si-ho)	<b>Sickle-leaf hare's ear</b> <i>Bupleurum falcatum</i> var. <i>scorzoneraefolium</i> (Willd.) Ledeb.
참식나무 (Cham-sik-na-mu)	<b>Sericous newlitsea</b> <i>Neolitsea sericea</i> (Blume) Koidz.
참식나무속 [녹나무과] (Cham-sik-na-mu-sok)	<b>Neolitsea, Newlitsea</b> <i>Neolitsea</i> Benth. & Hook.f. & Merr. [Lauraceae]
참싸리 (Cham-ssa-ri)	<b>Leafy lespedeza</b> <i>Lespedeza cyrtobotrya</i> Miq.
참쌀새 (Cham-ssal-sae)	<b>Rough melic</b> <i>Melica scabrosa</i> Trin.
참쑥 (Cham-ssuk)	<b>Chamssuk (True wormwood)</b> <i>Artemisia dubia</i> Wall.
참양지꽃 (Cham-yang-ji-kkot)	<b>Short-pedicel Korean cinquefoil</b> <i>Potentilla dickinsii</i> var. <i>breviseta</i> Nakai
참억새 (Cham-eok-sae)	<b>Maiden silvergrass</b> <i>Misanthus sinensis</i> Andersson
참여로 (Cham-yeo-ro)	<b>Black false-hellebore</b> <i>Veratrum nigrum</i> L.
참오글잎버들 (Cham-o-geul-ip-beo-deul)	<b>Curly willow</b> <i>Salix siuzevii</i> Seem.
참우드풀 (Cham-u-deu-pul)	<b>Wide-blade woodsia</b> <i>Woodsia macrochlaena</i> Mett. ex Kuhn
참으아리 (Cham-eu-a-ri)	<b>Sweet autumn clematis</b> <i>Clematis terniflora</i> DC.

Korean name (Romanization)	English name Scientific name
참작약 (Cham-jak-yak)	<b>Three-fruit white peony</b> <i>Paeonia lactiflora</i> var. <i>trichocarpa</i> (Bunge) Stem
참장대나물 (Cham-jang-dae-na-mul)	<b>Cylindrical rockcress</b> <i>Arabis columnalis</i> Nakai
참제비고깔 (Cham-je-bi-go-kkal)	<b>Oriental knight's larkspur</b> <i>Delphinium ornatum</i> C.D.Bouché
참조팝나무 (Cham-jo-pap-na-mu)	<b>Korean spiraea</b> <i>Spiraea fritschiana</i> C.K.Schneid.
참좁쌀풀 (Cham-jop-ssal-pul)	<b>Korean loosestrife</b> <i>Lysimachia coreana</i> Nakai
참좁쌀풀속 [앵초과] (Cham-jop-ssal-pul-sok)	<b>Yellow loosestrife</b> <i>Lysimachia</i> L. [Primulaceae]
참주름조개풀 (Cham-ju-reum-jo-gae-pul)	<b>Elongate wavy-leaf basketgrass</b> <i>Oplismenus undulatifolius</i> var. <i>elongatus</i> Honda
참줄바꽃 (Cham-jul-ba-kkot)	<b>White-villous monk'shood</b> <i>Aconitum villosum</i> Rchb.
참지네고사리 (Cham-ji-ne-go-sa-ri)	<b>True autumn fern</b> <i>Dryopteris nipponensis</i> Koidz.
참취 (Cham-chwi)	<b>Edible aster</b> <i>Aster scaber</i> Thunb.
참취속 [국화과] (Cham-chwi-sok)	<b>Aster</b> <i>Aster</i> L. [Asteraceae]
참터리풀 (Cham-teo-ri-pul)	<b>Multi-ridge meadowsweet</b> <i>Filipendula multijuga</i> Maxim.
참황새풀 (Cham-hwang-sae-pul)	<b>Common cottonsedge</b> <i>Eriophorum angustifolium</i> Honck.
참회나무 (Cham-hoe-na-mu)	<b>Korean spindletree</b> <i>Euonymus oxyphyllus</i> Miq.
창고사리 (Chang-go-sa-ri)	<b>Lance colysis fern</b> <i>Colyisia × simplicifrons</i> (Christ) Tagawa
창일엽	<b>Spear star fern</b> <i>Microsorium superficiale</i> (Blume) Ching

え

Korean name (Romanization)	English name Scientific name
창일엽속 [고란초과] (Chang-il-yeop-sok)	<b>Microsorium</b> <i>Microsorium</i> Link [Polypodiaceae]
창포 (Chang-po)	<b>Common sweet flag</b> <i>Acorus calamus</i> L.
창포속 [천남성과] (Chang-po-sok)	<b>Calamus, Sweet flag</b> <i>Acorus</i> L. [Araceae]
채고추나물 (Chae-go-chu-na-mul)	<b>Attenuate St. Johnswort</b> <i>Hypericum attenuatum</i> Fisch. ex Choisy
채진목 (Chae-jin-mok)	<b>Asian serviceberry</b> <i>Amelanchier asiatica</i> (Siebold & Zucc.) Endl. ex Walp.
채진목속 [장미과] (Chae-jin-mok-sok)	Chuckley pear, Juneberry, Sarvis, Sarvisberry, Saskatoon, Serviceberry, Shadblow, Shadbush, Shadwood, Sugarplum, Wild pear, Wild-plum <i>Amelanchier</i> Medik. [Rosaceae]
처녀고사리 (Cheo-nyeo-go-sa-ri)	<b>Eastern marsh fern</b> <i>Thelypteris palustris</i> (Salisb.) Schott
처녀고사리속 [면마과] (Cheo-nyeo-go-sa-ri-sok)	<b>Maiden fern</b> <i>Thelypteris</i> Schmidel [Dryopteridaceae]
처녀바디 (Cheo-nyeo-ba-di)	<b>Bristly-margin angelica</b> <i>Angelica cartilaginomarginata</i> (Makino) Nakai
처녀이끼 (Cheo-nyeo-i-kki)	<b>Wright's filmy fern</b> <i>Mecodium wrightii</i> (Bosch) Copel.
처녀이끼과 (Cheo-nyeo-i-kki-gwa)	<b>Filmy fern family</b> Hymenophyllaceae Mart.
처녀이끼속 [처녀이끼과] (Cheo-nyeo-i-kki-sok)	<b>Filmy fern, Mecodium</b> <i>Mecodium</i> (Copel.) C. Presl ex Copel. [Hymenophyllaceae]
처녀치마 (Cheo-nyeo-chi-ma)	<b>Korean swamppink</b> <i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura
처녀치마속 [백합과] (Cheo-nyeo-chi-ma-sok)	<b>Heloniopsis, Swamppink</b> <i>Heloniopsis</i> A.Gray [Liliaceae]
처진뽕나무 (Cheo-jin-ppong-na-mu)	<b>Weeping white mulberry</b> <i>Morus alba</i> f. <i>pendula</i> Dippel
처진소나무 (Cheo-jin-so-na-mu)	<b>Pendulous Korean red pine</b> <i>Pinus densiflora</i> f. <i>pendula</i> Mayr

Korean name (Romanization)	English name Scientific name
천궁속 [산형과] (Cheon-gung-sok)	<b>Snowparsley</b> <i>Cnidium Cusson</i> [Apiaceae]
천남성 (Cheon-nam-seong)	<b>Serrate Amur jack-in-the-pulpit</b> <i>Arisaema amurense f. serratum</i> (Nakai) Kitag.
천남성과 (Cheon-nam-seong-gwa)	<b>Arum family</b> Araceae Juss.
천남성속 [천남성과] (Cheon-nam-seong-sok)	<b>Jack-in-the-pulpit</b> <i>Arisaema Mart.</i> [Araceae]
천마 (Cheon-ma)	<b>Cheonma (Tall gastrodia)</b> <i>Gastrodia elata</i> Blume
천마속 [난초과] (Cheon-ma-sok)	<b>Gastrodia</b> <i>Gastrodia R.Br.</i> [Orchidaceae]
천문동 (Cheon-mun-dong)	<b>Lucid asparagus</b> <i>Asparagus cochinchinensis</i> (Lour.) Merr.
천선과나무 (Cheon-seon-gwa-na-mu)	<b>Erect fig</b> <i>Ficus erecta</i> Thunb.
천일담배풀 (Cheon-il-dam-bae-pul)	<b>Glossy-leaf carpesium</b> <i>Carpesium glossophyllum</i> Maxim.
천일사초 (Cheon-il-sa-cho)	<b>Scabrous-leaf sedge</b> <i>Carex scabrifolia</i> Steud.
철쭉꽃 (Cheol-jjuk-kkot)	<b>Royal azalea</b> <i>Rhododendron schlippenbachii</i> Maxim.
청가시덩굴 (Cheong-ga-si-deong-gul)	<b>Siebold's greenbrier</b> <i>Smilax sieboldii</i> Miq.
청갈참나무 (Cheong-gal-cham-na-mu)	<b>Glabrous Galcham oak (Blue-leaf white oak)</b> <i>Quercus aliena</i> var. <i>pellucida</i> Blume
청고불나무 (Cheong-goe-bul-na-mu)	<b>Smooth-leaf honeysuckle</b> <i>Lonicera subsessilis</i> Rehder
청까마귀머루 (Cheong-kka-ma-gwi-meo-ru)	<b>Smooth mulberry-leaf grapevine</b> <i>Vitis ficifolia</i> f. <i>glabrata</i> (Nakai) W.T.Lee
청나래고사리 (Cheong-na-rae-go-sa-ri)	<b>Shuttlecock fern</b> <i>Matteuccia struthiopteris</i> (L.) Tod.

Korean name (Romanization)	English name Scientific name
청나래고사리속 [면마과] (Cheong-na-rae-go-sa-ri-sok)	<b>Ostrich fern</b> <i>Matteuccia</i> Tod. [Dryopteridaceae]
청닭의난초 (Cheong-dak-ui-nan-cho)	<b>Green-flower helleborine</b> <i>Epipactis papillosa</i> Franch. & Sav.
청떡갈나무 (Cheong-tteok-gal-na-mu)	<b>Blue Korean oak</b> <i>Quercus dentata</i> var. <i>fallax</i> Nakai
청명석딸기 (Cheong-meong-seok-ttal-gi)	<b>Glabrous-leaf trailing raspberry</b> * <i>Rubus parvifolius</i> f. <i>concolor</i> (Koidz.) Sugim.
청명아주 (Cheong-myeong-a-ju)	<b>Rhombic-leaf goosefoot</b> <i>Chenopodium bryoniifolium</i> Bunge
청미래덩굴 (Cheong-mi-rae-deong-gul)	<b>East Asian greenbrier</b> <i>Smilax china</i> L.
청미래덩굴속 [백합과] (Cheong-mi-rae-deong-gul-sok)	<b>Catbriers, Greenbriers, Prickly-ivys, Smilaxes</b> <i>Smilax</i> L. [Liliaceae]
청복분자딸기 (Cheong-bok-bun-ja-ttal-gi)	<b>Glabrous-leaf bokbunja</b> * <i>Rubus coreanus</i> f. <i>concolor</i> (Nakai) T.B.Lee
청분비나무 (Cheong-bun-bi-na-mu)	<b>Green-cone Khingan fir</b> <i>Abies nephrolepis</i> f. <i>chlorocarpa</i> E.H.Wilson
청비녀골풀 (Cheong-bi-nyeo-gol-pul)	<b>Papillose rush</b> <i>Juncus papillosus</i> Franch. & Sav.
청비수리 (Cheong-bi-su-ri)	<b>Greenish juncea lespedeza</b> <i>Lespedeza inschanica</i> (Maxim.) Schindl.
청사조 (Cheong-sa-jo)	<b>Paniculous supplejack</b> <i>Berchemia racemosa</i> Siebold & Zucc.
청사철란 (Cheong-sa-cheol-ran)	<b>Spotless Schlechtendal's rattlesnake plantain</b> <i>Goodyera schlechtendaliana</i> f. <i>similis</i> (Blume) Makino
청사초 (Cheong-sa-cho)	<b>Short-stem sedge</b> <i>Carex breviculmis</i> R.Br.
청수리딸기 (Cheong-su-ri-ttal-gi)	<b>Smooth-leaf raspberry</b> <i>Rubus corchorifolius</i> var. <i>oliveri</i> (Miq.) Focke

Korean name (Romanization)	English name Scientific name
청수크령 (Cheong-su-keu-ryeong)	<b>Greenish foxtail fountaingrass</b> <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> (Miq.) Ohwi
청수땅나무 (Cheong-swi-ttang-na-mu)	<b>Incertae false spiraea</b> <i>Sorbaria sorbifolia</i> f. <i>incerta</i> (C.K.Schneid.) Kitag.
청시닥나무 (Cheong-si-dak-na-mu)	<b>Bearded maple</b> <i>Acer barbinerve</i> Maxim.
청실리 (Cheong-sil-ri)	<b>Ovoid-fruit Ussuri pear</b> <i>Pyrus ussuriensis</i> var. <i>ovoidea</i> Rehder
청오미자 (Cheong-o-mi-ja)	<b>Green-berry magnolia vine</b> <i>*Schisandra viridicarpa</i> Y.N.Lee
청위봉배나무 (Cheong-wi-bong-bae-na-mu)	<b>Green Uibong wild pear</b> <i>Pyrus pseudocalleryana</i> Uyeki
청졸갈참나무 (Cheong-jol-gal-cham-na-mu)	<b>Glabrous Jolgalcham oak (Blue acute-serrate white oak)</b> <i>Quercus aliena</i> var. <i>acuteserrata</i> f. <i>calvescens</i> Rehder & Wilson
청지네고사리 (Cheong-ji-ne-go-sa-ri)	<b>Green autumn fern</b> <i>Dryopteris erythrosora</i> f. <i>viridisora</i> (Nakai ex H.Ito) H.Ito
청포아풀 (Cheong-po-a-pul)	<b>Greenish bluegrass</b> <i>Poa viridula</i> Palib.
청피사초 (Cheong(pi)s-a-cho)	<b>Big male-scale sedge</b> <i>Carex macrandrolepsis</i> H.Lév.
체꽃 (Che-kkot)	<b>Pinnate-leaf scabious</b> <i>Scabiosa tschiliensis</i> f. <i>pinnata</i> (Nakai) W.T.Lee
체꽃속 [산토끼꽃과] (Che-kkot-sok)	<b>Pincushions, Scabious</b> <i>Scabiosa</i> L. [Dipsacaceae]
초령목 (Cho-ryeong-mok)	<b>Compressed michelia</b> <i>Michelia compressa</i> (Maxim.) Sarg.
초령목속 [목련과] (Cho-ryeong-mok-sok)	<b>Michelia</b> <i>Michelia</i> L. [Magnoliaceae]
초롱꽃 (Cho-rong-kkot)	<b>Spotted bellflower</b> <i>Campanula punctata</i> Lam.

Korean name (Romanization)	English name Scientific name
초롱꽃과 (Cho-rong-kkot-gwa)	<b>Bellflower family</b> <i>Campanulaceae</i> Juss.
초롱꽃속 [초롱꽃과] (Cho-rong-kkot-sok)	<b>Bellflower</b> <i>Campanula</i> L. [Campanulaceae]
초종용 (Cho-jong-yong)	<b>Skyblue broomrape</b> <i>Orobanche coerulescens</i> Stephan
초종용속 [열당과] (Cho-jong-yong-sok)	<b>Broomrape, Broom-rape</b> <i>Orobanche</i> L. [Orobanchaceae]
초평조팝나무 (Cho-pyeong-jo-pap-na-mu)	<b>Smooth-fruit pubescent spiraea</b> <i>Spiraea pubescens</i> f. <i>leiocarps</i> (Nakai) Kitag.
초피나무 (Cho-pi-na-mu)	<b>Chopi (Korean pepper)</b> <i>Zanthoxylum piperitum</i> (L.) DC.
초피나무속 [운향과] (Cho-pi-na-mu-sok)	<b>Prickly-ash</b> <i>Zanthoxylum</i> L. [Rutaceae]
촛대승마 (Chot-dae-seung-ma)	<b>Simple bugbane</b> <i>Cimicifuga simplex</i> Wormsk. ex DC.
총전광이 (Chong-jeon-gwang-i)	<b>Lithuania mannagrass</b> <i>Glyceria lithuanica</i> (Gorski) Gorski
추분취 (Chu-bun-chwi)	<b>Verticillate rhynchospermum</b> <i>Rhynchospermum verticillatum</i> Reinw.
추분취속 [국화과] (Chu-bun-chwi-sok)	<b>Rhynchospermum</b> <i>Rhynchospermum</i> Reinw. [Asteraceae]
취나물속 [국화과] (Chwi-na-mul-sok)	<b>Saussurea, Saw-wort, Snow lotus</b> <i>Saussurea</i> DC. [Asteraceae]
취명야주 (Chwi-myeong-a-ju)	<b>Oak-leaf goosefoot</b> <i>Chenopodium glaucum</i> L.
측백나무 (Cheuk-baek-na-mu)	<b>Oriental arborvitae</b> <i>Platycladus orientalis</i> (L.) Franco
측백나무속 [측백나무과] (Cheuk-baek-na-mu-sok)	<b>Chinese arborvitae</b> <i>Platycladus</i> Spach [Cupressaceae]
측백나무과 (Cheuk-baek-na-mu-gwa)	<b>Cypress family</b> <i>Cupressaceae</i> Gray.

Korean name (Romanization)	English name Scientific name
층꽃나무 (Cheung-kkot-na-mu)	<b>Common bluebeard</b> <i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.
층꽃나무속 [마편초과] (Cheung-kkot-na-mu-sok)	<b>Bluebeard, Caryopteris</b> <i>Caryopteris</i> Bunge [Verbenaceae]
층실사초 (Cheung-sil-sa-cho)	<b>Minute-gibbous sedge</b> <i>Carex remotiuscula</i> Wahlenb.
층층고란초 (Cheung-cheung-go-ran-cho)	<b>Multi-lobe selliquea fern</b> <i>Crypsinus veitchii</i> (Baker) Copel.
층층고랭이 (Cheung-cheung-go-raeng-i)	<b>Strata fen-sedge</b> <i>Cladium chinense</i> Nees
층층고랭이속 [사초과] (Cheung-cheung-go-raeng-i-sok)	<b>Fen-sedge, Sawgrass, Twig-sedge</b> <i>Cladium</i> P.Browne [Cyperaceae]
층층나무 (Cheung-cheung-na-mu)	<b>Wedding cake tree</b> <i>Cornus controversa</i> Hemsl.
층층나무과 (Cheung-cheung-na-mu-gwa)	<b>Dogwood family</b> Cornaceae Bercht. ex J.Presl
층층나무속 [층층나무과] (Cheung-cheung-na-mu-sok)	<b>Dogwood</b> <i>Cornus</i> L. [Cornaceae]
층층등굴레 (Cheung-cheung-dung-gul-re)	<b>Narrow-leaf solomon's seal</b> <i>Polygonatum stenophyllum</i> Maxim.
층층이꽃 (Cheung-cheung-i-kkot)	<b>Small-flower Asian calamint</b> <i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H.Hara
층층이꽃속 [꿀풀과] (Cheung-cheung-i-kkot-sok)	<b>Clinopodium</b> <i>Clinopodium</i> L. [Lamiaceae]
층층잔대 (Cheung-cheung-jan-dae)	<b>Whorled-leaf ladybell</b> <i>Adenophora verticillata</i> Fisch.
층층장구채 (Cheung-cheung-jang-gu-chae)	<b>Long-style catchfly</b> <i>Silene macrostyla</i> Maxim.
칠면초 (Chil-myeon-cho)	<b>East Asian seepweed</b> <i>Suaeda japonica</i> Makino
칠보개물통이 (Chil-bo-gae-mul-tong-i)	<b>Korean small-flower pellitory</b> <i>Parietaria micrantha</i> var. <i>coreana</i> (Nakai) H.Hara

Korean name (Romanization)	English name Scientific name
칠보치마 (Chil-bo-chi-ma)	<b>Chilbo metanarthecium</b> <i>Metanarthecium luteoviride</i> Maxim.
칠보치마속 [백합과] (Chil-bo-chi-ma-sok)	<b>Metanarthecium</b> <i>Metanarthecium</i> Maxim. [Liliaceae]
칡 (Chik)	<b>East Asian arrow root</b> <i>Pueraria lobata</i> (Willd.) Ohwi
칡속 [콩과] (Chik-sok)	<b>Kudzu</b> <i>Pueraria</i> DC. [Fabaceae]

**ㅋ**

칼송이풀 (Kal-song-i-pul)	<b>Acute-tip-fruit lousewort</b> <i>Pedicularis lunaris</i> Nakai
코마로브포아풀 (Ko-ma-ro-beu-po-a-pul)	<b>Komarov's bluegrass</b> <i>Poa komarovii</i> Roshev.
콩과 (Kong-gwa)	<b>Pea family</b> <i>Fabaceae</i> Lindl. (= <i>Leguminosae</i> Juss.)
콩배나무 (Kong-bae-na-mu)	<b>Korean sun pear</b> <i>Pyrus calleryana</i> var. <i>fauriei</i> (C.K.Schneid.) Rehder
콩버들 (Kong-beo-deul)	<b>Least willow</b> <i>Salix rotundifolia</i> Trautv.
콩속 [콩과] (Kong-sok)	<b>Soybean</b> <i>Glycine</i> Willd. [Fabaceae]
콩제비꽃 (Kong-je-bi-kkot)	<b>Hidden violet</b> <i>Viola verecunda</i> A.Gray
콩짜개덩굴 (Kong-jja-gae-deong-gul)	<b>Green bean fern</b> <i>Lemmaphyllum microphyllum</i> C.Presl
콩짜개덩굴속 [고란초과] (Kong-jja-gae-deong-gul-sok)	<b>Lemmaphyllum</b> <i>Lemmaphyllum</i> C.Presl [Polypodiaceae]
콩짜개란 (Kong-jja-gae-ran)	<b>Small-bean-like orchid</b> <i>Bulbophyllum drymoglossum</i> Maxim. ex Ökubo
콩짜개란속 [난초과] (Kong-jja-gae-ran-sok)	<b>Bulbophyllum</b> <i>Bulbophyllum</i> Thouars [Orchidaceae]

Korean name (Romanization)	English name Scientific name
콩팥노루발 (Kong-pat-no-ru-bal)	<b>Kidney-leaf wintergreen</b> <i>Pyrola renifolia</i> Maxim.
큰가래 (Keun-ga-rae)	<b>Floating-leaf pondweed</b> <i>Potamogeton natans</i> L.
큰각시취 (Keun-gak-si-chwi)	<b>East Asian saussurea</b> <i>Saussurea japonica</i> (Thunb.) DC.
큰개고사리 (Keun-gae-go-sa-ri)	<b>Big twinsorus fern</b> <i>Diplazium mesosorum</i> (Makino) Koidz.
큰개관중 (Keun-gae-gwan-jung)	<b>Leathery holly fern</b> <i>Polystichum mayebarae</i> Tagawa
큰개미자리 (Keun-gae-mi-ja-ri)	<b>Sticky-stem pearlwort</b> <i>Sagina maxima</i> A.Gray
큰개별꽃 (Keun-gae-byeol-kkot)	<b>Giant false-starwort</b> <i>Pseudostellaria palibiniana</i> (Takeda) Ohwi
큰개비자나무 (Keun-gae-bi-ja-na-mu)	<b>Korean plum yew</b> <i>Cephalotaxus harringtonia</i> (Knight) K.Koch
큰개수염 (Keun-gae-su-yeom)	<b>Big pipewort</b> <i>Eriocaulon hondoense</i> Satake
큰개현삼 (Keun-gae-hyeon-sam)	<b>Mountain figwort</b> <i>Scrophularia kakudensis</i> Franch.
큰고란초 (Keun-go-ran-cho)	<b>Engler's selliquea fern</b> <i>Crypsinus engleri</i> (Luerss.) Fraser-Jenk.
큰고랭이  (Keun-go-raeng-i)	<b>Soft-stem bulrush</b> <i>Schoenoplectus tabernaemontani</i> (C.C.Gmelin) Palla
큰고랭이속 [사초과] (Keun-go-raeng-i-sok)	<b>Bulrush, Club-rush, Tule</b> <i>Schoenoplectus</i> (Rchb.) Palla [Cyperaceae]
큰고양이수염 (Keun-go-yang-i-su-yeom)	<b>Big beaksedge</b> <i>Rhynchospora fauriei</i> Franch.
큰고추나물 (Keun-go-chu-na-mul)	<b>Big attenuate St. Johnswort</b> <i>*Hypericum attenuatum</i> var. <i>confertissimum</i> (Nakai) T.B.Lee
큰고추풀 (Keun-go-chu-pul)	<b>Asian hedgehyssop</b> <i>Gratiola japonica</i> Miq.

Korean name (Romanization)	English name Scientific name
큰고추풀속 [현삼과] (Keun-go-chu-pul-sok)	<b>Hedgehyssop</b> <i>Gratiola L.</i> [Scrophulariaceae]
큰괭이밥 (Keun-gwaeng-i-bap)	<b>Large wood sorrel</b> <i>Oxalis obtriangulata</i> Maxim.
큰괴불주머니 (Keun-goe-bul-ju-meo-ni)	<b>Giant corydalis</b> <i>Corydalis × gigantea</i> Trautv. & C.A.Mey.
큰구슬봉이 (Keun-gu-seul-bung-i)	<b>Zollinger's gentian</b> <i>Gentiana zollingeri</i> Fawc.
큰구와꼬리풀 (Keun-gu-wa-kko-ri-pul)	<b>Large spike speedwell</b> <i>Veronica pyrethrina</i> Nakai
큰금매화 (Keun-geum-mae-hwa)	<b>Long-petal globe-flower</b> <i>Trollius macropetalus</i> (Regel) F.Schmidt
큰기름사 (Keun-gi-reum-sae)	<b>Siberian spodiopogon</b> <i>Spodiopogon sibiricus</i> Trin.
큰기린초 (Keun-gi-rin-cho)	<b>Wide-leaf aizoon stonecrop</b> <i>Sedum aizoon</i> var. <i>latifolium</i> Maxim.
큰까치수염 (Keun-kka-chi-su-yeom)	<b>Gooseneck loosestrife</b> <i>Lysimachia clethroides</i> Duby
큰껍질사 (Keun-kkeop-jil-sae)	<b>Turczaninov's melic</b> <i>Melica turczaninowiana</i> Ohwi
큰꼬리풀 (Keun-kko-ri-pul)	<b>Large linear-leaf spike speedwell</b> <i>Veronica linariifolia</i> var. <i>dilatata</i> (Nakai & Kitag.) Nakai & Kitag.
큰꼭두서니 (Keun-kkok-du-seo-ni)	<b>Erect Asian madder</b> <i>Rubia chinensis</i> Regel & Maack
큰꽃땅비싸리 (Keun-kkot-ttang-bissa-ri)	<b>Large-flower indigo</b> <i>Indigofera grandiflora</i> B.H.Choi & S.K.Cho
큰꽃옥잠난초 (Keun-kkot-ok-jam-nan-cho)	<b>Large-flower widelip orchid</b> <i>Liparis koreojaponica</i> Tsutsumi, T.Yukawa, N.S.Lee, C.S.Lee & M.Kato
큰꽃으아리 (Keun-kkot-eu-a-ri)	<b>Big-flower clematis</b> <i>Clematis patens</i> C.Morren & Decne.
큰꽃장대 (Keun-kkot-jang-dae)	<b>Bristle dontostemon</b> <i>Dontostemon hispidus</i> Maxim.

Korean name (Romanization)	English name Scientific name
큰꾸러미풀 (Keun-kku-reo-mi-pul)	<b>Thick bluegrass</b> <i>Poa nipponica</i> Koidz.
큰꿩의다리 (Keun-kkwong-ui-da-ri)	<b>Long-stalk low meadow-rue</b> <i>Thalictrum kemense</i> Franch.
큰꿩의비름 (Keun-kkwong-ui-bi-reum)	<b>Showy stonecrop</b> <i>Hylotelephium spectabile</i> (Bureau) H.Ohba
큰끈끈이여뀌 (Keun-kkeun-kkeun-i-yeo-kkwi)	<b>Big sticky smartweed</b> <i>Persicaria viscosa</i> var. <i>robusta</i> (Makino) Hiyama
큰나비나물 (Keun-na-bi-na-mul)	<b>Large two-leaf vetch</b> <i>Vicia unijuga</i> var. <i>ouensanensis</i> H.Lév.
큰네잎갈퀴 (Keun-ne-ip-gal-kwi)	<b>Northern meadow vetch</b> <i>Vicia venosa</i> var. <i>albiflora</i> (Turcz.) Maxim.
큰는쟁이냉이 (Keun-neun-jaeng-i-naeng-i)	<b>Large Komarov's bittercress</b> <i>Cardamine komarovii</i> f. <i>macrophylla</i> (T.H.Chung) W.T.Lee
큰달뿌리풀 (Keun-dal-ppu-ri-pul)	<b>Tall reed</b> <i>Phragmites karka</i> (Retz.) Trin. ex Steud.
큰닭의장풀 (Keun-dak-ui-jang-pul)	<b>Garden Asian dayflower</b> <i>Commelina communis</i> var. <i>hortensis</i> Makino
큰도둑놈의갈고리 (Keun-do-duk-nom-ui-gal-go-ri)	<b>Oldham's tick clover</b> <i>Desmodium oldhamii</i> Oliv.
큰돌단풀 (Keun-dol-dan-pung)	<b>Multilobe mukdenia</b> <i>Mukdenia rossii</i> f. <i>multiloba</i> (Nakai) W.T.Lee
큰두루미꽃 (Keun-du-ru-mi-kkot)	<b>False lily of the valley</b> <i>Maianthemum dilatatum</i> (A.W.Wood) A.Nelson & J.F.Macbr.
큰듬성이삭새 (Keun-deum-seong-i-sak-sae)	<b>Loose-spike browntop</b> <i>Microstegium vimineum</i> var. <i>polystachyum</i> (Franch. & Sav.) Ohwi
큰등갈퀴 (Keun-deung-gal-kwi)	<b>Large-leaf vetch</b> <i>Vicia pseudoorobus</i> Fisch. & C.A.Mey.
큰뚝사초 (Keun-ttuk-sa-cho)	<b>Humbert's sedge</b> <i>Carex humbertiana</i> Ohwi
큰마름 (Keun-ma-reum)	<b>Two-spin water-chestnut</b> <i>Trapa bispinosa</i> Roxb.

Korean name (Romanization)	English name Scientific name
큰매자기 (Keun-mae-ja-gi)	<b>River bulrush</b> <i>Scirpus fluviatilis</i> (Torr.) Sojak
큰메꽃 (Keun-me-kkot)	<b>Wild morning glory</b> <i>Calystegia sepium</i> (L.) R.Br.
큰물개구리밥 (Keun-mul-gae-gu-ri-bap)	<b>Pacific mosquitofern</b> <i>Azolla japonica</i> Franch. et Sav.
큰물사갓사초 (Keun-mul-sa-gat-sa-cho)	<b>Beak sedge</b> <i>Carex rostrata</i> Stokes
큰물칭개나물 (Keun-mul-ching-gae-na-mul)	<b>Blue water speedwell</b> <i>Veronica anagallis-aquatica</i> L.
큰물통이 (Keun-mul-tong-i)	<b>Large clearweed</b> <i>Pilea hamaoi</i> Makino
큰바늘꽃 (Keun-ba-neul-kkot)	<b>Great hairy willowherb</b> <i>Epilobium hirsutum</i> L.
큰반쪽고사리 (Keun-ban-jjok-go-sa-ri)	<b>Big unequal-lobe brake fern</b> <i>Pteris semipinnata</i> L.
큰방울새란 (Keun-bang-ul-sae-ran)	<b>Asian pogonia</b> <i>Pogonia japonica</i> Rchb.f.
큰뱀무 (Keun-baem-mu)	<b>Yellow avens</b> <i>Geum aleppicum</i> Jacq.
큰벼룩아재비 (Keun-byeo-ruk-a-jae-bi)	<b>Pygmy mitrewort</b> <i>Mitrasacme pygmaea</i> R.Br.
큰별꽃 (Keun-byeyol-kkot)	<b>Woodland chickweed</b> <i>Stellaria bungeana</i> Fenzl
큰보리장나무 (Keun-bo-ri-jang-na-mu)	<b>Hybrid broad-leaf oleaster</b> <i>Elaeagnus × submacrophylla</i> Servett.
큰봉의꼬리 (Keun-bong-ui-kko-ri)	<b>Cretan brake fern</b> <i>Pteris cretica</i> L.
큰비노리 (Keun-bi-no-ri)	<b>Indian lovegrass</b> <i>Eragrostis pilosa</i> (L.) P.Beauv.
큰비단분취 (Keun-bi-dan-bun-chwi)	<b>Large Komarov's saussurea</b> * <i>Saussurea komaroviana</i> var. <i>macrophylla</i> Chung

Korean name (Romanization)	English name Scientific name
큰비비추 (Keun-bi-bi-chu)	<b>Siebold's hosta</b> <i>Hosta sieboldiana</i> (Hook.) Engl.
큰비쑥 (Keun-bi-ssuk)	<b>Asian coastal wormwood</b> <i>Artemisia fukudo</i> Makino
큰산꼬리풀 (Keun-san-kkori-ri-pul)	<b>Smooth-leaf spike speedwell</b> <i>Veronica kiusiana</i> var. <i>glabrifolia</i> (Kitag.) Kitag.
큰산꿩의다리 (Keun-san-kkwong-ui-da-ri)	<b>Filamentous meadow-rue</b> <i>Thalictrum filamentosum</i> Maxim.
큰산버들 (Keun-san-beo-deul)	<b>Gray willow</b> <i>Salix sericeo-cinerea</i> Nakai
큰산사초 (Keun-san-sa-cho)	<b>Mackenzie's sedge</b> <i>Carex mackenziei</i> V.I.Krecz.
큰산송이풀 (Keun-san-song-i-pul)	<b>Big-flower alpine lousewort</b> <i>Pedicularis apodochila</i> Maxim.
큰산좁쌀풀 (Keun-san-jop-ssal-pul)	<b>Long-glandular eyebright</b> <i>Euphrasia hirtella</i> Jord.
큰새포아풀 (Keun-sae-po-a-pul)	<b>Rough bluegrass</b> <i>Poa trivialis</i> L.
큰섬잔고사리 (Keun-seom-jan-go-sa-ri)	<b>Large Jejudo twinsorus fern</b> <i>Diplazium nipponicum</i> Tagawa
큰세잎쥐손이 (Keun-se-ip-jwi-son-i)	<b>Giant cranesbill</b> <i>Geranium knuthii</i> Nakai
큰속단 (Keun-sok-dan)	<b>Maximowicz's Jerusalem sage</b> <i>Phlomis maximowiczii</i> Regel
큰손고비 (Keun-son-go-bi)	<b>Decurrent colysis fern</b> <i>Colysis decurrens</i> (Wall.) C.Presl
큰솔나리 (Keun-sol-na-ri)	<b>Fine-leaf lily</b> <i>Lilium pumilum</i> Delile
큰송이풀 (Keun-song-i-pul)	<b>Big-flower lousewort</b> <i>Pedicularis grandiflora</i> Fisch.

Korean name (Romanization)	English name Scientific name
큰쇠고사리 (Keun-soe-go-sa-ri)	<b>Big-caudate hollyfern</b> <i>Arachniodes caudata</i> (Tagawa) Ching
큰수리취 (Keun-su-ri-chwi)	<b>Large deltoid synurus</b> <i>Synurus excelsus</i> (Makino) Kitam.
큰십자고사리 (Keun-sip-ja-go-sa-ri)	<b>Big cross holly fern</b> <i>Polystichum tripteron</i> f. <i>subpinnatum</i> H.Ito
큰쐐기풀 (Keun-sswae-gi-pul)	<b>Cuspidate girardinia</b> <i>Girardinia cuspidata</i> Wedd.
큰쐐기풀속 [쐐기풀과] (Keun-sswae-gi-pul-sok)	<b>Girardinia</b> <i>Girardinia</i> Gaudich. [Urticaceae]
큰애기나리 (Keun-ae-gi-na-ri)	<b>Green fairybell</b> <i>Disporum viridescens</i> (Maxim.) Nakai
큰앵초 (Keun-aeng-cho)	<b>Yalu river primrose</b> <i>Primula jesoana</i> Miq.
큰엉겅퀴 (Keun-eong-geong-kwi)	<b>Pendulous thistle</b> <i>Cirsium pendulum</i> Fisch. ex DC.
큰여우콩 (Keun-yeo-u-kong)	<b>Acuminate-leaf snoutbean</b> <i>Rhynchosia acuminatifolia</i> Makino
큰연영초 (Keun-yeon-yeong-cho)	<b>Pointed-petal trillium</b> <i>Trillium tschonoskii</i> Maxim.
큰오이풀 (Keun-o-i-pul)	<b>White burnet</b> <i>Sanguisorba stipulata</i> Raf.
큰옥매듭풀 (Keun-ok-mae-deup-pul)	<b>Narrow-leaf knotweed</b> <i>Polygonum bellardii</i> All.
큰우단일엽 (Keun-u-dan-il-yeop)	<b>Single-leaf felt fern</b> <i>Pyrrosia × nipponica</i> M.Beppu & Seriz.
큰원추리 (Keun-won-chu-ri)	<b>Amur daylily</b> <i>Hemerocallis middendorffii</i> Trautv. & C.A.Mey.
큰잎갈퀴 (Keun-ip-gal-kwi)	<b>Dahurian bedstraw</b> <i>Galium dahuricum</i> Turcz. ex Ledeb.
큰잎부들 (Keun-ip-bu-deul)	<b>Broad-leaf cattail</b> <i>Typha latifolia</i> L.

Korean name (Romanization)	English name Scientific name
큰잎쓴풀 (Keun-ip-sseun-pul)	<b>Large tetrapetal swertia</b> <i>Swertia wilfordii</i> (A.Kern.) Kom.
큰장대 (Keun-jang-dae)	<b>Hairy-sepal clausia</b> <i>Clausia trichosepala</i> (Turcz.) F.Dvorák
큰장대속 [십자화과] (Keun-jang-dae-sok)	<b>Clausia</b> <i>Clausia</i> Korn.-Trotzky ex Hayek [Brassicaceae]
큰절굿대 (Keun-jeol-gut-dae)	<b>Broad-leaf globe thistle</b> <i>Echinops latifolius</i> Tausch
큰점나도나물 (Keun-jeom-na-do-na-mul)	<b>Fischer's mouse-ear chickweed</b> <i>Cerastium fischerianum</i> Ser.
큰제비고깔 (Keun-je-bi-go-kkal)	<b>Maack's larkspur</b> <i>Delphinium maackianum</i> Regel
큰제비란 (Keun-je-bi-ran)	<b>Big Asian platanthera</b> <i>Platanthera sachalinensis</i> F.Schmidt
큰조롱 (Keun-jo-rong)	<b>Wilford's swallow-wort</b> <i>Cynanchum wilfordii</i> (Maxim.) Hemsl.
큰조뱅이 (Keun-jo-baeng-i)	<b>Big breea</b> <i>Breea setosa</i> (Willd.) Kitam.
큰족제비고사리 (Keun-jok-je-bi-go-sa-ri)	<b>Big buckler fern</b> <i>Dryopteris pacifica</i> (Nakai) Tagawa
큰줄방제비꽃 (Keun-jol-bang-je-bi-kkot)	<b>Northern long-stem violet</b> <i>Viola kusanoana</i> Makino
큰주꼬리새 (Keun-jwi-kko-ri-sae)	<b>Big muhly</b> <i>Muhlenbergia huegelii</i> Trin.
큰지네고사리 (Keun-ji-ne-go-sa-ri)	<b>Big autumn fern</b> <i>Dryopteris fuscipes</i> C.Chr.
큰진고사리 (Keun-jin-go-sa-ri)	<b>Large false spleenwort</b> <i>Deparia dimorphophylla</i> (Koidz.) M.Kato
큰참나물 (Keun-cham-na-mul)	<b>Big springparsley</b> <i>Cymopterus melanotilingia</i> (H.Boissieu) C.Y.Yoon
큰참나물속 [산형과] (Keun-cham-na-mul-sok)	<b>Springparsley</b> <i>Cymopterus</i> Raf. [ Apiaceae ]

Korean name (Romanization)	English name Scientific name
큰처녀고사리 (Keun-cheo-nyeo-go-sa-ri)	<b>Queen's-veil maiden-fern</b> <i>Lastrea quelpaertensis</i> (Christ) Copel
큰처녀고사리속 [면마과] (Keun-cheo-nyeo-go-sa-ri-sok)	<b>Lastrea</b> <i>Lastrea</i> Bory [Dryopteridaceae]
큰천남성 (Keun-cheon-nam-seong)	<b>Ringen's jack-in-the-pulpit</b> <i>Arisaema ringens</i> (Thunb.) Schott
큰천일사초 (Keun-cheon-il-sa-cho)	<b>Thick-nerve sedge</b> <i>Carex rugulosa</i> Kük.
큰터리풀 (Keun-teo-ri-pul)	<b>Giant meadowsweet</b> <i>Filipendula camtschatica</i> (Pall.) Maxim.
큰톱니나자스말 (Keun-top-ni-na-ja-seu-mal)	<b>Serrate-leaf water-nymph</b> <i>Najas oguraensis</i> Miki
큰톱지네고사리 (Keun-top-ji-ne-go-sa-ri)	<b>Big shaggy shield fern</b> <i>Dryopteris dickinsii</i> (Franch. & Sav.) C.Chr.
큰톱풀 (Keun-top-pul)	<b>Acute-leaf sneezewort yarrow</b> <i>Achillea ptarmica</i> var. <i>acuminata</i> (Ledeb.) Heim.
큰피막이 (Keun-pi-mak-i)	<b>Long-pedicel pennywort</b> <i>Hydrocotyle ramiflora</i> Maxim.
큰피막이풀 (Keun-pi-mak-i-pul)	<b>Nepalese pennywort</b> <i>Hydrocotyle nepalensis</i> Hook.
큰하늘나리 (Keun-ha-neul-na-ri)	<b>Big-flower morning-star lily</b> <i>Lilium concolor</i> var. <i>megalanthum</i> Wang & Tang
큰하늘지기 (Keun-ha-neul-ji-gi)	<b>Long-spike fimbriстиlis</b> <i>Fimbristylis longispica</i> Steud.
큰홍지네고사리 (Keun-hong-ji-ne-go-sa-ri)	<b>Larger red autumn fern</b> <i>Dryopteris hondoensis</i> Koidz.
큰황새냉이 (Keun-hwang-sae-naeng-i)	<b>Big-flower bittercress</b> <i>Cardamine scutata</i> Thunb.
큰황새풀 (Keun-hwang-sae-pul)	<b>Broad-leaf cottonsedge</b> <i>Eriophorum latifolium</i> Hoppe
키다리난초 (Ki-da-ri-nan-cho)	<b>Tall widelip orchid</b> <i>Liparis japonica</i> (Miq.) Maxim.

Korean name (Romanization)	English name Scientific name
키다리바꽃 (Ki-da-ri-ba-kkot)	<b>Curve monk'shood</b> <i>Aconitum arciatum</i> Maxim.
키다리처녀고사리 (Ki-da-ri-cheo-nyeo-go-sa-ri)	<b>Tall marsh fern</b> <i>Parathelypteris nipponica</i> (Franch. & Sav.) Ching
키버들 (Ki-beo-deul)	<b>Winnow willow</b> <i>Salix koriyanagi</i> Kimura
키큰꿩의비름 (Ki-keun-kkwong-ui-bi-reum)	<b>Tall stonecrop</b> <i>Hylotelephium palescens</i> (Freyen) H.Ohba
키큰산국 (Ki-keun-san-guk)	<b>Linear-leaf leucantheme</b> <i>Leucanthemella linearis</i> (Matsum.) Tzvelev
키큰산국속 [국화과] (Ki-keun-san-guk-sok)	<b>Leucanthemella</b> <i>Leucanthemella</i> Tzvelev [Asteraceae]

**E**

타래난초 (Ta-rae-nan-cho)	<b>Ladies' tresse</b> <i>Spiranthes sinensis</i> (Pers.) Ames
타래난초속 [난초과] (Ta-rae-nan-cho-sok)	<b>Ladies tresses, Ladies'-tresses, Lady's tresses</b> <i>Spiranthes</i> Rich. [Orchidaceae]
타래붓꽃 (Ta-rae-but-kkot)	<b>Winding-leaf iris</b> <i>Iris lactea</i> Pall.
타래사초 (Ta-rae-sa-cho)	<b>Maack's sedge</b> <i>Carex maackii</i> Maxim.
탐라난 (Tam-ra-nan)	<b>Tamra gastrochilus</b> <i>Gastrochilus japonicus</i> (Makino) Schltr.
탐라민바랭이 (Tam-ra-min-ba-raeng-i)	<b>Jeju violet crabgrass</b> <i>Digitaria violascens</i> var. <i>lasiophylla</i> (Honda) Tuyama
탐라반쪽고사리 (Tam-ra-ban-jjok-go-sa-ri)	<b>Jejudo unequal-lobe brake fern</b> <i>Pteris excelsa</i> var. <i>fauriei</i> (Christ) W.C.Shih
탐라별고사리 (Tam-ra-byeol-go-sa-ri)	<b>Downy shield-fern</b> <i>Cyclosorus dentatus</i> (Forssk.) Ching
탐라사다리고사리 (Tam-ra-sa-da-ri-go-sa-ri)	<b>Narrow gland fern</b> <i>Parathelypteris angustifrons</i> (Miq.) Ching

**E**

Korean name (Romanization)	English name Scientific name
탐라산수국 (Tam-ra-san-su-guk)	<b>Jejudo hydrangea</b> <i>Hydrangea serrata f. fertilis</i> Nakai
탐라진고사리 (Tam-ra-jin-go-sa-ri)	<b>Petersen's false spleenwort</b> <i>Deparia petersenii</i> (Kunze) M.Kato
탐라풀 (Tam-ra-pul)	<b>Tamra starviolet</b> <i>Hedyotis lindleyana</i> var. <i>hirsuta</i> (L.f.) H.Hara
탐라현호색 (Tam-ra-hyeon-ho-saeck)	<b>Hallasan corydalis</b> <i>Corydalis hallaisanensis</i> H.Lév.
탑꽃 (Tap-kkot)	<b>Many-stem wild calamint</b> <i>Clinopodium gracile</i> var. <i>multicaule</i> (Maxim.) Ohwi
태백기린초 (Tae-baek-gi-rin-cho)	<b>Taebaek stonecrop</b> <i>Sedum lativalifolium</i> Y.N.Lee
태백이질풀 (Tae-baek-i-jil-pul)	<b>Taebaek cranesbill</b> <i>Geranium taebaekensis</i> S.J.Park & Y.S.Kim
태백제비꽃 (Tae-baek-je-bi-kkot)	<b>Taebaek violet</b> <i>Viola albida</i> Palib.
태백취 (Tae-baek-chwi)	<b>Big-head saussurea</b> <i>Saussurea grandicapitula</i> W.Lee et H.T.Im
태안원추리 (Tae-an-won-chu-ri)	<b>Tae'an daylily</b> <i>Hemerocallis taeanensis</i> S.S.Kang & M.G.Chung
택사 (Taek-sa)	<b>Channelled water plantain</b> <i>Alisma canaliculatum</i> A.Braun & C.D.Bouché
택사과 (Taek-sa-gwa)	<b>Water plantain family</b> Alismataceae Vent.
택사속 [택사과] (Taek-sa-sok)	<b>Water plantain</b> <i>Alisma</i> L. [Alismataceae]
터리풀 (Teo-ri-pul)	<b>Korean meadowsweet</b> <i>Filipendula glaberrima</i> Nakai
터리풀속 [장미과] (Teo-ri-pul-sok)	<b>Meadowsweet</b> <i>Filipendula</i> Mill. [Rosaceae]
털가문비나무 (Teol-ga-mun-bi-na-mu)	<b>Hairy Pungsan spruce</b> <i>Picea pungsanensis</i> var. <i>intercedens</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
털가침박달 (Teol-ga-chim-bak-dal)	<b>Hairy Korean pearl bush</b> <i>Exochorda serratifolia</i> var. <i>oligantha</i> Nakai
털갈매나무 (Teol-gal-mae-na-mu)	<b>Korean buckthorn</b> <i>Rhamnus koraiensis</i> C.K.Schneid.
털개관중 (Teol-gae-gwan-jung)	<b>Hairy holly fern</b> <i>Polystichum fibriloso-paleaceum</i> (Kodama) Tagawa
털개구리미나리 (Teol-gae-gu-ri-mi-na-ri)	<b>Canton buttercup</b> <i>Ranunculus cantoniensis</i> DC.
털개머루 (Teol-gae-meo-ru)	<b>Hairy porcelainberry</b> <i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> (Nakai) T.B.Lee
털개밀 (Teol-gae-mil)	<b>Hairy wheatgrass</b> <i>Elymus gmelinii</i> (Lebed.) Tzvelev
털개벗나무 (Teol-gae-beot-na-mu)	<b>Pilose Korean hill cherry</b> <i>*Prunus leveilleana</i> var. <i>pilosa</i> Nakai
털개살구 (Teol-gae-sal-gu)	<b>Hairy Manchurian cherry</b> <i>Prunus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee
털개억새 (Teol-gae-eok-sae)	<b>Four-nerve eulalia</b> <i>Eulalia quadrinervis</i> (Hack.) Kuntze
털개화나무 (Teol-gae-hoe-na-mu)	<b>Miss Kim lilac</b> <i>Syringa patula</i> (Palib.) Nakai
털갯완두 (Teol-gaet-wan-du)	<b>Hairy beach vetchling</b> <i>Lathyrus japonicus</i> var. <i>aleuticus</i> (T.G.White) Fernald
털계요등 (Teol-gye-yo-deung)	<b>Hairy skunk vine</b> <i>Paederia scandens</i> var. <i>velutina</i> (Nakai) Nakai
털고광나무 (Teol-go-gwang-na-mu)	<b>Jack's mock orange</b> <i>Philadelphus schrenkii</i> var. <i>jackii</i> Koehne
털고로쇠나무 (Teol-go-ro-soe-na-mu)	<b>Yellow-paint maple</b> <i>Acer pictum</i> Thunb.
털고사리 (Teol-go-sa-ri)	<b>Tappering glade fern</b> <i>Deparia pycnosora</i> (Christ) M.Kato
털괭이눈 (Teol-gwaeng-i-nun)	<b>Hairy golden saxifrage</b> <i>Chrysosplenium pilosum</i> Maxim.

Korean name (Romanization)	English name Scientific name
털괴불나무 (Teol-goe-bul-na-mu)	<b>Bristle honeysuckle</b> <i>Lonicera subhispida</i> Nakai
털굴피나무 (Teol-gul-pi-na-mu)	<b>Hairy cone-fruit platycarya</b> <i>Platycarya strobilacea</i> f. <i>coreana</i> (Miq.) W.T.Lee
털기름나물 (Teol-gi-reum-na-mul)	<b>Korean libanotis</b> <i>Libanotis coreana</i> (H.Wolff) Kitag.
털기름나물속 [산형과] (Teol-gi-reum-na-mul-sok)	<b>Libanotis</b> <i>Libanotis</i> Haller ex Zinn [Apiaceae]
털기린초 (Teol-gi-rin-cho)	<b>Amur stonecrop</b> <i>Sedum selskianum</i> Regel & Maack
털긴잎갈퀴 (Teol-gin-ip-gal-kwi)	<b>Northern Korean bedstraw</b> <i>Galium boreale</i> var. <i>koreanum</i> Nakai
털긴잎모시풀 (Teol-gin-ip-mo-si-pul)	<b>Hairy long-leaf falsenettle</b> <i>Boehmeria hirtella</i> Satake
털긴잎제비꽃 (Teol-gin-ip-je-bi-kkot)	<b>Hairy long-leaf violet</b> <i>Viola ovato-oblonga</i> f. <i>pubescens</i> F.Maek.
털긴잎조팝나무 (Teol-gin-ip-jo-pap-na-mu)	<b>Silky oriental spiraea</b> <i>Spiraea media</i> var. <i>sericea</i> (Turcz.) Maxim.
털꼬리풀 (Teol-kko-ri-pul)	<b>Hairy linear-leaf spike speedwell</b> * <i>Veronica linariifolia</i> var. <i>villosula</i> (Nakai) T.B.Lee
털꽃개화나무 (Teol-kkot-gae-hoe-na-mu)	<b>Wolf's lilac</b> <i>Syringa wolfii</i> var. <i>hirsuta</i> (C.K.Schneid.) Rehder
털꽃다지 (Teol-kkot-da-ji)	<b>Hairy whitlow-grass</b> <i>Draba nipponica</i> Makino
털나도덥싸리 (Teol-na-do-daep-ssa-ri)	<b>Korean pigweed</b> <i>Axyris koreana</i> Nakai
털나도황기 (Teol-na-do-hwang-gi)	<b>Hairy vetch-like sweetvetch</b> <i>Hedysarum vicioides</i> f. <i>pilosum</i> (Ohwi) Kitag.
털낚시제비꽃 (Teol-nak-si-je-bi-kkot)	<b>Hairy creeping violet</b> <i>Viola grypoceras</i> var. <i>pubescens</i> Nakai

Korean name (Romanization)	English name Scientific name
털넓은잎꼬리풀 (Teol-neol-beun-ip-kko-ri-pul)	<b>Villous spike speedwell</b> <i>Veronica kiusiana</i> var. <i>villosa</i> Yamaz.
털네잎갈퀴 (Teol-ne-ip-gal-kwi)	<b>Bristled-fruit bedstraw</b> <i>Galium trachyspermum</i> f. <i>hispidum</i> (Matsuda) Ohwi
털노랑제비꽃 (Teol-no-rang-je-bi-kkot)	<b>Hairy yellow violet</b> <i>Viola brevistipulata</i> var. <i>minor</i> Nakai
털노박덩굴 (Teol-no-bak-deong-gul)	<b>Hairy oriental bittersweet</b> <i>Celastrus stephanotifolius</i> (Makino) Makino
털누리장나무 (Teol-nu-ri-jang-na-mu)	<b>Hairy harlequin glorybower</b> <i>Clerodendrum trichotomum</i> var. <i>ferrugineum</i> Nakai
털다래 (Teol-da-rae)	<b>Hairy hardy kiwi</b> <i>Actinidia arguta</i> var. <i>platiphylla</i> (A.Gray) Nakai
털대사초 (Teol-dae-sa-cho)	<b>Hairy creeping broad-leaf sedge</b> <i>Carex ciliatotmarginata</i> Nakai
털댕강나무 (Teol-daeng-gang-na-mu)	<b>Pedunculate abelia</b> <i>Abelia dielsii</i> (Graebn.) Rehder
털도깨비바늘 (Teol-do-kkae-bi-ba-neul)	<b>Yellow-flower spanish needle</b> <i>Bidens biternata</i> (Lour.) Merr. & Sherff ex Sherff
털동자꽃 (Teol-dong-ja-kkot)	<b>Brilliant campion</b> <i>Lychnis fulgens</i> Fisch. ex Spreng.
털두메자운 (Teol-du-me-ja-un)	<b>Racemose locoweed</b> <i>Oxytropis racemosa</i> Turcz.
털둥근갈퀴 (Teol-dung-geun-gal-kwi)	<b>Kamchatka bedstraw</b> <i>Galium kamtschaticum</i> Steller ex Roem. & Schult.
털둥근이질풀 (Teol-dung-geun-i-jil-pul)	<b>Hairy Korean cranesbill</b> <i>Geranium koreanum</i> var. <i>hirsutum</i> Nakai
털딱지꽃 (Teol-ttak-ji-kkot)	<b>Hairy East Asian cinquefoil</b> <i>Potentilla chinensis</i> var. <i>concolor</i> Franch. & Sav.
털딱총나무 (Teol-ttak-chong-na-mu)	<b>Woolly-fruit red elder</b> * <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>lasiocarpa</i> T.B.Lee
털마삭줄 (Teol-ma-sak-jul)	<b>Hairy star jasmine</b> <i>Trachelospermum jasminoides</i> var. <i>pubescens</i> Makino

Korean name (Romanization)	English name Scientific name
털만주고로쇠 (Teol-man-ju-go-ro-soe)	<b>Hairy Manchurian paint maple</b> <i>Acer truncatum</i> var. <i>barbinerve</i> (Nakai) T.B.Lee
털만주송이풀 (Teol-man-ju-song-i-pul)	<b>Hairy Manchurian lousewort</b> <i>Pedicularis mandshurica</i> var. <i>coreana</i> (Bonati) Hurus.
털만주오리나무 (Teol-man-ju-o-ri-na-mu)	<b>Hairy Northeast Asian alder</b> <i>Alnus mandshurica</i> f. <i>pubescens</i> (Nakai) Kitag.
털말발도리 (Teol-mal-bal-do-ri)	<b>Hairy Mongolian deutzia</b> <i>Deutzia parviflora</i> var. <i>amurensis</i> Regel
털매자 (Teol-mae-ja)	<b>Hairy mountain blueberry</b> <i>Vaccinium japonicum</i> var. <i>ciliaris</i> (Matsum.) Nakai
털머위 (Teol-meo-wi)	<b>Leopard plant</b> <i>Farfugium japonicum</i> (L.) Kitam.
털머위속 [국화과] (Teol-meo-wi-sok)	<b>Farfugium</b> <i>Farfugium</i> Lindl. [Asteraceae]
털며느리밥풀 (Teol-myeo-neu-ri-bap-pul)	<b>Hairy-bract cow-wheat</b> <i>Melampyrum roseum</i> var. <i>hirsutum</i> Beauverd
털미꾸리낚시 (Teol-mi-kku-ri-nak-si)	<b>Hairy Siebold's smartweed</b> <i>Persicaria sieboldii</i> var. <i>sericea</i> Nakai ex T.B.Lee
털민들레 (Teol-min-deul-re)	<b>Mongolian dandelion</b> <i>Taraxacum mongolicum</i> Hand.-Mazz.
털바위떡풀 (Teol-ba-wi-tteok-pul)	<b>Long-hair rockfoil</b> <i>Saxifraga fortunei</i> var. <i>pilosissima</i> Nakai
털박쥐나물 (Teol-bak-jwi-na-mul)	<b>Spearhead Indian plantain</b> <i>Parasenecio hastatus</i> (L.) H.Koyama
털박하 (Teol-bak-ha)	<b>Bearded wildmint</b> <i>Mentha arvensis</i> var. <i>barbata</i> (Nakai) W.T.Lee
털백당나무 (Teol-baek-dang-na-mu)	<b>Hairy-cranberrybush viburnum</b> * <i>Viburnum opulus</i> f. <i>puberulum</i> (Kom.) Sugim.
털백선 (Teol-baek-seon)	<b>Hairy-leaf dense-fruit dittany</b> <i>Dictamnus dasycarpus</i> f. <i>velutinus</i> (Nakai) W.T.Lee
털백작약 (Teol-baek-jak-yak)	<b>Hairy woodland peony</b> <i>Paeonia japonica</i> var. <i>pilosa</i> Nakai

Korean name (Romanization)	English name Scientific name
털별고사리 (Teol-byeol-go-sa-ri)	<b>Parasitic maiden fern</b> <i>Cyclosorus parasiticus</i> (L.) Farw.
털복주머니란 (Teol-bok-ju-meo-ni-ran)	<b>Spotted lady's slipper</b> <i>Cypripedium guttatum</i> Sw.
털부처꽃 (Teol-bu-cheo-kkot)	<b>Hairy purple loosestrife</b> <i>Lythrum salicaria</i> L.
털분취 (Teol-bun-chwi)	<b>Nangrimsan saussurea</b> <i>Saussurea rorinsanensis</i> Nakai
털비늘고사리 (Teol-bi-neul-go-sa-ri)	<b>Asian hairy-scale hollyfern</b> <i>Arachniodes mutica</i> (Franch. et Sav.) Ohwi
털비쑥 (Teol-bi-ssuk)	<b>Hairy virgate wormwood</b> <i>Artemisia scoparia</i> f. <i>villosa</i> Korsh.
털사시나무 (Teol-sa-si-na-mu)	<b>Hairy Korean aspen</b> <i>Populus davidiana</i> f. <i>tomentella</i> (Schneid.) W.T.Lee
털사철란 (Teol-sa-cheol-ran)	<b>Velutinous rattlesnake plantain</b> <i>Goodyera velutina</i> Maxim. ex Regel
털사초 (Teol-sa-cho)	<b>Pilose-leaf sedge</b> <i>Carex pilosa</i> Scop.
털산개나리 (Teol-san-gae-na-ri)	<b>Pilose rocky forsythia</b> <i>Forsythia saxatilis</i> var. <i>pilosa</i> S.T.Lee
털산고사리 (Teol-san-go-sa-ri)	<b>Northern tall marsh fern</b> <i>Parathelypteris nipponica</i> var. <i>borealis</i> (H.Hara) Nakaike
털산괴불나무 (Teol-san-goe-bul-na-mu)	<b>Hairy chrysanthia honeysuckle</b> <i>Lonicera chrysanthia</i> f. <i>villoa</i> Rehder
털산돌배 (Teol-san-dol-bae)	<b>Hairy-leaf Ussuri pear</b> <i>*Pyrus ussuriensis</i> var. <i>pubescens</i> Nakai ex Kawamoto
털산박하 (Teol-san-bak-ha)	<b>Hairy-leaf mountain isodon</b> <i>Isodon inflexus</i> var. <i>canescens</i> (Nakai) Kudo
털산사 (Teol-san-sa)	<b>Hairy Korean hawthorn</b> <i>Crataegus pinnatifida</i> f. <i>pilosa</i> (C.K.Schneid.) Kitag.
털산쑥 (Teol-san-ssuk)	<b>Hairy Freyn's wormwood</b> <i>Artemisia freyniana</i> f. <i>discolor</i> (Kom.) Kitag.

Korean name (Romanization)	English name Scientific name
털상동나무 (Teol-sang-dong-na-mu)	<b>Hairy mock buckthorn</b> <i>Sageretia theezans</i> f. <i>tomentosa</i> (C.K.Schneid.) H.Hara
털새 (Teol-sae)	<b>Hairy arundinella</b> <i>Arundinella hirta</i> (Thunb.) Tanaka
털새모래덩굴 (Teol-sae-mo-rae-deong-gul)	<b>Hairy Asian moonseed</b> <i>Menispermum dauricum</i> f. <i>pilosum</i> (C.K.Schneid.) Kitag.
털새속 [벼과] (Teol-sae-sok)	<b>Arundinella</b> <i>Arundinella Raddi</i> [Poaceae]
털석잠풀 (Teol-seok-jam-pul)	<b>Bristle woundwort</b> <i>Stachys japonica</i> var. <i>villosa</i> (Kudô) Ohwi
털선이질풀 (Teol-seon-i-jil-pul)	<b>Downward-hair cranesbill</b> <i>Geranium krameri</i> f. <i>adpressipilosum</i> (H.Hara) H.Hara
털솔나물 (Teol-sol-na-mul)	<b>Hairy-fruit yellow bedstraw</b> <i>Galium verum</i> var. <i>trachycarpum</i> DC.
털쇠무릎 (Teol-soe-mu-reup)	<b>Ruderal chaff flower</b> <i>Achyranthes fauriei</i> H.Lév. & Vaniot
털숲고사리 (Teol-sup-go-sa-ri)	<b>Hairy horn fern</b> <i>Cornopteris decurrenti-alata</i> var. <i>pilosella</i> H.Ito
털쉽싸리 (Teol-swipssa-ri)	<b>Northern bugleweed</b> <i>Lycopus uniflorus</i> Michx.
털시베리아살구 (Teol-si-be-ri-a-sal-gu)	<b>Hairy Siberian cherry</b> <i>Prunus sibirica</i> var. <i>pubescens</i> (Kostina) Kitag.
털실부추 (Teol-sil-bu-chu)	<b>Hairy thread-leaf chive</b> <i>Allium anisopodium</i> var. <i>zimmermannianum</i> (Gilg) F.T.Wang & T.Tang
털싱아 (Teol-sing-a)	<b>Hairy knotweed</b> <i>Aconogonon brachytrichum</i> (Ohwi) Soják
털싸리 (Teol-ssa-ri)	<b>Silky-hair shrub lespedeza</b> <i>Lespedeza bicolor</i> var. <i>sericea</i> Nakai
털싸리냉이 (Teol-ssa-ri-naeng-i)	<b>Woolly narrow-leaf bittercress</b> <i>Cardamine impatiens</i> var. <i>eriocarpa</i> DC.

Korean name (Romanization)	English name Scientific name
털쌍잎난초 (Teol-ssang-ip-nan-cho)	<b>Hairy twin-leaf twayblade</b> <i>Neottia nipponica</i> (Makino) Szlach.
털씨 범꼬리 (Teol-ssi-beom-kko-ri)	<b>Hairy alpine bistort</b> <i>Bistorta vivipara</i> f. <i>roessleri</i> (G.B.Mannageta) Kitag.
털야광나무 (Teol-ya-gwang-na-mu)	<b>Hairy Siberian crabapple</b> <i>Malus baccata</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.
털연리초 (Teol-yeon-ri-cho)	<b>Hairy marsh vetchling</b> <i>Lathyrus palustris</i> subsp. <i>pilosus</i> (Cham.) Hultén
털오갈피나무 (Teol-o-gal-pi-na-mu)	<b>Spreading-hair eleuthero</b> <i>Eleutherococcus divaricatus</i> (Siebold & Zucc.) S.Y.Hu
털오리나무 (Teol-o-ri-na-mu)	<b>Hairy East Asian alder</b> <i>Alnus japonica</i> var. <i>koreana</i> Callier
털왕버들 (Teol-wang-beo-deul)	<b>Piloset giant pussy willow</b> <i>Salix chaenomeloides</i> var. <i>pilosa</i> (Nakai) Kimura
털용가시 (Teol-yong-ga-si)	<b>Hairy Maximowicz's rose</b> <i>Rosa maximowicziana</i> var. <i>pilosa</i> (Nakai) Nakai
털윤노리나무 (Teol-yun-no-ri-na-mu)	<b>Hairy oriental photinia</b> <i>Pourthiaea villosa</i> var. <i>zollingeri</i> (Decne.) C.K.Schneid.
털음나무 (Teol-eum-na-mu)	<b>Hairy prickly castor oil tree</b> <i>Kalopanax septemlobus</i> var. <i>magnificus</i> (Zabel) Hand.-Mazz.
털이스라지 (Teol-i-seu-ra-ji)	<b>Hairy oriental bush cherry</b> <i>Prunus japonica</i> f. <i>rufinervis</i> (Nakai) T.B.Lee
털이슬 (Teol-i-seul)	<b>South enchanter's nightshade</b> <i>Circaeae mollis</i> Siebold & Zucc.
털이슬속 [바늘꽃과] (Teol-i-seul-sok)	<b>Enchanter's nightshade</b> <i>Circaeae L.</i> [Onagraceae]
털인가목조팝나무 (Teol-in-ga-mok-jo-pap-na-mu)	<b>Pilose elm-leaf spiraea</b> <i>Spiraea chamaedryfolia</i> var. <i>pilosa</i> (Nakai) H.Hara
털인동 (Teol-in-dong)	<b>Hairy golden-and-silver honeysuckle</b> <i>Lonicera japonica</i> var. <i>repens</i> (Siebold) Rehder
털잎사초 (Teol-ip-sa-cho)	<b>Woolly-leaf sedge</b> <i>Carex latisquamea</i> Kom.

Korean name (Romanization)	English name Scientific name
털잎솔나물 (Teol-ip-sol-na-mul)	<b>Hairy-leaf yellow bedstraw</b> <i>Galium verum</i> var. <i>trachyphyllum</i> Wallr.
털잎하늘지기 (Teol-ip-ha-neul-ji-gi)	<b>Silky-hair fimbriстиlis</b> <i>Fimbristylis sericea</i> (Poir.) R.Br.
털잔대 (Teol-jan-dae)	<b>Hairy whorled-leaf ladybell</b> <i>Adenophora verticillata</i> var. <i>hirsuta</i> F.Schmidt
털잡이제비꽃 (Teol-jap-i-je-bi-kkot)	<b>Hairy butterwort</b> <i>Pinguicula villosa</i> L.
털장구채 (Teol-jang-gu-chae)	<b>Hairy catchfly</b> <i>Silene firma</i> f. <i>pubescens</i> (Makino) Makino
털장대 (Teol-jang-dae)	<b>Hairy rockcress</b> <i>Arabis hirsuta</i> (L.) Scop.
털전호 (Teol-jeon-ho)	<b>Hairy wild chervil</b> <i>Anthriscus sylvestris</i> f. <i>hirtifructus</i> (Ohwi) H.Ohba
털점나도나물 (Teol-jeom-na-do-na-mul)	<b>Hairy mouse-ear chickweed</b> <i>Cerastium pauciflorum</i> Stev. ex Ser.
털제비고깔 (Teol-je-bi-go-kkal)	<b>Hairy Maack's larkspur</b> <i>Delphinium maackianum</i> f. <i>lasiocarpum</i> (Regel) Kitag.
털제비꽃 (Teol-je-bi-kkot)	<b>Red-flower violet</b> <i>Viola phalacrocarpa</i> Maxim.
털조록싸리 (Teol-jo-rok-ssa-ri)	<b>Hairy Korean lespedeza</b> <i>Lespedeza maximowiczii</i> var. <i>tomentella</i> Nakai
털조릿대풀 (Teol-jo-rit-dae-pul)	<b>Hairy lophatherum</b> <i>Lophatherum sinense</i> Rendle
털조장나무 (Teol-jo-jang-na-mu)	<b>Hairy spicebush</b> <i>Lindera sericea</i> (Siebold & Zucc.) Blume
털좁쌀풀 (Teol-jop-ssal-pul)	<b>Downward-hair eyebright</b> <i>Euphrasia retrotricha</i> Nakai ex T.H.Chung
털종비나무 (Teol-jong-bi-na-mu)	<b>Hairy Korean spruce</b> <i>Picea koraiensis</i> var. <i>tonaiensis</i> (Nakai) T.B.Lee
털중나리 (Teol-jung-na-ri)	<b>Friendly lily</b> <i>Lilium amabile</i> Palib.

Korean name (Romanization)	English name Scientific name
털주깨 (Teol-jwi-kkae)	<b>Hairy miniature mosla</b> <i>Mosla dianthera</i> var. <i>nana</i> (H.Hara) Ohwi
털주똥나무 (Teol-jwi-ttong-na-mu)	<b>Hairy border privet</b> <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Rehder
털지령쿠나무 (Teol-ji-reong-ku-na-mu)	<b>Velvety red elder</b> * <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>velutina</i> T.B.Lee
털진고사리 (Teol-jin-go-sa-ri)	<b>Hairy false spleenwort</b> <i>Deparia kiusiana</i> (Koidz.) M.Kato
털진달래 (Teol-jin-dal-rae)	<b>Hairy Korean rhododendron</b> <i>Rhododendron mucronulatum</i> var. <i>ciliatum</i> Nakai
털진득찰 (Teol-jin-deuk-chal)	<b>Glandular-stalk St. Paul's wort</b> <i>Sigesbeckia pubescens</i> (Makino) Makino
털질경이 (Teol-jil-gyeong-i)	<b>Depressed plantain</b> <i>Plantago depressa</i> Willd.
털찔레 (Teol-jjil-re)	<b>Glandular bristle multiflora rose</b> <i>Rosa multiflora</i> var. <i>adenochaeta</i> (Koidz.) Ohwi
털참범꼬리 (Teol-cham-beom-kko-ri)	<b>Velvety common bistort</b> <i>Bistorta pacifica</i> f. <i>velutina</i> Kitag.
털초피나무 (Teol-cho-pi-na-mu)	<b>Hairy chopi</b> <i>Zanthoxylum piperitum</i> f. <i>pubescens</i> (Nakai) W.T.Lee
털큰산버들 (Teol-keun-san-beo-deul)	<b>Woolly gray willow</b> <i>Salix sericeo-cinerea</i> f. <i>lanata</i> (Nakai) W.T.Lee
털큰앵초 (Teol-keun-aeng-cho)	<b>Hairy Yalu river primrose</b> <i>Primula jesoana</i> var. <i>pubescens</i> (Takeda) Takeda & H.Hara
털톱풀 (Teol-top-pul)	<b>Bristly yarrow</b> <i>Achillea setacea</i> Waldst. & Kit.
털파리채 (Teol-pa-ri-chae)	<b>Shady juncea lespedeza</b> <i>Lespedeza juncea</i> var. <i>umbrosa</i> (Kom.) T.B.Lee
털팥배나무 (Teol-pat-bae-na-mu)	<b>Hairy Korean mountain ash</b> <i>Sorbus alnifolia</i> f. <i>hirtella</i> (Nakai) W.T.Lee
털피나무 (Teol-pi-na-mu)	<b>Brown linden</b> <i>Tilia rufa</i> Nakai

Korean name (Romanization)	English name Scientific name
털하늘지기 (Teol-ha-neul-ji-gi)	<b>Hairy two-leaf fimbriстиlis</b> <i>Fimbristylis dichotoma f. tomentosa</i> (Vahl) Ohwi
털향유 (Teol-hyang-yu)	<b>Split-lip hempnettle</b> <i>Galeopsis bifida</i> Boenn.
털향유속 [꿀풀과] (Teol-hyang-yu-sok)	<b>Hemp-nettle, Hempnettle</b> <i>Galeopsis L.</i> [Lamiaceae]
털현호색 (Teol-hyeon-ho-saek)	<b>Hairy corydalis</b> <i>Corydalis hirtipes</i> B.U.Oh & J.G.Kim
털화살나무 (Teol-hwa-sal-na-mu)	<b>Hairy burning bush spindletree</b> <i>Euonymus alatus f. pilosus</i> (O.Loes. & Rehder) Ohwi
털황벽 (Teol-hwang-byeok)	<b>Hairy Amur corktree</b> <i>Phellodendron amurense f. molle</i> (Nakai) W.T.Lee
털황철나무 (Teol-hwang-cheol-na-mu)	<b>Hairy Manchurian poplar</b> <i>Populus maximowiczii</i> var. <i>barbinervis</i> Nakai
토끼고사리 (To-kki-go-sa-ri)	<b>Oak fern</b> <i>Gymnocarpium dryopteris</i> (L.) Newman
토끼고사리속 [면마과] (To-kki-go-sa-ri-sok)	<b>Oak ferns</b> <i>Gymnocarpium</i> Newman [Dryopteridaceae]
토끼풀속 [콩과] (To-kki-pul-sok)	<b>Clover</b> <i>Trifolium L.</i> [Fabaceae]
토대황 (To-dae-hwang)	<b>Western dock</b> <i>Rumex aquaticus</i> L.
토현삼 (To-hyeon-sam)	<b>Korean figwort</b> <i>Scrophularia koraiensis</i> Nakai
톱니나자스말 (Top-ni-na-ja-seu-mal)	<b>Brittle water-nymph</b> <i>Najas minor</i> All.
톱바위취 (Top-ba-wi-chwi)	<b>Dotted rockfoil</b> <i>Saxifraga punctata</i> L.

Korean name (Romanization)	English name Scientific name
톱잔대 (Top-jan-dae)	<b>Serrate ladybell</b> <i>Adenophora curvidens</i> Nakai
톱지네고사리 (Top-ji-ne-go-sa-ri)	<b>Shaggy shield fern</b> <i>Dryopteris cycadina</i> (Franch. & Sav.) C.Chr.
톱풀 (Top-pul)	<b>Alpine yarrow</b> <i>Achillea alpina</i> L.
톱풀속 [국화과] (Top-pul-sok)	<b>Yarrow</b> <i>Achillea</i> L. [Asteraceae]
통발 (Tong-bal)	<b>Common bladderwort</b> <i>Utricularia vulgaris</i> var. <i>japonica</i> (Makino) T.Yamanaka
통발과 (Tong-bal-gwa)	<b>Bladderwort family</b> Lentibulariaceae Rich.
통발속 [통발과] (Tong-bal-sok)	<b>Bladderwort</b> <i>Utricularia</i> L. [Lentibulariaceae]
통보리사초 (Tong-bo-ri-sa-cho)	<b>Asian sand sedge</b> <i>Carex kobomugi</i> Ohwi
통영미나리냉이 (Tong-yeong-mi-na-ri-naeng-i)	<b>Tongyeong bittercress</b> * <i>Cardamine leucantha</i> var. <i>toensis</i> (Nakai) T.B.Lee
투구꽃 (Tu-gu-kkot)	<b>Monk'shood</b> <i>Aconitum jaluense</i> Kom.
투구꽃속 [미나리아재비과] (Tu-gu-kkot-sok)	<b>Aconite, Blue rocket, Devil's helmet, Leopard's bane, Monk'shood, Mousebane, Queen of all poisons, Wolf's bane, Women's bane</b> <i>Aconitum</i> L. [Ranunculaceae]
퉁둥굴레 (Tung-dung-gul-re)	<b>Inflated solomon's seal</b> <i>Polygonatum inflatum</i> Kom.
퉁퉁마디  (Tung-tung-ma-di)	<b>Marshfire glasswort</b> <i>Salicornia europaea</i> L.
퉁퉁마디속 [명아주과] (Tung-tung-ma-di-sok)	<b>Glasswort, Pickleweed</b> <i>Salicornia</i> L. [Chenopodiaceae]

Korean name (Romanization)	English name Scientific name
<b>II</b>	
파대가리 (Pa-dae-ga-ri)	<b>Short-leaf spikesedge</b> <i>Kyllinga brevifolia</i> Rottb.
파대가리속 [사초과] (Pa-dae-ga-ri-sok)	<b>Spikesedge</b> <i>Kyllinga</i> Rottb. [Cyperaceae]
파드득나물 (Pa-deu-deuk-na-mul)	<b>East Asian wildparsley</b> <i>Cryptotaenia japonica</i> Hassk.
파드득나물속 [산형과] (Pa-deu-deuk-na-mul-sok)	<b>Honewort</b> <i>Cryptotaenia</i> DC. [Apiaceae]
파란여로 (Pa-ran-yeo-ro)	<b>Blue false-hellebore</b> <i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H.Hara
파리풀 (Pa-ri-pul)	<b>Asian lopseed</b> <i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda
파리풀과 (Pa-ri-pul-gwa)	<b>Lopseed family</b> <i>Phrymaceae</i> Schauer
파리풀속 [파리풀과] (Pa-ri-pul-sok)	<b>Lopseed, Phryma</b> <i>Phryma</i> L. [Phrymaceae]
파초일엽 (Pa-cho-il-yeop)	<b>Bird's-nest fern</b> <i>Asplenium antiquum</i> Makino
팔손이 (Pal-son-i)	<b>Glossy-leaf paper plant</b> <i>Fatsia japonica</i> (Thunb.) Decne. & Planch.
팔손이속 [두릅나무과] (Pal-son-i-sok)	<b>Fatsia</b> <i>Fatsia</i> Decne. & Planch. [Araliaceae]
팔꽃나무 (Pat-kkot-na-mu)	<b>Lilac daphne</b> <i>Daphne genkwa</i> Siebold & Zucc.
팔꽃나무과 (Pat-kkot-na-mu-gwa)	<b>Mezereum family</b> <i>Thymelaeaceae</i> Juss.
팔꽃나무속 [팔꽃나무과] (Pat-kkot-na-mu-sok)	<b>Daphne</b> <i>Daphne</i> L. [Thymelaeaceae]
팔배나무 (Pat-bae-na-mu)	<b>Korean mountain ash</b> <i>Sorbus alnifolia</i> (Siebold & Zucc.) K.Koch

Korean name (Romanization)	English name Scientific name
패랭이꽃 (Pae-raeng-i-kkot)	<b>Rainbow pink</b> <i>Dianthus chinensis</i> L.
패랭이꽃속 [석죽과] (Pae-raeng-i-kkot-sok)	<b>Carnation, Pink, Sweet william</b> <i>Dianthus</i> L. [Caryophyllaceae]
패모 (Pae-mo)	<b>Ussuri fritillary</b> <i>Fritillaria ussuriensis</i> Maxim.
패모속 [백합과] (Pae-mo-sok)	<b>Fritillary, Mission bells</b> <i>Fritillaria</i> L. [Liliaceae]
팽나무 (Paeng-na-mu)	<b>East Asian hackberry</b> <i>Celtis sinensis</i> Pers.
팽나무속 [느릅나무과] (Paeng-na-mu-sok)	<b>Hackberry</b> <i>Celtis</i> L. [Ulmaceae]
퍼진고사리 (Peo-jin-go-sa-ri)	<b>Alpine buckler fern</b> <i>Dryopteris expansa</i> (C.Presl) Fraser-Jenk. & Jermy
펠리온나무 (Pel-ri-on-na-mu)	<b>Rough pellionia</b> <i>Pellionia scabra</i> Benth.
펠리온나무속 [쐐기풀과] (Pel-ri-on-na-mu-sok)	<b>Pellionia</b> <i>Pellionia</i> Gaudich. [Urticaceae]
평강노간주 (Pyeong-gang-no-gan-ju)	<b>Pyeonggang juniper</b> <i>Juniperus rigida</i> var. <i>modesta</i> Nakai
평안피나무 (Pyeong-an-pi-na-mu)	<b>Serrate-leaf Amur linden</b> <i>Tilia amurensis</i> var. <i>grosseserrata</i> Nakai
평양대극 (Pyeong-yang-dae-geuk)	<b>Pyeongyang spurge</b> <i>Euphorbia barbellata</i> var. <i>imaii</i> (Hurus.) Kitag.
포기거머리말 (Po-gi-geo-meo-ri-mal)	<b>Tufted eelgrass</b> <i>Zostera caespitosa</i> Miki
포기사초 (Po-gi-sa-cho)	<b>Turfy sedge</b> <i>Carex cespitosa</i> L.
포도과 (Po-do-gwa)	<b>Grape family</b> Vitaceae Juss.
포도속 [포도과] (Po-do-sok)	<b>Grape, Grapevines</b> <i>Vitis</i> L. [Vitaceae]

Korean name (Romanization)	English name Scientific name
포아풀 (Po-a-pul)	<b>Hard bluegrass</b> <i>Poa sphondyloides</i> Trin.
포아풀속 [벼과] (Po-a-pul-sok)	<b>Bluegrass</b> <i>Poa L.</i> [Poaceae]
포천구절초 (Po-cheon-gu-jeol-cho)	<b>Pocheon dendranthema</b> <i>Dendranthema zawadskii</i> var. <i>tenuisectum</i> Kitag.
포천바위솔 (Po-cheon-ba-wi-sol)	<b>Wide-elliptic rock pine</b> <i>Orostachys latielliptica</i> Y.N.Lee
포태사초 (Po-tae-sa-cho)	<b>Potae sedge</b> <i>Carex sioumensis</i> Koidz.
포태제비난 (Po-tae-je-bi-nan)	<b>Korean frog orchid</b> <i>Dactylorhiza viridis</i> var. <i>coreana</i> (Nakai) N.S.Lee
포태향기풀 (Po-tae-hyang-gi-pul)	<b>Alpine vernalgrass</b> <i>Anthoxanthum odoratum</i> subsp. <i>alpinum</i> (Å.Löve & D.Löve) B.M.G.Jones & Melderis
포평마름 (Po-pyeong-ma-reum)	<b>Popyeong water-chestnet</b> <i>Trapa natans</i> var. <i>japonica</i> Nakai
폭나무 (Pok-na-mu)	<b>Biond's hackberry</b> <i>Celtis biondii</i> Pamp.
폭이사초 (Pok-i-sa-cho)	<b>Slender-pedicel sedge</b> <i>Carex teinogyna</i> Boott
푸른가막살 (Pu-reun-ga-mak-sal)	<b>Wax-leaf viburnum</b> <i>Viburnum japonicum</i> (Thunb.) Sprengel
푸른각시고사리 (Pu-reun-gak-si-go-sa-ri)	<b>Green-leaf marsh fern</b> <i>Macrothelypteris viridifrons</i> (Tagawa) Ching
푸른개고사리 (Pu-reun-gae-go-sa-ri)	<b>Green tapping glade fern</b> <i>Deparia viridifrons</i> (Makino) M.Kato
푸른갓골풀 (Pu-reun-gaet-gol-pul)	<b>Pale-green stem rush</b> <i>Juncus setchuensis</i> Buchenau
푸른구상 (Pu-reun-gu-sang)	<b>Green-cone Korean fir</b> <i>Abies koreana</i> f. <i>chlorocarpa</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
푸른더덕 (Pu-reun-deo-deok)	<b>Spotless bonnet bellflower</b> <i>Codonopsis lanceolata</i> f. <i>emaculata</i> (Honda) H.Hara
푸른말털이슬 (Pu-reun-mal-teol-i-seul)	<b>Green-calyx enchanter's nightshade</b> <i>Ciraea quadrifolia</i> f. <i>viridicalyx</i> (H.Hara) Kitag.
푸른미선나무 (Pu-reun-mi-seon-na-mu)	<b>Green-calyx meseonnamu (Green-calyx abeliophyllum)</b> <i>Abeliophyllum distichum</i> f. <i>viridicalycinum</i> T.B.Lee*
푸른박새 (Pu-reun-bak-sae)	<b>Long-petal false-hellebore</b> <i>Veratrum dolichopetalum</i> O.Loes.
푸른방동사니 (Pu-reun-bang-dong-sa-ni)	<b>White-scale flatsedge</b> <i>Cyperus nipponicus</i> Franch. & Sav.
푸른백미꽃 (Pu-reun-baek-mi-kkot)	<b>Greenish black-end swallow-wort</b> * <i>Cynanchum atratum</i> f. <i>viridescens</i> Ohwi
푸른산들깨 (Pu-reun-san-deul-kkae)	<b>Green large-bract mosla</b> <i>Mosla japonica</i> var. <i>robusta</i> Ohwi
푸른산총총이 (Pu-reun-san-cheung-cheung-i)	<b>Hairless Asian calamint</b> <i>Clinopodium chinense</i> var. <i>glabrescens</i> (Nakai) Ohwi
푸른여로 (Pu-reun-yeo-ro)	<b>Greenish-flower false-hellebore</b> <i>Veratrum versicolor</i> f. <i>viride</i> Nakai
푸른잔디 (Pu-reun-jan-di)	<b>Pale Korean lawngrass</b> <i>Zoysia japonica</i> var. <i>pallida</i> Nakai ex Honda
푸른천마 (Pu-reun-cheon-ma)	<b>Green cheonma (Green tall gastrodia)</b> <i>Gastrodia elata</i> f. <i>viridis</i> (Makino) Makino
푸른하늘지기 (Pu-reun-ha-neul-ji-gi)	<b>Verrucolose fimbriostylis</b> <i>Fimbriostylis dipsacea</i> (Rottb.) C.B.Clarke
푸조나무 (Pu-jo-na-mu)	<b>Scabrous aphananthe</b> <i>Aphananthe aspera</i> (Thunb.) Planch.
푸조나무속 [느릅나무과] (Pu-jo-na-mu-sok)	<b>Aphananthe</b> <i>Aphananthe</i> Planch. [Ulmaceae]
푼지나무 (Pun-ji-na-mu)	<b>Hooked-spine bittersweet</b> <i>Celastrus flagellaris</i> Rupr.
풀거북꼬리 (Pul-geo-buk-kko-ri)	<b>Non-cuspidate false-nettle</b> <i>Boehmeria tricuspidata</i> var. <i>unicuspis</i> Makino

Korean name (Romanization)	English name Scientific name
풀고사리 (Pul-go-sa-ri)	<b>Forked fern</b> <i>Gleichenia japonica</i> Spreng.
풀고사리과 (Pul-go-sa-ri-gwa)	<b>Forking fern family</b> <i>Gleicheniaceae</i> C.Presl
풀고사리속 [풀고사리과] (Pul-go-sa-ri-sok)	<b>Gleichenia</b> <i>Gleichenia</i> Sm. [ <i>Gleicheniaceae</i> ]
풀또기 (Pul-tto-gi)	<b>Truncate flowering cherry</b> <i>Prunus triloba</i> var. <i>truncata</i> Kom.
풀명자 (Pul-myeong-ja)	<b>Maule's quince</b> <i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach
풀산딸나무 (Pul-san-ttal-na-mu)	<b>Bunchberry dogwood</b> <i>Cornus canadensis</i> L.
풀솜나물 (Pul-som-na-mul)	<b>Father-and-child plant</b> <i>Euchiton japonicus</i> (Thunb.) Holub
풀솜나물속 (Pul-som-na-mul-sok)	<b>Euchiton</b> <i>Euchiton</i> F.Cuvier [ <i>Asteraceae</i> ]
풀솜대 (Pul-som-dae)	<b>Snowy false lily of the valley</b> <i>Maianthemum japonicum</i> (A.Gray) LaFrankie
풀싸리 (Pul-ssa-ri)	<b>Tall lespedeza</b> <i>Lespedeza thunbergii</i> subsp. <i>formosa</i> (Vogel) H.Ohashi
풍게나무 (Pung-ge-na-mu)	<b>Caudate-leaf hackberry</b> <i>Celtis jessoensis</i> Koidz.
풍도대극 (Pung-do-dae-geuk)	<b>Pungdo spurge</b> <i>Euphorbia ebracteolata</i> var. <i>coreana</i> Hurus.
풍도동굴레 (Pung-do-dung-gul-re)	<b>Pungdo solomon's seal</b> <i>Polygonatum odoratum</i> (Mill.) Druce
풍도바람꽃 (Pung-do-ba-ram-kkot)	<b>Pungdo winter aconite</b> <i>Eranthis pungdoensis</i> B.U.Oh
풀란 (Pung-ran)	<b>Sickle neofinetia</b> <i>Neofinetia falcata</i> (Thunb.) Hu
풀란속 [난초과] (Pung-ran-sok)	<b>Neofinetia</b> <i>Neofinetia</i> Hu [ <i>Orchidaceae</i> ]

Korean name (Romanization)	English name Scientific name
풍산가문비 (Pung-san-ga-mun-bi)	<b>Pungsan spruce</b> <i>Picea pungsanensis</i> Uyeki
풍선난초 (Pung-seon-nan-cho)	<b>Fairy-slipper orchid</b> <i>Calypso bulbosa</i> (L.) Oakes
풍선난초속 [난초과] (Pung-seon-nan-cho-sok)	<b>Fairy slipper</b> <i>Calypso</i> Salisb. [Orchidaceae]
피 (Pi)	<b>Esculent barnyard grass</b> <i>Echinochloa esculenta</i> (A.Braun) H.Scholz
피나무 (Pi-na-mu)	<b>Amur linden</b> <i>Tilia amurensis</i> Rupr.
피나무과 (Pi-na-mu-gwa)	<b>Linden family</b> Tiliaceae Juss.
피나무속 [피나무과] (Pi-na-mu-sok)	<b>Basswood, Lime trees, Linden</b> <i>Tilia</i> L. [Tiliaceae]
피나물 (Pi-na-mul)	<b>Forest poppy</b> <i>Hylomecon vernalis</i> Maxim.
피나물속 [양귀비과] (Pi-na-mul-sok)	<b>Forest poppy</b> <i>Hylomecon</i> Maxim. [Papaveraceae]
피막이 (Pi-mak-i)	<b>Lawn marsh pennywort</b> <i>Hydrocotyle sibthorpioides</i> Lam.
피막이속 [산형과] (Pi-mak-i-sok)	<b>Even white rot, Indian pennywort, Marsh penny, Thick-leaf pennywort, Water pennywort</b> <i>Hydrocotyle</i> L. [Apiaceae]
피뿌리풀 (Pi-ppu-ri-pul)	<b>Bloody-root stellera</b> <i>Stellera chamaejasme</i> L.
피뿌리풀속 [팥꽃나무과] (Pi-ppu-ri-pul-sok)	<b>Stellera</b> <i>Stellera</i> L. [Thymelaeaceae]
피사초 (Pi-sa-cho)	<b>Long-rostrate sedge</b> <i>Carex longerostrata</i> C.A.Mey.
피속 [벼과] (Pi-sok)	<b>Barnyard grass, Barnyard millets, Billion-dollar grasses, Cockspur grass</b> <i>Echinochloa</i> P.Beauv. [Poaceae]

Korean name (Romanization)	English name Scientific name
<b>하늘나리</b> (Ha-neul-na-ri)	<b>Morning-star lily</b> <i>Lilium concolor</i> Salisb.
<b>하늘말나리</b> (Ha-neul-mal-na-ri)	<b>Twilight lily</b> <i>Lilium tsingtauense</i> Gilg
<b>하늘매발톱</b> (Ha-neul-mae-bal-top)	<b>Dwarf fan-shape columbine</b> <i>Aquilegia flabellata</i> Siebold & Zucc.
<b>하늘지기</b> (Ha-neul-ji-gi)	<b>Two-leaf fimbrystylis</b> <i>Fimbrystylis dichotoma</i> (L.) Vahl
<b>하늘지기속 [사초과]</b> (Ha-neul-ji-gi-sok)	<b>Fimbry, Fimbrystylis</b> <i>Fimbrystylis</i> Vahl [Cyperaceae]
<b>하늘타리</b> (Ha-neul-ta-ri)	<b>Mongolian snakegourd</b> <i>Trichosanthes kirilowii</i> Maxim.
<b>하늘타리속 [박과]</b> (Ha-neul-ta-ri-sok)	<b>Trichosanthes</b> <i>Trichosanthes</i> L. [Cucurbitaceae]
<b>한계령풀</b> (Han-gye-ryeong-pul)	<b>Little-beak gymnospermium</b> <i>Gymnospermium microrrhynchum</i> (S.Moore) Takht.
<b>한계령풀속 [매자나무과]</b> (Han-gye-ryeong-pul-sok)	<b>Gymnospermium</b> <i>Gymnospermium</i> Spach [Berberidaceae]
<b>한대리곰취</b> (Han-dae-ri-gom-chwi)	<b>Handaeri ragwort</b> <i>Ligularia fischeri</i> var. <i>spiciformis</i> Nakai
<b>한들고사리</b> (Han-deul-go-sa-ri)	<b>Fragile fern</b> <i>Cystopteris fragilis</i> (L.) Bernh.
<b>한들고사리속 [면마과]</b> (Han-deul-go-sa-ri-sok)	<b>Bladderferns, Fragile ferns</b> <i>Cystopteris</i> Bernh. [Dryopteridaceae]
<b>한라감자난초</b> (Han-ra-gam-ja-nan-cho)	<b>Halla oreorchis</b> * <i>Oreorchis hallasanensis</i> Y.N.Lee & K.S.Lee
<b>한라개승마</b> (Han-ra-gae-seung-ma)	<b>Korean goatsbeard</b> <i>Aruncus aethusifolius</i> (H.Lév.) Nakai
<b>한라고들빼기</b> (Han-ra-go-deul-ppae-gi)	<b>Halla lettuce</b> <i>Lactuca hallaisanensis</i> H.Lév.

Korean name (Romanization)	English name Scientific name
한라골풀 (Han-ra-gol-pul)	<b>Halla rush</b> <i>*Juncus hallasanensis</i> T.H.Chung
한라골풀아재비 (Han-ra-gol-pul-a-jae-bi)	<b>Halla beaksedge</b> <i>Rhynchospora malasica</i> C.B.Clarke
한라구절초 (Han-ra-gu-jeol-cho)	<b>Halla dendranthema</b> <i>Dendranthema coreanum</i> (H.Lév. & Vaniot) Vorosch.
한라꽃장포 (Han-ra-kkot-jang-po)	<b>Halla asphodel</b> <i>Tofieldia coccinea</i> var. <i>kondoi</i> (Miyabe & Kudô) H.Hara
한라꽃향유 (Han-ra-kkot-hyang-yu)	<b>Halla mint</b> <i>*Elsholtzia hallasanensis</i> Y.N.Lee
한라노루오줌 (Han-ra-no-ru-o-jum)	<b>Halla false goat's beard</b> <i>Astilbe chinensis</i> var. <i>taquetii</i> (L.f.) H.Hara
한라돌쩌귀 (Han-ra-dol-jjeo-gwi)	<b>East Asian monk's shood</b> <i>Aconitum japonicum</i> subsp. <i>napiforme</i> (H.Lév. & Vaniot) Kadota
한라물부추 (Han-ra-mul-bu-chu)	<b>Halla quilwort</b> <i>Isoetes hallasanensis</i> H.-K. Choi, C. Kim & J. Jung
한라바늘꽃 (Han-ra-ba-neul-kkot)	<b>Halla willowherb</b> <i>Epilobium pyrricholophum</i> var. <i>curvatomiforme</i> H.Hara
한라부추 (Han-ra-bu-chu)	<b>Halla chive</b> <i>Allium taquetii</i> H.Lév. & Vaniot
한라비비추 (Han-ra-bi-bi-chu)	<b>Halla hosta</b> <i>Hosta venusta</i> F.Maek.
한라사초 (Han-ra-sa-cho)	<b>Red-based leaf sedge</b> <i>Carex erythrobasis</i> H.Lév. & Vaniot
한라산비장이 (Han-ra-san-bi-jang-i)	<b>Alpine coronate sawwort</b> <i>Serratula coronata</i> f. <i>alpina</i> (Nakai) W.T.Lee
한라산진달래 (Han-ra-san-jin-dal-rae)	<b>Slender-fruit Korean rhododendron</b> <i>Rhododendron mucronulatum</i> var. <i>taquetii</i> Nakai
한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)	<b>Hallasan azalea</b> <i>Rhododendron saisiense</i> Nakai
한라새동지란 (Han-ra-sae-dung-ji-ran)	<b>Halla leafless bird's nest orchid</b> <i>Neottia kiusiana</i> T.Hashim. & Hatusi

Korean name (Romanization)	English name Scientific name
한라솜다리 (Han-ra-som-da-ri)	<b>Halla edelweiss</b> <i>Leontopodium hallaisanense</i> Hand.-Mazz.
한라송이풀 (Han-ra-song-i-pul)	<b>Halla lousewort</b> <i>Pedicularis hallaisanensis</i> Hurus.
한라여로 (Han-ra-yeo-ro)	<b>Halla false-hellebore</b> <i>Veratrum coreanum</i> O.Loes.
한라옥잠난초 (Han-ra-ok-jam-nan-cho)	<b>Auricled widelip orchid</b> <i>Liparis auriculata</i> Blume ex Miq.
한라잠자리난 (Han-ra-jam-ja-ri-nan)	<b>Little platanthera</b> <i>Platanthera minor</i> (Miq.) Rchb.f.
한라장구채 (Han-ra-jang-gu-chae)	<b>Halla catchfly</b> <i>Silene fasciculata</i> Nakai
한라참나물 (Han-ra-cham-na-mul)	<b>Halla pimpinella</b> <i>Pimpinella hallaisanensis</i> (W.T.Lee & C.G.Jang) C.G.Jang
한라참취 (Han-ra-cham-chwi)	<b>Halla edible aster</b> * <i>Aster scaber</i> var. <i>minor</i> Yabe ex Nakai
한라천마 (Han-ra-cheon-ma)	<b>Halla cheonma (Warty tall gastrodia)</b> <i>Gastrodia verrucosa</i> Blume
한라투구꽃 (Han-ra-tu-gu-kkot)	<b>Halla monk'shood</b> <i>Aconitum quelpaertense</i> Nakai
한란 (Han-ran)	<b>Hanran (Cold-growing cymbidium)</b> <i>Cymbidium kanran</i> Makino
한련초 (Han-ryeon-cho)	<b>False daisy</b> <i>Eclipta prostrata</i> (L.) L.
한련초속 [국화과] (Han-ryeon-cho-sok)	<b>Eclipta</b> <i>Eclipta</i> L. [Asteraceae]
한마디꽃 (Han-ma-di-kkot)	<b>Tall rotala</b> <i>Rotala elatinomorpha</i> Makino
할미꽃 (Hal-mi-kkot)	<b>Korean pasque-flower</b> <i>Pulsatilla koreana</i> (Yabe ex Nakai) Nakai ex Nakai

Korean name (Romanization)	English name Scientific name
활미꽃속 [미나리아재비과] (Hal-mi-kkot-sok)	Easter flower, Meadow anemone, Pasque-flower, Prairie crocus, Wind flower <i>Pulsatilla</i> Mill. [Ranunculaceae]
활미밀망 (Hal-mi-mil-mang)	Three-flower Korean clematis <i>Clematis trichotoma</i> Nakai
함경나비나물 (Ham-gyeong-na-bi-na-mul)	Dense-flower two-leaf vetch <i>Vicia unijuga</i> var. <i>ohwiana</i> (Hosok.) Nakai
함경딸기 (Ham-gyeong-ttal-gi)	Arctic raspberry <i>Rubus arcticus</i> L.
함경백산차 (Ham-gyeong-baek-san-cha)	Greenland labrador tea <i>Ledum palustre</i> subsp. <i>groenlandicum</i> (Oeder) Hultén
함박꽃나무 (Ham-bak-kkot-na-mu)	Korean mountain magnolia <i>Magnolia sieboldii</i> K.Koch
함박이 (Ham-bak-i)	Snake vine <i>Stephania japonica</i> (Thunb.) Miers
함박이속 [새모래덩굴과] (Ham-bak-i-sok)	Stephania <i>Stephania</i> Lour. [Menispermaceae]
함북사초 (Ham-buk-sa-cho)	Star sedge <i>Carex echinata</i> Murray
함북오리나무 (Ham-buk-o-ri-na-mu)	Beard Northeast Asian alder <i>Alnus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee
함흥씀바귀 (Ham-heung-sseum-ba-gwi)	Hamheung ixeris <i>Ixeris chinodebilis</i> Kitam.
합다리나무 (Hap-da-ri-na-mu)	Oldham's meliosma <i>Meliosma oldhamii</i> Maxim.
합실리 (Hap-sil-ri)	Korean pear * <i>Pyrus ussuriensis</i> var. <i>viridis</i> T.B.Lee
해국 (Hae-guk)	Seashore spatulate aster <i>Aster spathulifolius</i> Maxim.
해녀콩 (Hae-nyeo-kong)	Asian beach jackbean <i>Canavalia lineata</i> (Thunb.) DC

Korean name (Romanization)	English name Scientific name
해녀콩속 [콩과] (Hae-nyeo-kong-sok)	<b>Jackbean</b> <i>Canavalia</i> Adans. [Fabaceae]
해당화 (Hae-dang-hwa)	<b>Rugose rose</b> <i>Rosa rugosa</i> Thunb.
해란초 (Hae-ran-cho)	<b>Seashore toadflax</b> <i>Linaria</i> japonica Miq.
해란초속 [현삼과] (Hae-ran-cho-sok)	<b>Toadflax</b> <i>Linaria</i> Mill. [Scrophulariaceae]
해변노간주 (Hae-byeon-no-gan-ju)	<b>Shore juniper</b> <i>Juniperus rigida</i> var. <i>conferta</i> (Parl.) Patschke
해변노박덩굴 (Hae-byeon-no-bak-deong-gul)	<b>Coastal oriental bittersweet</b> <i>Celastrus orbiculatus</i> var. <i>punctatus</i> Rehder
해변싸리 (Hae-byeon-ssa-ri)	<b>Coastal lespedeza</b> <i>Lespedeza maritima</i> Nakai
해산사초 (Hae-san-sa-cho)	<b>Hancock's sedge</b> <i>Carex hancockiana</i> Maxim.
해오라비난초 (Hae-o-ra-bi-nan-cho)	<b>White-egret flower</b> <i>Habenaria radiata</i> (Thunb.) Spreng.
해오라비난초속 [난초과] (Hae-o-ra-bi-nan-cho-sok)	<b>Bog orchid</b> <i>Habenaria</i> Willd. [Orchidaceae]
해인비비추 (Hae-in-bi-bi-chu)	<b>Late-blooming hosta</b> <i>Hosta tardiva</i> Nakai
해장죽속 [벼과] (Hae-jang-juk-sok)	<b>Cane</b> <i>Arundinaria</i> Michx. [Poaceae]
해호말 (Hae-Ho-Mal)	<b>Sea loving seagrass</b> <i>Halophila nipponica</i> J.Kuo
해호말속 [자라풀과] (Hae-ho-mal-sok)	<b>Seagrass</b> <i>Halophila</i> Thouars [Hydrocharitaceae]
해홍나물 (Hae-hong-na-mul)	<b>Herbaceous seepweed</b> <i>Suaeda maritima</i> (L.) Dumort.
햇사초 (Haet-sa-cho)	<b>False Chinese sedge</b> <i>Carex pseudochinensis</i> H.Lév. & Vaniot

Korean name (Romanization)	English name Scientific name
향기풀속 [벼과] (Hyang-gi-pul-sok)	<b>Hornwort, Vernal grasses, Vernalgrasses</b> <i>Anthoxanthum</i> L. [Poaceae]
향나무 (Hyang-na-mu)	<b>Chinese juniper</b> <i>Juniperus chinensis</i> L.
향나무속 [촉백나무과] (Hyang-na-mu-sok)	<b>Juniper</b> <i>Juniperus</i> L. [Cupressaceae]
향등골나물 (Hyang-deung-gol-na-mul)	<b>Triparted-leaf eupatorium</b> <i>Eupatorium tripartitum</i> (Makino) Murata & H.Koyama
향모 (Hyang-mo)	<b>Sweetgrass</b> <i>Hierochloe odorata</i> (L.) P.Beauv.
향모속 [벼과] (Hyang-mo-sok)	<b>Sweetgrass</b> <i>Hierochloe</i> R.Br. [Poaceae]
향부자 (Hyang-bu-ja)	<b>Nutgrass flatsedge</b> <i>Cyperus rotundus</i> L.
향유 (Hyang-yu)	<b>Crested late-summer mint</b> <i>Elsholtzia ciliata</i> (Thumb.) Hyl.
향유속 [꿀풀과] (Hyang-yu-sok)	<b>Elsholtzia</b> <i>Elsholtzia</i> Willd. [Lamiaceae]
헐떡이풀 (Heol-tteok-i-pul)	<b>Foam flower</b> <i>Tiarella polypylla</i> D.Don
헐떡이풀속 [범의귀과] (Heol-tteok-i-pul-sok)	<b>Foam flower</b> <i>Tiarella</i> L. [Saxifragaceae]
헛개나무 (Heot-gae-na-mu)	<b>Oriental raisin tree</b> <i>Hovenia dulcis</i> Thunb.
헛개나무속 [갈매나무과] (Heot-gae-na-mu-sok)	<b>Hovenia</b> <i>Hovenia</i> Thunb. [Rhamnaceae]
현삼 (Hyeon-sam)	<b>Buerger's figwort</b> <i>Scrophularia buergeriana</i> Miq.
현삼과 (Hyeon-sam-gwa)	<b>Figwort family</b> <i>Scrophulariaceae</i> Juss.
현삼속 [현삼과] (Hyeon-sam-sok)	<b>Figwort</b> <i>Scrophularia</i> L. [Scrophulariaceae]

Korean name (Romanization)	English name Scientific name
현호색 (Hyeon-ho-saek)	<b>Common corydalis</b> <i>Corydalis remota</i> Fisch. ex Maxim.
현호색과 (Hyeon-ho-saek-gwa)	<b>Fumitory family</b> Fumariaceae Rich. ex DC.
현호색속 [현호색과] (Hyeon-ho-saek-sok)	<b>Fumewort</b> <i>Corydalis</i> DC. [Fumariaceae]
협죽도과 (Hyeop-juk-do-gwa)	<b>Dogbane family</b> Apocynaceae Juss.
형개속 [꿀풀과] (Hyeong-gae-sok)	<b>Japanese catnip</b> <i>Schizonepeta</i> (Benth.) Briq. [Lamiaceae]
호골무꽃 (Ho-gol-mu-kkot)	<b>Ussuri skullcap</b> <i>Scutellaria pekinensis</i> var. <i>ussuriensis</i> (Regel) Hand.-Mazz.
호광대수염 (Ho-gwang-dae-su-yeom)	<b>Cuspidate deadnettle</b> * <i>Lamium cuspidatum</i> Nakai ex T.H.Chung
호노루발 (Ho-no-ru-bal)	<b>Dahurian wintergreen</b> <i>Pyrola dahurica</i> (H.Andres) Kom.
호대황 (Ho-dae-hwang)	<b>Giant dock</b> <i>Rumex gmelinii</i> Turcz. ex Ledeb.
호랑기시나무 (Ho-rang-ga-si-na-mu)	<b>Horned holly</b> <i>Ilex cornuta</i> Lindl. & Paxton
호랑버들 (Ho-rang-beo-deul)	<b>Goat willow</b> <i>Salix caprea</i> L.
호모초 (Ho-mo-cho)	<b>Staunton's bugseed</b> <i>Corispermum stauntonii</i> Moq.
호모초속 [명아주과] (Ho-mo-cho-sok)	<b>Bugseed, Tickseed, Tumbleweed</b> <i>Corispermum</i> L. [Chenopodiaceae]
호밀사초 (Ho-mil-sa-cho)	<b>Ryegrass sedge</b> <i>Carex loliacea</i> L.
호바늘꽃 (Ho-ba-neul-kkot)	<b>Amur willowherb</b> <i>Epilobium amurense</i> Hausskn.
호범꼬리 (Ho-beom-kko-ri)	<b>Hairy bistort</b> <i>Bistorta ochotensis</i> (Petrov ex Kom.) Kom.

Korean name (Romanization)	English name Scientific name
호비수리 (Ho-bi-su-ri)	<b>Dahurian lespedeza</b> <i>Lespedeza daurica</i> (Laxm.) Schindl.
호산장구채 (Ho-san-jang-gu-chae)	<b>Hosan catchfly</b> <i>Silene foliosa</i> Maxim.
호오리새 [벼과] (Ho-o-ri-sae)	<b>False melic grass</b> <i>Schizachne purpurascens</i> subsp. <i>callosa</i> (Turcz. ex Griseb.) T. Koyama & Kawano
호오리새속 [벼과] (Ho-o-ri-sae-sok)	<b>False melic</b> <i>Schizachne</i> Hack. [Poaceae]
호자나무 (Ho-ja-na-mu)	<b>Indian damnacanthus</b> <i>Damnacanthus indicus</i> C.F.Gaertn.
호자나무속 [꼭두서니과] (Ho-ja-na-mu-sok)	<b>Damnacanthus</b> <i>Damnacanthus</i> C.F.Gaertn. [Rubiaceae]
호자덩굴 (Ho-ja-deong-gul)	<b>Asian mitchella</b> <i>Mitchella undulata</i> Siebold & Zucc.
호자덩굴속 [꼭두서니과] (Ho-ja-deong-gul-sok)	<b>Mitchella</b> <i>Mitchella</i> L. [Rubiaceae]
호장근 (Ho-jang-geun)	<b>Asian knotweed</b> <i>Fallopia japonica</i> (Houtt.) Ronse Decr.
호제비꽃 (Ho-je-bi-kkot)	<b>Field purple-flower violet</b> <i>Viola yedoensis</i> Makino
호주명아주 (Ho-ju-myeong-a-ju)	<b>Creeping goosefoot</b> <i>Chenopodium carinatum</i> R.Br.
혹난초 (Hok-nan-cho)	<b>Barley-like orchid</b> <i>Bulbophyllum inconspicuum</i> Maxim.
혹쐐기풀 (Hok-sswae-gi-pul)	<b>Bulbiferous woodnettle</b> <i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd.
홀꽃노루발 (Hol-kkot-no-ru-bal)	<b>Single delight</b> <i>Moneses uniflora</i> (L.) A.Gray
홀꽃노루발속 [노루발과] (Hol-kkot-no-ru-bal-sok)	<b>One-flower wintergreen, Single delight, St. Olaf's candlestick</b> <i>Moneses</i> Salisb. ex Gray [Pyrolaceae]

Korean name (Romanization)	English name Scientific name
홀아비꽃대 (Hol-a-bi-kkot-dae)	<b>Single-spike chloranthus</b> <i>Chloranthus japonicus</i> Siebold
홀아비꽃대과 (Hol-a-bi-kkot-dae-gwa)	<b>Chloranthus family</b> Chloranthaceae R.Br. ex Sims
홀아비꽃대속 [홀아비꽃대과] (Hol-a-bi-kkot-dae-sok)	<b>Chloranthus</b> <i>Chloranthus</i> Sw. [Chloranthaceae]
홀아비바람꽃 (Hol-a-bi-ba-ram-kkot)	<b>Korean anemone</b> <i>Anemone koraiensis</i> Nakai
홀잎노루발 (Hol-ip-no-ru-bal)	<b>Single-leaf wintergreen</b> <i>Pyrola japonica</i> var. <i>subaphylla</i> (Maxim.) Andres
홍고불나무 (Hong-goe-bul-na-mu)	<b>Reddish honeysuckle</b> <i>Lonicera sachalinensis</i> (F.Schmidt) Nakai
홍노도라지 (Hong-no-do-ra-ji)	<b>Fleshy peracarpa</b> <i>Peracarpa carnosa</i> var. <i>circaeoides</i> (F.Schmidt ex Miq.) Makino
홍노도라지속 [초롱꽃과] (Hong-no-do-ra-ji-sok)	<b>Peracarpa</b> <i>Peracarpa</i> Hook. f. & Thomson [Campanulaceae]
홍도고들빼기 (Hong-do-go-deul-ppae-gi)	<b>Hongdo crepidiastrixeris</b> <i>Crepidiastrixeris denticulato-platiphylla</i> (Makino) Kitam.
홍도고들빼기속 [국화과] (Hong-do-go-deul-ppae-gi-sok)	<b>Crepidiastrixeris</b> <i>Crepidiastrixeris</i> Kitam. [Asteraceae]
홍도까치수염 (Hong-do-kka-chi-su-yeom)	<b>Five-petal loosestrife</b> <i>Lysimachia pentapetala</i> Bunge
홍도서덜취 (Hong-do-seo-deol-chwi)	<b>Hongdo saussurea</b> <i>Saussurea polylepis</i> Nakai
홍도원추리 (Hong-do-won-chu-ri)	<b>Hongdo daylily</b> <i>Hemerocallis hongdoensis</i> M.G.Chung & S.S.Kang
홍돌가시나무 (Hong-dol-ga-si-na-mu)	<b>Red-flower Wichura's rose</b> <i>Rosa wichuraiana</i> f. <i>rosiflora</i> Nakai
홍만병초 (Hong-man-byeong-cho)	<b>Red-flower rosebay</b> <i>Rhododendron brachycarpum</i> var. <i>roseum</i> Koidz.
홍월귤 (Hong-wol-gyul)	<b>Red-fruit bearberry</b> <i>Arctous ruber</i> (Rehder & E.H.Wilson) Nakai

Korean name (Romanization)	English name Scientific name
홍월귤속 [진달래과] (Hong-wol-gyul-sok)	<b>Alpine bearberry, Arctous</b> <i>Arctous</i> (A.Gray) Nied. [Ericaceae]
홍지네고사리 (Hong-ji-ne-go-sa-ri)	<b>Autumn fern</b> <i>Dryopteris erythrosora</i> (Eat.) Kuntze
화산곱슬사초 (Hwa-san-gop-seul-sa-cho)	<b>Radde's sedge</b> <i>Carex raddei</i> Kük.
화살곰취 (Hwa-sal-gom-chwi)	<b>Arrowhead-leaf ragwort</b> <i>Ligularia jamesii</i> (Hemsl.) Kom.
화살나무 (Hwa-sal-na-mu)	<b>Burning bush spindletree</b> <i>Euonymus alatus</i> (Thunb.) Siebold
화살나무속 [노박덩굴과] (Hwa-sal-na-mu-sok)	<b>Spindle, Spindletree</b> <i>Euonymus</i> L. [Celastraceae]
화살사초 (Hwa-sal-sa-cho)	<b>Transverse Brown's sedge</b> <i>Carex brownii</i> var. <i>transversa</i> (Boott) Kük.
화엄제비꽃 (Hwa-eom-je-bi-kkot)	<b>Hwaeom violet</b> <i>Viola ibukiana</i> Makino
화태황벽나무 (Hwa-tae-hwang-byeok-na-mu)	<b>Sakhalin corktree</b> <i>Phellodendron amurense</i> var. <i>sachalinense</i> F.Schmidt
환삼덩굴 (Hwan-sam-deong-gul)	<b>Wild hop</b> <i>Humulus japonicus</i> Siebold & Zucc.
환삼덩굴속 [삼과] (Hwan-sam-deong-gul-sok)	<b>Hop</b> <i>Humulus</i> L. [Cannabaceae]
활나물 (Hwal-na-mul)	<b>Purple-flower rattlebox</b> <i>Crotalaria sessiliflora</i> L.
활나물속 [콩과] (Hwal-na-mul-sok)	<b>Rattlebox, Rattlepods</b> <i>Crotalaria</i> L. [Fabaceae]
활량나물 (Hwal-ryang-na-mul)	<b>David's vetchling</b> <i>Lathyrus davidii</i> Hance
황고사리 (Hwang-go-sa-ri)	<b>Wilford's hay-scented fern</b> <i>Dennstaedtia wilfordii</i> (T. Moore) Christ
황근 (Hwang-geun)	<b>Yellow rosemallow</b> <i>Hibiscus hamabo</i> Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
황금송대 (Hwang-geum-som-dae)	<b>Golden-friut solomon's seal</b> <i>Smilacina japonica</i> var. <i>lutecarpa</i> Y.N.Lee
황기 (Hwang-gi)	<b>Hwanggi (Mongolian milkvetch)</b> <i>Astragalus membranaceus</i> Moench
황기속 [콩고] (Hwang-gi-sok)	<b>Goat's-thorn, Locoweed, Milkvetch</b> <i>Astragalus</i> L. [Fabaceae]
황매화 (Hwang-mae-hwa)	<b>Kerria</b> <i>Kerria japonica</i> (L.) DC.
황매화속 [장미과] (Hwang-mae-hwa-sok)	<b>Kerria</b> <i>Kerria</i> DC. [Rosaceae]
황벽나무 (Hwang-byeok-na-mu)	<b>Amur corktree</b> <i>Phellodendron amurense</i> Rupr.
황벽나무속 [운향과] (Hwang-byeok-na-mu-sok)	<b>Corktree</b> <i>Phellodendron</i> Rupr. [Rutaceae]
황산차 (Hwang-san-cha)	<b>Lapland rosebay</b> <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> (Adams) T. Yamaz.
황새고랭이 (Hwang-sae-go-raeng-i)	<b>Few-spike bulrush</b> <i>Scirpus maximowiczii</i> C.B.Clarke
황새냉이 (Hwang-sae-naeng-i)	<b>Wavy bittercress</b> <i>Cardamine flexuosa</i> With.
황새냉이속 [십자화과] (Hwang-sae-naeng-i-sok)	<b>Bittercress, Bitter-cress</b> <i>Cardamine</i> L. [Brassicaceae]
황새승마 (Hwang-sae-seung-ma)	<b>Foetid's bugbane</b> <i>Cimicifuga foetida</i> L.
황새풀 (Hwang-sae-pul)	<b>Tussock cottongrass</b> <i>Eriophorum vaginatum</i> L.
황새풀속 [사초과] (Hwang-sae-pul-sok)	<b>Cottongrass, Cotton-grass, Cottonsedge</b> <i>Eriophorum</i> L. [Cyperaceae]
황종용 (Hwang-jong-yong)	<b>Yellow-flower broomrape</b> <i>Orobanche pycnostachya</i> Hance
황철나무 (Hwang-cheol-na-mu)	<b>Manchurian poplar</b> <i>Populus maximowiczii</i> A.Henry

Korean name (Romanization)	English name Scientific name
황칠나무 (Hwang-chil-na-mu)	<b>Korean dendropanax</b> <i>Dendropanax morbiferus</i> H.Lév.
황칠나무속 [두릅나무과] (Hwang-chil-na-mu-sok)	<b>Dendropanax</b> <i>Dendropanax</i> Decne. & Planch. [Araliaceae]
황해쑥 (Hwang-hae-ssuk)	<b>Silvery wormwood</b> <i>Artemisia argyi</i> H.Lév. & Vaniot
회나무 (Hoe-na-mu)	<b>Siberian spindletree</b> <i>Euonymus sachalinensis</i> (F.Schmidt) Maxim.
회령바늘꽃 (Hoe-ryeong-ba-neul-kkot)	<b>Fastigiate-branch willowherb</b> <i>Epilobium fastigiato-ramosum</i> Nakai
회령사초 (Hoe-ryeong-sa-cho)	<b>Two-toothed-beak sedge</b> <i>Carex gotoi</i> Ohwi
회리바람꽃 (Hoe-ri-ba-ram-kkot)	<b>Reflex-flower anemone</b> <i>Anemone reflexa</i> Steph. ex Willd.
회목나무 (Hoe-mok-na-mu)	<b>Few-flower spindletree</b> <i>Euonymus pauciflorus</i> Maxim.
회색사초 (Hoe-saek-sa-cho)	<b>Ashgrey sedge</b> <i>Carex cinerascens</i> Kük.
회솔나무 (Hoe-sol-na-mu)	<b>Wide-leaf Ulleungdo yew</b> <i>Taxus baccata</i> var. <i>latifolia</i> Pilg.
회양목 (Hoe-yang-mok)	<b>Korean boxwood</b> <i>Buxus koreana</i> (Nakai ex Rehder) T.H.Chung, P.S.Toh, D.B.Lee & F.J.Lee
회양목과 (Hoe-yang-mok-gwa)	<b>Boxwood family</b> <i>Buxaceae</i> Dumort.
회양목속 [회양목과] (Hoe-yang-mok-sok)	<b>Box, Boxwood</b> <i>Buxus</i> L. [Buxaceae]
회잎나무 (Hoe-ip-na-mu)	<b>Winged burning bush spindletree</b> <i>Euonymus alatus</i> f. <i>ciliatodentatus</i> (Franch. & Sav.) Hiyama
후라벨라타사초 (Hu-ra-bel-ra-ta-sa-cho)	<b>Flabellate sedge</b> <i>Carex flabellata</i> H.Lév. & Vaniot
후박나무 (Hu-bak-na-mu)	<b>Thunberg's bay-tree</b> <i>Machilus thunbergii</i> Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
후박나무속 [녹나무과] (Hu-bak-na-mu-sok)	<b>Bay-tree, Machilus</b> <i>Machilus</i> Rumph. ex Nees [Lauraceae]
후추과 (Hu-chu-gwa)	<b>Pepper family</b> Piperaceae Giseke.
후추등 (Hu-chu-deung)	<b>Kadsura pepper</b> <i>Piper kadsura</i> (Choisy) Ohwi
후추속 [후추과] (Hu-chu-sok)	<b>Pepper</b> <i>Piper</i> L. [Piperaceae]
후피향나무 (Hu-pi-hyang-na-mu)	<b>Naked-anther ternstroemia</b> <i>Ternstroemia gymnanthera</i> (Wight & Arn.) Sprague
후피향나무속 [차나무과] (Hu-pi-hyang-na-mu-sok)	<b>Ternstroemia</b> <i>Ternstroemia</i> Mutis ex L.f. [Theaceae]
흑난초 (Heuk-nan-cho)	<b>Black-flower widelip orchid</b> <i>Liparis nervosa</i> (Thunb.) Lindl.
흑박주가리 (Heuk-bak-ju-ga-ri)	<b>Black climbing swallow-wort</b> <i>Cynanchum nipponicum</i> var. <i>glabrum</i> (Nakai) H.Hara
흑산가시 (Heuk-san-ga-si)	<b>Heuksan rose</b> <i>Rosa kokusanensis</i> Nakai
흑산도비비추 (Heuk-san-do-bi-bi-chu)	<b>Heuksando hosta</b> <i>Hosta yingeri</i> S.B.Jones
흑삼릉 (Heuk-sam-reung)	<b>Simple-stem bur-reed</b> <i>Sparganium erectum</i> L.
흑삼릉과 (Heuk-sam-reung-gwa)	<b>Bur-reed family</b> Sparganiaceae Hanin.
흑삼릉속 [흑삼릉과] (Heuk-sam-reung-sok)	<b>Bur-reed</b> <i>Sparganium</i> L. [Sparganiaceae]
흑수마름 (Heuk-su-ma-reum)	<b>Amur water-chestnut</b> <i>Trapa amurensis</i> Flerow
흑쐐기풀속 [쐐기풀과] (Heuk-sswae-gi-pul-sok)	<b>Laportea</b> <i>Laportea</i> Gaudich. [Urticaceae]
흑오미자 (Heuk-o-mi-ja)	<b>Black-berry magnolia vine</b> <i>Schisandra repanda</i> (Siebold & Zucc.) Radlk.

Korean name (Romanization)	English name Scientific name
흰가솔송 (Huin-ga-sol-song)	<b>White mountain-heath</b> <i>Phyllodoce caerulea</i> f. <i>albida</i> Uyeki
흰가시엉겅퀴 (Huin-ga-si-eong-geong-kwi)	<b>White Japanese thistle</b> <i>*Cirsium japonicum</i> var. <i>spinosissimum</i> f. <i>alba</i> T.B.Lee
흰각시붓꽃 (Huin-gak-si-but-kkot)	<b>White long-tail iris</b> <i>Iris rossii</i> f. <i>alba</i> Y.N.Lee
흰각시취 (Huin-gak-si-chwi)	<b>White beautiful-flower saussurea</b> <i>Saussurea pulchella</i> f. <i>albiflora</i> (Kitam.) Kitam.
흰갈퀴 (Huin-gal-kwi)	<b>White Dahurian bedstraw</b> <i>Galium dahuricum</i> var. <i>tokyoense</i> (Makino) Cufod.
흰갈퀴나물 (Huin-gal-kwi-na-mul)	<b>White cheder vetch</b> <i>*Vicia amoena</i> f. <i>albiflora</i> Y.N.Lee
흰갈퀴현호색 (Huin-gal-kwi-hyeon-ho-saek)	<b>White large-sepal corydalis</b> <i>*Corydalis grandicalyx</i> f. <i>albifloris</i> Y.N.Lee
흰갑산제비꽃 (Huin-gap-san-je-bi-kkot)	<b>White Gapsan violet</b> <i>*Viola kapsanensis</i> f. <i>albiflora</i> (Nakai) T.B.Lee
흰개수염 (Huin-gae-su-yeom)	<b>White pipewort</b> <i>Eriocaulon sikokianum</i> Maxim.
흰겨이삭 (Huin-geo-i-sak)	<b>Redtop bentgrass</b> <i>Agrostis gigantea</i> Roth
흰겹도라지 (Huin-gyeop-do-ra-ji)	<b>White-double balloon-flower</b> <i>Platycodon grandiflorus</i> var. <i>duplex</i> f. <i>leucanthum</i> H.Hara
흰고려엉겅퀴 (Huin-go-ryeo-eong-geong-kwi)	<b>White-flower Korean thistle</b> <i>*Cirsium setidens</i> f. <i>alba</i> T.B.Lee
흰고양이수염 (Huin-go-yang-i-su-yeom)	<b>White beaksedge</b> <i>Rhynchospora alba</i> (L.) Vahl
흰골무꽃 (Huin-gol-mu-kkot)	<b>White-flower Indian skullcap</b> <i>Scutellaria indica</i> f. <i>albiflora</i> Y.N.Lee
흰골병꽃나무 (Huin-gol-byeong-kkot-na-mu)	<b>Nivea garden weigela</b> <i>Weigela hortensis</i> f. <i>nivea</i> Bonard
흰곰딸기 (Huin-gom-ttal-gi)	<b>White-flower wineberry</b> <i>*Rubus phoenicolasius</i> f. <i>albiflorus</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
흰괭이눈 (Huin-gwaeng-i-nun)	<b>White-hair golden saxifrage</b> <i>Chrysosplenium pilosum</i> var. <i>fulvum</i> (N.Terracc.) H.Hara
흰괴불나무 (Huin-goe-bul-na-mu)	<b>Tatarinow's honeysuckle</b> <i>Lonicera tatarinowii</i> var. <i>leptantha</i> (Rehder) Nakai
흰구름국화 (Huin-gu-reum-guk-hwa)	<b>White hairless fleabane</b> * <i>Erigeron thunbergii</i> subsp. <i>glabratus</i> f. <i>albiflorus</i> Y.N.Lee
흰귀룽나무 (Huin-gwi-rung-na-mu)	<b>Grayish bird cherry</b> <i>Prunus padus</i> f. <i>glauca</i> (Nakai) Kitag.
흰그늘용담 (Huin-geu-neul-yong-dam)	<b>Choseon gentian</b> <i>Gentiana chosenica</i> Okuyama
흰금강애기나리 (Huin-geum-gang-ae-gi-na-ri)	<b>White-flower twisted-stalk</b> * <i>Streptopus ovalis</i> var. <i>albus</i> Y.N.Lee
흰금강초롱꽃 (Huin-geum-gang-cho-rong-kkot)	<b>White geumgangchoronkkot</b> <b>(White Geumgang bluebell)</b> * <i>Hanabusaya asiatica</i> f. <i>alba</i> T.B.Lee
흰꼬리사초 (Huin-kko-ri-sa-cho)	<b>Brown's sedge</b> <i>Carex brownii</i> Tuck.
흰꼬리풀 (Huin-kko-ri-pul)	<b>White linear-leaf spike speedwell</b> * <i>Veronica linariifolia</i> f. <i>alba</i> T.B.Lee
흰꽃고비 (Huin-kkot-go-bi)	<b>White-flower Jacob's ladder</b> * <i>Polemonium kiushianum</i> f. <i>albiflorum</i> Y.N.Lee
흰꽃광대나물 (Huin-kkot-gwang-dae-na-mul)	<b>White-flower lagopsis</b> <i>Lagopsis supina</i> (Steph. ex Willd.) Ikonn.-Gal.
흰꽃광대나물속 [꿀풀과] (Huin-kkot-gwang-dae-na-mul-sok)	<b>Lagopsis</b> <i>Lagopsis</i> Bunge [Lamiaceae]
흰꽃나비나물 (Huin-kkot-na-bi-na-mul)	<b>White beautiful two-leaf vetch</b> <i>Vicia unijuga</i> f. <i>albiflora</i> Nakai
흰꽃여뀌 (Huin-kkot-yeo-kkwi)	<b>White-flower smartweed</b> <i>Persicaria japonica</i> (Meisn.) H.Gross ex Nakai
흰꽃잎엉겅퀴 (Huin-kkot-ip-eong-geong-kwi)	<b>White-flower vlassoviana thistle</b> <i>Cirsium vlassovianum</i> f. <i>leucanthum</i> Kitam.
흰꽃좀닭의장풀 (Huin-kkot-jom-dak-ui-jang-pul)	<b>White narrow-flower Asian dayflower</b> <i>Commelina communis</i> var. <i>angustifolia</i> f. <i>leucantha</i> Nakai

Korean name (Romanization)	English name Scientific name
흰꽃창포 (Huin-kkot-chang-po)	<b>White-flower water iris</b> <i>*Iris ensata</i> var. <i>spontanea</i> f. <i>alba</i> Y.N.Lee
흰꽃향유 (Huin-kkot-hyang-yu)	<b>White-flower shiny mint</b> <i>*Elsholtzia splendens</i> f. <i>albiflora</i> Y.N.Lee
흰꿀풀 (Huin-kkul-pul)	<b>White-flower self-heal</b> <i>Prunella vulgaris</i> f. <i>albiflora</i> Nakai
흰나리잔대 (Huin-na-ri-jan-dae)	<b>White lily-leaf ladybell</b> <i>Adenophora liliifolia</i> f. <i>alba</i> (Nakai) W.T.Lee
흰노랑무늬붓꽃 (Huin-no-rang-mu-nui-but-kkot)	<b>White-flower Odaesan iris</b> <i>*Iris odaesanensis</i> f. <i>albiflora</i> Y.N.Lee
흰노랑민들레 (Huin-no-rang-min-deul-re)	<b>Yellowish white-flowering Korean dandelion</b> <i>Taraxacum coreanum</i> var. <i>flavescens</i> Kitam.
흰노린재나무 (Huin-no-rin-jae-na-mu)	<b>White Asian sweetleaf</b> <i>Symplocos chinensis</i> var. <i>leucocarpa</i> (Nakai) Ohwi
흰닭의난초 (Huin-dak-ui-nan-cho)	<b>White-flower helleborine</b> <i>*Epipactis albiflora</i> T.H.Chung
흰대극 (Huin-dae-geuk)	<b>Leafy spurge</b> <i>Euphorbia esula</i> L.
흰도깨비엉겅퀴 (Huin-do-kkae-bi-eong-geong-kwi)	<b>White woodland thistle</b> <i>Cirsium schantarensse</i> f. <i>albiflorum</i> Y.N.Lee
흰도라지모시대 (Huin-do-ra-ji-mo-si-dae)	<b>White big-flower ladybell</b> <i>*Adenophora grandiflora</i> f. <i>alba</i> T.B.Lee
흰동백나무 (Huin-dong-baek-na-mu)	<b>White camellia</b> <i>Camellia japonica</i> f. <i>albipetala</i> H.T.Chang
흰동자꽃 (Huin-dong-ja-kkot)	<b>White-flower campion</b> <i>Lychnis cognata</i> f. <i>albiflora</i> W.T.Lee
흰두메양귀비 (Huin-du-me-yang-gwi-bi)	<b>White-flower montane poppy</b> <i>*Papaver radicatum</i> var. <i>pseudoradicatum</i> f. <i>albiflorum</i> Y.N.Lee
흰두메자운 (Huin-du-me-ja-un)	<b>White mountain locoweed</b> <i>*Oxytropis anertii</i> f. <i>alba</i> Y.N.Lee
흰동근이질풀 (Huin-dung-geun-i-jil-pul)	<b>White-flower Korean cranesbill</b> <i>Geranium koreanicum</i> f. <i>albidum</i> Kom.

Korean name (Romanization)	English name Scientific name
흰등 (Huin-deung)	<b>White Japanese wisteria</b> <i>Wisteria floribunda</i> f. <i>alba</i> Rehder & E.H.Wilson
흰등고불나무 (Huin-deung-goe-bul-na-mu)	<b>Wide-leaf honeysuckle</b> <i>Lonicera maximowiczii</i> var. <i>latifolia</i> (Ohwi) H.Hara
흰등심붓꽃 (Huin-deung-sim-but-kkot)	<b>White narrow-leaf blue-eye grass</b> <i>Sisyrinchium angustifolium</i> f. <i>album</i> J.K.Sim & Y.S.Kim
흰딸딸기 (Huin-ttat-ttal-gi)	<b>White wild strawberry</b> <i>Fragaria nipponica</i> Makino
흰땅비싸리 (Huin-ttang-bissa-ri)	<b>White-flower Kirilow's indigo</b> <i>Indigofera kirilowii</i> f. <i>albiflora</i> Uyeki
흰말채나무 (Huin-mal-chae-na-mu)	<b>Red-bark dogwood</b> <i>Cornus alba</i> L.
흰메꽃 (Huin-me-kkot)	<b>White hedge morning glory</b> <i>Calystegia sepium</i> var. <i>japonica</i> f. <i>albiflora</i> (Makino) Yamazaki
흰명아주 (Huin-myeong-a-ju)	<b>White goosefoot</b> <i>Chenopodium album</i> L.
흰모시대 (Huin-mo-si-dae)	<b>White scattered ladybell</b> <i>Adenophora remotiflora</i> f. <i>leucantha</i> Honda
흰뫼제비꽃 (Huin-moe-je-be-kkot)	<b>White Selkirk's violet</b> <i>Viola selkirkii</i> f. <i>albiflora</i> (Nakai) F.Maek. ex H.Hara
흰무릅 (Huin-mu-reut)	<b>White-flower squill</b> <i>Scilla scilloides</i> f. <i>albiflora</i> (Satake) Satake & Okuy.
흰풀봉선 (Huin-mul-bong-seon)	<b>White field touch-me-not</b> <i>Impatiens textori</i> var. <i>koreana</i> (Nakai) Nakai
흰풀싸리 (Huin-mul-ssa-ri)	<b>Manchurian shrubby cinquefoil</b> <i>Potentilla fruticosa</i> var. <i>mandshurica</i> Maxim.
흰미나리아재비 (Huin-mi-na-ri-a-jae-bi)	<b>White East Asian buttercup</b> * <i>Ranunculus japonicus</i> f. <i>albiflorus</i> Y.N.Lee
흰민들레 (Huin-min-deul-re)	<b>White-flowering Korean dandelion</b> <i>Taraxacum coreanum</i> Nakai
흰바늘꽃 (Huin-ba-neul-gol)	<b>Margaric spikerush</b> <i>Eleocharis margaritacea</i> (Hultén) Miyabe & Kudô

Korean name (Romanization)	English name Scientific name
흰바늘엉겅퀴 (Huin-ba-neul-eong-geong-kwi)	<b>White prickly thistle</b> <i>Cirsium rhinoceros f. albiflorum</i> Sakata
흰바디나물 (Huin-ba-di-na-mul)	<b>White bristly-margin angelica</b> <i>Angelica cartilaginomarginata</i> var. <i>distans</i> (Nakai) Kitag.
흰바위취 (Huin-ba-wi-chwi)	<b>Manchurian rockfoil</b> <i>Saxifraga manshuriensis</i> (Engl.) Kom.
흰방동사니 (Huin-bang-dong-sa-ni)	<b>White flatsedge</b> <i>Cyperus michelianus</i> var. <i>pacificus</i> Ohwi
흰백리향 (Huin-baek-ri-hyang)	<b>White five-rib thyme</b> * <i>Thymus quinquecostatus</i> f. <i>albus</i> Y.N.Lee
흰별깨덩굴 (Huin-beol-kkae-deong-gul)	<b>White nettle-leaf mint</b> <i>Meehania urticifolia</i> f. <i>leucantha</i> H.Hara
흰범꼬리 (Huin-beom-kko-ri)	<b>White bistort</b> <i>Bistorta incana</i> (Nakai) Nakai ex T.Mori
흰복주머니란 (Huin-bok-ju-meo-ni-ran)	<b>White big-flower lady's slipper</b> <i>Cypripedium macranthos</i> f. <i>albiflorum</i> (Makino) Ohwi
흰분홍두메투구꽃 (Huin-bun-hong-du-me-tu-gu-kot)	<b>Pink high-mountain speedwell</b> * <i>Veronica stelleri</i> var. <i>longistyla</i> f. <i>rufescens</i> Y.N.Lee
흰붓꽃 (Huin-but-kkot)	<b>White-flower blood iris</b> * <i>Iris sanguinea</i> f. <i>albiflora</i> Y.N.Lee
흰비늘고사리 (Huin-bi-neul-go-sa-ri)	<b>White-scale wood fern</b> <i>Dryopsis maximowicziana</i> (Miq.) Holttum & P.J.Edwards
흰비늘고사리속 [면마과] (Huin-bi-neul-go-sa-ri-sok)	<b>Dryopsis</b> <i>Dryopsis</i> Holttum & P.J.Edwards [Dryopteridaceae]
흰비로용담 (Huin-bi-ro-yong-dam)	<b>White-flower Biro gentian</b> <i>Gentiana jamesii</i> f. <i>albiflora</i> (Nakai) Toyok.
흰비비추 (Huin-bi-bi-chu)	<b>White hosta</b> * <i>Hosta longipes</i> f. <i>alba</i> (Nakai) T.B.Lee
흰사초 (Huin-sa-cho)	<b>Don's sedge</b> <i>Carex doniana</i> Spreng.

Korean name (Romanization)	English name Scientific name
흰산쑥 (Huin-san-ssuk)	<b>Whitish Freyn's wormwood</b> <i>Artemisia freyniana</i> f. <i>vestita</i> (Kom.) Kitag.
흰산철쭉 (Huin-san-cheol-jjuk)	<b>White Korean azalea</b> <i>Rhododendron yedoense</i> f. <i>albiflora</i> H.T.Chang
흰상사화 (Huin-sang-sa-hwa)	<b>White-flower surprise lily</b> <i>Lycoris albiflora</i> Koidz.
흰생열귀나무 (Huin-saeng-yeol-gwi-na-mu)	<b>White Amur rose</b> <i>Rosa davurica</i> f. <i>alba</i> (Nakai) T.B.Lee
흰섬개화나무 (Huin-seom-gae-hoe-na-mu)	<b>White Ulleungdo Miss Kim lilac</b> <i>Syringa patula</i> var. <i>venosa</i> f. <i>lactea</i> M.Kim
흰섬쥐손이 (Huin-seom-jwi-son-i)	<b>White Hallasan cranesbill</b> <i>Geranium shikokianum</i> var. <i>quelpaertense</i> f. <i>albiflorum</i> Y.N.Lee
흰섬초롱꽃 (Huin-seom-cho-rong-kkot)	<b>White Korean bellflower</b> * <i>Campanula takesimana</i> f. <i>alba</i> T.B.Lee
흰속단 (Huin-sok-dan)	<b>White-flower Jerusalem sage</b> <i>Phlomis umbrosa</i> f. <i>albiflora</i> Y.N.Lee
흰솔나물 (Huin-sol-na-mul)	<b>White-flower lady's bedstraw</b> <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>nikkoense</i> (Nakai) Ohwi
흰솜여뀌 (Huin-som-yeo-kkwi)	<b>Hairy white-flower smartweed</b> <i>Persicaria lapathifolia</i> var. <i>incana</i> (Roth) S.Ekman & T.Knutsson
흰송이풀 (Huin-song-i-pul)	<b>White-flower lousewort</b> <i>Pedicularis resupinata</i> f. <i>albiflora</i> (Nakai) W.T.Lee
흰수골무꽃 (Huin-su-gol-mu-kkot)	<b>White alpine dentate skullcap</b> <i>Scutellaria dentata</i> var. <i>alpina</i> f. <i>albida</i> Y.N.Lee
흰수크령 (Huin-su-keu-ryeong)	<b>White foxtail fountaingrass</b> <i>Pennisetum alopecuroides</i> var. <i>albiflorum</i> Y.N.Lee
흰숙은노루오줌 (Huin-suk-eun-no-ru-o-jum)	<b>White Korean false goat's beard</b> * <i>Astilbe koreana</i> f. <i>albiflora</i> Y.N.Lee
흰술패랭이꽃 (Huin-sul-pae-raeng-i-kkot)	<b>White fringed pink</b> * <i>Dianthus superbus</i> var. <i>longicalycinus</i> f. <i>albiflorus</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
흰싸리 (Huin-ssa-ri)	<b>White shrub lespedeza</b> <i>Lespedeza bicolor</i> f. <i>alba</i> (Bean) Ohwi
흰쑥 (Huin-ssuk)	<b>Beach wormwood</b> <i>Artemisia stelleriana</i> Besser
흰씀바귀 (Huin-sseum-ba-gwi)	<b>White toothed ikeridium</b> <i>Ikeridium dentatum</i> f. <i>albiflora</i> (Makino) H.Hara
흰알며느리밥풀 (Huin-al-myeo-neu-ri-bap-pul)	<b>White oval-leaf cow-wheat</b> <i>Melampyrum roseum</i> var. <i>ovalifolium</i> f. <i>albiflorum</i> (Nakai) T.B.Lee ex T.B.Lee & T.Yamaz.
흰애기낚시제비꽃 (Huin-ae-gi-nak-si-je-bi-kkot)	<b>White small creeping violet</b> <i>Viola grypoceras</i> var. <i>exilis</i> f. <i>albiflora</i> Nakai
흰애기풀 (Huin-ae-gi-pul)	<b>White-flower dwarf milkwort</b> * <i>Polygala japonica</i> f. <i>leucantha</i> Nakai
흰앵초 (Huin-aeng-cho)	<b>White-flower East Asian primrose</b> * <i>Primula sieboldii</i> f. <i>albiflora</i> Y.N.Lee
흰양귀비 (Huin-yang-gwi-bi)	<b>Amur poppy</b> <i>Papaver amurense</i> (N.Busch) N.Busch ex Tolm.
흰억새 (Huin-eok-sae)	<b>White maiden silvergrass</b> <i>Miscanthus sinensis</i> var. <i>albiflorus</i> Y.N.Lee
흰얼레지 (Huin-eol-re-ji)	<b>White Asian fawnlily</b> * <i>Erythronium japonicum</i> f. <i>album</i> T.B.Lee
흰여뀌 (Huin-yeo-kkwi)	<b>Pale smartweed</b> <i>Persicaria lapathifolia</i> (L.) Delarbre
흰여로 (Huin-yeo-ro)	<b>White false-hellebore</b> <i>Veratrum versicolor</i> Nakai
흰오리방풀 (Huin-o-ri-bang-pul)	<b>White tailed-leaf isodon</b> <i>Isodon excisus</i> f. <i>albiflorus</i> (Sakata) H.Hara
흰오이풀 (Huin-o-i-pul)	<b>White Canadian burnet</b> <i>Sanguisorba stipulata</i> f. <i>alba</i> (Trautv. & C.A.Mey.) Kitam.
흰왕갓속부쟁이 (Huin-wang-gaet-ssuk-bu-jaeng-i)	<b>White magnus aster</b> <i>Aster magnus</i> f. <i>albiflorus</i> Y.N.Lee & C.S.Kim

Korean name (Romanization)	English name Scientific name
흰왜젓가락나물 (Huin-wae-jeot-ga-rak-na-mul)	<b>White-flower Jejudo buttercup</b> * <i>Ranunculus quelpaertensis</i> var. <i>albiflorus</i> Y.N.Lee
흰왜현호색 (Huin-wae-hyeon-ho-saek)	<b>White-flower small corydalis</b> * <i>Corydalis ambigua</i> f. <i>lacticolora</i> Y.N.Lee
흰용담 (Huin-yong-dam)	<b>White-flower Korean gentian</b> * <i>Gentiana scabra</i> var. <i>buergeri</i> f. <i>alba</i> Y.N.Lee
흰용머리 (Huin-yong-meo-ri)	<b>White Fischer's dragonhead</b> * <i>Dracocephalum argunense</i> f. <i>alba</i> T.B.Lee
흰이삭사초 (Huin-i-sak-sa-cho)	<b>White-spike sedge</b> <i>Carex metallica</i> H.Lév.
흰이질풀 (Huin-i-jil-pul)	<b>Pale-flower Thunberg's geranium</b> * <i>Geranium thunbergii</i> f. <i>pallidum</i> (Nakai) Murata
흰인가목 (Huin-in-ga-mok)	<b>Korean rose</b> <i>Rosa koreana</i> Kom.
흰일월비비추 (Huin-il-wol-bi-bi-chu)	<b>White-flower Ilwol hosta</b> * <i>Hosta capitata</i> f. <i>albiflora</i> Y.N.Lee
흰잎고려엉겅퀴 (Huin-ip-go-ryeo-eong-geong-kwi)	<b>White-leaf Korean thistle</b> <i>Cirsium setidens</i> var. <i>niveoaraneum</i> Kitam.
흰잎엉겅퀴 (Huin-ip-eong-geong-kwi)	<b>Vlassoviana thistle</b> <i>Cirsium vlassovianum</i> Fisch. ex DC.
흰자주괴불주머니 (Huin-ja-ju-goe-bul-ju-meo-ni)	<b>White incised corydalis</b> * <i>Corydalis incisa</i> f. <i>albiflora</i> Y.N.Lee
흰자주꽃방망이 (Huin-ja-ju-kkot-bang-mang-i)	<b>White-clustered bellflower</b> <i>Campanula glomerata</i> var. <i>dahurica</i> f. <i>alba</i> Nakai ex T.B.Lee
흰자주쓴풀 (Huin-ja-ju-sseun-pul)	<b>White-flower false Chinese swertia</b> * <i>Swertia pseudochinensis</i> f. <i>alba</i> Y.N.Lee
흰작살나무 (Huin-jak-sal-na-mu)	<b>White beautyberry</b> <i>Callicarpa japonica</i> var. <i>leucocarpa</i> Nakai
흰잔대 (Huin-jan-dae)	<b>White three-leaf ladybell</b> <i>Adenophora triphylla</i> var. <i>japonica</i> f. <i>albiflora</i> Y.N.Lee
흰장구채 (Huin-jang-gu-chae)	<b>White catchfly</b> <i>Silene oliganthella</i> Nakai

Korean name (Romanization)	English name Scientific name
흰장대나물 (Huin-jang-dae-na-mul)	<b>White crown rockcress</b> <i>Arabis coronata f. leucantha</i> Nakai
흰정향나무 (Huin-jeong-hyang-na-mu)	<b>White Korean lilac</b> <i>Syringa patula f. lactea</i> (Nakai) M.Kim
흰젖제비꽃 (Huin-jeot-je-bi-kkot)	<b>Milky-white violet</b> <i>Viola lactiflora</i> Nakai
흰제비고깔 (Huin-je-bi-go-kkal)	<b>White Maack's larkspur</b> <i>Delphinium maackianum f. album</i> (Nakai) W.T.Lee
흰제비꽃 (Huin-je-bi-kkot)	<b>White-flower violet</b> <i>Viola patrinii</i> DC. ex Ging.
흰제비란 (Huin-je-bi-ran)	<b>White Asian platanthera</b> <i>Platanthera hologlottis</i> Maxim.
흰조개나물 (Huin-jo-gae-na-mul)	<b>White Korean pyramid bugle</b> * <i>Ajuga multiflora f. leucantha</i> (Nakai) T.B.Lee
흰조록싸리 (Huin-jo-rok-ssa-ri)	<b>White Korean lespedeza</b> <i>Lespedeza maximowiczii f. albiflora</i> Uyeki
흰조뱅이 (Huin-jo-baeng-i)	<b>White common breea</b> <i>Breea segeta f. lactiflora</i> (Nakai) W.T.Lee
흰조희풀 (Huin-jo-hui-pul)	<b>White hyacinth-flower clematis</b> * <i>Clematis heracleifolia f. albiflora</i> Y.N.Lee
흰좀바위솔 (Huin-jom-ba-wi-sol)	<b>White minute rock pine</b> * <i>Orostachys minuta f. alba</i> Y.N.Lee
흰좀비비추 (Huin-jom-bi-bi-chu)	<b>White minor hosta</b> <i>Hosta minor f. alba</i> (Nakai) F.Maeck.
흰좀설앵초 (Huin-jom-seol-aeng-cho)	<b>White-flower Baekdusan primrose</b> * <i>Primula sachalinensis f. albida</i> Y.N.Lee
흰좀양지꽃 (Huin-jom-yang-ji-kkot)	<b>White-flower high mountain cinquefoil</b> * <i>Potentilla matsumurae f. alba</i> Y.N.Lee
흰좀현호색 (Huin-jom-hyeon-ho-saek)	<b>White decumbent corydalis</b> * <i>Corydalis decumbens f. albiflorus</i> Y.N.Lee
흰진달래 (Huin-jin-dal-rae)	<b>White-flower Korean rhododendron</b> <i>Rhododendron mucronulatum f. albiflorum</i> (Nakai) Okuy.

Korean name (Romanization)	English name Scientific name
흰진범 (Huin-jin-beom)	<b>Tall-helmet monk'shood</b> <i>Aconitum longecassidatum</i> Nakai
흰진퍼리잔대 (Huin-jin-peo-ri-jan-dae)	<b>White marsh ladybell</b> <i>Adenophora palustris</i> f. <i>leucantha</i> Nakai
흰참꽃나무 (Huin-cham-kkot-na-mu)	<b>White chick azalea</b> <i>Rhododendron tschonoskii</i> Maxim.
흰참꽃밭이 (Huin-cham-kkot-bat-i)	<b>White many-bract bothriospermum</b> <i>Bothriospermum secundum</i> f. <i>albiflorum</i> Nakai
흰참싸리 (Huin-cham-ssa-ri)	<b>Half-white leafy lespedeza</b> * <i>Lespedeza cyrtobotrya</i> f. <i>semialba</i> T.B.Lee
흰처녀치마 (Huin-cheo-nyeo-chi-ma)	<b>White oriental swamppink</b> <i>Heloniopsis orientalis</i> var. <i>flavida</i> (Nakai) Ohwi
흰철쭉 (Huin-cheol-jjuk)	<b>White-flower royal azalea</b> * <i>Rhododendron schlippenbachii</i> f. <i>albiflorum</i> Y.N.Lee
흰총꽃나무 (Huin-cheung-kkot-na-mu)	<b>White bluebeard</b> <i>Caryopteris incana</i> f. <i>candida</i> (C.K.Schneid.) H.Hara
흰큰구슬봉이 (Huin-keun-gu-seul-bung-i)	<b>White-flower Zollinger's gentian</b> <i>Gentiana zollingeri</i> f. <i>albiflora</i> Tuyama
흰큰나비나물 (Huin-keun-na-bi-na-mul)	<b>White two-leaf vetch</b> <i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>albiflora</i> Y.N.Lee
흰큰도둑놈의갈고리 (Huin-keun-do-duk-nom-ui-gal-o-ri)	<b>White Oldham's tick clover</b> <i>Desmodium oldhamii</i> f. <i>alba</i> T.B.Lee
흰큰등갈퀴 (Huin-keun-deung-gal-kwi)	<b>White large-leaf vetch</b> <i>Vicia pseudoorobus</i> f. <i>albiflora</i> (Nakai) T.B.Lee
흰큰메꽃 (Huin-keun-me-kkot)	<b>White wild morning glory</b> * <i>Calystegia sepium</i> f. <i>album</i> Y.N.Lee
흰큰방울새란 (Huin-keun-bang-ul-sae-ran)	<b>White Asian pogonia</b> * <i>Pogonia japonica</i> f. <i>albiflora</i> Y.N.Lee
흰타래난초 (Huin-ta-rae-nan-cho)	<b>White-flower ladies' tresse</b> * <i>Spiranthes sinensis</i> f. <i>albiflora</i> Y.N.Lee
흰터리풀 (Huin-teo-ri-pul)	<b>White Korean meadowsweet</b> <i>Filipendula koreana</i> f. <i>alba</i> (Nakai) Kitag.

Korean name (Romanization)	English name Scientific name
흰털고광나무 (Huin-teol-go-gwang-na-mu)	<b>Woolly mock orange</b> <i>Philadelphus schrenkii</i> var. <i>lasiogynus</i> (Nakai) W.T.Lee
흰털고사리 (Huin-teol-go-sa-ri)	<b>White tappering glade fern</b> <i>Deparia orientalis</i> (Z.R.Wang & J.J.Chien) Nakaike
흰털귀룽나무 (Huin-teol-gwi-rung-na-mu)	<b>Hairy bird cherry</b> <i>Prunus padus</i> var. <i>pubescens</i> Regel & Tiling
흰털당마가목 (Huin-teol-dang-ma-ga-mok)	<b>White-hair Amur mountain ash</b> <i>Sorbus amurensis</i> var. <i>lanata</i> Nakai
흰털동자꽃 (Huin-teol-dong-ja-kkot)	<b>Glabrous brilliant campion</b> <i>Lychnis fulgens</i> f. <i>glabra</i> (Nakai) W.T.Lee
흰털민들레 (Huin-teol-min-deul-re)	<b>White-hair dandelion</b> <i>Taraxacum platycephidum</i> Diels
흰털복주머니란 (Huin-teol-bok-ju-meo-ni-ran)	<b>White-hairy spotted lady's slipper</b> * <i>Cypripedium guttatum</i> f. <i>albiflorum</i> Y.N.Lee
흰털솔나물 (Huin-teol-sol-na-mul)	<b>White-hair yellow bedstraw</b> <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>album</i> Nakai
흰털제비꽃 (Huin-teol-je-bi-kkot)	<b>White-hair violet</b> <i>Viola hirtipes</i> S.Moore
흰톱잔대 (Huin-top-jan-dae)	<b>White serrate ladybell</b> * <i>Adenophora curvidens</i> f. <i>alba</i> Y.N.Lee
흰파랭이꽃 (Huin-pae-raeng-i-kkot)	<b>White wild pink</b> * <i>Dianthus chinensis</i> f. <i>albiflora</i> T.B.Lee
흰풀싸리 (Huin-pul-ssa-ri)	<b>White tall lespedeza</b> <i>Lespedeza thunbergii</i> var. <i>intermedia</i> f. <i>alba</i> T.B.Lee
흰한라꽃향유 (Huin-han-ra-kkot-hyang-yu)	<b>White-flower Halla mint</b> * <i>Elsholtzia hallasanensis</i> f. <i>albiflora</i> Y.N.Lee
흰한라돌쩌귀 (Huin-han-ra-dol-jjeo-gwi)	<b>White-flower East Asian monk'shood</b> <i>Aconitum napiforme</i> f. <i>albiflorum</i> Y.N.Lee
흰향유 (Huin-hyang-yu)	<b>White-flower mint</b> * <i>Elsholtzia ciliata</i> f. <i>leucantha</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
흰현호색 (Huin-hyeon-ho-saek)	<b>White-flower corydalis</b> <i>Corydalis albipetala</i> B.U.Oh
흰황산참꽃 (Huin-hwang-san-cham-kkot)	<b>White lapland rosebay</b> <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> f. <i>albiflorum</i> (Herder ex Maxim.) T.Yamaz.
흰흑오미자 (Huin-heuk-o-mi-ja)	<b>Glaucous-black magnolia vine</b> <i>Schisandra nigra</i> var. <i>hypoleuca</i> Makino
히어리 (Hi-eo-ri)	<b>Korean winter hazel</b> <i>Corylopsis coreana</i> Uyeki
히어리속 [조록나무과] (Hi-eo-ri-sok)	<b>Winter hazel</b> <i>Corylopsis</i> Siebold & Zucc. [Hamamelidaceae]



Scientific name	English name Korean name (Romanization)
<b>A</b>	
<i>Abelia</i> R.Br. [Caprifoliaceae]	<b>Abelia</b> 댕강나무속 (Daeng-gang-na-mu-sok) [인동과]
<i>Abelia dielsii</i> (Graebn.) Rehder	<b>Pedunculate abelia</b> 털댕강나무 (Teol-daeng-gang-na-mu)
<i>Abelia biflora</i> Turcz.	<b>Ulleungdo abelia</b> 섬댕강나무 (Seom-daeng-gang-na-mu)
<i>Abelia integrifolia</i> Koidz.	<b>Entire-leaf abelia</b> 바위댕강나무 (Ba-wi-daeng-gang-na-mu)
<i>Abelia mosanensis</i> T.H.Chung ex Nakai	<b>Maengsan abelia</b> 댕강나무 (Daeng-gang-na-mu)
<i>Abelia serrata</i> Siebold & Zucc.	<b>Dwarf abelia</b> 좁댕강나무 (Jom-daeng-gang-na-mu)
<i>Abelia spathulata</i> Siebold & Zucc.	<b>Spatulate-leaf abelia</b> 주걱댕강나무 (Ju-geok-daeng-gang-na-mu)
<i>Abelia tyaihyoni</i> Nakai	<b>Taihyun's abelia</b> 줄댕강나무 (Jul-daeng-gang-na-mu)
<i>Abeliophyllum</i> Nakai [Oleaceae]	<b>Korean abelialeaf, Miseonnamu, White forsythia</b> 미선나무속 (Mi-seon-na-mu-sok) [물푸레나무과]
<i>Abeliophyllum distichum</i> Nakai	<b>Miseonnamu (Korean abeliophyllum)</b> 미선나무 (Mi-seon-na-mu)
* <i>Abeliophyllum distichum</i> var. <i>rotundicarpum</i> T.B.Lee	<b>Round-fruit miseonnamu (Round-fruit abeliophyllum)</b> 둥근미선나무 (Dung-geun-mi-seon-na-mu)
<i>Abeliophyllum distichum</i> f. <i>eburneum</i> T.B.Lee	<b>Ivory-flower miseonnamu (Ivory-flower abeliophyllum)</b> 상아미선나무 (Sang-a-mi-seon-na-mu)
<i>Abeliophyllum distichum</i> f. <i>lilacinum</i> Nakai	<b>Pink-flower miseonnamu (Pink-flower abeliophyllum)</b> 분홍미선나무 (Bun-hong-mi-seon-na-mu)

Scientific name	English name Korean name (Romanization)
* <i>Abeliophyllum distichum</i> f. <i>viridicalycinum</i> T.B.Lee	<b>Green-calyx misionnamu</b> <b>(Green-calyx abeliophyllum)</b> 푸른미선나무 (Pu-reun-mi-seon-na-mu)
<i>Abies</i> Mill. [Pinaceae]	<b>Firs</b> <b>전나무속</b> (Jeon-na-mu-sok) [소나무과]
<i>Abies holophylla</i> Maxim.	<b>Needle fir</b> 전나무 (Jeon-na-mu)
<i>Abies koreana</i> E.H.Wilson	<b>Korean fir</b> 구상나무 (Gu-sang-na-mu)
<i>Abies koreana</i> f. <i>chlorocarpa</i> T.B.Lee	<b>Green-cone Korean fir</b> 푸른구상 (Pu-reun-gu-sang)
<i>Abies koreana</i> f. <i>nigrocarpa</i> Hatus.	<b>Black-cone Korean fir</b> 검은구상 (Geom-eun-gu-sang)
<i>Abies koreana</i> f. <i>rubrocarpa</i> T.B.Lee	<b>Red-cone Korean fir</b> 붉은구상 (Bul-geun-gu-sang)
<i>Abies nephrolepis</i> (Trautv. ex Maxim.) Maxim.	<b>Khingan fir</b> 분비나무 (Bun-bi-na-mu)
<i>Abies nephrolepis</i> f. <i>chlorocarpa</i> E.H.Wilson	<b>Green-cone Khingan fir</b> 청분비나무 (Cheong-bun-bi-na-mu)
<i>Acalypha</i> L. [Euphorbiaceae]	<b>Copperleaf</b> <b>깨풀속</b> (Kkae-pul-sok) [대극과]
<i>Acalypha australis</i> L.	<b>Asian copperleaf</b> 깨풀 (Kkae-pul)
ACANTHACEAE Juss.	<b>Acanthus family</b> <b>쥐꼬리망초과</b> (Jwi-kko-ri-mang-cho-gwa)
<i>Acer</i> L. [Aceraceae]	<b>Maple</b> <b>단풍나무속</b> (Dan-pung-na-mu-sok) [단풍나무과]
<i>Acer barbinerve</i> Maxim.	<b>Bearded maple</b> 청시닥나무 (Cheong-si-dak-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Acer komarovii</i> Pojark.	<b>Red-twigs maple</b> 시닥나무 (Si-dak-na-mu)
<i>Acer mandshuricum</i> Maxim.	<b>Manchurian maple</b> 복장나무 (Bok-jang-na-mu)
<i>Acer mono</i> var. <i>savatieri</i> (Pax) Nakai	<b>Straight-angle mono maple</b> 왕고로쇠나무 (Wang-go-ro-soe-na-mu)
<i>Acer mono</i> f. <i>connivens</i> (Nichols.) Rehder	<b>Connivent-wing mono maple</b> 집께고로쇠 (Jip-kke-go-ro-soe)
<i>Acer mono</i> f. <i>dissectum</i> (Wesm.) Rehder	<b>Dissected-leaf mono maple</b> 긴고로쇠 (Gin-go-ro-soe)
<i>Acer mono</i> f. <i>rubripes</i> T.B.Lee	<b>Red-petiole mono maple</b> 붉은고로쇠 (Bul-geun-go-ro-soe)
<i>Acer palmatum</i> Thunb.	<b>Palmate maple</b> 단풍나무 (Dan-pung-na-mu)
<i>Acer pictum</i> Thunb.	<b>Yellow-paint maple</b> 털고로쇠나무 (Teol-go-ro-soe-na-mu)
<i>Acer pictum</i> var. <i>mono</i> (Maxim.) Maxim. ex Franch.	<b>Mono maple</b> 고로쇠나무 (Go-ro-soe-na-mu)
<i>Acer pictum</i> var. <i>truncatum</i> (Bunge) C.S.Chang	<b>Manchurian paint maple</b> 만주고로쇠 (Man-ju-go-ro-soe)
<i>Acer pseudosieboldianum</i> (Pax) Kom.	<b>Korean maple</b> 당단풍나무 (Dang-dan-pung-na-mu)
<i>Acer pseudosieboldianum</i> var. <i>ambiguum</i> Nakai	<b>Wide Korean maple</b> 넓은고로실나무 (Neol-beun-go-ro-sil-na-mu)
<i>Acer pseudosieboldianum</i> var. <i>ishidoyanum</i> Uyeki	<b>Mountain Korean maple</b> 산단풍나무 (San-dan-pung-na-mu)
<i>Acer takesimense</i> Nakai	<b>Ulleungdo maple</b> 섬단풍나무 (Seom-dan-pung-na-mu)
<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm.	<b>Amur maple</b> 신나무 (Sin-na-mu)
<i>Acer tegmentosum</i> Maxim.	<b>East Asian stripe maple</b> 산겨름나무 (San-gyeo-reup-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Acer triflorum</i> Kom.	<b>Three-flower maple</b> 복자기 (Bok-ja-gi)
<i>Acer truncatum</i> var. <i>barbinerve</i> (Nakai) T.B.Lee	<b>Hairy Manchurian paint maple</b> 털만주고로쇠 (Teol-man-ju-go-ro-soe)
<i>Acer ukurunduense</i> Trautv. & C.A.Mey.	<b>Candle-shape maple</b> 부게꽃나무 (Bu-ge-kkot-na-mu)
<b>ACERACEAE</b> Juss.	<b>Maple family</b> 단풍나무과 (Dan-pung-na-mu-gwa)
<i>Achillea</i> L. [Asteraceae]	<b>Yarrow</b> 톱풀속 (Top-pul-sok) [국화과]
<i>Achillea alpina</i> L.	<b>Alpine yarrow</b> 톱풀 (Top-pul)
<i>Achillea alpina</i> subsp. <i>rhodoptarmica</i> (Nakai) Kitam.	<b>Reddish alpine yarrow</b> 붉은톱풀 (Bul-geun-top-pul)
<i>Achillea alpina</i> var. <i>discoidea</i> (Regel) Kitam.	<b>Discoid-involucrate alpine yarrow</b> 산톱풀 (San-top-pul)
<i>Achillea ptarmica</i> var. <i>acuminata</i> (Ledeb.) Heim.	<b>Acute-leaf sneezewort yarrow</b> 큰톱풀 (Keun-top-pul)
<i>Achillea setacea</i> Waldst. & Kit.	<b>Bristly yarrow</b> 털톱풀 (Teol-top-pul)
<i>Achlys</i> DC. [Berberidaceae]	<b>Achlys</b> 세잎풀속 (Se-ip-pul-sok) [매자나무과]
<i>Achlys japonica</i> Maxim.	<b>East Asian deer's foot</b> 세잎풀 (Se-ip-pul)
<i>Achyranthes</i> L. [Amaranthaceae]	<b>Chaff flower</b> 쇠무릎속 (Soe-mu-reup-sok) [비름과]
<i>Achyranthes fauriei</i> H.Lév. & Vaniot	<b>Ruderal chaff flower</b> 털쇠무릎 (Teol-soe-mu-reup)
<i>Achyranthes japonica</i> (Miq.) Nakai	<b>Oriental chaff flower</b> 쇠무릎 (Soe-mu-reup)

Scientific name	English name Korean name (Romanization)
<i>Aconitum</i> L. [Ranunculaceae]	<b>Aconite, Blue rocket, Devil's helmet, Leopard's bane, Monk'shood, Mousebane, Queen of all poisons, Wolf's bane, Women's bane</b> <b>투구꽃 속</b> (Tu-gu-kkot-sok) <b>[미나리아재비과]</b>
<i>Aconitum alboviolaceum</i> Kom.	<b>Whitish-purple monk'shood</b> 줄바꽃 (Jul-ba-kkot)
<i>Aconitum ambiguum</i> (Regel) Rchb.	<b>Glabrous monk'shood</b> 민바꽃 (Min-ba-kkot)
<i>Aconitum arciatum</i> Maxim.	<b>Curve monk'shood</b> 키다리바꽃 (Ki-da-ri-ba-kkot)
<i>Aconitum austrokoreense</i> Koidz.	<b>Trilobe monk'shood</b> 세뿔투구꽃 (Se-ppul-tu-gu-kkot)
<i>Aconitum barbatum</i> var. <i>hispidum</i> (DC.) Ser.	<b>Siberian monk'shood</b> 노랑투구꽃 (No-rang-tu-gu-kkot)
<i>Aconitum chiisanense</i> Nakai	<b>Jiri monk'shood</b> 지리바꽃 (Ji-ri-ba-kkot)
<i>Aconitum ciliare</i> DC.	<b>Hairy monk'shood</b> 늦젓가락나물 (Not-jeot-ga-rak-na-mul)
<i>Aconitum coreanum</i> (H.Lév.) Rapacis	<b>Korean monk'shood</b> 백부자 (Baek-bu-ja)
<i>Aconitum jaluense</i> Kom.	<b>Monk'shood</b> 투구꽃 (Tu-gu-kkot)
<i>Aconitum japonicum</i> subsp. <i>napiiforme</i> (H.Lév. & Vaniot) Kadota	<b>East Asian monk'shood</b> 한라돌찌귀 (Han-ra-dol-jjeo-gwi)
<i>Aconitum kusnezoffii</i> Rchb.	<b>Kusnezoff's monk'shood</b> 이삭바꽃 (I-sak-ba-kkot)
<i>Aconitum longecassidatum</i> Nakai	<b>Tall-helmet monk'shood</b> 흰진범 (Huin-jin-beom)
<i>Aconitum macrorhynchum</i> Turcz. ex Ledeb.	<b>Dissected-leaf monk'shood</b> 가는돌찌귀 (Ga-neun-dol-jjeo-gwi)
<i>Aconitum monanthum</i> Nakai	<b>Alpine monk'shood</b> 각시투구꽃 (Gak-si-tu-gu-kkot)

Scientific name	English name Korean name (Romanization)
<i>Aconitum napiforme</i> f. <i>albiflorum</i> Y.N.Lee	<b>White-flower East Asian monk'shood</b> 흰한라돌찌귀 (Huin-han-ra-dol-jjeo-gwi)
<i>Aconitum pseudolaeve</i> Nakai	<b>Upright monk'shood</b> 진범 (Jin-beom)
<i>Aconitum pteropus</i> Nakai	<b>Wing monk'shood</b> 날개진범 (Nal-gae-jin-beom)
<i>Aconitum quelpaertense</i> Nakai	<b>Halla monk'shood</b> 한라투구꽃 (Han-ra-tu-gu-kkot)
<i>Aconitum raddeanum</i> Regel	<b>Big-bract monk'shood</b> 선줄바꽃 (Seon-jul-ba-kkot)
<i>Aconitum sczukinii</i> Turcz.	<b>Wide-leaf monk'shood</b> 넓은잎초오 (Neol-beun-ip-cho-o)
<i>Aconitum triphyllum</i> Nakai	<b>Three-leaf monk'shood</b> 세잎돌찌귀 (Se-ip-dol-jjeo-gwi)
<i>Aconitum umbrosum</i> (Korsh.) Kom.	<b>Meadow monk'shood</b> 선투구꽃 (Seon-tu-gu-kkot)
<i>Aconitum villosum</i> Rchb.	<b>White-villous monk'shood</b> 참줄바꽃 (Cham-jul-ba-kkot)
<i>Aconitum volubile</i> Pall.	<b>Twining monk'shood</b> 가는줄돌찌귀 (Ga-neun-jul-dol-jjeo-gwi)
<i>Aconogonon</i> (Meisn.) Rchb. [Polygonaceae]	<b>Aconogonon</b> 싱아속 (Sing-a-sok) [마디풀과]
<i>Aconogonon ajanense</i> (Regel & Tiling) H.Hara	<b>Long-leaf knotweed</b> 긴개싱아 (Gin-gae-sing-a)
<i>Aconogonon alpinum</i> (All.) Schur	<b>Alpine knotweed</b> 싱아 (Sing-a)
<i>Aconogonon brachytrichum</i> (Ohwi) Soják	<b>Hairy knotweed</b> 털싱아 (Teol-sing-a)
<i>Aconogonon divaricatum</i> (L.) Nakai ex T.Mori	<b>Spreading knotweed</b> 왜개싱아 (Wae-gae-sing-a)
<i>Aconogonon limosum</i> (Kom.) H.Hara	<b>Mountain knotweed</b> 산바위싱아 (San-ba-wi-sing-a)

Scientific name	English name Korean name (Romanization)
* <i>Aconogonon micranthum</i> Nakai ex T.Mori	<b>Small-flower knotweed</b> 개싱아 (Gae-sing-a)
<i>Aconogonon microcarpum</i> (Kitag.) H.Hara	<b>Small-fruit knotweed</b> 참개싱아 (Cham-gae-sing-a)
<i>Aconogonon mollifolium</i> (Kitag.) H.Hara	<b>Thin-leaf knotweed</b> 얇은개싱아 (Yal-beun-gae-sing-a)
<i>Acorus</i> L. [Araceae]	<b>Calamus, Sweet flag</b> 창포속 (Chang-po-sok) [천남성과]
<i>Acorus calamus</i> L.	<b>Common sweet flag</b> 창포 (Chang-po)
<i>Acorus gramineus</i> Sol.	<b>Grass-leaf sweet flag</b> 석창포 (Seok-chang-po)
<i>Actaea</i> L. [Ranunculaceae]	<b>Baneberry, Bugbane</b> 노루삼속 (No-ru-sam-sok) [미나리아재비과]
<i>Actaea asiatica</i> H.Hara	<b>Asian baneberry</b> 노루삼 (No-ru-sam)
<i>Actaea erythrocarpa</i> Fisch.	<b>Red baneberry</b> 붉은노루삼 (Bul-geun-no-ru-sam)
<i>Actinidia</i> Lindl. [Actinidiaceae]	<b>Actinidia , Kiwi</b> 다래나무속 (Da-rae-na-mu-sok) [다래나무과]
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.	<b>Hardy kiwi</b> 다래 (Da-rae)
<i>Actinidia arguta</i> var. <i>platyphylla</i> (A.Gray) Nakai	<b>Hairy hardy kiwi</b> 털다래 (Teol-da-rae)
<i>Actinidia arguta</i> var. <i>rufinervis</i> Nakai	<b>Red-nerve hardy kiwi</b> 녹다래 (Nok-da-rae)
<i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim.	<b>Variegated-leaf hardy kiwi</b> 주다래 (Jwi-da-rae)
<i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim.	<b>Silver vine</b> 개다래 (Gae-da-rae)

Scientific name	English name Korean name (Romanization)
<i>Actinidia rufa</i> (Siebold & Zucc.) Planch. ex Miq.	<b>Reddish-brown hardy kiwi</b> 섬다래 (Seom-da-rae)
<b>ACTINIDIACEAE Gilg &amp; Werderm.</b>	<b>Chinese gooseberry family, Kiwi family</b> 다래나무과 (Da-rae-na-mu-gwa)
<i>Actinostemma</i> Griff. [Cucurbitaceae]	<b>Actinostemma</b> 뚜껑덩굴속 (Ttu-kkeong-deong-gul-sok) [박과]
<i>Actinostemma lobatum</i> (Maxim.) Maxim.	<b>Lobed actinostemma</b> 뚜껑덩굴 (Ttu-kkeong-deong-gul)
<i>Adenocaulon</i> Hook. [Asteraceae]	<b>Trailplant</b> 멀가지속 (Myeol-ga-chi-sok) [국화과]
<i>Adenocaulon himalaicum</i> Edgew.	<b>Asian trailplant</b> 멀가지 (Myeol-ga-chi)
<i>Adenophora</i> Fisch. [Campanulaceae]	<b>Ladybells</b> 잔대속 (Jan-dae-sok) [초롱꽃과]
<i>Adenophora coronopifolia</i> Fisch.	<b>Round-leaf ladybell</b> 둥근잔대 (Dung-geun-jan-dae)
<i>Adenophora curvidens</i> Nakai	<b>Serrate ladybell</b> 톱잔대 (Top-jan-dae)
* <i>Adenophora curvidens</i> f. <i>alba</i> Y.N.Lee	<b>White serrate ladybell</b> 흰톱잔대 (Huin-top-jan-dae)
<i>Adenophora divaricata</i> Franch. & Sav.	<b>Spreading-branch ladybell</b> 넓은잔대 (Neol-beun-jan-dae)
<i>Adenophora erecta</i> S.Lee, Joongku Lee & S.Kim	<b>Erect ladybell</b> 선모시대 (Seon-mo-si-dae)
<i>Adenophora gmelinii</i> (Biehler) Fisch.	<b>Narrow-leaf ladybell</b> 술잎잔대 (Sol-ip-jan-dae)
<i>Adenophora grandiflora</i> Nakai	<b>Big-flower ladybell</b> 도라지모시대 (Do-ra-ji-mo-si-dae)
* <i>Adenophora grandiflora</i> f. <i>alba</i> T.B.Lee	<b>White big-flower ladybell</b> 흰도라지모시대 (Huin-do-ra-ji-mo-si-dae)

Scientific name	English name Korean name (Romanization)
<i>Adenophora kayasanensis</i> Kitam.	<b>Gayasan ladybell</b> 가야산잔대 (Ga-ya-san-jan-dae)
<i>Adenophora koreana</i> Kitam.	<b>Korean ladybell</b> 꽃잔대 (Kkot-jan-dae)
<i>Adenophora lamarckii</i> Fisch.	<b>Lamark's ladybell</b> 두메잔대 (Du-me-jan-dae)
<i>Adenophora liliifolia</i> (L.) Besser	<b>Lily-leaf ladybell</b> 나리잔대 (Na-ri-jan-dae)
<i>Adenophora liliifolia</i> f. <i>alba</i> (Nakai) W.T.Lee	<b>White lily-leaf ladybell</b> 흰나리잔대 (Huin-na-ri-jan-dae)
<i>Adenophora palustris</i> Kom.	<b>Marsh ladybell</b> 진퍼리잔대 (Jin-peo-ri-jan-dae)
<i>Adenophora palustris</i> f. <i>leucantha</i> Nakai	<b>White marsh ladybell</b> 흰진퍼리잔대 (Huin-jin-peo-ri-jan-dae)
<i>Adenophora pereskiaefolia</i> (Fisch. ex Roem. & Schult.) G.Don	<b>Manchurian ladybell</b> 만주잔대 (Man-ju-jan-dae)
<i>Adenophora polyantha</i> Nakai	<b>Many-flower ladybell</b> 수원잔대 (Su-won-jan-dae)
<i>Adenophora pulchra</i> Kitam.	<b>Beautiful ladybell</b> 금강잔대 (Geum-gang-jan-dae)
<i>Adenophora racemosa</i> J.Lee & S.Lee	<b>Racemose ladybell</b> 외대잔대 (Oe-dae-jan-dae)
<i>Adenophora remotidens</i> Hemsl.	<b>Incheon ladybell</b> 인천잔대 (In-cheon-jan-dae)
<i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq.	<b>Scattered ladybell</b> 모시대 (Mo-si-dae)
<i>Adenophora remotiflora</i> f. <i>leucantha</i> Honda	<b>White scattered ladybell</b> 흰모시대 (Huin-mo-si-dae)
<i>Adenophora stricta</i> Miq.	<b>Upright ladybell</b> 당잔대 (Dang-jan-dae)
<i>Adenophora stricta</i> var. <i>lancifolia</i> Honda	<b>Sword-leaf upright ladybell</b> 긴당잔대 (Gin-dang-jan-dae)

Scientific name	English name Korean name (Romanization)
<i>Adenophora taquetii</i> H.Lév.	<b>Jejudo ladybell</b> 섬잔대 (Seom-jan-dae)
<i>Adenophora triphylla</i> var. <i>japonica</i> (Regel) H.Hara	<b>Three-leaf ladybell</b> 잔대 (Jan-dae)
<i>Adenophora triphylla</i> var. <i>japonica</i> f. <i>albiflora</i> Y.N.Lee	<b>White three-leaf ladybell</b> 흰잔대 (Huin-jan-dae)
<i>Adenophora triphylla</i> var. <i>hakusanensis</i> (Nakai) Kitam.	<b>Alpine three-leaf ladybell</b> 고산잔대 (Go-san-jan-dae)
<i>Adenophora triphylla</i> f. <i>linearis</i> (Hayata) Kitam.	<b>Linear three-leaf ladybell</b> 가는잎잔대 (Ga-neun-ip-jan-dae)
* <i>Adenophora tyosenensis</i> Nakai ex T.H.Chung	<b>Choseon ladybell</b> 왕잔대 (Wang-jan-dae)
<i>Adenophora verticillata</i> Fisch.	<b>Whorled-leaf ladybell</b> 층층잔대 (Cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>abbreviata</i> H.Lév.	<b>Hallasan ladybell</b> ombokom잔대 (Jom-cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>angustifolia</i> Regel	<b>Narrow whorled-leaf ladybell</b> 가는층층잔대 (Ga-neun-cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>hirsuta</i> F.Schmidt	<b>Hairy whorled-leaf ladybell</b> 털잔대 (Teol-jan-dae)
<b><i>Adenostemma</i> J.R.Forst. &amp; G.Forst.</b> [Asteraceae]	<b><i>Adenostemma</i>, Medicineplant</b> 물머위속 (Mul-meo-wi-sok) [국화과]
<i>Adenostemma lavenia</i> (L.) Kuntze	<b>Common adenostemma</b> 물머위 (Mul-meo-wi)
<b><i>Adiantum</i> L.</b> [Pteridaceae]	<b>Maidenhair fern</b> 공작고사리속 (Gong-jak-go-sa-ri-sok) [고사리과]
<i>Adiantum capillus-junonis</i> Rupr.	<b>Junos-hair fern</b> 암공작고사리 (Am-gong-jak-go-sa-ri)
<i>Adiantum coreanum</i> Tagawa	<b>Korean maidenhair fern</b> 고려공작고사리 (Go-ryeo-gong-jak-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Adiantum monochlamys</i> D.C.Eaton	<b>Mono-sorus maidenhair fern</b> 섬공작고사리 (Seom-gong-jak-go-sa-ri)
<i>Adiantum pedatum</i> L.	<b>Northern maidenhair fern</b> 공작고사리 (Gong-jak-go-sa-ri)
<b>Adina</b> [Salisb. [Rubiaceae]	<b>Adina</b> 구슬꽃나무속 (Gu-seul-kkot-na-mu-sok) [꼭두서니과]
<i>Adina rubella</i> Hance	<b>Glossy adina</b> 구슬꽃나무 (Gu-seul-kkot-na-mu)
<b>Adlumia</b> [Raf. [Fumariaceae]	<b>Adlumia</b> 줄꽃주머니속 (Jul-kkot-ju-meo-ni-sok) [현호색과]
<i>Adlumia asiatica</i> Ohwi	<b>Asian mountain fringe</b> 줄꽃주머니 (Jul-kkot-ju-meo-ni)
<b>Adonis</b> [L. [Ranunculaceae]	<b>Adonis, Pheasant's eye</b> 복수초속 (Bok-su-cho-sok) [미나리아재비과]
<i>Adonis amurensis</i> Regel & Radde	<b>Amur adonis</b> 복수초 (Bok-su-cho)
* <i>Adonis amurensis</i> subsp. <i>nana</i> Y.N.Lee	<b>Small Amur adonis</b> 애기복수초 (Ae-gi-bok-su-cho)
<i>Adonis multiflora</i> Nishikawa & Koji Ito	<b>Acute-tip adonis</b> 세복수초 (Se-bok-su-cho)
<i>Adonis ramosa</i> Franch.	<b>Forked-stem adonis</b> 가지복수초 (Ga-ji-bok-su-cho)
<b>Adoxa</b> [L. [Adoxaceae]	<b>Adoxa</b> 연복초속 (Yeon-bok-cho-sok) [연복초과]
<i>Adoxa moschatellina</i> L.	<b>Muskroot</b> 연복초 (Yeon-bok-cho)
<b>ADOXACEAE</b> E.Mey.	<b>Moschatel family</b> 연복초과 (Yeon-bok-cho-gwa)

Scientific name	English name Korean name (Romanization)
<i>Aeginetia</i> L. [Orobanchaceae]	<b>Aeginetia</b> 야고속 (Ya-go-sok) [열당과]
<i>Aeginetia indica</i> L.	<b>Indian broomrape</b> 야고 (Ya-go)
<i>Aegopodium</i> L. [Apiaceae]	<b>Goutweed</b> 산미나리속 (San-mi-na-ri-sok) [산형과]
<i>Aegopodium alpestre</i> Ledeb.	<b>Alpine goutweed</b> 왜방풀 (Wae-bang-pung)
<i>Aegopodium podagraria</i> L.	<b>Goutweed</b> 산미나리 (San-mi-na-ri)
<i>Aeschynomene</i> L. [Fabaceae]	<b>Jointvetch</b> 자귀풀속 (Ja-gwi-pul-sok) [콩과]
<i>Aeschynomene indica</i> L.	<b>Indian jointvetch</b> 자귀풀 (Ja-gwi-pul)
<i>Agastache</i> J.Clayton ex Gronov. [Lamiaceae]	<b>Giant hyssop</b> 배초향속 (Bae-cho-hyang-sok) [꿀풀과]
<i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze	<b>Korean mint</b> 배초향 (Bae-cho-hyang)
<i>Agrimonia</i> L. [Rosaceae]	<b>Agrimony</b> 짚신나물속 (Jip-sin-na-mul-sok) [장미과]
<i>Agrimonia coreana</i> Nakai	<b>Korean agrimony</b> 산짚신나물 (San-jip-sin-na-mul)
<i>Agrimonia nipponica</i> Koidz.	<b>Small hairy agrimony</b> 좀짚신나물 (Jom-jip-sin-na-mul)
<i>Agrimonia pilosa</i> Ledeb.	<b>Hairy agrimony</b> 짚신나물 (Jip-sin-na-mul)
<i>Agrostis</i> L. [Poaceae]	<b>Bent, Bentgrass</b> 겨이삭속 (Gyeo-i-sak-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Agrostis canina</i> L.	<b>Velvety bentgrass</b> 검은겨이삭 (Geom-eun-gyeo-i-sak)
* <i>Agrostis canina</i> var. <i>mutica</i> G.Sinclair	<b>Awnless velvet bentgrass</b> 민매기이삭 (Min-me-gi-i-sak)
<i>Agrostis clavata</i> Trin.	<b>Clavate bentgrass</b> 산겨이삭 (San-gyeo-i-sak)
<i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi	<b>Asian bentgrass</b> 겨이삭 (Gyeo-i-sak)
<i>Agrostis divaricatissima</i> Mez	<b>Many-fold sequence bentgrass</b> 영성겨이삭 (Eong-seong-gyeo-i-sak)
<i>Agrostis flaccida</i> Hack.	<b>Trin's bentgrass</b> 검정겨이삭 (Geom-jeong-gyeo-i-sak)
<i>Agrostis gigantea</i> Roth	<b>Redtop bentgrass</b> 흰겨이삭 (Huin-gyeo-i-sak)
<i>Agrostis scabra</i> Willd.	<b>Rough bentgrass</b> 긴겨이삭 (Gin-gyeo-i-sak)
<i>Agrostis stolonifera</i> L.	<b>Creeping bentgrass</b> 애기겨이삭 (Ae-gi-gyeo-i-sak)
<i>Ainsliaea</i> DC. [Asteraceae]	<b>Ainsliaea</b> 단풍취속 (Dan-pung-chwi-sok) [국화과]
<i>Ainsliaea acerifolia</i> Sch.Bip.	<b>Maple-leaf ainsliaea</b> 단풍취 (Dan-pung-chwi)
<i>Ainsliaea acerifolia</i> var. <i>subapoda</i> Nakai	<b>Shallow maple-leaf ainsliaea</b> 가야단풍취 (Ga-ya-dan-pung-chwi)
<i>Ainsliaea apiculata</i> Sch.Bip.	<b>Small maple-leaf ainsliaea</b> 좀딱취 (Jom-ttak-chwi)
<b>AIZOACEAE Martinov</b>	<b>Fig-marigold family, Ice plant family</b> 변행초과 (Beon-haeng-cho-gwa)
<i>Ajania</i> Poljakov [Asteraceae]	<b>Ajania</b> 솔인진속 (Sol-in-jin-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Ajania pallasiana</i> (Fisch. ex Besser) Poljakov	<b>Northeast Asian ajania</b> 솔인진 (Sol-in-jin)
<i>Ajuga</i> L. [Lamiaceae]	<b>Bugle, Bugleweed, Carpet bugle, Ground pine</b> 조개나물속 (Jo-gae-na-mul-sok) [꿀풀과]
<i>Ajuga decumbens</i> Thunb.	<b>Decumbent bugle</b> 금창초 (Geum-chang-cho)
<i>Ajuga decumbens</i> var. <i>rosa</i> Y.N.Lee	<b>Pink-flower bugle</b> 내장금란초 (Nae-jang-geum-ran-cho)
<i>Ajuga multiflora</i> Bunge	<b>Korean pyramid bugle</b> 조개나물 (Jo-gae-na-mul)
* <i>Ajuga multiflora</i> f. <i>leucantha</i> (Nakai) T.B.Lee	<b>White Korean pyramid bugle</b> 흰조개나물 (Huin-jo-gae-na-mul)
<i>Ajuga multiflora</i> f. <i>rosea</i> Y.N.Lee	<b>Red Korean pyramid bugle</b> 붉은조개나물 (Bul-geun-jo-gae-na-mul)
<i>Ajuga spectabilis</i> Nakai	<b>Korean bugle</b> 자란초 (Ja-ran-cho)
<i>Akebia</i> Decne. [Lardizabalaceae]	<b>Akebia, Chocolate vine</b> 으름덩굴속 (Eu-reum-deong-gul-sok) [으름덩굴과]
<i>Akebia quinata</i> (Houtt.) Decne.	<b>Five-leaf chocolate vine</b> 으름덩굴 (Eu-reum-deong-gul)
<i>Akebia quinata</i> f. <i>polyphylla</i> (Nakai) Hiyama	<b>Eight-leaf chocolate vine</b> 여덟잎으름 (Yeo-deol-ip-eu-reum)
ALANGIACEAE DC.	<b>Alangium family</b> 박쥐나무과 (Bak-jwi-na-mu-gwa)
<i>Alangium</i> Lam. [Alangiaceae]	<b>Alangium</b> 박쥐나무속 (Bak-jwi-na-mu-sok) [박쥐나무과]
<i>Alangium platanifolium</i> (Siebold & Zucc.) Harms	<b>Palmate-leaf alangium</b> 단풍박쥐나무 (Dan-pung-bak-jwi-na-mu)
<i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi	<b>Trilobed-leaf alangium</b> 박쥐나무 (Bak-jwi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Albizia</i> Durazz. [Fabaceae]	<b>Albizia</b> , Albizzias, East Indian walnut, Mimosa, Silk plants, Silk trees, Sirises <b>자귀나무속</b> (Ja-gwi-na-mu-sok) [콩과]
<i>Albizia julibrissin</i> Durazz.	<b>Silk tree</b> <b>자귀나무</b> (Ja-gwi-na-mu)
<i>Albizia kalkora</i> Prain	<b>Kalkora mimosa</b> 왕자귀나무 (Wang-ja-gwi-na-mu)
<i>Aldrovanda</i> L. [Droseraceae]	<b>Waterwheel plant</b> <b>벌레먹이말속</b> (Beol-re-meok-i-mal-sok) [꾼풀이귀개과]
<i>Aldrovanda vesiculosa</i> L.	<b>Waterwheel plant</b> 벌레먹이말 (Beol-re-meok-i-mal)
<i>Aletris</i> L. [Liliaceae]	<b>Colicroot, Colicweed, Crow corn, Unicorn root</b> <b>쥐꼬리풀속</b> (Jwi-kko-ri-pul-sok) [백합과]
<i>Aletris foliata</i> (Maxim.) Makino & Nemoto	<b>Sticky colicroot</b> 끈적쥐꼬리풀 (Kkeun-jeok-jwi-kko-ri-pul)
<i>Aletris glabra</i> Bureau & Franch.	<b>Glabrous colicroot</b> 여우꼬리풀 (Yeo-u-kko-ri-pul)
<i>Aletris spicata</i> (Thunb.) Franch.	<b>Spike colicroot</b> 쥐꼬리풀 (Jwi-kko-ri-pul)
<i>Alisma</i> L. [Alismataceae]	<b>Water plantain</b> <b>택사속</b> (Taek-sa-sok) [택사과]
<i>Alisma canaliculatum</i> A.Braun & C.D.Bouché	<b>Channelled water plantain</b> 택사 (Taek-sa)
<i>Alisma plantago-aquatica</i> subsp. <i>orientale</i> (Sam.) Sam.	<b>Asian water plantain</b> 질경이택사 (Jil-gyeong-i-taek-sa)
<b>ALISMATACEAE</b> Vent.	<b>Water plantain family</b> <b>택사과</b> (Taek-sa-gwa)

Scientific name	English name Korean name (Romanization)
<i>Allium</i> L. [Liliaceae]	<b>Ornamental onion, Onion</b> 부추속 (Bu-chu-sok) [백합과]
<i>Allium anisopodium</i> Ledeb.	<b>Thread-leaf chive</b> 실부추 (Sil-bu-chu)
<i>Allium anisopodium</i> var. <i>zimmermannianum</i> (Gilg) F.T.Wang & T.Tang	<b>Hairy thread-leaf chive</b> 털실부추 (Teol-sil-bu-chu)
<i>Allium condensatum</i> Turcz.	<b>Oriental yellow chive</b> 노랑부추 (No-rang-bu-chu)
<i>Allium deltoideifistulosum</i> S.O.Yu, S.Lee & W.T.Lee	<b>Triangular chive</b> 세모부추 (Se-mo-bu-chu)
<i>Allium koreanicum</i> H.J.Choi & B.U.Oh	<b>Korean rocky chive</b> 돌부추 (Dol-bu-chu)
<i>Allium linearifolium</i> H.J.Choi & B.U.Oh	<b>Linear-leaf chive</b> 선부추 (Seon-bu-chu)
<i>Allium longistylum</i> Baker	<b>Riverside chive</b> 강부추 (Gang-bu-chu)
<i>Allium macrostemon</i> Bunge	<b>Long-stamen chive</b> 산달래 (San-dal-rae)
<i>Allium maximowiczii</i> Regel	<b>Oriental chive</b> 산파 (San-pa)
<i>Allium minus</i> (S.O.Yu, S.Lee & W.Lee) H.J.Choi & B.U.Oh	<b>Manchurian aging chive</b> ombokbu (Jom-bu-chu)
<i>Allium monanthum</i> Maxim.	<b>Korean wild chive</b> 달래 (Dal-rae)
<i>Allium ochotense</i> Prokh.	<b>Myeongyi (Siberian onion)</b> 울릉산마늘 (Ul-reung-san-ma-neul)
<i>Allium pseudojaponicum</i> Makino	<b>Coastal chive</b> 갯부추 (Gaet-bu-chu)
<i>Allium sacculiferum</i> Maxim.	<b>Northern plain chive</b> 참산부추 (Cham-san-bu-chu)

Scientific name	English name Korean name (Romanization)
<i>Allium scorodoprasum</i> var. <i>multibillosum</i> Y.N.Lee	<b>Korean pickled-peel garlic</b> 조선마늘 (Jo-seon-ma-neul)
<i>Allium senescens</i> L.	<b>Aging chive</b> 두메부추 (Du-me-bu-chu)
<i>Allium spirale</i> Willd.	<b>Korean aging chive</b> 참두메부추 (Cham-du-me-bu-chu)
<i>Allium splendens</i> Willd. ex Schult. & Schult.f.	<b>Glittering chive</b> 가는산부추 (Ga-neun-san-bu-chu)
<i>Allium taquetii</i> H.Lév. & Vaniot	<b>Halla chive</b> 한라부추 (Han-ra-bu-chu)
<i>Allium thunbergii</i> G.Don	<b>Thunberg's chive</b> 산부추 (San-bu-chu)
<i>Allium thunbergii</i> var. <i>deltoides</i> (S.O.Yu, S.Lee & W.T.Lee) H.J.Choi & B.U.Oh	<b>Triangular-leaf Thunberg's chive</b> 세모산부추 (Se-mo-san-bu-chu)
<i>Allium thunbergii</i> var. <i>teretifolium</i> H.J.Choi & B.U.Oh	<b>Terete-leaf Thunberg's chive</b> 등근산부추 (Dung-geun-san-bu-chu)
<i>Allium victorialis</i> L.	<b>Alpine broad-leaf allium</b> 산마늘 (San-ma-neul)
<b><i>Alnus</i> Mill. [Betulaceae]</b>	<b>Alder</b> 오리나무속 (O-ri-na-mu-sok) [자작나무과]
<i>Alnus borealis</i> Koidz.	<b>Northern alder</b> 떡오리나무 (Tteok-o-ri-na-mu)
<i>Alnus hirsuta</i> (Spach) Rupr.	<b>Manchurian alder</b> 풀오리나무 (Mul-o-ri-na-mu)
* <i>Alnus hirsuta</i> f. <i>glabra</i> T.B.Lee	<b>Glabrous Manchurian alder</b> 민물오리나무 (Min-mul-o-ri-na-mu)
<i>Alnus japonica</i> (Thunb.) Steud.	<b>East Asian alder</b> 오리나무 (O-ri-na-mu)
<i>Alnus japonica</i> var. <i>koreana</i> Callier	<b>Hairy East Asian alder</b> 털오리나무 (Teol-o-ri-na-mu)
<i>Alnus japonica</i> var. <i>resinosa</i> Nakai	<b>Sticky East Asian alder</b> 웅기오리나무 (Ung-gi-o-ri-na-mu)

Scientific name	English name Korean name (Romanization)
* <i>Alnus japonica</i> var. <i>serrata</i> Nakai	<b>Ulleungdo alder</b> 섬오리나무 (Seom-o-ri-na-mu)
<i>Alnus mandshurica</i> (Callier) Hand.-Mazz.	<b>Northeast Asian alder</b> 덤불오리나무 (Deom-bul-o-ri-na-mu)
<i>Alnus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee	<b>Beard Northeast Asian alder</b> 함북오리나무 (Ham-buk-o-ri-na-mu)
<i>Alnus mandshurica</i> f. <i>pubescens</i> (Nakai) Kitag.	<b>Hairy Northeast Asian alder</b> 털만주오리나무 (Teol-man-ju-o-ri-na-mu)
<i>Alnus maximowiczii</i> Callier	<b>Montane alder</b> 두메오리나무 (Du-me-o-ri-na-mu)
<i>Alnus × mayrii</i> Callier	<b>Downy East Asian alder</b> 잔털오리나무 (Jan-teol-o-ri-na-mu)
<i>Alopecurus</i> L. [Poaceae]	<b>Foxtail, Foxtail grass</b> 뚝새풀속 (Ttuk-sae-pul-sok) [벼과]
<i>Alopecurus aequalis</i> Sobol.	<b>Short-awn foxtail grass</b> 뚝새풀 (Ttuk-sae-pul)
<b>AMARANTHACEAE</b> Juss.	<b>Amaranth family</b> 비름과 (Bi-reum-gwa)
<i>Amaranthus</i> L. [Amaranthaceae]	<b>Amaranth, Pigweed</b> 비름속 (Bi-reum-sok) [비름과]
<i>Amaranthus deflexus</i> L.	<b>Large-fruit amaranth</b> 눈비름 (Nun-bi-reum)
<i>Amaranthus mangostanus</i> L.	<b>Edible amaranth</b> 비름 (Bi-reum)
<b>AMARYLLIDACEAE</b> J. St.-Hil.	<b>Amaryllis family</b> 수선화과 (Su-seon-hwa-gwa)
<i>Amelanchier</i> Medik. [Rosaceae]	<b>Chuckley pear, Juneberry, Sarvis, Sarvisberry, Saskatoon, Serviceberry, Shadblow, Shadbush, Shadwood, Sugarplum, Wild pear, Wild-plum</b> 채진목속 (Chae-jin-mok-sok) [장미과]

Scientific name	English name Korean name (Romanization)
<i>Amelanchier asiatica</i> (Siebold & Zucc.) Endl. ex Walp.	<b>Asian serviceberry</b> 채진목 (Chae-jin-mok)
<i>Amethystea</i> L. [Lamiaceae]	<b>Amethystea</b> 개차즈기속 (Gae-cha-jeu-gi-sok) [꿀풀과]
<i>Amethystea caerulea</i> L.	<b>Blue amethystea</b> 개차즈기 (Gae-cha-jeu-gi)
<i>Amitostigma</i> Schltr. [Orchidaceae]	<b>Amitostigma</b> 병아리난초속 (Byeong-a-ri-nan-cho-sok) [난초과]
<i>Amitostigma gracile</i> (Blume) Schlr.	<b>Delicate amitostigma</b> 병아리난초 (Byeong-a-ri-nan-cho)
<i>Ammannia</i> L. [Lythraceae]	<b>Redstem, Ammannia</b> ombokochi꽃속 (Jom-bu-cheo-kkot-sok) [부처꽃과]
<i>Ammannia multiflora</i> Roxb.	<b>Many-flower ammannia</b> ombokochi (Jom-bu-cheo-kkot)
<i>Ampelopsis</i> Michx. [Vitaceae]	<b>Peppervine, Porcelainberry</b> 개머루속 (Gae-meo-ru-sok) [포도과]
<i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> (Nakai) T.B.Lee	<b>Hairy porcelainberry</b> 털개머루 (Teol-gae-meo-ru)
<i>Ampelopsis brevipedunculata</i> f. <i>citrulloides</i> (Lebas) Rehder	<b>Dissected-leaf porcelainberry</b> 가새잎개머루 (Ga-sae-ip-gae-meo-ru)
<i>Ampelopsis brevipedunculata</i> f. <i>elegans</i> (K.Koch) Rehder	<b>Purple-fruit porcelainberry</b> 자주개머루 (Ja-ju-gae-meo-ru)
<i>Ampelopsis heterophylla</i> (Thunb.) Siebold & Zucc.	<b>Porcelainberry</b> 개머루 (Gae-meo-ru)
<i>Ampelopsis japonica</i> (Thunb.) Makino	<b>East Asian peppervine</b> 가회톱 (Ga-hoe-top)
<i>Amphicarpaea</i> Elliott ex Nutt. [Fabaceae]	<b>Hogpeanut</b> 새콩속 (Sae-kong-sok) [콩과]

Scientific name	English name Korean name (Romanization)
<i>Amphicarpaea bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H.Ohashi	<b>Edgeworth's hogpeanut</b> 새콩 (Sae-kong)
<i>Amsonia</i> Walter [Apocynaceae]	<b>Bluestar</b> 정향풀속 (Jeong-hyang-pul-sok) [협죽도과]
<i>Amsonia elliptica</i> (Thunb.) Roem. & Schult.	<b>Asian bluestar</b> 정향풀 (Jeong-hyang-pul)
<b>ANACARDIACEAE R.Br.</b>	<b>Cashew family</b> 옻나무과 (Ot-na-mu-gwa)
<i>Anagallidium</i> Griseb. [Gentianaceae]	<b>Anagallidium</b> 대성쓴풀속 (Dae-seong-sseun-pul-sok) [용담과]
<i>Anagallidium dichotomum</i> (L.) Griseb.	<b>Dichotomous swertia</b> 대성쓴풀 (Dae-seong-sseun-pul)
<i>Anagallis</i> L. [Primulaceae]	<b>Pimpernel</b> 뚜껑별꽃속 (Ttu-kkeong-byeol-kkot-sok) [앵초과]
<i>Anagallis arvensis</i> L.	<b>Blue-scarlet pimpernel</b> 뚜껑별꽃 (Ttu-kkeong-byeol-kkot)
<i>Anaphalis</i> DC. [Asteraceae]	<b>Pearly everlasting</b> 다북떡쑥속 (Da-buk-tteok-ssuk-sok) [국화과]
<i>Anaphalis margaritacea</i> (L.) Benth. & Hook.f.	<b>Pearly everlasting</b> 산떡쑥 (San-tteok-ssuk)
<i>Anaphalis sinica</i> Hance	<b>Asian pearly everlasting</b> 다북떡쑥 (Da-buk-tteok-ssuk)
<i>Anaphalis sinica</i> var. <i>morii</i> (Nakai) Ohwi	<b>Alpine pearly everlasting</b> 구름떡쑥 (Gu-reum-tteok-ssuk)
<i>Andromeda</i> L. [Ericaceae]	<b>Bog rosemary</b> 장지석남속 (Jang-ji-seok-nam-sok) [진달래과]
<i>Andromeda polifolia</i> L.	<b>Common bog rosemary</b> 애기석남 (Ae-gi-seok-nam)

Scientific name	English name Korean name (Romanization)
<i>Andromeda polifolia</i> f. <i>acerosa</i> C.Hartm.	<b>Needle-leaf bog rosemary</b> 장지석남 (Jang-ji-seok-nam)
<i>Androsace</i> L. [Primulaceae]	<b>Rockjasmine</b> 봄맞이꽃속 (Bom-mat-i-kkot-sok) [앵초과]
<i>Androsace cortusifolia</i> Nakai	<b>Geumgang rockjasmine</b> 금강봄맞이 (Geum-gang-bom-mat-i)
<i>Androsace filiformis</i> Retz.	<b>Filiform rockjasmine</b> 애기봄맞이 (Ae-gi-bom-mat-i)
<i>Androsace lehmanniana</i> Spreng.	<b>Dry rockjasmine</b> 고산봄맞이 (Go-san-bom-mat-i)
<i>Androsace septentrionalis</i> L.	<b>Northern rockjasmine</b> 명천봄맞이 (Myeong-cheon-bom-mat-i)
<i>Androsace umbellata</i> (Lour.) Merr.	<b>Umbelled rockjasmine</b> 봄맞이 (Bom-mat-i)
<i>Anemone</i> L. [Ranunculaceae]	<b>Anemone</b> 바람꽃속 (Ba-ram-kkot-sok) [미나리아재비과]
<i>Anemone amurensis</i> (Korsh.) Kom.	<b>Amur anemone</b> 들바람꽃 (Deul-ba-ram-kkot)
<i>Anemone dichotoma</i> L.	<b>Dichotomous anemone</b> 가래바람꽃 (Ga-rae-ba-ram-kkot)
<i>Anemone baicalensis</i> var. <i>glabrata</i> Maxim.	<b>Glabrous Baical anemone</b> 바이칼바람꽃 (Ba-i-kal-ba-ram-kkot)
<i>Anemone koraiensis</i> Nakai	<b>Korean anemone</b> 홀아비바람꽃 (Hol-a-bi-ba-ram-kkot)
<i>Anemone narcissiflora</i> L.	<b>Narcissus anemone</b> 바람꽃 (Ba-ram-kkot)
<i>Anemone nikoensis</i> Maxim.	<b>Single-flower anemone</b> 외대바람꽃 (Oe-dae-ba-ram-kkot)
<i>Anemone pseudoaltaica</i> H.Hara	<b>Chrysanthemum anemone</b> 국화바람꽃 (Guk-hwa-ba-ram-kkot)

Scientific name	English name Korean name (Romanization)
<i>Anemone raddeana</i> Regel	<b>Many-sepal anemone</b> 꿩의바람꽃 (Kkwong-ui-ba-ram-kkot)
<i>Anemone reflexa</i> Steph. ex Willd.	<b>Reflex-flower anemone</b> 회리바람꽃 (Hoe-ri-ba-ram-kkot)
<i>Anemone rossii</i> S.Moore	<b>Twin-flower anemone</b> 쌍동바람꽃 (Ssang-dong-ba-ram-kkot)
<i>Anemone stolonifera</i> Maxim.	<b>Stolon-bearing anemone</b> 세바람꽃 (Se-ba-ram-kkot)
<i>Anemone umbrosa</i> C.A.Mey.	<b>Shady anemone</b> 숲바람꽃 (Sup-ba-ram-kkot)
<i>Angelica</i> L. [Apiaceae]	<b>Angelica</b> 당귀속 (Dang-gwi-sok) [산형과]
<i>Angelica amurensis</i> Schischk.	<b>Amur angelica</b> 지리강활 (Ji-ri-gang-hwal)
<i>Angelica anomala</i> Avé-Lall.	<b>Eumenol angelica</b> 개구릿대 (Gae-gu-rit-dae)
<i>Angelica cartilaginomarginata</i> (Makino) Nakai	<b>Bristly-margin angelica</b> 처녀바디 (Cheo-nyeo-ba-di)
<i>Angelica cartilaginomarginata</i> var. <i>distans</i> (Nakai) Kitag.	<b>White bristly-margin angelica</b> 흰바디나물 (Huin-ba-di-na-mul)
<i>Angelica czernaevia</i> (Fisch. & C.A.Mey.) Kitag.	<b>Diverse-petal angelica</b> 잔잎바디 (Jan-ip-ba-di)
<i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav.	<b>Dahurian angelica</b> 구릿대 (Gu-rit-dae)
<i>Angelica decursiva</i> (Miq.) Franch. & Sav.	<b>Purple-flower angelica</b> 바디나물 (Ba-di-na-mul)
<i>Angelica florenti</i> Franch. & Sav. ex Maxim.	<b>Montane angelica</b> 두메당근 (Du-me-dang-geun)
<i>Angelica genuflexa</i> Nutt. ex Torr. & A.Gray	<b>Kneeling angelica</b> 왜천궁 (Wae-cheon-gung)

Scientific name	English name Korean name (Romanization)
<i>Angelica gigas</i> Nakai	<b>Korean angelica</b> 참당귀 (Cham-dang-gwi)
<i>Angelica jaluana</i> Nakai	<b>Amrokgang angelica</b> 삼수구릿대 (Sam-su-gu-rit-dae)
<i>Angelica japonica</i> A.Gray	<b>Japanese angelica</b> 갯강활 (Gaet-gang-hwal)
<i>Angelica polymorpha</i> Maxim.	<b>Polymorphic angelica</b> 궁궁이 (Gung-gung-i)
<i>Angelica tenuissima</i> Nakai	<b>Korean gobon (Slender angelica)</b> 고본 (Go-bon)
<b><i>Antennaria</i> Gaertn. [Asteraceae]</b>	<b>Catsfoot, Cat's-foot, Everlasting, Pussytoes</b> <b>백두산떡속</b> (Baek-du-san-tteok-ssuk-sok) [국화과]
<i>Antennaria dioica</i> (L.) Gaertn.	<b>Mountain everlasting</b> <b>백두산떡속</b> (Baek-du-san-tteok-ssuk)
<b><i>Anthoxanthum</i> L. [Poaceae]</b>	<b>Hornwort, Vernal grasses, Vernalgrasses</b> <b>향기풀속</b> (Hyang-gi-pul-sok) [벼과]
<i>Anthoxanthum odoratum</i> subsp. <i>alpinum</i> (Á.Löve & D.Löve) B.M.G.Jones & Melderis	<b>Alpine vernalgrass</b> 포태향기풀 (Po-tae-hyang-gi-pul)
<i>Anthoxanthum aristatum</i> Boiss.	<b>Awned vernalgrass</b> 까락향기풀 (Kka-rak-hyang-gi-pul)
<b><i>Anthriscus</i> Pers. [Apiaceae]</b>	<b>Chervil</b> <b>전호속</b> (Jeon-ho-sok) [산형과]
<i>Anthriscus sylvestris</i> (L.) Hoffm.	<b>Wild chervil</b> 전호 (Jeon-ho)
<i>Anthriscus sylvestris</i> f. <i>hirtifructus</i> (Ohwi) H.Ohba	<b>Hairy wild chervil</b> 털전호 (Teol-jeon-ho)
<b><i>Aphananthe</i> Planch. [Ulmaceae]</b>	<b>Aphananthe</b> <b>푸조나무속</b> (Pu-jo-na-mu-sok) [느릅나무과]

Scientific name	English name Korean name (Romanization)
<i>Aphananthe aspera</i> (Thunb.) Planch.	<b>Scabrous aphananthe</b> 푸조나무 (Pu-jo-na-mu)
<b>APIACEAE</b> Lindl. (=Umbelliferae Juss.)	<b>Celery family, Carrot family, Parsley family</b> <b>산형과</b> (San-hyeong-gwa)
<b>APOCYNACEAE</b> Juss.	<b>Dogbane family</b> <b>협죽도과</b> (Hyeop-juk-do-gwa)
<i>Apocynum</i> L. [Apocynaceae]	<b>Dogbane, Indian hemp</b> <b>수궁초속</b> (Su-gung-cho-sok) [협죽도과]
<i>Apocynum cannabinum</i> L.	<b>Hemp dogbane</b> 수궁초 (Su-gung-cho)
<i>Apocynum lancifolium</i> Russanov	<b>Sword-leaf dogbane</b> 개정향풀 (Gae-jeong-hyang-pul)
<b>AQUIFOLIACEAE</b> Bercht. & J.Presl	<b>Holly family</b> <b>감탕나무과</b> (Gam-tang-na-mu-gwa)
<i>Aquilegia</i> L. [Ranunculaceae]	<b>Granny's bonnet, Columbine</b> <b>매발톱속</b> (Mae-bal-top-sok) [미나리아재비과]
<i>Aquilegia buergeriana</i> var. <i>oxysepala</i> (Trautv. & Meyer) Kitam.	<b>Oriental columbine</b> 매발톱 (Mae-bal-top)
* <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> f. <i>pallidiflora</i> (Nakai) M.K.Park	<b>Yellow oriental columbine</b> 노랑매발톱 (No-rang-mae-bal-top)
<i>Aquilegia flabellata</i> Siebold & Zucc.	<b>Dwarf fan-shape columbine</b> 하늘매발톱 (Ha-neul-mae-bal-top)
<i>Arabidopsis</i> Heynh. [Brassicaceae]	<b>Arabidopsis</b> 애기장대속 (Ae-gi-jang-dae-sok) [십자화과]
<i>Arabidopsis thaliana</i> (L.) Heynh.	<b>Arabidopsis</b> 애기장대 (Ae-gi-jang-dae)
<i>Arabis</i> L. [Brassicaceae]	<b>Rockcress</b> <b>장대나물속</b> (Jang-dae-na-mul-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Arabis columnialis</i> Nakai	<b>Cylindrical rockcress</b> 참장대나물 (Cham-jang-dae-na-mul)
<i>Arabis coronata</i> Nakai	<b>Crown rockcress</b> 자주장대나물 (Ja-ju-jang-dae-na-mul)
<i>Arabis coronata</i> f. <i>leucantha</i> Nakai	<b>White crown rockcress</b> 흰장대나물 (Huin-jang-dae-na-mul)
<i>Arabis gemmifera</i> (Matsum.) Makino	<b>Budding rockcress</b> 산장대 (San-jang-dae)
<i>Arabis glabra</i> (L.) Bernh.	<b>Tower rockcress</b> 장대나물 (Jang-dae-na-mul)
<i>Arabis hirsuta</i> (L.) Scop.	<b>Hairy rockcress</b> 털장대 (Teol-jang-dae)
<i>Arabis ligulifolia</i> Nakai	<b>Spatulate-leaf rockcress</b> 주걱장대 (Ju-geok-jang-dae)
<i>Arabis lyrata</i> L.	<b>Lyrate-leaf rockcress</b> 뭐장대 (Moet-jang-dae)
<i>Arabis pendula</i> L.	<b>Pendulous rockcress</b> 느러진장대 (Neu-reo-jin-jang-dae)
<i>Arabis serrata</i> Franch. & Sav.	<b>Serrate-leaf rockcress</b> 바위장대 (Ba-wi-jang-dae)
<i>Arabis stelleri</i> DC.	<b>Coastal rockcress</b> 갯장대 (Gaet-jang-dae)
<i>Arabis takesimana</i> Nakai	<b>Ulleungdo rockcress</b> 섬장대 (Seom-jang-dae)
<b>ARACEAE Juss.</b>	<b>Arum family</b> 천남성과 (Cheon-nam-seong-gwa)
<i>Arachniodes</i> Blume [Dryopteridaceae]	<b>Hollyfern</b> 쇠고사리속 (Soe-go-sa-ri-sok) [면마과]
<i>Arachniodes amabilis</i> (Blume) Tindale	<b>Attractive hollyfern</b> 쇠고사리 (Soe-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Arachniodes aristata</i> (G.Forst.) Tindale	<b>East Indian hollyfern</b> 가는쇠고사리 (Ga-neun-soe-go-sa-ri)
<i>Arachniodes caudata</i> (Tagawa) Ching	<b>Big-caudate hollyfern</b> 큰쇠고사리 (Keun-soe-go-sa-ri)
<i>Arachniodes mutica</i> (Franch. et Sav.) Ohwi	<b>Asian hairy-scale hollyfern</b> 털비늘고사리 (Teol-bi-neul-go-sa-ri)
<i>Arachniodes simplicior</i> (Makino) Ohwi	<b>Caudate hollyfern</b> 꼬리쇠고사리 (Kko-ri-soe-go-sa-ri)
<i>Arachniodes sporadosora</i> (Kunze) Nakaike	<b>Short-rhizome hollyfern</b> 좀쇠고사리 (Jom-soe-go-sa-ri)
<i>Arachniodes standishii</i> (T.Moore) Ohwi	<b>Upside-down hollyfern</b> 일색고사리 (Il-saek-go-sa-ri)
<b>Aralia L.</b> [Araliaceae]	<b>Spikenard</b> 두릅나무속 (Du-reup-na-mu-sok) [두릅나무과]
<i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y.C.Chu	<b>Manchurian angelica</b> 독활 (Dok-hwal)
<i>Aralia elata</i> (Miq.) Seem.	<b>Korean angelica tree</b> 두릅나무 (Du-reup-na-mu)
<i>Aralia elata</i> f. <i>canescens</i> (Siebold & Zucc.) T.Yamaz.	<b>Small-leaf Korean angelica tree</b> 애기두릅나무 (Ae-gi-du-reup-na-mu)
<b>ARALIACEAE Juss.</b>	<b>Aralia family</b> 두릅나무과 (Du-reup-na-mu-gwa)
<b>Arctous (A.Gray) Nied.</b> [Ericaceae]	<b>Alpine bearberry, Arctous</b> 홍월귤속 (Hong-wol-gyul-sok) [진달래과]
<i>Arctous ruber</i> (Rehder & E.H.Wilson) Nakai	<b>Red-fruit bearberry</b> 홍월귤 (Hong-wol-gyul)
<b>Ardisia Sw.</b> [Myrsinaceae]	<b>Marlberry</b> 자금우속 (Ja-geum-u-sok) [자금우과]
<i>Ardisia crispa</i> (Thunb.) A.DC.	<b>Coralberry</b> 백량금 (Baek-ryang-geum)

Scientific name	English name Korean name (Romanization)
<i>Ardisia japonica</i> (Thunb.) Blume	<b>Marlberry</b> 자금우 (Ja-geum-u)
<i>Ardisia pusilla</i> A.DC.	<b>Tiny ardisia</b> 산호수 (San-ho-su)
<i>Arenaria</i> L. [Caryophyllaceae]	<b>Arenaria</b> 벼룩이자리속 (Byeo-ruk-i-ja-ri-sok) [석죽과]
<i>Arenaria capillaris</i> Poir.	<b>Slender mountain sandwort</b> 관모개미자리 (Gwan-mo-gae-mi-ja-ri)
<i>Arenaria juncea</i> M.Bieb.	<b>Rush sandwort</b> 벼룩이울타리 (Byeo-ruk-i-ul-ta-ri)
<i>Arenaria serpyllifolia</i> L.	<b>Thyme-leaf sandwort</b> 벼룩이자리 (Byeo-ruk-i-ja-ri)
<i>Argusia</i> Boehm. [Boraginaceae]	<b>Sea rosemary</b> 모래지치속 (Mo-rae-ji-chi-sok) [지치과]
<i>Argusia sibirica</i> (L.) Dandy	<b>Siberian sea rosemary</b> 모래지치 (Mo-rae-ji-chi)
<i>Arisaema</i> Mart. [Araceae]	<b>Jack-in-the-pulpit</b> 천남성속 (Cheon-nam-seong-sok) [천남성과]
<i>Arisaema amurense</i> Maxim.	<b>Amur jack-in-the-pulpit</b> 등근잎천남성 (Dung-geun-ip-cheon-nam-seong)
<i>Arisaema amurense</i> f. <i>serratum</i> (Nakai) Kitag.	<b>Serrate Amur jack-in-the-pulpit</b> 천남성 (Cheon-nam-seong)
<i>Arisaema heterophyllum</i> Blume	<b>Diverse-leaf jack-in-the-pulpit</b> 두루미천남성 (Du-ru-mi-cheon-nam-seong)
<i>Arisaema negishii</i> Makino	<b>Island jack-in-the-pulpit</b> 섬천남성 (Seom-cheon-nam-seong)
<i>Arisaema peninsulae</i> f. <i>convolutum</i> (Nakai) Y.S.Kim & S.C.Ko	<b>Spiral-leaf jack-in-the-pulpit</b> 눌맥이천남성 (Nul-maek-i-cheon-nam-seong)
<i>Arisaema ringens</i> (Thunb.) Schott	<b>Ringen's jack-in-the-pulpit</b> 큰천남성 (Keun-cheon-nam-seong)

Scientific name	English name Korean name (Romanization)
<i>Arisaema serratum</i> (Thunb.) Schott	<b>Variegated jack-in-the-pulpit</b> 점박이천남성 (Jeom-bak-i-cheon-nam-seong)
<i>Arisaema takesimense</i> Nakai	<b>Ulleungdo jack-in-the-pulpit</b> 섬남성 (Seom-nam-seong)
<i>Arisaema thunbergii</i> Blume	<b>Asian jack-in-the-pulpit</b> 무늬천남성 (Mu-nui-cheon-nam-seong)
<i>Arisaema thunbergii</i> subsp. <i>geomundoense</i> S.C.Ko	<b>Geomun jack-in-the-pulpit</b> 거문천남성 (Geo-mun-cheon-nam-seong)
<i>Aristolochia</i> L. [Aristolochiaceae]	<b>Birthwort, Dutchman's pipe, Pipevine</b> 쥐방울덩굴속 (Jwi-bang-ul-deong-gul-sok) [쥐방울덩굴과]
<i>Aristolochia contorta</i> Bunge	<b>Northern pipevine</b> 쥐방울덩굴 (Jwi-bang-ul-deong-gul)
<i>Aristolochia manshuriensis</i> Kom.	<b>Manchurian pipevine</b> 등칡 (Deung-chik)
<b>ARISTOLOCHIACEAE</b> Juss.	<b>Birthwort family</b> 쥐방울덩굴과 (Jwi-bang-ul-deong-gul-gwa)
<i>Artemisia</i> L. [Asteraceae]	<b>Mugwort, Sagebrush, Wormwood</b> 쑥속 (Ssuk-sok) [국화과]
<i>Artemisia annua</i> L.	<b>Sweet wormwood</b> 개똥쑥 (Gae-ttong-ssuk)
<i>Artemisia apiacea</i> Hance ex Walp.	<b>Celery sand wormwood</b> 개사철쑥 (Gae-sa-cheol-ssuk)
<i>Artemisia argyi</i> H.Lév. & Vaniot	<b>Silvery wormwood</b> 황해쑥 (Hwang-hae-ssuk)
<i>Artemisia argyi</i> f. <i>microcephala</i> Pamp.	<b>Small-head silvery wormwood</b> 종황해쑥 (Jom-hwang-hae-ssuk)
<i>Artemisia aurata</i> Kom.	<b>Golden-yellow wormwood</b> 금쑥 (Geum-ssuk)
<i>Artemisia borealis</i> var. <i>ledebourii</i> Besser	<b>Northern wormwood</b> 증산쑥 (Jeung-san-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia brachyphylla</i> Kitam.	<b>Short-leaf wormwood</b> 금강쑥 (Geum-gang-ssuk)
<i>Artemisia capillaris</i> Thunb.	<b>Capillary wormwood</b> 사철쑥 (Sa-cheol-ssuk)
<i>Artemisia dubia</i> Wall.	<b>Chamssuk (True wormwood)</b> 참쑥 (Cham-ssuk)
<i>Artemisia feddei</i> H.Lév. & Vaniot	<b>Fedde's wormwood</b> 뽕쑥 (Ppaeng-ssuk)
<i>Artemisia freyniana</i> f. <i>discolor</i> (Kom.) Kitag.	<b>Hairy Freyn's wormwood</b> 털산쑥 (Teol-san-ssuk)
<i>Artemisia freyniana</i> f. <i>vestita</i> (Kom.) Kitag.	<b>Whitish Freyn's wormwood</b> 흰산쑥 (Huin-san-ssuk)
<i>Artemisia fukudo</i> Makino	<b>Asian coastal wormwood</b> 큰비쑥 (Keun-bi-ssuk)
<i>Artemisia gmelinii</i> Weber ex Stechm.	<b>Gmelin's wormwood</b> 더위지기 (Deo-wi-ji-gi)
<i>Artemisia integrifolia</i> f. <i>subulata</i> (Nakai) Kitag.	<b>Slender-leaf wormwood</b> 가는잎쑥 (Ga-neun-ip-ssuk)
<i>Artemisia japonica</i> Thunb.	<b>Oriental wormwood</b> 제비쑥 (Je-bi-ssuk)
<i>Artemisia japonica</i> subsp. <i>littoricola</i> (Kitam.) Kitam.	<b>Seashore oriental wormwood</b> 갯제비쑥 (Gaet-je-bi-ssuk)
<i>Artemisia japonica</i> var. <i>angustissima</i> (Nakai) Kitam.	<b>Narrow oriental wormwood</b> 실제비쑥 (Sil-je-bi-ssuk)
<i>Artemisia japonica</i> var. <i>hallaisanensis</i> (Nakai) Kitam.	<b>Hallasan wormwood</b> 섬쑥 (Seom-ssuk)
<i>Artemisia keiskeana</i> Miq.	<b>False wormwood</b> 맑은대쑥 (Mal-geun-dae-ssuk)
<i>Artemisia koidzumii</i> Nakai	<b>Job's tears wormwood</b> 율무쑥 (Yul-mu-ssuk)
<i>Artemisia laciniata</i> Will.	<b>Siberian wormwood</b> 구와쑥 (Gu-wa-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia lagocephala</i> f. <i>triloba</i> (Ledeb.) Pamp.	<b>White-mountain wormwood</b> 비단쑥 (Bi-dan-ssuk)
<i>Artemisia latifolia</i> Ledeb.	<b>Wide-leaf wormwood</b> 넓은잎쑥 (Neol-beun-ip-ssuk)
<i>Artemisia leucophylla</i> (Turcz.) Turcz. ex C.B.Clarke	<b>Myeongcheon wormwood</b> 명천쑥 (Myeong-cheon-ssuk)
<i>Artemisia montana</i> (Nakai) Pamp.	<b>Montane wormwood</b> 산쑥 (San-ssuk)
<i>Artemisia nakaii</i> Pamp.	<b>Incheon wormwood</b> 애기비쑥 (Ae-gi-bi-ssuk)
<i>Artemisia orthobotrys</i> Kitam.	<b>High-mountain wormwood</b> 산개쑥 (San-gae-ssuk)
<i>Artemisia princeps</i> Pamp.	<b>Ssuk (Korean wormwood)</b> 쑥 (Ssuk)
<i>Artemisia rubripes</i> Nakai	<b>Red-foot wormwood</b> 덤불쑥 (Deom-bul-ssuk)
<i>Artemisia scoparia</i> Waldst. & Kit.	<b>Virgate wormwood</b> 비쑥 (Bi-ssuk)
<i>Artemisia scoparia</i> f. <i>villosa</i> Korsh.	<b>Hairy virgate wormwood</b> 털비쑥 (Teol-bi-ssuk)
<i>Artemisia selengensis</i> Turcz. ex Besser	<b>Riverside wormwood</b> 물쑥 (Mul-ssuk)
<i>Artemisia selengensis</i> f. <i>subintegra</i> (Pamp.) Kitag.	<b>Simple-leaf riverside wormwood</b> 외잎물쑥 (Oe-ip-mul-ssuk)
<i>Artemisia sieversiana</i> Ehrh. ex Willd.	<b>Sievers' wormwood</b> 산흰쑥 (San-huin-ssuk)
<i>Artemisia stelleriana</i> Besser	<b>Beach wormwood</b> 흰쑥 (Huin-ssuk)
<i>Artemisia stolonifera</i> (Maxim.) Kom.	<b>Stolon-bearing wormwood</b> 넓은잎외잎쑥 (Neol-beun-ip-oe-ip-ssuk)
<i>Artemisia stolonifera</i> f. <i>dissecta</i> (Pamp.) Kitam.	<b>Dissected-leaf wormwood</b> 국화잎쑥 (Guk-hwa-ip-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia sylvatica</i> Maxim.	<b>Woodland wormwood</b> 그늘쑥 (Geu-neul-ssuk)
<i>Artemisia viridissima</i> (Kom.) Pamp.	<b>Green wormwood</b> 외잎쑥 (Oe-ip-ssuk)
<i>Arthraxon</i> P.Beauv. [Poaceae]	<b>Carpetgrass</b> 조개풀속 (Jo-gae-pul-sok) [벼과]
<i>Arthraxon hispidus</i> (Thunb.) Makino	<b>Small carpetgrass</b> 조개풀 (Jo-gae-pul)
<i>Aruncus</i> L. [Rosaceae]	<b>Aruncus, Goatsbeard</b> 개승마속 (Gae-seung-ma-sok) [장미과]
<i>Aruncus aethusifolius</i> (H.Lév.) Nakai	<b>Korean goatsbeard</b> 한라개승마 (Han-ra-gae-seung-ma)
<i>Aruncus dioicus</i> var. <i>kamtschaticus</i> (Maxim.) H.Hara	<b>Kamchatka goatsbeard</b> 눈개승마 (Nun-gae-seung-ma)
<i>Arundinaria</i> Michx. [Poaceae]	<b>Cane</b> 해장죽속 (Hae-jang-juk-sok) [벼과]
* <i>Arundinaria mansuensis</i> Y.N.Lee	<b>Munsu bamboo</b> 문수조릿대 (Mun-su-jo-rit-dae)
<i>Arundinella</i> Raddi [Poaceae]	<b>Arundinella</b> 털새속 (Teol-sae-sok) [벼과]
<i>Arundinella hirta</i> (Thunb.) Tanaka	<b>Hairy arundinella</b> 털새 (Teol-sae)
<i>Arundinella hirta</i> var. <i>ciliara</i> (Thunb.) Koidz.	<b>Ciliate hairy arundinella</b> 새 (Sae)
<i>Asarum</i> L. [Aristolochiaceae]	<b>Wildginger</b> 족도리풀속 (Jok-do-ri-pul-sok) [쥐방울덩굴과]
<i>Asarum glabratum</i> (C.S.Yook & J.G.Kim) B.U.Oh	<b>Glabrate wildginger</b> 각시족도리풀 (Gak-si-jok-do-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Asarum heterotropoides</i> var. <i>mandshuricum</i> (Maxim.) Kitag.	<b>Manchurian wildginger</b> 만주족도리풀 (Man-ju-jok-do-ri-pul)
<i>Asarum heterotropoides</i> var. <i>seoulense</i> (Nakai) Kitag.	<b>Seoul wildginger</b> 서울족도리풀 (Seo-ul-jok-do-ri-pul)
<i>Asarum koreanum</i> (J.Kim & C.Yook) B.U.Oh & J.K.Kim	<b>Korean wildginger</b> 자주족도리풀 (Ja-ju-jok-do-ri-pul)
<i>Asarum maculatum</i> Nakai	<b>Spotted wildginger</b> 개죽도리풀 (Gae-jok-do-ri-pul)
<i>Asarum patens</i> (K.Yamaki) B.U.Oh	<b>Spreading wildginger</b> 금오족도리풀 (Geum-o-jok-do-ri-pul)
<i>Asarum sieboldii</i> Miq.	<b>Wildginger</b> 족도리풀 (Jok-do-ri-pul)
<i>Asarum versicolor</i> (K.Yamaki) Y.N.Lee	<b>Coloured wildginger</b> 무늬족도리풀 (Mu-nui-jok-do-ri-pul)
<b>ASCLEPIADACEAE</b> Borkh.	<b>Milkweed family</b> 박주가리과 (Bak-ju-ga-ri-gwa)
<b>Asparagus</b> L. [Liliaceae]	<b>Asparagus, Garden asparagus</b> 비짜루속 (Bi-jja-ru-sok) [백합과]
<i>Asparagus brachyphyllus</i> Turcz.	<b>Short-leaf asparagus</b> 깻천문동 (Gaet-cheon-mun-dong)
<i>Asparagus cochinchinensis</i> (Lour.) Merr.	<b>Lucid asparagus</b> 천문동 (Cheon-mun-dong)
<i>Asparagus dauricus</i> Fisch. ex Link	<b>Dahurian asparagus</b> 망적천문동 (Mang-jeok-cheon-mun-dong)
<i>Asparagus oligoclonos</i> Maxim.	<b>Few-twigs asparagus</b> 빙울비짜루 (Bang-ul-bi-jja-ru)
<i>Asparagus schoberioides</i> Kunth	<b>Schoberia-like asparagus</b> 비짜루 (Bi-jja-ru)
<b>Asperula</b> L. [Rubiaceae]	<b>Woodruff</b> 개갈퀴속 (Gae-gal-kwi-sok) [꼭두서니과]

Scientific name	English name Korean name (Romanization)
<i>Asperula lasiantha</i> Nakai	<b>Korean woodruff</b> 갈퀴아재비 (Gal-kwi-a-jae-bi)
<i>Asperula maximowiczii</i> Kom.	<b>Maximowicz's woodruff</b> 개갈퀴 (Gae-gal-kwi)
<i>Asperula maximowiczii</i> f. <i>latifolia</i> (Nakai) W.T.Lee	<b>Wide-leaf Maximowicz's woodruff</b> 넓은잎개갈퀴 (Neol-beun-ip-gae-gal-kwi)
<i>Asperula odorata</i> L.	<b>Sweet woodruff</b> 선갈퀴 (Seon-gal-kwi)
<i>Asperula platygallum</i> Maxim.	<b>Asian montane woodruff</b> 산개갈퀴 (San-gae-gal-kwi)
<b>ASPLENIACEAE</b> Newman	<b>Spleenwort family</b> 꼬리고사리과 (Kko-ri-go-sa-ri-gwa)
<i>Asplenium</i> L. [Aspleniaceae]	<b>Spleenwort</b> 꼬리고사리속 (Kko-ri-go-sa-ri-sok) [꼬리고사리과]
<i>Asplenium antiquum</i> Makino	<b>Bird's-nest fern</b> 파초일엽 (Pa-cho-il-yeop)
<i>Asplenium boreale</i> (Ohwi ex Kurata) Nakaike	<b>Northern spleenwort</b> 반들깃고사리 (Ban-deul-git-go-sa-ri)
<i>Asplenium × castaneoviride</i> Baker	<b>Hybrid spleenwort</b> 거미꼬리고사리 (Geo-mi-kko-ri-go-sa-ri)
<i>Asplenium curtidens</i> (Christ) Koidz.	<u>see</u> <i>Asplenium wilfordii</i> Mett. ex Kuhn
<i>Asplenium incisum</i> Thunb.	<b>Long-tail spleenwort</b> 꼬리고사리 (Kko-ri-go-sa-ri)
<i>Asplenium normale</i> D.Don	<b>Rainforest spleenwort</b> 깃고사리 (Git-go-sa-ri)
<i>Asplenium oligophlebium</i> Baker	<b>Big-ear spleenwort</b> 개차고사리 (Gae-cha-go-sa-ri)
<i>Asplenium pekinense</i> Hance	<b>Evergreen spleenwort</b> 사철고사리 (Sa-cheol-go-sa-ri)
<i>Asplenium prolongatum</i> Hook.	<b>Protruding spleenwort</b> 솟돌담고사리 (Sut-dol-dam-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Asplenium ritoense</i> Hayata	<b>Asian single-sorus spleenwort</b> 쪽잔고사리 (Jjok-jan-go-sa-ri)
<i>Asplenium ruta-muraria</i> L.	<b>Wall-rue</b> 돌좀고사리 (Dol-jom-go-sa-ri)
<i>Asplenium sarelii</i> Hook.	<b>Stone-wall spleenwort</b> 돌담고사리 (Dol-dam-go-sa-ri)
<i>Asplenium sarelii</i> var. <i>anogrammoides</i> (H.Christ) Tagawa	<b>Small stone-wall spleenwort</b> 바위좀고사리 (Ba-wi-jom-go-sa-ri)
<i>Asplenium shikokianum</i> Makino	<b>Slightly-asymmetric spleenwort</b> 잔눈썹고사리 (Jan-nun-sseop-go-sa-ri)
<i>Asplenium tenerum</i> G.Forst.	<b>Shallow-teeth spleenwort</b> 선녀고사리 (Seon-nyeo-go-sa-ri)
<i>Asplenium trichomanes</i> L.	<b>Maidenhair spleenwort</b> 차꼬리고사리 (Cha-kko-ri-go-sa-ri)
<i>Asplenium tripteropus</i> Nakai	<b>Tri-wing maidenhair spleenwort</b> 개차꼬리고사리 (Gae-cha-kko-ri-go-sa-ri)
<i>Asplenium varians</i> Wall. ex Hook. & Grev.	<b>Variable spleenwort</b> 애기꼬리고사리 (Ae-gi-kko-ri-go-sa-ri)
<i>Asplenium wilfordii</i> Mett. ex Kuhn	<b>Wilford's spleenwort</b> 수수고사리 (Su-su-go-sa-ri)
<i>Asplenium wrightii</i> D.C.Eaton ex Hook.	<b>Asymmetric spleenwort</b> 눈썹고사리 (Nun-sseop-go-sa-ri)
<b>Aster L.</b> [Asteraceae]	<b>Aster</b> 참취속 (Cham-chwi-sok) [국화과]
<i>Aster ageratoides</i> Turcz.	<b>Rough-surface aster</b> 까실쑥부쟁이 (Kka-sil-ssuk-bu-jaeng-i)
<i>Aster altaicus</i> var. <i>uchiyamae</i> Kitam.	<b>Danyang aster</b> 단양쑥부쟁이 (Dan-yang-ssuk-bu-jaeng-i)
<i>Aster arenarius</i> (Kitam.) Nemoto	<b>Beach-sand aster</b> 섬갓쑥부쟁이 (Seom-gaet-ssuk-bu-jaeng-i)
<i>Aster associatus</i> Kitag.	<b>Connected aster</b> 민쑥부쟁이 (Min-ssuk-bu-jaeng-i)

Scientific name	English name Korean name (Romanization)
<i>Aster chezuensis</i> (Kitam.) Nakai	<b>Jeju aster</b> 제주국화 (Je-ju-guk-hwa)
<i>Aster fastigiatus</i> Fisch.	<b>Highly-branch aster</b> 옹긋나물 (Ong-gut-na-mul)
<i>Aster glehnii</i> F.Schmidt	<b>Ulleungdo aster</b> 섬쑥부쟁이 (Seom-ssuk-bu-jaeng-i)
<i>Aster hayatae</i> H.Lév. & Vaniot	<b>Korean montane aster</b> 눈개쑥부쟁이 (Nun-gae-ssuk-bu-jaeng-i)
<i>Aster hispidus</i> Thunb.	<b>Bristle-hair aster</b> 갓쑥부쟁이 (Gaet-ssuk-bu-jaeng-i)
<i>Aster iinumae</i> Kitam. ex H.Hara	<b>Perennial false aster</b> 버드쟁이나물 (Beo-deu-jaeng-i-na-mul)
<i>Aster incisus</i> Fisch.	<b>Incised-leaf aster</b> 가새쑥부쟁이 (Ga-sae-ssuk-bu-jaeng-i)
<i>Aster koraiensis</i> Nakai	<b>Korean aster</b> 별개미취 (Beol-gae-mi-chwi)
<i>Aster latureanus</i> (Debeaux) Franch.	<b>Mountain aster</b> 산쑥부쟁이 (San-ssuk-bu-jaeng-i)
<i>Aster maackii</i> Regel	<b>Maack's aster</b> 좀개미취 (Jom-gae-mi-chwi)
<i>Aster magnus</i> Y.N.Lee & C.S.Kim	<b>Magnus aster</b> 왕갓쑥부쟁이 (Wang-gaet-ssuk-bu-jaeng-i)
<i>Aster magnus</i> f. <i>albiflorus</i> Y.N.Lee & C.S.Kim	<b>White magnus aster</b> 흰왕갓쑥부쟁이 (Huin-wang-gaet-ssuk-bu-jaeng-i)
<i>Aster meyendorfii</i> (Regel & Maack) Voss	<b>Meyendorf's aster</b> 개쑥부쟁이 (Gae-ssuk-bu-jaeng-i)
<i>Aster integrifolius</i> (Turcz. ex DC.) Franch.	<b>Thick-stem aster</b> 가는쑥부쟁이 (Ga-neun-ssuk-bu-jaeng-i)
<i>Aster scaber</i> Thunb.	<b>Edible aster</b> 참취 (Cham-chwi)
* <i>Aster scaber</i> var. <i>minor</i> Yabe ex Nakai	<b>Halla edible aster</b> 한라참취 (Han-ra-cham-chwi)
<i>Aster spathulifolius</i> Maxim.	<b>Seashore spatulate aster</b> 해국 (Hae-guk)

Scientific name	English name Korean name (Romanization)
<i>Aster tataricus</i> L.f.	<b>Tatarinow's aster</b> 개미취 (Gae-mi-chwi)
<i>Aster tripolium</i> L.	<b>Seashore aster</b> 갯개미취 (Gaet-gae-mi-chwi)
<i>Aster yomena</i> (Kitam.) Honda	<b>Field aster</b> 쑥부쟁이 (Ssuk-bu-jaeng-i)
<b>ASTERACEAE Bercht. &amp; J.Presl (=Compositae Giseke)</b>	<b>Sunflower family</b> 국화과 (Guk-hwa-gwa)
<i>Astilbe</i> Buch.-Ham. ex D.Don [Saxifragaceae]	<b>False goat's beard, False spirea</b> 노루오줌속 (No-ru-o-jum-sok) [범의귀과]
<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav	<b>False goat's beard</b> 노루오줌 (No-ru-o-jum)
<i>Astilbe chinensis</i> var. <i>divaricata</i> Nakai	<b>Spreading false goat's beard</b> 진파리노루오줌 (Jin-peo-ri-no-ru-o-jum)
<i>Astilbe chinensis</i> var. <i>taquetii</i> (L.f.) H.Hara	<b>Halla false goat's beard</b> 한라노루오줌 (Han-ra-no-ru-o-jum)
<i>Astilbe koreana</i> (Kom.) Nakai	<b>Korean false goat's beard</b> 숙은노루오줌 (Suk-eun-no-ru-o-jum)
* <i>Astilbe koreana</i> f. <i>albiflora</i> Y.N.Lee	<b>White Korean false goat's beard</b> 흰숙은노루오줌 (Huin-suk-eun-no-ru-o-jum)
<i>Astilbe simplicifolia</i> Makino	<b>Entire-leaf false goat's beard</b> 외잎승마 (Oe-ip-seung-ma)
<b><i>Astilboides</i> Engl. [Saxifragaceae]</b>	<b><i>Astilboides</i></b> 개병풍속 (Gae-byeong-pung-sok) [범의귀과]
<i>Astilboides tabularis</i> (Hemsl.) Engl.	<b>Common astilboides</b> 개병풍 (Gae-byeong-pung)
<b><i>Astragalus</i> L. [Fabaceae]</b>	<b>Goat's-thorn, Locoweed, Milkvetch</b> 황기속 (Hwang-gi-sok) [콩과]
<i>Astragalus adsurgens</i> Pall.	<b>Rattle milkvetch</b> 자주개황기 (Ja-ju-gae-hwang-gi)

Scientific name	English name Korean name (Romanization)
<i>Astragalus dahuricus</i> (Pall.) DC.	<b>Dahurian milkvetch</b> 자주황기 (Ja-ju-hwang-gi)
<i>Astragalus koraiensis</i> Y.N.Lee	<b>Korean milkvetch</b> 정선황기 (Jeong-seon-hwang-gi)
<i>Astragalus membranaceus</i> var. <i>alpinus</i> Nakai	<b>Jeju membranous milkvetch</b> 제주황기 (Je-ju-hwang-gi)
<i>Astragalus membranaceus</i> Moench	<b>Hwanggi (Mongolian milkvetch)</b> 황기 (Hwang-gi)
<i>Astragalus schelichowii</i> Turcz.	<b>Long-pedicel milkvetch</b> 긴꽃대황기 (Gin-kkot-dae-hwang-gi)
<i>Astragalus setsureianus</i> Nakai	<b>Alpine milkvetch</b> 설령황기 (Seol-ryeong-hwang-gi)
<i>Astragalus sikokianus</i> Nakai	<b>Seashore milkvetch</b> 갯황기 (Gaet-hwang-gi)
<i>Astragalus uliginosus</i> L.	<b>Fen milkvetch</b> 개황기 (Gae-hwang-gi)
<b>Asyneuma Griseb. &amp; Schenk</b> [Campanulaceae]	<b>Harebell</b> 영아자속 (Yeong-a-ja-sok) [초롱꽃과]
<i>Asyneuma japonicum</i> (Miq.) Briq.	<b>East Asian harebell</b> 영아자 (Yeong-a-ja)
<b>Athyrium Roth</b> [Dryopteridaceae]	<b>Ladyfern</b> 개고사리속 (Gae-go-sa-ri-sok) [면마과]
<i>Athyrium acutipinnulum</i> Kodama ex Nakai	<b>Ulleungdo ladyfern</b> 섬고사리 (Seom-go-sa-ri)
<i>Athyrium alpestre</i> (Hoppe) Clairv.	<b>Mountain ladyfern</b> 산고사리 (San-go-sa-ri)
<i>Athyrium brevifrons</i> Kodama ex Nakai	<b>Glandular ladyfern</b> 참새발고사리 (Cham-sae-bal-go-sa-ri)
<i>Athyrium clivicola</i> Tagawa	<b>Shady ladyfern</b> 암뱀고사리 (Am-baem-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Athyrium concinnum</i> Nakai	<b>Elegant ladyfern</b> 광릉개고사리 (Gwang-reung-gae-go-sa-ri)
<i>Athyrium deltoidofrons</i> Makino	<b>Triangular-leaf ladyfern</b> 구슬개고사리 (Gu-seul-gae-go-sa-ri)
<i>Athyrium epirachis</i> (H.Christ) Ching	<b>Montane ladyfern</b> 산중개고사리 (San-jung-gae-go-sa-ri)
<i>Athyrium excelsius</i> Nakai	<b>Jirisan ladyfern</b> 지리산고사리 (Ji-ri-san-go-sa-ri)
<i>Athyrium fallaciosum</i> Milde	<b>False ladyfern</b> 물뱀고사리 (Mul-baem-go-sa-ri)
<i>Athyrium fauriei</i> (Christ) Makino	<b>Faurie's ladyfern</b> 산뱀고사리 (San-baem-go-sa-ri)
<i>Athyrium iseanum</i> Rosenst.	<b>Narrow-leaf ladyfern</b> 가는잎개고사리 (Ga-neun-ip-gae-go-sa-ri)
<i>Athyrium koryoense</i> Tagawa	<b>Gwangneung ladyfern</b> 그늘개고사리 (Geu-neul-gae-go-sa-ri)
<i>Athyrium melanolepis</i> (Franch. & Sav.) Christ	<b>Black-scale ladyfern</b> 북새발고사리 (Buk-sae-bal-go-sa-ri)
<i>Athyrium nakaii</i> Tagawa	<b>Gangwon ladyfern</b> 강원고사리 (Gang-won-go-sa-ri)
<i>Athyrium niponicum</i> (Mett.) Hance	<b>Oriental ladyfern</b> 개고사리 (Gae-go-sa-ri)
<i>Athyrium otophorum</i> (Miq.) Koidz.	<b>Eared ladyfern</b> 골개고사리 (Gol-gae-go-sa-ri)
<i>Athyrium reflexipinnnum</i> Hayata	<b>Downward-leaf ladyfern</b> 거꾸리개고사리 (Geo-kku-ri-gae-go-sa-ri)
<i>Athyrium sheareri</i> (Baker) Ching	<b>Shallow-tooth ladyfern</b> 개톱날고사리 (Gae-top-nal-go-sa-ri)
<i>Athyrium spinulosum</i> (Maxim.) Milde	<b>High-mountain ladyfern</b> 두메개고사리 (Du-me-gae-go-sa-ri)
<i>Athyrium vidalii</i> (Franch. & Sav.) Nakai	<b>Vidal's ladyfern</b> 산개고사리 (San-gae-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Athyrium wardii</i> (Hook.) Makino	<b>Wide-leaf ladyfern</b> 넓은잎개고사리 (Neol-beun-ip-gae-go-sa-ri)
<i>Athyrium yokoscense</i> (Franch. & Sav.) Christ	<b>Asian common ladyfern</b> 뱀고사리 (Baem-go-sa-ri)
<b><i>Atractylodes</i> DC.</b> [Asteraceae]	<b>Atractylodes</b> 삽주속 (Sap-ju-sok) [국화과]
<i>Atractylodes koreana</i> (Nakai) Kitam.	<b>Korean atractylodes</b> 당삽주 (Dang-sap-ju)
<i>Atractylodes ovata</i> (Thunb.) DC.	<b>Ovate-leaf atractylodes</b> 삽주 (Sap-ju)
<b><i>Atriplex</i> L.</b> [Chenopodiaceae]	<b>Orach, Orache, Saltbush</b> 깻는쟁이속 (Gaet-neun-jaeng-i-sok) [명아주과]
<i>Atriplex gmelinii</i> C.A.Mey. ex Bong.	<b>Gmelin's saltbush</b> 가는깻는쟁이 (Ga-neun-gaet-neun-jaeng-i)
<i>Atriplex subcordata</i> Kitag.	<b>Asian seashore saltbush</b> 깻는쟁이 (Gaet-neun-jaeng-i)
<b><i>Aucuba</i> Thunb.</b> [Cornaceae]	<b>Aucuba</b> 식나무속 (Sik-na-mu-sok) [총총나무과]
<i>Aucuba japonica</i> Thunb.	<b>Spotted laurel</b> 식나무 (Sik-na-mu)
<b><i>Axyris</i> L.</b> [Chenopodiaceae]	<b>Russian pigweed</b> 나도댑싸리속 (Na-do-daep-ssa-ri-sok) [명아주과]
<i>Axyris amaranthoides</i> L.	<b>Russian pigweed</b> 나도댑싸리 (Na-do-daep-ssa-ri)
<i>Axyris koreana</i> Nakai	<b>Korean pigweed</b> 털나도댑싸리 (Teol-na-do-daep-ssa-ri)
<b><i>Azolla</i> Lam.</b> [Salviniaceae]	<b>Duckweed fern, Fairy moss, Mosquito fern, Mosquitofern, Water fern</b> 물개구리밥속 (Mul-gae-gu-ri-bap-sok) [생이가래과]

Scientific name	English name Korean name (Romanization)
<i>Azolla japonica</i> Franch. et Sav.	<b>Pacific mosquitofern</b> 큰물개구리밥 (Keun-mul-gae-gu-ri-bap)
<i>Azolla pinnata</i> R.Br.	<b>Mosquitofern</b> 물개구리밥 (Mul-gae-gu-ri-bap)

**B**

<b>BALSAMINACEAE A.Rich.</b>	<b>Balsam family</b> 봉선화과(Bong-seon-hwa-gwa)
<i>Barbarea</i> W.T.Aiton [Brassicaceae]	<b>Winter cress, Yellowrocket</b> 나도냉이속(Na-do-naeng-i-sok) [십자화과]
<i>Barbarea orthoceras</i> Ledeb.	<b>American yellowrocket</b> 나도냉이(Na-do-naeng-i)
<i>Barbarea verna</i> (Mill.) Asch.	<b>Early yellowrocket</b> 봄나도냉이(Bom-na-do-naeng-i)
<b>Beckmannia</b> Host [Poaceae]	<b>Sloughgrass</b> 개피속(Gae-pi-sok) [벼과]
<i>Beckmannia syzigachne</i> (Steud.) Fernald	<b>American sloughgrass</b> 개피 (Gae-pi)
<b>Belamcanda</b> Adans. [Iridaceae]	<b>Belamcanda</b> 범부채속 (Beom-bu-chae-sok) [붓꽃과]
<i>Belamcanda chinensis</i> (L.) DC.	<b>Leopard lily</b> 범부채 (Beom-bu-chae)
<b>BERBERIDACEAE Juss.</b>	<b>Barberry family</b> 매자나무과 (Mae-ja-na-mu-gwa)
<b>Berberis</b> L. [Berberidaceae]	<b>Barberry</b> 매자나무속 (Mae-ja-na-mu-sok) [매자나무과]
<i>Berberis amurensis</i> Rupr.	<b>Amur barberry</b> 매발톱나무 (Mae-bal-top-na-mu)
<i>Berberis amurensis</i> var. <i>latifolia</i> Nakai	<b>Ulleungdo barberry</b> 왕매발톱나무 (Wang-mae-bal-top-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Berberis amurensis</i> var. <i>quelpaertensis</i> (Nakai) Nakai	<b>Jejudo barberry</b> 섬매발톱나무 (Seom-mae-bal-top-na-mu)
<i>Berberis koreana</i> Palib.	<b>Korean barberry</b> 매자나무 (Mae-ja-na-mu)
<i>Berberis koreana</i> var. <i>angustifolia</i> Nakai	<b>Narrow-leaf Korean barberry</b> 좁은잎매자 (Jop-eun-ip-mae-ja)
<i>Berberis koreana</i> var. <i>ellipsoides</i> Nakai	<b>Elongate-fruit Korean barberry</b> 연밥매자나무 (Yeon-bap-mae-ja-na-mu)
<i>Berberis poiretii</i> C.K.Schneid.	<b>Chinese barberry</b> 당매자나무 (Dang-mae-ja-na-mu)
<b><i>Berchemia</i> Neck. ex DC.</b> [Rhamnaceae]	<b>Supplejack</b> 망개나무속 (Mang-gae-na-mu-sok) [갈매나무과]
<i>Berchemia berchemiifolia</i> (Makino) Koidz.	<b>Asian supplejack</b> 망개나무 (Mang-gae-na-mu)
<i>Berchemia racemosa</i> Siebold & Zucc.	<b>Paniculous supplejack</b> 청사조 (Cheong-sa-jo)
<i>Berchemia floribunda</i> (Wall.) Brongn.	<b>Large-leaf paniculous supplejack</b> 먹년출 (Meok-neon-chul)
<b><i>Bergenia</i> Moench</b> [Saxifragaceae]	<b>Elephant-ear, Elephant-eared saxifrage, Elephant's ears</b> 돌부채속 (Dol-bu-chae-sok) [범의귀과]
<i>Bergenia coreana</i> Nakai	<b>Korean elephant-ear</b> 돌부채 (Dol-bu-chae)
<b><i>Berteroella</i> O.E.Schulz</b> [Brassicaceae]	<b>Berteroella</b> 장대냉이속 (Jang-dae-naeng-i-sok) [십자화과]
<i>Berteroella maximowiczii</i> (Palib.) O.E.Schulz	<b>Maximowicz's berteroella</b> 장대냉이 (Jang-dae-naeng-i)
<b><i>Betula</i> L.</b> [Betulaceae]	<b>Birch</b> 자작나무속 (Ja-jak-na-mu-sok) [자작나무과]

Scientific name	English name Korean name (Romanization)
<i>Betula chinensis</i> Maxim.	<b>Dwarf small-leaf birch</b> 개박달나무 (Gae-bak-dal-na-mu)
<i>Betula costata</i> Trautv.	<b>Korean birch</b> 거제수나무 (Geo-je-su-na-mu)
<i>Betula davurica</i> Pall.	<b>Asian black birch</b> 물박달나무 (Mul-bak-dal-na-mu)
<i>Betula ermanii</i> Cham.	<b>Erman's birch</b> 사스래나무 (Sa-seu-rae-na-mu)
<i>Betula fruticosa</i> Pall.	<b>Dwarf bog birch</b> 좀자작나무 (Jom-ja-jak-na-mu)
<i>Betula ovalifolia</i> Rupr.	<b>Baedusian birch</b> 백두산자작나무 (Baek-du-san-ja-jak-na-mu)
<i>Betula platyphylla</i> Sukaczev	<u>see</u> <i>Betula pendula</i> Roth
<i>Betula pendula</i> Roth	<b>East Asian white birch</b> 자작나무 (Ja-jak-na-mu)
<i>Betula schmidtii</i> Regel	<b>Bakdal birch</b> 박달나무 (Bak-dal-na-mu)
<b>BETULACEAE</b> Gray	<b>Birch family</b> 자작나무과 (Ja-jak-na-mu-gwa)
<b><i>Bidens</i> L. [Asteraceae]</b>	<b>Beggarticks, Black jack, Burr marigolds, Cobbler's pegs, Spanish needles, Stickseeds, Tickseeds, Tickseed sunflowers</b> 도깨비바늘속 (Do-kkae-bi-ba-neul-sok) [국화과]
<i>Bidens bipinnata</i> L.	<b>Spanish needle</b> 도깨비바늘 (Do-kkae-bi-ba-neul)
<i>Bidens biternata</i> (Lour.) Merr. & Sherff ex Sherff	<b>Yellow-flower spanish needle</b> 털도깨비바늘 (Teol-do-kkae-bi-ba-neul)
<i>Bidens cernua</i> L.	<b>Nodding beggartick</b> 좁은잎가막사리 (Jop-eun-ip-ga-mak-sa-ri)
<i>Bidens parviflora</i> Willd.	<b>Small-flower beggartick</b> качичабль (Kka-chi-bal)

Scientific name	English name Korean name (Romanization)
<i>Bidens radiata</i> Thuill.	<b>Radiate beggartick</b> 삼잎구와가막사리 (Sam-ip-gu-wa-ga-mak-sa-ri)
<i>Bidens radiata</i> var. <i>pinnatifida</i> (Turcz. ex DC.) Kitam.	<b>Pinnatifid-radiate beggartick</b> 구와가막사리 (Gu-wa-ga-mak-sa-ri)
<i>Bidens tripartita</i> L.	<b>Three-lobe beggartick</b> 가막사리 (Ga-mak-sa-ri)
<i>Bidens tripartita</i> var. <i>repens</i> (D.Don) Sherff	<b>Creeping three-lobe beggartick</b> 눈가막사리 (Nun-ga-mak-sa-ri)
<b><i>Bistorta</i> (L.) Scop.</b> [Polygonaceae]	<b>Bistort</b> 범꼬리속 (Beom-kko-ri-sok) [마디풀과]
<i>Bistorta alopecuroides</i> (Turcz. ex Besser) Kom.	<b>Slender bistort</b> 가는범꼬리 (Ga-neun-beom-kko-ri)
<i>Bistorta globispica</i> Nakai	<b>Globose-spike bistort</b> 등근범꼬리 (Dung-geun-beom-kko-ri)
<i>Bistorta incana</i> (Nakai) Nakai ex T.Mori	<b>White bistort</b> 흰범꼬리 (Huin-beom-kko-ri)
<i>Bistorta manshuriensis</i> (Petrov ex Kom.) Kom.	<b>Asian bistort</b> 범꼬리 (Beom-kko-ri)
<i>Bistorta ochotensis</i> (Petrov ex Kom.) Kom.	<b>Hairy bistort</b> 호범꼬리 (Ho-beom-kko-ri)
<i>Bistorta pacifica</i> (Petrov ex Kom.) Kom.	<b>Common bistort</b> 참범꼬리 (Cham-beom-kko-ri)
<i>Bistorta pacifica</i> f. <i>velutina</i> Kitag.	<b>Velvety common bistort</b> 털참범꼬리 (Teol-cham-beom-kko-ri)
<i>Bistorta suffulta</i> (Maxim.) Greene ex H.Gross	<b>Ovate-leaf bistort</b> 눈범꼬리 (Nun-beom-kko-ri)
<i>Bistorta tenuicaulis</i> (Bisset & S.Moore) Nakai	<b>Early-blooming bistort</b> 이른범꼬리 (I-reun-beom-kko-ri)
<i>Bistorta vivipara</i> (L.) Delarbre	<b>Alpine bistort</b> 씨범꼬리 (Ssi-beom-kko-ri)

Scientific name	English name Korean name (Romanization)
<i>Bistorta vivipara</i> var. <i>angustifolia</i> Nakai	<b>Narrow-leaf alpine bistort</b> 애기씨 범고리 (Ae-gi-ssi-beom-kko-ri)
<i>Bistorta vivipara</i> f. <i>roessleri</i> (G.B.Mannageta) Kitag.	<b>Hairy alpine bistort</b> 털씨 범고리 (Teol-ssi-beom-kko-ri)
<b>BLECHNACEAE</b> Newman	<b>Chain fern family</b> <b>새깃아재비과</b> (Sae-git-a-jae-bi-gwa)
<i>Bletilla</i> Rchb.f. [Orchidaceae]	<b>Bletilla, Urn orchid</b> 자란속 (Ja-ran-sok) [난초과]
<i>Bletilla striata</i> (Thunb.) Rchb.f.	<b>Hyacinth orchid</b> 자란 (Ja-ran)
<b>Blyxa</b> Noronha ex Thouars [Hydrocharitaceae]	<b>Blyxa</b> 을챙이자리속 (Ol-chaeng-i-ja-ri-sok) [자라풀과]
<i>Blyxa aubertii</i> Rich.	<b>Round-fruit blyxa</b> 을챙이자리 (Ol-chaeng-i-ja-ri)
<i>Blyxa aubertii</i> var. <i>echinosperma</i> (C.B.Clarke) C.D.K.Cook & Luond	<b>Linear-fruit blyxa</b> 을챙이풀 (Ol-chaeng-i-pul)
<i>Blyxa japonica</i> (Miq.) Maxim. ex Asch. & Gürke	<b>Oriental bamboo plant</b> 을챙이술 (Ol-chaeng-i-sol)
<b>Boehmeria</b> Jacq. [Urticaceae]	<b>Falsenettle</b> 모시풀속 (Mo-si-pul-sok) [쐐기풀과]
<i>Boehmeria hirtella</i> Satake	<b>Hairy long-leaf falsenettle</b> 털긴잎모시풀 (Teol-gin-ip-mo-si-pul)
<i>Boehmeria longispica</i> Steud.	<b>Large-leaf falsenettle</b> 왜모시풀 (Wae-mo-si-pul)
<i>Boehmeria nakaiana</i> Satake	<b>Jeju long-leaf falsenettle</b> 제주긴잎모시풀 (Je-ju-gin-ip-mo-si-pul)
<i>Boehmeria nivea</i> (L.) Gaudich.	<b>Ramie</b> 모시풀 (Mo-si-pul)
<i>Boehmeria nivea</i> var. <i>nippononivea</i> (Koidz.) W.T.Wang	<b>Island ramie</b> 섬모시풀 (Seom-mo-si-pul)

Scientific name	English name Korean name (Romanization)
<i>Boehmeria pannosa</i> Nakai & Satake	<b>Seashore falsenettle</b> 왕모시풀 (Wang-mo-si-pul)
<i>Boehmeria platanifolia</i> (Franch. & Sav.) C.H.Wright	<b>Sycamore-leaf falsenettle</b> 개모시풀 (Gae-mo-si-pul)
<i>Boehmeria quelpaertense</i> Satake	<b>Jeju falsenettle</b> 제주모시풀 (Je-ju-mo-si-pul)
<i>Boehmeria sieboldiana</i> Blume	<b>Siebold's falsenettle</b> 긴잎모시풀 (Gin-ip-mo-si-pul)
<i>Boehmeria spicata</i> (Thunb.) Thunb.	<b>Spicate falsenettle</b> 좀깨잎나무 (Jom-kkae-ip-na-mu)
<i>Boehmeria taquetii</i> Nakai	<b>Hallasan falsenettle</b> 섬거북꼬리 (Seom-geo-buk-kko-ri)
<i>Boehmeria tricuspis</i> (Hance) Makino	<b>Tricuspidate falsenettle</b> 거북꼬리 (Geo-buk-kko-ri)
<i>Boehmeria tricuspis</i> var. <i>unicuspis</i> Makino	<b>Non-cuspidate falsenettle</b> 풀거북꼬리 (Pul-geo-buk-kko-ri)
<b>BORAGINACEAE</b> Juss.	<b>Borage family</b> 지치과 (Ji-chi-gwa)
<b><i>Boschniakia</i> C.A.Mey. ex Bong.</b> [Orobanchaceae]	<b>Groundcone</b> 오리나무더부살이속 (O-ri-na-mu-deo-bu-sal-i-sok) [열당과]
<i>Boschniakia rossica</i> (Cham. & Schltl.) B.Fedtsch.	<b>Northern groundcone</b> 오리나무더부살이 (O-ri-na-mu-deo-bu-sal-i)
<b><i>Bothriochloa</i> Kuntze</b> [Poaceae]	<b>Beardgrass, Bluestem</b> 바랭이새속 (Ba-raeng-i-sae-sok) [벼과]
<i>Bothriochloa ischaemum</i> (L.) Keng	<b>Yellow bluestem</b> 바랭이새 (Ba-raeng-i-sae)
<b><i>Bothriospermum</i> Bunge</b> [Boraginaceae]	<b>Bothriospermum</b> 꽃밭이속 (Kkot-bat-i-sok) [지치과]
<i>Bothriospermum secundum</i> Maxim.	<b>Many-bract bothriospermum</b> 참꽃밭이 (Cham-kkot-bat-i)

Scientific name	English name Korean name (Romanization)
<i>Bothriospermum secundum</i> f. <i>albiflorum</i> Nakai	<b>White many-bract bothriospermum</b> 흰참꽃받이 (Huin-cham-kkot-bat-i)
<i>Bothriospermum tenellum</i> (Hornem.) Fisch. & C.A.Mey.	<b>Leaf between flower</b> 꽃받이 (Kkot-bat-i)
<b><i>Botrychium</i> Sw.</b> [Ophioglossaceae]	<b>Grapefern, Moonwort</b> <b>백두산고사리삼속</b> (Baek-du-san-go-sa-ri-sam-sok) [고사리삼과]
<i>Botrychium boreale</i> J.Milde	<b>Northern moonwort</b> 메고사리삼 (Me-go-sa-ri-sam)
<i>Botrychium lunaria</i> (L.) Sw.	<b>Common moonwort</b> 백두산고사리삼 (Baek-du-san-go-sa-ri-sam)
<i>Botrychium ramosum</i> (Roth) Asch.	<b>Tiny moonwort</b> 난장이고사리삼 (Nan-jang-i-go-sa-ri-sam)
<i>Botrychium simplex</i> E.Hitchc.	<b>Little moonwort</b> 좀고사리삼 (Jom-go-sa-ri-sam)
<b><i>Botrypus</i> Michx.</b> [Ophioglossaceae]	<b>Botrypus</b> <b>늦고사리삼속</b> (Neut-go-sa-ri-sam-sok) [고사리삼과]
<i>Botrychium strictum</i> Underw.	<b>Straight fern</b> 긴꽃고사리삼 (Gin-kkot-go-sa-ri-sam)
<i>Botrychium virginianum</i> (L.) Sw.	<b>Rattlesnake fern</b> 늦고사리삼 (Neut-go-sa-ri-sam)
<b><i>Brachybotrys</i> Maxim. ex Oliv.</b> [Boraginaceae]	<b>Brachybotrys</b> 당개지치속 (Dang-gae-ji-chi-sok) [지치과]
<i>Brachybotrys paridiformis</i> Maxim. ex Oliv.	<b>Dropping bell flower</b> 당개지치 (Dang-gae-ji-chi)
<b><i>Brachyelytrum</i> P.Beauv.</b> [Poaceae]	<b>Shorthusk</b> 담상이삭풀속 (Dam-sang-i-sak-pul-sok) [벼과]
<i>Brachyelytrum japonicum</i> (Hack.) Matsum. ex Honda	<b>East Asian shorthusk</b> 담상이삭풀 (Dam-sang-i-sak-pul)

Scientific name	English name Korean name (Romanization)
<i>Brachypodium</i> P.Beauv. [Poaceae]	<b>False brome</b> 숲개밀속 (Sup-gae-mil-sok) [벼과]
<i>Brachypodium sylvaticum</i> (Huds.) P.Beauv.	<b>Wood false brome</b> 숲개밀 (Sup-gae-mil)
<i>Brachypodium sylvaticum</i> var. <i>miserum</i> (Thunb.) Koidz.	<b>Smooth wood false brome</b> 민숲개밀 (Min-sup-gae-mil)
<i>Brasenia</i> Schreb. [Nymphaeaceae]	<b>Brasenia</b> 순채속 (Sun-chae-sok) [수련과]
<i>Brasenia schreberi</i> J.F.Gmelin	<b>Watershield</b> 순채 (Sun-chae)
<b>BRASSICACEAE</b> Burnett (=Cruciferae Juss.)	<b>Cabbage family, Crucifers family, Mustards family, Mustard flowers family</b> 십자화과 (Sip-ja-hwa-gwa)
<i>Breea</i> Less. [Asteraceae]	<b>Breea</b> 조뱅이속 (Jo-baeng-i-sok) [국화과]
<i>Breea segeta</i> (Bunge) Kitam.	<b>Common breea</b> 조뱅이 (Jo-baeng-i)
<i>Breea segeta</i> f. <i>lactiflora</i> (Nakai) W.T.Lee	<b>White common breea</b> 흰조뱅이 (Huin-jo-baeng-i)
<i>Breea setosa</i> (Willd.) Kitam.	<b>Big breea</b> 큰조뱅이 (Keun-jo-baeng-i)
<i>Bromus</i> L. [Poaceae]	<b>Brome, Brome grasses, Cheat grasses, Chess grasses</b> 참새귀리속 (Cham-sae-gwi-ri-sok) [벼과]
<i>Bromus canadensis</i> subsp. <i>yekoensis</i> (Ohwi) V.N.Voroshilov	<b>Fringed brome</b> 빕새귀리 (Bip-sae-gwi-ri)
<i>Bromus japonicus</i> Houtt.	<b>Common brome</b> 참새귀리 (Cham-sae-gwi-ri)
<i>Bromus remotiflorus</i> (Steud.) Ohwi	<b>Few-flower brome</b> 꼬리새 (Kko-ri-sae)

Scientific name	English name Korean name (Romanization)
<i>Bromus richardsonii</i> Link	<b>Richardson's brome</b> 개밥새귀리 (Gae-bip-sae-gwi-ri)
<b><i>Broussonetia</i> L'Hér. ex Vent.</b> [Moraceae]	<b>Broussonetia</b> 닭나무속 (Dak-na-mu-sok) [뽕나무과]
* <i>Broussonetia kazinoki</i> var. <i>humilis</i> Uyeki	<b>Small paper mulberry</b> 애기닭나무 (Ae-gi-dak-na-mu)
<i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent.	<b>Paper mulberry</b> 꾸지나무 (Kku-ji-na-mu)
<i>Broussonetia papyrifera</i> f. <i>lucida</i> (Hatus.) T.B.Lee	<b>Shining paper mulberry</b> 민꾸지나무 (Min-kku-ji-na-mu)
<i>Broussonetia papyrifera</i> f. <i>oppositifolia</i> Nakai	<b>Opposite-leaf paper mulberry</b> 마주잎꾸지나무 (Ma-ju-ip-kku-ji-na-mu)
<b><i>Bulbophyllum</i> Thouars</b> [Orchidaceae]	<b>Bulbophyllum</b> 콩짜개란속 (Kong-jja-gae-ran-sok) [난초과]
<i>Bulbophyllum drymoglossum</i> Maxim. ex Ökubo	<b>Small-bean-like orchid</b> 콩짜개란 (Kong-jja-gae-ran)
<i>Bulbophyllum inconspicuum</i> Maxim.	<b>Barley-like orchid</b> 흑난초 (Hok-nan-cho)
<b><i>Bulbostylis</i> Kunth</b> [Cyperaceae]	<b>Hairsedge</b> 모기골속 (Mo-gi-gol-sok) [사초과]
<i>Bulbostylis barbata</i> (Rottb.) C.B.Clarke	<b>Watergrass</b> 모기골 (Mo-gi-gol)
<i>Bulbostylis densa</i> (Wall.) Hand.-Mazz.	<b>Dense watergrass</b> 꽃하늘지기 (Kkot-ha-neul-ji-gi)
<b><i>Bupleurum</i> L.</b> [Apiaceae]	<b>Bupleurum</b> 시호속 (Si-ho-sok) [산형과]
<i>Bupleurum euphorbioides</i> Nakai	<b>Big-bract hare's ear</b> 등대시호 (Deung-dae-si-ho)

Scientific name	English name Korean name (Romanization)
<i>Bupleurum falcatum</i> var. <i>scorzoneraefolium</i> (Willd.) Lebed.	<b>Sickle-leaf hare's ear</b> 참시호 (Cham-si-ho)
<i>Bupleurum latissimum</i> Nakai	<b>Ulleungdo hare's ear</b> 섬시호 (Seom-si-ho)
<i>Bupleurum longiradiatum</i> Turcz. (H.Boissieu) Kitag.	<b>Big-leaf hare's ear</b> 개시호 (Gae-si-ho)
<i>Bupleurum longiradiatum</i> f. <i>leveillei</i> (H.Boissieu) Kitag.	<b>Leveille's big-leaf hare's ear</b> 줌시호 (Jom-si-ho)
<b><i>Burmannia</i> L.</b> [ <i>Burmanniaceae</i> ]	<b>Bluethread</b> 벼어먼초속 (Beo-eo-meon-cho-sok) [벼어먼초과]
<i>Burmannia championii</i> Thwaites	<b>Champion's bluethread</b> 애기벼어먼초 (Ae-gi-beo-eo-meon-cho)
<i>Burmannia cryptopetala</i> Makino	<b>Hidden-petal bluethread</b> 벼어먼초 (Beo-eo-meon-cho)
<b>BURMANNIACEAE</b> Blume	<b>Burmannia family</b> 벼어먼초과 (Beo-eo-meon-cho-gwa)
<b>BUXACEAE</b> Dumort.	<b>Boxwood family</b> 회양목과 (Hoe-yang-mok-gwa)
<b><i>Buxus</i> L.</b> [ <i>Buxaceae</i> ]	<b>Box, Boxwood</b> 회양목속 (Hoe-yang-mok-sok) [회양목과]
<i>Buxus koreana</i> (Nakai ex Rehder) T.H.Chung, P.S.Toh, D.B.Lee & F.J.Lee	<b>Korean boxwood</b> 회양목 (Hoe-yang-mok)
<i>Buxus koreana</i> f. <i>elongata</i> (Nakai) Y.S.Kim & J.H.Kim	<b>Long-leaf Korean boxwood</b> 긴잎회양목 (Gin-ip-hoe-yang-mok)
<i>Buxus koreana</i> f. <i>insularis</i> (Nakai) Y.S.Kim & J.H.Kim	<b>Glabrous Korean boxwood</b> 섬회양목 (Seomhoe-yang-mok)

**C**

Scientific name	English name Korean name (Romanization)
<i>Caesalpinia</i> L. [Fabaceae]	<b>Nicker</b> 실거리나무속 (Sil-geo-ri-na-mu-sok) [종과]
<i>Caesalpinia decapetala</i> (Roth) Alston	<b>Mysore thorn</b> 실거리나무 (Sil-geo-ri-na-mu)
<i>Cakile</i> Mill. [Brassicaceae]	<b>Searocket</b> 서양갓냉이속 (Seo-yang-gaet-naeng-i-sok) [십자화과]
<i>Cakile edentula</i> (Bigelow) Hook.	<b>American searocket</b> 서양갓냉이 (Seo-yang-gaet-naeng-i)
<i>Calamagrostis</i> Adans. [Poaceae]	<b>Small reed, Reed grass</b> 산새풀속 (San-sae-pul-sok) [벼과]
<i>Calamagrostis angustifolia</i> Kom.	<b>Narrow-leaf reedgrass</b> 백산새풀 (Baek-san-sae-pul)
<i>Calamagrostis brachytricha</i> Steud.	<b>Purple reedgrass</b> 실새풀 (Sil-sae-pul)
<i>Calamagrostis brachytricha</i> var. <i>inaequata</i> (Hack. ex Honda ) Yonek.	<b>Jeju purple reedgrass</b> 제주새풀 (Je-ju-sae-pul)
<i>Calamagrostis bungeana</i> V.Petrov	<b>Bunge's reedgrass</b> 붕겐새풀 (Bung-gen-sae-pul)
<i>Calamagrostis epigeios</i> (L.) Roth	<b>Wood small reed</b> 산조풀 (San-jo-pul)
<i>Calamagrostis heterogluma</i> (Nakai) Honda	<b>Heteroglumous reedgrass</b> 들새풀 (Deul-sae-pul)
<i>Calamagrostis hymenoglossa</i> Ohwi	<b>Alpine reedgrass</b> 북선메뚜기피 (Buk-seon-me-ttwi-gi-pi)
<i>Calamagrostis langsdorffii</i> (Link) Trin.	<b>Langsdorf's reedgrass</b> 산새풀 (San-sae-pul)
<i>Calamagrostis langsdorffii</i> var. <i>ramosa</i> Nakai	see <i>Calamagrostis langsdorffii</i> (Link) Trin.
<i>Calamagrostis laponica</i> (Wahlenb.) Hartm.	<b>Lapland reedgrass</b> 라프랜드새풀 (Ra-peu-raen-deu-sae-pul)

Scientific name	English name Korean name (Romanization)
<i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler	<b>Coastal small reedgrass</b> 갯조풀 (Gaet-jo-pul)
<i>Calamagrostis sachalinensis</i> F.Schmidt	<b>Sakhalin reedgrass</b> 사할린새풀 (Sa-hal-rin-sae-pul)
<i>Calamagrostis stricta</i> (Timm) Koeler	<b>Slim-stem reedgrass</b> 야지피 (Ya-ji-pi)
<i>Calamagrostis subacrochaeta</i> Nakai	<b>Nangrim reedgrass</b> 낭림새풀 (Nang-rim-sae-pul)
<b><i>Calanthe</i> R.Br.</b> [Orchidaceae]	<b>Calanthe</b> <b>새우난초속</b> (Sae-u-nan-cho-sok) [난초과]
<i>Calanthe aristulifera</i> Rchb.f.	<b>Sinan calanthe</b> 신안새우난초 (Sin-an-sae-u-nan-cho)
<i>Calanthe coreana</i> Nakai	<b>Korean calanthe</b> 섬새우난초 (Seom-sae-u-nan-cho)
<i>Calanthe discolor</i> Lindl.	<b>Common calanthe</b> 새우난초 (Sae-u-nan-cho)
<i>Calanthe reflexa</i> Maxim.	<b>Summer-flowering calanthe</b> 여름새우난초 (Yeo-reum-sae-u-nan-cho)
<i>Calanthe sieboldii</i> Decne. ex Regel	<b>Island golden calanthe</b> 금새우난초 (Geum-sae-u-nan-cho)
<b><i>Caldesia</i> Parl.</b> [Alismataceae]	<b>Caldesia</b> <b>둥근잎택사속</b> (Dung-geun-ip-taek-sa-sok) [택사과]
<i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.	<b>Parnassus-leaf caldesia</b> 둥근잎택사 (Dung-geun-ip-taek-sa)
<b><i>Calla</i> L.</b> [Araceae]	<b>Bog arum, Callalily, Marsh calla, Water-arum, Wild calla</b> <b>산부채속</b> (San-bu-chae-sok) [천남성과]
<i>Calla palustris</i> L.	<b>Water-arum</b> 산부채 (San-bu-chae)

Scientific name	English name Korean name (Romanization)
<i>Callianthemum</i> C.A.Mey. [Ranunculaceae]	<b>Callianthemum</b> <b>매화바람꽃속</b> (Mae-hwa-ba-ram-kkot-sok) [미나리아재비과]
<i>Callianthemum insigne</i> (Nakai) Nakai	<b>Remarkable callianthemum</b> 매화바람꽃 (Mae-hwa-ba-ram-kkot)
<i>Callicarpa</i> L. [Verbenaceae]	<b>Beautyberry</b> <b>작살나무속</b> (Jak-sal-na-mu-sok) [마편초과]
<i>Callicarpa dichotoma</i> (Lour.) K.Koch	<b>Purple beautyberry</b> omboksalnamu (Jom-jak-sal-na-mu)
<i>Callicarpa japonica</i> Thunb.	<b>East Asian beautyberry</b> 작살나무 (Jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>glabra</i> Nakai	<b>Glabrous beautyberry</b> 민작살나무 (Min-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>leucocarpa</i> Nakai	<b>White beautyberry</b> 흰작살나무 (Huin-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>luxurians</i> Rehder	<b>Robust beautyberry</b> 왕작살나무 (Wang-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>taquetii</i> (L.f.) Nakai	<b>Small-leaf beautyberry</b> 송금나무 (Song-geum-na-mu)
<i>Callicarpa mollis</i> Siebold & Zucc.	<b>Jejudo beautyberry</b> 새비나무 (Sae-bi-na-mu)
<i>Callicarpa mollis</i> f. <i>ramosissima</i> (Nakai) W.T.Lee	<b>Many-stem Jejudo beautyberry</b> 좀새비나무 (Jom-sae-bi-na-mu)
<i>Callicarpa</i> × <i>shirasawana</i> Makino	<b>Hybrid beautyberry</b> 개새비나무 (Gae-sae-bi-na-mu)
<b>CALLITRICHACEAE</b> Link	<b>Water-starwort family</b> 별이끼과 (Byeol-i-kki-gwa)
<i>Callitricha</i> L. [Callitrichaceae]	<b>Water-starwort</b> <b>별이끼속</b> (Byeol-i-kki-sok) [별이끼과]
<i>Callitricha japonica</i> Engelm. ex Hegelm.	<b>Oriental water-starwort</b> 별이끼 (Byeol-i-kki)

Scientific name	English name Korean name (Romanization)
<i>Callitrichie palustris</i> L.	<b>Vernal water-starwort</b> 물별이끼 (Mul-byeol-i-kki)
<i>Caltha</i> L. [Ranunculaceae]	<b>Marsh marigold</b> 동의나물속 (Dong-ui-na-mul-sok) [미나리아재비과]
<i>Caltha natans</i> Pall.	<b>Floating marsh marygold</b> 애기동의나물 (Ae-gi-dong-ui-na-mul)
<i>Caltha palustris</i> L.	<b>Marsh marigold</b> 동의나물 (Dong-ui-na-mul)
<i>Calypso</i> Salisb. [Orchidaceae]	<b>Fairy slipper</b> 풍선난초속 (Pung-seon-nan-cho-sok) [난초과]
<i>Calypso bulbosa</i> (L.) Oakes	<b>Fairy slipper orchid</b> 풍선난초 (Pung-seon-nan-cho)
<i>Calystegia</i> R.Br. [Convolvulaceae]	<b>Bindweed, False bindweed, Morning glory</b> 메꽃속 (Me-kkot-sok) [메꽃과]
<i>Calystegia dahurica</i> (Herb.) Choisy	<b>Dahurian morning glory</b> 선메꽃 (Seon-me-kkot)
<i>Calystegia hederacea</i> Wall.	<b>Ivy morning glory</b> 애기메꽃 (Ae-gi-me-kkot)
<i>Calystegia sepium</i> (L.) R.Br.	<b>Wild morning glory</b> 큰메꽃 (Keun-me-kkot)
<i>Calystegia pubescens</i> Lindl.	<b>Short-hairy morning glory</b> 메꽃 (Me-kkot)
<i>Calystegia sepium</i> var. <i>japonica</i> f. <i>albiflora</i> (Makino) Yamazaki	<b>White hedge morning glory</b> 흰메꽃 (Huin-me-kkot)
* <i>Calystegia sepium</i> f. <i>album</i> Y.N.Lee	<b>White wild morning glory</b> 흰큰메꽃 (Huin-keun-me-kkot)
<i>Calystegia soldanella</i> (L.) R.Br	<b>Beach morning glory</b> 갯메꽃 (Gaet-me-kkot)
<i>Camellia</i> L. [Theaceae]	<b>Camellia</b> 동백나무속 (Dong-baek-na-mu-sok) [차나무과]

Scientific name	English name Korean name (Romanization)
<i>Camellia japonica</i> L.	<b>Common camellia</b> 동백나무 (Dong-baek-na-mu)
<i>Camellia japonica</i> f. <i>albipetala</i> H.T.Chang	<b>White camellia</b> 흰동백나무 (Huin-dong-baek-na-mu)
<i>Camellia sinensis</i> L.	<b>Tea camellia</b> 차나무 (Cha-na-mu)
<b><i>Campanula</i> L. [Campanulaceae]</b>	<b>Bellflower</b> 초롱꽃속 (Cho-rong-kkot-sok) [초롱꽃과]
<i>Campanula glomerata</i> var. <i>dahurica</i> Fisch. ex Ker Gawl.	<b>Dahurian clustered bellflower</b> 자주꽃방망이 (Ja-ju-kkot-bang-mang-i)
<i>Campanula glomerata</i> var. <i>dahurica</i> f. <i>alba</i> Nakai ex T.B.Lee	<b>White-clustered bellflower</b> 흰자주꽃방망이 (Huin-ja-ju-kkot-bang-mang-i)
<i>Campanula punctata</i> Lam.	<b>Spotted bellflower</b> 초롱꽃 (Cho-rong-kkot)
<i>Campanula takesimana</i> Nakai	<b>Korean bellflower</b> 섬초롱꽃 (Seom-cho-rong-kkot)
* <i>Campanula takesimana</i> f. <i>alba</i> T.B.Lee	<b>White Korean bellflower</b> 흰섬초롱꽃 (Huin-seom-cho-rong-kkot)
<b>CAMPANULACEAE Juss.</b>	<b>Bellflower family</b> 초롱꽃과 (Cho-rong-kkot-gwa)
<b><i>Camptosorus</i> Link [Aspleniaceae]</b>	<b>Camptosorus</b> 거미고사리속 (Geo-mi-go-sa-ri-sok) [꼬리고사리과]
<i>Camptosorus sibiricus</i> Rupr.	<b>Asian walking fern</b> 거미고사리 (Geo-mi-go-sa-ri)
<b><i>Campylotropis</i> Bunge [Fabaceae]</b>	<b>Campylotropis</b> 꽃싸리속 (Kkot-ssa-ri-sok) [콩과]
<i>Campylotropis macrocarpa</i> (Bunge) Rehder	<b>False bush-clover</b> 꽃싸리 (Kkot-ssa-ri)
<i>Campylotropis macrocarpa</i> f. <i>rosea</i> Uyeki	<b>Red false bush-clover</b> 붉은꽃싸리 (Bul-geun-kkot-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Canavalia</i> Adans. [Fabaceae]	<b>Jackbean</b> 해녀콩 속 (Hae-nyeo-kong-sok) [콩과]
<i>Canavalia lineata</i> (Thunb.) DC.	<b>Asian beach jackbean</b> 해녀콩 (Hae-nyeo-kong)
<b>CANNABACEAE</b> Martinov	<b>Dagga family, Hemp family, Hop family</b> 삼과 (Sam-gwa)
<i>Capillipedium</i> Stapf [Poaceae]	<b>Scented-tops</b> 나도기름새 속 (Na-do-gi-reum-sae-sok) [벼과]
<i>Capillipedium parviflorum</i> (R.Br.) Stapf	<b>Small-flower scented-top</b> 나도기름새 (Na-do-gi-reum-sae)
<b>CAPRIFOLIACEAE</b> Juss.	<b>Honeysuckle family</b> 인동과 (In-dong-gwa)
<i>Capsella</i> Medik. [Brassicaceae]	<b>Capsella</b> 냉이 속 (Naeng-i-sok) [십자화과]
<i>Capsella bursa-pastoris</i> (L.) Medik.	<b>Naengi (Shepherd's purse)</b> 냉이 (Naeng-i)
<i>Caragana</i> Fabr. [Fabaceae]	<b>Peashrub</b> 골담초 속 (Gol-dam-cho-sok) [콩과]
<i>Caragana fruticosa</i> (Pall.) Besser	<b>Manchurian peashrub</b> 참골담초 (Cham-gol-dam-cho)
<i>Caragana microphylla</i> Lam.	<b>Little-leaf peashrub</b> 좀골담초 (Jom-gol-dam-cho)
<i>Caragana sinica</i> (Buc'hoz) Rehder	<b>Chinese peashrub</b> 골담초 (Gol-dam-cho)
<i>Caragana sinica</i> var. <i>megalantha</i> C.K.Schneid.	<b>Large-flower Chinese peashrub</b> 반용골담초 (Ban-yong-gol-dam-cho)
<i>Cardamine</i> L. [Brassicaceae]	<b>Bittercress, Bitter-cress</b> 황새냉이 속 (Hwang-sae-naeng-i-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Cardamine amaraeformis</i> Nakai	<b>Beautiful woodland bittercress</b> 꽃황새냉이 (Kkot-hwang-sae-naeng-i)
<i>Cardamine bellidifolia</i> L.	<b>Alpine bittercress</b> 애기냉이 (Ae-gi-naeng-i)
<i>Cardamine changbaiana</i> Al-Shehbaz	<b>Baedusun bittercress</b> 두메냉이 (Du-me-naeng-i)
<i>Cardamine fallax</i> L.	<b>False bittercress</b> 좁쌀냉이 (Jop-ssal-naeng-i)
<i>Cardamine flexuosa</i> With.	<b>Wavy bittercress</b> 황새냉이 (Hwang-sae-naeng-i)
<i>Cardamine glechomifolia</i> H.Lév.	<b>Hallasan bittercress</b> 별깨냉이 (Beol-kkae-naeng-i)
<i>Cardamine impatiens</i> L.	<b>Narrow-leaf bittercress</b> 싸리냉이 (Ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>eriocarpa</i> DC.	<b>Woolly narrow-leaf bittercress</b> 털싸리냉이 (Teol-ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>fumaria</i> H.Lév.	<b>Jeju narrow-leaf bittercress</b> 제주싸리냉이 (Je-ju-ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>obutusifolia</i> Knaf	<b>Island narrow-leaf bittercress</b> 섬싸리냉이 (Seom-ssa-ri-naeng-i)
<i>Cardamine komarovii</i> Nakai	<b>Asian bittercress</b> 는쟁이냉이 (Neun-jaeng-i-naeng-i)
<i>Cardamine komarovii</i> f. <i>macrophylla</i> (T.H.Chung) W.T.Lee	<b>Large Komarov's bittercress</b> 큰는쟁이냉이 (Keun-neun-jaeng-i-naeng-i)
<i>Cardamine koreana</i> (Nakai) Nakai	<b>Korean bittercress</b> 참고추냉이 (Cham-go-chu-naeng-i)
<i>Cardamine leucantha</i> (Tausch) O.E.Schulz	<b>White-flower bittercress</b> 미나리냉이 (Mi-na-ri-naeng-i)
* <i>Cardamine leucantha</i> var. <i>toensis</i> (Nakai) T.B.Lee	<b>Tongyeong bittercress</b> 통영미나리냉이 (Tong-yeong-mi-na-ri-naeng-i)
<i>Cardamine lyrata</i> Bunge	<b>Paddy bittercress</b> 논냉이 (Non-naeng-i)

Scientific name	English name Korean name (Romanization)
<i>Cardamine manshurica</i> (Kom.) Nakai	<b>Minute bittercress</b> 애기황새냉이 (Ae-gi-hwang-sae-naeng-i)
<i>Cardamine parviflora</i> L.	<b>Small-flower bittercress</b> 좀냉이 (Jom-naeng-i)
<i>Cardamine prorepens</i> Fisch. ex DC.	<b>Northern meadow bittercress</b> 산냉이 (San-naeng-i)
<i>Cardamine regelianana</i> var. <i>manshurica</i> (Kom.) Kitag.	<b>Manchurian bittercress</b> 만주논냉이 (Man-ju-non-naeng-i)
<i>Cardamine trifida</i> (Lam. ex Poir.) B.M.G.Jones	<b>Schulz's bittercress</b> 좁은잎마리냉이 (Jop-eun-ip-mi-na-ri-naeng-i)
<i>Cardamine scutata</i> Thunb.	<b>Big-flower bittercress</b> 큰황새냉이 (Keun-hwang-sae-naeng-i)
<i>Cardamine tanakae</i> Franch. & Sav.	<b>Dwarf bittercress</b> 꼬마냉이 (Kko-ma-naeng-i)
<i>Cardamine yezoensis</i> Maxim.	<b>Northern mountain bittercress</b> 왜갓냉이 (Wae-gat-naeng-i)
<b>Carex L.</b> <b>[Cyperaceae]</b>	<b>Sedge</b> 사초속 (Sa-cho-sok) [사초과]
<i>Carex accrescens</i> Ohwi	<b>Seoul sedge</b> 경성사초 (Gyeong-seong-sa-cho)
<i>Carex albata</i> Boott ex Franch. & Sav.	<b>Ditch sedge</b> 도랭이사초 (Do-raeng-i-sa-cho)
<i>Carex aphanolepis</i> Franch. & Sav.	<b>Nerved-scale sedge</b> 골사초 (Gol-sa-cho)
* <i>Carex aphanolepis</i> var. <i>mixta</i> Nakai	<b>Mixed nerved-scale sedge</b> 잡골사초 (Jap-gol-sa-cho)
<i>Carex arenicola</i> F.Schmidt	<b>Wet-sand sedge</b> 진퍼리사초 (Jin-peo-ri-sa-cho)
<i>Carex arnellii</i> Christ	<b>Musan sedge</b> 무산사초 (Mu-san-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex atrata</i> L.	<b>Black-spike sedge</b> 감동사초 (Gam-dung-sa-cho)
<i>Carex austrogracilis</i> Menish. ex Korsh.	<b>Augustinowicz's sedge</b> 북사초 (Buk-sa-cho)
<i>Carex autumnalis</i> Ohwi	<b>Autumnal sand sedge</b> 논두렁사초 (Non-du-reong-sa-cho)
<i>Carex bigelowii</i> Torr. ex Schwein.	<b>Gwanmo sedge</b> 갈미사초 (Gal-mi-sa-cho)
<i>Carex biwensis</i> Franch.	<b>Pine-leaf sedge</b> 솔잎사초 (Sol-ip-sa-cho)
<i>Carex blepharicarpa</i> Franch.	<b>Ciliated-fruit sedge</b> 여우꼬리사초 (Yeo-u-kko-ri-sa-cho)
<i>Carex boottiana</i> Hook. & Arn.	<b>Coastal rock sedge</b> 밀사초 (Mil-sa-cho)
<i>Carex bostrychostigma</i> Maxim.	<b>Curled-stigma sedge</b> 길뚝사초 (Gil-ttuk-sa-cho)
<i>Carex breviculmis</i> R.Br.	<b>Short-stem sedge</b> 청사초 (Cheong-sa-cho)
<i>Carex breviculmis</i> var. <i>fibrillosa</i> (Franch. & Sav.) Matsum. & Hayata	<b>Fibrillose short-stem sedge</b> 갯청사초 (Gaet-cheong-sa-cho)
<i>Carex brownii</i> Tuck.	<b>Brown's sedge</b> 흰꼬리사초 (Huin-kko-ri-sa-cho)
<i>Carex brownii</i> var. <i>transversa</i> (Boott) Kük.	<b>Transverse Brown's sedge</b> 화살사초 (Hwa-sal-sa-cho)
<i>Carex buxbaumii</i> Wahlenb.	<b>Marsh sedge</b> 늪사초 (Neup-sa-cho)
<i>Carex cespitosa</i> L.	<b>Turfy sedge</b> 포기사초 (Po-gi-sa-cho)
<i>Carex canescens</i> L.	<b>Silvery sedge</b> 산사초 (San-sa-cho)
<i>Carex capillacea</i> Boott	<b>Tiny sedge</b> 잔술잎사초 (Jan-sol-ip-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex capillacea</i> var. <i>sachalinensis</i> (F.Schmidt) Ohwi	<b>Sakhalin tiny sedge</b> 노끈사초 (No-kkeun-sa-cho)
<i>Carex capillaris</i> L.	<b>Hair-like sedge</b> 뭣풀사초 (Moet-pul-sa-cho)
<i>Carex capricornis</i> Meinh. ex Maxim.	<b>Capricornis sedge</b> 양뿔사초 (Yang-ppul-sa-cho)
<i>Carex caryophyllea</i> var. <i>microtricha</i> (Franch.) Kük.	<b>Short-hair spring sedge</b> 길색사초 (Gal-saek-sa-cho)
<i>Carex chordorrhiza</i> L.f.	<b>Creeping sedge</b> 대암사초 (Dae-am-sa-cho)
<i>Carex chosenica</i> Ohwi	<b>Korean sedge</b> 조선사초 (Jo-seon-sa-cho)
<i>Carex ciliatomarginata</i> Nakai	<b>Hairy creeping broad-leaf sedge</b> 털대사초 (Teol-dae-sa-cho)
<i>Carex cinerascens</i> Kük.	<b>Ashgrey sedge</b> 회색사초 (Hoe-saek-sa-cho)
<i>Carex conica</i> Boott	<b>Miniature sedge</b> 애기사초 (Ae-gi-sa-cho)
<i>Carex dickinsii</i> Franch. & Sav.	<b>Dickins' sedge</b> 도깨비사초 (Do-kkae-bi-sa-cho)
<i>Carex dimorpholepis</i> Steud.	<b>Dimorphous-spike sedge</b> 이삭사초 (I-sak-sa-cho)
<i>Carex dispalata</i> Boott	<b>Curved-utricule sedge</b> 삿갓사초 (Sat-gat-sa-cho)
<i>Carex disperma</i> Dewey	<b>Two-seed sedge</b> 가는사초 (Ga-neun-sa-cho)
<i>Carex doniana</i> Spreng.	<b>Don's sedge</b> 흰사초 (Huin-sa-cho)
<i>Carex drymophila</i> Turcz.	<b>Forest-live sedge</b> 숲이삭사초 (Sup-i-sak-sa-cho)
<i>Carex drymophila</i> var. <i>abbreviata</i> (Kük.) Ohwi	<b>Short forest-live sedge</b> 민숲이삭사초 (Min-sup-i-sak-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex drymophila</i> var. <i>pilifera</i> Kük.	<b>Hairy forest-live sedge</b> 모래사초 (Mo-rae-sa-cho)
<i>Carex duriuscula</i> C.A.Mey.	<b>Needle-leaf sedge</b> 들사초 (Deul-sa-cho)
<i>Carex echinata</i> Murray	<b>Star sedge</b> 함북사초 (Ham-buk-sa-cho)
<i>Carex eleusinoides</i> Turcz. ex Kunth	<b>Goosegrass sedge</b> 엷은갈미사초 (Yeol-beun-gal-mi-sa-cho)
<i>Carex erythrobasis</i> H.Lév. & Vaniot	<b>Red-based leaf sedge</b> 한라사초 (Han-ra-sa-cho)
<i>Carex filipes</i> Franch. & Sav.	<b>Fishing-rod-like sedge</b> 낚시사초 (Nak-si-sa-cho)
<i>Carex filipes</i> var. <i>oligostachys</i> Kük.	<b>Papillose sedge</b> 쇠낚시사초 (Soe-nak-si-sa-cho)
<i>Carex flabellata</i> H.Lév. & Vaniot	<b>Flabellate sedge</b> 후라벨라타사초 (Hu-ra-bel-ra-ta-sa-cho)
<i>Carex forficula</i> Franch. & Sav.	<b>Scissors-like sedge</b> 산뚝사초 (San-ttuk-sa-cho)
<i>Carex forficula</i> var. <i>scabrida</i> Kük.	<b>Scabrous scissors-like sedge</b> 금강산뚝사초 (Geum-gang-san-ttuk-sa-cho)
<i>Carex formosensis</i> H.Lév. & Vaniot	<b>Long Mokpo sedge</b> 긴목포사초 (Gin-mok-po-sa-cho)
<i>Carex fusanensis</i> Ohwi	<b>Black-tiny sedge</b> 애기감동사초 (Ae-gi-gam-dung-sa-cho)
<i>Carex genkaiensis</i> Ohwi	<b>Mokpo sedge</b> 목포사초 (Mok-po-sa-cho)
<i>Carex gibba</i> Wahlenb.	<b>Gibbous sedge</b> 나도별사초 (Na-do-byeol-sa-cho)
<i>Carex glabrescens</i> (Kük.) Ohwi	<b>Glabrate sedge</b> 곱슬사초 (Gop-seul-sa-cho)
<i>Carex glauciformis</i> Meinh.	<b>Pseudo-glaucous sedge</b> 쌀사초 (Ssal-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex globularis</i> L.	<b>Globular-spike sedge</b> 진들사초 (Jin-deul-sa-cho)
<i>Carex gmelinii</i> Hook. & Arn.	<b>Gmelin's sedge</b> 덕진사초 (Deok-jin-sa-cho)
<i>Carex gotoi</i> Ohwi	<b>Two-toothed-beak sedge</b> 회령사초 (Hoe-ryeong-sa-cho)
<i>Carex hakonensis</i> Franch. & Sav.	<b>Small-needle sedge</b> 애기바늘사초 (Ae-gi-ba-neul-sa-cho)
<i>Carex hancockiana</i> Maxim.	<b>Hancock's sedge</b> 해산사초 (Hae-san-sa-cho)
<i>Carex hebecarpa</i> subsp. <i>ligulata</i> (Nees) T.Koyama	<b>Ligulate sedge</b> 갈사초 (Gal-sa-cho)
<i>Carex heterolepis</i> Bunge	<b>Different-scale sedge</b> 산비늘사초 (San-bi-neul-sa-cho)
<i>Carex heterostachya</i> Bunge	<b>Different-spike sedge</b> 인제사초 (In-je-sa-cho)
<i>Carex holotricha</i> Ohwi	<b>Woolly-scale sedge</b> 난사초 (Nan-sa-cho)
<i>Carex hondoensis</i> Ohwi	<b>Hondo sedge</b> 일본사초 (Il-bon-sa-cho)
<i>Carex humbertiana</i> Ohwi	<b>Humbert's sedge</b> 큰뚝사초 (Keun-ttuk-sa-cho)
<i>Carex humilis</i> var. <i>nana</i> (H.Lév. & Vaniot) Ohwi	<b>Low sedge</b> 가는잎그늘사초 (Ga-neun-ip-geu-neul-sa-cho)
<i>Carex idzuroei</i> Franch. & Sav.	<b>Small Dickins' sedge</b> 좁도깨비사초 (Jom-do-kkae-bi-sa-cho)
<i>Carex incisa</i> Boott	<b>Digitaria-like sedge</b> 바랭이사초 (Ba-raeng-i-sa-cho)
<i>Carex ischnostachya</i> Steud.	<b>Thin-spiculate sedge</b> 염주사초 (Yeom-ju-sa-cho)
<i>Carex jackiana</i> var. <i>macroglossa</i> (Franch. & Sav.) Kük.	<b>Big-tongue jack sedge</b> 애기염주사초 (Ae-gi-yeom-ju-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex jaluensis</i> Kom.	<b>Amrokgang sedge</b> 참삿갓사초 (Cham-sat-gat-sa-cho)
<i>Carex japonica</i> Thunb.	<b>East Asian sedge</b> 개찌버리사초 (Gae-jji-beo-ri-sa-cho)
<i>Carex kirganica</i> Kom.	<b>Seosura sedge</b> 서수라사초 (Seo-su-ra-sa-cho)
<i>Carex kobomugi</i> Ohwi	<b>Asian sand sedge</b> 통보리사초 (Tong-bo-ri-sa-cho)
<i>Carex korshinskyi</i> Kom.	<b>Korshinsky's sedge</b> 유성사초 (Yu-seong-sa-cho)
<i>Carex kujuzana</i> Ohwi	<b>Jangseong sedge</b> 장성사초 (Jang-seong-sa-cho)
<i>Carex lachenalii</i> Schkuhr	<b>Two-tip sedge</b> 산타래사초 (San-ta-rae-sa-cho)
<i>Carex laevissima</i> Nakai	<b>Small nerved-fruit sedge</b> 애팽이사초 (Ae-gwaeng-i-sa-cho)
<i>Carex lanceolata</i> Boott	<b>Lanceolate sedge</b> 그늘사초 (Geu-neul-sa-cho)
<i>Carex lasiocarpa</i> Ehrh.	<b>Woolly-fruit sedge</b> 별사초 (Beol-sa-cho)
<i>Carex laticeps</i> C.B.Clarke ex Franch.	<b>Bent-beak sedge</b> 갯보리사초 (Gaet-bo-ri-sa-cho)
<i>Carex latisquamea</i> Kom.	<b>Woolly-leaf sedge</b> 털잎사초 (Teol-ip-sa-cho)
<i>Carex laxa</i> Wahlenb.	<b>Loosely-spike sedge</b> 실이삭사초 (Sil-i-sak-sa-cho)
<i>Carex lehmannii</i> Drejer	<b>Lehman's sedge</b> 레만사초 (Re-man-sa-cho)
<i>Carex leiorhyncha</i> C.A.Mey.	<b>Mountain cat-tail sedge</b> 산팽이사초 (San-gwaeng-i-sa-cho)
<i>Carex lenta</i> D.Don	<b>Sluggish sedge</b> 줄사초 (Jul-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex leucochlora</i> Bunge	<b>Mountain nerved-fruit sedge</b> 이삼사초 (I-sam-sa-cho)
<i>Carex limosa</i> L.	<b>Mud sedge</b> 대택사초 (Dae-taek-sa-cho)
<i>Carex lithophila</i> Turcz.	<b>Rock-loving sedge</b> 바위사초 (Ba-wi-sa-cho)
<i>Carex livida</i> (Wahlenb.) Willd.	<b>Livid sedge</b> 동백사초 (Dong-back-sa-cho)
<i>Carex loliacea</i> L.	<b>Ryegrass sedge</b> 호밀사초 (Ho-mil-sa-cho)
<i>Carex longerostrata</i> C.A.Mey.	<b>Long-rostrate sedge</b> 피사초 (Pi-sa-cho)
<i>Carex longerostrata</i> var. <i>pallida</i> (Kitag.) Ohwi	<b>Pallid long-rostrate sedge</b> 실피사초 (Sil-pi-sa-cho)
<i>Carex lyngbyei</i> Hornem.	<b>Lyngbye's sedge</b> 산이삭사초 (San-i-sak-sa-cho)
<i>Carex maackii</i> Maxim.	<b>Maack's sedge</b> 타래사초 (Ta-rae-sa-cho)
<i>Carex mackenziei</i> V.I.Krecz.	<b>Mackenzie's sedge</b> 큰산사초 (Keun-san-sa-cho)
<i>Carex macrandrolepis</i> H.Lév.	<b>Big male-scale sedge</b> 청피사초 (Cheong-pi-sa-cho)
<i>Carex maculata</i> Boott	<b>Maculate sedge</b> 무늬사초 (Mu-nui-sa-cho)
<i>Carex makinoensis</i> Franch.	<b>Tufted rock-loving sedge</b> 바위포기사초 (Ba-wi-po-gi-sa-cho)
<i>Carex mandshurica</i> Meinh.	<b>Manchurian sedge</b> 만주사초 (Man-ju-sa-cho)
<i>Carex matsumurae</i> Franch.	<b>Big-wheat sedge</b> 왕밀사초 (Wang-mil-sa-cho)
<i>Carex maximowiczii</i> Miq.	<b>Maximowicz's sedge</b> 왕비늘사초 (Wang-bi-neul-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex maximowiczii</i> var. <i>levisaccus</i> Ohwi	<b>Smooth Maximowicz's sedge</b> 별풍경사초 (Byeol-pung-gyeong-sa-cho)
<i>Carex metallica</i> H.Lév.	<b>White-spike sedge</b> 흰이삭사초 (Huin-i-sak-sa-cho)
<i>Carex meyeriana</i> Kunth	<b>Meyer's sedge</b> 진들검정사초 (Jin-deul-geom-jeong-sa-cho)
<i>Carex micrantha</i> Kük.	<b>Small-flower sedge</b> 좁쌀사초 (Jop-ssal-sa-cho)
<i>Carex mira</i> Kük.	<b>Remarkable sedge</b> 꼬랑사초 (Kko-rang-sa-cho)
<i>Carex misandra</i> R.Br.	<b>Short-leaf sedge</b> 얼룩사초 (Eol-ruk-sa-cho)
<i>Carex mitrata</i> Franch.	<b>Mitra sedge</b> 겨사초 (Gyeo-sa-cho)
<i>Carex mitrata</i> var. <i>aristata</i> Ohwi	<b>Aristate mitra sedge</b> 거락겨사초 (Gyeo-rak-gyeo-sa-cho)
<i>Carex mollicula</i> Boott	<b>Small mucronate sedge</b> 애기흰사초 (Ae-gi-huin-sa-cho)
<i>Carex mollissima</i> Christ ex Scheutz	<b>Softest sedge</b> 염낭사초 (Yeom-nang-sa-cho)
<i>Carex nervata</i> Franch. & Sav.	<b>Nerved-mitra sedge</b> 양지사초 (Yang-ji-sa-cho)
<i>Carex neurocarpa</i> Maxim.	<b>Nerved-fruit sedge</b> 괭이사초 (Gwaeng-i-sa-cho)
<i>Carex norvegica</i> Retz.	<b>Norway sedge</b> 검정타래사초 (Geom-jeong-ta-rae-sa-cho)
<i>Carex ochrochlamys</i> Ohwi	<b>Yellow-mantle sedge</b> 애기이삭사초 (Ae-gi-i-sak-sa-cho)
<i>Carex okamotoi</i> Ohwi	<b>Creeping narrow-leaf sedge</b> 지리대사초 (Ji-ri-dae-sa-cho)
<i>Carex okamotoi</i> f. <i>variegata</i> Y.N.Lee	<b>Variegated creeping narrow-leaf sedge</b> 무느지리대사초 (Mu-nui-ji-ri-dae-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex omiana</i> Franch. & Sav.	<b>Suwon sedge</b> 수원사초 (Su-won-sa-cho)
<i>Carex onoei</i> Franch. & Sav.	<b>Needle sedge</b> 바늘사초 (Ba-neul-sa-cho)
<i>Carex oxyandra</i> (Franch. & Sav.) Kudô	<b>Hill sedge</b> 언덕사초 (Eon-deok-sa-cho)
<i>Carex pauciflora</i> Lightf.	<b>Few-flower sedge</b> 산바늘사초 (San-ba-neul-sa-cho)
<i>Carex paxii</i> Kük.	<b>Pax's sedge</b> 대구사초 (Dae-gu-sa-cho)
<i>Carex pediformis</i> C.A.Mey.	<b>Wide-leaf low sedge</b> 넓은잎그늘사초 (Neol-beun-ip-geu-neul-sa-cho)
<i>Carex pediformis</i> var. <i>pedunculata</i> Maxim.	<b>Peduncled wide-leaf low sedge</b> 왕그늘사초 (Wang-geu-neul-sa-cho)
<i>Carex peiktusani</i> Kom.	<b>Baekdu sedge</b> 백두사초 (Baek-du-sa-cho)
<i>Carex phacota</i> Spreng.	<b>Lentoid sedge</b> 비늘사초 (Bi-neul-sa-cho)
<i>Carex phaeothrix</i> Ohwi	<b>Brown-spike sedge</b> 조이삭사초 (Jo-i-sak-sa-cho)
<i>Carex pilosa</i> Scop.	<b>Pilose-leaf sedge</b> 털사초 (Teol-sa-cho)
<i>Carex pisiformis</i> Boott	<b>Thread sedge</b> 실사초 (Sil-sa-cho)
<i>Carex planiculmis</i> Kom.	<b>Shady mucronate sedge</b> 그늘흰사초 (Geu-neul-huin-sa-cho)
<i>Carex poulensisquama</i> Kük.	<b>Bowl-shape-scale sedge</b> 장군대사초 (Jang-gun-dae-sa-cho)
<i>Carex polyschoena</i> H.Lév. & Vaniot	<b>Sakhalin mitra sedge</b> 가지청사초 (Ga-ji-cheong-sa-cho)
<i>Carex pseudochinensis</i> H.Lév. & Vaniot	<b>False Chinese sedge</b> 햇사초 (Haet-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex pseudocuraica</i> F.Schmidt	<b>Creeler-like sedge</b> 덩굴사초 (Deong-gul-sa-cho)
<i>Carex pumila</i> Thunb.	<b>Dwarf sand sedge</b> 좀보리사초 (Jom-bo-ri-sa-cho)
<i>Carex quadriflora</i> (Kük.) Ohwi	<b>Four-flower sedge</b> 녹빛사초 (Nok-bit-sa-cho)
<i>Carex raddei</i> Kük.	<b>Radde's sedge</b> 화산곱슬사초 (Hwa-san-gop-seul-sa-cho)
<i>Carex remotiuscula</i> Wahlenb.	<b>Minute-gibbous sedge</b> 증실사초 (Cheung-sil-sa-cho)
<i>Carex rhynchophyza</i> Fisch., C.A.Mey. & Avé-Lall	<b>Large-spike sedge</b> 왕삿갓사초 (Wang-sat-gat-sa-cho)
<i>Carex rigescens</i> (Franch.) V.I.Krecz.	<b>Rigescens sedge</b> 진남포사초 (Jin-nam-po-sa-cho)
<i>Carex rostrata</i> Stokes	<b>Beak sedge</b> 큰물사갓사초 (Keun-mul-sa-gat-sa-cho)
<i>Carex rostrata</i> var. <i>borealis</i> (Hartm.) Kük	<b>Northern beak sedge</b> 물삿갓사초 (Mul-sat-gat-sa-cho)
<i>Carex rotundata</i> Wahlenb.	<b>Round sedge</b> 물사초 (Mul-sa-cho)
<i>Carex rugulosa</i> Kük.	<b>Thick-nerve sedge</b> 큰천일사초 (Keun-cheon-il-sa-cho)
<i>Carex rugulosa</i> var. <i>graciliculmis</i> (Ohwi) Kitag.	<b>Slender-culm thick-nerve sedge</b> 주름사초 (Ju-reum-sa-cho)
<i>Carex rupestris</i> All.	<b>Curly sedge</b> 눈사초 (Nun-sa-cho)
<i>Carex sabynensis</i> Less. ex Kunth	<b>Narrow mitra sedge</b> 실청사초 (Sil-cheong-sa-cho)
<i>Carex sabynensis</i> var. <i>leiosperma</i> Ohwi	<b>Smooth-fruit narrow mitra sedge</b> 지리실청사초 (Ji-ri-sil-cheong-sa-cho)
<i>Carex sabynensis</i> var. <i>rostrata</i> (Maxim.) Ohwi	<b>Beaked-fruit narrow mitra sedge</b> 부리실청사초 (Bu-ri-sil-cheong-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex sachalinensis</i> var. <i>alterniflora</i> (Franch.) Ohwi	<b>Alternate-flower thread sedge</b> 선사초 (Seon-sa-cho)
<i>Carex sachalinensis</i> var. <i>sikokiana</i> (Franch. & Sav.) Ohwi	<b>Green thread sedge</b> 녹빛실사초 (Nok-bit-sil-sa-cho)
<i>Carex scabrifolia</i> Steud.	<b>Scabrous-leaf sedge</b> 천일사초 (Cheon-il-sa-cho)
<i>Carex schmidtii</i> Meinh.	<b>Schmidt's sedge</b> 참똑사초 (Cham-ttuk-sa-cho)
<i>Carex sedakovii</i> C.A.Mey. ex Meinh.	<b>Sedakov's sedge</b> 난쟁이사초 (Nan-jaeng-i-sa-cho)
<i>Carex shimidzensis</i> Franch.	<b>Long-tail-spike sedge</b> 산꼬리사초 (San-kko-ri-sa-cho)
<i>Carex siderosticta</i> Hance	<b>Creeping broad-leaf sedge</b> 대사초 (Dae-sa-cho)
<i>Carex siroumensis</i> Koidz.	<b>Potae sedge</b> 포태사초 (Po-tae-sa-cho)
<i>Carex stipata</i> Muhl. ex Willd.	<b>Awl-fruit sedge</b> 양덕사초 (Yang-deok-sa-cho)
<i>Carex subspathacea</i> Wormsk. ex Hornem.	<b>Hoppner's sedge</b> 애기천일사초 (Ae-gi-cheon-il-sa-cho)
<i>Carex subumbellata</i> Meinh.	<b>Subumbellate sedge</b> 구름사초 (Gu-reum-sa-cho)
<i>Carex suifunensis</i> Kom.	<b>Narrow-scale sedge</b> 가는비늘사초 (Ga-neun-bi-neul-sa-cho)
<i>Carex tegulata</i> H.Lév. et Vaniot	<b>Orbicular sedge</b> 구슬사초 (Gu-seul-sa-cho)
<i>Carex teinogyna</i> Boott	<b>Slender-pedicel sedge</b> 폭이사초 (Pok-i-sa-cho)
<i>Carex tenuiflora</i> Wahlenb.	<b>Sparse-flower sedge</b> 별사초 (Byeoel-sa-cho)
<i>Carex tenuiformis</i> H.Lév. & Vaniot	<b>Shadow sedge</b> 나도그늘사초 (Na-do-geu-neul-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex tenuiformis</i> var. <i>neofilipes</i> (Nakai) Ohwi ex Hatus.	<b>Slender shadow sedge</b> 그늘실사초 (Geu-neul-sil-sa-cho)
<i>Carex thunbergii</i> var. <i>appendiculata</i> (Trautv. & C.A.Mey.) Ohwi	<b>Appendicular sedge</b> 똑사초 (Ttuk-sa-cho)
<i>Carex tristachya</i> Thunb.	<b>Shiny-spike sedge</b> 반들사초 (Ban-deul-sa-cho)
<i>Carex tristachya</i> var. <i>pocilliformis</i> (Boott) Kük.	<b>Small shiny-spike sedge</b> 애기반들사초 (Ae-gi-ban-deul-sa-cho)
<i>Carex tuminensis</i> Kom.	<b>Dumangang sedge</b> 중삿갓사초 (Jung-sat-gat-sa-cho)
<i>Carex uda</i> Maxim.	<b>Uda needle sedge</b> 개바늘사초 (Gae-ba-neul-sa-cho)
<i>Carex ulobasis</i> V.I.Krecz.	<b>Montane sedge</b> 산양지사초 (San-yang-ji-sa-cho)
<i>Carex ussuriensis</i> Kom.	<b>Ussuri sedge</b> 싸라기사초 (Ssa-ra-gi-sa-cho)
<i>Carex vaginata</i> Tausch	<b>Sheathed sedge</b> 집사초 (Jip-sa-cho)
<i>Carex vanheurckii</i> Müll. Arg.	<b>Northern meadow sedge</b> 망사초 (Mang-sa-cho)
<i>Carex vesicaria</i> L.	<b>Blister sedge</b> 새방울사초 (Sae-bang-ul-sa-cho)
<i>Carex xiphium</i> Kom.	<b>Sword-like sedge</b> 넓은잎피사초 (Neol-beun-ip-pi-sa-cho)
<b><i>Carlesia</i> Dunn [Apiaceae]</b>	<b>Carlesia</b> 돌방풍속 (Dol-bang-pung-sok) [산형과]
<i>Carlesia sinensis</i> Dunn	<b>Rock carlesia</b> 돌방풍 (Dol-bang-pung)
<b><i>Carpesium</i> L. [Asteraceae]</b>	<b>Carpesium</b> 담배풀속 (Dam-bae-pul-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Carpesium abrotanoides</i> L.	<b>Common carpesium</b> 담배풀 (Dam-bae-pul)
<i>Carpesium cernuum</i> L.	<b>Drooping carpesium</b> 좀담배풀 (Jom-dam-bae-pul)
<i>Carpesium divaricatum</i> Siebold & Zucc.	<b>Divaricate carpesium</b> 긴담배풀 (Gin-dam-bae-pul)
<i>Carpesium glossophyllum</i> Maxim.	<b>Glossy-leaf carpesium</b> 천일담배풀 (Cheon-il-dam-bae-pul)
<i>Carpesium macrocephalum</i> Franch. & Sav.	<b>Big-head carpesium</b> 여우오줌 (Yeo-u-o-jum)
<i>Carpesium rosulatum</i> Miq.	<b>Rosette carpesium</b> 애기담배풀 (Ae-gi-dam-bae-pul)
<i>Carpesium triste</i> Maxim.	<b>Alpine carpesium</b> 두메담배풀 (Du-me-dam-bae-pul)
<b><i>Carpinus</i> L. [Betulaceae]</b>	<b>Hornbeam</b> 서어나무속 (Seo-eo-na-mu-sok) [자작나무과]
<i>Carpinus cordata</i> Blume	<b>Heart-leaf hornbeam</b> 까치박달 (Kka-chi-bak-dal)
<i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume	<b>Loose-flower hornbeam</b> 서어나무 (Seo-eo-na-mu)
<i>Carpinus laxiflora</i> var. <i>longispica</i> Uyeki	<b>Long loose-flower hornbeam</b> 긴서어나무 (Gin-seo-eo-na-mu)
<i>Carpinus tschonoskii</i> Maxim.	<b>Asian hornbeam</b> 개서어나무 (Gae-seo-eo-na-mu)
* <i>Carpinus tschonoskii</i> var. <i>brevicalycina</i> Nakai ex Kawamoto	<b>Short-calyx Asian hornbeam</b> 당개서어나무 (Dang-gae-seo-eo-na-mu)
<i>Carpinus turczaninowii</i> Hance	<b>Korean hornbeam</b> 소사나무 (So-sa-na-mu)
* <i>Carpinus turczaninovii</i> var. <i>arguta</i> Uyeki	<b>Small-leaf Korean hornbeam</b> 좁산서어나무 (Jom-san-seo-eo-na-mu)

Scientific name	English name Korean name (Romanization)
<b>CARYOPHYLLACEAE Juss.</b>	Pink family, Carnation family 석죽과 (Seok-juk-gwa)
<i>Caryopteris</i> Bunge [Verbenaceae]	Bluebeard, Caryopteris 층꽃나무속 (Cheung-kkot-na-mu-sok) [마편초과]
<i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.	Common bluebeard 층꽃나무 (Cheung-kkot-na-mu)
<i>Caryopteris incana</i> f. <i>candida</i> (C.K.Schneid.) H.Hara	White bluebeard 흰층꽃나무 (Huin-cheung-kkot-na-mu)
<i>Castanea</i> Mill. [Fagaceae]	Chestnut 밤나무속 (Bam-na-mu-sok) [참나무과]
<i>Castanea crenata</i> Siebold & Zucc.	Korean castanea 밤나무 (Bam-na-mu)
<i>Castanea crenata</i> var. <i>kusakuri</i> (Blume) Nakai	Korean mountain castanea 산밤나무 (San-bam-na-mu)
<i>Castanea mollissima</i> Blume	Chinese castanea 악밤나무 (Yak-bam-na-mu)
<i>Castanopsis</i> (D.Don) Spach [Fagaceae]	Chinquapin, Chinkapin 모밀잣밤나무속 (Mo-mil-jat-bam-na-mu-sok) [참나무과]
<i>Castanopsis cuspidata</i> (Thunb.) Schottky	Japanese chinquapin 모밀잣밤나무 (Mo-mil-jat-bam-na-mu)
<i>Castanopsis sieboldii</i> (Makino) Hatus.	Siebold's chinquapin 구실잣밤나무 (Gu-sil-jat-bam-na-mu)
<i>Caulophyllum</i> Michx. [Berberidaceae]	Blue cohosh, Cohosh, Papoose root, Squaw root 꿩의다리아재비속 (Kkwong-ui-da-ri-a-jae-bi-sok) [매자나무과]
<i>Caulophyllum robustum</i> Maxim.	Asian blue cohosh 꿩의다리아재비 (Kkwong-ui-da-ri-a-jae-bi)
<i>Cayratia</i> Juss. [Vitaceae]	Cayratia 거지덩굴속 (Geo-ji-deong-gul-sok) [포도과]

Scientific name	English name Korean name (Romanization)
<i>Cayratia japonica</i> (Thunb.) Gagnep.	<b>Bushkiller</b> 거지덩굴 (Geo-ji-deong-gul)
<b>CELASTRACEAE R.Br.</b>	<b>Bittersweet family, Staff vine family</b> <b>노박덩굴과</b> (No-bak-deong-gul-gwa)
<i>Celastrus</i> L. [Celastraceae]	<b>Bittersweet, Staff tree, Staff vine</b> <b>노박덩굴속</b> (No-bak-deong-gul-sok) [ <b>노박덩굴과</b> ]
<i>Celastrus flagellaris</i> Rupr.	<b>Hooked-spine bittersweet</b> 푼지나무 (Pun-ji-na-mu)
<i>Celastrus orbiculatus</i> Thunb.	<b>Oriental bittersweet</b> 노박덩굴 (No-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>punctatus</i> Rehder	<b>Coastal oriental bittersweet</b> 해변노박덩굴 (Hae-byeon-no-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>strigillosus</i> (Nakai) Makino	<b>Bristle oriental bittersweet</b> 개노박덩굴 (Gae-no-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>sylvestris</i> (Siebold) Nakai ex T.Mori	<b>Bush oriental bittersweet</b> 덤불노박덩굴 (Deom-bul-no-bak-deong-gul)
<i>Celastrus stephanotiiifolius</i> (Makino) Makino	<b>Hairy oriental bittersweet</b> 털노박덩굴 (Teol-no-bak-deong-gul)
<i>Celtis</i> L. [Ulmaceae]	<b>Hackberry</b> <b>팽나무속</b> (Paeng-na-mu-sok) [느릅나무과]
<i>Celtis aurantiaca</i> Nakai	<b>Orange-fruit hackberry</b> 산팽나무 (San-paeng-na-mu)
<i>Celtis biondii</i> Pamp.	<b>Biond's hackberry</b> 폭나무 (Pok-na-mu)
<i>Celtis bungeana</i> Blume	<b>Bunge's hackberry</b> ombokge나무 (Jom-pung-ge-na-mu)
<i>Celtis chosenniana</i> Nakai	<b>Black-fruit hackberry</b> 검팽나무 (Geom-paeng-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Celtis cordifolia</i> Nakai	<b>Broad-leaf hackberry</b> 장수팽나무 (Jang-su-paeng-na-mu)
<i>Celtis edulis</i> Nakai	<b>Yellow-fruit hackberry</b> 노랑팽나무 (No-rang-paeng-na-mu)
<i>Celtis jessoensis</i> Koidz.	<b>Caudate-leaf hackberry</b> 풍개나무 (Pung-ge-na-mu)
<i>Celtis koraiensis</i> Nakai	<b>Korean hackberry</b> 왕팽나무 (Wang-paeng-na-mu)
<i>Celtis sinensis</i> Pers.	<b>East Asian hackberry</b> 팽나무 (Paeng-na-mu)
<b>Centella L.</b> [Apiaceae]	<b>Centella</b> 병풀속 (Byeong-pul-sok) [산형과]
<i>Centella asiatica</i> (L.) Urb.	<b>Asian pennywort</b> 병풀 (Byeong-pul)
<b>Centipeda Lour.</b> [Asteraceae]	<b>Centipeda</b> 중대가리풀속 (Jung-dae-ga-ri-pul-sok) [국화과]
<i>Centipeda minima</i> (L.) A.Braun & Asch	<b>Spreading sneezeweed</b> 중대가리풀 (Jung-dae-ga-ri-pul)
<b>Centranthera R.Br.</b> [Scrophulariaceae]	<b>Centranthera</b> 성주풀속 (Seong-ju-pul-sok) [현삼과]
<i>Centranthera cochinchinensis</i> var. <i>lutea</i> (H.Hara) H.Hara	<b>Yellow-swamp foxglove</b> 성주풀 (Seong-ju-pul)
<b>Cephalanthera Rich.</b> [Orchidaceae]	<b>Cephalanthera</b> 은대난초속 (Eun-dae-nan-cho-sok) [난초과]
<i>Cephalanthera erecta</i> (Thunb.) Blume	<b>Erect cephalanthera</b> 은난초 (Eun-nan-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Cephalanthera erecta</i> var. <i>oblanceolata</i> N.Pearce & P.J.Cribb.	<b>Oblanceolate erect cephalanthera</b> 민은난초 (Min-eun-nan-cho)
<i>Cephalanthera erecta</i> var. <i>subaphylla</i> (Miyabe & Kudô) Ohwi	<b>Short erect cephalanthera</b> 꼬마은난초 (Kko-ma-eun-nan-cho)
<i>Cephalanthera falcata</i> (Thunb.) Blume	<b>Golden cephalanthera</b> 금난초 (Geum-nan-cho)
<i>Cephalanthera longibracteata</i> Blume	<b>Long-bract cephalanthera</b> 은대난초 (Eun-dae-nan-cho)
<b>CEPHALOTAXACEAE Neger</b>	<b>Plum yew family</b> <b>개비자나무과</b> (Gae-bi-ja-na-mu-gwa)
<i>Cephalotaxus</i> Siebold & Zucc. ex Endl. [Cephalotaxaceae]	<b>Cephalotaxus, Cowtail pine, Plum yew</b> <b>개비자나무속</b> (Gae-bi-ja-na-mu-sok) [개비자나무과]
<i>Cephalotaxus koreana</i> Nakai	<b>Plum yew</b> 개비자나무 (Gae-bi-ja-na-mu)
<i>Cephalotaxus harringtonia</i> (Knight) K.Koch	<b>Korean plum yew</b> 큰개비자나무 (Keun-gae-bi-ja-na-mu)
<i>Cephalotaxus harringtonia</i> var. <i>nana</i> (Nakai) Rehder	<b>Dwarf Korean plum yew</b> 눈개비자나무 (Nun-gae-bi-ja-na-mu)
<b>Cerastium L.</b> [Caryophyllaceae]	<b>Mouse-ear chickweed</b> 점나도나물속 (Jeom-na-do-na-mul-sok) [석죽과]
<i>Cerastium fischerianum</i> Ser.	<b>Fischer's mouse-ear chickweed</b> 큰점나도나물 (Keun-jeom-na-do-na-mul)
<i>Cerastium holosteoides</i> Fries	<b>Eurasian mouse-ear chickweed</b> 북점나도나물 (Buk-jeom-na-do-na-mul)
<i>Cerastium holosteoides</i> var. <i>hallaisanense</i> (Nakai) Mizush.	<b>Common mouse-ear chickweed</b> 점나도나물 (Jeom-na-do-na-mul)
<i>Cerastium pauciflorum</i> Stev. ex Ser.	<b>Hairy mouse-ear chickweed</b> 털점나도나물 (Teol-jeom-na-do-na-mul)
<i>Cerastium pauciflorum</i> var. <i>amurense</i> (Regel) Mizush.	<b>Amur mouse-ear chickweed</b> 각시통점나도나물 (Gak-si-tong-jeom-na-do-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Cerastium rubescens</i> var. <i>koreanum</i> (Nakai) Miki	<b>Korean mouse-ear chickweed</b> 북선점나도나물 (Buk-seon-jeom-na-do-na-mul)
<b>CERATOPHYLLACEAE</b> Gray	<b>Hornwort family</b> 붕어마름과 (Bung-eo-ma-reum-gwa)
<i>Ceratophyllum</i> L. [Ceratophyllaceae]	<b>Coon's tail, Hornwort</b> 붕어마름속 (Bung-eo-ma-reum-sok) [붕어마름과]
<i>Ceratophyllum demersum</i> L.	<b>Coon's tail</b> 붕어마름 (Bung-eo-ma-reum)
<i>Ceratophyllum demersum</i> var. <i>quadrispinum</i> Makino	<b>Four-spin coon's tail</b> 오성붕어마름 (O-seong-bung-eo-ma-reum)
<i>Ceratopteris</i> Brongn. [Parkeriaceae]	<b>Antlerfern</b> 풀고사리속 (Mul-go-sa-ri-sok) [풀고사리과]
<i>Ceratopteris thalictroides</i> (L.) Brongn.	<b>Oriental waterfern</b> 풀고사리 (Mul-go-sa-ri)
<i>Chaenomeles</i> Lindl. [Rosaceae]	<b>Flowering quince</b> 명자나무속 (Myeong-ja-na-mu-sok) [장미과]
<i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach	<b>Maule's quince</b> 풀명자 (Pul-myeong-ja)
<i>Chamaecrista</i> Moench [Fabaceae]	<b>Sensitive pea</b> 차풀속 (Cha-pul-sok) [콩과]
<i>Chamaecrista nomame</i> (Siebold) H.Ohashi	<b>Field sensitive pea</b> 차풀 (Cha-pul)
<i>Chamaedaphne</i> Moench [Ericaceae]	<b>Leatherleaf</b> 진퍼리꽃나무속 (Jin-peo-ri-kkot-na-mu-sok) [진달래과]
<i>Chamaedaphne calyculata</i> (L.) Moench	<b>Leatherleaf</b> 진퍼리꽃나무 (Jin-peo-ri-kkot-na-mu)
<i>Chamaegastrodia</i> Makino & F.Maek. [Orchidaceae]	<b>Chamaegastrodia</b> 애기천마속 (Ae-gi-cheon-ma-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Chamaegastrodia shikokiana</i> Makino & F.Mack.	<b>Sweet cheonma</b> 애기천마 (Ae-gi-cheon-ma)
<i>Chamaerhodos</i> Bunge [Rosaceae]	<b>Little rose</b> 좀낭아초속 (Jom-nang-a-cho-sok) [장미과]
<i>Chamaerhodos erecta</i> (L.) Bunge	<b>Ground little rose</b> 좀낭아초 (Jom-nang-a-cho)
<i>Cheilanthes</i> Sw. [Pteridaceae]	<b>Lip ferns, Lipfern</b> 개부싯깃고사리속 (Gae-bu-sit-git-go-sa-ri-sok) [고사리과]
<i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze	<b>Silver clockfern</b> 부싯깃고사리 (Bu-sit-git-go-sa-ri)
<i>Cheilanthes argentea</i> f. <i>obscura</i> (Christ) Kitag.	<u>see</u> <i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze
<i>Cheilanthes fordii</i> Baker	<b>Ford's clockfern</b> 개부싯깃고사리 (Gae-bu-sit-git-go-sa-ri)
<i>Cheilanthes kuhnii</i> Milde	<b>Northern lipfern</b> 산부싯깃고사리 (San-bu-sit-git-go-sa-ri)
<i>Cheilanthes kuhnii</i> f. <i>gracilis</i> Kitag.	<b>Thin northern lipfern</b> 북부싯깃고사리 (Buk-bu-sit-git-go-sa-ri)
<i>Chelidonium</i> L. [Papaveraceae]	<b>Celandine, Greater celandine, Nipplewort, Swallowwort, Tetterwort</b> 애기똥풀속 (Ae-gi-ttong-pul-sok) [양귀비과]
<i>Chelidonium majus</i> var. <i>asiaticum</i> (H.Hara) Ohwi	<b>Asian greater celandine</b> 애기똥풀 (Ae-gi-ttong-pul)
<b>CHENOPODIACEAE</b> Vent.	<b>Goosefoot family</b> 명아주과 (Myeong-a-ju-gwa)
<i>Chenopodium</i> L. [Chenopodiaceae]	<b>Goosefoot</b> 명아주속 (Myeong-a-ju-sok) [명아주과]
<i>Chenopodium acuminatum</i> Willd.	<b>Acuminate goosefoot</b> 등근잎명아주 (Dung-geun-ip-myeong-a-ju)

Scientific name	English name Korean name (Romanization)
<i>Chenopodium album</i> L.	<b>White goosefoot</b> 흰명아주 (Huin-myeong-a-ju)
<i>Chenopodium album</i> var. <i>centrorubrum</i> Makino	<b>Red-center goosefoot</b> 명아주 (Myeong-a-ju)
<i>Chenopodium album</i> var. <i>stenophyllum</i> Makino	<b>Narrow-leaf goosefoot</b> 가는명아주 (Ga-neun-myeong-a-ju)
<i>Chenopodium aristatum</i> L.	<b>Aristate goosefoot</b> 바늘명아주 (Ba-neul-myeong-a-ju)
<i>Chenopodium bryoniifolium</i> Bunge	<b>Rhombic-leaf goosefoot</b> 청명아주 (Cheong-myeong-a-ju)
<i>Chenopodium carinatum</i> R.Br.	<b>Creeping goosefoot</b> 호주명아주 (Ho-ju-myeong-a-ju)
<i>Chenopodium ficifolium</i> Sm.	<b>Fig-leaf goosefoot</b> 좀명아주 (Jom-myeong-a-ju)
<i>Chenopodium glaucum</i> L.	<b>Oak-leaf goosefoot</b> 취명아주 (Chwi-myeong-a-ju)
<i>Chenopodium koraiense</i> Nakai	<b>Korean goosefoot</b> 참명아주 (Cham-myeong-a-ju)
<i>Chenopodium virgatum</i> Thunb.	see <i>Chenopodium acuminatum</i> Willd.
<b><i>Chimaphila</i> Pursh</b> [Pyrolaceae]	<b>Prince's pine, Wintergreen</b> 매화노루발속 (Mae-hwa-no-ru-bal-sok) [노루발과]
<i>Chimaphila japonica</i> Miq.	<b>Asian prince's pine</b> 매화노루발 (Mae-hwa-no-ru-bal)
<b><i>Chionanthus</i> L.</b> [Oleaceae]	<b>Fringetree</b> 이팝나무속 (I-pap-na-mu-sok) [풀풀나무과]
<i>Chionanthus retusus</i> Lindl. & Paxton	<b>Retusa fringetree</b> 이팝나무 (I-pap-na-mu)
<i>Chionanthus retusus</i> var. <i>coreana</i> (H.Lév.) Nakai	<b>Long-leaf fringetree</b> 긴잎이팝나무 (Gin-ip-i-pap-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Chionographis</i> Maxim. [Liliaceae]	<b>Chionographis</b> 실꽃풀속 (Sil-kkot-pul-sok) [백합과]
<i>Chionographis japonica</i> (Willd.) Maxim.	<b>White stringflower</b> 실꽃풀 (Sil-kkot-pul)
<b>CHLORANTHACEAE R.Br. ex Sims</b>	<b>Chloranthus family</b> 홀아비꽃대과 (Hol-a-bi-kkot-dae-gwa)
<i>Chloranthus</i> Sw. [Chloranthaceae]	<b>Chloranthus</b> 홀아비꽃대속 (Hol-a-bi-kkot-dae-sok) [홀아비꽃대과]
<i>Chloranthus fortunei</i> (A.Gray) Solms	<b>Maiden chloranthus</b> 옥녀꽃대 (Ok-nyeo-kkot-dae)
<i>Chloranthus japonicus</i> Siebold	<b>Single-spike chloranthus</b> 홀아비꽃대 (Hol-a-bi-kkot-dae)
<i>Chloranthus serratus</i> (Thunb.) Roem. & Schult.	<b>Serrate-leaf chloranthus</b> 꽃대 (Kkot-dae)
<i>Chosenia</i> Nakai [Salicaceae]	<b>Choseonia, Choseon-willow</b> 새양버들속 (Sae-yang-beo-deul-sok) [벼드나무과]
<i>Chosenia arbutifolia</i> (Pall.) A.K.Skvortsov	<b>Riparian Choseon-willow</b> 새양버들 (Sae-yang-beo-deul)
<i>Chosenia arbutifolia</i> f. <i>adenantha</i> (Kimura) Kimura	<b>False Choseon-willow</b> 나도새양버들 (Na-do-sae-yang-beo-deul)
<i>Chrysosplenium</i> L. [Saxifragaceae]	<b>Golden saxifrage, Golden-saxifrage</b> 괭이눈속 (Gwaeng-i-nun-sok) [범의귀과]
<i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> Ser. ex DC.	<b>Odaesan golden saxifrage</b> 오대산괭이눈 (O-dae-san-gwaeng-i-nun)
<i>Chrysosplenium flagelliferum</i> F.Schmidt	<b>Stolon golden saxifrage</b> 애기괭이눈 (Ae-gi-gwaeng-i-nun)
<i>Chrysosplenium flaviflorum</i> Ohwi	<b>Yellow golden saxifrage</b> 누른괭이눈 (Nu-reun-gwaeng-i-nun)

Scientific name	English name Korean name (Romanization)
<i>Chrysosplenium grayanum</i> Maxim.	<b>Gray's golden saxifrage</b> 괭이눈 (Gwaeng-i-nun)
<i>Chrysosplenium japonicum</i> (Maxim.) Makino	<b>Mountain golden saxifrage</b> 산괭이눈 (San-gwaeng-i-nun)
<i>Chrysosplenium macrostemon</i> Maxim. ex Franch. & Sav.	<b>Big-leaf golden saxifrage</b> 바위괭이눈 (Ba-wi-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> Maxim.	<b>Hairy golden saxifrage</b> 털괭이눈 (Teol-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> var. <i>fulvum</i> (N.Terracc.) H.Hara	<b>White-hair golden saxifrage</b> 흰괭이눈 (Huin-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> var. <i>sphaerospermum</i> (A.Terracc.) H.Hara	<b>Globose-fruit golden saxifrage</b> 금괭이눈 (Geum-gwaeng-i-nun)
<i>Chrysosplenium pseudofauriei</i> H.Lév.	<b>Upright golden saxifrage</b> 선괭이눈 (Seon-gwaeng-i-nun)
<i>Chrysosplenium ramosum</i> Maxim.	<b>Many-branch golden saxifrage</b> 가지괭이눈 (Ga-ji-gwaeng-i-nun)
<b><i>Cicuta</i> L. [Apiaceae]</b>	<b>Cowbane, Poison parsnip, Water hemlock</b> 독미나리속 (Dok-mi-na-ri-sok) [산형과]
<i>Cicuta virosa</i> L.	<b>Northern water hemlock</b> 독미나리 (Dok-mi-na-ri)
<i>Cicuta virosa</i> var. <i>stricta</i> K.F.Schultz	<b>Upright water hemlock</b> 가는잎독미나리 (Ga-neun-ip-dok-mi-na-ri)
<b><i>Cimicifuga</i> L. ex Wernisch. [Ranunculaceae]</b>	<b>Bugbane, Cohosh</b> 승마속 (Seung-ma-sok) [미나리아재비과]
<i>Cimicifuga biternata</i> (Siebold & Zucc.) Miq.	<b>Southern bugbane</b> 개승마 (Gae-seung-ma)
<i>Cimicifuga dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Maxim.	<b>Dahurian bugbane</b> 눈빛승마 (Nun-bit-seung-ma)
<i>Cimicifuga foetida</i> L.	<b>Foetid's bugbane</b> 황새승마 (Hwang-sae-seung-ma)

Scientific name	English name Korean name (Romanization)
<i>Cimicifuga heracleifolia</i> Kom.	<b>Komarov's bugbane</b> 승마 (Seung-ma)
<i>Cimicifuga heracleifolia</i> var. <i>bifida</i> Nakai	<b>Three-leaf Komarov's bugbane</b> 세잎승마 (Se-ip-seung-ma)
<i>Cimicifuga japonica</i> (Thunb.) Spreng.	<b>Jejudo bugbane</b> 왜승마 (Wae-seung-ma)
<i>Cimicifuga simplex</i> Wormsk. ex DC.	<b>Simple bugbane</b> 촛대승마 (Chot-dae-seung-ma)
<b><i>Cinna</i> L. [Poaceae]</b>	<b>Woodreed</b> <b>나도딸기광이속</b> (Na-do-ttal-gi-gwang-i-sok) [벼과]
<i>Cinna latifolia</i> (Trevir. ex Göpp.) Griseb.	<b>Drooping woodreed</b> 나도딸기광이 (Na-do-ttal-gi-gwang-i)
<b><i>Cinnamomum</i> Schaeff. [Lauraceae]</b>	<b>Cinnamon</b> <b>녹나무속</b> (Nok-na-mu-sok) [녹나무과]
<i>Cinnamomum camphora</i> (L.) J.Presl	<b>Camphor tree</b> 녹나무 (Nok-na-mu)
<i>Cinnamomum camphora</i> var. <i>cyclophyllum</i> Nakai	<b>Round-leaf camphor tree</b> 둥근잎녹나무 (Dung-geun-ip-nok-na-mu)
<i>Cinnamomum yabunikkei</i> H.Ohba	<b>Japanese camphor tree</b> 생달나무 (Saeng-dal-na-mu)
<b><i>Circaeа</i> L. [Onagraceae]</b>	<b>Enchanter's nightshade</b> <b>털이슬속</b> (Teol-i-seul-sok) [바늘꽃과]
<i>Circaeа alpina</i> L.	<b>Alpine enchanter's nightshade</b> 쥐털이슬 (Jwi-teol-i-seul)
<i>Circaeа alpina</i> subsp. <i>caulescens</i> (Kom.) Tatew.	<b>Pilose enchanter's nightshade</b> 개털이슬 (Gae-teol-i-seul)
<i>Circaeа cordata</i> Royle	<b>Cordata enchanter's nightshade</b> 쇠털이슬 (Soe-teol-i-seul)
<i>Circaeа erubescens</i> Franch. & Sav.	<b>Red-hair enchanter's nightshade</b> 붉은털이슬 (Bul-geun-teol-i-seul)

Scientific name	English name Korean name (Romanization)
<i>Circae mollis</i> Slebold & Zucc.	<b>South enchanter's nightshade</b> 틸이슬 (Teol-i-seul)
<i>Circae quadrifolata</i> (Maxim.) Franch. & Sav.	<b>Four-angle enchanter's nightshade</b> 말털이슬 (Mal-teol-i-seul)
<i>Circae quadrifolata</i> f. <i>viridicalyx</i> (H.Hara) Kitag.	<b>Green-calyx enchanter's nightshade</b> 푸른말털이슬 (Pu-reun-mal-teol-i-seul)
<b><i>Cirsium</i> Mill. [Asteraceae]</b>	<b>Thistle</b> 엉겅퀴속 (Eong-geong-kwi-sok) [국화과]
<i>Cirsium chanroenicum</i> (L.) Nakai	<b>Jeongyeong thistle</b> 정영엉겅퀴 (Jeong-yeong-eong-geong-kwi)
<i>Cirsium chanroenicum</i> var. <i>lanceolata</i> Kitam.	<b>Sword-leaf Jeongyeong thistle</b> 가는정영엉겅퀴 (Ga-neun-jeong-yeong-eong-geng-kwi)
<i>Cirsium chinense</i> Gardner & Cham.	<b>Chinese thistle</b> 제주엉겅퀴 (Je-ju-eong-geong-kwi)
<i>Cirsium japonicum</i> (Thunb.) Fisch. ex DC.	<b>Japanese thistle</b> 개엉겅퀴 (Gae-eong-geong-kwi)
<i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum.	<b>Ussuri thistle</b> 영겅퀴 (Eong-geong-kwi)
* <i>Cirsium japonicum</i> var. <i>spinosissimum</i> f. <i>alba</i> T.B.Lee	<b>White Japanese thistle</b> 흰가시엉겅퀴 (Huin-ga-si-eong-geong-kwi)
<i>Cirsium japonicum</i> var. <i>spinossimum</i> Kitam.	<b>Spined Japanese thistle</b> 가시엉겅퀴 (Ga-si-eong-geong-kwi)
<i>Cirsium japonicum</i> f. <i>nakaianum</i> (H.Lév. & Vaniot) W.T.Lee	<b>Narrow-leaf Japanese thistle</b> 좁은잎엉겅퀴 (Jop-eun-ip-eong-geong-kwi)
<i>Cirsium lineare</i> (Thunb.) Sch.Bip.	<b>Linear-leaf thistle</b> 버들잎엉겅퀴 (Beo-deul-ip-eong-geong-kwi)
<i>Cirsium nipponicum</i> (Maxim.) Makino	<b>Island thistle</b> 물엉겅퀴 (Mul-eong-geong-kwi)
<i>Cirsium pendulum</i> Fisch. ex DC.	<b>Pendulous thistle</b> 큰엉겅퀴 (Keun-eong-geong-kwi)

Scientific name	English name Korean name (Romanization)
<i>Cirsium rhinoceros</i> (H.Lév. & Vaniot) Nakai	<b>Korean prickly thistle</b> 바늘엉겅퀴 (Ba-neul-eong-geong-kwi)
<i>Cirsium rhinoceros</i> f. <i>albiflorum</i> Sakata	<b>White prickly thistle</b> 흰바늘엉겅퀴 (Huin-ba-neul-eong-geong-kwi)
<i>Cirsium schantarensse</i> Trautv. & C.A.Mey.	<b>Woodland thistle</b> 도깨비엉겅퀴 (Do-kkae-bi-eong-geong-kwi)
<i>Cirsium schantarensse</i> f. <i>albiflorum</i> Y.N.Lee	<b>White woodland thistle</b> 흰도깨비엉겅퀴 (Huin-do-kkae-bi-eong-geong-kwi)
<i>Cirsium setidens</i> (Dunn) Nakai	<b>Gondre (Korean thistle)</b> 고려엉겅퀴 (Go-ryeo-eong-geong-kwi)
<i>Cirsium setidens</i> var. <i>niveoaraneum</i> Kitam.	<b>White-leaf Korean thistle</b> 흰잎고려엉겅퀴 (Huin-ip-go-ryeo-eong-geong-kwi)
* <i>Cirsium setidens</i> f. <i>alba</i> T.B.Lee	<b>White-flower Korean thistle</b> 흰고려엉겅퀴 (Huin-go-ryeo-eong-geong-kwi)
<i>Cirsium toraiense</i> Nakai ex Kitam.	<b>Dongrae thistle</b> 동래엉겅퀴 (Dong-rae-eong-geong-kwi)
<i>Cirsium vlassovianum</i> Fisch. ex DC.	<b>Vlassoviana thistle</b> 흰잎엉겅퀴 (Huin-ip-eong-geong-kwi)
<i>Cirsium vlassovianum</i> var. <i>album</i> Nakai	<b>Glabrous vlassoviana thistle</b> 민흰잎엉겅퀴 (Min-huin-ip-eong-geong-kwi)
<i>Cirsium vlassovianum</i> f. <i>leucanthum</i> Kitam.	<b>White-flower vlassoviana thistle</b> 흰꽃잎엉겅퀴 (Huin-kkot-ip-eong-geong-kwi)
<i>Cirsium zenii</i> Nakai	<b>Jeombongsan thistle</b> 점봉산엉겅퀴 (Jeom-bong-san-eong-geong-kwi)
<b>Cladium P.Browne</b> [Cyperaceae]	<b>Fen-sedge, Sawgrass, Twig-sedge</b> 층층고랭이속 (Cheung-cheung-go-raeng-i-sok) [사초과]
<i>Cladium chinense</i> Nees	<b>Strata fen-sedge</b> 층층고랭이 (Cheung-cheung-go-raeng-i)
<b><i>Clausia</i> Korn.-Trotzky ex Hayek</b> [Brassicaceae]	<b><i>Clausia</i></b> 큰장대속 (Keun-jang-dae-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Clausia trichosepala</i> (Turcz.) F.Dvorák	<b>Hairy-sepal clausia</b> 큰장대 (Keun-jang-dae)
<b><i>Cleisostoma</i> Blume</b> [Orchidaceae]	<b>Cleisostoma</b> 지네발란속 (Ji-ne-bal-ran-sok) [난초과]
<i>Cleisostoma scolopendrifolia</i> (Makino) Garay	<b>Centipede's foot orchid</b> 지네발란 (Ji-ne-bal-ran)
<b><i>Cleistogenes</i> Keng</b> [Poaceae]	<b>Cleistogenes</b> 대새풀속 (Dae-sae-pul-sok) [벼과]
<i>Cleistogenes hackelii</i> (Honda) Honda	<b>Hackel's cleistogenes</b> 대새풀 (Dae-sae-pul)
<i>Cleistogenes hackelii</i> var. <i>nakaii</i> (Keng) Ohwi	<b>Beard Hackel's cleistogenes</b> 수염대새풀 (Su-yeom-dae-sae-pul)
<b><i>Clematis</i> L.</b> [Ranunculaceae]	<b>Clematis, Leather flower, Old man's beard, Traveller's joy, Vase vine, Virgin's bower</b> 으아리속 (Eu-a-ri-sok) [미나리아재비과]
<i>Clematis alpina</i> var. <i>ochotensis</i> (Pall.) S.Watson	<b>Purple alpine clematis</b> 자주종덩굴 (Ja-ju-jong-deong-gul)
<i>Clematis apiifolia</i> DC.	<b>Three-leaf clematis</b> 사위질빵 (Sa-wi-jil-ppang)
<i>Clematis brachyura</i> Maxim.	<b>Unifloral clematis</b> 외대으아리 (Oe-dae-eu-a-ri)
<i>Clematis brachyura</i> var. <i>hexasepala</i> Y.N.Lee	<b>Six-sepal clematis</b> 조령으아리 (Jo-ryeong-eu-a-ri)
<i>Clematis brevicaudata</i> DC.	<b>Short plumous clematis</b> 좀사위질빵 (Jom-sa-wi-jil-ppang)
<i>Clematis calcicola</i> J.S.Kim	<b>Rock clematis</b> 바위종덩굴 (Ba-wi-jong-deong-gul)
<i>Clematis crassisepala</i> Ohwi	<b>Thick-sepal clematis</b> 줌종덩굴 (Jom-jong-deong-gul)

Scientific name	English name Korean name (Romanization)
<i>Clematis fusca</i> Turcz.	<b>Stanavoi clematis</b> 검은종덩굴 (Geom-eun-jong-deong-gul)
<i>Clematis fusca</i> var. <i>coreana</i> Nakai	<b>Black-flower Korean clematis</b> 요강나물 (Yo-gang-na-mul)
<i>Clematis fusca</i> var. <i>violacea</i> Maxim.	<b>Violet Stanavoi clematis</b> 종덩굴 (Jong-deong-gul)
<i>Clematis heracleifolia</i> DC.	<b>Hyacinth-flower clematis</b> 병조희풀 (Byeong-jo-hui-pul)
<i>Clematis heracleifolia</i> var. <i>tubulosa</i> (Turcz.) Kuntze	<b>Purple hyacinth-flower clematis</b> 자주조희풀 (Ja-ju-jo-hui-pul)
* <i>Clematis heracleifolia</i> f. <i>albiflora</i> Y.N.Lee	<b>White hyacinth-flower clematis</b> 흰조희풀 (Huin-jo-hui-pul)
<i>Clematis hexapetala</i> Pall.	<b>Narrow three-leaf clematis</b> 좁은잎사위질빵 (Jop-eun-ip-sa-wi-jil-ppang)
<i>Clematis koreana</i> Kom.	<b>Korean clematis</b> 세잎종덩굴 (Se-ip-jong-deong-gul)
* <i>Clematis mankiuensis</i> Y.N.Lee	<b>Mankyu's clematis</b> 구례종덩굴 (Gu-rye-jong-deong-gul)
<i>Clematis patens</i> C.Morren & Decne.	<b>Big-flower clematis</b> 큰꽃으아리 (Keun-kkot-eu-a-ri)
<i>Clematis pierotii</i> Miq.	<b>Small virgin's-bower clematis</b> 작은사위질빵 (Jak-eun-sa-wi-jil-ppang)
<i>Clematis serratifolia</i> Rehder	<b>Hermitgold clematis</b> 개벼무리 (Gae-beo-mu-ri)
<i>Clematis taeguensis</i> Y.N.Lee	<b>Daegu clematis</b> 대구으아리 (Dae-gu-eu-a-ri)
<i>Clematis terniflora</i> DC.	<b>Sweet autumn clematis</b> 참으아리 (Cham-eu-a-ri)
<i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi	<b>Manchurian clematis</b> 으아리 (Eu-a-ri)
<i>Clematis trichotoma</i> Nakai	<b>Three-flower Korean clematis</b> 할미밀망 (Hal-mi-mil-mang)

Scientific name [Verbenaceae]	English name Korean name (Romanization)
<i>Clerodendrum</i> L. [Verbenaceae]	<b>Bagflower, Bleeding-heart, Glorybower</b> 누리장나무속 (Nu-ri-jang-na-mu-sok) [마편초과]
<i>Clerodendrum trichotomum</i> Thunb.	<b>Harlequin glorybower</b> 누리장나무 (Nu-ri-jang-na-mu)
<i>Clerodendrum trichotomum</i> var. <i>esculentum</i> Makino	<b>Glabrous harlequin glorybower</b> 거문누리장나무 (Geo-mun-nu-ri-jang-na-mu)
<i>Clerodendrum trichotomum</i> var. <i>ferrugineum</i> Nakai	<b>Hairy harlequin glorybower</b> 털누리장나무 (Teol-nu-ri-jang-na-mu)
<i>Clethra</i> L. [Clethraceae]	<b>Sweetpepperbush</b> 매화오리속 (Mae-hwa-o-ri-sok) [매화오리과]
<i>Clethra barbinervis</i> Siebold & Zucc.	<b>Tree clethra</b> 매화오리나무 (Mae-hwa-o-ri-na-mu)
<b>CLETHRACEAE Klotzsch</b>	<b>White alder family</b> 매화오리과 (Mae-hwa-o-ri-gwa)
<i>Cleyera</i> Thunb. [Theaceae]	<b>Cleyera</b> 비쭈기나무속 (Bi-jju-gi-na-mu-sok) [차나무과]
<i>Cleyera japonica</i> Thunb.	<b>Japanese cleyera</b> 비쭈기나무 (Bi-jju-gi-na-mu)
<i>Clinopodium</i> L. [Lamiaceae]	<b>Clinopodium</b> 층층이꽃속 (Cheung-cheung-i-kkot-sok) [꿀풀과]
<i>Clinopodium chinense</i> var. <i>glabrescens</i> (Nakai) Ohwi	<b>Hairless Asian calamint</b> 푸른산층층이 (Pu-reun-san-cheung-cheung-i)
<i>Clinopodium chinense</i> var. <i>grandiflorum</i> (Maxim.) Kitag.	<b>Large-flower Asian calamint</b> 꽃층층이꽃 (Kkot-cheung-cheung-i-kkot)
<i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H.Hara	<b>Small-flower Asian calamint</b> 층층이꽃 (Cheung-cheung-i-kkot)
<i>Clinopodium chinense</i> var. <i>shibetchense</i> (H.Lév.) Koidz.	<b>Mountain Asian calamint</b> 산층층이 (San-cheung-cheung-i)

Scientific name	English name Korean name (Romanization)
<i>Clinopodium gracile</i> (Benth.) Kuntze	<b>Slender wild calamint</b> 애기탑꽃 (Ae-gi-tap-kkot)
<i>Clinopodium gracile</i> var. <i>multicaule</i> (Maxim.) Ohwi	<b>Many-stem wild calamint</b> 탑꽃 (Tap-kkot)
<i>Clinopodium micranthum</i> (Regel) H.Hara	<b>Small-flower mountain calamint</b> 두메충총이 (Du-me-cheung-cheung-i)
<i>Clinopodium sachalinense</i> (F.Schmidt) Koidz.	<b>Alpine calamint</b> 두메탑풀 (Du-me-tap-pul)
<b><i>Clintonia</i> Raf. [Liliaceae]</b>	<b>Bluebead</b> <b>나도옥잠화속</b> (Na-do-ok-jam-hwa-sok) [백합과]
<i>Clintonia udensis</i> Trautv. & C.A.Mey.	<b>Common bluebead lily</b> 나도옥잠화 (Na-do-ok-jam-hwa)
<b>CLUSIACEAE Lindl. (=Guttiferae Juss.)</b>	<b>Mangosteen family</b> <b>물레나물과</b> (Mul-re-na-mul-gwa)
<b><i>Cnidium</i> Cusson [Apiaceae]</b>	<b>Snowparsley</b> <b>천궁속</b> (Cheon-gung-sok) [산형과]
<i>Cnidium dauricum</i> (Jacq.) Fisch. & C.A.Mey	<b>Dahurian snowparsley</b> 사동미나리 (Sa-dong-mi-na-ri)
<i>Cnidium japonicum</i> Miq.	<b>Seashore snowparsley</b> 갯사상자 (Gaet-sa-sang-ja)
<i>Cnidium monnierii</i> (L.) Cusson	<b>Monnier's snowparsley</b> 별사상자 (Beol-sa-sang-ja)
<b><i>Cocculus</i> DC. [Menispermaceae]</b>	<b>Coralbead</b> <b>댕댕이덩굴속</b> (Daeng-daeng-i-deong-gul-sok) [새모래덩굴과]
<i>Cocculus orbiculatus</i> (L.) DC.	<b>Queen coralbead</b> 댕댕이덩굴 (Daeng-daeng-i-deong-gul)
<b><i>Codonopsis</i> Wall. [Campanulaceae]</b>	<b>Codonopsis</b> <b>더덕속</b> (Deo-deok-sok) [초롱꽃과]

Scientific name	English name Korean name (Romanization)
<i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv.	<b>Deodeok (Lance Asiabell, Bonnet bellflower)</b> 더덕 (Deo-deok)
<i>Codonopsis lanceolata</i> f. <i>emaculata</i> (Honda) H.Hara	<b>Spotless bonnet bellflower</b> 푸른더덕 (Pu-reun-deo-deok)
<i>Codonopsis minima</i> Nakai	<b>Sweet bonnet bellflower</b> 애기더덕 (Ae-gi-deo-deok)
<i>Codonopsis pilosula</i> (Franch.) Nannf.	<b>Pilose bellflower</b> 만삼 (Man-sam)
<i>Codonopsis ussuriensis</i> (Rupr. & Maxim.) Hemsl.	<b>Ussuri bellflower</b> 소경불알 (So-gyeong-bul-al)
<i>Coelachne</i> R.Br. [Poaceae]	<b>Coelachne</b> ombokpulsuk (Jom-jo-gae-pul-sok) [벼과]
<i>Coelachne japonica</i> Hack.	<b>East Asian basketgrass</b> ombokpul (Jom-jo-gae-pul)
<i>Coelopleurum</i> Ledeb. [Apiaceae]	<b>Coelopleurum</b> 부전바디속 (Bu-jeon-ba-di-sok) [산형과]
<i>Coelopleurum nakaiianum</i> (Kitag.) Kitag.	<b>Bujeon angelica</b> 부전바디 (Bu-jeon-ba-di)
<i>Coelopleurum saxatile</i> (Turcz. ex Ledeb.) Drude	<b>High-mountain angelica</b> 고산바디 (Go-san-ba-di)
<i>Colysis</i> C.Presl [Polypodiaceae]	<b>Colysis</b> 손고비속 (Son-go-bi-sok) [고란초과]
<i>Colysis decurrentis</i> (Wall.) C.Presl	<b>Decurrent colysis fern</b> 큰손고비 (Keun-son-go-bi)
<i>Colysis elliptica</i> (Thunb.) Ching	<b>Elliptic colysis fern</b> 손고비 (Son-go-bi)
<i>Colysis wrightii</i> (Hook.) Ching	<b>Chestnut-leaf colysis fern</b> 밤잎고사리 (Bam-ip-go-sa-ri)
<i>Colysis × shintenensis</i> (Hayata) H.Ito	<b>Jeju spear colysis fern</b> 제주창고사리 (Je-ju-chang-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Colysis × simplicifrons</i> (Christ) Tagawa	<b>Lance colysis fern</b> 창고사리 (Chang-go-sa-ri)
<b>Commelina L.</b> [Commelinaceae]	<b>Dayflowers, Widow's tears</b> 닭의장풀속 (Dak-ui-jang-pul-sok) [닭의장풀과]
<i>Commelina communis</i> L.	<b>Asian dayflower</b> 닭의장풀 (Dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>angustifolia</i> Nakai	<b>Narrow-flower Asian dayflower</b> 좁닭의장풀 (Jom-dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>angustifolia</i> f. <i>leucantha</i> Nakai	<b>White narrow-flower Asian dayflower</b> 흰꽃좁닭의장풀 (Huin-kkot-jom-dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>hortensis</i> Makino	<b>Garden Asian dayflower</b> 큰닭의장풀 (Keun-dak-ui-jang-pul)
<i>Commelina mina</i> Y.N.Lee & Y.J.Oh	<b>Minute blue dayflower</b> 애기닭의장풀 (Ae-gi-dak-ui-jang-pul)
<b>COMMELINACEAE</b> Mirb.	<b>Dayflower family, Spiderwort family</b> 닭의장풀과 (Dak-ui-jang-pul-gwa)
<b>Coniogramme</b> Fée [Pteridaceae]	<b>Coniogramme</b> 고비고사리속 (Go-bi-go-sa-ri-sok) [고사리과]
<i>Coniogramme intermedia</i> Hieron	<b>Oriental bamboo fern</b> 고비고사리 (Go-bi-go-sa-ri)
<i>Coniogramme × fauriei</i> Hieron	<b>Faurie's bamboo fern</b> 개가지고비고사리 (Gae-ga-ji-go-bi-go-sa-ri)
<i>Coniogramme japonica</i> (Thunb.) Diels	<b>Bamboo fern</b> 가지고비고사리 (Ga-ji-go-bi-go-sa-ri)
<b>Conioselinum</b> Fisch. ex Hoffm. [Apiaceae]	<b>Hemlock parsley</b> 산천궁속 (San-cheon-gung-sok) [산형과]
<i>Conioselinum kamtschaticum</i> Rupr.	<b>Kamchatka hemlock parsley</b> 산천궁 (San-cheon-gung)
<b>Convallaria</b> L. [Liliaceae]	<b>Convallaria</b> 은방울꽃속 (Eun-bang-ul-kkot-sok) [백합과]

Scientific name	English name Korean name (Romanization)
<i>Convallaria keiskei</i> Miq.	<b>Lily of the valley</b> 은방울꽃 (Eun-bang-ul-kkot)
<b>CONVOLVULACEAE</b> Juss.	<b>Bindweed family, Morning glory family</b> <b>매꽃과</b> (Me-kkot-gwa)
<b><i>Corallorrhiza</i> Gagnepin</b> [Orchidaceae]	<b>Coralroot</b> <b>산호란속</b> (San-ho-ran-sok) [난초과]
<i>Corallorrhiza trifida</i> Châtel.	<b>Early coralroot</b> 산호란 (San-ho-ran)
<b><i>Corchoropsis</i> Siebold &amp; Zucc.</b> [Sterculiaceae]	<b>Corchoropsis</b> <b>까치깨속</b> (Kka-chi-kkae-sok) [벽오동과]
<i>Corchoropsis intermedia</i> Nakai	<b>Intermediate corchoropsis</b> 암까치깨 (Am-kka-chi-kkae)
<i>Corchoropsis psilocarpa</i> Harms & Loes.	<b>Glabrous-fruit corchoropsis</b> 까치깨 (Kka-chi-kkae)
<i>Corchoropsis tomentosa</i> (Thunb.) Makino	<b>Tomentose corchoropsis</b> 수까치깨 (Su-kka-chi-kkae)
<b><i>Coreanomecon</i> Nakai</b> [Papaveraceae]	<b>Coreanomecon</b> <b>매미꽃속</b> (Mae-mi-kkot-sok) [양귀비과]
<i>Coreanomecon hylomeconoides</i> Nakai	<b>Korean forest poppy</b> 매미꽃 (Mae-mi-kkot)
<b><i>Corispermum</i> L.</b> [Chenopodiaceae]	<b>Bugseed, Tickseed, Tumbleweed</b> <b>호모초속</b> (Ho-mo-cho-sok) [명아주과]
<i>Corispermum chinganicum</i> Iljin	<b>Chingan mountain bugseed</b> 이삭호모초 (I-sak-ho-mo-cho)
<i>Corispermum declinatum</i> Steph. ex Iljin	<b>Declinate bugseed</b> 긴호모초 (Gin-ho-mo-cho)
<i>Corispermum elongatum</i> Bunge ex Maxim.	<b>Elongate-leaf bugseed</b> 긴잎장다리풀 (Gin-ip-jang-da-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Corispermum platypterus</i> Kitag.	<b>Broad-wing bugseed</b> 꼬리호모초 (Kko-ri-ho-mo-cho)
<i>Corispermum puberulum</i> f. <i>lissocarpum</i> (Kitag.) Kitag.	<b>Tall bugseed</b> 장다리나물 (Jang-da-ri-na-mul)
<i>Corispermum stauntonii</i> Moq.	<b>Staunton's bugseed</b> 호모초 (Ho-mo-cho)
<b>CORNACEAE Bercht. ex J.Presl</b>	<b>Dogwood family</b> 충총나무과 (Cheung-cheung-na-mu-gwa)
<i>Cornopteris</i> Nakai [Dryopteridaceae]	<b>Cornopteris</b> 뿔고사리속 (Ppul-go-sa-ri-sok) [면마과]
<i>Cornopteris × christenseniana</i> (Koidz.) Tagawa	<b>Jirisan horn fern</b> 지리산숲고사리 (Ji-ri-san-sup-go-sa-ri)
<i>Cornopteris crenulato-serrulata</i> (Makino) Nakai	<b>Shady horn fern</b> 웅달고사리 (Eung-dal-go-sa-ri)
<i>Cornopteris decurrenti-alata</i> (Hook.) Nakai	<b>Horn fern</b> 뿔고사리 (Ppul-go-sa-ri)
<i>Cornopteris decurrenti-alata</i> var. <i>pilosella</i> H.Ito	<b>Hairy horn fern</b> 털숲고사리 (Teol-sup-go-sa-ri)
<b><i>Cornus</i> L. [Cornaceae]</b>	<b>Dogwood</b> 충총나무속 (Cheung-cheung-na-mu-sok) [충총나무과]
<i>Cornus alba</i> L.	<b>Red-bark dogwood</b> 흰말채나무 (Huin-mal-chae-na-mu)
<i>Cornus canadensis</i> L.	<b>Bunchberry dogwood</b> 풀산딸나무 (Pul-san-ttal-na-mu)
<i>Cornus controversa</i> Hemsl.	<b>Wedding cake tree</b> 충총나무 (Cheung-cheung-na-mu)
<i>Cornus kousa</i> F.Buerger ex Hance	<b>Korean dogwood</b> 산딸나무 (San-ttal-na-mu)
<i>Cornus macrophylla</i> Wall.	<b>Large-leaf dogwood</b> 곰의말채나무 (Gom-ui-mal-chae-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Cornus walteri</i> Wangerin	<b>Walter's dogwood</b> 말채나무 (Mal-chae-na-mu)
<b><i>Cortusa</i> L.</b> [Primulaceae]	<b>Cortusa</b> 종다리꽃속 (Jong-da-ri-kkot-sok) [앵초과]
* <i>Cortusa matthioli</i> var. <i>pekinensis</i> (V.A.Richt.) T.B.Lee	<b>Dentate-lobe alpine bell</b> 종다리꽃 (Jong-da-ri-kkot)
<b><i>Corydalis</i> DC.</b> [Fumariaceae]	<b>Fumewort</b> 현호색속 (Hyeon-ho-saek-sok) [현호색과]
<i>Corydalis alata</i> B.U.Oh & W.R.Lee	<b>Winged corydalis</b> 날개현호색 (Nal-gae-hyeon-ho-saek)
<i>Corydalis albipetala</i> B.U.Oh	<b>White-flower corydalis</b> 흰현호색 (Huin-hyeon-ho-saek)
<i>Corydalis ambigua</i> Cham. & Schleht.	<b>Small corydalis</b> 왜현호색 (Wae-hyeon-ho-saek)
* <i>Corydalis ambigua</i> f. <i>lacticolora</i> Y.N.Lee	<b>White-flower small corydalis</b> 흰왜현호색 (Huin-wae-hyeon-ho-saek)
<i>Corydalis bungeana</i> Turcz.	<b>Bunge's corydalis</b> 줄현호색 (Jul-hyeon-ho-saek)
<i>Corydalis buschii</i> Nakai	<b>Busch's corydalis</b> 진펄현호색 (Jin-peol-hyeon-ho-saek)
<i>Corydalis caudata</i> (Lam.) Pers.	<b>Tailed corydalis</b> 수염현호색 (Su-yeom-hyeon-ho-saek)
<i>Corydalis cornupetala</i> Y.H.Kim et J.H.Jeong	<b>Bull's-horn corydalis</b> 쇠뿔현호색 (Soe-ppul-hyeon-ho-saek)
<i>Corydalis decumbens</i> (Thunb.) Pers.	<b>Decumbent corydalis</b> 좁현호색 (Jom-hyeon-ho-saek)
* <i>Corydalis decumbens</i> f. <i>albiflorus</i> Y.N.Lee	<b>White decumbent corydalis</b> 흰좁현호색 (Huin-jom-hyeon-ho-saek)
<i>Corydalis filistipes</i> Nakai	<b>Island corydalis</b> 섬현호색 (Seom-hyeon-ho-saek)

Scientific name	English name Korean name (Romanization)
<i>Corydalis × gigantea</i> Trautv. & C.A.Mey	<b>Giant corydalis</b> 큰괴불주머니 (Keun-goe-bul-ju-meo-ni)
<i>Corydalis grandicalyx</i> B.U.Oh & Y.S.Kim	<b>Large-sepal corydalis</b> 갈퀴현호색 (Gal-kwi-hyeon-ho-saek)
* <i>Corydalis grandicalyx</i> f. <i>albifloris</i> Y.N.Lee	<b>White large-sepal corydalis</b> 흰갈퀴현호색 (Huin-gal-kwi-hyeon-ho-saek)
<i>Corydalis hallaisanensis</i> H.Lév.	<b>Hallasan corydalis</b> 탐라현호색 (Tam-ra-hyeon-ho-saek)
<i>Corydalis heterocarpa</i> Siebold & Zucc.	<b>Beaded yellow corydalis</b> 염주괴불주머니 (Yeom-ju-goe-bul-ju-meo-ni)
<i>Corydalis hirtipes</i> B.U.Oh & J.G.Kim	<b>Hairy corydalis</b> 털현호색 (Teol-hyeon-ho-saek)
<i>Corydalis humilis</i> B.U.Oh & Y.S.Kim	<b>Dwarf corydalis</b> 난쟁이현호색 (Nan-jaeng-i-hyeon-ho-saek)
<i>Corydalis incisa</i> (Thunb.) Pers.	<b>Incised corydalis</b> 자주괴불주머니 (Ja-ju-goe-bul-ju-meo-ni)
* <i>Corydalis incisa</i> f. <i>albiflora</i> Y.N.Lee	<b>White incised corydalis</b> 흰자주괴불주머니 (Huin-ja-ju-goe-bul-ju-meo-ni)
<i>Corydalis lineariloba</i> Siebold & Zucc.	<b>Narrow-lobe corydalis</b> 선현호색 (Seon-hyeon-ho-saek)
<i>Corydalis maculata</i> B.U.Oh & Y.S.Kim	<b>Spotted corydalis</b> 점현호색 (Jeom-hyeon-ho-saek)
<i>Corydalis misandra</i> B.U.Oh	<b>Bride corydalis</b> 각시현호색 (Gak-si-hyeon-ho-saek)
<i>Corydalis namdoensis</i> B.U.Oh & J.G.Kim	<b>Namdo corydalis</b> 남도현호색 (Nam-do-hyeon-ho-saek)
<i>Corydalis ochotensis</i> Turcz.	<b>Prostrate corydalis</b> 눈괴불주머니 (Nun-goe-bul-ju-meo-ni)
<i>Corydalis pallida</i> (Thunb.) Pers.	<b>Pale-yellow corydalis</b> 괴불주머니 (Goe-bul-ju-meo-ni)
<i>Corydalis pauciovulata</i> Ohwi	<b>Upright yellow corydalis</b> 선괴불주머니 (Seon-goe-bul-ju-meo-ni)

Scientific name	English name Korean name (Romanization)
<i>Corydalis platycarpa</i> (Maxim. ex Palib.) Makino	<b>Seashore yellow corydalis</b> 갯괴불주머니 (Gaet-goe-bul-ju-meo-ni)
<i>Corydalis raddeana</i> Regel	<b>Dissected-leaf yellow corydalis</b> 가는괴불주머니 (Ga-neun-goe-bul-ju-meo-ni)
<i>Corydalis remota</i> Fisch. ex Maxim.	<b>Common corydalis</b> 현호색 (Hyeon-ho-saek)
<i>Corydalis speciosa</i> Maxim.	<b>Beautiful corydalis</b> 산괴불주머니 (San-goe-bul-ju-meo-ni)
<i>Corydalis ternata</i> (Nakai) Nakai	<b>Pink corydalis</b> 들현호색 (Deul-hyeon-ho-saek)
<i>Corydalis turtschaninovii</i> Besser	<b>Korean corydalis</b> 조선현호색 (Jo-seon-hyeon-ho-saek)
<i>Corydalis wandoensis</i> Y.N.Lee	<b>Wando corydalis</b> 완도현호색 (Wan-do-hyeon-ho-saek)
<b><i>Corylopsis</i> Siebold &amp; Zucc. [Hamamelidaceae]</b>	<b>Winter hazel</b> 히어리속 (Hi-eo-ri-sok) [조록나무과]
<i>Corylopsis coreana</i> Uyeki	<b>Korean winter hazel</b> 히어리 (Hi-eo-ri)
<b><i>Corylus</i> L. [Betulaceae]</b>	<b>Hazelnut</b> 개암나무속 (Gae-am-na-mu-sok) [자작나무과]
<i>Corylus hallaisanensis</i> Nakai	<b>Short-beak hazel</b> 병개암나무 (Byeong-gae-am-na-mu)
<i>Corylus heterophylla</i> Fisch. ex Trautv.	<b>Asian hazel</b> 개암나무 (Gae-am-na-mu)
<i>Corylus sieboldiana</i> Blume	<b>Asian beaked hazel</b> 참개암나무 (Cham-gae-am-na-mu)
<i>Corylus sieboldiana</i> var. <i>brevirostris</i> C.K.Schneid.	<b>Short Asian beaked hazel</b> 병풀개암나무 (Byeong-mul-gae-am-na-mu)
<i>Corylus sieboldiana</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.	<b>Manchurian hazel</b> 물개암나무 (Mul-gae-am-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Cotoneaster</i> Medik. [Rosaceae]	<b>Cotoneaster</b> 섬개야광나무속 (Seom-gae-ya-gwang-na-mu-sok) [장미과]
<i>Cotoneaster integriflora</i> Medik.	<b>Common cotoneaster</b> 둥근잎개야광 (Dung-geun-ip-gae-ya-gwang)
<i>Cotoneaster wilsonii</i> Nakai	<b>Ulleungdo cotoneaster</b> 섬개야광나무 (Seom-gae-ya-gwang-na-mu)
<b>CRASSULACEAE J.St.-Hil.</b>	<b>Stonecrop family</b> 돌나물과 (Dol-na-mul-gwa)
<i>Crataegus</i> L. [Rosaceae]	<b>Hawberry, Hawthorn, May-tree, Thornapple, Whitethorn</b> 산사나무속 (San-sa-na-mu-sok) [장미과]
<i>Crataegus komarovii</i> Sarg.	<b>Komarov's hawthorn</b> 이노리나무 (I-no-ri-na-mu)
<i>Crataegus maximowiczii</i> C.K.Schneid.	<b>Maximowicz's hawthorn</b> 아광나무 (A-gwang-na-mu)
<i>Crataegus pinnatifida</i> Bunge	<b>Mountain hawthorn</b> 산사나무 (San-sa-na-mu)
<i>Crataegus pinnatifida</i> var. <i>major</i> N.E.Br.	<b>Wide-leaf mountain hawthorn</b> 넓은잎산사 (Neol-beun-ip-san-sa)
* <i>Crataegus pinnatifida</i> var. <i>partita</i> Nakai ex T.H.Chung	<b>Dissected-leaf mountain hawthorn</b> 가새잎산사 (Ga-sae-ip-san-sa)
<i>Crataegus pinnatifida</i> f. <i>bracteata</i> Nakai	<b>Large-bract mountain hawthorn</b> 일월산사나무 (Il-wol-san-sa-na-mu)
<i>Crataegus pinnatifida</i> f. <i>pilosa</i> (C.K.Schneid.) Kitag.	<b>Hairy Korean hawthorn</b> 털산사 (Teol-san-sa)
<i>Cremastra</i> Lindl. [Orchidaceae]	<b>Cremastra</b> 약난초속 (Yak-nan-cho-sok) [난초과]
<i>Cremastra appendiculata</i> var. <i>variabilis</i> (Blume) I.D.Lund	<b>Single-leaf cremastra</b> 약난초 (Yak-nan-cho)

Scientific name	English name Korean name (Romanization)
<i>Cremastra unguiculata</i> (Finet) Finet	<b>Two-leaf cremastra</b> 두잎약난초 (Du-ip-yak-nan-cho)
<b><i>Crepidiastrixeric</i> Kitam.</b> [Asteraceae]	<b>Crepidiastrixeric</b> 홍도고들빼기속 (Hong-do-go-deul-ppae-gi-sok) [국화과]
<i>Crepidiastrixeric denticulato-platyphylla</i> (Makino) Kitam.	<b>Hongdo crepidiastrixeric</b> 홍도고들빼기 (Hong-do-go-deul-ppae-gi)
<b><i>Crepidiastrum</i> Nakai</b> [Asteraceae]	<b>Crepidiastrum</b> 고들빼기속 (Go-deul-ppae-gi-sok) [국화과]
<i>Crepidiastrum chelidoniiifolium</i> (Makino) Pak & Kawano	<b>Pinnate-compound crepidiastrum</b> 까치고들빼기 (Kka-chi-go-deul-ppae-gi)
<i>Crepidiastrum denticulatum</i> (Houtt.) Pak & Kawano	<b>Teeth-margin crepidiastrum</b> 이고들빼기 (I-go-deul-ppae-gi)
<i>Crepidiastrum koidzumianum</i> (Kitam.) Pak & Kawano	<b>Jiri crepidiastrum</b> 자리고들빼기 (Ji-ri-go-deul-ppae-gi)
<i>Crepidiastrum lanceolatum</i> (Houtt.) Nakai	<b>Sword-leaf crepidiastrum</b> 갯고들빼기 (Gaet-go-deul-ppae-gi)
<i>Crepidiastrum platyphyllum</i> (Franch. & Sav.) Kitam.	<b>Broad-leaf crepidiastrum</b> 절영풀 (Jeol-yeong-pul)
<i>Crepidiastrum sonchifolium</i> (Maxim.) Pak & Kawano	<b>Sonchus-leaf crepidiastrum</b> 고들빼기 (Go-deul-ppae-gi)
<b><i>Crepidomanes</i> C.Presl</b> [Hymenophyllaceae]	<b>Crepidomanes</b> 괴불이끼속 (Goe-bul-i-kki-sok) [처녀이끼과]
<i>Crepidomanes latealatum</i> (Bosch) Copel.	<b>Insignificant bristle fern</b> 괴불이끼 (Goe-bul-i-kki)
<i>Crepidomanes minutum</i> (Blume) K.Iwats.	<b>Tiny bristle fern</b> 부채괴불이끼 (Bu-chae-goe-bul-i-kki)
<b><i>Crinum</i> L.</b> [Amaryllidaceae]	<b>Swamp lily</b> 문주란속 (Mun-ju-ran-sok) [수선화과]

Scientific name	English name Korean name (Romanization)
<i>Crinum asiaticum</i> var. <i>japonicum</i> Baker	<b>Poison-bulb</b> 문주란 (Mun-ju-ran)
<i>Crotalaria</i> L. [Fabaceae]	<b>Rattlebox, Rattlepods</b> 활나물속 (Hwal-na-mul-sok) [종과]
<i>Crotalaria sessiliflora</i> L.	<b>Purple-flower rattlebox</b> 활나물 (Hwal-na-mul)
<i>Crypsinus</i> C.Presl [Polypodiaceae]	<b>Crypsinus</b> 고란초속 (Go-ran-cho-sok) [고란초과]
<i>Crypsinus engleri</i> (Luerss.) Fraser-Jenk.	<b>Engler's selliquea fern</b> 큰고란초 (Keun-go-ran-cho)
<i>Crypsinus hastatus</i> (Thunb.) Copel.	<b>Spear-leaf selliquea fern</b> 고란초 (Go-ran-cho)
<i>Crypsinus veitchii</i> (Baker) Copel.	<b>Multi-lobe selliquea fern</b> 층층고란초 (Cheung-cheung-go-ran-cho)
<i>Crypsis</i> Aiton [Poaceae]	<b>Prickleglass</b> 깻을무속 (Gaet-yul-mu-sok) [벼과]
<i>Crypsis aculeata</i> (L.) Aiton	<b>Common prickleglass</b> 깻을무 (Gaet-yul-mu)
<i>Cryptogramma</i> R.Br. [Pteridaceae]	<b>Rockbrake</b> 북바위고사리속 (Buk-ba-wi-go-sa-ri-sok) [고사리과]
<i>Cryptogramma crispa</i> (L.) R.Br. ex Rich.	<b>Parsley fern</b> 북바위고사리 (Buk-ba-wi-go-sa-ri)
<i>Cryptotaenia</i> DC. [Apiaceae]	<b>Honewort</b> 파드득나물속 (Pa-deu-deuk-na-mul-sok) [산형과]
<i>Cryptotaenia japonica</i> Hassk.	<b>East Asian wildparsley</b> 파드득나물 (Pa-deu-deuk-na-mul)
<i>Ctenitis</i> (C.Chr.) C.Chr. [Dryopteridaceae]	<b>Lacefern</b> 남방고사리속 (Nam-bang-go-sa-ri-sok) [면마과]

Scientific name	English name Korean name (Romanization)
<i>Ctenitis sinii</i> (Ching) Ohwi	<b>Southern lacefern</b> 남방고사리 (Nam-bang-go-sa-ri)
<b><i>Cucubalus</i> L.</b> [Caryophyllaceae]	<b>Cucubalus</b> 덩굴별꽃속 (Deong-gul-byeol-kkot-sok) [석죽과]
<i>Cucubalus baccifer</i> f. <i>atropurpureus</i> Nakai	<b>Purple-stem berry catchfly</b> 자주덩굴별꽃 (Ja-ju-deong-gul-byeol-kkot)
<b>CUCURBITACEAE</b> Juss.	<b>Gourd family</b> 박과 (Bak-gwa)
<b><i>Cudrania</i> Trécul</b> [Moraceae]	<b>Cudrania</b> 꾸지뽕나무속 (Kku-ji-ppong-na-mu-sok) [뽕나무과]
<i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée	<b>Silkworm thorn</b> 꾸지뽕나무 (Kku-ji-ppong-na-mu)
<b>CUPRESSACEAE</b> Gray	<b>Cypress family</b> 측백나무과 (Cheuk-baek-na-mu-gwa)
<b><i>Cuscuta</i> L.</b> [Convolvulaceae]	<b>Dodder</b> 새삼속 (Sae-sam-sok) [매꽃과]
<i>Cuscuta australis</i> R.Br.	<b>Australian dodder</b> 실새삼 (Sil-sae-sam)
<i>Cuscuta chinensis</i> Lam.	<b>Chinese dodder</b> 갓실새삼 (Gaet-sil-sae-sam)
<i>Cuscuta japonica</i> Choisy	<b>Japanese dodder</b> 새삼 (Sae-sam)
<b><i>Cyclogramma</i> Tagawa</b> [Dryopteridaceae]	<b>Cyclogramma</b> 나도진퍼리고사리속 (Na-do-jin-peo-ri-go-sa-ri-sok) [면마과]
<i>Cyclogramma leveillei</i> (Christ) Ching	<b>Leveille's swamp fern</b> 나도진퍼리고사리 (Na-do-jin-peo-ri-go-sa-ri)
<b><i>Cyclosorus</i> Link</b> [Dryopteridaceae]	<b>Cyclosorus</b> 별고사리속 (Byeol-go-sa-ri-sok) [면마과]

Scientific name	English name Korean name (Romanization)
<i>Cyclosorus acuminata</i> (Houtt.) Nakai ex H.Ito	<b>Sail fern</b> 별고사리 (Byeol-go-sa-ri)
<i>Cyclosorus dentatus</i> (Forssk.) Ching	<b>Downy shield-fern</b> 탐라별고사리 (Tam-ra-byeol-go-sa-ri)
<i>Cyclosorus interruptus</i> (Willd.) H.Ito	<b>Swamp shield-fern</b> 검은별고사리 (Geom-eun-byeol-go-sa-ri)
<i>Cyclosorus parasiticus</i> (L.) Farw.	<b>Parasitic maiden fern</b> 털별고사리 (Teol-byeol-go-sa-ri)
<i>Cymbidium</i> Sw. [Orchidaceae]	<b>Boat orchid</b> 보춘화속 (Bo-chun-hwa-sok) [난초과]
<i>Cymbidium ensifolium</i> (L.) Sw.	<b>Four-season orchid</b> 소란 (So-ran)
<i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f.	<b>Goering's cymbidium</b> 보춘화 (Bo-chun-hwa)
<i>Cymbidium kanran</i> Makino	<b>Hanran (Cold-growing cymbidium)</b> 한란 (Han-ran)
<i>Cymbidium lancifolium</i> Hook.	<b>White bamboo-leaf orchid</b> 죽백란 (Juk-baek-ran)
<i>Cymbidium lancifolium</i> var. <i>aspidistrifolium</i> (Fukuy.) S.S.Ying	<b>Green-flower bamboo-leaf orchid</b> 녹화죽백란 (Nok-hwa-juk-baek-ran)
<i>Cymbidium macrorhizon</i> Lindl.	<b>Big-root cymbidium</b> 대흉란 (Dae-heung-ran)
<i>Cymbopogon</i> Spreng. [Poaceae]	<b>Lemon grass</b> 개솔새속 (Gae-sol-sae-sok) [벼과]
<i>Cymbopogon goeringii</i> (Steud.) A.Camus	<b>Georing's lemon grass</b> 개솔새 (Gae-sol-sae)
<i>Cymopterus</i> Raf. [Apiaceae]	<b>Springparsley</b> 큰참나물속 (Keun-cham-na-mul-sok) [산형과]
<i>Cymopterus melanotilingia</i> (H.Boissieu) C.Y.Yoon	<b>Big springparsley</b> 큰참나물 (Keun-cham-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Cynanchum</i> L. [Asclepiadaceae]	Dog-strangling vine, Swallow-wort 백미꽃속 (Baek-mi-kkot-sok) [박주가리과]
<i>Cynanchum amplexicaule</i> (Siebold & Zucc.) Hemsl.	Amplexicaul swallow-wort 솜아마존 (Som-a-ma-jon)
<i>Cynanchum amplexicaule</i> f. <i>castaneum</i> (Makino) C.Y.Li	Black amplexicaul swallow-wort 검은솜아마존 (Geom-eun-som-a-ma-jon)
<i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum.	Asian white swallow-wort 민백미꽃 (Min-baek-mi-kkot)
<i>Cynanchum atratum</i> Bunge	Black-end swallow-wort 백미꽃 (Baek-mi-kkot)
* <i>Cynanchum atratum</i> f. <i>viridescens</i> Ohwi	Greenish black-end swallow-wort 푸른백미꽃 (Pu-reun-baek-mi-kkot)
<i>Cynanchum chinense</i> R.Brown	Hairy swallow-wort 가는털백미 (Ga-neun-teol-baek-mi)
<i>Cynanchum inamoenum</i> (Maxim.) Loes. ex Gilg & Loes.	Upright Asian swallow-wort 선백미꽃 (Seon-baek-mi-kkot)
<i>Cynanchum japonicum</i> (C.Morren & Decne.) Hemsl.	Japanese swallow-wort 덩굴민백미꽃 (Deong-gul-min-baek-mi-kkot)
<i>Cynanchum nipponicum</i> Matsum.	Climbing swallow-wort 덩굴박주가리 (Deong-gul-bak-ju-ga-ri)
<i>Cynanchum nipponicum</i> var. <i>glabrum</i> (Nakai) H.Hara	Black climbing swallow-wort 흑박주가리 (Heuk-bak-ju-ga-ri)
<i>Cynanchum paniculatum</i> (Bunge) Kitag.	Paniculate swallow-wort 산해박 (San-hae-bak)
<i>Cynanchum purpureum</i> (Pall.) K.Schum.	Purple swallow-wort 자주박주가리 (Ja-ju-bak-ju-ga-ri)
<i>Cynanchum sibiricum</i> (L.) R.Br.	Siberian swallow-wort 양반풀 (Yang-ban-pul)
<i>Cynanchum volubile</i> (Maxim.) Hemsl.	Twining swallow-wort 세포큰조롱 (Se-po-keun-jo-rong)

Scientific name	English name Korean name (Romanization)
<i>Cynanchum wilfordii</i> (Maxim.) Hemsl.	<b>Wilford's swallow-wort</b> 큰조롱 (Keun-jo-rong)
<b><i>Cynodon</i> Rich.</b> [Poaceae]	<b>Bermuda grass, Dog's-tooth grass</b> 우산잔디속 (U-san-jan-di-sok) [벼과]
<i>Cynodon dactylon</i> (L.) Pers.	<b>Bermuda grass</b> 우산잔디 (U-san-jan-di)
<b><i>Cynoglossum</i> L.</b> [Boraginaceae]	<b>Hound's tongue</b> 섬꽃마리속 (Seom-kkot-ma-ri-sok) [지치과]
<i>Cynoglossum aspernum</i> Nakai	<b>Rough-hair hound's tongue</b> 왕꽃마리 (Wang-kkot-ma-ri)
<i>Cynoglossum zeylanicum</i> (Vahl ex Hornem.) Thunb. ex Lehm.	<b>Ceylon hound's tongue</b> 섬꽃마리 (Seom-kkot-ma-ri)
<b><i>Cynosurus</i> L.</b> [Poaceae]	<b>Dog's tail grass</b> 빗살새속 (Bit-sal-sae-sok) [벼과]
<i>Cynosurus cristatus</i> L.	<b>Crested dog's tail grass</b> 빗살새 (Bit-sal-sae)
<b>CYPERACEAE Juss.</b>	<b>Sedges</b> 사초과 (Sa-cho-gwa)
<b><i>Cyperus</i> L.</b> [Cyperaceae]	<b>Flatsedges, Galingales, Nutsedges, Papyrus sedges, Umbrella-sedges</b> 방동사니속 (Bang-dong-sa-ni-sok) [사초과]
<i>Cyperus amuricus</i> Maxim.	<b>Asian flatsedge</b> 방동사니 (Bang-dong-sa-ni)
<i>Cyperus cyperoides</i> (L.) Kuntze	<b>Pacific island flatsedge</b> 방동사니아재비 (Bang-dong-sa-ni-a-jae-bi)
<i>Cyperus diaphanus</i> Schrad. ex Roem. & Schult.	<b>Diaphanous flatsedge</b> 깰끔방동사니 (Kkeol-kkeum-bang-dong-sa-ni)
<i>Cyperus difformis</i> L.	<b>Deformed flatsedge</b> 알방동사니 (Al-bang-dong-sa-ni)

Scientific name	English name Korean name (Romanization)
<i>Cyperus exaltatus</i> Retz.	<b>Great flatsedge</b> 왕골 (Wang-gol)
<i>Cyperus flavidus</i> (Retz.) T.Koyama	<b>Yellow flatsedge</b> 드렁방동사니 (Deu-reong-bang-dong-sa-ni)
<i>Cyperus glomeratus</i> L.	<b>Glomerate flatsedge</b> 물방동사니 (Mul-bang-dong-sa-ni)
<i>Cyperus hakonensis</i> Franch. & Sav.	<b>Small flatsedge</b> 병아리방동사니 (Byeong-a-ri-bang-dong-sa-ni)
<i>Cyperus haspan</i> L.	<b>Haspan flatsedge</b> 모기방동사니 (Mo-gi-bang-dong-sa-ni)
<i>Cyperus iria</i> L.	<b>Ricefield flatsedge</b> 참방동사니 (Cham-bang-dong-sa-ni)
<i>Cyperus michelianus</i> var. <i>pacificus</i> Ohwi	<b>White flatsedge</b> 흰방동사니 (Huin-bang-dong-sa-ni)
<i>Cyperus microiria</i> Steud.	<b>Awned rice flatsedge</b> 금방동사니 (Geum-bang-dong-sa-ni)
<i>Cyperus nipponicus</i> Franch. & Sav.	<b>White-scale flatsedge</b> 푸른방동사니 (Pu-reun-bang-dong-sa-ni)
<i>Cyperus orthostachyus</i> Franch. & Sav.	<b>Upright-spike flatsedge</b> 쇠방동사니 (Soe-bang-dong-sa-ni)
* <i>Cyperus orthostachyus</i> var. <i>pinnatiformis</i> Y.C.Oh & Y.B.Lee	<b>Pinnate rice flatsedge</b> 우산쇠방동사니 (U-san-soe-bang-dong-sa-ni)
* <i>Cyperus orthostachyus</i> var. <i>umbellus</i> Y.C.Oh & Y.B.Lee	<b>Umbel rice flatsedge</b> 산형쇠방동사니 (San-hyeong-soe-bang-dong-sa-ni)
<i>Cyperus polystachyos</i> Rottb.	<b>Many-spike flatsedge</b> 갯방동사니 (Gaet-bang-dong-sa-ni)
<i>Cyperus rotundus</i> L.	<b>Nutgrass flatsedge</b> 향부자 (Hyang-bu-ja)
<i>Cyperus sanguinolentus</i> Vahl	<b>Purple-glume flatsedge</b> 방동사니대가리 (Bang-dong-sa-ni-dae-ga-ri)
<i>Cyperus serotinus</i> Rottb.	<b>Tidal-marsh flatsedge</b> 너도방동사니 (Neo-do-bang-dong-sa-ni)

Scientific name	English name Korean name (Romanization)
<i>Cyperus tenuispica</i> Steud.	<b>Narrow-spiculate flatsedge</b> 우산방동사나 (U-san-bang-dong-sa-ni)
<i>Cypripedium</i> L. [Orchidaceae]	<b>Camel's foot, Lady's slipper orchids, Moccasin flower, Slipper orchids, Squirrel foot, Steeple cap, Venus' shoes, Whippoorwill shoe</b> <b>복주머니란속</b> (Bok-ju-meo-ni-ran-sok) [난초과]
<i>Cypripedium calceolus</i> L.	<b>Lady's slipper orchid</b> 노랑복주머니란 (No-rang-bok-ju-meo-ni-ran)
<i>Cypripedium guttatum</i> Sw.	<b>Spotted lady's slipper</b> 텔복주머니란 (Teol-bok-ju-meo-ni-ran)
* <i>Cypripedium guttatum</i> f. <i>albiflorum</i> Y.N.Lee	<b>White-hairy spotted lady's slipper</b> 흰털복주머니란 (Huin-teol-bok-ju-meo-ni-ran)
<i>Cypripedium guttatum</i> f. <i>punicum</i> Y.N.Lee	<b>Pink-hairy spotted lady's slipper</b> 분홍털복주머니란 (Bun-hong-teol-bok-ju-meo-ni-ran)
<i>Cypripedium japonicum</i> Thunb.	<b>Korean lady's slipper</b> 광릉요강꽃 (Gwang-reung-yo-gang-kkot)
<i>Cypripedium macranthos</i> Sw.	<b>Big-flower lady's slipper</b> 복주머니란 (Bok-ju-meo-ni-ran)
* <i>Cypripedium macranthos</i> var. <i>hoteiatsumorianum</i> Sadovsky	<b>Big lady's slipper</b> 왕복주머니란 (Wang-bok-ju-meo-ni-ran)
<i>Cypripedium macranthos</i> f. <i>rebunense</i> (Kudô) Ohwi	<b>Rebun big-flower lady's slipper</b> 레분복주머니란 (Re-bun-bok-ju-meo-ni-ran)
<i>Cypripedium macranthos</i> f. <i>albiflorum</i> (Makino) Ohwi	<b>White big-flower lady's slipper</b> 흰복주머니란 (Huin-bok-ju-meo-ni-ran)
<i>Cypripedium morinanum</i> Y.N.Lee	<b>Purple lady's slipper</b> 자주복주머니란 (Ja-ju-bok-ju-meo-ni-ran)
<i>Cypripedium neoparviflorum</i> Y.N.Lee	<b>Ivory lady's slipper</b> 미색복주머니란 (Mi-saek-bok-ju-meo-ni-ran)
<i>Cypripedium roseum</i> Y.N.Lee	<b>Rosy lady's slipper</b> 장미빛복주머니란 (Jang-mi-bit-bok-ju-meo-ni-ran)
<i>Cypripedium sinapoides</i> Y.N.Lee	<b>Mustard-color lady's slipper</b> 겨자복주머니란 (Gyeo-ja-bok-ju-meo-ni-ran)

Scientific name	English name Korean name (Romanization)
<i>Cypripedium × venticosum</i> Sw.	<b>Eolchigi lady's slipper (Hybrid complex)</b> 얼치기복주머니란 (Eol-chi-gi-bok-ju-meo-ni-ran)
<b><i>Cyrtomium</i> C.Presl</b> [Dryopteridaceae]	<b>Netvein hollyfern</b> 쇠고비속 (Soe-go-bi-sok) [면마과]
* <i>Cyrtomium caryotideum</i> var. <i>coreanum</i> Nakai	<b>Korean caryota-leaf hollyfern</b> 참쇠고비 (Cham-soe-go-bi)
<i>Cyrtomium devexiscapulae</i> (Koidz.) Koidz. & Ching	<b>Long-leaf Asian hollyfern</b> 긴잎도깨비쇠고비 (Gin-ip-do-kkae-bi-soe-go-bi)
<i>Cyrtomium falcatum</i> (L.f.) C.Presl	<b>Hollyfern</b> 도깨비쇠고비 (Do-kkae-bi-soe-go-bi)
<i>Cyrtomium fortunei</i> J.Sm.	<b>Fortune's hollyfern</b> 쇠고비 (Soe-go-bi)
<i>Cyrtomium fortunei</i> var. <i>clivicola</i> (Makino) Tagawa	<b>Arching hollyfern</b> 산쇠고비 (San-soe-go-bi)
<b><i>Cyrtosia</i> Blume</b> [Orchidaceae]	<b>Cyrtosia</b> 으름난초속 (Eu-reum-nan-cho-sok) [난초과]
<i>Cyrtosia septentrionalis</i> (Rchb.f.) Garay	<b>Akebian-fruit orchid</b> 으름난초 (Eu-reum-nan-cho)
<b><i>Cystopteris</i> Bernh.</b> [Dryopteridaceae]	<b>Bladderferns, Fragile ferns</b> 한들고사리속 (Han-deul-go-sa-ri-sok) [면마과]
<i>Cystopteris fragilis</i> (L.) Bernh.	<b>Fragile fern</b> 한들고사리 (Han-deul-go-sa-ri)
<i>Cystopteris sudetica</i> A.Braun. & Milde	<b>Bladderfern</b> 바람고사리 (Ba-ram-go-sa-ri)
<b>D</b>	
<b><i>Dactylorhiza</i> Neck. ex Nevski</b> [Orchidaceae]	<b>Coeloglossum viride, Dactylorhiza viridis,</b> <b>The frog orchid</b> 개제비난속 (Gae-je-bi-nan-sok) [난초과]

D

Scientific name	English name Korean name (Romanization)
<i>Dactylorhiza aristata</i> (Fisch. ex Lindl.) Soó	<b>Spiked dactylorhiza</b> 손바닥나비난초 (Son-ba-dak-na-bi-nan-cho)
<i>Dactylorhiza viridis</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase	<b>Frog orchid</b> 개제비난 (Gae-je-bi-nan)
<i>Dactylorhiza viridis</i> var. <i>coreana</i> (Nakai) N.S.Lee	<b>Korean frog orchid</b> 포태제비난 (Po-tae-je-bi-nan)
<b>Damnacanthus</b> C.F.Gaertn. [Rubiaceae]	<b>Damnacanthus</b> 호자나무속 (Ho-ja-na-mu-sok) [꼭두서니과]
<i>Damnacanthus indicus</i> C.F.Gaertn.	<b>Indian damnacanthus</b> 호자나무 (Ho-ja-na-mu)
<i>Damnacanthus major</i> Siebold & Zucc.	<b>Big-leaf damnacanthus</b> 수정목 (Su-jeong-mok)
<b>Daphne</b> L. [Thymelaeaceae]	<b>Daphne</b> 팔꽃나무속 (Pat-kkot-na-mu-sok) [팔꽃나무과]
<i>Daphne genkwa</i> Siebold & Zucc.	<b>Lilac daphne</b> 팔꽃나무 (Pat-kkot-na-mu)
<i>Daphne kiusiana</i> Miq.	<b>White daphne</b> 백서향 (Baek-seo-hyang)
<i>Daphne pseudomezereum</i> var. <i>koreana</i> (Nakai) Hamaya	<b>Mountain daphne</b> 두메탁나무 (Du-me-dak-na-mu)
<b>DAPHNIPHYLACEAE</b> Müll.Arg.	<b>Daphniphyllum family</b> 굴거리나무과 (Gul-geo-ri-na-mu-gwa)
<b>Daphniphyllum</b> Blume [Daphniphyllaceae]	<b>Daphniphyllum</b> 굴거리나무속 (Gul-geo-ri-na-mu-sok) [굴거리나무과]
<i>Daphniphyllum macropodum</i> Miq.	<b>Macropodous daphniphyllum</b> 굴거리나무 (Gul-geo-ri-na-mu)
<i>Daphniphyllum teijsmannii</i> Zoll. ex Teijsm. & Binn	<b>Common daphniphyllum</b> 좀굴거리나무 (Jom-gul-geo-ri-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Daucus</i> L. [Apiaceae]	<b>Wild carrot</b> 당근속 (Dang-geun-sok) [산형과]
<i>Daucus littoralis</i> Sm.	<b>Seashore carrot</b> 갯당근 (Gaet-dang-geun)
<i>Davallia</i> Sm. [Davalliaceae]	<b>Deer's foot fern, Hare's foot fern</b> 너줄고사리속 (Neok-jul-go-sa-ri-sok) [너줄고사리과]
<i>Davallia mariesii</i> T.Moore ex Baker	<b>Squirrel's-foot fern</b> 너줄고사리 (Neok-jul-go-sa-ri)
<b>DAVALLIACEAE M.R.Schomb. ex A.B.Frank</b>	<b>Rabbit's foot ferns</b> 너줄고사리과 (Neok-jul-go-sa-ri-gwa)
<i>Deinostema</i> T.Yamaz. [Scrophulariaceae]	<b>Deinostema</b> 진땅고추풀속 (Jin-ttang-go-chu-pul-sok) [현삼과]
<i>Deinostema adenocaulum</i> (Maxim.) T.Yamaz.	<b>Ovate-leaf deinostema</b> 둥근잎고추풀 (Dung-geun-ip-go-chu-pul)
<i>Deinostema violacea</i> (Maxim.) T.Yamaz.	<b>Violet deinostema</b> 진땅고추풀 (Jin-ttang-go-chu-pul)
<i>Delphinium</i> L. [Ranunculaceae]	<b>Larkspur</b> 제비고깔속 (Je-bi-go-kkal-sok) [미나리아재비과]
<i>Delphinium grandiflorum</i> L.	<b>Siberian larkspur</b> 제비고깔 (Je-bi-go-kkal)
<i>Delphinium maackianum</i> Regel	<b>Maack's larkspur</b> 큰제비고깔 (Keun-je-bi-go-kkal)
<i>Delphinium maackianum</i> var. <i>lasiophyllum</i> Nakai	<b>Bujeon larkspur</b> 부전제비고깔 (Bu-jeon-je-bi-go-kkal)
<i>Delphinium maackianum</i> f. <i>album</i> (Nakai) W.T.Lee	<b>White Maack's larkspur</b> 흰제비고깔 (Huin-je-bi-go-kkal)
<i>Delphinium maackianum</i> f. <i>lasiocarpum</i> (Regel) Kitag.	<b>Hairy Maack's larkspur</b> 털제비고깔 (Teol-je-bi-go-kkal)

Scientific name	English name Korean name (Romanization)
<i>Delphinium ornatum</i> C.D.Bouché	<b>Oriental knight's larkspur</b> 참제비고깔 (Cham-je-bi-go-kkal)
<b><i>Dendranthema</i> (DC.) Des Moul.</b> [Asteraceae]	<b>Arctic daisy, <i>Dendranthema</i></b> 산국속 (San-guk-sok) [국화과]
<i>Dendranthema boreale</i> (Makino) Ling ex Kitam.	<b>Northern dendranthema</b> 산국 (San-guk)
<i>Dendranthema coreanum</i> (H.Lév. & Vaniot) Vorosch.	<b>Halla dendranthema</b> 한라구절초 (Han-ra-gu-jeol-cho)
<i>Dendranthema indicum</i> (L.) Des Moul.	<b>Indian dendranthema</b> 감국 (Gam-guk)
<i>Dendranthema indicum</i> var. <i>acuta</i> (Uyeki) Kitam.	<b>Acute-leaf Indian dendranthema</b> 가는잎감국 (Ga-neun-ip-gam-guk)
* <i>Dendranthema × intermedium</i> (Y.N.Lee) Y.N.Lee	<b>Intermediate dendranthema</b> 이화구절초 (I-hwa-gu-jeol-cho)
<i>Dendranthema sichotense</i> Tzvelev	<b>Rocky dendranthema</b> 바위구절초 (Ba-wi-gu-jeol-cho)
<i>Dendranthema sinchangense</i> (Uyeki) Kitam.	<b>Sinchang dendranthema</b> 신창구절초 (Sin-chang-gu-jeol-cho)
<i>Dendranthema zawadskii</i> (Herb.) Tzvelev	<b>Korean dendranthema</b> 산구절초 (San-gu-jeol-cho)
<i>Dendranthema zawadskii</i> var. <i>latilobum</i> (Maxim.) Kitam.	<b>White-lobe Korean dendranthema</b> 구절초 (Gu-jeol-cho)
<i>Dendranthema zawadskii</i> var. <i>lucidum</i> (Nakai) J.H.Park	<b>Ulleung dendranthema</b> 울릉국화 (Ul-reung-guk-hwa)
<i>Dendranthema zawadskii</i> var. <i>tenuisectum</i> Kitag	<b>Pocheon dendranthema</b> 포천구절초 (Po-cheon-gu-jeol-cho)
* <i>Dendranthema zawadskii</i> var. <i>yedoense</i> (Maek.) Y.M.Lee & H.J.Choi	<b>Bluish dendranthema</b> 남구절초 (Nam-gu-jeol-cho)
<b><i>Dendrobium</i> Sw.</b> [Orchidaceae]	<b><i>Dendrobium</i></b> 석곡속 (Seok-gok-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Dendrobium moniliforme</i> (L.) Sw.	<b>Seokgok (Moniliform dendrobium)</b> 석곡 (Seok-gok)
<i>Dendropanax</i> Decne. & Planch. [Araliaceae]	<b>Dendropanax</b> 황칠나무속 (Hwang-chil-na-mu-sok) [두릅나무과]
<i>Dendropanax morbiferus</i> H.Lév.	<b>Korean dendropanax</b> 황칠나무 (Hwang-chil-na-mu)
<i>Dennstaedtia</i> Bernh. [Pteridaceae]	<b>Hayscented fern</b> 잔고사리속 (Jan-go-sa-ri-sok) [고사리과]
<i>Dennstaedtia hirsuta</i> (Sw.) Mett. ex Miq.	<b>Hairy hayscented fern</b> 잔고사리 (Jan-go-sa-ri)
<i>Dennstaedtia scabra</i> (Wall. ex Hook.) T.Moore	<b>Rough hayscented fern</b> 사철잔고사리 (Sa-cheol-jan-go-sa-ri)
<i>Dennstaedtia wilfordii</i> (T. Moore) Christ	<b>Wilford's hayscented fern</b> 황고사리 (Hwang-go-sa-ri)
<i>Deparia</i> Hook. & Grev. [Dryopteridaceae]	<b>False spleenwort</b> 진고사리속 (Jin-go-sa-ri-sok) [면마과]
<i>Deparia × angustata</i> (Nakai) Nakaike	<b>Hybrid false spleenwort</b> 개쯤진고사리 (Gae-jom-jin-go-sa-ri)
<i>Deparia coniliifera</i> (Franch. & Sav.) M.Kato	<b>Small false spleenwort</b> 좁진고사리 (Jom-jin-go-sa-ri)
<i>Deparia coreana</i> (Christ) M.Kato	<b>Korean tapping glade fern</b> 곱새고사리 (Gop-sae-go-sa-ri)
<i>Deparia dimorphophylla</i> (Koidz.) M.Kato	<b>Large false spleenwort</b> 큰진고사리 (Keun-jin-go-sa-ri)
<i>Deparia japonica</i> (Thunb.) M.Kato	<b>False spleenwort</b> 진고사리 (Jin-go-sa-ri)
<i>Deparia kiusiana</i> (Koidz.) M.Kato	<b>Hairy false spleenwort</b> 털진고사리 (Teol-jin-go-sa-ri)
<i>Deparia okuboana</i> (Makino) M.Kato	<b>Marsh false spleenwort</b> 진퍼리개고사리 (Jin-peo-ri-gae-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Deparia orientalis</i> (Z.R.Wang & J.J.Chien) Nakaike	<b>White tapping glade fern</b> 흰털고사리 (Huin-teol-go-sa-ri)
<i>Deparia petersenii</i> (Kunze) M.Kato	<b>Petersen's false spleenwort</b> 탐라진고사리 (Tam-ra-jin-go-sa-ri)
<i>Deparia pseudoconilii</i> (Seriz.) Seriz.	<b>Long false spleenwort</b> 나도좀진고사리 (Na-do-jom-jin-go-sa-ri)
<i>Deparia pterorachis</i> (Christ) M.Kato	<b>Giant tapping glade fern</b> 왕고사리 (Wang-go-sa-ri)
<i>Deparia pycnosora</i> (Christ) M.Kato	<b>Tapping glade fern</b> 털고사리 (Teol-go-sa-ri)
<i>Deparia viridifrons</i> (Makino) M.Kato	<b>Green tapping glade fern</b> 푸른개고사리 (Pu-reun-gae-go-sa-ri)
<b><i>Deschampsia</i> P.Beauv. [Poaceae]</b>	<b>Hairgrass, Tussock grass</b> 좀새풀속 (Jom-sae-pul-sok) [벼과]
<i>Deschampsia cespitosa</i> (L.) P.Beauv.	<b>Tufted hairgrass</b> 좀새풀 (Jom-sae-pul)
<b><i>Descurainia</i> Webb &amp; Berthel. [Brassicaceae]</b>	<b>Tansymustard</b> 재쑥속 (Jae-ssuk-sok) [십자화과]
<i>Descurainia sophia</i> (L.) Webb ex Prantl	<b>Herb-sophia</b> 재쑥 (Jae-ssuk)
<b><i>Desmodium</i> Desv. [Fabaceae]</b>	<b>Beggar lice, Hitch hikers, Tick clover, Tick-trefoil</b> 도둑놈의갈고리속 (Do-duk-nom-ui-gal-go-ri-sok) [콩과]
<i>Desmodium caudatum</i> (Thunb.) DC.	<b>Caudate tick clover</b> 된장풀 (Doen-jang-pul)
<i>Desmodium heterocarpon</i> (L.) DC.	<b>Heterocarpous tick clover</b> 잔디갈고리 (Jan-di-gal-go-ri)
<i>Desmodium oldhamii</i> Oliv.	<b>Oldham's tick clover</b> 큰도둑놈의갈고리 (Keun-do-duk-nom-ui-gal-go-ri)

Scientific name	English name Korean name (Romanization)
<i>Desmodium oldhamii</i> f. <i>alba</i> T.B.Lee	<b>White Oldham's tick clover</b> 흰큰도둑놈의갈고리 (Huin-keun-do-duk-nom-ui-gal-o-ri)
<i>Desmodium podocarpum</i> DC.	<b>Common tick clover</b> 개도둑놈의갈고리 (Gae-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> subsp. <i>fallax</i> (Schindl.) H.Ohashi	<b>Long-fruit tick clover</b> 긴도둑놈의갈고리 (Gin-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> var. <i>mandshuricum</i> Maxim.	<b>Manchurian tick clover</b> 애기도둑놈의갈고리 (Ae-gi-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> var. <i>oxyphyllum</i> (DC.) H.Ohashi	<b>Big-leaf tick clover</b> 도둑놈의갈고리 (Do-duk-nom-ui-gal-go-ri)
<i>Deutzia</i> Thunb. [Saxifragaceae]	<b>Pride-of-rochester</b> 말발도리속 (Mal-bal-do-ri-sok) [범의귀과]
<i>Deutzia glabrata</i> Kom.	<b>Glabrous deutzia</b> 물참대 (Mul-cham-dae)
<i>Deutzia grandiflora</i> var. <i>baroniana</i> Diels	<b>Large-flower deutzia</b> 바위말발도리 (Ba-wi-mal-bal-do-ri)
<i>Deutzia paniculata</i> Nakai	<b>Paniculate Korean deutzia</b> 꼬리말발도리 (Kko-ri-mal-bal-do-ri)
<i>Deutzia parviflora</i> Bunge	<b>Mongolian deutzia</b> 말발도리 (Mal-bal-do-ri)
<i>Deutzia parviflora</i> var. <i>amurensis</i> Regel	<b>Hairy Mongolian deutzia</b> 털말발도리 (Teol-mal-bal-do-ri)
<i>Deutzia uniflora</i> Shirai	<b>Korean deutzia</b> 매화말발도리 (Mae-hwa-mal-bal-do-ri)
<i>Dianthus</i> L. [Caryophyllaceae]	<b>Carnation, Pink, Sweet william</b> 페랭이꽃속 (Pae-raeng-i-kkot-sok) [석죽과]
<i>Dianthus barbatus</i> var. <i>asiaticus</i> Nakai	<b>Asian pink</b> 수염페랭이꽃 (Su-yeom-pae-raeng-i-kkot)
<i>Dianthus chinensis</i> L.	<b>Rainbow pink</b> 페랭이꽃 (Pae-raeng-i-kkot)

Scientific name	English name Korean name (Romanization)
<i>Dianthus chinensis</i> var. <i>morii</i> (Nakai) Y.C.Chu	<b>Dwarf rainbow pink</b> 난쟁이파랭이꽃 (Nan-jaeng-i-pae-raeng-i-kkot)
* <i>Dianthus chinensis</i> f. <i>albiflora</i> T.B.Lee	<b>White wild pink</b> 흰파랭이꽃 (Huin-pae-raeng-i-kkot)
<i>Dianthus japonicus</i> Thunb.	<b>Seashore pink</b> 갯파랭이꽃 (Gaet-pae-raeng-i-kkot)
* <i>Dianthus litorosus</i> Makino ex Nakai	<b>Beach pink</b> 섬파랭이꽃 (Seom-pae-raeng-i-kkot)
<i>Dianthus longicalyx</i> Miq.	<b>Long-calyx pink</b> 술파랭이꽃 (Sul-pae-raeng-i-kkot)
<i>Dianthus repens</i> Willd.	<b>Northern pink</b> 장백파랭이꽃 (Jang-baek-pae-raeng-i-kkot)
<i>Dianthus superbus</i> var. <i>alpestris</i> Kablik. ex Celak.	<b>Alpine pink</b> 구름파랭이꽃 (Gu-reum-pae-raeng-i-kkot)
* <i>Dianthus superbus</i> var. <i>longicalycinus</i> f. <i>albiflorus</i> Y.N.Lee	<b>White fringed pink</b> 흰술파랭이꽃 (Huin-sul-pae-raeng-i-kkot)
* <i>Dianthus superbus-chinensis</i> Y.N.Lee	<b>Intermediate fringed pink</b> 꽃파랭이꽃 (Kkot-pae-raeng-i-kkot)
<b><i>Diapensia</i> L.</b> [ <i>Diapensiaceae</i> ]	<b>Diapensia</b> 암매속 (Am-mae-sok) [암매과]
<i>Diapensia lapponica</i> var. <i>obovata</i> F.Schmidt	<b>Pincushion plant</b> 암매 (Am-mae)
<b>DIAPENSIACEAE</b> Lindl.	<b>Diapensia family</b> 암매과 (Am-mae-gwa)
<b><i>Diarrhena</i> P.Beauv.</b> [ <i>Poaceae</i> ]	<b>Beakgrain</b> 용수염속 (Yong-su-yeom-sok) [벼과]
<i>Diarrhena fauriei</i> (Hack.) Ohwi	<b>Gwangneung beakgrain</b> 광릉용수염 (Gwang-reung-yong-su-yeom)
<i>Diarrhena japonica</i> Franch. & Sav.	<b>East Asian beakgrain</b> 용수염 (Yong-su-yeom)

Scientific name	English name Korean name (Romanization)
<i>Diarrhena mandshurica</i> Maxim.	<b>Manchurian beakgrain</b> 껍질용수염 (Kkeop-jil-yong-su-yeom)
<i>Diarthron</i> Turcz. [Thymelaeaceae]	<b>Diarthron</b> 아마풀속 (A-ma-pul-sok) [팥꽃나무과]
<i>Diarthron linifolium</i> Turcz.	<b>Flax-leaf diarthron</b> 아마풀 (A-ma-pul)
<i>Dicentra</i> Bernh. [Fumariaceae]	<b>Bleeding heart</b> 금낭화속 (Geum-nang-hwa-sok) [현호색과]
<i>Dicentra spectabilis</i> (L.) Lem.	<b>Bleeding heart</b> 금낭화 (Geum-nang-hwa)
<i>Dichondra</i> J.R.Forst. & G.Forst. [Convolvulaceae]	<b>Ponyfoot</b> 아욱메풀속 (A-uk-me-pul-sok) [매꽃과]
<i>Dichondra micrantha</i> Urb.	<b>Kidney weed</b> 아욱메풀 (A-uk-me-pul)
<i>Dicliptera</i> Juss. [Acanthaceae]	<b>Foldwing</b> 입술망초속 (Ip-sul-mang-cho-sok) [쥐꼬리망초과]
<i>Dicliptera japonica</i> (Thunb.) Makino	<b>Small magenta plant</b> 입술망초 (Ip-sul-mang-cho)
<i>Dicranopteris</i> Bernh. [Gleicheniaceae]	<b>Forked fern</b> 발풀고사리속 (Bal-pul-go-sa-ri-sok) [풀고사리과]
<i>Dicranopteris linearis</i> (Burm.f.) Underw.	<b>Old world forked fern</b> 발풀고사리 (Bal-pul-go-sa-ri)
<i>Dictamnus</i> L. [Rutaceae]	<b>Burning bush, Dictamnus, Dittany, Fraxinella, Gas plant</b> 백선속 (Baek-seon-sok) [운향과]
<i>Dictamnus dasycarpus</i> Turcz.	<b>Dense-fruit dittany</b> 백선 (Baek-seon)

Scientific name	English name Korean name (Romanization)
<i>Dictamnus dasycarpus</i> f. <i>velutinus</i> (Nakai) W.T.Lee	<b>Hairy-leaf dense-fruit dittany</b> 털백선 (Teol-baek-seon)
<b><i>Digitaria</i> Haller</b> [Poaceae]	<b>Crabgrass, Finger-grass</b> 바랭이속 (Ba-raeng-i-sok) [벼과]
<i>Digitaria ciliaris</i> (Retz.) Koeler	<b>Southern crabgrass</b> 바랭이 (Ba-raeng-i)
<i>Digitaria radicosa</i> (J. Presl) Miq.	<b>Trailing crabgrass</b> 좀바랭이 (Jom-ba-raeng-i)
<i>Digitaria violascens</i> Link	<b>Violet crabgrass</b> 민바랭이 (Min-ba-raeng-i)
<i>Digitaria violascens</i> var. <i>intersita</i> (Ohwi) Ohwi	<b>Seoul violet crabgrass</b> 서울민바랭이 (Seo-ul-min-ba-raeng-i)
<i>Digitaria violascens</i> var. <i>lasiophylla</i> (Honda) Tuyama	<b>Jeju violet crabgrass</b> 탐라민바랭이 (Tam-ra-min-ba-raeng-i)
<b><i>Dimeria</i> R.Br.</b> [Poaceae]	<b>Dimeria</b> 잔디바랭이속 (Jan-di-ba-raeng-i-sok) [벼과]
<i>Dimeria ornithopoda</i> Trin.	<b>Birdleg dimeria</b> 잔디바랭이 (Jan-di-ba-raeng-i)
<i>Dimeria ornithopoda</i> var. <i>subrobusta</i> Hack.	<b>Coastal dimeria</b> 갯바랭이 (Gaet-ba-raeng-i)
<b><i>Dioscorea</i> L.</b> [Dioscoreaceae]	<b>Yam</b> 마속 (Ma-sok) [마과]
<i>Dioscorea japonica</i> Thunb.	<b>East Asian mountain yam</b> 참마 (Cham-ma)
<i>Dioscorea nipponica</i> Makino	<b>Fan-leaf mountain yam</b> 부채마 (Bu-chae-ma)
<i>Dioscorea polystachya</i> Turcz.	<b>Chinese yam</b> 마 (Ma)
<i>Dioscorea quinqueloba</i> Thunb.	<b>Maple-leaf mountain yam</b> 단풍마 (Dan-pung-ma)

Scientific name	English name Korean name (Romanization)
<i>Dioscorea septemloba</i> Thunb.	<b>Chrysanthemum-leaf mountain yam</b> 국화마 (Guk-hwa-ma)
<i>Dioscorea tenuipes</i> Franch. & Sav.	<b>Sweet mountain yam</b> 각시마 (Gak-si-ma)
<i>Dioscorea tokoro</i> Makino ex Miyabe	<b>Tokoro mountain yam</b> 도꼬로마 (Do-kko-ro-ma)
<b>DIOSCOREACEAE R.Br.</b>	<b>Yam family</b> 마과 (Ma-gwa)
<i>Diospyros</i> L. [Ebenaceae]	<b>Diospyros, Ebony, Persimmon trees</b> 감나무속 (Gam-na-mu-sok) [감나무과]
<i>Diospyros kaki</i> Thunb.	<b>Oriental persimmon</b> 감나무 (Gam-na-mu)
<i>Diospyros lotus</i> L.	<b>Date-plum</b> 고욤나무 (Go-yom-na-mu)
<i>Diplazium</i> Sw. [Dryopteridaceae]	<b>Twinsorus fern</b> 주름고사리속 (Ju-reum-go-sa-ri-sok) [면마과]
<i>Diplazium chinense</i> (Baker) C.Chr.	<b>Asian twinsorus fern</b> 암고사리 (Am-go-sa-ri)
<i>Diplazium hachijoense</i> Nakai	<b>Jejudo twinsorus fern</b> 섬잔고사리 (Seom-jan-go-sa-ri)
<i>Diplazium mesosorum</i> (Makino) Koidz.	<b>Big twinsorus fern</b> 큰개고사리 (Keun-gae-go-sa-ri)
<i>Diplazium nipponicum</i> Tagawa	<b>Large Jejudo twinsorus fern</b> 큰섬잔고사리 (Keun-seom-jan-go-sa-ri)
<i>Diplazium okudairai</i> Makino	<b>East Asian twinsorus fern</b> 개톱고사리 (Gae-top-go-sa-ri)
<i>Diplazium sibiricum</i> (Turcz. ex Kunze) Sa.Kurata	<b>Mountain twinsorus fern</b> 두메고사리 (Du-me-go-sa-ri)
<i>Diplazium sibiricum</i> var. <i>glabrum</i> (Tagawa) Sa.Kurata	<b>Smooth mountain twinsorus fern</b> 민두메고사리 (Min-du-me-go-sa-ri)

D

Scientific name	English name Korean name (Romanization)
<i>Diplazium squamigerum</i> (Mett.) Matsum.	<b>Naejang twinsorus fern</b> 내장고사리 (Nae-jang-go-sa-ri)
<i>Diplazium virescens</i> Kunze	<b>Green twinsorus fern</b> 검정비늘고사리 (Geom-jeong-bi-neul-go-sa-ri)
<i>Diplazium wichurae</i> (Mett.) Diels	<b>Big-ear twinsorus fern</b> 주름고사리 (Ju-reum-go-sa-ri)
<b>DIPSACACEAE Juss.</b>	<b>Teasel family</b> <b>산토끼꽃과</b> (San-to-kki-kkot-gwa)
<b><i>Dipsacus</i> L. [Dipsacaceae]</b>	<b>Teasel, Teazel, Teazle</b> <b>산토끼꽃속</b> (San-to-kki-kkot-sok) [ <b>산토끼꽃과</b> ]
<i>Dipsacus japonicus</i> Miq.	<b>East Asian teasel</b> 산토끼꽃 (San-to-kki-kkot)
<b><i>Disporum</i> Salisb. [Liliaceae]</b>	<b>Disporum</b> <b>애기나리속</b> (Ae-gi-na-ri-sok) [ <b>백합과</b> ]
<i>Disporum sessile</i> (Thunb.) D.Don ex Schult. & Schult.f.	<b>Common fairybell</b> 윤판나물아재비 (Yun-pan-na-mul-a-jae-bi)
<i>Disporum smilacinum</i> A.Gray	<b>Star-flower fairybell</b> 애기나리 (Ae-gi-na-ri)
<i>Disporum uniflorum</i> Baker	<b>Korean fairybell</b> 윤판나물 (Yun-pan-na-mul)
<i>Disporum viridescens</i> (Maxim.) Nakai	<b>Green fairybell</b> 큰애기나리 (Keun-ae-gi-na-ri)
<b><i>Distylium</i> Siebold &amp; Zucc. [Hamamelidaceae]</b>	<b>Winter-hazel</b> <b>조록나무속</b> (Jo-rok-na-mu-sok) [ <b>조록나무과</b> ]
<i>Distylium racemosum</i> Siebold & Zucc.	<b>Evergreen witch hazel</b> 조록나무 (Jo-rok-na-mu)
* <i>Distylium racemosum</i> f. <i>latifolia</i> Nakai	<b>Broad evergreen witch hazel</b> 넓은잎조록나무 (Neol-beun-ip-jo-rok-na-mu)
<b><i>Dontostemon</i> Andrz. ex Ledeb. [Brassicaceae]</b>	<b>Dontostemon</b> <b>가는장대속</b> (Ga-neun-jang-dae-sok) [ <b>심자화과</b> ]

Scientific name	English name Korean name (Romanization)
<i>Dontostemon dentatus</i> (Bunge) C.A.Mey. ex Ledeb.	<b>Dentate dontostemon</b> 가는장대 (Ga-neun-jang-dae)
<i>Dontostemon hispidus</i> Maxim.	<b>Bristle dontostemon</b> 큰꽃장대 (Keun-kkot-jang-dae)
<b><i>Dopatrium</i> Buch.-Ham. ex Benth.</b> [Scrophulariaceae]	<b>Dopatrium</b> 등에풀속 (Deung-e-pul-sok) [현삼과]
<i>Dopatrium junceum</i> (Roxb.) Buch.-Ham. ex Benth.	<b>Horsefly's eye</b> 등에풀 (Deung-e-pul)
<b><i>Draba</i> L.</b> [Brassicaceae]	<b>Draba, Whitlow-grasses</b> 꽃다지속 (Kkot-da-ji-sok) [십자화과]
<i>Draba daurica</i> var. <i>ramosa</i> Pohl & Bush	<b>Many-branch whitlow-grass</b> 구름꽃다지 (Gu-reum-kkot-da-ji)
<i>Draba glabella</i> Pursh	<b>Rock whitlow-grass</b> 산꽃다지 (San-kkot-da-ji)
<i>Draba nemorosa</i> L.	<b>Woodland whitlow-grass</b> 꽃다지 (Kkot-da-ji)
<i>Draba nemorosa</i> f. <i>leiocarpa</i> (Lindb.) Kitag.	<b>Smooth woodland whitlow-grass</b> 민꽃다지 (Min-kkot-da-ji)
<i>Draba nipponica</i> Makino	<b>Hairy whitlow-grass</b> 털꽃다지 (Teol-kkot-da-ji)
<b><i>Dracocephalum</i> L.</b> [Lamiaceae]	<b>Dragonhead</b> 용머리속 (Yong-meo-ri-sok) [꿀풀과]
<i>Dracocephalum argunense</i> Fisch. ex Link	<b>Fischer's dragonhead</b> 용머리 (Yong-meo-ri)
* <i>Dracocephalum argunense</i> f. <i>alba</i> T.B.Lee	<b>White Fischer's dragonhead</b> 흰용머리 (Huin-yong-meo-ri)
<i>Dracocephalum rupestre</i> Hance	<b>Rupestrine dragonhead</b> 벌깨풀 (Beol-kkae-pul)
<b><i>Drosera</i> L.</b> [Droseraceae]	<b>Sundew</b> 끈끈이귀개속 (Kkeun-kkeun-i-gwi-gae-sok) [끈끈이귀개과]

Scientific name	English name Korean name (Romanization)
<i>Drosera anglica</i> Huds.	<b>English sundew</b> 긴잎끈끈이주걱 (Gin-ip-kkeun-kkeun-i-ju-geok)
<i>Drosera peltata</i> var. <i>nipponica</i> (Masam.) Ohwi ex E.Walker	<b>East Asian shield sundew</b> 끈끈이귀개 (Kkeun-kkeun-i-gwi-gae)
<i>Drosera rotundifolia</i> L.	<b>Round-leaf sundew</b> 끈끈이주걱 (Kkeun-kkeun-i-ju-geok)
<b>DROSERACEAE Salisb.</b>	<b>Sundew family</b> 끈끈이귀개과 (Kkeun-kkeun-i-gwi-gwa)
<b><i>Dryas</i> L. [Rosaceae]</b>	<b>Mountain-avens</b> 담자리꽃나무속 (Dam-ja-ri-kkot-na-mu-sok) [장미과]
<i>Dryas octopetala</i> var. <i>asiatica</i> (Nakai) Nakai	<b>Asian eight-petal dryas</b> 담자리꽃나무 (Dam-ja-ri-kkot-na-mu)
<b><i>Dryopsis</i> Holttum &amp; P.J.Edwards [Dryopteridaceae]</b>	<b>Dryopsis</b> 흰비늘고사리속 (Huin-bi-neul-go-sa-ri-sok) [면마과]
<i>Dryopsis maximowicziana</i> (Miq.) Holttum & P.J.Edwards	<b>White-scale wood fern</b> 흰비늘고사리 (Huin-bi-neul-go-sa-ri)
<b>DRYOPTERIDACEAE Herter</b>	<b>Wood fern family</b> 면마과 (Myeon-ma-gwa)
<b><i>Dryopteris</i> Adans. [Dryopteridaceae]</b>	<b>Buckler fern, Male fern, Wood fern</b> 관중속 (Gwan-jung-sok) [면마과]
<i>Dryopteris amurensis</i> (Milde) Christ	<b>Amur wood fern</b> 아물고사리 (A-mul-go-sa-ri)
<i>Dryopteris bissetiana</i> (Baker) C.Chr.	<b>Mountain buckler fern</b> 산족제비고사리 (San-jok-je-bi-go-sa-ri)
<i>Dryopteris caudipinna</i> Nakai	<b>Caudate autumn fern</b> 가는홍지네고사리 (Ga-neun-hong-ji-ne-go-sa-ri)
<i>Dryopteris championii</i> (Benth.) C. Chr. ex Ching	<b>Champion's autumn fern</b> 제주지네고사리 (Je-ju-ji-ne-go-sa-ri)
<i>Dryopteris chinensis</i> (Baker) Koidz.	<b>Narrow-leaf buckler fern</b> 가는잎족제비고사리 (Ga-neun-ip-jok-je-bi-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Dryopteris commixta</i> Tagawa	<b>Little shaggy shield fern</b> 애기톱지네고사리 (Ae-gi-top-ji-ne-go-sa-ri)
<i>Dryopteris coreano-montana</i> Nakai	<b>Northern shield fern</b> 북관종 (Buk-gwan-jung)
<i>Dryopteris crassirhizoma</i> Nakai	<b>Shield fern</b> 관종 (Gwan-jung)
<i>Dryopteris cycadina</i> (Franch. & Sav.) C.Chr.	<b>Shaggy shield fern</b> 톱지네고사리 (Top-ji-ne-go-sa-ri)
<i>Dryopteris decipiens</i> var. <i>diploazioides</i> (Christ) Ching	<b>Baby-saw autumn fern</b> 애기지네고사리 (Ae-gi-ji-ne-go-sa-ri)
<i>Dryopteris dickinsii</i> (Franch. & Sav.) C.Chr.	<b>Big shaggy wood fern</b> 큰톱지네고사리 (Keun-top-ji-ne-go-sa-ri)
<i>Dryopteris erythrosora</i> (Eat.) Kuntze	<b>Autumn fern</b> 홍지네고사리 (Hong-ji-ne-go-sa-ri)
<i>Dryopteris erythrosora</i> f. <i>viridisora</i> (Nakai ex H.Ito) H.Ito	<b>Green autumn fern</b> 청지네고사리 (Cheong-ji-ne-go-sa-ri)
<i>Dryopteris expansa</i> (C.Presl) Fraser-Jenk. & Jermy	<b>Alpine buckler fern</b> 퍼진고사리 (Peo-jin-go-sa-ri)
<i>Dryopteris formosana</i> (Christ) C.Chr.	<b>Limelight wood fern</b> 꼬리족제비고사리 (Kko-ri-jok-je-bi-go-sa-ri)
<i>Dryopteris fragrans</i> (L.) Schott	<b>Fragrant fern</b> 주자리고사리 (Ju-jeo-ri-go-sa-ri)
<i>Dryopteris fuscipes</i> C.Chr.	<b>Big autumn fern</b> 큰지네고사리 (Keun-ji-ne-go-sa-ri)
<i>Dryopteris goeringiana</i> (Kunze) Koidz.	<b>Goering's wood fern</b> 바위틈고사리 (Ba-wi-teum-go-sa-ri)
<i>Dryopteris gymnophylla</i> (Baker) C.Chr.	<b>Golden buckler fern</b> 금족제비고사리 (Geum-jok-je-bi-go-sa-ri)
<i>Dryopteris hondoensis</i> Koidz.	<b>Larger red autumn fern</b> 큰홍지네고사리 (Keun-hong-ji-ne-go-sa-ri)
<i>Dryopteris lacera</i> (Thunb.) Kuntze	<b>Leathery wood fern</b> 비늘고사리 (Bi-neul-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Dryopteris lunanensis</i> (H.Christ) C.Chr.	<b>Southern shaggy shield fern</b> 남도톱지네고사리 (Nam-do-top-ji-ne-go-sa-ri)
<i>Dryopteris maximowiczii</i> (Baker) Kuntz.	<b>East Asian wood fern</b> 진저리고사리 (Jin-jeo-ri-go-sa-ri)
<i>Dryopteris kinkiensis</i> Koidz. ex Tagawa	<b>Thin autumn fern</b> 얇은잎지네고사리 (Yeol-beun-ip-ji-ne-go-sa-ri)
<i>Dryopteris medioxima</i> Koidz.	<b>Shiny autumn fern</b> 반들지네고사리 (Ban-deul-ji-ne-go-sa-ri)
<i>Dryopteris monticola</i> (Makino) C.Chr.	<b>King wood fern</b> 왕지네고사리 (Wang-ji-ne-go-sa-ri)
<i>Dryopteris nipponensis</i> Koidz.	<b>True autumn fern</b> 참지네고사리 (Cham-ji-ne-go-sa-ri)
<i>Dryopteris pacifica</i> (Nakai) Tagawa	<b>Big buckler fern</b> 큰족제비고사리 (Keun-jok-je-bi-go-sa-ri)
<i>Dryopteris polylepis</i> (Franch. & Sav.) C.Chr.	<b>Japanese shield fern</b> 산비늘고사리 (San-bi-neul-go-sa-ri)
<i>Dryopteris purpurella</i> Tagawa	<b>Purple autumn fern</b> 자주지네고사리 (Ja-ju-ji-ne-go-sa-ri)
<i>Dryopteris sabaei</i> (Franch. & Sav.) C.Chr.	<b>Montane buckler fern</b> 뫼족제비고사리 (Moe-jok-je-bi-go-sa-ri)
<i>Dryopteris sacrosanta</i> Koidz.	<b>Baby buckler fern</b> 애기족제비고사리 (Ae-gi-jok-je-bi-go-sa-ri)
<i>Dryopteris saxifraga</i> H.Itô	<b>Rock buckler fern</b> 바위족제비고사리 (Ba-wi-jok-je-bi-go-sa-ri)
<i>Dryopteris saxifragi-varia</i> Nakai	<b>Gwangneung buckler fern</b> 광릉족제비고사리 (Gwang-reung-jok-je-bi-go-sa-ri)
<i>Dryopteris subexaltata</i> (Christ) C.Chr.	<b>Valley wood fern</b> 계곡고사리 (Gye-gok-go-sa-ri)
<i>Dryopteris tokyoensis</i> (Matsum. ex Makino) C.Chr.	<b>Sword-leaf wood fern</b> 느리미고사리 (Neu-ri-mi-go-sa-ri)
<i>Dryopteris uniformis</i> (Makino) Makino	<b>Uniform wood fern</b> 곰비늘고사리 (Gom-bi-neul-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Dryopteris uniformis</i> f. <i>coreana</i> H. Itô	<b>Korean uniform wood fern</b> 참곰비늘고사리 (Cham-gom-bi-neul-go-sa-ri)
<i>Dryopteris varia</i> (L.) Kuntze	<b>Apricot fern</b> 족제비고사리 (Jok-je-bi-go-sa-ri)
<i>Dryopteris woodsiisora</i> Hayata	<b>Glandular wood fern</b> 장수고사리 (Jang-su-go-sa-ri)
<b><i>Duchesnea</i> Sm.</b> [Rosaceae]	<b><i>Duchesnea</i></b> 뱀딸기속 (Baem-ttal-gi-sok) [장미과]
<i>Duchesnea chrysanthia</i> (Zoll. & Mor.) Miq.	<b>Wrinkled mock strawberry</b> 뱀딸기 (Baem-ttal-gi)
<i>Duchesnea indica</i> (Andrews) Focke	<b>Mock strawberry</b> 민뱀딸기 (Min-baem-ttal-gi)
<b><i>Dumasia</i> DC.</b> [Fabaceae]	<b><i>Dumasia</i></b> 비진도콩속 (Bi-jin-do-kong-sok) [콩과]
<i>Dumasia truncata</i> Siebold & Zucc.	<b>Bijindo bean</b> 비진도콩 (Bi-jin-do-kong)
<b><i>Dunbaria</i> Wight &amp; Arn.</b> [Fabaceae]	<b><i>Dunbaria</i></b> 여우팥속 (Yeo-u-pat-sok) [콩과]
<i>Dunbaria villosa</i> (Thunb.) Makino	<b>Villous dunbaria</b> 여우팥 (Yeo-u-pat)
<b><i>Dysophylla</i> Blume</b> [Lamiaceae]	<b><i>Dysophylla</i></b> 물꼬리풀속 (Mul-kko-ri-pul-sok) [꿀풀과]
<i>Dysophylla stellata</i> (Lour.) Benth.	<b>Water star</b> 물꼬리풀 (Mul-kko-ri-pul)
<i>Dysophylla yatabeana</i> Makino	<b>Jeonju pogostemon</b> 전주물꼬리풀 (Jeon-ju-mul-kko-ri-pul)
<b><i>Dystaenia</i> Kitag.</b> [Apiaceae]	<b><i>Dystaenia</i></b> 섬바디속 (Seom-ba-di-sok) [산형과]

Scientific name	English name Korean name (Romanization)
<i>Dystaenia takesimana</i> (Nakai) Kitag.	<b>Ulleungdo dystaenia</b> 섬바디 (Seom-ba-di)
<b>E</b>	
<b>EBENACEAE Gürke</b>	<b>Ebony family</b> 감나무과 (Gam-na-mu-gwa)
<i>Echinochloa</i> P.Beauv. [Poaceae]	<b>Barnyard grass, Barnyard millets, Billion-dollar grasses, Cockspur grass</b> 피속 (Pi-sok) [벼과]
<i>Echinochloa crus-galli</i> (L.) P.Beauv.	<b>Barnyard grass</b> 돌피 (Dol-pi)
<i>Echinochloa crus-galli</i> var. <i>praticola</i> Ohwi	<b>Meadow barnyard grass</b> 좀돌피 (Jom-dol-pi)
<i>Echinochloa esculenta</i> (A.Braun) H.Scholz	<b>Esculent barnyard grass</b> 피 (Pi)
<i>Echinochloa glabrescens</i> Munro ex Hook.f.	<b>Hairless barnyard grass</b> 대만피 (Dae-man-pi)
<i>Echinochloa oryzoides</i> (Ard.) Fritsch	<b>Early barnyard grass</b> 논피 (Non-pi)
<i>Echinops</i> L. [Asteraceae]	<b>Globe thistles</b> 절굿대속 (Jeol-gut-dae-sok) [국화과]
<i>Echinops latifolius</i> Tausch	<b>Broad-leaf globe thistle</b> 큰절굿대 (Keun-jeol-gut-dae)
<i>Echinops setifer</i> Iljin	<b>Purple globe thistle</b> 절굿대 (Jeol-gut-dae)
<i>Echinosophora</i> Nakai [Fabaceae]	<b>Echinosophora</b> 개느삼속 (Gae-neu-sam-sok) [콩과]
<i>Echinosophora koreensis</i> (Nakai) Nakai	<b>Korean necklace pod</b> 개느삼 (Gae-neu-sam)

Scientific name	English name Korean name (Romanization)
<i>Eclipta</i> L. [Asteraceae]	<b>Eclipta</b> 한련초속 (Han-ryeon-cho-sok) [국화과]
<i>Eclipta prostrata</i> (L.) L.	<b>False daisy</b> 한련초 (Han-ryeon-cho)
<i>Ehretia</i> P.Browne [Boraginaceae]	<b>Ehretia</b> 송양나무속 (Song-yang-na-mu-sok) [지치과]
<i>Ehretia acuminata</i> var. <i>obovata</i> (Lindl.) I.M.Johnst.	<b>Oboval-leaf ehretia</b> 송양나무 (Song-yang-na-mu)
<b>ELAEAGNACEAE</b> Juss.	<b>Oleaster family</b> 보리수나무과 (Bo-ri-su-na-mu-gwa)
<i>Elaeagnus</i> L. [Elaeagnaceae]	<b>Oleaster, Silverberry</b> 보리수나무속 (Bo-ri-su-na-mu-sok) [보리수나무과]
<i>Elaeagnus glabra</i> Thunb.	<b>Autumn-flower oleaster</b> 보리장나무 (Bo-ri-jang-na-mu)
<i>Elaeagnus glabra</i> f. <i>oxyphylla</i> (Servett.) W.T.Lee	<b>Narrow-leaf autumn-flower oleaster</b> 좁은잎보리장 (Jop-eun-ip-bo-ri-jang)
<i>Elaeagnus macrophylla</i> Thunb.	<b>Broad-leaf oleaster</b> 보리밥나무 (Bo-ri-bap-na-mu)
<i>Elaeagnus × maritima</i> Koidz.	<b>Coastal oleaster</b> 녹보리똥나무 (Nok-bo-ri-ttong-na-mu)
<i>Elaeagnus × submacrophylla</i> Servett.	<b>Hybrid broad-leaf oleaster</b> 큰보리장나무 (Keun-bo-ri-jang-na-mu)
<i>Elaeagnus umbellata</i> Thunb.	<b>Autumn oleaster</b> 보리수나무 (Bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>coreana</i> (H.Lév.) H.Lév.	<b>Korean autumn oleaster</b> 왕보리수나무 (Wang-bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>longicarpa</i> (Uyeki) T.B.Lee	<b>Long-fruit autumn oleaster</b> 긴보리수나무 (Gin-bo-ri-su-na-mu)

E

Scientific name	English name Korean name (Romanization)
<i>Elaeagnus umbellata</i> var. <i>parvifolia</i> (Royle) C.K.Schneid.	<b>Small-leaf autumn oleaster</b> 민보리수나무 (Min-bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>prematura</i> (Koidz.) T.B.Lee	<b>Prematured autumn oleaster</b> 을보리수나무 (Ol-bo-ri-su-na-mu)
<b>ELAECARPACEAE Juss.</b>	<b>Elaeocarpus family</b> <b>담팔수과</b> (Dam-pal-su-gwa)
<b><i>Elaeocarpus</i> L.</b> <b>[Elaeocarpaceae]</b>	<b>Elaeocarpus</b> <b>담팔수속</b> (Dam-pal-su-sok) <b>[담팔수과]</b>
<i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i> (Thunb.) H.Hara	<b>Wild dampalsu trees</b> 담팔수 (Dam-pal-su)
<b>ELATINACEAE Dumort.</b>	<b>Waterwort family</b> <b>물별과</b> (Mul-byeol-gwa)
<b><i>Elatine</i> L.</b> <b>[Elatinaceae]</b>	<b>Waterwort</b> <b>물별속</b> (Mul-byeol-sok) <b>[물별과]</b>
<i>Elatine triandra</i> Schkuhr	<b>Three-stamen waterwort</b> 물벼룩이자리 (Mul-byeo-ruk-i-ja-ri)
<i>Elatine triandra</i> var. <i>pedicellata</i> Krylov	<b>Pedicellate three-stamen waterwort</b> 물별 (Mul-byeol)
<b><i>Elatostema</i> J.R.Forst. &amp; G.Forst.</b> <b>[Urticaceae]</b>	<b>Elatostema</b> <b>멍울풀속</b> (Meong-ul-pul-sok) <b>[쐐기풀과]</b>
<i>Elatostema densiflorum</i> Franch. & Sav.	<b>Dense-flower elatostema</b> 몽울풀 (Mong-ul-pul)
<i>Elatostema umbellata</i> (Siebold & Zucc.) Blume	<b>Umbrella elatostema</b> 우산물통이 (U-san-mul-tong-i)
<b><i>Eleocharis</i> R.Br.</b> <b>[Cyperaceae]</b>	<b>Spikerushes, Spikesedges</b> <b>바늘골속</b> (Ba-neul-gol-sok) <b>[사초과]</b>
<i>Eleocharis acicularis</i> subsp. <i>yokoscensis</i> (Franch. & Sav.) T.V.Egorova	<b>Wonsan spikerush</b> 원산쇠털꼴 (Won-san-soe-teol-gol)

Scientific name	English name Korean name (Romanization)
<i>Eleocharis acicularis</i> f. <i>longiseta</i> (Svenson) T.Koyama	<b>Needle spikerush</b> 쇠털골 (Soe-teol-gol)
<i>Eleocharis attenuata</i> (Franch. & Sav.) Palla	<b>True needle spikerush</b> 참바늘골 (Cham-ba-neul-gol)
* <i>Eleocharis changchaensis</i> Y.C.Oh & G.Y.Lee	<b>Changchaen spikerush</b> 돌기네모골 (Dol-gi-ne-mo-gol)
<i>Eleocharis congesta</i> D.Don	<b>Dense-flower spikerush</b> 바늘골 (Ba-neul-gol)
<i>Eleocharis dulcis</i> (Burm.f.) Trin. ex Hensch.	<b>Water chestnut</b> 남방개 (Nam-bang-gae)
<i>Eleocharis equisetiformis</i> (Meinsh.) B.Fedtsch.	<b>Horsetail-like spikerush</b> 까락골 (Kka-rak-gol)
<i>Eleocharis kamtschatica</i> (C.A.Mey.) Kom.	<b>Bristleless spikerush</b> 올방개아재비 (Ol-bang-gae-a-jae-bi)
<i>Eleocharis kamtschatica</i> f. <i>reducta</i> (Ohwi) Ohwi	<b>Non-perianth bristleless spikerush</b> 무화피올방개아재비 (Mu-hwa-pi-ol-bang-gae-a-jae-bi)
<i>Eleocharis kuroguwai</i> Ohwi	<b>East Asian spikerush</b> 올방개 (Ol-bang-gae)
<i>Eleocharis mamillata</i> var. <i>cyclocarpa</i> Kitag.	<b>Ussuri spikerush</b> 물꼬챙이골 (Mul-kko-chaeng-i-gol)
<i>Eleocharis margaritacea</i> (Hultén) Miyabe & Kudô	<b>Margaric spikerush</b> 흰바늘골 (Huin-ba-neul-gol)
<i>Eleocharis ovata</i> (Roth) Roem. & Schult.	<b>Ovate spikerush</b> 둥근검바늘골 (Dung-geun-geom-ba-neul-gol)
<i>Eleocharis pellucida</i> J.Presl & C.Presl	<b>Pellucid spikerush</b> 원산바늘골 (Won-san-ba-neul-gol)
<i>Eleocharis tetraquetra</i> Nees	<b>Square-stem spikerush</b> 네모골 (Ne-mo-gol)
<i>Eleocharis wichurae</i> Boeckeler	<b>Small-square spikerush</b> 좀네모골 (Jom-ne-mo-gol)

Scientific name	English name Korean name (Romanization)
<i>Eleusine Gaertn.</i> [Poaceae]	Goosegrass 왕바랭이속 (Wang-ba-raeng-i-sok) [벼과]
<i>Eleusine indica</i> (L.) Gaertn.	Indian goosegrass 왕바랭이 (Wang-ba-raeng-i)
<i>Eleutherococcus Maxim.</i> [Araliaceae]	Eleuthero, Ginseng, Siberian ginseng 오갈피나무속 (O-gal-pi-na-mu-sok) [두릅나무과]
<i>Eleutherococcus divaricatus</i> (Siebold & Zucc.) S.Y.Hu	Spreading-hair eleuthero 털오갈피나무 (Teol-o-gal-pi-na-mu)
<i>Eleutherococcus divaricatus</i> var. <i>chiisanensis</i> (Nakai) C.H.Kim & B.Y.Sun	Jirisan spreading-hair eleuthero 지리산오갈피 (Ji-ri-san-o-gal-pi)
<i>Eleutherococcus gracilistylus</i> (W.W.Sm.) S.Y.Hu	Hairy-style eleuthero 섬오갈피나무 (Seom-o-gal-pi-na-mu)
<i>Eleutherococcus senticosus</i> (Rupr. & Maxim.) Maxim.	Devil's bush 가시오갈피 (Ga-si-o-gal-pi)
<i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu	Stalkless-flower eleuthero 오갈피나무 (O-gal-pi-na-mu)
<i>Elsholtzia Willd.</i> [Lamiaceae]	Elsholtzia 향유속 (Hyang-yu-sok) [꿀풀과]
<i>Elsholtzia angustifolia</i> (Loes.) Kitag.	Narrow-leaf mint 가는잎향유 (Ga-neun-ip-hyang-yu)
<i>Elsholtzia ciliata</i> (Thunb.) Hyl.	Crested late-summer mint 향유 (Hyang-yu)
* <i>Elsholtzia ciliata</i> f. <i>leucantha</i> (Nakai) T.B.Lee	White-flower mint 흰향유 (Huin-hyang-yu)
* <i>Elsholtzia hallasanensis</i> Y.N.Lee	Halla mint 한라꽃향유 (Han-ra-kkot-hyang-yu)
* <i>Elsholtzia hallasanensis</i> f. <i>albiflora</i> Y.N.Lee	White-flower Halla mint 흰한라꽃향유 (Huin-han-ra-kkot-hyang-yu)
<i>Elsholtzia minima</i> Nakai	Smallest mint 좀향유 (Jom-hyang-yu)

Scientific name	English name Korean name (Romanization)
<i>Elsholtzia saxatilis</i> (Kom.) Nakai ex Kitag.	<b>Rocky mint</b> 애기향유 (Ae-gi-hyang-yu)
<i>Elsholtzia splendens</i> Nakai	<b>Shiny mint</b> 꽃향유 (Kkot-hyang-yu)
* <i>Elsholtzia splendens</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower shiny mint</b> 흰꽃향유 (Huin-kkot-hyang-yu)
* <i>Elsholtzia splendens</i> f. <i>roseola</i> Y.N.Lee	<b>Pink-flower shiny mint</b> 분홍꽃향유 (Bun-hong-kkot-hyang-yu)
<i>Elymus</i> L. [Poaceae]	<b>Wildrye, Wheatgrass</b> 갓보리속 (Gaet-bo-ri-sok) [벼과]
<i>Elymus ciliaris</i> (Trin.) Tzvelev	<b>Ciliate wheatgrass</b> 속털개밀 (Sok-teol-gae-mil)
<i>Elymus ciliaris</i> var. <i>hackelianus</i> (Honda) G.Zhu & S.L.Chen	<b>Slender wheatgrass</b> 가는개밀 (Ga-neun-gae-mil)
<i>Elymus coreanus</i> Honda	<b>Korean wheatgrass</b> 고려개보리 (Go-ryeo-gae-bo-ri)
<i>Elymus dahuricus</i> Turcz. ex Griseb.	<b>Dahurian wheatgrass</b> 갓보리 (Gaet-bo-ri)
<i>Elymus dahuricus</i> var. <i>vilosulus</i> (Ohwi) Ohwi	<b>Velvety Dahurian wheatgrass</b> 산갓보리 (San-gaet-bo-ri)
<i>Elymus gmelinii</i> (Ledeb.) Tzvelev	<b>Hairy wheatgrass</b> 털개밀 (Teol-gae-mil)
<i>Elymus nipponicus</i> Jaaska	<b>Purplish wheatgrass</b> 자주개밀 (Ja-ju-gae-mil)
<i>Elymus sibiricus</i> L.	<b>Siberian wheatgrass</b> 개보리 (Gae-bo-ri)
<i>Elymus tsukushiensis</i> var. <i>transiens</i> (Hack.) Osada	<b>Wheatgrass</b> 개밀 (Gae-mil)
<i>Elymus yezoensis</i> var. <i>koryoensis</i> (Honda) Osada	<b>Gwangneung wheatgrass</b> 광릉개밀 (Gwang-reung-gae-mil)
<b>EMPETRACEAE</b> Hook. & Lindl.	<b>Crowberry family</b> 시로미과 (Si-ro-mi-gwa)

Scientific name	English name Korean name (Romanization)
<i>Empetrum</i> L. [Empetraceae]	<b>Crowberry</b> 시로미속 (Si-ro-mi-sok) [시로미과]
<i>Empetrum nigrum</i> var. <i>japonicum</i> K.Koch	<b>Korean crowberry</b> 시로미 (Si-ro-mi)
<i>Enemion</i> Raf. [Ranunculaceae]	<b>False rue anemone</b> 나도바람꽃속 (Na-do-ba-ram-kkot-sok) [미나리아재비과]
<i>Enemion raddeanum</i> Regel	<b>East Asian false rue anemone</b> 나도바람꽃 (Na-do-ba-ram-kkot)
<i>Epilobium</i> L. [Onagraceae]	<b>Willowherb</b> 바늘꽃속 (Ba-neul-kkot-sok) [바늘꽃과]
<i>Epilobium amurense</i> Hausskn.	<b>Amur willowherb</b> 호바늘꽃 (Ho-ba-neul-kkot)
<i>Epilobium angulatum</i> Kom.	<b>Angular willowherb</b> 두메바늘꽃 (Du-me-ba-neul-kkot)
<i>Epilobium angustifolium</i> L.	<b>Rosebay willowherb</b> 분홍바늘꽃 (Bun-hong-ba-neul-kkot)
<i>Epilobium cephalostigma</i> var. <i>nudicarpum</i> (Kom.) H.Hara	<b>Broad-leaf willowherb</b> 넓은잎바늘꽃 (Neol-beun-ip-ba-neul-kkot)
<i>Epilobium cylindrostigma</i> Kom.	<b>Cylindrical-stigma willowherb</b> 명천바늘꽃 (Myeong-cheon-ba-neul-kkot)
<i>Epilobium fastigiato-ramosum</i> Nakai	<b>Fastigiate-branch willowherb</b> 회령바늘꽃 (Hoe-ryeong-ba-neul-kkot)
<i>Epilobium glandulosum</i> var. <i>asiaticum</i> H.Hara	<b>Northern Asian willowherb</b> 줄바늘꽃 (Jul-ba-neul-kkot)
<i>Epilobium hirsutum</i> L.	<b>Great hairy willowherb</b> 큰바늘꽃 (Keun-ba-neul-kkot)
<i>Epilobium palustre</i> L.	<b>Marsh willowherb</b> 벼들바늘꽃 (Beo-deul-ba-neul-kkot)
<i>Epilobium palustre</i> var. <i>fischerianum</i> Hausskn.	<b>Small marsh willowherb</b> 애기바늘꽃 (Ae-gi-ba-neul-kkot)

Scientific name	English name Korean name (Romanization)
<i>Epilobium pyrricholophum</i> Franch. & Sav.	<b>Long-seed willowherb</b> 바늘꽃 (Ba-neul-kkot)
<i>Epilobium pyrricholophum</i> var. <i>curvatomulosum</i> H.Hara	<b>Halla willowherb</b> 한라바늘꽃 (Han-ra-ba-neul-kkot)
<i>Epilobium tenue</i> Kom.	<b>Slender willowherb</b> 좁바늘꽃 (Jom-ba-neul-kkot)
<b><i>Epimedium</i> L.</b> [Berberidaceae]	<b>Barrenwort, Bishop's hat, Epimedium, Fairy wings, Horny goat weed, Randy beef grass, Rowdy lamb herb, Yin yang huo</b> 삼지구엽초속 (Sam-ji-gu-yeop-cho-sok) [매자나무과]
<i>Epimedium koreanum</i> Nakai	<b>Korean epimedium</b> 삼지구엽초 (Sam-ji-gu-yeop-cho)
<b><i>Epipactis</i> Zinn</b> [Orchidaceae]	<b>Helleborine</b> 닭의난초속 (Dak-ui-nan-cho-sok) [난초과]
* <i>Epipactis albiflora</i> T.H.Chung	<b>White-flower helleborine</b> 흰닭의난초 (Huin-dak-ui-nan-cho)
<i>Epipactis papillosa</i> Franch. & Sav.	<b>Green-flower helleborine</b> 청닭의난초 (Cheong-dak-ui-nan-cho)
<i>Epipactis papillosa</i> var. <i>imkoeensis</i> Y.N.Lee & K.S.Lee	<b>Imgae helleborine</b> 임계청닭의난초 (Im-gye-cheong-dak-ui-nan-cho)
<i>Epipactis puzenensis</i> T.H.Chung	<b>Bujeon helleborine</b> 부전란 (Bu-jeon-ran)
<i>Epipactis thunbergii</i> A.Gray	<b>Thunberg's helleborine</b> 닭의난초 (Dak-ui-nan-cho)
<b><i>Epipogium</i> J.F.Gmel. ex Borkh.</b> [Orchidaceae]	<b>Epipogium</b> 유령란속 (Yu-ryeong-ran-sok) [난초과]
<i>Epipogium aphyllum</i> Sw.	<b>Leafless epipogium</b> 유령란 (Yu-ryeong-ran)
<b>EQUISETACEAE</b> Michx. ex DC.	<b>Horsetail family</b> 속새과 (Sok-sae-gwa)

Scientific name	English name Korean name (Romanization)
<i>Equisetum</i> L. [Equisetaceae]	<b>Horsetail, Puzzleglass, Snake grass</b> <b>속새속</b> (Sok-sae-sok) [속새과]
<i>Equisetum arvense</i> L.	<b>Field horsetail</b> 쇠뜨기 (Soe-tteu-gi)
<i>Equisetum arvense</i> var. <i>boreale</i> (Bong.) Rupr.	<b>Northern field horsetail</b> 북쇠뜨기 (Buk-soe-tteu-gi)
<i>Equisetum fluviatile</i> L.	<b>Water horsetail</b> 물속새 (Mul-sok-sae)
<i>Equisetum hyemale</i> L.	<b>Scouringrush horsetail</b> 속새 (Sok-sae)
<i>Equisetum palustre</i> L.	<b>Marsh horsetail</b> 개쇠뜨기 (Gae-soe-tteu-gi)
<i>Equisetum pratense</i> Ehrh.	<b>Meadow horsetail</b> 물쇠뜨기 (Mul-soe-tteu-gi)
<i>Equisetum ramosissimum</i> Desf.	<b>Branched horsetail</b> 개속새 (Gae-sok-sae)
<i>Equisetum scirpoides</i> Michx.	<b>Dwarf horsetail</b> 좁속새 (Jom-sok-sae)
<i>Equisetum sylvaticum</i> L.	<b>Woodland horsetail</b> 능수쇠뜨기 (Neung-su-soe-tteu-gi)
<i>Eragrostis</i> Wolf [Poaceae]	<b>Lovegrass, Canegrass</b> <b>참새그령속</b> (Cham-sae-geu-ryeong-sok) [벼과]
<i>Eragrostis cilianensis</i> (Bellardi) Vignolo ex Janch.	<b>Lovegrass</b> 참새그령 (Cham-sae-geu-ryeong)
<i>Eragrostis ferruginea</i> (Thunb.) P.Beauv.	<b>Korean lovegrass</b> 그령 (Geu-ryeong)
<i>Eragrostis japonica</i> (Thunb.) Trin.	<b>Pond lovegrass</b> 각시그령 (Gak-si-geu-ryeong)
<i>Eragrostis minor</i> Host	<b>Little lovegrass</b> 좀새그령 (Jom-sae-geu-ryeong)

Scientific name	English name Korean name (Romanization)
<i>Eragrostis multicaulis</i> Steud.	<b>Multi-stem lovegrass</b> 비노리 (Bi-no-ri)
<i>Eragrostis pilosa</i> (L.) P.Beauv.	<b>Indian lovegrass</b> 큰비노리 (Keun-bi-no-ri)
<b><i>Eranthis</i> Salisb.</b> [Ranunculaceae]	<b>Eranthis, Winter aconite</b> 너도바람꽃속 (Neo-do-ba-ram-kkot-sok) [미나리아재비과]
<i>Eranthis byunsanensis</i> B.Y.Sun	<b>Byeonsan winter aconite</b> 변산바람꽃 (Beyon-san-ba-ram-kkot)
<i>Eranthis pungdoensis</i> B.U.Oh	<b>Pungdo winter aconite</b> 풍도바람꽃 (Pung-do-ba-ram-kkot)
<i>Eranthis stellata</i> Maxim.	<b>White snowdrop</b> 너도바람꽃 (Neo-do-ba-ram-kkot)
<b>ERICACEAE Juss.</b>	<b>Heath family</b> 진달래과 (Jin-dal-rae-gwa)
<b><i>Erigeron</i> L.</b> [Asteraceae]	<b>Fleabane</b> 개망초속 (Gae-mang-cho-sok) [국화과]
<i>Erigeron acris</i> L.	<b>Bitter fleabane</b> 민망초 (Min-mang-cho)
<i>Erigeron acris</i> var. <i>kamtschaticus</i> (DC.) Herder	<b>Kamchatka fleabane</b> 산민망초 (San-min-mang-cho)
<i>Erigeron thunbergii</i> subsp. <i>glabratus</i> (A.Gray) H.Hara	<b>Korean alpine fleabane</b> 구름국화 (Gu-reum-guk-hwa)
* <i>Erigeron thunbergii</i> subsp. <i>glabratus</i> f. <i>albiflorus</i> Y.N.Lee	<b>White hairless fleabane</b> 흰구름국화 (Huin-gu-reum-guk-hwa)
<b>ERIOCAULACEAE Martinov</b>	<b>Pipewort family</b> 곡정초과 (Gok-jeong-cho-gwa)
<b><i>Eriocaulon</i> L.</b> [Eriocaulaceae]	<b>Pipewort</b> 곡정초속 (Gok-jeong-cho-sok) [곡정초과]
<i>Eriocaulon alpestre</i> Hook.f. & Thomson ex Körn.	<b>Robust pipewort</b> 넓은잎개수염 (Neol-beun-ip-gae-su-yeom)

Scientific name	English name Korean name (Romanization)
<i>Eriocaulon atrum</i> Nakai	<b>Dark-flower pipewort</b> 검은곡정초 (Geom-eun-gok-jeong-cho)
<i>Eriocaulon buergerianum</i> Körn.	<b>Buerger's pipewort</b> 장흥곡정초 (Jang-heung-gok-jeong-cho)
<i>Eriocaulon cinereum</i> R.Br.	<b>Ashy pipewort</b> 곡정초 (Gok-jeong-cho)
<i>Eriocaulon decemflorum</i> Maxim.	<b>Small pipewort</b> 좀개수염 (Jom-gae-su-yeom)
<i>Eriocaulon decemflorum</i> var. <i>nipponicum</i> (Maxim.) Nakai	<b>Thread pipewort</b> 실개수염 (Sil-gae-su-yeom)
<i>Eriocaulon glaberrimum</i> var. <i>platypetalum</i> (Satake) Satake	<b>Jeju pipewort</b> 제주검정곡정초 (Je-ju-geom-jeong-gok-jeong-cho)
<i>Eriocaulon hondoense</i> Satake	<b>Big pipewort</b> 큰개수염 (Keun-gae-su-yeom)
<i>Eriocaulon latipetalum</i> Y.C.Oh & C.S.Heo	<b>Wide-petal pipewort</b> 넓은꽃잎개수염 (Neol-beun-kkot-ip-gae-su-yeom)
<i>Eriocaulon miquelianum</i> Körn.	<b>Miquel's pipewort</b> 개수염 (Gae-su-yeom)
<i>Eriocaulon parvum</i> Körn.	<b>Black pipewort</b> 검은개수염 (Geom-eun-gae-su-yeom)
<i>Eriocaulon setaceum</i> L.	<b>Setaceous-leaf pipewort</b> 가지곡정초 (Ga-ji-gok-jeong-cho)
<i>Eriocaulon sikokianum</i> Maxim.	<b>White pipewort</b> 흰개수염 (Huin-gae-su-yeom)
<i>Eriocaulon sphagnicolum</i> Ohwi	<b>Moss-like pipewort</b> 애기곡정초 (Ae-gi-gok-jeong-cho)
<i>Eriocaulon tenuissimum</i> Nakai	<b>Slender pipewort</b> 가는개수염 (Ga-neun-gae-su-yeom)
<b><i>Eriochloa</i> Kunth</b> [Poaceae]	<b>Cupgrass</b> <b>나도개피속</b> (Na-do-gae-pi-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Eriochloa villosa</i> (Thunb.) Kunth	<b>Hairy cupgrass</b> 나도개피 (Na-do-gae-pi)
<i>Eriophorum</i> L. [Cyperaceae]	<b>Cottongrass, Cotton-grass, Cottonsedge</b> 황새풀속 (Hwang-sae-pul-sok) [사초과]
<i>Eriophorum angustifolium</i> Honck.	<b>Common cottonsedge</b> 참황새풀 (Cham-hwang-sae-pul)
<i>Eriophorum brachyantherum</i> Trautv. & C.A.Mey.	<b>Northland cottonsedge</b> 설령황새풀 (Seol-ryeong-hwang-sae-pul)
<i>Eriophorum gracile</i> Koch	<b>Slender cottonsedge</b> 작은황새풀 (Jak-eun-hwang-sae-pul)
<i>Eriophorum japonicum</i> Maxim.	<b>Mountain cottonsedge</b> 두메황새풀 (Du-me-hwang-sae-pul)
<i>Eriophorum latifolium</i> Hoppe	<b>Broad-leaf cottonsedge</b> 큰황새풀 (Keun-hwang-sae-pul)
<i>Eriophorum vaginatum</i> L.	<b>Tussock cottonsedge</b> 황새풀 (Hwang-sae-pul)
<i>Eritrichium</i> Schrad. ex Gaudin [Boraginaceae]	<b>Alpine forget-me-not</b> 산지치속 (San-ji-chi-sok) [지치과]
<i>Eritrichium sichotense</i> Popov	<b>East Asian alpine forget-me-not</b> 산지치 (San-ji-chi)
<i>Erodium</i> L'Hér. ex Aiton [Geraniaceae]	<b>Filarees, Heron's bill, Stork's bill</b> 국화쥐손이속 (Guk-hwa-jwi-son-i-sok) [쥐손이풀과]
<i>Erodium stephannianum</i> Willd.	<b>Stephan's filaree</b> 국화쥐손이 (Guk-hwa-jwi-son-i)
<i>Erysimum</i> L. [Brassicaceae]	<b>Wallflower</b> 쑥부지깽이속 (Ssuk-bu-ji-kkaeng-i-sok) [십자화과]
<i>Erysimum amurense</i> Kitag.	<b>Amur wallflower</b> 부지깽이나물 (Bu-ji-kkaeng-i-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Erysimum cheiranthoides</i> L.	<b>Wormseed wallflower</b> 쑥부지깽이 (Ssuk-bu-ji-kkaeng-i)
<i>Erythronium</i> L. [Liliaceae]	<b>Fawnlily, Trout lily, Dog's-tooth violet, Adder's tongue</b> 얼레지속 (Eol-re-ji-sok) [백합과]
<i>Erythronium japonicum</i> Decne.	<b>Asian fawnlily</b> 얼레지 (Eol-re-ji)
* <i>Erythronium japonicum</i> f. <i>album</i> T.B.Lee	<b>White Asian fawnlily</b> 흰얼레지 (Huin-eol-re-ji)
<i>Euchiton</i> F.Cuvier [Asteraceae]	<b>Euchiton</b> 풀솜나물속(Pul-som-na-mul-sok)
<i>Euchiton japonicus</i> (Thunb.) Holub	<b>Father-and-child plant</b> 풀솜나물 (Pul-som-na-mul)
<i>Euchresta</i> Benn. [Fabaceae]	<b>Euchresta</b> 만년콩속 (Man-nyeon-kong-sok) [콩과]
<i>Euchresta japonica</i> Hook.f. ex Regel	<b>East Asian euchresta</b> 만년콩 (Man-nyeon-kong)
<i>Eulalia</i> Kunth [Poaceae]	<b>Eulalia</b> 개억새속 (Gae-eok-sae-sok) [벼과]
<i>Eulalia quadrinervis</i> (Hack.) Kuntze	<b>Four-nerve eulalia</b> 털개억새 (Teol-gae-eok-sae)
<i>Eulalia speciosa</i> (Debeaux) Kuntze	<b>Beautiful eulalia</b> 개억새 (Gae-eok-sae)
<i>Euonymus</i> L. [Celastraceae]	<b>Spindle, Spindletree</b> 화살나무속 (Hwa-sal-na-mu-sok) [노박덩굴과]
<i>Euonymus alatus</i> (Thunb.) Siebold	<b>Burning bush spindletree</b> 화살나무 (Hwa-sal-na-mu)
<i>Euonymus alatus</i> f. <i>apterus</i> (Regel) Rehder	<b>Cork spindletree</b> 당회잎나무 (Dang-hoe-ip-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Euonymus alatus</i> f. <i>ciliatodentatus</i> (Franch. & Sav.) Hiyama	<b>Winged burning bush spindletree</b> 회잎나무 (Hoe-ip-na-mu)
<i>Euonymus alatus</i> f. <i>pilosus</i> (O.Loes. & Rehder) Ohwi	<b>Hairy burning bush spindletree</b> 털화살나무 (Teol-hwa-sal-na-mu)
<i>Euonymus bungeanus</i> Maxim.	<b>Winter-berry spindletree</b> 좀참빗살나무 (Jom-cham-bit-sal-na-mu)
<i>Euonymus chibae</i> Makino	<b>Geomundo evergreen spindletree</b> 섬회나무 (Seom-hoe-na-mu)
<i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz.	<b>Winter creeper spindletree</b> 좀사철나무 (Jom-sa-cheol-na-mu)
<i>Euonymus fortunei</i> var. <i>radicans</i> (Miq.) Rehder	<b>Radicans winter creeper spindletree</b> 줄사철나무 (Jul-sa-cheol-na-mu)
<i>Euonymus hamiltonianus</i> Wall.	<b>Hamilton's spindletree</b> 참빗살나무 (Cham-bit-sal-na-mu)
<i>Euonymus hamiltonianus</i> var. <i>maackii</i> (Rupr.) Kom.	<b>Maack's spindletree</b> 좁은잎참빗살나무 (Jop-eun-ip-cham-bit-sal-na-mu)
<i>Euonymus japonicus</i> Thunb.	<b>Evergreen spindletree</b> 사철나무 (Sa-cheol-na-mu)
<i>Euonymus japonicus</i> var. <i>acutus</i> Rehder	<b>Acute-leaf evergreen spindletree</b> 뾰족잎사철나무 (Ppyo-jok-ip-sa-cheol-na-mu)
<i>Euonymus macropterus</i> Rupr.	<b>Ussuri spindletree</b> 나래회나무 (Na-rae-hoe-na-mu)
<i>Euonymus oligospermus</i> Ohwi	see <i>Euonymus pauciflorus</i> Maxim.
<i>Euonymus oxyphyllus</i> Miq.	<b>Korean spindletree</b> 참회나무 (Cham-hoe-na-mu)
<i>Euonymus pauciflorus</i> Maxim.	<b>Few-flower spindletree</b> 회목나무 (Hoe-mok-na-mu)
<i>Euonymus quelpaertensis</i> Nakai	<b>Jejudo spindletree</b> 등근잎참빗살나무 (Dung-geun-ip-cham-bit-sal-na-mu)
<i>Euonymus sachalinensis</i> (F.Schmidt) Maxim.	<b>Siberian spindletree</b> 회나무 (Hoe-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Euonymus trapococca</i> Nakai	<b>Willow spindletree</b> 벼들회나무 (Beo-deul-hoe-na-mu)
<i>Eupatorium</i> L. [Asteraceae]	<b>Boneset, Snakeroot, Thoroughwort</b> 등골나물속 (Deung-gol-na-mul-sok) [국화과]
<i>Eupatorium chinense</i> var. <i>angustatum</i> H.Hara	<b>Smooth eupatorium</b> 민등골나물 (Min-deung-gol-na-mul)
<i>Eupatorium chinense</i> var. <i>dissectum</i> (Makino) H.Hara	<b>Dissected eupatorium</b> 갈래등골나물 (Gal-lae-deung-gol-na-mul)
<i>Eupatorium japonicum</i> Thunb.	<b>Fragrant eupatorium</b> 등골나물 (Deung-gol-na-mul)
<i>Eupatorium lindleyanum</i> DC.	<b>Lindley's eupatorium</b> 골등골나물 (Gol-deung-gol-na-mul)
<i>Eupatorium makinoi</i> var. <i>oppositifolium</i> (Koidz.) Kawahara & Yahara	<b>Opposite-leaf eupatorium</b> 벌등골나물 (Beol-deung-gol-na-mul)
<i>Eupatorium tripartitum</i> (Makino) Murata & H.Koyama	<b>Triparted-leaf eupatorium</b> 향등골나물 (Hyang-deung-gol-na-mul)
<i>Euphorbia</i> L. [Euphorbiaceae]	<b>Spurge</b> 대극속 (Dae-geuk-sok) [대극과]
<i>Euphorbia barbellata</i> var. <i>imaii</i> (Hurus.) Kitag.	<b>Pyeongyang spurge</b> 평양대극 (Pyeong-yang-dae-geuk)
<i>Euphorbia ebracteolata</i> Hayata	<b>Red spurge</b> 붉은대극 (Bul-geun-dae-geuk)
<i>Euphorbia ebracteolata</i> var. <i>coreana</i> Hurus.	<b>Pungdo spurge</b> 풍도대극 (Pung-do-dae-geuk)
<i>Euphorbia ebracteolata</i> f. <i>magna</i> Y.N.Lee	<b>Seorak spurge</b> 설악대극 (Seol-ak-dae-geuk)
<i>Euphorbia esula</i> L.	<b>Leafy spurge</b> 흰대극 (Huin-dae-geuk)
<i>Euphorbia fauriei</i> H.Lév. & Vaniot ex H.Lév.	<b>Korean mountain spurge</b> 두메대극 (Du-me-dae-geuk)

Scientific name	English name Korean name (Romanization)
<i>Euphorbia fischeriana</i> Steud.	<b>Fischer's spurge</b> 낭독 (Nang-dok)
<i>Euphorbia hakutosanensis</i> Hurus.	<b>Baedusan spurge</b> 백두산대극 (Baek-du-san-dae-geuk)
<i>Euphorbia helioscopia</i> L.	<b>Madwoman's milk</b> 등대풀 (Deung-dae-pul)
<i>Euphorbia humifusa</i> Willd. ex Schleidl.	<b>Humifuse spurge</b> 땅빈대 (Ttang-bin-dae)
<i>Euphorbia hyalina</i> Hand.-Mazz.	<b>Short-style spurge</b> 단주대극 (Dan-ju-dae-geuk)
<i>Euphorbia jolkinii</i> Boiss.	<b>Jolkin's spurge</b> 암대극 (Am-dae-geuk)
<i>Euphorbia lucorum</i> Rupr.	<b>Shiny spurge</b> 참대극 (Cham-dae-geuk)
<i>Euphorbia lucorum</i> f. <i>glabrata</i> (Maxim.) Hurus.	<b>Glabrous shiny spurge</b> 민참대극 (Min-cham-dae-geuk)
<i>Euphorbia octoradiata</i> H.Lév. & Vaniot ex H.Lév.	<b>Jeju spurge</b> 제주대극 (Je-ju-dae-geuk)
<i>Euphorbia pekinensis</i> Rupr.	<b>Common spurge</b> 대극 (Dae-geuk)
* <i>Euphorbia pekinensis</i> var. <i>subulatifolius</i> (Hurus.) T.B.Lee	<b>Mokpo spurge</b> 목포대극 (Mok-po-dae-geuk)
<i>Euphorbia sieboldiana</i> Morren & Decne.	<b>Siebold's spurge</b> 개감수 (Gae-gam-su)
<i>Euphorbia togakusensis</i> Hayata	<b>Jiri spurge</b> 지리대극 (Ji-ri-dae-geuk)
<b>EUPHORBIACEAE</b> Juss.	<b>Spurge family</b> 대극과 (Dae-geuk-gwa)
<i>Euphrasia</i> L. [Scrophulariaceae]	<b>Eyebright</b> 좁쌀풀속 (Jop-ssal-pul-sok) [현삼과]
<i>Euphrasia coreana</i> W.Becker	<b>Korean eyebright</b> 깔끔좁쌀풀 (Kkal-kkeum-jop-ssal-pul)

Scientific name	English name Korean name (Romanization)
<i>Euphrasia coreanalpina</i> Nakai ex Y.Kimura	<b>Korean alpine eyebright</b> 애기좁쌀풀 (Ae-gi-jop-ssal-pul)
<i>Euphrasia hirtella</i> Jord. ex Reut.	<b>Long-glandular eyebright</b> 큰산좁쌀풀 (Keun-san-jop-ssal-pul)
<i>Euphrasia maximowiczii</i> Wettst.	<b>Maximowicz's eyebright</b> 앉은좁쌀풀 (An-jeun-jop-ssal-pul)
<i>Euphrasia retrotricha</i> Nakai ex T.H.Chung	<b>Downward-hair eyebright</b> 털좁쌀풀 (Teol-jop-ssal-pul)
<b><i>Eurya</i> Thunb.</b> [Theaceae]	<b>Eurya</b> 사스레피나무속 (Sa-seu-re-pi-na-mu-sok) [차나무과]
<i>Eurya emarginata</i> (Thunb.) Makino	<b>Emarginate eurya</b> 우뚝사스레피 (U-muk-sa-seu-re-pi)
<i>Eurya japonica</i> Thunb.	<b>East Asian eurya</b> 사스레피나무 (Sa-seu-re-pi-na-mu)
<i>Eurya japonica</i> var. <i>aurescens</i> Redde & E.H.Wilson	<b>Yellow East Asian eurya</b> 떡사스레피나무 (Tteok-sa-seu-re-pi-na-mu)
<i>Eurya japonica</i> f. <i>integra</i> (Nakai) T.B.Lee	<b>East Asian island eurya</b> 섬사스레피나무 (Seom-sa-seu-re-pi-na-mu)
<b><i>Euryale</i> Salisb.</b> [Nymphaeaceae]	<b>Euryale</b> 가시연속 (Ga-si-yeon-sok) [수련과]
<i>Euryale ferox</i> Salisb.	<b>Prickly waterlily</b> 가시연 (Ga-si-yeon)
<b><i>Euscaphis</i> Siebold &amp; Zucc.</b> [Staphyleaceae]	<b>Euscaphis</b> 말오줌때속 (Mal-o-jum-ttae-sok) [고추나무과]
<i>Euscaphis japonica</i> (Thunb.) Kanitz	<b>Korean sweetheart tree</b> 말오줌때 (Mal-o-jum-ttae)
<b><i>Eutrema</i> R.Br.</b> [Brassicaceae]	<b>Eutrema</b> 고추냉이속 (Go-chu-naeng-i-sok) [십자화과]
<i>Eutrema japonicum</i> (Miq.) Koidz.	<b>Wild wasabi</b> 고추냉이 (Go-chu-naeng-i)

Scientific name	English name Korean name (Romanization)
<i>Exochorda</i> Lindl. [Rosaceae]	<b>Pearl bush</b> 가침박달속 (Ga-chim-bak-dal-sok) [장미과]
<i>Exochorda serratifolia</i> S.Moore	<b>Korean pearl bush</b> 가침박달 (Ga-chim-bak-dal)
<i>Exochorda serratifolia</i> var. <i>oligantha</i> Nakai	<b>Hairy Korean pearl bush</b> 털가침박달 (Teol-ga-chim-bak-dal)

**F**

<b>FABACEAE</b> Lindl. (=Leguminosae Juss.)	<b>Pea family</b> 콩과 (Kong-gwa)
<b>FAGACEAE</b> Dumort.	<b>Beech family, Oak family</b> 참나무과 (Cham-na-mu-gwa)
<b><i>Fagus</i></b> L. [Fagaceae]	<b>Beech</b> 너도밤나무속 (Neo-do-bam-na-mu-sok) [참나무과]
<i>Fagus engleriana</i> Seemen ex Diels	<b>Engler's beech</b> 너도밤나무 (Neo-do-bam-na-mu)
<b><i>Fallopia</i></b> Adans. [Polygonaceae]	<b><i>Fallopia</i></b> 닭의덩굴속 (Dak-ui-deong-gul-sok) [마디풀과]
<i>Fallopia ciliinervis</i> (Nakai) K.Hammer	<b>Hairy-vein knotweed</b> 나도하수오 (Na-do-ha-su-o)
<i>Fallopia forbesii</i> (Hance) K.Yonekura & Ohashi	<b>Forbes' knotweed</b> 감절대 (Gam-jeol-dae)
<i>Fallopia japonica</i> (Houtt.) Ronse Decr.	<b>Asian knotweed</b> 호장근 (Ho-jang-geun)
* <i>Fallopia japonica</i> f. <i>elata</i> Y.M.Lee & H.J.Choi	<b>Red Asian knotweed</b> 붉은호장근 (Bul-geun-ho-jang-geun)
<i>Fallopia koreana</i> B.U.Oh & J.G.Kim	<b>Korean knotweed</b> 삼도하수오 (Sam-do-ha-su-o)
<i>Fallopia pauciflora</i> (Maxim.) Kitag.	<b>Small-flower knotweed</b> 애기닭의덩굴 (Ae-gi-dak-ui-deong-gul)

F

Scientific name	English name Korean name (Romanization)
<i>Fallopia sachalinensis</i> (F.Schmidt) Ronse Decr.	<b>Giant knotweed</b> 왕호장근 (Wang-ho-jang-geun)
<b><i>Farfugium</i> Lindl.</b> [Asteraceae]	<b>Farfugium</b> 털머위속 (Teol-meo-wi-sok) [국화과]
<i>Farfugium japonicum</i> (L.) Kitam.	<b>Leopard plant</b> 털머위 (Teol-meo-wi)
<b><i>Fatoua</i> Gaudich.</b> [Moraceae]	<b>Fatoua</b> 뽕모시풀속 (Ppong-mo-si-pul-sok) [뽕나무과]
<i>Fatoua villosa</i> (Thunb.) Nakai	<b>Hairy crabweed</b> 뽕모시풀 (Ppong-mo-si-pul)
<b><i>Fatsia</i> Decne. &amp; Planch.</b> [Araliaceae]	<b>Fatsia</b> 팔손이속 (Pal-son-i-sok) [두릅나무과]
<i>Fatsia japonica</i> (Thunb.) Decne. & Planch.	<b>Glossy-leaf paper plant</b> 팔손이 (Pal-son-i)
<b><i>Festuca</i> L.</b> [Poaceae]	<b>Fescue</b> 김의털속 (Gim-ui-teol-sok) [벼과]
<i>Festuca extremiorientalis</i> Ohwi	<b>Asian subulate fescue</b> 왕김의털아재비 (Wang-gim-ui-teol-a-jae-bi)
<i>Festuca japonica</i> Makino	<b>Oriental fescue</b> 산묵새 (San-muk-sae)
<i>Festuca ovina</i> L.	<b>Sheep's fescue</b> 김의털 (Gim-ui-teol)
<i>Festuca ovina</i> var. <i>chiisanensis</i> Ohwi	<b>Jirisan sheep's fescue</b> 지리산김의털 (Ji-ri-san-gim-ui-teol)
<i>Festuca ovina</i> var. <i>chosenica</i> Ohwi	<b>Choseon sheep's fescue</b> 수염김의털 (Su-yeom-gim-ui-teol)
<i>Festuca ovina</i> var. <i>coreana</i> St.-Yves	<b>Korean sheep's fescue</b> 참김의털 (Cham-gim-ui-teol)

Scientific name	English name Korean name (Romanization)
<i>Festuca ovina</i> var. <i>duriuscula</i> (L.) W.D.J. Koch	<b>Seoul sheep's fescue</b> 서울김의털 (Seo-ul-gim-ui-teol)
<i>Festuca ovina</i> var. <i>koreanoalpina</i> Ohwi	<b>Alpine sheep's fescue</b> 두메김의털 (Du-me-gim-ui-teol)
<i>Festuca parviflora</i> Steud.	<b>Small-glum fescue</b> 김의털아재비 (Gim-ui-teol-a-jae-bi)
<i>Festuca rubra</i> L.	<b>Red fescue</b> 왕김의털 (Wang-gim-ui-teol)
<i>Festuca takedana</i> Ohwi	<b>Smooth Asian fescue</b> 개목새 (Gae-muk-sae)
<b><i>Ficus</i> L. [Moraceae]</b>	<b>Fig</b> <b>무화과나무속</b> (Mu-hwa-gwa-na-mu-sok) [뽕나무과]
<i>Ficus erecta</i> Thunb.	<b>Erect fig</b> 천선과나무 (Cheon-seon-gwa-na-mu)
<i>Ficus erecta</i> var. <i>sieboldii</i> (Miq.) King	<b>Narrow-leaf erect fig</b> 좁은잎천선과 (Jop-eun-ip-cheon-seon-gwa)
<i>Ficus oxyphylla</i> Miq. ex Zoll.	<b>Oriental vining fig</b> 모람 (Mo-ram)
<i>Ficus thunbergii</i> Maxim.	<b>Climbing fig</b> 왕모람 (Wang-mo-ram)
<b><i>Filifolium</i> Kitam. [Asteraceae]</b>	<b>Filifolium</b> <b>실쑥속</b> (Sil-ssuk-sok) [국화과]
* <i>Filifolium koreanum</i> J.H.Pak	<b>Korean filifolium</b> 잔실쑥 (Jan-sil-ssuk)
<i>Filifolium sibiricum</i> (L.) Kitam.	<b>Siberian filifolium</b> 실쑥 (Sil-ssuk)
<b><i>Filipendula</i> Mill. [Rosaceae]</b>	<b>Meadowsweet</b> <b>터리풀속</b> (Teo-ri-pul-sok) [장미과]
<i>Filipendula formosa</i> Nakai	<b>Jiri meadowsweet</b> 지리터리풀 (Ji-ri-teo-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Filipendula glaberrima</i> Nakai	<b>Korean meadowsweet</b> 터리풀 (Teo-ri-pul)
<i>Filipendula camtschatica</i> (Pall.) Maxim.	<b>Giant meadowsweet</b> 큰터리풀 (Keun-teo-ri-pul)
<i>Filipendula koreana</i> (Nakai) Nakai	<b>Red Korean meadowsweet</b> 붉은터리풀 (Bul-geun-teo-ri-pul)
<i>Filipendula koreana</i> f. <i>alba</i> (Nakai) Kitag.	<b>White Korean meadowsweet</b> 흰터리풀 (Huin-teo-ri-pul)
<i>Filipendula multijuga</i> Maxim.	<b>Multi-ridge meadowsweet</b> 참터리풀 (Cham-teo-ri-pul)
<i>Filipendula palmata</i> (Pall.) Maxim.	<b>Siberian meadowsweet</b> 단풍터리풀 (Dan-pung-teo-ri-pul)
<b><i>Fimbristylis</i> Vahl</b> [Cyperaceae]	<b>Fimbry, Fimbrystylis</b> 하늘지기속 (Ha-neul-ji-gi-sok) [사초과]
<i>Fimbristylis aestivalis</i> (Retz.) Vahl	<b>Summer fimbristylis</b> 좀민하늘지기 (Jom-min-ha-neul-ji-gi)
<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	<b>Puerto Rico fimbristylis</b> 애기하늘지기 (Ae-gi-ha-neul-ji-gi)
<i>Fimbristylis cymosa</i> R.Br.	<b>Tropical fimbristylis</b> 바다지기 (Ba-da-ji-gi)
<i>Fimbristylis dichotoma</i> (L.) Vahl	<b>Two-leaf fimbristylis</b> 하늘지기 (Ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>depauperata</i> (R.Br.) Ohwi	<b>Slender two-leaf fimbristylis</b> 가는하늘지기 (Ga-neun-ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>floribunda</i> (Miq.) Ohwi	<b>Many-flower fimbristylis</b> 남하늘지기 (Nam-ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>tomentosa</i> (Vahl) Ohwi	<b>Hairy two-leaf fimbristylis</b> 털하늘지기 (Teol-ha-neul-ji-gi)
<i>Fimbristylis diphyloides</i> Makino	<b>Setaceous-bract fimbristylis</b> 검정하늘지기 (Geom-jeong-ha-neul-ji-gi)
<i>Fimbristylis dipsacea</i> (Rottb.) C.B.Clarke	<b>Verrucolose fimbristylis</b> 푸른하늘지기 (Pu-reun-ha-neul-ji-gi)

Scientific name	English name Korean name (Romanization)
<i>Fimbristylis ferruginea</i> var. <i>sieboldii</i> (Miq. ex Franch. & Sav.) Ohwi	<b>Rusty fimbriostylis</b> 갓하늘지기 (Gaet-ha-neul-ji-gi)
<i>Fimbristylis littoralis</i> Gaudich.	<b>Lesser fimbriostylis</b> 바람하늘지기 (Ba-ram-ha-neul-ji-gi)
<i>Fimbristylis longispica</i> Steud.	<b>Long-spike fimbriostylis</b> 큰하늘지기 (Keun-ha-neul-ji-gi)
<i>Fimbristylis ovata</i> (Burm.f.) J.Kern	<b>Uni-spikelet fimbriostylis</b> 쇠하늘지기 (Soe-ha-neul-ji-gi)
<i>Fimbristylis pierotii</i> Miq.	<b>Field flat fimbriostylis</b> 들하늘지기 (Deul-ha-neul-ji-gi)
<i>Fimbristylis schoenoides</i> (Retz.) Vahl	<b>Few-spikelet fimbriostylis</b> 제주하늘지기 (Je-ju-ha-neul-ji-gi)
<i>Fimbristylis sericea</i> (Poir.) R.Br.	<b>Silky-hair fimbriostylis</b> 털잎하늘지기 (Teol-ip-ha-neul-ji-gi)
<i>Fimbristylis squarrosa</i> Vahl	<b>Curved-awn fimbriostylis</b> 민하늘지기 (Min-ha-neul-ji-gi)
<i>Fimbristylis squarrosa</i> var. <i>esquarrosa</i> Makino	<b>Straight-awn fimbriostylis</b> 암하늘지기 (Am-ha-neul-ji-gi)
<i>Fimbristylis stauntonii</i> Debeaux & Franch.	<b>Yentai fimbriostylis</b> 벌하늘지기 (Bat-ha-neul-ji-gi)
<i>Fimbristylis tristachya</i> var. <i>subbispicata</i> (Nees & Meyen) T.Koyama	<b>Two-spikelet fimbriostylis</b> 꼴하늘지기 (Kkol-ha-neul-ji-gi)
<i>Fimbristylis umbellaris</i> (Lam.) Vahl	<b>Globose fimbriostylis</b> 둥근하늘지기 (Dung-geun-ha-neul-ji-gi)
<b>FLACOURTIACEAE Rich. ex DC.</b>	<b>Flacourtie family</b> 산유자나무과 (San-yu-ja-na-mu-gwa)
<b><i>Forsythia</i> Vahl</b> [Oleaceae]	<b><i>Forsythia</i></b> 개나리속 (Gae-na-ri-sok) [풀푸레나무과]
<i>Forsythia koreana</i> (Rehder) Nakai	<b>Gaenari (Korean goldenbell tree)</b> 개나리 (Gae-na-ri)
<i>Forsythia ovata</i> Nakai	<b>Early forsythia</b> 만리화 (Man-ri-hwa)

Scientific name	English name Korean name (Romanization)
<i>Forsythia saxatilis</i> (Nakai) Nakai	<b>Rocky forsythia</b> 산개나리 (San-gae-na-ri)
<i>Forsythia saxatilis</i> var. <i>lanceolata</i> S.T.Lee	<b>Lanceolate rocky forsythia</b> 긴산개나리 (Gin-san-gae-na-ri)
<i>Forsythia saxatilis</i> var. <i>pilosa</i> S.T.Lee	<b>Pilose rocky forsythia</b> 털산개나리 (Teol-san-gae-na-ri)
<i>Forsythia velutina</i> Nakai	<b>Hairy forsythia</b> 장수만리화 (Jang-su-man-ri-hwa)
<b><i>Fragaria</i> L.</b> [Rosaceae]	<b>Strawberry</b> 딸기속 (Ttal-gi-sok) [장미과]
<i>Fragaria nipponica</i> Makino	<b>White wild strawberry</b> 흰딸기 (Huin-ttat-ttal-gi)
<i>Fragaria yezoensis</i> H.Hara	<b>Northeast Asian wild strawberry</b> lettalgi (Ttat-ttal-gi)
<b><i>Fraxinus</i> L.</b> [Oleaceae]	<b>Ash</b> 물푸레나무속 (Mul-pu-re-na-mu-sok) [물푸레나무과]
<i>Fraxinus chiisanensis</i> Nakai	<b>Jirisan ash</b> 물들메나무 (Mul-deul-me-na-mu)
<i>Fraxinus mandshurica</i> Rupr.	<b>Manchurian ash</b> 들메나무 (Deul-me-na-mu)
<i>Fraxinus rhynchophylla</i> Hance	<b>East Asian ash</b> 물푸레나무 (Mul-pu-re-na-mu)
* <i>Fraxinus rhynchophylla</i> var. <i>densata</i> (Nakai) Y.N.Lee	<b>Gwangneung ash</b> 광릉물푸레 (Gwang-reung-mul-pu-re)
* <i>Fraxinus rhynchophylla</i> var. <i>glabrescens</i> Nakai	<b>Hairless East Asian ash</b> 민물푸레나무 (Min-mul-pu-re-na-mu)
<i>Fraxinus sieboldiana</i> Blume	<b>Asian flowering ash</b> 쇠물푸레나무 (Soe-mul-pu-re-na-mu)
<i>Fraxinus sieboldiana</i> var. <i>angusta</i> Blume	<b>Narrow-leaf flowering ash</b> 좁쇠물푸레 (Jom-soe-mul-pu-re)

Scientific name	English name Korean name (Romanization)
* <i>Fraxinus sieboldiana</i> var. <i>quadrijuga</i> (Nakai) T.B.Lee	<b>Baekun flowering ash</b> 백운쇠물푸레 (Baek-un-soe-mul-pu-re)
<i>Fraxinus sieboldiana</i> var. <i>serrata</i> Nakai	<b>Serrate-leaf flowering ash</b> 쇠나무 (Soe-na-mu)
<i>Fraxinus sieboldiana</i> var. <i>trijuga</i> Nakai	<b>Three-some flowering ash</b> 계룡쇠물푸레 (Gye-ryong-soe-mul-pu-re)
<b><i>Fritillaria</i> L.</b> [Liliaceae]	<b>Fritillary, Mission bells</b> 페모속 (Pae-mo-sok) [백합과]
<i>Fritillaria ussuriensis</i> Maxim.	<b>Ussuri fritillary</b> 페모 (Pae-mo)
<b><i>Fuirena</i> Rottb.</b> [Cyperaceae]	<b>Umbrella-sedge</b> 검정방동사니속 (Geom-jeong-bang-dong-sa-ni-sok) [사초과]
<i>Fuirena ciliaris</i> (L.) Roxb.	<b>Ciliate fuirena</b> 검정방동사니 (Geom-jeong-bang-dong-sa-ni)
<b>FUMARIACEAE Marquis</b>	<b>Fumitory family</b> 현호색과 (Hyeon-ho-saek-gwa)
<b>G</b>	
<b><i>Gagea</i> Salisb.</b> [Liliaceae]	<b>Gagea, Yellow star-of-Bethlehem</b> 중의무릇속 (Jung-ui-mu-reut-sok) [백합과]
<i>Gagea hiensis</i> Pascher	<b>Small gagea</b> 애기종의무릇 (Ae-gi-jung-ui-mu-reut)
<i>Gagea nakaiana</i> Kitag.	<b>Oriental yellow gagea</b> 중의무릇 (Jung-ui-mu-reut)
<b><i>Galearis</i> Raf.</b> [Orchidaceae]	<b>Galearis</b> 나도제비란속 (Na-do-je-bi-ran-sok) [난초과]
<i>Galearis cyclochila</i> (Franch. & Sav.) Soó	<b>Circular-lip galearis</b> 나도제비란 (Na-do-je-bi-ran)

Scientific name	English name Korean name (Romanization)
<i>Galeopsis</i> L. [Lamiaceae]	<b>Hemp-nettle, Hempnettle</b> 털향유속 (Teol-hyang-yu-sok) [꼴풀과]
<i>Galeopsis bifida</i> Boenn.	<b>Split-lip hempnettle</b> 털향유 (Teol-hyang-yu)
<i>Galium</i> L. [Rubiaceae]	<b>Bedstraw</b> 갈퀴덩굴속 (Gal-kwi-deong-gul-sok) [꼭두서니과]
<i>Galium boreale</i> L.	<b>Northern bedstraw</b> 긴잎갈퀴 (Gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>amurense</i> (Pobed.) Kitag.	<b>Amur northern bedstraw</b> 넓은긴잎갈퀴 (Neol-beun-gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>koreanum</i> Nakai	<b>Northern Korean bedstraw</b> 털긴잎갈퀴 (Teol-gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>lanceolatum</i> Nakai	<b>Long-leaf northern bedstraw</b> 민긴잎갈퀴 (Min-gin-ip-gal-kwi)
<i>Galium dahuricum</i> Turcz. ex Ledeb.	<b>Dahurian bedstraw</b> 큰잎갈퀴 (Keun-ip-gal-kwi)
<i>Galium dahuricum</i> var. <i>tokyoense</i> (Makino) Cufod.	<b>White Dahurian bedstraw</b> 흰갈퀴 (Huin-gal-kwi)
<i>Galium gracilens</i> (A.Gray) Makino	<b>Slender-leaf bedstraw</b> 좁네잎갈퀴 (Jom-ne-ip-gal-kwi)
<i>Galium japonicum</i> Makino	<b>Black bedstraw</b> 검은개선갈퀴 (Geom-eun-gae-seon-gal-kwi)
<i>Galium kamtschaticum</i> Steller ex Roem. & Schult.	<b>Kamchatka bedstraw</b> 털둥근갈퀴 (Teol-dung-geun-gal-kwi)
<i>Galium kikumugura</i> Ohwi	<b>Chrysanthemum bedstraw</b> 국화갈퀴 (Guk-hwa-gal-kwi)
<i>Galium kinuta</i> Nakai & H.Hara	<b>Smooth bedstraw</b> 민둥갈퀴 (Min-dung-gal-kwi)
<i>Galium koreanum</i> (Nakai) Nakai	<b>Korean lady's bedstraw</b> 참갈퀴덩굴 (Cham-gal-kwi-deong-gul)

Scientific name	English name Korean name (Romanization)
<i>Galium linearifolium</i> Turcz.	<b>Linear-leaf bedstraw</b> 실갈퀴 (Sil-gal-kwi)
<i>Galium paradoxum</i> Maxim.	<b>Montane bedstraw</b> 두메갈퀴 (Du-me-gal-kwi)
<i>Galium pagonanthum</i> Franch. & Sav.	<b>Mountain bedstraw</b> 산갈퀴 (San-gal-kwi)
<i>Galium pagonanthum</i> f. <i>nudiflorum</i> (Makino) Ohwi	<b>Glabrous-flower mountain bedstraw</b> 민산갈퀴 (Min-san-gal-kwi)
<i>Galium pseudoasprellum</i> Makino	<b>Four-leaf bedstraw</b> 갈고리네잎갈퀴 (Gal-go-ri-ne-ip-gal-kwi)
<i>Galium spurium</i> var. <i>echinospermon</i> (Wallr.) Hayek	<b>Stickwilly</b> 갈퀴덩굴 (Gal-kwi-deong-gul)
<i>Galium trachyspermum</i> A.Gray	<b>Rough-seed bedstraw</b> 네잎갈퀴 (Ne-ip-gal-kwi)
<i>Galium trachyspermum</i> f. <i>hispidum</i> (Matsuda) Ohwi	<b>Bristled-fruit bedstraw</b> 털네잎갈퀴 (Teol-ne-ip-gal-kwi)
<i>Galium trifidum</i> L.	<b>Three-petal bedstraw</b> 가는네잎갈퀴 (Ga-neun-ne-ip-gal-kwi)
<i>Galium trifloriforme</i> Kom.	<b>Three-flower bedstraw</b> 개선갈퀴 (Gae-seon-gal-kwi)
* <i>Galium verum</i> var. <i>asiaticum</i> f. <i>pusillum</i> (Nakai) M.Park	<b>Small yellow spring bedstraw</b> 애기솔나물 (Ae-gi-sol-na-mul)
<i>Galium verum</i> var. <i>asiaticum</i> Nakai	<b>Asian yellow spring bedstraw</b> 솔나물 (Sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> DC.	<b>Hairy-fruit yellow bedstraw</b> 털솔나물 (Teol-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>album</i> Nakai	<b>White-hair yellow bedstraw</b> 흰털솔나물 (Huin-teol-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>intermedium</i> Nakai	<b>Medium hairy-fruit lady's bedstraw</b> 개솔나물 (Gae-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>nikkoense</i> (Nakai) Ohwi	<b>White-flower lady's bedstraw</b> 흰솔나물 (Huin-sol-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Galium verum</i> var. <i>trachyphyllum</i> Wallr.	<b>Hairy-leaf yellow bedstraw</b> 털잎솔나물 (Teol-ip-sol-na-mul)
<b><i>Gardneria</i> Wall. [Loganiaceae]</b>	<b>Gardneria</b> 영주치자속 (Yeong-ju-chi-ja-sok) [마전과]
<i>Gardneria insularis</i> Nakai	<b>Island gardneria</b> 영주치자 (Yeong-ju-chi-ja)
<b><i>Gastrochilus</i> D.Don [Orchidaceae]</b>	<b>Gastrochilus</b> 금자란속 (Geum-ja-ran-sok) [난초과]
<i>Gastrochilus japonicus</i> (Makino) Schltr.	<b>Tamra gastrochilus</b> 탐라난 (Tam-ra-nan)
<i>Gastrochilus matsuran</i> (Makino) Schltr.	<b>Purple-spotted gastrochilus</b> 금자란 (Geum-ja-ran)
<b><i>Gastrodia</i> R.Br. [Orchidaceae]</b>	<b>Gastrodia</b> 천마속 (Cheon-ma-sok) [난초과]
<i>Gastrodia elata</i> Blume	<b>Cheonma (Tall gastrodia)</b> 천마 (Cheon-ma)
<i>Gastrodia elata</i> f. <i>viridis</i> (Makino) Makino	<b>Green cheonma (Green tall gastrodia)</b> 푸른천마 (Pu-reun-cheon-ma)
<i>Gastrodia verrucosa</i> Blume	<b>Halla cheonma (Warty tall gastrodia)</b> 한라천마 (Han-ra-cheon-ma)
<b><i>Gentiana</i> L. [Gentianaceae]</b>	<b>Gentian</b> 용담속 (Yong-dam-sok) [용담과]
<i>Gentiana algida</i> Pall.	<b>Whitish gentian</b> 산용담 (San-yong-dam)
<i>Gentiana chosenica</i> Okuyama	<b>Choseon gentian</b> 흰그늘용담 (Huin-geu-neul-yong-dam)
<i>Gentiana jamesii</i> Hemsl.	<b>Biro gentian</b> 비로용담 (Bi-ro-yong-dam)

Scientific name	English name Korean name (Romanization)
<i>Gentiana jamesii</i> f. <i>albiflora</i> (Nakai) Toyok. Y.N.Lee	<b>White-flower Biro gentian</b> 흰비로용담 (Huin-bi-ro-yong-dam)
<i>Gentiana nipponica</i> Maxim. W.K.Paik & W.T.Lee	<b>Alpine-snowbed gentian</b> 멧용담 (Met-yong-dam)
<i>Gentiana scabra</i> Bunge Y.N.Lee	<b>Korean gentian</b> 용담 (Yong-dam)
* <i>Gentiana scabra</i> var. <i>buergeri</i> f. <i>alba</i> Y.N.Lee	<b>White-flower Korean gentian</b> 흰용담 (Huin-yong-dam)
<i>Gentiana scabra</i> f. <i>stenophylla</i> (H.Hara) W.K.Paik & W.T.Lee	<b>Linear-leaf Korean gentian</b> 진퍼리용담 (Jin-peo-ri-yong-dam)
<i>Gentiana squarrosa</i> Ledeb.	<b>Squarrose-leaf gentian</b> 구슬봉이 (Gu-seul-bung-i)
<i>Gentiana squarrosa</i> var. <i>microphylla</i> Nakai	<b>Small squarrose-leaf gentian</b> 좀구슬봉이 (Jom-gu-seul-bung-i)
<i>Gentiana takahashii</i> T.Mori	<b>Baedusun gentian</b> 백두산구슬봉이 (Baek-du-san-gu-seul-bung-i)
<i>Gentiana thunbergii</i> (G.Don) Griseb.	<b>Early-blooming gentian</b> 봄구슬봉이 (Bom-gu-seul-bung-i)
<i>Gentiana triflora</i> var. <i>japonica</i> (Kusn.) H.Hara	<b>East Asian clustered gentian</b> 과남풀 (Gwa-nam-pul)
<i>Gentiana triflora</i> f. <i>alvoviolacea</i> W.K.Paik & W.T.Lee	<b>Lilac clustered gentian</b> 연보라과남풀 (Yeon-bo-ra-gwa-nam-pul)
<i>Gentiana wootchuliana</i> W.K.Paik	<b>Korean alpine gentian</b> 고산구슬봉이 (Go-san-gu-seul-bung-i)
<i>Gentiana zollingeri</i> Fawc.	<b>Zollinger's gentian</b> 큰구슬봉이 (Keun-gu-seul-bung-i)
<i>Gentiana zollingeri</i> f. <i>albiflora</i> Tuyama	<b>White-flower Zollinger's gentian</b> 흰큰구슬봉이 (Huin-keun-gu-seul-bung-i)
<b>GENTIANACEAE Juss.</b>	<b>Gentian family</b> 용담과 (Yong-dam-gwa)

Scientific name	English name Korean name (Romanization)
<i>Gentianopsis</i> Ma [Gentianaceae]	<b>Fringed gentian</b> 수염용담속 (Su-yeom-yong-dam-sok) [용담과]
<i>Gentianopsis barbata</i> (Froel.) Ma	<b>Bearded fringe gentian</b> 수염용담 (Su-yeom-yong-dam)
<i>Gentianopsis contorta</i> (Royle) Ma	<b>Contorted fringe gentian</b> 꼬인용담 (Kko-in-yong-dam)
<b>GERANIACEAE</b> Juss.	<b>Geranium family</b> 쥐손이풀과 (Jwi-son-i-pul-gwa)
<i>Geranium</i> L. [Geraniaceae]	<b>Cranesbills, Geranium</b> 쥐손이풀속 (Jwi-son-i-pul-sok) [쥐손이풀과]
<i>Geranium dahuricum</i> DC.	<b>Dahurian cranesbill</b> 산쥐손이 (San-jwi-son-i)
<i>Geranium eriostemon</i> var. <i>glabrescens</i> Nakai ex H.Hara	<b>Glabrous cranesbill</b> 부전쥐손이 (Bu-jeon-jwi-son-i)
<i>Geranium knuthii</i> Nakai	<b>Giant cranesbill</b> 큰세잎쥐손이 (Keun-se-ip-jwi-son-i)
<i>Geranium koraiense</i> var. <i>chejuense</i> S.-J.Park et K.-J.Kim	<b>Jejudo cranesbill</b> 섬참이질풀 (Seom-cham-i-jil-pul)
<i>Geranium korenum</i> Kom.	<b>Korean cranesbill</b> 동근이질풀 (Dung-geun-i-jil-pul)
<i>Geranium korenum</i> var. <i>hirsutum</i> Nakai	<b>Hairy Korean cranesbill</b> 털둥근이질풀 (Teol-dung-geun-i-jil-pul)
<i>Geranium korenum</i> f. <i>albidum</i> Kom.	<b>White-flower Korean cranesbill</b> 흰둥근이질풀 (Huin-dung-geun-i-jil-pul)
<i>Geranium krameri</i> Franch. & Sav.	<b>Upright cranesbill</b> 선이질풀 (Seon-i-jil-pul)
<i>Geranium krameri</i> f. <i>adpressipilosum</i> (H.Hara) H.Hara	<b>Downward-hair cranesbill</b> 털선이질풀 (Teol-seon-i-jil-pul)
<i>Geranium lasiocaulon</i> Nakai	<b>Woolly-stem cranesbill</b> 갈미쥐손이 (Gal-mi-jwi-son-i)

Scientific name	English name Korean name (Romanization)
<i>Geranium maximowiczii</i> Regel	<b>Western purple cranesbill</b> 분홍쥐손이 (Bun-hong-jwi-son-i)
<i>Geranium nepalense</i> Sweet	<b>Nepalese cranesbill</b> 산이질풀 (San-i-jil-pul)
<i>Geranium shikokianum</i> Matsum.	<b>Shikoku marbled cranesbill</b> 사국이질풀 (Sa-guk-i-jil-pul)
<i>Geranium shikokianum</i> var. <i>quelpartense</i> Nakai	<b>Hallasan cranesbill</b> 섬쥐손이 (Seom-jwi-son-i)
<i>Geranium shikokianum</i> var. <i>quelpaertense</i> f. <i>albiflorum</i> Y.N.Lee	<b>White Hallasan cranesbill</b> 흰섬쥐손이 (Huin-seom-jwi-son-i)
<i>Geranium sibiricum</i> L.	<b>Siberian geranium</b> 쥐손이풀 (Jwi-son-i-pul)
<i>Geranium soboliferum</i> Kom.	<b>Hardy geranium</b> 삼쥐손이 (Sam-jwi-son-i)
<i>Geranium taebaekensis</i> S.J.Park & Y.S.Kim	<b>Taebaek cranesbill</b> 태백이질풀 (Tae-baek-i-jil-pul)
<i>Geranium thunbergii</i> Siebold & Zucc.	<b>Thunberg's geranium</b> 이질풀 (I-jil-pul)
* <i>Geranium thunbergii</i> f. <i>pallidum</i> (Nakai ) Murata	<b>Pale-flower Thunberg's geranium</b> 흰이질풀 (Huin-i-jil-pul)
<i>Geranium tripartitum</i> R.Knuth	<b>Three-lobe cranesbill</b> 좀쥐손이 (Jom-jwi-son-i)
<i>Geranium wlassovianum</i> Fisher ex Link	<b>Velvety cranesbill</b> 우단쥐손이 (U-dan-jwi-son-i)
<i>Geranium wilfordii</i> Maxim.	<b>Wilford's cranesbill</b> 세잎쥐손이 (Se-ip-jwi-son-i)
<b>Geum L.</b> [Rosaceae]	<b>Avens</b> <b>뱀무속</b> (Baem-mu-sok) [장미과]
<i>Geum aleppicum</i> Jacq.	<b>Yellow avens</b> <b>큰뱀무</b> (Keun-baem-mu)

Scientific name	English name Korean name (Romanization)
<i>Geum japonicum</i> Thunb.	<b>Asian herb bennet</b> 뱀무 (Baem-mu)
<b>Girardinia</b> Gaudich. [Urticaceae]	<b>Girardinia</b> 큰쐐기풀속 (Keun-sswae-gi-pul-sok) [쐐기풀과]
<i>Girardinia cuspidata</i> Wedd.	<b>Cuspidate girardinia</b> 큰쐐기풀 (Keun-sswae-gi-pul)
<b>Glaux</b> L. [Primulaceae]	<b>Milkwort</b> 겟봄맞이꽃속 (Gaet-bom-mat-i-kkot-sok) [앵초과]
<i>Glaux maritima</i> var. <i>obtusifolia</i> Fernald	<b>Blunt-leaf sea milkwort</b> 겟봄맞이 (Gaet-bom-mat-i)
<b>Glechoma</b> L. [Lamiaceae]	<b>Glechoma</b> 긴병꽃풀속 (Gin-byeong-kkot-pul-sok) [꿀풀과]
<i>Glechoma grandis</i> (A. Gray) Kuprian.	<b>Ground ivy</b> 긴병꽃풀 (Gin-byeong-kkot-pul)
<b>Gleditsia</b> L. [Fabaceae]	<b>Gleditsia</b> 주엽나무속 (Ju-yeop-na-mu-sok) [콩과]
<i>Gleditsia japonica</i> Miq.	<b>Japanese honey locust</b> 주엽나무 (Ju-yeop-na-mu)
<i>Gleditsia japonica</i> var. <i>stenocarpa</i> (Nakai) Nakai	<b>Straight-bean Japanese honey locust</b> 아자비과줄 (A-ja-bi-gwa-jeul)
<i>Gleditsia japonica</i> f. <i>inarmata</i> Nakai	<b>Spineless Japanese honey locust</b> 민주엽나무 (Min-ju-yeop-na-mu)
<b>Glehnia</b> F.Schmidt ex Miq. [Apiaceae]	<b>American silvertop, Beach silvertop, Silvertop</b> 깻방풍속 (Gaet-bang-pung-sok) [산형과]
<i>Glehnia littoralis</i> F.Schmidt ex Miq.	<b>Beach silvertop</b> 깻방풍 (Gaet-bang-pung)

Scientific name	English name Korean name (Romanization)
<i>Gleichenia</i> Sm. [Gleicheniaceae]	<b>Gleichenia</b> 풀고사리속 (Pul-go-sa-ri-sok) [풀고사리과]
<i>Gleichenia japonica</i> Spreng.	<b>Forked fern</b> 풀고사리 (Pul-go-sa-ri)
<i>Gleichenia laevissima</i> Christ	<b>Smooth forked fern</b> 암풀고사리 (Am-pul-go-sa-ri)
<b>GLEICHENIACEAE C.Presl</b>	<b>Forking fern family</b> 풀고사리과 (Pul-go-sa-ri-gwa)
<i>Glochidion</i> J.R.Forst. & G.Forst. [Euphorbiaceae]	<b>Glochidion</b> 조도만두나무속 (Jo-do-man-du-na-mu-sok) [대극과]
<i>Glochidion chodoense</i> J.S.Lee & H.T.Im	<b>Jodo cheesetree</b> 조도만두나무 (Jo-do-man-du-na-mu)
<i>Glyceria</i> R.Br. [Poaceae]	<b>Mannagrass, Sweet-grass</b> 미꾸리광이속 (Mi-kku-ri-gwang-i-sok) [벼과]
<i>Glyceria acutiflora</i> subsp. <i>japonica</i> (Steud.) T. Koyama & Kawano	<b>Creeping mannagrass</b> 육절보리풀 (Yuk-jeol-bo-ri-pul)
<i>Glyceria alnasteretum</i> Kom.	<b>Aleutian mannagrass</b> 두메미꾸리광이 (Du-me-mi-kku-ri-gwang-i)
<i>Glyceria debilior</i> (Trin.) Kudo	<b>Waxy mannagrass</b> 검정진들피 (Geom-jeong-jin-deul-pi)
<i>Glyceria effusa</i> Kitag.	<b>Spreading mannagrass</b> 긴진들피 (Gin-jin-deul-pi)
<i>Glyceria ischyronoeura</i> Steud.	<b>Protruding mannagrass</b> 진들피 (Jin-deul-pi)
<i>Glyceria leptolepis</i> Ohwi	<b>Broad-leaf mannagrass</b> 왕미꾸리광이 (Wang-mi-kku-ri-gwang-i)
<i>Glyceria lithuanica</i> (Gorski) Gorski	<b>Lithuania mannagrass</b> 총전광이 (Chong-jeon-gwang-i)
<i>Glyceria spiculosa</i> (F.Schmidt) Roshev.	<b>Fine-point mannagrass</b> 대택광이 (Dae-taeck-gwang-i)

Scientific name	English name Korean name (Romanization)
<i>Glycine</i> Willd. [Fabaceae]	Soybean 콩속 (Kong-sok) [콩과]
<i>Glycine soja</i> Siebold & Zucc.	Wild soybean 돌콩 (Dol-kong)
<i>Gnaphalium</i> L. [Asteraceae]	Cudweed 왜떡쑥속 (Wae-tteok-ssuk-sok) [국화과]
<i>Gnaphalium uliginosum</i> L.	Marsh cudweed 왜떡쑥 (Wae-tteok-ssuk)
<i>Goodyera</i> R.Br. [Orchidaceae]	Rattlesnake plantain 사철란속 (Sa-cheol-ran-sok) [난초과]
<i>Goodyera biflora</i> (Lindl.) Hook.f.	Reddish rattlesnake plantain 붉은사철란 (Bul-geun-sa-cheol-ran)
<i>Goodyera maximowicziana</i> Makino	Short-raceme rattlesnake plantain 섬사철란 (Seom-sa-cheol-ran)
<i>Goodyera repens</i> (L.) R.Br.	Lesser rattlesnake plantain 애기사철란 (Ae-gi-sa-cheol-ran)
<i>Goodyera schlechtendaliana</i> Rchb.f.	Schlechtendal's rattlesnake plantain 사철란 (Sa-cheol-ran)
<i>Goodyera schlechtendaliana</i> f. <i>similis</i> (Blume) Makino	Spotless Schlechtendal's rattlesnake plantain 청사철란 (Cheong-sa-cheol-ran)
<i>Goodyera velutina</i> Maxim. ex Regel	Velutinous rattlesnake plantain 털사철란 (Teol-sa-cheol-ran)
<i>Gratiola</i> L. [Scrophulariaceae]	Hedgehyssop 큰고추풀속 (Keun-go-chu-pul-sok) [현삼과]
<i>Gratiola japonica</i> Miq.	Asian hedgehyssop 큰고추풀 (Keun-go-chu-pul)
<i>Grewia</i> L. [Tiliaceae]	Grewia 장구밥나무속 (Jang-gu-bap-na-mu-sok) [피나무과]

Scientific name	English name Korean name (Romanization)
<i>Grewia parviflora</i> Bunge	<b>Bilobed grewia</b> 장구밥나무 (Jang-gu-bap-na-mu)
<i>Grewia parviflora</i> f. <i>angusta</i> (Nakai) W.T.Lee	<b>Narrow-leaf grewia</b> 좁장구밥나무 (Jom-jang-gu-bap-na-mu)
<b>Gueldenstaedtia</b> Fisch. [Fabaceae]	<b>Gueldenstaedtia</b> 애기자운속 (Ae-gi-ja-un-sok) [콩과]
<i>Gueldenstaedtia verna</i> (Georgi) Boriss.	<b>Spring gueldenstaedtia</b> 애기자운 (Ae-gi-ja-un)
<b>Gymnadenia</b> R.Br. [Orchidaceae]	<b>Gymnadenia</b> 손바닥난초속 (Son-ba-dak-nan-cho-sok) [난초과]
<i>Gymnadenia conopsea</i> (L.) R.Br.	<b>Fragrant orchid</b> 손바닥난초 (Son-ba-dak-nan-cho)
<i>Gymnadenia cucullata</i> var. <i>variegata</i> Y.N.Lee	<b>Variegate cucullate neotianthe orchid</b> 점박이구름병아리난초 (Jeom-bak-i-gu-reum-byeo- ng-a-ri-nan-cho)
<b>Gymnocarpium</b> Newman [Dryopteridaceae]	<b>Oak ferns</b> 토끼고사리속 (To-kki-go-sa-ri-sok) [면마과]
<i>Gymnocarpium dryopteris</i> (L.) Newman	<b>Oak fern</b> 토끼고사리 (To-kki-go-sa-ri)
<i>Gymnocarpium jessoense</i> (Koidz.) Koidz.	<b>Asian oak fern</b> 산토끼고사리 (San-to-kki-go-sa-ri)
<b>Gymnospermium</b> Spach [Berberidaceae]	<b>Gymnospermium</b> 한계령풀속 (Han-gye-ryeong-pul-sok) [매자나무과]
<i>Gymnospermium microrrhynchum</i> (S.Moore) Takht.	<b>Little-beak gymnospermium</b> 한계령풀 (Han-gye-ryeong-pul)
<b>Gynostemma</b> Blume [Cucurbitaceae]	<b>Gynostemma</b> 돌외속 (Dol-oe-sok) [박과]
<i>Gynostemma pentaphyllum</i> (Thunb.) Makino	<b>Five-leaf gynostemma</b> 돌외 (Dol-oe)

G

Scientific name	English name Korean name (Romanization)
<i>Gypsophila</i> L. [Caryophyllaceae]	Baby's-breath 대나물속 (Dae-na-mul-sok) [석죽과]
<i>Gypsophila oldhamiana</i> Miq.	Manchurian baby's-breath 대나물 (Dae-na-mul)
<i>Gypsophila pacifica</i> Kom.	Pink baby's-breath 가는대나물 (Ga-neun-dae-na-mul)

**H**

<i>Habenaria</i> Willd. [Orchidaceae]	<b>Bog orchid</b> 해오라비난초속 (Hae-o-ra-bi-nan-cho-sok) [난초과]
<i>Habenaria chejuensis</i> Y.N.Lee & K.S.Lee	<b>Jeju habenaria</b> 제주방울란 (Je-ju-bang-ul-ran)
<i>Habenaria cruciformis</i> Ohwi	<b>Cruciform habenaria</b> 개잠자리난초 (Gae-jam-ja-ri-nan-cho)
<i>Habenaria flagellifera</i> (Maxim.) Makino	<b>Black crucifera habenaria</b> 방울난초 (Bang-ul-nan-cho)
<i>Habenaria linearifolia</i> Maxim.	<b>Linear-leaf habenaria</b> 잠자리난초 (Jam-ja-ri-nan-cho)
<i>Habenaria linearifolia</i> f. <i>integriloba</i> Ohwi	<b>Smooth linear-leaf habenaria</b> 민잠자리난초 (Min-jam-ja-ri-nan-cho)
<i>Habenaria radiata</i> (Thunb.) Spreng.	<b>White-egret flower</b> 해오라비난초 (Hae-o-ra-bi-nan-cho)
<i>Hackelia</i> Opiz [Boraginaceae]	<b>Hackelia</b> 뚝지치속 (Ttuk-ji-chi-sok) [지치과]
<i>Hackelia deflexa</i> (Wahlenb.) Opiz	<b>Nodding stickseed</b> 뚝지치 (Ttuk-ji-chi)
<i>Halenia</i> Borkh. [Gentianaceae]	<b>Spurred gentian</b> 닻꽃속 (Dat-kkot-sok) [용담과]

Scientific name	English name Korean name (Romanization)
<i>Halenia corniculata</i> (L.) Cornaz	Corniculate spurred gentian 닻꽃 (Dat-kkot)
<i>Halophila</i> Thouars [Hydrocharitaceae]	Seagrass 해호말속 (Hae-ho-mal-sok) [자라풀과]
<i>Halophila nipponica</i> J.Kuo	Sea loving seagrass 해호말 (Hae-ho-mal)
<b>HALORAGACEAE R.Br.</b>	<b>Watermilfoil family</b> 개미탑과 (Gae-mi-tap-gwa)
<b><i>Haloragis</i> J.R. Forst. &amp; G. Forst.</b> [Haloragaceae]	<b>Seaberry</b> 개미탑속 (Gae-mi-tap-sok) [개미탑과]
<i>Haloragis micrantha</i> (Thunb.) R.Br. ex Siebold & Zucc.	Small-flower seaberry 개미탑 (Gae-mi-tap)
<b>HAMAMELIDACEAE R.Br.</b>	<b>Witch hazel family</b> 조록나무과 (Jo-rok-na-mu-gwa)
<b><i>Hanabusaya</i> Nakai</b> [Campanulaceae]	<b>Diamond bluebell</b> 금강초롱꽃속 (Geum-gang-cho-rong-kkot-sok) [초롱꽃과]
<i>Hanabusaya asiatica</i> (Nakai) Nakai	Geumgangchoronkkot ( <b>Geumgang bluebell</b> ) 금강초롱꽃 (Geum-gang-cho-rong-kkot)
* <i>Hanabusaya asiatica</i> f. <i>alba</i> T.B.Lee	White geumgangchoronkkot ( <b>White Geumgang bluebell</b> ) 흰금강초롱꽃 (Huin-geum-gang-cho-rong-kkot)
<i>Hanabusaya latisepala</i> Nakai	Wide-sepal geumgangchoronkkot ( <b>Wide-sepal Geumgang bluebell</b> ) 검산초롱꽃 (Geom-san-cho-rong-kkot)
<b><i>Haplopteris</i> C.Presl</b> [Vittariaceae]	<b>Haplopteris</b> 일엽아재비속 (Il-yeop-a-jae-bi-sok) [일엽아재비과]
<i>Haplopteris flexuosa</i> (Fée) E.H.Crane	Reflexed-margine single-leaf fern 일엽아재비 (Il-yeop-a-jae-bi)
<i>Haplopteris zosterifolia</i> (Willd.) E.H.Crane	Island single-leaf fern 섬일엽아재비 (Seom-il-yeop-a-jae-bi)

Scientific name	English name Korean name (Romanization)
<i>Hedera</i> L. [Araliaceae]	Ivy 송악속 (Song-ak-sok) [두릅나무과]
<i>Hedera rhombea</i> (Miq.) Siebold & Zucc. ex Bean	<b>Songak (Songak ivy)</b> 송악 (Song-ak)
<i>Hedyotis</i> L. [Rubiaceae]	Starviolet 수염치자풀속 (Su-yeom-chi-ja-pul-sok) [꼭두서니과]
<i>Hedyotis biflora</i> var. <i>parvifolia</i> Hook. & Arn.	<b>Seashore rock starviolet</b> 낚시돌풀 (Nak-si-dol-pul)
<i>Hedyotis diffusa</i> Willd.	<b>Snake-tongue starviolet</b> 백운풀 (Baek-un-pul)
<i>Hedyotis diffusa</i> var. <i>longipes</i> Nakai	<b>Long-pedicel snake-tongue starviolet</b> 긴두잎갈퀴 (Gin-du-ip-gal-kwi)
<i>Hedyotis lindleyana</i> var. <i>glabra</i> H.Hara	<b>Glabrous Tamra starviolet</b> 민탐라풀 (Min-tam-ra-pul)
<i>Hedyotis lindleyana</i> var. <i>hirsuta</i> (L.f.) H.Hara	<b>Tamra starviolet</b> 탐라풀 (Tam-ra-pul)
<i>Hedyotis tenelliflora</i> Blume	<b>Delicate starviolet</b> 수염치자풀 (Su-yeom-chi-ja-pul)
<i>Hedysarum</i> L. [Fabaceae]	Sweetvetch 뭣황기속 (Moet-hwang-gi-sok) [콩과]
<i>Hedysarum alpinum</i> L.	<b>Alpine sweetvetch</b> 뭐황기 (Moet-hwang-gi)
<i>Hedysarum hedysaroides</i> Schinz & Thell.	<b>Alpine sainfoin sweetvetch</b> 넓은뭐황기 (Neol-beun-moet-hwang-gi)
<i>Hedysarum vicioides</i> var. <i>japonicum</i> (Fedtsch.) B.H.Chi & Ohashi	<b>Asian vetch-like sweetvetch</b> 나도황기 (Na-do-hwang-gi)
<i>Hedysarum vicioides</i> f. <i>pilosum</i> (Ohwi) Kitag.	<b>Hairy vetch-like sweetvetch</b> 털나도황기 (Teol-na-do-hwang-gi)

Scientific name	English name Korean name (Romanization)
<i>Heloniopsis</i> A.Gray [Liliaceae]	<b>Heloniopsis, Swamppink</b> 처녀치마속 (Cheo-nyeo-chi-ma-sok) [백합과]
<i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura	<b>Korean swamppink</b> 처녀치마 (Cheo-nyeo-chi-ma)
<i>Heloniopsis orientalis</i> var. <i>flavida</i> (Nakai) Ohwi	<b>White oriental swamppink</b> 흰처녀치마 (Huin-cheo-nyeo-chi-ma)
<i>Heloniopsis tubiflora</i> Fuse, N.S.Lee & M.N.Tamura	<b>Tubular-flower swamppink</b> 숙은처녀치마 (Suk-eun-cheo-nyeo-chi-ma)
<i>Hemarthria</i> R.Br. [Poaceae]	<b>Jointgrass</b> 쇠치기풀속 (Soe-chi-gi-pul-sok) [벼과]
<i>Hemarthria sibirica</i> (Gand.) Ohwi	<b>Siberian jointgrass</b> 쇠치기풀 (Soe-chi-gi-pul)
<i>Hemerocallis</i> L. [Liliaceae]	<b>Daylily</b> 원추리속 (Won-chu-ri-sok) [백합과]
<i>Hemerocallis citrina</i> Baroni	<b>Citron daylily</b> 골잎원추리 (Gol-ip-won-chu-ri)
<i>Hemerocallis dumortieri</i> C.Morren	<b>Dumortier's daylily</b> 각시원추리 (Gak-si-won-chu-ri)
<i>Hemerocallis hakuunensis</i> Nakai	<b>Baekunsan daylily</b> 백운산원추리 (Baek-un-san-won-chu-ri)
<i>Hemerocallis hongdoensis</i> M.G.Chung & S.S.Kang	<b>Hongdo daylily</b> 홍도원추리 (Hong-do-won-chu-ri)
<i>Hemerocallis middendorffii</i> Trautv. & C.A.Mey.	<b>Amur daylily</b> 큰원추리 (Keun-won-chu-ri)
<i>Hemerocallis minor</i> Mill.	<b>Small daylily</b> 애기원추리 (Ae-gi-won-chu-ri)
<i>Hemerocallis taeanensis</i> S.S.Kang & M.G.Chung	<b>Taean daylily</b> 태안원추리 (Tae-an-won-chu-ri)

Scientific name	English name Korean name (Romanization)
<i>Hemerocallis thunbergii</i> Baker	<b>Thunberg's daylily</b> 노랑원추리 (No-rang-won-chu-ri)
<b>Hemiptelea</b> [Ulmaceae]	<b>Hemiptelea</b> <b>시무나무속</b> (Si-mu-na-mu-sok) [느릅나무과]
<i>Hemiptelea davidii</i> (Hance) Planch.	<b>Hemiptelea</b> 시무나무 (Si-mu-na-mu)
<b>Hemistepta</b> [Asteraceae]	<b>Hemistepta</b> <b>지청개속</b> (Ji-ching-gae-sok) [국화과]
<i>Hemistepta lyrata</i> Bunge	<b>Lyre-shape hemistepta</b> 지청개 (Ji-ching-gae)
<b>Hepatica</b> Mill. [Ranunculaceae]	<b>Hepatica, Liverleaf, Liverwort</b> <b>노루귀속</b> (No-ru-gwi-sok) [미나리아재비과]
<i>Hepatica asiatica</i> Nakai	<b>Asian liverleaf</b> 노루귀 (No-ru-gwi)
<i>Hepatica insularis</i> Nakai	<b>Seaside liverleaf</b> 새끼노루귀 (Sae-kki-no-ru-gwi)
<i>Hepatica maxima</i> (Nakai) Nakai	<b>Ulleungdo liverleaf</b> 섬노루귀 (Seom-no-ru-gwi)
<b>Heracleum</b> L. [Apiaceae]	<b>Cow parsnip, Hogweed</b> <b>어수리속</b> (Eo-su-ri-sok) [산형과]
<i>Heracleum moellendorffii</i> Hance	<b>East Asian hogweed</b> 어수리 (Eo-su-ri)
<i>Heracleum moellendorffii</i> f. <i>angustum</i> (Kitag.) Kitag.	<b>Narrow East Asian hogweed</b> 좁은어수리 (Jop-eun-eo-su-ri)
<b>Herminium</b> L. [Orchidaceae]	<b>Herminium</b> <b>씨눈난초속</b> (Ssi-nun-nan-cho-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Herminium lanceum</i> var. <i>longicrure</i> (C.Wright ex A.Gray) H.Hara	<b>Bead-root orchid</b> 씨눈난초 (Ssi-nun-nan-cho)
<i>Herminium monorchis</i> (L.) R.Br.	<b>Musk orchid</b> 나도씨눈란 (Na-do-ssi-nun-ran)
<b>Hibiscus L.</b> [Malvaceae]	<b>Rosemallow</b> 무궁화속 (Mu-gung-hwa-sok) [아욱과]
<i>Hibiscus hamabo</i> Siebold & Zucc.	<b>Yellow rosemallow</b> 황근 (Hwang-geun)
<i>Hibiscus syriacus</i> L.	<b>Mugunghwa (Rose of sharon)</b> 무궁화 (Mu-gung-hwa)
<b>Hieracium L.</b> [Asteraceae]	<b>Hawkweed</b> 조밥나물속 (Jo-bap-na-mul-sok) [국화과]
<i>Hieracium coreanum</i> Nakai	<b>Korean hawkweed</b> 깰깰이풀 (Kkeol-kkeol-i-pul)
<i>Hieracium umbellatum</i> L.	<b>Narrow-leaf hawkweed</b> 조밥나물 (Jo-bap-na-mul)
<b>Hierochloe R.Br.</b> [Poaceae]	<b>Sweetgrass</b> 향모속 (Hyang-mo-sok) [벼과]
<i>Hierochloe alpina</i> (Sw. ex Willd.) Roem. & Schult.	<b>Alpine sweetgrass</b> 산향모 (San-hyang-mo)
<i>Hierochloe odorata</i> (L.) P.Beauv.	<b>Sweetgrass</b> 향모 (Hyang-mo)
<b>HIPPURIDACEAE</b> Vest	<b>Mare's-tail family</b> 쇠뜨기말풀과 (Soe-tteu-gi-mal-pul-gwa)
<b>Hippuris L.</b> [Hippuridaceae]	<b>Mare's-tail</b> 쇠뜨기말풀속 (Soe-tteu-gi-mal-pul-sok) [쇠뜨기말풀과]
<i>Hippuris vulgaris</i> L.	<b>Common mare's-tail</b> 쇠뜨기말풀 (Soe-tteu-gi-mal-pul)

Scientific name	English name Korean name (Romanization)
<i>Hololeion</i> Kitam. [Asteraceae]	<b>Hololeion</b> 께목속 (Kke-muk-sok) [국화과]
<i>Hololeion maximowiczii</i> Kitam.	<b>Maximowicz's hololeion</b> 께목 (Kke-muk)
<i>Hololeion maximowiczii</i> var. <i>fauriei</i> (H.Lév. & Vaniot) J. H. Pak	<b>Small Maximowicz's hololeion</b> 좀께목 (Jom-kke-muk)
<i>Honkenya</i> Willd. ex Cothen. [Caryophyllaceae]	<b>Sea sandwort, Seaside sandplant</b> 갯벌꽃속 (Gaet-byeol-kkot-sok) [석죽과]
<i>Honckenya peploides</i> var. <i>major</i> (Hook.) Abrams	<b>Beach sandwort</b> 갯벌꽃 (Gaet-byeol-kkot)
<i>Hosta</i> Tratt. [Liliaceae]	<b>Plantain lily, Hosta</b> 비비추속 (Bi-bi-chu-sok) [백합과]
<i>Hosta capitata</i> (Koidz.) Nakai	<b>Ilwol hosta</b> 일월비비추 (Il-wol-bi-bi-chu)
* <i>Hosta capitata</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower Ilwol hosta</b> 흰일월비비추 (Huin-il-wol-bi-bi-chu)
<i>Hosta clausa</i> Nakai	<b>Closed-flower hosta</b> 주걱비비추 (Ju-geok-bi-bi-chu)
<i>Hosta clausa</i> var. <i>normalis</i> F.Maek.	<b>Normal closed-flower hosta</b> 참비비추 (Cham-bi-bi-chu)
<i>Hosta ensata</i> F.Maek.	<b>Sword-like hosta</b> 이삭비비추 (I-sak-bi-bi-chu)
<i>Hosta japonica</i> var. <i>latifolia</i> Nakai	<b>Wide-leaf hosta</b> 넓은옥잠화 (Neol-beun-ok-jam-hwa)
<i>Hosta jonesii</i> M.G.Chung	<b>Dadohae hosta</b> 다도해비비추 (Da-do-hae-bi-bi-chu)
* <i>Hosta longipes</i> f. <i>alba</i> (Nakai) T.B.Lee	<b>White hosta</b> 흰비비추 (Huin-bi-bi-chu)
<i>Hosta longissima</i> Honda	<b>Narrow-leaf hosta</b> 산옥잠화 (San-ok-jam-hwa)

Scientific name	English name Korean name (Romanization)
<i>Hosta minor</i> (Baker) Nakai	<b>Minor hosta</b> 좀비비주 (Jom-bi-bi-chu)
<i>Hosta minor</i> f. <i>alba</i> (Nakai) F.Maek.	<b>White minor hosta</b> 흰좀비비주 (Huin-jom-bi-bi-chu)
<i>Hosta sieboldiana</i> (Hook.) Engl.	<b>Siebold's hosta</b> 큰비비주 (Keun-bi-bi-chu)
<i>Hosta tardiva</i> Nakai	<b>Late-blooming hosta</b> 해인비비주 (Hae-in-bi-bi-chu)
<i>Hosta venusta</i> F.Maek.	<b>Halla hosta</b> 한라비비주 (Han-ra-bi-bi-chu)
<i>Hosta yingeri</i> S.B.Jones	<b>Heuksando hosta</b> 흑산도비비주 (Heuk-san-do-bi-bi-chu)
<b><i>Hovenia</i> Thunb.</b> [Rhamnaceae]	<b>Hovenia</b> 헛개나무속 (Heot-gae-na-mu-sok) [갈매나무과]
<i>Hovenia dulcis</i> Thunb.	<b>Oriental raisin tree</b> 헛개나무 (Heot-gae-na-mu)
<b><i>Humulus</i> L.</b> [Cannabaceae]	<b>Hop</b> 환삼덩굴속 (Hwan-sam-deong-gul-sok) [삼과]
<i>Humulus japonicus</i> Siebold & Zucc.	<b>Wild hop</b> 환삼덩굴 (Hwan-sam-deong-gul)
<b><i>Huperzia</i> Bernh.</b> [Lycopodiaceae]	<b>Clubmoss, Firmosses, Fir clubmosses</b> 다람쥐꼬리속 (Da-ram-jwi-kko-ri-sok) [석송과]
<i>Huperzia cryptomeriana</i> (Maxim.) R.D.Dixit	<b>Big clubmoss</b> 왕다람쥐꼬리 (Wang-da-ram-jwi-kko-ri)
<i>Huperzia jejuensis</i> B. Y. Sun & J. Lim	<b>Jeju clubmoss</b> 긴다람쥐꼬리 (Gin-da-ram-jwi-kko-ri)
<i>Huperzia miyoshiana</i> (Makino) Ching	<b>Pacific firmoss</b> 다람쥐꼬리 (Da-ram-jwi-kko-ri)
<i>Huperzia selago</i> (L.) Bernh. ex Schrank & Mart.	<b>Fir clubmoss</b> 좀다람쥐꼬리 (Jom-da-ram-jwi-kko-ri)

Scientific name	English name Korean name (Romanization)
<i>Huperzia serrata</i> (Thunb.) Trevisan	<b>Toothed clubmoss</b> 뱀톱 (Baem-top)
<i>Huperzia sieboldii</i> (Miq.) Holub	<b>Siebold's clubmoss</b> 줄석송 (Jul-seok-song)
<b><i>Hydrangea</i> L.</b> [Saxifragaceae]	<b>Hydrangea, Hortensia</b> 수국속 (Su-guk-sok) [범의귀과]
<i>Hydrangea liukiuensis</i> Nakai	<b>Sweet hydrangea</b> 성널수국 (Seong-neol-su-guk)
<i>Hydrangea petiolaris</i> Siebold & Zucc.	<b>Climbing hydrangea</b> 등수국 (Deung-su-guk)
<i>Hydrangea serrata</i> f. <i>acuminata</i> (Siebold & Zucc.) E.H.Wilson	<b>Mountain hydrangea</b> 산수국 (San-su-guk)
<i>Hydrangea serrata</i> f. <i>buergeri</i> Nakai	<b>Serrate-petal hydrangea</b> 꽃산수국 (Kkot-san-su-guk)
<i>Hydrangea serrata</i> f. <i>coreana</i> (Nakai) T.B.Lee	<b>Korean hydrangea</b> 떡잎산수국 (Tteok-ip-san-su-guk)
<i>Hydrangea serrata</i> f. <i>fertilis</i> Nakai	<b>Jejudo hydrangea</b> 탐라산수국 (Tam-na-san-su-guk)
<b><i>Hydrilla</i> Rich.</b> [Hydrocharitaceae]	<b>Esthwaite waterweed, Hydrilla, Waterthyme</b> 검정말속 (Geom-jeong-mal-sok) [자라풀과]
<i>Hydrilla verticillata</i> (L.f.) Royle	<b>Perfect aquatic weed</b> 검정말 (Geom-jeong-mal)
<b><i>Hydrocharis</i> L.</b> [Hydrocharitaceae]	<b>Hydrocharis</b> 자라풀속 (Ja-ra-pul-sok) [자라풀과]
<i>Hydrocharis dubia</i> (Blume) Backer	<b>Frogbit</b> 자라풀 (Ja-ra-pul)
<b>HYDROCHARITACEAE Juss.</b>	<b>Frog's bit family, Najad family, Tape-grass family, Waternymph family</b> 자라풀과 (Ja-ra-pul-gwa)

Scientific name	English name Korean name (Romanization)
<i>Hydrocotyle</i> L. [Apiaceae]	Even white rot, Indian pennywort, Marsh penny, Thick-leaf pennywort, Water pennywort 피막이속 (Pi-mak-i-sok) [산형과]
<i>Hydrocotyle maritima</i> Honda	Asian dwarf pennywort 선피막이 (Seon-pi-mak-i)
<i>Hydrocotyle nepalensis</i> Hook.	Nepalese pennywort 큰피막이풀 (Keun-pi-mak-i-pul)
<i>Hydrocotyle ramiflora</i> Maxim.	Long-pedicel pennywort 큰피막이 (Keun-pi-mak-i)
<i>Hydrocotyle sibthorpioides</i> Lam.	Lawn marsh pennywort 피막이 (Pi-mak-i)
<i>Hydrocotyle yabei</i> Makino	Jeju pennywort 제주피막이 (Je-ju-pi-mak-i)
<i>Hygrophila</i> R.Br. [Acanthaceae]	Swampweed 물잎풀속 (Mul-ip-pul-sok) [쥐꼬리망초과]
<i>Hygrophila ringens</i> (L.) Steud.	Erect hygrophila 물잎풀 (Mul-ip-pul)
<i>Hylomecon</i> Maxim. [Papaveraceae]	Forest poppy 피나물속 (Pi-na-mul-sok) [양귀비과]
<i>Hylomecon vernalis</i> Maxim.	Forest poppy 피나물 (Pi-na-mul)
<i>Hylomecon vernalis</i> var. <i>sasundaeensis</i> Y.N.Lee	Bird-foot forest poppy 새발노랑매미꽃 (Sae-bal-no-rang-mae-mi-kkot)
<i>Hylotelephium</i> H.Ohba [Crassulaceae]	Live-for-ever, Orpine, Stonecrop 꿩의비름속 (Kkwong-ui-bi-reum-sok) [돌나물과]
<i>Hylotelephium erythrostictum</i> (Miq.) H.Ohba	Garden stonecrop 꿩의비름 (Kkwong-ui-bi-reum)

Scientific name	English name Korean name (Romanization)
<i>Hylotelephium pallescens</i> (Freyn) H.Ohba	<b>Tall stonecrop</b> 키큰꿩의비름 (Ki-keun-kkwong-ui-bi-reum)
<i>Hylotelephium spectabile</i> (Bureau) H.Ohba	<b>Showy stonecrop</b> 큰꿩의비름 (Keun-kkwong-ui-bi-reum)
<i>Hylotelephium telephium</i> (L.) H.Ohba	<b>Purple-flower stonecrop</b> 자주꿩의비름 (Ja-ju-kkwong-ui-bi-reum)
<i>Hylotelephium ussuriense</i> (Kom.) H.Ohba	<b>Round-leaf hylotelephium</b> 둥근잎꿩의비름 (Dung-geun-ip-kkwong-ui-bi-reum)
<i>Hylotelephium verticillatum</i> (L.) H.Ohba	<b>Whorled-leaf stonecrop</b> 세잎꿩의비름 (Se-ip-kkwong-ui-bi-reum)
<i>Hylotelephium viridescens</i> (Nakai) H.Ohba	<b>Green-flower stonecrop</b> 섬꿩의비름 (Seom-kkwong-ui-bi-reum)
<i>Hylotelephium viviparum</i> (Maxim.) H.Ohba	<b>Bulbil stonecrop</b> 새끼꿩의비름 (Sae-kki-kkwong-ui-bi-reum)
<b><i>Hymenophyllum</i> Hayata</b> [Aspleniaceae]	<b>Hymenophyllum</b> 지느러미고사리속 (Ji-neu-reo-mi-go-sa-ri-sok) [꼬리고사리과]
<i>Hymenophyllum hondoense</i> (N.Murak. et Hatan.) Nakaike	<b>Fin maiden spleenwort</b> 지느러미고사리 (Ji-neu-reo-mi-go-sa-ri)
<b>HYMENOPHYLLACEAE Mart.</b>	<b>Filmy fern family</b> 처녀이끼과 (Cheo-nyeo-i-kki-gwa)
<b><i>Hymenophyllum</i> Sm.</b> [Hymenophyllaceae]	<b>Filmy fern</b> 수염이끼속 (Su-yeom-i-kki-sok) [처녀이끼과]
<i>Hymenophyllum barbatum</i> (Bosch) Baker	<b>Beard filmy fern</b> 수염이끼 (Su-yeom-i-kki)
<i>Hymenophyllum coreanum</i> Nakai	<b>Korean filmy fern</b> 애기수염이끼 (Ae-gi-su-yeom-i-kki)
<b><i>Hypericum</i> L.</b> [Clusiaceae]	<b>Hypericum, St. Johnswort, Tutsan</b> 물레나물속 (Mul-re-na-mul-sok) [물레나물과]
<i>Hypericum ascyron</i> L.	<b>Great St. Johnswort</b> 물레나물 (Mul-re-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Hypericum attenuatum</i> Fisch. ex Choisy	<b>Attenuate St. Johnswort</b> 채고추나물 (Chae-go-chu-na-mul)
* <i>Hypericum attenuatum</i> var. <i>confertissimum</i> (Nakai) T.B.Lee	<b>Big attenuate St. Johnswort</b> 큰고추나물 (Keun-go-chu-na-mul)
<i>Hypericum erectum</i> Thunb.	<b>Erect St. Johnswort</b> 고추나물 (Go-chu-na-mul)
<i>Hypericum erectum</i> var. <i>caespitosum</i> Makino	<b>Tuft St. Johnswort</b> 다북고추나물 (Da-buk-go-chu-na-mul)
<i>Hypericum japonicum</i> Thunb.	<b>Tiny St. Johnswort</b> 애기고추나물 (Ae-gi-go-chu-na-mul)
<i>Hypericum laxum</i> (Blume) Koidz.	<b>Loose St. Johnswort</b> 좁고추나물 (Jom-go-chu-na-mul)
<i>Hypericum oliganthum</i> Franch. & Sav.	<b>Few-flower St. Johnswort</b> 진주고추나물 (Jin-ju-go-chu-na-mul)
<b><i>Hypochaeris</i> L. [Asteraceae]</b>	<b>Cat's ear</b> 금흔초속 (Geum-hon-cho-sok) [국화과]
<i>Hypochaeris ciliata</i> (Thunb.) Makino	<b>Ciliate cat's ear</b> 금흔초 (Geum-hon-cho)
<b><i>Hypodematum</i> Kunze [Dryopteridaceae]</b>	<b>Hypodematum</b> 금털고사리속 (Geum-teol-go-sa-ri-sok) [면마과]
<i>Hypodematum glandulos-pilosum</i> (Tagawa) Ohwi	<b>Golden hair fern</b> 금털고사리 (Geum-teol-go-sa-ri)
<b><i>Hypolepis</i> Bernh. [Pteridaceae]</b>	<b>Beadfern</b> 점고사리속 (Jeom-go-sa-ri-sok) [고사리과]
<i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn	<b>Dotted beadfern</b> 점고사리 (Jeom-go-sa-ri)
<b><i>Hystrix</i> Moench [Poaceae]</b>	<b>Hystrix</b> 수염개밀속 (Su-yeom-gae-mil-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Hystrix longearistata</i> (Hack.) Honda	<b>Long-beard porcupine</b> 수염개밀 (Su-yeom-gae-mil)
<b> </b>	
<b><i>Idesia</i> Maxim.</b> [Flacourtiaceae]	<b>Idesia</b> 이나무속 (I-na-mu-sok) [산유자나무과]
<i>Idesia polycarpa</i> Maxim.	<b>Idesia</b> 이나무 (I-na-mu)
<b><i>Ilex</i> L.</b> [Araliaceae]	<b>Holly</b> 감탕나무속 (Gam-tang-na-mu-sok) [감탕나무과]
<i>Ilex cornuta</i> Lindl. & Paxton	<b>Horned holly</b> 호랑가시나무 (Ho-rang-ga-si-na-mu)
<i>Ilex crenata</i> Thunb.	<b>Box-leaf holly</b> 꽝꽝나무 (Kkwang-kkwang-na-mu)
<i>Ilex crenata</i> var. <i>microphylla</i> Maxim. ex Matsum.	<b>Small box-leaf holly</b> 좁꽝꽝나무 (Jom-kkwang-kkwang-na-mu)
<i>Ilex integra</i> Thunb.	<b>Elegance female holly</b> 김탕나무 (Gam-tang-na-mu)
<i>Ilex macropoda</i> Miq.	<b>Macropoda holly</b> 대팻집나무 (Dae-paet-jip-na-mu)
<i>Ilex macropoda</i> f. <i>pseudomacropoda</i> (Loes.) H.Hara	<b>Glabrous macropoda holly</b> 민대팻집나무 (Min-dae-paet-jip-na-mu)
<i>Ilex rotunda</i> Thunb.	<b>Round-leaf holly</b> 먼나무 (Meon-na-mu)
<b>ILLICIACEAE A.C.Sm.</b>	<b>Star-anise family</b> 붓순나무과 (But-sun-na-mu-gwa)
<b><i>Illicium</i> L.</b> [Illiciaceae]	<b>Anisetree, Star-anise</b> 붓순나무속 (But-sun-na-mu-sok) [붓순나무과]
<i>Illicium anisatum</i> L.	<b>Aniseed tree</b> 붓순나무 (But-sun-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Impatiens</i> L. [Balsaminaceae]	<b>Impatiens, Jewelweed, Snapweed, Touch-me-not</b> 물봉선속 (Mul-bong-seon-sok) [봉선화과]
<i>Impatiens atrosanguinea</i> (Nakai) B.U.Oh & Y.P.Hong	<b>Gaya touch-me-not</b> 가야물봉선 (Ga-ya-mul-bong-seon)
<i>Impatiens furcillata</i> Hemsl.	<b>Small white touch-me-not</b> 산물봉선 (San-mul-bong-seon)
<i>Impatiens noli-tangere</i> L.	<b>Western touch-me-not</b> 노랑물봉선 (No-rang-mul-bong-seon)
<i>Impatiens noli-tangere</i> var. <i>pallescens</i> Nakai	<b>Pale touch-me-not</b> 미색물봉선 (Mi-saek-mul-bong-seon)
<i>Impatiens textori</i> Miq.	<b>Field touch-me-not</b> 물봉선 (Mul-bong-seon)
<i>Impatiens textori</i> var. <i>koreana</i> (Nakai) Nakai	<b>White field touch-me-not</b> 흰물봉선 (Huin-mul-bong-seon)
<i>Imperata</i> Cirillo [Poaceae]	<b>Satintail</b> 띠속 (Tti-sok) [벼과]
<i>Imperata cylindrica</i> (L.) P.Beauv.	<b>Blady grass</b> 띠 (Tti)
<i>Indigofera</i> L. [Fabaceae]	<b>Indigo</b> 땅비싸리속 (Ttang-bissa-ri-sok) [콩과]
<i>Indigofera grandiflora</i> B.H.Choi & S.K.Cho	<b>Large-flower indigo</b> 큰꽃땅비싸리 (Keun-kkot-ttang-bissa-ri)
<i>Indigofera kirilowii</i> Maxim. ex Palib.	<b>Kirilow's indigo</b> 땅비싸리 (Ttang-bissa-ri)
<i>Indigofera kirilowii</i> f. <i>albiflora</i> Uyeki	<b>White-flower Kirilow's indigo</b> 흰땅비싸리 (Huin-ttang-bissa-ri)
<i>Indigofera koreana</i> Ohwi	<b>Korean indigo</b> 민땅비싸리 (Min-ttang-bissa-ri)

Scientific name	English name Korean name (Romanization)
<i>Indigofera pseudotinctoria</i> Matsum.	<b>Dwarf false-indigo</b> 낭아초 (Nang-a-cho)
<i>Inula</i> L. [Asteraceae]	<b>Yellowhead</b> 금불초속 (Geum-bul-cho-sok) [국화과]
<i>Inula britannica</i> var. <i>japonica</i> (Thunb.) Franch. & Sav.	<b>Oriental yellowhead</b> 금불초 (Geum-bul-cho)
<i>Inula britannica</i> var. <i>linariifolia</i> (Turcz.) Regel	<b>Linear-leaf British yellowhead</b> 가는금불초 (Ga-neun-geum-bul-cho)
<i>Inula britannica</i> var. <i>ramosa</i> Kom.	<b>Branching British yellowhead</b> 가지금불초 (Ga-ji-geum-bul-cho)
<i>Inula salicina</i> var. <i>asiatica</i> Kitam.	<b>Asian willow-leaf yellowhead</b> 버들금불초 (Beo-deul-geum-bul-cho)
* <i>Inula salicina</i> var. <i>minipetala</i> Y.N.Lee	<b>Small-petal yellowhead</b> 전의금불초 (Jeon-ui-geum-bul-cho)
<b>IRIDACEAE</b> Juss.	<b>Iris family</b> 붓꽃과 (But-kkot-gwa)
<i>Iris</i> L. [Iridaceae]	<b>Iris</b> 붓꽃속 (But-kkot-sok) [붓꽃과]
<i>Iris dichotoma</i> Pall.	<b>Vesper iris</b> 대청부채 (Dae-cheong-bu-chae)
<i>Iris ensata</i> Thunb.	<b>Beautiful-flower water iris</b> 꽃창포 (Kkot-chang-po)
* <i>Iris ensata</i> var. <i>spontanea</i> f. <i>alba</i> Y.N.Lee	<b>White-flower water iris</b> 흰꽃창포 (Huin-kkot-chang-po)
<i>Iris koreana</i> Nakai	<b>Dwarf woodland Korean iris</b> 노랑붓꽃 (No-rang-but-kkot)
<i>Iris lactea</i> Pall.	<b>Winding-leaf iris</b> 타래붓꽃 (Ta-rae-but-kkot)
<i>Iris laevigata</i> Fisch.	<b>Rabbit's-ear iris</b> 제비붓꽃 (Je-bi-but-kkot)

Scientific name	English name Korean name (Romanization)
<i>Iris mandshurica</i> Maxim.	<b>Manchurian iris</b> 만주붓꽃 (Man-ju-but-kkot)
<i>Iris minutiaurea</i> Makino	<b>Grassy-leaf yellow iris</b> 금붓꽃 (Geum-but-kkot)
<i>Iris neosetosa</i> Y.N.Lee	<b>New wild flag iris</b> 신부채붓꽃 (Sin-bu-chae-but-kkot)
<i>Iris odaesanensis</i> Y.N.Lee	<b>Odaesan iris</b> 노랑무늬붓꽃 (No-rang-mu-nui-but-kkot)
* <i>Iris odaesanensis</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower Odaesan iris</b> 흰노랑무늬붓꽃 (Huin-no-rang-mu-nui-but-kkot)
<i>Iris odaesanensis</i> f. <i>purpurascens</i> Y.N.Lee	<b>Violet-flower Odaesan iris</b> 보라노랑무늬붓꽃 (Bo-ra-no-rang-mu-nui-but-kkot)
<i>Iris rossii</i> Baker	<b>Long-tail iris</b> 각시붓꽃 (Gak-si-but-kkot)
<i>Iris rossii</i> f. <i>alba</i> Y.N.Lee	<b>White long-tail iris</b> 흰각시붓꽃 (Huin-gak-si-but-kkot)
<i>Iris rossii</i> var. <i>latifolia</i> J.K.Sim & Y.S.Kim	<b>Broad-leaf long-tail iris</b> 넓은잎각시붓꽃 (Neol-beun-ip-gak-si-but-kkot)
<i>Iris ruthenica</i> Ker Gawl.	<b>Beardless iris</b> 솔붓꽃 (Sol-but-kkot)
<i>Iris sanguinea</i> Donn ex Horn	<b>Blood iris</b> 붓꽃 (But-kkot)
<i>Iris sanguinea</i> var. <i>violacea</i> Makino	<b>Violet blood iris</b> 진보라붓꽃 (Jin-bo-ra-but-kkot)
<i>Iris sanguinea</i> f. <i>albiflora</i> Makino	<b>White-flower blood iris</b> 흰붓꽃 (Huin-but-kkot)
<i>Iris setosa</i> Pall. ex Link	<b>Wild flag iris</b> 부채붓꽃 (Bu-chae-but-kkot)
<i>Iris uniflora</i> Pall. ex Link	<b>Single-flower iris</b> 난장이붓꽃 (Nan-jang-i-but-kkot)

Scientific name	English name Korean name (Romanization)
<i>Isachne</i> R.Br. [Poaceae]	Bloodgrass 기장대풀속 (Gi-jang-dae-pul-sok) [벼과]
<i>Isachne globosa</i> (Thunb.) Kuntze	Swamp bloodgrass 기장대풀 (Gi-jang-dae-pul)
<i>Isachne nipponensis</i> Ohwi	Spreading swamp bloodgrass 누운기장대풀 (Nu-un-gi-jang-dae-pul)
<i>Isatis</i> L. [Brassicaceae]	Bloodgrasses, Woad 대청속 (Dae-cheong-sok) [십자화과]
<i>Isatis tinctoria</i> L.	Dyer's woad 대청 (Dae-cheong)
<i>Ischaemum</i> L. [Poaceae]	Murainagrass 쇠보리속 (Soe-bo-ri-sok) [벼과]
<i>Ischaemum anthephorooides</i> (Steud.) Miq.	Asian murainagrass 갯쇠보리 (Gaet-soe-bo-ri)
<i>Ischaemum anthephorooides</i> f. <i>coreanum</i> (Nakai) Y.N.Lee	Korean murainagrass 참쇠보리 (Cham-soe-bo-ri)
<i>Ischaemum aristatum</i> var. <i>glaucum</i> (Honda) T.Koyama	Toco grass 쇠보리 (Soe-bo-ri)
<i>Isodon</i> (Schrad. ex Benth.) Spach [Lamiaceae]	Isodon 산박하속 (San-bak-ha-sok) [꿀풀과]
<i>Isodon excisus</i> (Maxim.) Kudô	Tailed-leaf isodon 오리방풀 (O-ri-bang-pul)
* <i>Isodon excisus</i> var. <i>chiisanensis</i> T.B.Lee	Jiri tailed-leaf isodon 지리오리방풀 (Ji-ri-o-ri-bang-pul)
* <i>Isodon excisus</i> var. <i>coreanus</i> T.B.Lee	Korean tailed-leaf isodon 둥근오리방풀 (Dung-geun-o-ri-bang-pul)
<i>Isodon excisus</i> f. <i>albiflorus</i> (Sakata) H.Hara	White tailed-leaf isodon 흰오리방풀 (Huin-o-ri-bang-pul)
<i>Isodon inflexus</i> (Thunb.) Kudô	Mountain isodon 산박하 (San-bak-ha)

Scientific name	English name Korean name (Romanization)
<i>Isodon inflexus</i> var. <i>canescens</i> (Nakai) Kudo	<b>Hairy-leaf mountain isodon</b> 털산박하 (Teol-san-bak-ha)
<i>Isodon inflexus</i> var. <i>macrophyllus</i> (Maxim.) Kitag.	<b>Large-leaf mountain isodon</b> 깨나물 (Kcae-na-mul)
<i>Isodon inflexus</i> var. <i>microphyllus</i> Kudo	<b>Small-leaf mountain isodon</b> 영도산박하 (Yeong-do-san-bak-ha)
<i>Isodon inflexus</i> var. <i>transiticus</i> Matsum. & Kudo	<b>Long-leaf mountain isodon</b> 긴잎산박하 (Gin-ip-san-bak-ha)
<i>Isodon japonicus</i> (Burm.) H.Hara	<b>Bangahpul (East Asian soup-mint)</b> 방아풀 (Bang-a-pul)
<i>Isodon serra</i> (Maxim.) Kudô	<b>Purple-leaf bangahpul</b> 자주방아풀 (Ja-ju-bang-a-pul)
<b>ISOETACEAE Dumort.</b>	<b>Quillwort family</b> 물부추과 (Mul-bu-chu-gwa)
<b><i>Isoetes</i> L. [Isoetaceae]</b>	<b>Quillwort</b> 물부추속 (Mul-bu-chu-sok) [물부추과]
<i>Isoetes hallasanensis</i> H.-K. Choi, C. Kim & J. Jung	<b>Halla quillwort</b> 한라물부추 (Han-ra-mul-bu-chu)
<i>Isoetes japonica</i> A.Braun	<b>Japanese quillwort</b> 물부추 (Mul-bu-chu)
<i>Isoetes jejuensis</i> H.-K. Choi, C. Kim & J. Jung	<b>Jeju quillwort</b> 제주물부추 (Je-ju-mul-bu-chu)
<i>Isoetes sinensis</i> Palmer	<b>Narrow quillwort</b> 가는물부추 (Ga-neun-mul-bu-chu)
<i>Isoetes sinensis</i> var. <i>coreana</i> (Y.H.Chung & H.K.Choi) M.Takamiya, Mits.Watan. & K.Ono	<b>Korean quillwort</b> 참물부추 (Cham-mul-bu-chu)
<b><i>Isopyrum</i> L. [Ranunculaceae]</b>	<b>Isopyrum</b> 만주바람꽃속 (Man-ju-ba-ram-kkot-sok) [미나리아재비과]
<i>Isopyrum manshuricum</i> (Kom.) Kom.	<b>Manchurian isopyrum</b> 만주바람꽃 (Man-ju-ba-ram-kkot)

Scientific name	English name Korean name (Romanization)
<i>Ixeridium</i> (A. Gray) Tzvelev [Asteraceae]	<b>Ixeridium</b> <b>씀바귀속</b> (Sseum-ba-gwi-sok) [국화과]
<i>Ixeridium dentatum</i> (Thunb.) Tzvelev	<b>Toothed ixeridium</b> 씀바귀 (Sseum-ba-gwi)
<i>Ixeridium dentatum</i> f. <i>albiflora</i> (Makino) H.Hara	<b>White toothed ixeridium</b> 흰씀바귀 (Huin-sseum-ba-gwi)
<i>Ixeris</i> (Cass.) Cass. [Asteraceae]	<b>Ixeris</b> <b>선씀바귀속</b> (Seon-sseum-ba-gwi-sok) [국화과]
<i>Ixeris chinensis</i> (Thunb.) Nakai	<b>Yellow bristle-hair ixeris</b> 노랑선씀바귀 (No-rang-seon-sseum-ba-gwi)
<i>Ixeris chinensis</i> subsp. <i>versicolor</i> (Fisch.) Kitam.	<b>Changing-color ixeris</b> 가새씀바귀 (Ga-sae-sseum-ba-gwi)
<i>Ixeris chinodebilis</i> Kitam.	<b>Hamheung ixeris</b> 함흥씀바귀 (Ham-heung-sseum-ba-gwi)
<i>Ixeris debilis</i> (Thunb.) A.Gray	<b>Weak ixeris</b> 벌음씀바귀 (Beot-eum-sseum-ba-gwi)
<i>Ixeris polyccephala</i> Cass.	<b>Many-head ixeris</b> 벌쓸바귀 (Beol-sseum-ba-gwi)
<i>Ixeris repens</i> (L.) A.Gray	<b>Creeping beach ixeris</b> 갯씀바귀 (Gaet-sseum-ba-gwi)
<i>Ixeris stolonifera</i> A.Gray	<b>Creeping ixeris</b> 좀씀바귀 (Jom-sseum-ba-gwi)
<i>Ixeris strigosa</i> (H.Lév. & Vaniot) J.H.Pak & Kawano	<b>Short bristle-like-hair ixeris</b> 선씀바귀 (Seon-sseum-ba-gwi)
<i>Ixeris tamagawaensis</i> (Makino) Kitam.	<b>Stream-bank ixeris</b> 냇씀바귀 (Naet-sseum-ba-gwi)
<b>J</b>	
<i>Jeffersonia</i> Barton [Berberidaceae]	<b>Jeffersonia, Rheumatism root, Twinleaf</b> <b>깽깽이풀속</b> (Kkaeng-kkaeng-i-pul-sok) [매자나무과]

Scientific name	English name Korean name (Romanization)
<i>Jeffersonia dubia</i> (Maxim.) Benth. & Hook.f. ex Baker & S.Moore	<b>Asian twinleaf</b> 깽깽이풀 (Kkaeng-kkaeng-i-pul)
<b>JUGLANDACEAE DC. ex Perleb</b>	<b>Walnut family</b> <b>가래나무과</b> (Ga-rae-na-mu-gwa)
<i>Juglans</i> L. [Juglandaceae]	<b>Walnut, Walnut tree</b> <b>가래나무속</b> (Ga-rae-na-mu-sok) [가래나무과]
<i>Juglans cordiformis</i> Maxim.	<b>Heart-shape walnut</b> 쪽가래나무 (Jjok-ga-rae-na-mu)
<i>Juglans mandshurica</i> Maxim.	<b>Manchurian walnut</b> 가래나무 (Ga-rae-na-mu)
<i>Juglans mandshurica</i> f. <i>stenocarpa</i> Uyeki	<b>Long-leaflet Manchurian walnut</b> 긴가래나무 (Gin-ga-rae-na-mu)
<i>Juglans mandshurica</i> var. <i>sieboldiana</i> Makino	<b>Siebold's Manchurian walnut</b> 왕가래나무 (Wang-ga-rae-na-mu)
<b>JUNCACEAE Juss.</b>	<b>Rush family</b> 골풀과 (Gol-pul-gwa)
<b>JUNCAGINACEAE Rich.</b>	<b>Arrowgrass family</b> 지채과 (Ji-chae-gwa)
<i>Juncus</i> L. [Juncaceae]	<b>Rush</b> 골풀속 (Gol-pul-sok) [골풀과]
<i>Juncus alatus</i> Franch. & Sav.	<b>Winged-stem rush</b> 날개골풀 (Nal-gae-gol-pul)
<i>Juncus brachyspathus</i> Maxim.	<b>High mountain rush</b> 참골풀 (Cham-gol-pul)
<i>Juncus bufonius</i> L.	<b>Toad rush</b> 애기골풀 (Ae-gi-gol-pul)
<i>Juncus castaneus</i> subsp. <i>triceps</i> (Rostk.) Novikov	<b>Triceps chestnut rush</b> 설령골풀 (Seol-ryeong-gol-pul)
<i>Juncus decipiens</i> (Buchenau) Nakai	<b>Golpul (Common rush)</b> 골풀 (Gol-pul)

Scientific name	English name Korean name (Romanization)
<i>Juncus diastrophanthus</i> Buchenau	<b>Narrow-winged-stem rush</b> 별날개골풀 (Byeo-nal-gae-gol-pul)
<i>Juncus gracillimus</i> (Buchenau) V.I.Krecz. & Gontsch.	<b>Slender-stem rush</b> 물골풀 (Mul-gol-pul)
<i>Juncus haenkei</i> E.Mey.	<b>Haenke's rush</b> 갯골풀 (Gaet-gol-pul)
* <i>Juncus hallasanensis</i> T.H.Chung	<b>Halla rush</b> 한라골풀 (Han-ra-gol-pul)
<i>Juncus krameri</i> Franch. & Sav.	<b>Kramer's rush</b> 비녀골풀 (Bi-nyeo-gol-pul)
<i>Juncus maximowiczii</i> Buchenau	<b>Maximowicz's rush</b> 실비녀골풀 (Sil-bi-nyeo-gol-pul)
* <i>Juncus ounsanensis</i> T.H.Chung	<b>Wonsan rush</b> 솔비녀골풀 (Sol-bi-nyeo-gol-pul)
<i>Juncus papillosum</i> Franch. & Sav.	<b>Papillose rush</b> 청비녀골풀 (Cheong-bi-nyeo-gol-pul)
<i>Juncus potaninii</i> Buchenau	<b>Potanin's rush</b> 백두실골풀 (Baek-du-sil-gol-pul)
<i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner	<b>Prism-fruit rush</b> 참비녀골풀 (Cham-bi-nyeo-gol-pul)
<i>Juncus setchuensis</i> Buchenau	<b>Pale-green stem rush</b> 푸른갯골풀 (Pu-reun-gaet-gol-pul)
<i>Juncus stygius</i> L.	<b>Moor rush</b> 대택비녀골풀 (Dae-taek-bi-nyeo-gol-pul)
<i>Juncus tenuis</i> Willd.	<b>Field rush</b> 길골풀 (Gil-gol-pul)
<i>Juncus triglumis</i> L.	<b>Three-hull rush</b> 구름골풀 (Gu-reum-gol-pul)
<i>Juncus wallichianus</i> J.Gay ex Laharpe	<b>Wallich's rush</b> 눈비녀골풀 (Nun-bi-nyeo-gol-pul)
<i>Juniperus</i> L. [Cupressaceae]	<b>Juniper</b> 향나무속 (Hyang-na-mu-sok) [측백나무과]

Scientific name	English name Korean name (Romanization)
<i>Juniperus chinensis</i> L.	<b>Chinese juniper</b> 향나무 (Hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>procumbens</i> (Siebold) Endl.	<b>Procumbens Chinese juniper</b> 섬향나무 (Seom-hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>horizontalis</i> Nakai ex Uyeki	<b>Horizontal Chinese juniper</b> 뚝향나무 (Ttuk-hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>sargentii</i> A.Henry	<b>Dwarf juniper</b> 눈향나무 (Nun-hyang-na-mu)
<i>Juniperus communis</i> subsp. <i>alpina</i> (Suter) Celak.	<b>Alpine juniper</b> 곱향나무 (Gop-hyang-na-mu)
<i>Juniperus davuricus</i> Pall.	<b>Dahurian juniper</b> 단천향나무 (Dan-cheon-hyang-na-mu)
<i>Juniperus rigida</i> Siebold & Zucc.	<b>Needle juniper</b> 노간주나무 (No-gan-ju-na-mu)
<i>Juniperus rigida</i> var. <i>conferta</i> (Parl.) Patschke	<b>Shore juniper</b> 해변노간주 (Hae-byeon-no-gan-ju)
<i>Juniperus rigida</i> var. <i>modesta</i> Nakai	<b>Pyeonggang juniper</b> 평강노간주 (Pyeong-gang-no-gan-ju)
<i>Justicia</i> L. [Acanthaceae]	<b>Water-willow</b> 쥐꼬리망초속 (Jwi-kko-ri-mang-cho-sok) [쥐꼬리망초과]
<i>Justicia procumbens</i> L.	<b>Oriental water-willow</b> 쥐꼬리망초 (Jwi-kko-ri-mang-cho)

**K**

<i>Kadsura</i> Juss. [Schisandraceae]	<b>Kadsura</b> 남오미자속 (Nam-o-mi-ja-sok) [오미자과]
<i>Kadsura japonica</i> (L.) Dunal	<b>Kadsura vine</b> 남오미자 (Nam-o-mi-ja)

**K**

Scientific name	English name Korean name (Romanization)
<i>Kalopanax Miq.</i> [Araliaceae]	<b>Castor aralia, Prickly castor oil tree</b> 음나무속 (Eum-na-mu-sok) [두릅나무과]
<i>Kalopanax septemlobus</i> (Thunb.) Koidz.	<b>Prickly castor oil tree</b> 음나무 (Eum-na-mu)
<i>Kalopanax septemlobus</i> var. <i>magnificus</i> (Zabel) Hand.-Mazz.	<b>Hairy prickly castor oil tree</b> 털음나무 (Teol-eum-na-mu)
<i>Kalopanax septemlobus</i> var. <i>maximowiczii</i> (Van Houtte) Hand.-Mazz	<b>Narrow-leaf prickly castor oil tree</b> 가는잎음나무 (Ga-neun-ip-eum-na-mu)
<i>Kerria DC.</i> [Rosaceae]	<b>Kerria</b> 황매화속 (Hwang-mae-hwa-sok) [장미과]
<i>Kerria japonica</i> (L.) DC.	<b>Kerria</b> 황매화 (Hwang-mae-hwa)
<i>Kirengeshoma</i> Yatabe [Saxifragaceae]	<b>Kirengeshoma</b> 나도승마속 (Na-do-seung-ma-sok) [범의귀과]
<i>Kirengeshoma koreana</i> Nakai	<b>Korean kirengeshoma</b> 나도승마 (Na-do-seung-ma)
<i>Knorreria</i> (Czukav.) Tzvelev [Polygonaceae]	<b>Knorreria</b> 시베리아여뀌속 (Si-be-ri-a-yeo-kkwi-sok) [마디풀과]
<i>Knorreria sibirica</i> (Laxm.) Tzvelev	<b>Siberian knorreria</b> 시베리아여뀌 (Si-be-ri-a-yeo-kkwi)
<i>Kobresia</i> Willd. [Cyperaceae]	<b>Bog sedge</b> 좀바늘사초속 (Jom-ba-neul-sa-cho-sok) [사초과]
<i>Kobresia bellardii</i> (All.) Degl. ex Loisel.	<b>Bellard's kobresia</b> 좀바늘사초 (Jom-ba-neul-sa-cho)
<i>Kochia</i> Roth [Chenopodiaceae]	<b>Smotherweed</b> 댑싸리속 (Daep-ssa-ri-sok) [명아주과]
<i>Kochia scoparia</i> var. <i>littorea</i> Makino	<b>Coastal mock-cypress</b> 갯댑싸리 (Gaet-daep-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Koeleria</i> Pers. [Poaceae]	<b>Junegrass</b> 도랭이피속 (Do-raeng-i-pi-sok) [벼과]
<i>Koeleria macrantha</i> (Ledeb.) Schult.	<b>Prairie junegrass</b> 도랭이피 (Do-raeng-i-pi)
<i>Koelreuteria</i> Laxm. [Sapindaceae]	<b>Koelreuteria</b> 모감주나무속 (Mo-gam-ju-na-mu-sok) [무환자나무과]
<i>Koelreuteria paniculata</i> Laxm.	<b>Goldenrain tree</b> 모감주나무 (Mo-gam-ju-na-mu)
<i>Korthalsella</i> Tiegh. [Loranthaceae]	<b>Korthal mistletoe</b> 동백나무거우살이속 (Dong-baek-na-mu-gyeo-u-sal-i-sok) [거우살이과]
<i>Korthalsella japonica</i> (Thunb.) Engl.	<b>Oriental korthal mistletoe</b> 동백나무거우살이 (Dong-baek-na-mu-gyeo-u-sal-i)
<i>Kuhlhasseltia</i> J.J.Sm. [Orchidaceae]	<b>Kuhlhasseltia</b> 백운란속 (Baek-un-ran-sok) [난초과]
<i>Kuhlhasseltia nakaiana</i> (F.Maek.) Ormerod	<b>Baekun kuhlhasseltia orchid</b> 백운란 (Baek-un-ran)
<i>Kummerowia</i> Schindl. [Fabaceae]	<b>Kummerowia</b> 매듭풀속 (Mae-deup-pul-sok) [콩과]
<i>Kummerowia stipulacea</i> (Maxim.) Makino	<b>Korean clover</b> 등근매듭풀 (Dung-geun-mae-deup-pul)
<i>Kummerowia striata</i> (Thunb.) Schindl.	<b>Japanese clover</b> 매듭풀 (Mae-deup-pul)
<i>Kyllinga</i> Rottb. [Cyperaceae]	<b>Spikesedge</b> 파대가리속 (Pa-dae-ga-ri-sok) [사초과]
<i>Kyllinga brevifolia</i> Rottb.	<b>Short-leaf spikesedge</b> 파대가리 (Pa-dae-ga-ri)
<i>Kyllinga gracillima</i> Miq.	<b>Pasture spikesedge</b> 꽃파대가리 (Kkot-pa-dae-ga-ri)

K

Scientific name	English name Korean name (Romanization)
<b>L</b>	
<i>Lacosteopsis</i> (Prantl) Nakaike [Hymenophyllaceae]	<b>Lacosteopsis</b> 누운괴불이끼속 (Nu-un-goe-bul-i-kki-sok) [처녀이끼과]
<i>Lacosteopsis orientalis</i> (C.Chr.) Nakaike	<b>Burman bristle fern</b> 누운괴불이끼 (Nu-un-goe-bul-i-kki)
<i>Lacosteopsis orientalis</i> var. <i>abbreviata</i> (C.Chr.) Nakaike	<b>Pinnate-lobe bristle fern</b> 난장이이끼 (Nan-jang-i-i-kki)
<i>Lactuca</i> L. [Asteraceae]	<b>Lettuce</b> 왕고들빼기속 (Wang-go-deul-ppae-gi-sok) [국화과]
<i>Lactuca hallaisanensis</i> H.Lév.	<b>Halla lettuce</b> 한라고들빼기 (Han-ra-go-deul-ppae-gi)
<i>Lactuca indica</i> var. <i>laciniata</i> (Houtt.) H.Hara	<b>Slender-leaf Indian lettuce</b> 가는잎왕고들빼기 (Ga-neun-ip-wang-go-deul-ppae-gi)
<i>Lactuca indica</i> L.	<b>Indian lettuce</b> 왕고들빼기 (Wang-go-deul-ppae-gi)
<i>Lactuca raddeana</i> Maxim.	<b>Hairy-vein lettuce</b> 산씀바귀 (San-sseum-ba-gwi)
<i>Lactuca sibirica</i> (L.) Benth. ex Maxim.	<b>Siberian lettuce</b> 자주방가지똥 (Ja-ju-bang-ga-ji-ttong)
<i>Lactuca triangulata</i> Maxim.	<b>Triangular lettuce</b> 두메고들빼기 (Du-me-go-deul-ppae-gi)
<i>Lagopsis</i> Bunge [Lamiaceae]	<b>Lagopsis</b> 흰꽃광대나물속 (Huin-kkot-gwang-dae-na-mul-sok) [꿀풀과]
<i>Lagopsis supina</i> (Steph. ex Willd.) Ikonn.-Gal.	<b>White-flower lagopsis</b> 흰꽃광대나물 (Huin-kkot-gwang-dae-na-mul)
<b>LAMIACEAE</b> Martinov (=Labiatae Juss.)	<b>Mint family</b> 꿀풀과 (Kkul-pul-gwa)
<i>Lamium</i> L. [Lamiaceae]	<b>Deadnettle</b> 광대나물속 (Gwang-dae-na-mul-sok) [꿀풀과]

Scientific name	English name Korean name (Romanization)
<i>Lamium album</i> L.	<b>White deadnettle</b> 왜광대수염 (Wae-gwang-dae-su-yeom)
<i>Lamium album</i> var. <i>barbatum</i> (Siebold & Zucc.) Franch. & Sav.	<b>Beard white deadnettle</b> 광대수염 (Gwang-dae-su-yeom)
<i>Lamium amplexicaule</i> L.	<b>Henbit deadnettle</b> 광대나물 (Gwang-dae-na-mul)
* <i>Lamium cuspidatum</i> Nakai ex T.H.Chung	<b>Cuspidate deadnettle</b> 호광대수염 (Ho-gwang-dae-su-yeom)
<i>Lamium takesimense</i> Nakai	<b>Ulleungdo deadnettle</b> 섬광대수염 (Seom-gwang-dae-su-yeom)
<b>Laportea Gaudich. [Urticaceae]</b>	<b>Laportea</b> 흑쐐기풀속 (Heuk-sswae-gi-pul-sok) [쐐기풀과]
<i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd.	<b>Bulbiferous woodnettle</b> 흑쐐기풀 (Hok-sswae-gi-pul)
<i>Laportea macrostachya</i> (Maxim.) Ohwi	<b>Devil's woodnettle</b> 산쐐기풀 (San-sswae-gi-pul)
<b>Lappula Moench [Boraginaceae]</b>	<b>Stickseed</b> 들지치속 (Deul-ji-chi-sok) [지치과]
<i>Lappula echinata</i> (L.) Gilib.	<b>European stickseed</b> 들지치 (Deul-ji-chi)
<i>Lappula heteracantha</i> (Ledeb.) Guerke	<b>Spiny stickseed</b> 돌지치 (Dol-ji-chi)
<b>Lapsanastrum Pak &amp; K. Bremer [Asteraceae]</b>	<b>Nipplewort</b> 개보리뺑이속 (Gae-bo-ri-ppaeng-i-sok) [국화과]
<i>Lapsanastrum apogonoides</i> (Maxim.) J.H.Pak & K.Bremer	<b>Common nipplewort</b> 개보리뺑이 (Gae-bo-ri-ppaeng-i)
<i>Lapsanastrum humile</i> (Thunb.) J.H.Pak & K.Bremer	<b>Shady nipplewort</b> 그늘보리뺑이 (Geu-neul-bo-ri-ppaeng-i)
<b>LARDIZABALACEAE R.Br.</b>	<b>Lardizabala family</b> 으름덩굴과 (Eu-reum-deong-gul-gwa)

Scientific name	English name Korean name (Romanization)
<i>Larix</i> Mill. [Pinaceae]	<b>Larch</b> 잎갈나무속 (Ip-gal-na-mu-sok) [소나무과]
<i>Larix gmelinii</i> (Rupr.) Kuzen.	<b>Dahurian larch</b> 잎갈나무 (Ip-gal-na-mu)
<i>Larix gmelinii</i> var. <i>olgensis</i> (A. Henry) Ostenf. & Syrach	<b>Manchurian larch</b> 만주잎갈나무 (Man-ju-ip-gal-na-mu)
<i>Larix olgensis</i> f. <i>viridis</i> (E. H. Wilson) Nakai	see <i>Larix gmelinii</i> (Rupr.) Kuzen.
<i>Lasianthus</i> Jack [Rubiaceae]	<b>Lasianthus</b> 무주나무속 (Mu-ju-na-mu-sok) [꼭두서니과]
<i>Lasianthus japonicus</i> Miq.	<b>Japanese lasianthus</b> 무주나무 (Mu-ju-na-mu)
<i>Lastrea</i> Bory [Dryopteridaceae]	<b>Lastrea</b> 큰처녀고사리속 (Keun-cheo-nyeo-go-sa-ri-sok) [면마과]
<i>Lastrea quelpaertensis</i> (Christ) Copel	<b>Queen's-veil maiden-fern</b> 큰처녀고사리 (Keun-cheo-nyeo-go-sa-ri)
<i>Lathraea</i> L. [Scrophulariaceae]	<b>Toothwort</b> 개종용속 (Gae-jong-yong-sok) [현삼과]
<i>Lathraea japonica</i> Miq.	<b>Mountain toothwort</b> 개종용 (Gae-jong-yong)
<i>Lathyrus</i> L. [Fabaceae]	<b>Pea, Sweet peas, Vetchlings</b> 연리초속 (Yeon-ri-cho-sok) [콩과]
<i>Lathyrus davidii</i> Hance	<b>David's vetchling</b> 활량나물 (Hwal-ryang-na-mul)
<i>Lathyrus humilis</i> (Ser.) Spreng.	<b>Short vetchling</b> 애기완두 (Ae-gi-wan-du)
<i>Lathyrus japonicus</i> Willd.	<b>Beach vetchling</b> 갯완두 (Gaet-wan-du)

Scientific name	English name Korean name (Romanization)
<i>Lathyrus japonicus</i> var. <i>aleuticus</i> (T.G.White) Fernald	<b>Hairy beach vetchling</b> 털갯완두 (Teol-gaet-wan-du)
<i>Lathyrus komarovii</i> Ohwi	<b>Erect vetchling</b> 선연리초 (Seon-yeon-ri-cho)
<i>Lathyrus palustris</i> subsp. <i>pilosus</i> (Cham.) Hultén	<b>Hairy marsh vetchling</b> 털연리초 (Teol-yeon-ri-cho)
<i>Lathyrus quinquenervius</i> (Miq.) Litv.	<b>Five-vein vetchling</b> 연리초 (Yeon-ri-cho)
<i>Lathyrus vaniotii</i> H.Lév.	<b>Korean mountain vetchling</b> 산새콩 (San-sae-kong)
<b>LAURACEAE Juss.</b>	<b>Laurel family</b> <b>녹나무과</b> (Nok-na-mu-gwa)
<b><i>Lecanorchis</i> Blume</b> <b>[Orchidaceae]</b>	<b><i>Lecanorchis</i></b> <b>무엽란속</b> (Mu-yeop-ran-sok) <b>[난초과]</b>
<i>Lecanorchis japonica</i> Blume	<b>Leafless lecanorchis</b> 무엽란 (Mu-yeop-ran)
<i>Lecanorchis kiusiana</i> Tuyama	<b>Jeju leafless lecanorchis</b> 제주무엽란 (Je-ju-mu-yeop-ran)
<b><i>Ledum</i> L. [Ericaceae]</b>	<b>Labrador tea</b> <b>백산차속</b> (Baek-san-cha-sok) <b>[진달래과]</b>
<i>Ledum palustre</i> subsp. <i>groenlandicum</i> (Oeder) Hultén	<b>Greenland labrador tea</b> 힘경백산차 (Ham-gyeong-baek-san-cha)
<i>Ledum palustre</i> var. <i>decumbens</i> Aiton	<b>Narrow-leaf labrador tea</b> 좁은백산차 (Jop-eun-baek-san-cha)
<i>Ledum palustre</i> var. <i>diversipilosum</i> Nakai	<b>Hairy labrador tea</b> 백산차 (Baek-san-cha)
<i>Ledum palustre</i> var. <i>latifolium</i> Michaux.	<b>Wide-leaf labrador tea</b> 노봉백산차 (No-bong-baek-san-cha)
<i>Ledum palustre</i> var. <i>maximum</i> Nakai	<b>Large-leaf labrador tea</b> 왕백산차 (Wang-baek-san-cha)

Scientific name	English name Korean name (Romanization)
<i>Leersia</i> Sw. [Poaceae]	Cutgrass 겨풀속 (Gyeo-pul-sok) [벼과]
<i>Leersia japonica</i> (Makino ex Honda) Honda	East Asian cutgrass 나도겨풀 (Na-do-gyeo-pul)
<i>Leersia oryzoides</i> (L.) Sw.	Rice cutgrass 좀겨풀 (Jom-gyeo-pul)
<i>Leersia sayanuka</i> Ohwi	Gyeopul (Asian cutgrass) 겨풀 (Gyeo-pul)
<i>Leibnitzia</i> Cass. [Asteraceae]	Sunbonnets 솜나물속 (Som-na-mul-sok) [국화과]
<i>Leibnitzia anandria</i> (L.) Turcz.	Gebera anandra 솜나물 (Som-na-mul)
<i>Lemmaphyllum</i> C.Presl [Polypodiaceae]	Lemmaphyllum 콩짜개덩굴속 (Kong-jja-gae-deong-gul-sok) [고란초과]
<i>Lemmaphyllum microphyllum</i> C.Presl	Green bean fern 콩짜개덩굴 (Kong-jja-gae-deong-gul)
<i>Lemmaphyllum microphyllum</i> var. <i>obovatum</i> (Harr.) Christ	Elongate bean fern 긴콩짜개덩굴 (Gin-kong-jja-gae-deong-gul)
<i>Lemna</i> Martinov [Lemnaceae]	Duckweed 좀개구리밥속 (Jom-gae-gu-ri-bap-sok) [개구리밥과]
<i>Lemna perpusilla</i> Torr.	Minute duckweed 좀개구리밥 (Jom-gae-gu-ri-bap)
LEMNACEAE Martinov	Duckweed family 개구리밥과 (Gae-gu-ri-bap-gwa)
LENTIBULARIACEAE Rich.	Bladderwort family 통발과 (Tong-bal-gwa)
<i>Leontopodium</i> R.Br. ex Cass. [Asteraceae]	Edelweiss 솜다리속 (Som-da-ri-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Leontopodium coreanum</i> Nakai	<b>Korean edelweiss</b> 솜다리 (Som-da-ri)
<i>Leontopodium hallaisanense</i> Hand.-Mazz.	<b>Halla edelweiss</b> 한라솜다리 (Han-ra-som-da-ri)
<i>Leontopodium japonicum</i> Miq.	<b>East Asian edelweiss</b> 왜솜다리 (Wae-som-da-ri)
<i>Leontopodium leiolepis</i> Nakai	<b>Bristle-tip edelweiss</b> 산솜다리 (San-som-da-ri)
<i>Leontopodium leontopodioides</i> (Willd.) Beauverd	<b>Northern edelweiss</b> 들떡쑥 (Deul-tteok-ssuk)
<b>Leonurus L. [Lamiaceae]</b>	<b>Motherwort</b> 익모초속 (Ik-mo-cho-sok) [꿀풀과]
<i>Leonurus japonicus</i> Houtt.	<b>Oriental motherwort</b> 익모초 (Ik-mo-cho)
<i>Leonurus macranthus</i> Maxim.	<b>Large-flower motherwort</b> 송장풀 (Song-jang-pul)
<b>Lepidium L. [Brassicaceae]</b>	<b>Peppercress, Peppergrass, Pepperwort</b> 다닥냉이속 (Da-dak-naeng-i-sok) [십자화과]
<i>Lepidium cordatum</i> Willd. ex Stev.	<b>Heart-leaf peppergrass</b> 앉은잎다닥냉이 (An-jeun-ip-da-dak-naeng-i)
<i>Lepidium sibiricum</i> Schweigg.	<b>Siberian peppergrass</b> 시베리아다닥냉이 (Si-be-ri-a-da-dak-naeng-i)
<b>Lepisorus (J. Sm.) Ching [Polypodiaceae]</b>	<b>Lepisorus, Weeping fern</b> 일엽초속 (Il-yeop-cho-sok) [고란초과]
<i>Lepisorus annuifrons</i> (Makino) Ching	<b>Kelp-leaf weeping fern</b> 다시마일엽초 (Da-si-ma-il-yeop-cho)
<i>Lepisorus onoei</i> (Franch. & Sav.) Ching	<b>Tiny weeping fern</b> 애기일엽초 (Ae-gi-il-yeop-cho)
<i>Lepisorus thunbergianus</i> (Kaulf.) Ching	<b>Weeping fern</b> 일엽초 (Il-yeop-cho)

Scientific name	English name Korean name (Romanization)
<i>Lepisorus uchiyamae</i> (Makino) H.Itô	<b>Club weeping fern</b> 방망이일엽초 (Bang-mang-i-il-yeop-cho)
<i>Lepisorus ussuriensis</i> (Regel & Maack) Ching	<b>Ussuri weeping fern</b> 산일엽초 (San-il-yeop-cho)
<i>Leptochloa</i> P.Beauv. [Poaceae]	<b>Sprangletop</b> 드렁새속 (Deu-reong-sae-sok) [벼과]
<i>Leptochloa chinensis</i> (L.) Nees	<b>Asian sprangletop</b> 드렁새 (Deu-reong-sae)
<i>Leptogramma</i> J.Sm. [Dryopteridaceae]	<b>Leptogramma</b> 진퍼리고사리속 (Jin-peo-ri-go-sa-ri-sok) [면마과]
<i>Leptogramma mollissima</i> (Kunze) Ching	<b>Soft-hair swamp fern</b> 진퍼리고사리 (Jin-peo-ri-go-sa-ri)
<i>Leptopyrum</i> Rehb. [Ranunculaceae]	<b>Leptopyrum</b> 바디풀속 (Ba-di-pul-sok) [미나리아재비과]
<i>Leptopyrum fumariooides</i> (L.) Rchb.	<b>Common leptopyrum</b> 바디풀 (Ba-di-pul)
<i>Leptorumohra</i> (H.Itô) H.Itô [Dryopteridaceae]	<b>Leptorumohra</b> 왁살고사리속 (Wak-sal-go-sa-ri-sok) [면마과]
<i>Leptorumohra miquelianiana</i> (Maxim. ex Franch. & Sav.) H.Itô	<b>Northern upside-down fern</b> 왁살고사리 (Wak-sal-go-sa-ri)
<i>Lespedeza</i> Michx. [Fabaceae]	<b>Bush clovers, Japanese clovers, Lespedeza</b> 싸리속 (Ssa-ri-sok) [콩과]
<i>Lespedeza bicolor</i> f. <i>alba</i> (Bean) Ohwi	<b>White shrub lespedeza</b> 흰싸리 (Huim-ssa-ri)
<i>Lespedeza bicolor</i> Turcz.	<b>Shrub lespedeza</b> 싸리 (Ssa-ri)
<i>Lespedeza bicolor</i> var. <i>sericea</i> Nakai	<b>Silky-hair shrub lespedeza</b> 털싸리 (Teol-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Lespedeza cuneata</i> (Dum.Cours.) G.Don	<b>Sericea lespedeza</b> 비수리 (Bi-su-ri)
* <i>Lespedeza cyrtobotrya</i> f. <i>alba</i> T.B.Lee	<b>White leafy lespedeza</b> 선녀싸리 (Seon-nyeossa-ri)
* <i>Lespedeza cyrtobotrya</i> f. <i>semialba</i> T.B.Lee	<b>Half-white leafy lespedeza</b> 흰참싸리 (Huin-chamssa-ri)
<i>Lespedeza cyrtobotrya</i> Miq.	<b>Leafy lespedeza</b> 참싸리 (Chamssa-ri)
<i>Lespedeza cyrtobotrya</i> var. <i>longifolia</i> Nakai	<b>Long-leaf lespedeza</b> 긴잎참싸리 (Gin-ip-chamssa-ri)
<i>Lespedeza daurica</i> (Laxm.) Schindl.	<b>Dahurian lespedeza</b> 호비수리 (Ho-bi-su-ri)
<i>Lespedeza inschanica</i> (Maxim.) Schindl.	<b>Greenish juncea lespedeza</b> 청비수리 (Cheong-bi-su-ri)
<i>Lespedeza intermixta</i> Makino	<b>Neonchul lespedeza</b> 년출비수리 (Neon-chul-bi-su-ri)
<i>Lespedeza juncea</i> (L.f.) Pers.	<b>Juncea lespedeza</b> 땅비수리 (Ttang-bi-su-ri)
<i>Lespedeza juncea</i> var. <i>subsericea</i> Kom.	<b>Silky juncea lespedeza</b> 개파리채 (Gae-pa-ri-chae)
<i>Lespedeza juncea</i> var. <i>umbrosa</i> (Kom.) T.B.Lee	<b>Shady juncea lespedeza</b> 털파리채 (Teol-pa-ri-chae)
<i>Lespedeza macrovirgata</i> Kitag.	<b>Large wando lespedeza</b> 눈해변싸리 (Nun-hae-byeonssa-ri)
<i>Lespedeza maritima</i> Nakai	<b>Coastal lespedeza</b> 해변싸리 (Hae-byeonssa-ri)
<i>Lespedeza maximowiczii</i> C.K.Schneid.	<b>Korean lespedeza</b> 조록싸리 (Jo-rokssa-ri)
<i>Lespedeza maximowiczii</i> f. <i>albiflora</i> Uyeki	<b>White Korean lespedeza</b> 흰조록싸리 (Huin-jo-rokssa-ri)
* <i>Lespedeza maximowiczii</i> var. <i>elongata</i> Nakai	<b>Elongate Korean lespedeza</b> 늦싸리 (Neutssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Lespedeza maximowiczii</i> var. <i>tomentella</i> Nakai	<b>Hairy Korean lespedeza</b> 털조록싸리 (Teol-jo-rokssa-ri)
<i>Lespedeza maximowiczii</i> var. <i>tricolor</i> Nakai	<b>Three-color Korean lespedeza</b> 삼색싸리 (Sam-saek-ssa-ri)
<i>Lespedeza melanantha</i> Nakai	<b>Black-flower lespedeza</b> 검나무싸리 (Geom-na-mu-ssa-ri)
<i>Lespedeza × nakaii</i> T.B.Lee	<b>Long-peduncle lespedeza</b> 꽃참싸리 (Kkot-cham-ssa-ri)
<i>Lespedeza × patentibicolor</i> T.B.Lee	<b>Jindo lespedeza</b> 진도싸리 (Jin-do-ssa-ri)
<i>Lespedeza pilosa</i> (Thunb.) Siebold & Zucc.	<b>Pilose lespedeza</b> 괭이싸리 (Gwaeng-i-ssa-ri)
<i>Lespedeza pilosa</i> var. <i>pedunculata</i> T.B.Lee	<b>Long-peduncle pilose lespedeza</b> 긴괭이싸리 (Gin-gwaeng-i-ssa-ri)
<i>Lespedeza × patentihirta</i> T.B.Lee	<b>Hair-spreading lespedeza</b> 땅괭이싸리 (Ttang-gwaeng-i-ssa-ri)
<i>Lespedeza × robusta</i> Nakai	<b>Goyang lespedeza</b> 고양싸리 (Go-yang-ssa-ri)
* <i>Lespedeza × schindleri</i> T.B.Lee	<b>Schindler's lespedeza</b> 잡싸리 (Jap-ssa-ri)
<i>Lespedeza tetraloba</i> Nakai	<b>Songni lespedeza</b> 속리싸리 (Sok-ri-ssa-ri)
<i>Lespedeza thunbergii</i> subsp. <i>formosa</i> (Vogel) H.Ohashi	<b>Tall lespedeza</b> 풀싸리 (Pul-ssa-ri)
* <i>Lespedeza thunbergii</i> var. <i>intermedia</i> f. <i>alba</i> T.B.Lee	<b>White tall lespedeza</b> 흰풀싸리 (Huin-pul-ssa-ri)
* <i>Lespedeza thunbergii</i> var. <i>retusa</i> T.B.Lee	<b>Notched-leaf tall lespedeza</b> 부채싸리 (Bu-chae-ssa-ri)
<i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim.	<b>Woolly lespedeza</b> 개싸리 (Gae-ssa-ri)
<i>Lespedeza virgata</i> (Thunb.) DC.	<b>Wando lespedeza</b> 좀싸리 (Jom-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Leucanthemella</i> Tzvelev [Asteraceae]	<b>Leucanthemella</b> 키큰산국속 (Ki-keun-san-guk-sok) [국화과]
<i>Leucanthemella linearis</i> (Matsum.) Tzvelev	<b>Linear-leaf leucantheme</b> 키큰산국 (Ki-keun-san-guk)
<i>Leymus</i> Hochst. [Poaceae]	<b>Wheatgrass, Wild rye</b> 개밀아재비속 (Gae-mil-a-jae-bi-sok) [벼과]
<i>Leymus chinensis</i> (Trin.) Tzvelev	<b>False wheatgrass</b> 개밀아재비 (Gae-mil-a-jae-bi)
<i>Leymus mollis</i> (Trin.) Pilg.	<b>Sea wheatgrass</b> 갯그령 (Gaet-geu-ryeong)
<i>Libanotis</i> Haller ex Zinn [Apiaceae]	<b>Libanotis</b> 털기름나물속 (Teol-gi-reum-na-mul-sok) [산형과]
<i>Libanotis coreana</i> (H.Wolff) Kitag.	<b>Korean libanotis</b> 털기름나물 (Teol-gi-reum-na-mul)
<i>Libanotis seseloides</i> (Fisch. & C.A.Mey. ex Turcz.) Turcz.	<b>Sesel-like libanotis</b> 가는잎방풍 (Ga-neun-ip-bang-pung)
<i>Ligularia</i> Cass. [Asteraceae]	<b>Leopard plant, Ragwort</b> 곰취속 (Gom-chwi-sok) [국화과]
<i>Ligularia fischeri</i> (Ledeb.) Turcz.	<b>Fischer's ragwort</b> 곰취 (Gom-chwi)
<i>Ligularia fischeri</i> var. <i>spiciformis</i> Nakai	<b>Handaeri ragwort</b> 한대리곰취 (Han-dae-ri-gom-chwi)
<i>Ligularia intermedia</i> Nakai	<b>Narrow-bract ragwort</b> 어리곤달비 (Eo-ri-gon-dal-bi)
<i>Ligularia jaluensis</i> Kom.	<b>Jalu ragwort</b> 긴잎곰취 (Gin-ip-gom-chwi)
<i>Ligularia jamesii</i> (Hemsl.) Kom.	<b>Arrowhead-leaf ragwort</b> 화살곰취 (Hwa-sal-gom-chwi)

Scientific name	English name Korean name (Romanization)
<i>Ligularia japonica</i> (Thunb.) Less.	<b>Musan ragwort</b> 무산곰취 (Mu-san-gom-chwi)
<i>Ligularia schmidtii</i> (Maxim.) Makino	<b>Schmidt's ragwort</b> 개담배 (Gae-dam-bae)
<i>Ligularia stenocephala</i> (Maxim.) Matsum. & Koidz.	<b>Narrow-head ragwort</b> 곤달비 (Gon-dal-bi)
<i>Ligularia taquetii</i> (H.Lév. & Vaniot) Nakai	<b>Jejudo ragwort</b> 갯취 (Gaet-chwi)
<b><i>Ligusticum</i> L. [Apiaceae]</b>	<b>Licorice-root</b> 기름당귀속 (Gi-reum-dang-gwi-sok) [산형과]
<i>Ligusticum hultenii</i> Fernald	<b>Hulten's licorice-root</b> 기름당귀 (Gi-reum-dang-gwi)
<i>Ligusticum tachiroei</i> (Franch. & Sav.) M.Hiroe & Constance	<b>Rocky licorice-root</b> 개회향 (Gae-hoe-hyang)
<b><i>Ligustrum</i> L. [Oleaceae]</b>	<b>Privet</b> 쥐똥나무속 (Jwi-ttong-na-mu-sok) [풀푸레나무과]
<i>Ligustrum acutissimum</i> Koehne	<b>Sharp-leaf privet</b> 산동쥐똥나무 (San-dong-jwi-ttong-na-mu)
<i>Ligustrum foliosum</i> Nakai	<b>Korean privet</b> 섬쥐똥나무 (Seom-jwi-ttong-na-mu)
<i>Ligustrum foliosum</i> f. <i>ovale</i> Nakai	<b>Oval-leaf Korean privet</b> 둥근잎섬쥐똥나무 (Dung-geun-ip-seom-jwi-ttong-na-mu)
<i>Ligustrum ibota</i> Siebold	<b>Hairy small-leaf privet</b> 좀털쥐똥나무 (Jom-teol-jwi-ttong-na-mu)
<i>Ligustrum ibota</i> f. <i>microphyllum</i> Nakai	<b>Small-leaf privet</b> 좀쥐똥나무 (Jom-jwi-ttong-na-mu)
<i>Ligustrum japonicum</i> Thunb.	<b>Wax-leaf privet</b> 광나무 (Gwang-na-mu)
<i>Ligustrum japonicum</i> var. <i>rotundifolium</i> Blume	<b>Round wax-leaf privet</b> 둥근잎광나무 (Dung-geun-ip-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Ligustrum lucidum</i> W.T.Aiton	<b>Glossy privet</b> 당광나무 (Dang-gwang-na-mu)
<i>Ligustrum obtusifolium</i> Siebold & Zucc.	<b>Border privet</b> 쥐똥나무 (Jwi-ttong-na-mu)
<i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Rehder	<b>Hairy border privet</b> 털쥐똥나무 (Teol-jwi-ttong-na-mu)
<i>Ligustrum ovalifolium</i> Hassk.	<b>Oval-leaf privet</b> 왕쥐똥나무 (Wang-jwi-ttong-na-mu)
<i>Ligustrum quihoui</i> var. <i>latifolium</i> Nakai	<b>Quihoui privet</b> 상동잎쥐똥나무 (Sang-dong-ip-jwi-ttong-na-mu)
<i>Ligustrum salicinum</i> Nakai	<b>Willow-leaf privet</b> 버들쥐똥나무 (Beo-deul-jwi-ttong-na-mu)
<b>LILIACEAE Juss.</b>	<b>Lily family</b> <b>백합과</b> (Baek-hap-gwa)
<b><i>Lilium</i> L. [Liliaceae]</b>	<b>Lily</b> <b>백합속</b> (Baek-hap-sok) [ <b>백합과</b> ]
<i>Lilium amabile</i> Palib.	<b>Friendly lily</b> 털종나리 (Teol-jung-na-ri)
<i>Lilium amabile</i> var. <i>flavum</i> Y.N.Lee	<b>Yellow friendly lily</b> 노랑털종나리 (No-rang-teol-jung-na-ri)
* <i>Lilium amabile</i> var. <i>kwangnungensis</i> Y.S.Kim & W.B.Lee	<b>Gwangneung friendly lily</b> 광릉털종나리 (Gwang-reung-teol-jung-na-ri)
<i>Lilium callosum</i> Siebold & Zucc.	<b>Slim-stem lily</b> 땅나리 (Ttang-na-ri)
<i>Lilium callosum</i> var. <i>flavum</i> Y.N.Lee	<b>Yellow slim-stem lily</b> 노랑땅나리 (No-rang-ttang-na-ri)
<i>Lilium cernuum</i> Kom.	<b>Nodding lily</b> 솔나리 (Sol-na-ri)
<i>Lilium concolor</i> Salisb.	<b>Morning-star lily</b> 하늘나리 (Ha-neul-na-ri)
<i>Lilium concolor</i> var. <i>megalanthum</i> Wang & Tang	<b>Big-flower morning-star lily</b> 큰하늘나리 (Keun-ha-neul-na-ri)

Scientific name	English name Korean name (Romanization)
<i>Lilium dauricum</i> Ker Gawl.	<b>Siberian lily</b> 날개하늘나리 (Nal-gae-ha-neul-na-ri)
<i>Lilium distichum</i> Nakai ex Kamib.	<b>Manchurian turk's-cap lily</b> 맡나리 (Mal-na-ri)
<i>Lilium hansonii</i> Leichtlin ex D.D.T.Moore	<b>Ulleungdo turk's-cap lily</b> 섬맡나리 (Seom-mal-na-ri)
* <i>Lilium hansonii</i> f. <i>mutatum</i> Y.N.Lee	<b>Glabrous turk's-cap lily</b> 민섬맡나리 (Min-seom-mal-na-ri)
<i>Lilium lancifolium</i> Thunb.	<b>Tiger lily</b> 참나리 (Cham-na-ri)
<i>Lilium leichlinii</i> var. <i>maximowiczii</i> (Regel) Baker	<b>Lesser tiger lily</b> 중나리 (Jung-na-ri)
<i>Lilium pumilum</i> Delile	<b>Fine-leaf lily</b> 큰솔나리 (Keun-sol-na-ri)
<i>Lilium tenuifolium</i> var. <i>chrysanthum</i> (Nakai & F.Maek.) Nakai	<b>Golden-flower lily</b> 금나리 (Geum-na-ri)
<i>Lilium tsingtauense</i> Gilg	<b>Twilight lily</b> 하늘맡나리 (Ha-neul-mal-na-ri)
* <i>Lilium tsingtauense</i> f. <i>carneum</i> (Nakai) Y.N.Lee	<b>Jirisan twilight lily</b> 자리산하늘맡나리 (Ji-ri-san-ha-neul-mal-na-ri)
<i>Limnophila</i> R.Br. [Scrophulariaceae]	<b>Marshweed</b> 구와말속 (Gu-wa-mal-sok) [현삼과]
<i>Limnophila aromatica</i> (Lam.) Merr.	<b>Rice paddy marshweed</b> 소엽풀 (So-yeop-pul)
<i>Limnophila indica</i> (L.) Druce	<b>Indian marshweed</b> 민구와말 (Min-gu-wa-mal)
<i>Limnophila sessiliflora</i> (Vahl) Blume	<b>Asian marshweed</b> 구와말 (Gu-wa-mal)
<i>Limonium</i> Mill. [Plumbaginaceae]	<b>Marsh-rosemary, Sea-lavender, Statice</b> 깻질경속 (Gaet-jil-gyeong-sok) [깻질경과]

Scientific name	English name Korean name (Romanization)
<i>Limonium tetragonum</i> (Thunb.) Bullock	<b>Square-stem statice</b> 갯질경 (Gaet-jil-gyeong)
<i>Limosella</i> L. [Scrophulariaceae]	<b>Mudwort</b> 등포풀속 (Deung-po-pul-sok) [현삼과]
<i>Limosella aquatica</i> L.	<b>Water mudwort</b> 등포풀 (Deung-po-pul)
<i>Linaria</i> Mill. [Scrophulariaceae]	<b>Toadflax</b> 해란초속 (Hae-ran-cho-sok) [현삼과]
<i>Linaria japonica</i> Miq.	<b>Seashore toadflax</b> 해란초 (Hae-ran-cho)
<i>Linaria vulgaris</i> Hill	<b>Yellow toadflax</b> 줍은잎해란초 (Jop-eun-ip-hae-ran-cho)
<b>LINACEAE DC. ex Perleb</b>	<b>Flax family</b> 아마과 (A-ma-gwa)
<i>Lindera</i> Thunb. [Lauraceae]	<b>Benjamin bush, Spicebush, Spicewood</b> 생강나무속 (Saeng-gang-na-mu-sok) [녹나무과]
<i>Lindera angustifolia</i> W.C.Cheng	<b>Willow-leaf spicebush</b> 뇌성목 (Noe-seong-mok)
<i>Lindera erythrocarpa</i> Makino	<b>Red-fruit spicebush</b> 비목나무 (Bi-mok-na-mu)
<i>Lindera glauca</i> (Siebold & Zucc.) Blume	<b>Gray-blue spicebush</b> 감태나무 (Gam-tae-na-mu)
<i>Lindera obtusiloba</i> Blume	<b>Blunt-lobe spicebush</b> 생강나무 (Saeng-gang-na-mu)
* <i>Lindera obtusiloba</i> f. <i>ovata</i> T.B.Lee	<b>Ovate blunt-lobe spicebush</b> 등근잎생강나무 (Dung-geun-ip-saeng-gang-na-mu)
<i>Lindera sericea</i> (Siebold & Zucc.) Blume	<b>Hairy spicebush</b> 털조장나무 (Teol-jo-jang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lindernia</i> All. [Scrophulariaceae]	<b>False pimpernel</b> 발뚝외풀속 (Bat-ttuk-oe-pul-sok) [현삼과]
<i>Lindernia crustacea</i> (L.) F.Muell.	<b>Brittle false pimpernel</b> 외풀 (Oe-pul)
<i>Lindernia micrantha</i> D.Don	<b>Small-flower false pimpernel</b> 논뚝외풀 (Non-ttuk-oe-pul)
<i>Lindernia procumbens</i> (Krock.) Philcox	<b>Prostrate false pimpernel</b> 밭뚝외풀 (Bat-ttuk-oe-pul)
<i>Lindsaea</i> Dryand. ex Sm. [Pteridaceae]	<b>Necklace fern</b> 비고사리속 (Bi-go-sa-ri-sok) [고사리과]
<i>Lindsaea japonica</i> (Baker) Diels	<b>East Asian necklace fern</b> 비고사리 (Bi-go-sa-ri)
<i>Lindsaea odorata</i> Roxb.	<b>Fragrant necklace fern</b> 새깃고사리 (Sae-git-go-sa-ri)
<i>Linnaea</i> L. [Caprifoliaceae]	<b>Twinflower</b> 린네풀속 (Rin-ne-pul-sok) [인동과]
<i>Linnaea borealis</i> L.	<b>Twinflower</b> 린네풀 (Rin-ne-pul)
<i>Linum</i> L. [Linaceae]	<b>Flax</b> 아마속 (A-ma-sok) [아마과]
<i>Linum stellatum</i> Planch.	<b>Asian wild flax</b> 개아마 (Gae-a-ma)
<i>Liparis</i> Rich. [Orchidaceae]	<b>False twayblade, Widelip orchid</b> 나리난초속 (Na-ri-nan-cho-sok) [난초과]
<i>Liparis auriculata</i> Blume ex Miq.	<b>Auricled widelip orchid</b> 한라옥잠난초 (Han-ra-ok-jam-nan-cho)
<i>Liparis japonica</i> (Miq.) Maxim.	<b>Tall widelip orchid</b> 키다리난초 (Ki-da-ri-nan-cho)

Scientific name	English name Korean name (Romanization)
<i>Liparis koreana</i> (Nakai) Nakai	<b>Korean widelip orchid</b> 참나리난초 (Cham-na-ri-nan-cho)
<i>Liparis koreojaponica</i> Tsutsumi, T.Yukawa, N.S.Lee, C.S.Lee & M.Kato	<b>Large-flower widelip orchid</b> 큰꽃육잠난초 (Keun-kkot-ok-jam-nan-cho)
<i>Liparis krameri</i> Franch. & Sav.	<b>Kramer's widelip orchid</b> 나나벌이난초 (Na-na-beol-i-nan-cho)
<i>Liparis kumokiri</i> F.Maek.	<b>Large widelip orchid</b> 옥잠난초 (Ok-jam-nan-cho)
<i>Liparis makinoana</i> Schlech.	<b>Miniature widelip orchid</b> 나리난초 (Na-ri-nan-cho)
<i>Liparis nervosa</i> (Thunb.) Lindl.	<b>Black-flower widelip orchid</b> 흑난초 (Heuk-nan-cho)
<b><i>Lipocarpha</i> R.Br.</b> [Cyperaceae]	<b>Halfchaff sedge, Lipocarpha</b> 세대가리속 (Se-dae-ga-ri-sok) [사초과]
<i>Lipocarpha microcephala</i> (R.Br.) Kunth	<b>Small-head lipocarpha</b> 세대가리 (Se-dae-ga-ri)
<b><i>Liriope</i> Lour.</b> [Liliaceae]	<b>Lilyturf</b> 맥문동속 (Maek-mun-dong-sok) [백합과]
<i>Liriope minor</i> (Maxim.) Makino	<b>Lesser lilyturf</b> 좀맥문동 (Jom-maek-mun-dong)
<i>Liriope muscari</i> (Decne.) L.H.Bailey	<b>Big blue lilyturf</b> 맥문동 (Maek-mun-dong)
<i>Liriope spicata</i> (Thunb.) Lour.	<b>Creeping lilyturf</b> 개맥문동 (Gae-maek-mun-dong)
<b><i>Lithospermum</i> L.</b> [Boraginaceae]	<b>Gromwells, Stoneseeds</b> 지치속 (Ji-chi-sok) [지치과]
<i>Lithospermum arvense</i> L.	<b>Corn gromwell</b> 개지치 (Gae-ji-chi)
<i>Lithospermum erythrorhizon</i> Siebold & Zucc.	<b>Red-root gromwell</b> 지치 (Ji-chi)

Scientific name	English name Korean name (Romanization)
<i>Lithospermum zollingeri</i> A.DC.	<b>Star-flower gromwell</b> 반디지치 (Ban-di-ji-chi)
<b><i>Litsea</i> Lam. [Lauraceae]</b>	<b>Litsea</b> <b>까마귀쪽나무속</b> (Kka-ma-gwi-jjok-na-mu-sok) [녹나무과]
<i>Litsea coreana</i> H.Lév.	<b>Sword-leaf litsea</b> 육박나무 (Yuk-bak-na-mu)
<i>Litsea japonica</i> (Thunb.) Juss.	<b>Yellowish velvety-leaf litsea</b> 까마귀쪽나무 (Kka-ma-gwi-jjok-na-mu)
<b><i>Lloydia</i> Salisb. ex Rchb. [Liliaceae]</b>	<b>Alplily</b> <b>개감채속</b> (Gae-gam-chae-sok) [백합과]
<i>Lloydia serotina</i> (L.) Rchb.	<b>Snowdon alplily</b> 개감채 (Gae-gam-chae)
<i>Lloydia triflora</i> (Ledeb.) Baker	<b>Striation-flower alplily</b> 나도개감채 (Na-do-gae-gam-chae)
<b><i>Lobelia</i> L. [Campanulaceae]</b>	<b>Lobelia</b> <b>숫잔대속</b> (Sut-jan-dae-sok) [초롱꽃과]
<i>Lobelia chinensis</i> Lour.	<b>Asian lobelia</b> 수염가래꽃 (Su-yeom-ga-rae-kkot)
* <i>Lobelia chinensis</i> var. <i>tetrapetala</i> Y.N.Lee	<b>Four-petal Asian lobelia</b> 새수염가래꽃 (Sae-su-yeom-ga-rae-kkot)
<i>Lobelia sessilifolia</i> Lamb.	<b>Sessile lobelia</b> 숫잔대 (Sut-jan-dae)
<b>LOGANIACEAE R.Br. ex Mart.</b>	<b>Pinkroot family</b> 마전과 (Ma-jeon-gwa)
<b><i>Lonicera</i> L. [Caprifoliaceae]</b>	<b>Honeysuckle</b> <b>인동속</b> (In-dong-sok) [인동과]
<i>Lonicera caerulea</i> var. <i>edulis</i> Turcz. ex Herder	<b>Edible deepblue honeysuckle</b> 댕댕이나무 (Daeng-daeng-i-na-mu)
<i>Lonicera caerulea</i> var. <i>emphyllocalyx</i> (Maxim.) Nakai	<b>Leaf-like-calyx deepblue honeysuckle</b> 개들쭉나무 (Gae-deul-jjuk-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lonicera caerulea</i> var. <i>longibracteata</i> f. <i>ovata</i> H.Hara	<b>Wide-leaf deepblue honeysuckle</b> 넓은잎댕댕이 (Neol-beun-ip-daeng-daeng-i)
<i>Lonicera caerulea</i> var. <i>venulosa</i> (Maxim.) Rehder	<b>Ovate-leaf deepblue honeysuckle</b> 둥근잎댕댕이 (Dung-geun-ip-daeng-daeng-i)
<i>Lonicera cerasoides</i> Nakai	<b>Jiri honeysuckle</b> 자리괴불나무 (Ji-ri-goe-bul-na-mu)
<i>Lonicera chrysanthia</i> Turcz. ex Ledeb.	<b>Chrysantha honeysuckle</b> 각시괴불나무 (Gak-si-goe-bul-na-mu)
<i>Lonicera chrysanthia</i> var. <i>crassipes</i> Nakai	<b>Mountain chrysantha honeysuckle</b> 산괴불나무 (San-goe-bul-na-mu)
* <i>Lonicera chrysanthia</i> var. <i>latifolia</i> Korsh. ex Uyeki	<b>Wide-leaf chrysantha honeysuckle</b> 넓은잎산괴불 (Neol-beun-ip-san-goe-bul)
<i>Lonicera chrysanthia</i> var. <i>longipes</i> Maxim.	<b>Long-peduncle chrysantha honeysuckle</b> 절초나무 (Jeol-cho-na-mu)
<i>Lonicera chrysanthia</i> f. <i>villoa</i> Rehder	<b>Hairy chrysantha honeysuckle</b> 털산괴불나무 (Teol-san-goe-bul-na-mu)
<i>Lonicera coreana</i> Nakai	<b>Korean honeysuckle</b> 숫명다래나무 (Sut-myeong-da-rae-na-mu)
<i>Lonicera harae</i> Makino	<b>Early-blooming ivory honeysuckle</b> 길마가지나무 (Gil-ma-ga-ji-na-mu)
<i>Lonicera insularis</i> Nakai	<b>Ulleungdo honeysuckle</b> 섬괴불나무 (Seom-goe-bul-na-mu)
<i>Lonicera japonica</i> f. <i>chinensis</i> H.Hara	<b>Downy golden-and-silver honeysuckle</b> 잔털인동 (Jan-teol-in-dong)
<i>Lonicera japonica</i> Thunb.	<b>Golden-and-silver honeysuckle</b> 인동덩굴 (In-dong-deong-gul)
<i>Lonicera japonica</i> var. <i>repens</i> (Siebold) Rehder	<b>Hairy golden-and-silver honeysuckle</b> 털인동 (Teol-in-dong)
<i>Lonicera maackii</i> (Rupr.) Maxim.	<b>Amur honeysuckle</b> 괴불나무 (Goe-bul-na-mu)
<i>Lonicera maximowiczii</i> (Rupr.) Regel	<b>Montane honeysuckle</b> 두메홍괴불나무 (Du-me-hong-goe-bul-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lonicera maximowiczii</i> var. <i>latifolia</i> (Ohwi) H.Hara	<b>Wide-leaf honeysuckle</b> 흰괴불나무 (Huin-deung-goe-bul-na-mu)
<i>Lonicera monantha</i> Nakai	<b>Single-flower honeysuckle</b> 볼레괴불나무 (Bol-re-goe-bul-na-mu)
<i>Lonicera nigra</i> var. <i>barbinervis</i> (Kom.) Nakai	<b>Black honeysuckle</b> 암괴불나무 (Am-goe-bul-na-mu)
<i>Lonicera praeflorens</i> Batalin	<b>Early-blooming honeysuckle</b> 율괴불나무 (Ol-goe-bul-na-mu)
<i>Lonicera ruprechtiana</i> Regel	<b>Manchurian honeysuckle</b> 물앵도나무 (Mul-aeng-do-na-mu)
<i>Lonicera sachalinensis</i> (F.Schmidt) Nakai	<b>Reddish honeysuckle</b> 홍괴불나무 (Hong-goe-bul-na-mu)
<i>Lonicera subhispida</i> Nakai	<b>Bristle honeysuckle</b> 털괴불나무 (Teol-goe-bul-na-mu)
<i>Lonicera subsessilis</i> Rehder	<b>Smooth-leaf honeysuckle</b> 청괴불나무 (Cheong-goe-bul-na-mu)
<i>Lonicera tatarinowii</i> var. <i>leptantha</i> (Rehder) Nakai	<b>Tatarinow's honeysuckle</b> 흰괴불나무 (Huin-goe-bul-na-mu)
<i>Lonicera vesicaria</i> Kom.	<b>Wavy-leaf honeysuckle</b> 구슬댕댕이 (Gu-seul-daeng-daeng-i)
<i>Lonicera vidalii</i> Franch. & Sav.	<b>Vidal's mountain honeysuckle</b> 왕괴불나무 (Wang-goe-bul-na-mu)
<b><i>Lophatherum</i> Brongn. [Poaceae]</b>	<b><i>Lophatherum</i></b> 조릿대풀속 (Jo-rit-dae-pul-sok) [벼과]
<i>Lophatherum gracile</i> Brongn.	<b>Common lophatherum</b> 조릿대풀 (Jo-rit-dae-pul)
<i>Lophatherum sinense</i> Rendle	<b>Hairy lophatherum</b> 털조릿대풀 (Teol-jo-rit-dae-pul)
<b>LORANTHACEAE Juss.</b>	<b>Showy mistletoe family</b> 겨우살이과 (Gyeo-u-sal-i-gwa)

Scientific name	English name Korean name (Romanization)
<i>Loranthus</i> Jacq. [Loranthaceae]	<b>Mulberry mistletoe</b> 꼬리겨우살이속 (Kko-ri-gyeo-u-sal-i-sok) [겨우살이과]
<i>Loranthus tanakae</i> Franch. & Sav.	<b>Spike mulberry mistletoe</b> 꼬리겨우살이 (Kko-ri-gyeo-u-sal-i)
<i>Lotus</i> L. [Fabaceae]	<b>Trefoil</b> 별노랑이속 (Beol-no-rang-i-sok) [콩과]
<i>Lotus corniculatus</i> var. <i>japonicus</i> Regel	<b>Asian birdsfoot-trefoil</b> 별노랑이 (Beol-no-rang-i)
<i>Loxogramme</i> (Blume) C. Presl [Polypodiaceae]	<b>Loxogramme, Lace fern</b> 주걱일엽속 (Ju-geok-il-yeop-sok) [고란초과]
<i>Loxogramme duclouxii</i> Christ	<b>Linear-sorus lance fern</b> 슬갈일엽 (Sut-gal-il-yeop)
<i>Loxogramme grammoides</i> (Baker) C.Chr.	<b>Oblong-sorus lance fern</b> 주걱일엽 (Ju-geok-il-yeop)
<i>Loxogramme salicifolia</i> (Makino) Makino	<b>Willow-leaf lance fern</b> 버들일엽 (Beo-deul-il-yeop)
<i>Ludwigia</i> L. [Onagraceae]	<b>Ludwigia, Primrose-willow, Water-primrose, Water-purslane</b> 여뀌바늘속 (Yeo-kkwi-ba-neul-sok) [바늘꽃과]
<i>Ludwigia ovalis</i> Miq.	<b>Oval ludwigia</b> 눈여뀌바늘 (Nun-yeo-kkwi-ba-neul)
<i>Ludwigia prostrata</i> Roxb.	<b>Climbing seedbox</b> 여뀌바늘 (Yeo-kkwi-ba-neul)
<i>Luzula</i> DC. [Juncaceae]	<b>Wood rush, Wood-rush, Woodrush</b> 꿩의밥속 (Kkwong-ui-bap-sok) [골풀과]
<i>Luzula capitata</i> (Miq. ex Franch. & Sav.) Kom.	<b>Sweep's woodrush</b> 꿩의밥 (Kkwong-ui-bap)
<i>Luzula multiflora</i> (Ehrh.) Lej.	<b>Common woodrush</b> 산꿩의밥 (San-kkwong-ui-bap)

Scientific name	English name Korean name (Romanization)
* <i>Luzula odaesanensis</i> Y.N.Lee & Chae Y.	<b>Odaeasan woodrush</b> 오대산새밥 (O-dae-san-sae-bap)
<i>Luzula oligantha</i> Sam.	<b>High-mountain woodrush</b> 구름꿩의밥 (Gu-reum-kkwong-ui-bap)
<i>Luzula pallens</i> Sw.	<b>Eurasian woodrush</b> 산새밥 (San-sae-bap)
<i>Luzula rufescens</i> var. <i>macrocarpa</i> Buchenau	<b>Small-star woodrush</b> 별꿩의밥 (Byeol-kkwong-ui-bap)
<i>Luzula rufescens</i> Fisch. ex E.Mey.	<b>Rufous woodrush</b> 새밥 (Sae-bap)
<i>Luzula sudetica</i> var. <i>pauciflora</i> Nakai	<b>Montane woodrush</b> 두메꿩의밥 (Du-me-kkwong-ui-bap)
<i>Luzula wahlenbergii</i> Rupr.	<b>Reindeer woodrush</b> 좀꿩의밥 (Jom-kkwong-ui-bap)
<b><i>Lychnis</i> L. [Caryophyllaceae]</b>	<b>Campion</b> 동자꽃속 (Dong-ja-kkot-sok) [석죽과]
<i>Lychnis cognata</i> f. <i>albiflora</i> W.T.Lee	<b>White-flower campion</b> 흰동자꽃 (Huin-dong-ja-kkot)
<i>Lychnis cognata</i> Maxim.	<b>Orange campion</b> 동자꽃 (Dong-ja-kkot)
<i>Lychnis fulgens</i> f. <i>glabra</i> (Nakai) W.T.Lee	<b>Glabrous brilliant campion</b> 흰털동자꽃 (Huin-teol-dong-ja-kkot)
<i>Lychnis fulgens</i> Fisch. ex Spreng.	<b>Brilliant campion</b> 털동자꽃 (Teol-dong-ja-kkot)
<i>Lychnis kiusiana</i> Makino	<b>Narrow-leaf campion</b> 가는동자꽃 (Ga-neun-dong-ja-kkot)
<i>Lychnis wilfordii</i> (Regel) Maxim.	<b>Laciniate-flower campion</b> 제비동자꽃 (Je-bi-dong-ja-kkot)
<b>LYCOPODIACEAE P.Beauv. ex Mirb.</b>	<b>Clubmoss family</b> 석송과 (Seok-song-gwa)

Scientific name	English name Korean name (Romanization)
<i>Lycopodium</i> L. [Lycopodiaceae]	<b>Clubmoss, Creeping cedar, Ground pines</b> 석송속 (Seok-song-sok) [석송과]
<i>Lycopodium alpinum</i> L.	<b>Alpine clubmoss</b> 산석송 (San-seok-song)
<i>Lycopodium annotinum</i> L.	<b>Stiff clubmoss</b> 개석송 (Gae-seok-song)
<i>Lycopodium cernuum</i> L.	<b>Staghorn clubmoss</b> 물석송 (Mul-seok-song)
<i>Lycopodium clavatum</i> L.	<b>Running clubmoss</b> 석송 (Seok-song)
<i>Lycopodium complanatum</i> L.	<b>Ground pine</b> 비늘석송 (Bi-neul-seok-song)
<i>Lycopodium nikoense</i> Franch. & Sav.	<b>Mountain clubmoss</b> 뫼석송 (Moe-seok-song)
<i>Lycopodium obscurum</i> L.	<b>Rare clubmoss</b> 만년석송 (Man-nyeon-seok-song)
<i>Lycopus</i> L. [Lamiaceae]	<b>Bugleweed, Gypsywort, Waterhorehound</b> 쉽싸리속 (Swip-ssa-ri-sok) [꿀풀과]
<i>Lycopus lucidus</i> Turcz. ex Benth.	<b>Shiny bugleweed</b> 쉽싸리 (Swip-ssa-ri)
<i>Lycopus maackianus</i> (Maxim. ex Herder) Makino	<b>Maack's bugleweed</b> 애기쉽싸리 (Ae-gi-swip-ssa-ri)
<i>Lycopus ramosissimus</i> (Makino) Makino	<b>Korean bugleweed</b> 개쉽싸리 (Gae-swip-ssa-ri)
<i>Lycopus uniflorus</i> Michx.	<b>Northern bugleweed</b> 털쉽싸리 (Teol-swip-ssa-ri)
<i>Lycoris</i> Herb. [Amaryllidaceae]	<b>Cluster amaryllis, Hurricane lilies, Lycoris, Surprise lily</b> 상사화속 (Sang-sa-hwa-sok) [수선화과]

Scientific name	English name Korean name (Romanization)
<i>Lycoris albiflora</i> Koidz.	<b>White-flower surprise lily</b> 흰상사화 (Huin-sang-sa-hwa)
<i>Lycoris chejuensis</i> K.H.Tae & S.C.Ko	<b>Jeju surprise lily</b> 제주상사화 (Je-ju-sang-sa-hwa)
<i>Lycoris chinensis</i> Traub	<b>Yellow surprise lily</b> 진노랑상사화 (Jin-no-rang-sang-sa-hwa)
<i>Lycoris flavescens</i> M.Y.Kim & S.T.Lee	<b>Reddish-yellow surprise lily</b> 붉노랑상사화 (Buk-no-rang-sang-sa-hwa)
<i>Lycoris sanguinea</i> Maxim.	<b>Orange-flower surprise lily</b> 백양꽃 (Baek-yang-kkot)
<i>Lycoris uydoensis</i> M.Y.Kim	<b>Uydo surprise lily</b> 위도상사화 (Wi-do-sang-sa-hwa)
<b><i>Lygodium</i> Sw. [Schizaeaceae]</b>	<b>Climbing fern</b> 실고사리속 (Sil-go-sa-ri-sok) [실고사리과]
<i>Lygodium japonicum</i> (Thunb.) Sw.	<b>Vine-like fern</b> 실고사리 (Sil-go-sa-ri)
<b><i>Lysimachia</i> L. [Primulaceae]</b>	<b>Yellow loosestrife</b> 참좁쌀풀속 (Cham-jop-ssal-pul-sok) [앵초과]
<i>Lysimachia acroadenia</i> Maxim.	<b>Jejudo glandular loosestrife</b> 섬까치수염 (Seom-kka-chi-su-yeom)
<i>Lysimachia barystachys</i> Bunge	<b>Manchurian yellow loosestrife</b> 까치수염 (Kka-chi-su-yeom)
<i>Lysimachia clethroides</i> Duby	<b>Gooseneck loosestrife</b> 큰까치수염 (Keun-kka-chi-su-yeom)
<i>Lysimachia coreana</i> Nakai	<b>Korean loosestrife</b> 참좁쌀풀 (Cham-jop-ssal-pul)
<i>Lysimachia fortunei</i> Maxim.	<b>Fortune's loosestrife</b> 진퍼리까치수염 (Jin-peo-ri-kka-chi-su-yeom)
<i>Lysimachia japonica</i> Thunb.	<b>Small loosestrife</b> 좁가지풀 (Jom-ga-ji-pul)

Scientific name	English name Korean name (Romanization)
<i>Lysimachia leucantha</i> Miq.	<b>Swamp-white loosestrife</b> 물까치수염 (Mul-kka-chi-su-yeom)
<i>Lysimachia mauritiana</i> Lam.	<b>Spoon-leaf yellow loosestrife</b> 갓까치수염 (Gaet-kka-chi-su-yeom)
<i>Lysimachia pentapetala</i> Bunge	<b>Five-petal loosestrife</b> 홍도까치수염 (Hong-do-kka-chi-su-yeom)
<i>Lysimachia thyrsiflora</i> L.	<b>Tufted loosestrife</b> 벼들까치수염 (Beo-deul-kka-chi-su-yeom)
<i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) R.Kunth	<b>Dahurian loosestrife</b> 좁쌀풀 (Jop-ssal-pul)
<i>Lysimachia vulgaris</i> var. <i>davurica</i> f. <i>koreana</i> W.T.Lee ex W.T.Lee & W.K.Paik	<b>Pink loosestrife</b> 분홍좁쌀풀 (Bun-hong-jop-ssal-pul)
<b>LYTHRACEAE J.St.-Hil.</b>	<b>Loosestrife family</b> 부처꽃과 (Bu-cheo-kkot-gwa)
<b><i>Lythrum</i> L. [Lythraceae]</b>	<b>Loosestrife</b> 부처꽃속 (Bu-cheo-kkot-sok) [부처꽃과]
<i>Lythrum anceps</i> (Koehne) Makino	<b>Purple loosestrife</b> 부처꽃 (Bu-cheo-kkot)
<i>Lythrum salicaria</i> L.	<b>Hairy purple loosestrife</b> 털부처꽃 (Teol-bu-cheo-kkot)

**M**

<b><i>Maackia</i> Rupr. [Fabaceae]</b>	<b>Maackia</b> 다릅나무속 (Da-reup-na-mu-sok) [콩과]
<i>Maackia amurensis</i> Rupr.	<b>Amur maackia</b> 다릅나무 (Da-reup-na-mu)
<i>Maackia amurensis</i> var. <i>buergeri</i> (Maxim.) C.K.Schneid.	<b>Buerger's maackia</b> 개풀푸레나무 (Gae-mul-pu-re-na-mu)
<i>Maackia floribunda</i> (Miq.) Takeda	<b>Jejudo maackia</b> 솔비나무 (Sol-bi-na-mu)

M

Scientific name	English name Korean name (Romanization)
<i>Machilus</i> Rumph. ex Nees [Lauraceae]	<b>Bay-tree, Machilus</b> <b>후박나무속</b> (Hu-bak-na-mu-sok) <b>[녹나무과]</b>
<i>Machilus japonica</i> Siebold & Zucc.	<b>Long-leaf bay-tree</b> <b>센달나무</b> (Sen-dal-na-mu)
<i>Machilus thunbergii</i> Siebold & Zucc.	<b>Thunberg's bay-tree</b> <b>후박나무</b> (Hu-bak-na-mu)
<i>Macrothelypteris</i> (H.Ito) Ching [Dryopteridaceae]	<b>Macrothelypteris</b> <b>각시고사리속</b> (Gak-si-go-sa-ri-sok) <b>[면마과]</b>
<i>Macrothelypteris oligophlebia</i> var. <i>elegans</i> (Koidz.) Ching	<b>Few-vein marsh fern</b> <b>각시고사리</b> (Gak-si-go-sa-ri)
<i>Macrothelypteris viridifrons</i> (Tagawa) Ching	<b>Green-leaf marsh fern</b> <b>푸른각시고사리</b> (Pu-reun-gak-si-go-sa-ri)
<i>Maesa</i> Forssk. [Maesaceae]	<b>Maesa</b> <b>빌레나무속</b> (Bil-re-na-mu-sok) <b>[빌레나무과]</b>
<i>Maesa japonica</i> (Thunb.) Moritzi & Zoll.	<b>Broad flat-rock tree</b> <b>빌레나무</b> (Bil-re-na-mu)
<b>MAESACEAE</b> Anderb., B.Ståhl & Källersjö	<b>Maesa family</b> <b>빌레나무과</b> (Bil-re-na-mu-gwa)
<i>Magnolia</i> L. [Magnoliaceae]	<b>Magnolia</b> <b>목련속</b> (Mok-ryeon-sok) <b>[목련과]</b>
<i>Magnolia kobus</i> DC.	<b>Mokryeon (Kobus magnolia)</b> <b>목련</b> (Mok-ryeon)
<i>Magnolia sieboldii</i> K.Koch	<b>Korean mountain magnolia</b> <b>함박꽃나무</b> (Ham-bak-kkot-na-mu)
* <i>Magnolia sieboldii</i> f. <i>semiplena</i> T.B.Lee	<b>Double Siebold's magnolia</b> <b>겹함박꽃나무</b> (Gyeop-ham-bak-kkot-na-mu)
<b>MAGNOLIACEAE</b> Juss.	<b>Magnolia family</b> <b>목련과</b> (Mok-ryeon-gwa)

Scientific name	English name Korean name (Romanization)
<i>Maianthemum F.H.Wigg.</i> [Liliaceae]	<b>False lily of the valley, Mayflower</b> 두루미꽃속 (Du-ru-mi-kkot-sok) [백합과]
<i>Maianthemum bifolium</i> (L.) F.W.Schmidt	<b>Two-leaf beaddruby</b> 두루미꽃 (Du-ru-mi-kkot)
<i>Maianthemum dilatatum</i> (A.W.Wood) A.Nelson & J.F.Macbr.	<b>False lily of the valley</b> 큰두루미꽃 (Keun-du-ru-mi-kkot)
<i>Maianthemum japonicum</i> (A.Gray) LaFrankie	<b>Snowy false lily of the valley</b> 풀솜대 (Pul-som-dae)
<i>Maianthemum trifolium</i> (L.) Sloboda	<b>Three-leaf false lily of the valley</b> 세잎솜대 (Se-ip-som-dae)
<i>Malaxis Sol. ex Sw.</i> [Orchidaceae]	<b>Malaxis</b> 이삭단엽란속 (I-sak-dan-yeop-ran-sok) [난초과]
<i>Malaxis monophyllos</i> (L.) Sw.	<b>White adder's mouth</b> 이삭단엽란 (I-sak-dan-yeop-ran)
<i>Mallotus Lour.</i> [Euphorbiaceae]	<b>Mallotus</b> 예덕나무속 (Ye-deok-na-mu-sok) [대극과]
<i>Mallotus japonicus</i> (L.f.) Müll.Arg.	<b>East Asian mallotus</b> 예덕나무 (Ye-deok-na-mu)
<i>Malus Mill.</i> [Rosaceae]	<b>Apple, Crabapples, Crab apples, Crabs, Wild apples</b> 사과나무속 (Sa-gwa-na-mu-sok) [장미과]
<i>Malus baccata</i> (L.) Borkh.	<b>Siberian crabapple</b> 야광나무 (Ya-gwang-na-mu)
<i>Malus baccata</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.	<b>Hairy Siberian crabapple</b> 털야광나무 (Teol-ya-gwang-na-mu)
<i>Malus baccata</i> f. <i>jackii</i> Rehder	<b>Smooth Siberian crabapple</b> 민야광나무 (Min-ya-gwang-na-mu)
<i>Malus baccata</i> f. <i>minor</i> (Nakai) T.B.Lee	<b>Small-leaf Siberian crabapple</b> 좁야광나무 (Jom-ya-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Malus micromalus</i> Makino	<b>Midget crabapple</b> 개아그배나무 (Gae-a-geu-bae-na-mu)
<i>Malus toringo</i> (Siebold) de Vriese	<b>Three-lobe crabapple</b> 아그배나무 (A-geu-bae-na-mu)
<b>MALVACEAE Juss.</b>	<b>Hibiscus family</b> 아욱과 (A-uk-gwa)
<b><i>Mankyua</i> B.Y.Sun, M.H.Kim &amp; C.H.Kim</b> [Ophioglossaceae]	<b>Mankyua</b> 제주고사리삼속 (Je-ju-go-sa-ri-sam-sok) [고사리삼과]
<i>Mankyua chejuense</i> B.Y.Sun, M.H.Kim et C.H.Kim	<b>Mankyua</b> 제주고사리삼 (Je-ju-go-sa-ri-sam)
<b><i>Marsdenia</i> R.Br.</b> [Asclepiadaceae]	<b>Marsdenia</b> 나도은조롱속 (Na-do-eun-jo-rong-sok) [박주가리과]
<i>Marsdenia tomentosa</i> Morren & Decne.	<b>Tomentose condor-vine</b> 나도은조롱 (Na-do-eun-jo-rong)
<b><i>Marsilea</i> L.</b> [Marsileaceae]	<b>Four-leaf clover, Water clover</b> 네가래속 (Ne-ga-rae-sok) [네가래과]
<i>Marsilea quadrifolia</i> L.	<b>Four-leaf clover</b> 네가래 (Ne-ga-rae)
<b>MARSILEACEAE Mirb.</b>	<b>Water clover family</b> 네가래과 (Ne-ga-rae-gwa)
<b><i>Matteuccia</i> Tod.</b> [Dryopteridaceae]	<b>Ostrich fern</b> 청나래고사리속 (Cheong-na-rae-go-sa-ri-sok) [면마과]
<i>Matteuccia orientalis</i> (Hook.) Trev.	<b>Oriental ostrich fern</b> 개면마 (Gae-myeon-ma)
<i>Matteuccia struthiopteris</i> (L.) Tod.	<b>Shuttlecock fern</b> 청나래고사리 (Cheong-na-rae-go-sa-ri)
<b><i>Mazus</i> Lour.</b> [Scrophulariaceae]	<b>Mazus</b> 주름잎속 (Ju-reum-ip-sok) [현삼과]

Scientific name	English name Korean name (Romanization)
<i>Mazus miquelii</i> Makino	<b>Miquel's mazus</b> 누운주름잎 (Nu-un-ju-reum-ip)
<i>Mazus pumilus</i> (Burm.f.) Steenis	<b>Asian mazus</b> 주름잎 (Ju-reum-ip)
<i>Mazus stachydifolius</i> (Turcz.) Maxim.	<b>Betony-leaf mazus</b> 선주름잎 (Seon-ju-reum-ip)
<b><i>Mecodium</i> (Copel.) C. Presl ex Copel.</b> [Hymenophyllaceae]	<b>Filmy fern, Mecodium</b> 처녀이끼속 (Cheo-nyeo-i-kki-sok) [처녀이끼과]
<i>Mecodium oligosorum</i> (Makino) H.Ito	<b>Long-hair filmy fern</b> 금강처녀이끼 (Geum-gang-cheo-nyeo-i-kki)
<i>Mecodium polyanthos</i> (Sw.) Copel.	<b>Smooth filmy fern</b> 좀처녀이끼 (Jom-cheo-nyeo-i-kki)
<i>Mecodium wrightii</i> (Bosch) Copel.	<b>Wright's filmy fern</b> 처녀이끼 (Cheo-nyeo-i-kki)
<b><i>Meehania</i> Britton</b> [Lamiaceae]	<b>Meehania</b> 벌깨덩굴속 (Beol-kkae-deong-gul-sok) [꿀풀과]
<i>Meehania urticifolia</i> (Miq.) Makino	<b>Nettle-leaf mint</b> 벌깨덩굴 (Beol-kkae-deong-gul)
<i>Meehania urticifolia</i> f. <i>leucantha</i> H.Hara	<b>White nettle-leaf mint</b> 흰벌깨덩굴 (Huin-beol-kkae-deong-gul)
* <i>Meehania urticifolia</i> f. <i>rubra</i> T.B.Lee	<b>Red nettle-leaf mint</b> 붉은벌깨덩굴 (Bul-geun-beol-kkae-deong-gul)
<b><i>Megalanthis</i> Ohwi</b> [Ranunculaceae]	<b>Megalanthis</b> 모데미풀속 (Mo-de-mi-pul-sok) [미나리아재비과]
<i>Megalanthis saniculifolia</i> Ohwi	<b>Modemipul (Sanicle-leaf megalanthis)</b> 모데미풀 (Mo-de-mi-pul)

Scientific name	English name Korean name (Romanization)
<i>Melampyrum L.</i> [Scrophulariaceae]	<b>Cow-wheat</b> 꽃며느리밥풀속 (Kkot-myeo-neu-ri-bap-pul-sok) [현삼과]
<i>Melampyrum koreanum</i> K.J.Kim & S.M.Yun	<b>Korean cow-wheat</b> 긴꽃며느리밥풀 (Gin-kkot-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> Maxim.	<b>Rosy cow-wheat</b> 꽃며느리밥풀 (Kkot-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>hirsutum</i> Beauverd	<b>Hairy-bract cow-wheat</b> 털며느리밥풀 (Teol-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>japonicum</i> Franch. & Sav.	<b>Bearded cow-wheat</b> 수염며느리밥풀 (Su-yeom-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>ovalifolium</i> f. <i>albiflorum</i> (Nakai) T.B.Lee ex T.B.Lee & T.Yamaz.	<b>White oval-leaf cow-wheat</b> 흰알며느리밥풀 (Huin-al-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd	<b>Oval-leaf cow-wheat</b> 알며느리밥풀 (Al-myeo-neu-ri-bap-pul)
<i>Melampyrum setaceum</i> (Maxim. ex Palib.) Nakai	<b>Lanceolate-leaf cow-wheat</b> 애기며느리밥풀 (Ae-gi-myeo-neu-ri-bap-pul)
<i>Melampyrum setaceum</i> var. <i>nakaianum</i> (Tuyama) T.Yamaz.	<b>Big bristled-leaf cow-wheat</b> 새며느리밥풀 (Sae-myeo-neu-ri-bap-pul)
<i>Melica L.</i> [Poaceae]	<b>Melic, Melic grass, Oniongrass</b> 쌀새속 (Ssal-sae-sok) [벼과]
<i>Melica nutans</i> L.	<b>Mountain melic</b> 왕쌀새 (Wang-ssal-sae)
<i>Melica onoei</i> Franch. & Sav.	<b>Broad-spike melic</b> 쌀새 (Ssal-sae)
<i>Melica scabrosa</i> Trin.	<b>Rough melic</b> 참쌀새 (Cham-ssal-sae)
<i>Melica turczaninowiana</i> Ohwi	<b>Turczaninov's melic</b> 큰껍질새 (Keun-kkeop-jil-sae)

Scientific name	English name Korean name (Romanization)
<i>Meliosma</i> Blume [Sabiaceae]	<b>Meliosma</b> <b>나도밤나무속</b> (Na-do-bam-na-mu-sok) [나도밤나무과]
<i>Meliosma myriantha</i> Siebold & Zucc.	<b>Abundant-flower meliosma</b> 나도밤나무 (Na-do-bam-na-mu)
<i>Meliosma oldhamii</i> Maxim.	<b>Oldham's meliosma</b> 합다리나무 (Hap-da-ri-na-mu)
<i>Melothria</i> L. [Cucurbitaceae]	<b>Melothria</b> <b>새박속</b> (Sae-bak-sok) [박과]
<i>Melothria japonica</i> (Thunb.) Maxim. ex Cogn.	<b>Bird's egg cucumber</b> 새박 (Sae-bak)
<b>MENISPERMACEAE</b> Juss.	<b>Moonseed family</b> <b>새모래덩굴과</b> (Sae-mo-rae-deong-gul-gwa)
<i>Menispermum</i> L. [Menispermaceae]	<b>Moonseed</b> <b>새모래덩굴속</b> (Sae-mo-rae-deong-gul-sok) [새모래덩굴과]
<i>Menispermum dauricum</i> DC.	<b>Asian moonseed</b> 새모래덩굴 (Sae-mo-rae-deong-gul)
<i>Menispermum dauricum</i> f. <i>pilosum</i> (C.K.Schneid.) Kitag.	<b>Hairy Asian moonseed</b> 털새모래덩굴 (Teol-sae-mo-rae-deong-gul)
<i>Mentha</i> L. [Lamiaceae]	<b>Mint</b> <b>박하속</b> (Bak-ha-sok) [꿀풀과]
<i>Mentha arvensis</i> var. <i>barbata</i> (Nakai) W.T.Lee	<b>Bearded wildmint</b> 털박하 (Teol-bak-ha)
<i>Mentha arvensis</i> var. <i>piperascens</i> Malinv. ex Holmes	<b>Bakha (East Asian wild mint)</b> 박하 (Bak-ha)
<b>MENYANTHACEAE</b> Dumort.	<b>Buckbean family</b> <b>조름나물과</b> (Jo-reum-na-mul-gwa)
<i>Menyanthes</i> L. [Menyanthaceae]	<b>Bogbean, Buckbean</b> <b>조름나물속</b> (Jo-reum-na-mul-sok) [조름나물과]

Scientific name	English name Korean name (Romanization)
<i>Menyanthes trifoliata</i> L.	<b>Buckbean</b> 조름나물 (Jo-reum-na-mul)
<i>Mercurialis</i> L. [Euphorbiaceae]	<b>Mercurialis, Mercuries</b> 산쪽풀속 (San-jjok-pul-sok) [대극과]
<i>Mercurialis leiocarpa</i> Siebold & Zucc.	<b>Glabrous-fruit mercury</b> 산쪽풀 (San-jjok-pul)
<i>Mertensia</i> Roth [Boraginaceae]	<b>Bluebells</b> 갯지치속 (Gaet-ji-chi-sok) [지치과]
<i>Mertensia asiatica</i> (Takeda) J.F.Macbr.	<b>Beach bluebell</b> 갯지치 (Gaet-ji-chi)
<i>Metanarthecium</i> Maxim. [Liliaceae]	<b>Metanarthecium</b> 칠보치마속 (Chil-bo-chi-ma-sok) [백합과]
<i>Metanarthecium luteoviride</i> Maxim.	<b>Chilbo metanarthecium</b> 칠보치마 (Chil-bo-chi-ma)
<i>Metaplexis</i> R.Br. [Asclepiadaceae]	<b>Metaplexis</b> 박주가리속 (Bak-ju-ga-ri-sok) [박주가리과]
<i>Metaplexis japonica</i> (Thunb.) Makino	<b>Rough potato</b> 박주가리 (Bak-ju-ga-ri)
<i>Metathelypteris</i> (H.Itô) Ching [Dryopteridaceae]	<b>Metathelypteris</b> 드문고사리속 (Deu-mun-go-sa-ri-sok) [면마과]
<i>Metathelypteris hattori</i> (H.Itô) Ching	<b>East Asian loosely-leaf marsh fern</b> 잔털드문고사리 (Jan-teol-deu-mun-go-sa-ri)
<i>Metathelypteris laxa</i> (Franch. & Sav.) Ching	<b>Loosely-leaf marsh fern</b> 드문고사리 (Deu-mun-go-sa-ri)
<i>Meterostachys</i> Nakai [Crassulaceae]	<b>Meterostachys</b> 난쟁이바위솔속 (Nan-jaeng-i-ba-wi-sol-sok) [돌나물과]

Scientific name	English name Korean name (Romanization)
<i>Meterostachys sikokianus</i> (Makino) Nakai	<b>Dwarf rock pine</b> 난쟁이바위솔 (Nan-jaeng-i-ba-wi-sol)
<b><i>Michelia</i> L.</b> [Magnoliaceae]	<b>Michelia</b> 초령목속 (Cho-ryeong-mok-sok) [목련과]
<i>Michelia compressa</i> (Maxim.) Sarg.	<b>Compressed michelia</b> 초령목 (Cho-ryeong-mok)
<b><i>Microcarpaea</i> R.Br.</b> [Scrophulariaceae]	<b>Microcarpaea</b> 진흙풀속 (Jin-heuk-pul-sok) [현삼과]
<i>Microcarpaea minima</i> (K.D.Koenig ex Retz.) Merr.	<b>Chickweed sparrow</b> 진흙풀 (Jin-heuk-pul)
<b><i>Microlepia</i> C.Presl</b> [Pteridaceae]	<b>Palapalai, Lace fern</b> 돌잔고사리속 (Dol-jan-go-sa-ri-sok) [고사리과]
<i>Microlepia × bipinnata</i> (Makino) Y.Shimura	<b>Bipinnate lace fern</b> 깃돌잔고사리 (Git-dol-jan-go-sa-ri)
<i>Microlepia marginata</i> (Panzer) C.Chr.	<b>Rock lace fern</b> 돌잔고사리 (Dol-jan-go-sa-ri)
<i>Microlepia pseudostrigosa</i> Makino	<b>False scraggy lace fern</b> 겹돌잔고사리 (Gyeop-dol-jan-go-sa-ri)
<i>Microlepia strigosa</i> (Thunb.) C.Presl	<b>Rigid lace fern</b> 돌토끼고사리 (Dol-to-kki-go-sa-ri)
<b><i>Microsorium</i> Link</b> [Polypodiaceae]	<b>Microsorium</b> 창일엽속 (Chang-il-yeop-sok) [고란초과]
<i>Microsorium superficiale</i> (Blume) Ching	<b>Spear star fern</b> 창일엽 (Chang-il-yeop)
<b><i>Microstegium</i> Nees</b> [Poaceae]	<b>Browntop</b> 나도바랭이속 (Na-do-ba-raeng-i-sok) [벼과]
<i>Microstegium japonicum</i> (Miq.) Koidz.	<b>East Asian glabrate browntop</b> 민바랭이새 (Min-ba-raeng-i-sae)

Scientific name	English name Korean name (Romanization)
<i>Microstegium vimineum</i> (Trin.) A.Camus	<b>Nepalese browntop</b> 나도바랭이사 (Na-do-ba-raeng-i-sae)
<i>Microstegium vimineum</i> var. <i>polystachyum</i> (Franch. & Sav.) Ohwi	<b>Loose-spike browntop</b> 큰듬성이삭새 (Keun-deum-seong-i-sak-sae)
<b><i>Milium</i> L.</b> [Poaceae]	<b>Milletgrass</b> <b>나도겨이삭속</b> (Na-do-gyeo-i-sak-sok) [벼과]
<i>Milium effusum</i> L.	<b>Wood milletgrass</b> 나도겨이삭 (Na-do-gyeo-i-sak)
<b><i>Millettia</i> Wight &amp; Arn.</b> [Fabaceae]	<b>Oiltree</b> <b>애기등속</b> (Ae-gi-deung-sok) [콩과]
<i>Millettia japonica</i> (Siebold & Zucc.) A.Gray	<b>Summer-white oiltree</b> 애기등 (Ae-gi-deung)
<b><i>Mimulus</i> L.</b> [Scrophulariaceae]	<b>Monkey-flowers, Musk-flowers</b> <b>물꽈리아재비속</b> (Mul-kkwa-ri-a-jae-bi-sok) [현삼과]
<i>Mimulus nepalensis</i> Benth.	<b>Nepalese monkey-flower</b> 물꽈리아재비 (Mul-kkwa-ri-a-jae-bi)
<i>Mimulus tenellus</i> Bunge	<b>Tender monkey-flower</b> 애기물꽈리아재비 (Ae-gi-mul-kkwa-ri-a-jae-bi)
<b><i>Minuartia</i> L.</b> [Caryophyllaceae]	<b>Sandworts, Stitchwort</b> <b>나도개미자리속</b> (Na-do-gae-mi-ja-ri-sok) [석죽과]
<i>Minuartia arctica</i> (Steven ex Seringe) Graebn.	<b>Arctic stitchwort</b> 나도개미자리 (Na-do-gae-mi-ja-ri)
<i>Minuartia laricina</i> (L.) Mattf.	<b>Larch-like stitchwort</b> 너도개미자리 (Neo-do-gae-mi-ja-ri)
<i>Minuartia macrocarpa</i> var. <i>koreana</i> (Nakai) H.Hara	<b>Korean big-fruit stitchwort</b> 차일봉개미자리 (Cha-il-bong-gae-mi-ja-ri)
<i>Minuartia verna</i> var. <i>coreana</i> (Nakai) H.Hara	<b>Asian spring stitchwort</b> 삼수개미자리 (Sam-su-gae-mi-ja-ri)

Scientific name	English name Korean name (Romanization)
<i>Miscanthus</i> Andersson [Poaceae]	Silvergrass 억새속 (Eok-sae-sok) [벼과]
<i>Miscanthus changii</i> Y.N.Lee	Chang's silvergrass 장억새 (Jang-eok-sae)
<i>Miscanthus longiberberis</i> (Hack.) Nakai	Small Japanese silvergrass 억새아재비 (Eok-sae-a-jae-bi)
<i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hook. f. ex Franch.	Amur silvergrass 물억새 (Mul-eok-sae)
<i>Miscanthus sacchariflorus</i> var. <i>gracilis</i> Y.N.Lee	Narrow-leaf Amur silvergrass 가는잎물억새 (Ga-neun-ip-mul-eok-sae)
<i>Miscanthus sacchariflorus</i> f. <i>latifolius</i> Adati	Wide-leaf Amur silvergrass 넓은잎물억새 (Neol-beun-ip-mul-eok-sae)
<i>Miscanthus sinensis</i> Andersson	Maiden silvergrass 참억새 (Cham-eok-sae)
<i>Miscanthus sinensis</i> var. <i>albiflorus</i> Y.N.Lee	White maiden silvergrass 흰억새 (Huin-eok-sae)
<i>Miscanthus sinensis</i> var. <i>chejuensis</i> (Y.N.Lee) Y.N.Lee	Jejudo maiden silvergrass 금억새 (Geum-eok-sae)
<i>Miscanthus sinensis</i> var. <i>ionandros</i> (Nakai) Y.N.Lee	Mountain maiden silvergrass 뭣억새 (Moet-eok-sae)
<i>Miscanthus sinensis</i> var. <i>keumunensis</i> Y.N.Lee	Geomun maiden silvergrass 거문억새 (Geo-mun-eok-sae)
<i>Miscanthus sinensis</i> var. <i>nakaianus</i> (Honda) I.C.Chung	Smooth maiden silvergrass 중정억새 (Jung-jeong-eok-sae)
<i>Miscanthus sinensis</i> var. <i>purpurascens</i> (Andersson) Matsum.	Purple maiden silvergrass 억새 (Eok-sae)
<i>Miscanthus sinensis</i> var. <i>sunanensis</i> Y.N.Lee	Sunan maiden silvergrass 순안억새 (Sun-an-eok-sae)
<i>Miscanthus sinensis</i> f. <i>gracillimum</i> Hitchc.	Delicate maiden silvergrass 가는잎억새 (Ga-neun-ip-eok-sae)
<i>Miscanthus sinensis</i> f. <i>variegatus</i> Nakai	Variegate maiden silvergrass 얼룩억새 (Eol-ruk-eok-sae)

Scientific name	English name Korean name (Romanization)
<i>Mitchella</i> L. [Rubiaceae]	<b>Mitchella</b> 호자덩굴속 (Ho-ja-deong-gul-sok) [꼭두서니과]
<i>Mitchella undulata</i> Siebold & Zucc.	<b>Asian mitchella</b> 호자덩굴 (Ho-ja-deong-gul)
<i>Mitella</i> L. [Saxifragaceae]	<b>Miterworts, Bishop's caps</b> 나도범의귀속 (Na-do-beom-ui-gwi-sok) [범의귀과]
<i>Mitella nuda</i> L.	<b>Naked miterwort</b> 나도범의귀 (Na-do-beom-ui-gwi)
<i>Mitrasacme</i> Labill. [Loganiaceae]	<b>Mitrasacme</b> 벼룩아재비속 (Byeo-ruk-a-jae-bi-sok) [마전과]
<i>Mitrasacme alsinoides</i> R.Br.	<b>Annual mitrewort</b> 벼룩아재비 (Byeo-ruk-a-jae-bi)
<i>Mitrasacme pygmaea</i> R.Br.	<b>Pygmy mitrewort</b> 큰벼룩아재비 (Keun-byeo-ruk-a-jae-bi)
<i>Moehringia</i> L. [Caryophyllaceae]	<b>Moehringia</b> 개벼룩속 (Gae-byeo-ruk-sok) [석죽과]
<i>Moehringia lateriflora</i> (L.) Fenzl	<b>Blunt-leaf sandwort</b> 개벼룩 (Gae-byeo-ruk)
<i>Molinia</i> Schrank [Poaceae]	<b>Moorgrass</b> 진퍼리새속 (Jin-peo-ri-sae-sok) [벼과]
<i>Molinia japonica</i> Hack.	<b>Japanese moorgrass</b> 진퍼리새 (Jin-peo-ri-sae)
<b>MOLLUGINACEAE</b> Bartl.	<b>Carpetweed family</b> 석류풀과 (Seok-ryu-pul-gwa)
<i>Mollugo</i> L. [Molluginaceae]	<b>Carpetweed</b> 석류풀속 (Seok-ryu-pul-sok) [석류풀과]
<i>Mollugo pentaphylla</i> L.	<b>Five-leaf carpetweed</b> 석류풀 (Seok-ryu-pul)

Scientific name	English name Korean name (Romanization)
<i>Moneses Salisb. ex Gray</i> [Pyrolaceae]	One-flower wintergreen, Single delight, St. Olaf's candlestick 홀꽃노루발속 (Hol-kkot-no-ru-bal-sok) [노루발과]
<i>Moneses uniflora</i> (L.) A.Gray	Single delight 홀꽃노루발 (Hol-kkot-no-ru-bal)
<i>Monochoria C.Presl</i> [Pontederiaceae]	Monochoria 물옥잠속 (Mul-ok-jam-sok) [물옥잠과]
<i>Monochoria korsakowii</i> Regel & Maack	Korsakow's monochoria 물옥잠 (Mul-ok-jam)
<i>Monochoria vaginalis</i> var. <i>plantaginea</i> (Roxb.) Solms	Sheathed monochoria 물달개비 (Mul-dal-gae-bi)
<i>Monotropa L.</i> [Monotropaceae]	Indian pipe 수정난풀속 (Su-jeong-nan-pul-sok) [수정난풀과]
<i>Monotropa hypopithys</i> L.	Yellow Indian pipe 구상난풀 (Gu-sang-nan-pul)
<i>Monotropa hypopithys</i> var. <i>glaberrima</i> H.Hara	Glabrous Indian pipe 너도수정초 (Neo-do-su-jeong-cho)
<i>Monotropa uniflora</i> L.	Indian pipe 수정난풀 (Su-jeong-nan-pul)
MONOTROPACEAE Nutt.	Indian pipe family 수정난풀과 (Su-jeong-nan-pul-gwa)
<i>Monotropastrum Andres</i> [Monotropaceae]	Monotropastrum 나도수정초속 (Na-do-su-jeong-cho-sok) [수정난풀과]
<i>Monotropastrum humile</i> (D.Don) H.Hara	Ghost plant 나도수정초 (Na-do-su-jeong-cho)
MORACEAE Gaudich.	Mulberry family 뽕나무과 (Ppong-na-mu-gwa)
<i>Morus L.</i> [Moraceae]	Mulberry 뽕나무속 (Ppong-na-mu-sok) [뽕나무과]

Scientific name	English name Korean name (Romanization)
<i>Morus alba</i> f. <i>pendula</i> Dippel	<b>Weeping white mulberry</b> 처진뽕나무 (Cheo-jin-ppong-na-mu)
<i>Morus bombycina</i> Koidz.	<b>Korean mulberry</b> 산뽕나무 (San-ppong-na-mu)
<i>Morus bombycina</i> var. <i>caudatifolia</i> (Koidz.) Koidz.	<b>Caudate-leaf mulberry</b> 꼬리뽕나무 (Kko-ri-ppong-na-mu)
<i>Morus bombycina</i> var. <i>maritima</i> Koidz.	<b>Seaside mulberry</b> 섬뽕나무 (Seom-ppong-na-mu)
* <i>Morus bombycina</i> var. <i>rubricaulis</i> Uyeki	<b>Red-stem mulberry</b> 붉은대산뽕 (Bul-geun-dae-san-ppong)
<i>Morus bombycina</i> f. <i>dissecta</i> Nakai	<b>Dissected mulberry</b> 가새뽕나무 (Ga-sae-ppong-na-mu)
<i>Morus cathayana</i> Hemsl.	<b>Chinese mulberry</b> 돌뽕나무 (Dol-ppong-na-mu)
<i>Morus mongolica</i> (Bureau) C.K.Schneid.	<b>Mongolian mulberry</b> 몽고뽕나무 (Mong-go-ppong-na-mu)
<b><i>Mosla</i> (Benth.) Buch.-Ham. ex Maxim. [Lamiaceae]</b>	<b>Mosla</b> 쥐깨풀속 (Jwi-kkae-pul-sok) [꿀풀과]
<i>Mosla chinensis</i> Maxim.	<b>East Asian dwarf mosla</b> 가는잎산들깨 (Ga-neun-ip-san-deul-kkae)
<i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim.	<b>Miniature mosla</b> 쥐깨풀 (Jwi-kkae-pul)
<i>Mosla dianthera</i> var. <i>nana</i> (H.Hara) Ohwi	<b>Hairy miniature mosla</b> 털쥐깨 (Teol-jwi-kkae)
<i>Mosla japonica</i> (Benth. ex Oliv.) Maxim.	<b>Large-bract mosla</b> 산들깨 (San-deul-kkae)
<i>Mosla japonica</i> var. <i>robusta</i> Ohwi	<b>Green large-bract mosla</b> 푸른산들깨 (Pu-reun-san-deul-kkae)
<i>Mosla japonica</i> var. <i>thymolifera</i> (Makino) Kitam.	<b>Island large-bract mosla</b> 섬쥐깨풀 (Seom-jwi-kkae-pul)
<i>Mosla punctulata</i> (J.F.Gmelin) Nakai	<b>Purplish field mosla</b> 들깨풀 (Deul-kkae-pul)

Scientific name	English name Korean name (Romanization)
<i>Muhlenbergia</i> Schreb. [Poaceae]	<b>Muhly</b> 쥐꼬리새속 (Jwi-kko-ri-sae-sok) [벼과]
<i>Muhlenbergia hakonensis</i> (Hack. ex Matsum.) Makino	<b>Erect muhly</b> 선쥐꼬리새 (Seon-jwi-kko-ri-sae)
<i>Muhlenbergia huegelii</i> Trin.	<b>Big muhly</b> 큰쥐꼬리새 (Keun-jwi-kko-ri-sae)
<i>Muhlenbergia japonica</i> Steud.	<b>Purple-awn muhly</b> 쥐꼬리새 (Jwi-kko-ri-sae)
<i>Mukdenia</i> Koidz. [Saxifragaceae]	<b>Mukdenia</b> 돌단풍속 (Dol-dan-pung-sok) [범의귀과]
<i>Mukdenia acanthifolia</i> Nakai	<b>Round-leaf mukdenia</b> 돌부채손 (Dol-bu-chae-son)
<i>Mukdenia rossii</i> (Oliv.) Koidz.	<b>Maple-leaf mukdenia</b> 돌단풍 (Dol-dan-pung)
<i>Mukdenia rossii</i> f. <i>multiloba</i> (Nakai) W.T.Lee	<b>Multilobe mukdenia</b> 큰돌단풍 (Keun-dol-dan-pung)
<i>Murdannia</i> Royle [Commelinaceae]	<b>Murdannia</b> 사마귀풀속 (Sa-ma-gwi-pul-sok) [닭의장풀과]
<i>Murdannia keisak</i> (Hassk.) Hand.-Mazz.	<b>Marsh dewflower</b> 사마귀풀 (Sa-ma-gwi-pul)
<i>Myosotis</i> L. [Boraginaceae]	<b>Forget-me-not</b> 개꽃마리속 (Gae-kkot-ma-ri-sok) [지치과]
<i>Myosotis laxa</i> Lehm.	<b>Small-flower forget-me-not</b> 개꽃마리 (Gae-kkot-ma-ri)
<i>Myosotis sylvatica</i> Ehrh. ex Hoffm.	<b>Woodland forget-me-not</b> 왜지치 (Wae-ji-chi)
<i>Myrica</i> L. [Myricaceae]	<b>Bayberry, Bay-rum tree, Candleberry, Sweet gale, Wax-myrtle</b> 소귀나무속 (So-gwi-na-mu-sok) [소귀나무과]

Scientific name	English name Korean name (Romanization)
<i>Myrica rubra</i> (Lour.) Siebold & Zucc.	<b>Waxberry tree</b> 소귀나무 (So-gwi-na-mu)
<b>MYRICACEAE Rich. ex Kunth</b>	<b>Bayberry family</b> 소귀나무과 (So-gwi-na-mu-gwa)
<i>Myriophyllum</i> L. [Haloragaceae]	<b>Water-milfoil</b> 물수세미속 (Mul-su-se-mi-sok) [개미탑과]
<i>Myriophyllum spicatum</i> L.	<b>Eurasian water-milfoil</b> 이삭물수세미 (I-sak-mul-su-se-mi)
<i>Myriophyllum ussuriense</i> (Regel) Maxim.	<b>Ussuri water-milfoil</b> 선물수세미 (Seon-mul-su-se-mi)
<i>Myriophyllum verticillatum</i> L.	<b>Whorled water-milfoil</b> 물수세미 (Mul-su-se-mi)
<i>Myrmecis</i> (Lindl.) Blume [Orchidaceae]	<b>Myrmecis</b> 개미난초속 (Gae-mi-nan-cho-sok) [난초과]
<i>Myrmecis japonica</i> (Rchb.f.) Rolfe	<b>Japanese myrmecis</b> 개미난초 (Gae-mi-nan-cho)
<b>MYRSINACEAE R.Br.</b>	<b>Myrsine family</b> 자금우과 (Ja-geum-u-gwa)

**N**

<b>NAJADACEAE Juss.</b>	<b>Water-nymph family</b> 나자스말과 (Na-ja-seu-mal-gwa)
<i>Najas</i> L [Najadaceae]	<b>Water-nymph</b> 나자스말속 (Na-ja-seu-mal-sok) [나자스말과]
<i>Najas chinensis</i> N.Z.Wang	<b>Asian water-nymph</b> 동아나자스말 (Dong-a-na-ja-seu-mal)
<i>Najas gracillima</i> (A.Braun ex Engelm.) Magnus	<b>Slender water-nymph</b> 실나자스말 (Sil-na-ja-seu-mal)
<i>Najas graminea</i> Delile	<b>Ricefield water-nymph</b> 나자스말 (Na-ja-seu-mal)

Scientific name	English name Korean name (Romanization)
<i>Najas marina</i> L.	<b>Spiny water-nymph</b> 민나자스말 (Min-na-ja-seu-mal)
<i>Najas minor</i> All.	<b>Brittle water-nymph</b> 톱니나자스말 (Top-ni-na-ja-seu-mal)
<i>Najas oguraensis</i> Miki	<b>Serrate-leaf water-nymph</b> 큰톱니나자스말 (Keun-top-ni-na-ja-seu-mal)
<b><i>Nanocnide</i> Blume</b> [Urticaceae]	<b>Nanocnide</b> 나도물통이속 (Na-do-mul-tong-i-sok) [쐐기풀과]
<i>Nanocnide japonica</i> Blume	<b>Serrate nanocnide</b> 나도물통이 (Na-do-mul-tong-i)
<b><i>Neillia</i> D.Don</b> [Rosaceae]	<b>Neillia</b> 나도국수나무속 (Na-do-guk-su-na-mu-sok) [장미과]
<i>Neillia uekii</i> Nakai	<b>Northeast Asian neillia</b> 나도국수나무 (Na-do-guk-su-na-mu)
<i>Neillia uekii</i> f. <i>papillosa</i> (Nakai) W.T.Lee	<b>Korean neillia</b> 민나도국수나무 (Min-na-do-guk-su-na-mu)
<b><i>Neocheiropteris</i> Christ.</b> [Polypodiaceae]	<b>Neocheiropteris</b> 밤일엽속 (Bam-il-yeop-sok) [고란초과]
<i>Neocheiropteris ensata</i> (Thunb.) Ching	<b>Chestnut-leaf fern</b> 밤일엽 (Bam-il-yeop)
<b><i>Neofinetia</i> Hu</b> [Orchidaceae]	<b>Neofinetia</b> 풍란속 (Pung-ran-sok) [난초과]
<i>Neofinetia falcata</i> (Thunb.) Hu	<b>Sickle neofinetia</b> 풍란 (Pung-ran)
<b><i>Neolindleya</i> Kranezel</b> [Orchidaceae]	<b>Neolindleya</b> 주름제비란속 (Ju-reum-je-bi-ran-sok) [난초과]
<i>Neolindleya camtschatica</i> (Cham.) Nevska	<b>Wrinkled-margin gymnandenia</b> 주름제비란 (Ju-reum-je-bi-ran)

Scientific name	English name Korean name (Romanization)
<i>Neolitsea</i> Benth. & Hook.f. & Merr. [Lauraceae]	<b>Neolitsea, Newlitsea</b> 참식나무속 (Cham-sik-na-mu-sok) [녹나무과]
<i>Neolitsea aciculata</i> (Blume) Koidz.	<b>Irregular-streak newlitsea</b> 새덕이 (Sae-deok-i)
<i>Neolitsea sericea</i> (Blume) Koidz.	<b>Sericous newlitsea</b> 참식나무 (Cham-sik-na-mu)
<i>Neoshirakia</i> Esser [Euphorbiaceae]	<b>Milktree</b> 사람주나무속 (Sa-ram-ju-na-mu-sok) [대극과]
<i>Neoshirakia japonica</i> (Siebold & Zucc.) Esser	<b>Tallow tree</b> 사람주나무 (Sa-ram-ju-na-mu)
<i>Neotriblemma</i> Nakaike [Dryopteridaceae]	<b>Neotriblemma</b> 벼들참빗속 (Beo-deul-cham-bit-sok) [면마과]
<i>Neotriblemma lancea</i> (Thunb.) Nakaike	<b>Simple-leaf false spleenwort</b> 벼들참빗 (Beo-deul-cham-bit)
✗ <i>Neotribleparia</i> Nakaike	<b>Neotribleparia</b> 외잎진고사리속 (Oe-ip-jin-go-sa-ri-sok) [면마과]
✗ <i>Neotribleparia lobatocrenata</i> (Tagawa) Nakaike	<b>Crenate fern</b> 외잎진고사리 (Oe-ip-jin-go-sa-ri)
<i>Neottia</i> Guett. [Orchidaceae]	<b>Bird's nest orchid, Neottia</b> 새둥지란속 (Sae-dung-ji-ran-sok) [난초과]
<i>Neottia acuminata</i> Schltr.	<b>Asian leafless bird's nest orchid</b> 애기무엽란 (Ae-gi-mu-yeop-ran)
<i>Neottia kiusiana</i> T.Hashim. & Hatus.	<b>Halla leafless bird's nest orchid</b> 한라새둥지란 (Han-ra-sae-dung-ji-ran)
<i>Neottia nipponica</i> (Makino) Szlach.	<b>Hairy twin-leaf twayblade</b> 털쌍잎난초 (Teol-ssang-ip-nan-cho)
<i>Neottia papilligera</i> Schltr.	<b>Manchurian bird's nest orchid</b> 새둥지란 (Sae-dung-ji-ran)

Scientific name	English name Korean name (Romanization)
<i>Neottia pinetorum</i> (Lindl.) Szlach.	<b>Twin-leaf twayblade</b> 쌍잎난초 (Ssang-ip-nan-cho)
<b><i>Neottianthe</i> (Rchb.) Schltr.</b> [Orchidaceae]	<b>Neottianthe orchid</b> 구름병아리난초속 (Gu-reum-byeong-a-ri-nan-cho-sok) [난초과]
<i>Neottianthe cucullata</i> (L.) Schltr.	<b>Cucullate neottianthe orchid</b> 구름병아리난초 (Gu-reum-byeong-a-ri-nan-cho)
<b><i>Nepeta</i> L.</b> [Lamiaceae]	<b>Catmints, Catnip</b> 개박하속 (Gae-bak-ha-sok) [꿀풀과]
<i>Nepeta cataria</i> L.	<b>Catnip</b> 개박하 (Gae-bak-ha)
<i>Nepeta stewartiana</i> Diels	<b>Stewart's catnip</b> 간장풀 (Gan-jang-pul)
<b><i>Nephrolepis</i> Schott</b> [Davalliaceae]	<b>Sword fern</b> 줄고사리속 (Jul-go-sa-ri-sok) [넉줄고사리과]
<i>Nephrolepis cordifolia</i> (L.) C.Presl	<b>Narrow sword fern</b> 줄고사리 (Jul-go-sa-ri)
<b><i>Nervilia</i> Comm. ex Gaudich.</b> [Orchidaceae]	<b>Nervilia</b> 영아리난초속 (Yeong-a-ri-nan-cho-sok) [난초과]
<i>Nervilia nipponica</i> Makino	<b>East Asian nervilia</b> 영아리난초 (Yeong-a-ri-nan-cho)
<b><i>Nuphar</i> Sibth. &amp; Sm.</b> [Nymphaeaceae]	<b>Pond-lily, Water-lily</b> 개연속 (Gae-yeon-sok) [수련과]
<i>Nuphar japonica</i> DC.	<b>East Asian yellow water-lily</b> 개연꽃 (Gae-yeon-kkot)
<i>Nuphar pumila</i> (Timm) DC.	<b>Least water-lily</b> 왜개연꽃 (Wae-gae-yeon-kkot)
<i>Nuphar pumila</i> var. <i>ozeense</i> (Miki) H.Hara	<b>Red least water-lily</b> 남개연 (Nam-gae-yeon)

Scientific name	English name Korean name (Romanization)
<i>Nuphar subintegerrima</i> Makino	<b>Yellow water-lily</b> 참개연꽃 (Cham-gae-yeon-kkot)
<b><i>Nymphaea</i> L.</b> [Nymphaeaceae]	<b>Water-lily, Water lilies, Waterlily</b> 수련속 (Su-ryeon-sok) [수련과]
<i>Nymphaea tetragona</i> Georgi	<b>Pygmy water-lily</b> 수련 (Su-ryeon)
<i>Nymphaea tetragona</i> var. <i>minima</i> (Nakai) W.T.Lee	<b>Pretty pygmy water-lily</b> 각시수련 (Gak-si-su-ryeon)
<b>NYMPHAEACEAE</b> Salisb.	<b>Water-lily family</b> 수련과 (Su-ryeon-gwa)
<b><i>Nymphoides</i> Ség.</b> [Menyanthaceae]	<b>Floatingheart</b> 어리연꽃속 (Eo-ri-yeon-kkot-sok) [조름나물과]
<i>Nymphoides coreana</i> (H.Lév.) H.Hara	<b>East Asian floatingheart</b> 줌어리연꽃 (Jom-eo-ri-yeon-kkot)
<i>Nymphoides indica</i> (L.) Kuntze	<b>Floatingheart</b> 어리연꽃 (Eo-ri-yeon-kkot)
<i>Nymphoides peltata</i> (S.G.Gmel.) Kuntze	<b>Yellow floatingheart</b> 노랑어리연꽃 (No-rang-eo-ri-yeon-kkot)
<b>O</b>	
<b><i>Oberonia</i> Lindl.</b> [Orchidaceae]	<b>Fairy orchids</b> 차걸이란속 (Cha-geol-i-ran-sok) [난초과]
<i>Oberonia japonica</i> (Maxim.) Makino	<b>East Asian fairy orchid</b> 차걸이란 (Cha-geol-i-ran)
<b><i>Oenanthe</i> L.</b> [Apiaceae]	<b>Water-dropwort</b> 미나리속 (Mi-na-ri-sok) [산형과]
<i>Oenanthe javanica</i> (Blume) DC.	<b>Java water-dropwort</b> 미나리 (Mi-na-ri)

Scientific name	English name Korean name (Romanization)
<i>Oenanthe javanica</i> var. <i>japonica</i> (Miq.) Honda	<b>False Java water-dropwort</b> 개미나리 (Gae-mi-na-ri)
<b><i>Oldenlandia</i> L.</b> [Rubiaceae]	<b>Dickwort, Oldenlandia</b> 백운풀속 (Baek-un-pul-sok) [꼭두서니과]
<i>Oldenlandia brachypoda</i> DC.	<b>Sprawling dickwort</b> 제주백운풀 (Je-ju-baek-un-pul)
<b>OLEACEAE Hoffmanns. &amp; Link</b>	<b>Olive family</b> 풀프레나무과 (Mul-pu-re-na-mu-gwa)
<b><i>Omphalodes</i> L.</b> [Boraginaceae]	<b>Navelwort</b> 자반풀속 (Ja-ban-pul-sok) [지치과]
<i>Omphalodes krameri</i> Franch. & Sav.	<b>Kramer's navelwort</b> 자반풀 (Ja-ban-pul)
<b><i>Omphalotrix</i> Maxim.</b> [Scrophulariaceae]	<b>Omphalotrix</b> 쌀파도풀속 (Ssal-pa-do-pul-sok) [현삼과]
<i>Omphalotrix longipes</i> Maxim.	<b>Long omphalotrix</b> 쌀파도풀 (Ssal-pa-do-pul)
<b>ONAGRACEAE Juss.</b>	<b>Evening primrose family</b> 바늘꽃과 (Ba-neul-kkot-gwa)
<b><i>Onoclea</i> L.</b> [Dryopteridaceae]	<b>Sensitive fern</b> 야산고비속 (Ya-san-go-bi-sok) [면마과]
<i>Onoclea sensibilis</i> var. <i>interrupta</i> Maxim.	<b>Sensitive fern</b> 야산고비 (Ya-san-go-bi)
<b><i>Onychium</i> Kaulf.</b> [Pteridaceae]	<b>Onychium</b> 선바위고사리속 (Seon-ba-wi-go-sa-ri-sok) [고사리과]
<i>Onychium japonicum</i> (Thunb.) Kunze	<b>Carrot fern</b> 선바위고사리 (Seon-ba-wi-go-sa-ri)
<b>OPHIOGLOSSACEAE Martinov</b>	<b>Adder's tongue family</b> 고사리삼과 (Go-sa-ri-sam-gwa)

Scientific name	English name Korean name (Romanization)
<i>Ophioglossum</i> L. [Ophioglossaceae]	Adderstongue, Adder's-tongue ferns 나도고사리삼속 (Na-do-go-sa-ri-sam-sok) [고사리삼과]
<i>Ophioglossum pendulum</i> L.	Old world adder's tongue 다시마고사리삼 (Da-si-ma-go-sa-ri-sam)
<i>Ophioglossum petiolatum</i> Hook.	Netted adder's tongue 자루나도고사리삼 (Ja-ru-na-do-go-sa-ri-sam)
<i>Ophioglossum thermale</i> Kom.	Meadow adder's tongue 좀나도고사리삼 (Jom-na-do-go-sa-ri-sam)
<i>Ophioglossum vulgatum</i> L.	Southern adder's tongue 나도고사리삼 (Na-do-go-sa-ri-sam)
<i>Ophiopogon</i> Ker Gawl. [Liliaceae]	Lilyturf, Ophiopogon 맥문아재비속 (Maek-mun-a-jae-bi-sok) [백합과]
<i>Ophiopogon jaburan</i> (Siebold) Lodd.	Wild lilyturf 맥문아재비 (Maek-mun-a-jae-bi)
<i>Ophiopogon japonicus</i> (L.f.) Ker Gawl.	Dwarf lilyturf 소엽맥문동 (So-yeop-maek-mun-dong)
<i>Ophiopogon japonicus</i> var. <i>umbrosus</i> Maxim.	Shady dwarf lilyturf 실맥문동 (Sil-maek-mun-dong)
<i>Oplismenus</i> P.Beauv. [Poaceae]	Basketgrass 주름조개풀속 (Ju-reum-jo-gae-pul-sok) [벼과]
<i>Oplismenus compositus</i> (L.) P.Beauv.	Running mountain basketgrass 가지주름조개풀 (Ga-ji-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> (Ard.) P.Beauv.	Wavy-leaf basketgrass 주름조개풀 (Ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>elongatus</i> Honda	Elongate wavy-leaf basketgrass 참주름조개풀 (Cham-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>japonicus</i> (Steud.) Koidz.	Smooth wavy-leaf basketgrass 민주름조개풀 (Min-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>microphyllus</i> (Honda) Ohwi	Small wavy-leaf basketgrass 애기주름조개풀 (Ae-gi-ju-reum-jo-gae-pul)

Scientific name	English name Korean name (Romanization)
<i>Oplopanax</i> (Torr. & A.Gray) Miq. [Araliaceae]	<b>Oplopanax</b> 땃두릅나무속 (Ttat-du-reup-na-mu-sok) [땃두릅나무과]
<i>Oplopanax elatus</i> (Nakai) Nakai	<b>Tall oplopanax</b> 땃두릅나무 (Ttat-du-reup-na-mu)
<b>ORCHIDACEAE</b> Juss.	<b>Orchid family</b> <b>난초과</b> (Nan-cho-gwa)
<i>Oreocnide</i> Miq. [Urticaceae]	<b>Oreocnide</b> 비양나무속 (Bi-yang-na-mu-sok) [쐐기풀과]
<i>Oreocnide frutescens</i> (Thunb.) Miq.	<b>Shrubby oreocnide</b> 바위모시 (Ba-wi-mo-si)
<i>Oreorchis</i> Lindl. [Orchidaceae]	<b>Oreorchis</b> 감자난초속 (Gam-ja-nan-cho-sok) [난초과]
<i>Oreorchis coreana</i> Finet	<b>Two-leaf oreorchis</b> 두잎감자난초 (Du-ip-gam-ja-nan-cho)
* <i>Oreorchis hallasanensis</i> Y.N.Lee & K.S.Lee	<b>Halla oreorchis</b> 한라감자난초 (Han-ra-gam-ja-nan-cho)
<i>Oreorchis patens</i> (Lindl.) Lindl.	<b>Common oreorchis</b> 감자난초 (Gam-ja-nan-cho)
<i>Orixa</i> Thunb. [Rutaceae]	<b>Orixa</b> 상산속 (Sang-san-sok) [운향과]
<i>Orixa japonica</i> Thunb.	<b>East Asian orixa</b> 상산 (Sang-san)
<b>OROBANCHACEAE</b> Vent.	<b>Broomrape family</b> 열당과 (Yeol-dang-gwa)
<i>Orobanche</i> L. [Orobanchaceae]	<b>Broomrape, Broom-rape</b> 초종용속 (Cho-jong-yong-sok) [열당과]
<i>Orobanche coerulescens</i> Stephan	<b>Skyblue broomrape</b> 초종용 (Cho-jong-yong)

Scientific name	English name Korean name (Romanization)
<i>Orobanche filicicola</i> Nakai	<b>Baekyang broomrape</b> 백양더부살이 (Baek-yang-deo-bu-sal-i)
<i>Orobanche pycnostachya</i> Hance	<b>Yellow-flower broomrape</b> 황종용 (Hwang-jong-yong)
<i>Orobanche pycnostachya</i> var. <i>amurensis</i> Beck	<b>Amur yellow-flower broomrape</b> 압록더부살이 (Ap-rok-deo-bu-sal-i)
<b><i>Orostachys</i> Fisch. [Crassulaceae]</b>	<b>Orostachys, Rock pine</b> 바위솔속 (Ba-wi-sol-sok) [돌나물과]
<i>Orostachys chongsunensis</i> Y.N.Lee	<b>Jeongseon rock pine</b> 정선바위솔 (Jeong-seon-ba-wi-sol)
<i>Orostachys filirera</i> (Nakai) Nakai	<b>Narrow-leaf rock pine</b> 애기바위솔 (Ae-gi-ba-wi-sol)
<i>Orostachys iwarenge</i> (Makino) H.Hara	<b>Lotus rock pine</b> 연화바위솔 (Yeon-hwa-ba-wi-sol)
* <i>Orostachys iwarenge</i> f. <i>magnus</i> Y.N.Lee	<b>Ulleungdo lotus rock pine</b> 울릉연화바위솔 (Ul-reung-yeon-hwa-ba-wi-sol)
<i>Orostachys japonica</i> (Maxim.) A.Berger	<b>Rock pine</b> 바위솔 (Ba-wi-sol)
<i>Orostachys japonica</i> f. <i>polycephala</i> (Makino) H.Ohba	<b>Many-head rock pine</b> 다북바위솔 (Da-buk-ba-wi-sol)
<i>Orostachys kanboensis</i> Ohwi	<b>Gwanmo rock pine</b> 갈미바위솔 (Gal-mi-ba-wi-sol)
<i>Orostachys latielliptica</i> Y.N.Lee	<b>Wide-elliptic rock pine</b> 포천바위솔 (Po-cheon-ba-wi-sol)
<i>Orostachys malacophylla</i> (Pall.) Fisch.	<b>Spatulate rock pine</b> 둥근바위솔 (Dung-geun-ba-wi-sol)
<i>Orostachys margaritifolia</i> Y.N.Lee	<b>Margaric leaf rock pine</b> 진주바위솔 (Jin-ju-ba-wi-sol)
<i>Orostachys minuta</i> (Kom.) A.Berger	<b>Minute rock pine</b> 좀바위솔 (Jom-ba-wi-sol)

Scientific name	English name Korean name (Romanization)
* <i>Orostachys minuta</i> f. <i>alba</i> Y.N.Lee	<b>White minute rock pine</b> 흰좀바위솔 (Huin-jom-ba-wi-sol)
<i>Orostachys ramosa</i> Y.N.Lee	<b>Branching rock pine</b> 가지바위솔 (Ga-ji-ba-wi-sol)
<i>Orostachys saxatilis</i> (Nakai) Nakai	<b>Mountain rock pine</b> 모란바위솔 (Mo-ran-ba-wi-sol)
* <i>Orostachys spinosus</i> (L.) C.A.Mey.	<b>Spinose rock pine</b> 잎새바위솔 (Ip-sae-ba-wi-sol)
<i>Orychophragmus</i> Bunge [Brassicaceae]	<b>Orychophragmus</b> 소래풀속 (So-rae-pul-sok) [십자화과]
<i>Orychophragmus violaceus</i> (L.) O.E.Schulz	<b>Violet orychophragmus</b> 소래풀 (So-rae-pul)
<i>Osmanthus</i> Lour. [Oleaceae]	<b>Devilwood</b> 목서속 (Mok-seo-sok) [풀프레나무과]
<i>Osmanthus insularis</i> Koidz.	<b>Island devilwood</b> 박달목서 (Bak-dal-mok-seo)
<i>Osmorhiza</i> Raf. [Apiaceae]	<b>Sweet cicely, Sweetroot</b> 진사상자속 (Gin-sa-sang-ja-sok) [산형과]
<i>Osmorhiza aristata</i> (Thunb.) Rydb.	<b>Aristate sweetroot</b> 긴사상자 (Gin-sa-sang-ja)
<i>Osmorhiza aristata</i> var. <i>montana</i> Makino	<b>Mountain aristate sweetroot</b> 짧은사상자 (Jjal-beun-sa-sang-ja)
<i>Osmunda</i> L. [Osmundaceae]	<b>Osmunda</b> 고비속 (Go-bi-sok) [고비과]
<i>Osmunda cinnamomea</i> var. <i>fokienense</i> Copel.	<b>Cinnamon fern</b> 꿩고비 (Kkwong-go-bi)
<i>Osmunda claytoniana</i> L.	<b>Interrupted fern</b> 음양고비 (Eum-yang-go-bi)

Scientific name	English name Korean name (Romanization)
<i>Osmunda japonica</i> Thunb.	<b>Asian royal fern</b> 고비 (Go-bi)
<b>OSMUNDACEAE</b> Martinov	<b>Royal fern family</b> 고비과 (Go-bi-gwa)
<i>Ostericum</i> Hoffm. [Apiaceae]	<b>Ostericum</b> 뭐미나리속 (Moet-mi-na-ri-sok) [산형과]
<i>Ostericum grosseserratum</i> (Maxim.) Kitag.	<b>Deeply-serrate-leaf ostericum</b> 신감채 (Sin-gam-chae)
<i>Ostericum maximowiczii</i> (F.Schmidt) Kitag.	<b>Maximowicz's ostericum</b> 가는바디 (Ga-neun-ba-di)
<i>Ostericum praeteritum</i> Kitag.	<b>By-gone ostericum</b> 강활 (Gang-hwal)
<i>Ostericum sieboldii</i> (Miq.) Nakai	<b>East Asian ostericum</b> 뭐미나리 (Moet-mi-na-ri)
<i>Ostrya</i> Scop. [Betulaceae]	<b>Hophornbeam, Hop-hornbeam</b> 새우나무속 (Sae-u-na-mu-sok) [작나무과]
<i>Ostrya japonica</i> Sarg.	<b>East Asian hophornbeam</b> 새우나무 (Sae-u-na-mu)
<i>Ottelia</i> Pers. [Hydrocharitaceae]	<b>Ottelia</b> 물질경이속 (Mul-jil-gyeong-i-sok) [자라풀과]
<i>Ottelia alismoides</i> (L.) Pers.	<b>Duck lettuce</b> 물질경이 (Mul-jil-gyeong-i)
<i>Ottelia alismoides</i> f. <i>oryzetorum</i> Kom.	<b>Slender-leaf duck lettuce</b> 가는잎물질경이 (Ga-neun-ip-mul-jil-gyeong-i)
<b>OXALIDACEAE</b> R.Br.	<b>Wood sorrel family</b> 괭이밥과 (Gwaeng-i-bap-gwa)
<i>Oxalis</i> L. [Oxalidaceae]	<b>Wood sorrel</b> 괭이밥속 (Gwaeng-i-bap-sok) [괭이밥과]

Scientific name	English name Korean name (Romanization)
<i>Oxalis acetosella</i> L.	<b>Common wood sorrel</b> 애기괭이밥 (Ae-gi-gwaeng-i-bap)
<i>Oxalis acetosella</i> var. <i>purpurascens</i> Mart.	<b>Purple wood sorrel</b> 자주애기괭이밥 (Ja-ju-ae-gi-gwaeng-i-bap)
<i>Oxalis corniculata</i> L.	<b>Creeping wood sorrel</b> 괭이밥 (Gwaeng-i-bap)
<i>Oxalis obtangulata</i> Maxim.	<b>Large wood sorrel</b> 큰괭이밥 (Keun-gwaeng-i-bap)
<i>Oxalis stricta</i> L.	<b>Yellow wood sorrel</b> 선괭이밥 (Seon-gwaeng-i-bap)
<b><i>Oxyria</i> Hill [Polygonaceae]</b>	<b>Mountain sorrel</b> 나도수영속 (Na-do-su-yeong-sok) [마디풀과]
<i>Oxyria digyna</i> (L.) Hill	<b>Mountain sorrel</b> 나도수영 (Na-do-su-yeong)
<b><i>Oxytropis</i> DC. [Fabaceae]</b>	<b>Locoweed</b> 두메자운속 (Du-me-ja-un-sok) [콩과]
<i>Oxytropis anertii</i> Nakai ex Kitag.	<b>Mountain locoweed</b> 두메자운 (Du-me-ja-un)
* <i>Oxytropis anertii</i> f. <i>alba</i> Y.N.Lee	<b>White mountain locoweed</b> 흰두메자운 (Huin-du-me-ja-un)
<i>Oxytropis caerulea</i> (Pall.) DC.	<b>Blue locoweed</b> 관모두메자운 (Gwan-mo-du-me-ja-un)
<i>Oxytropis racemosa</i> Turcz.	<b>Racemose locoweed</b> 털두메자운 (Teol-du-me-ja-un)
<i>Oxytropis strobilacea</i> Bunge	<b>Siberian locoweed</b> 시루산돌부 (Si-ru-san-dom-bu)

Scientific name	English name Korean name (Romanization)
<b>P</b>	
<i>Paederia</i> L. [Rubiaceae]	<b>Sewer vine</b> 계요등속 (Gye-yo-deung-sok) [꼭두서니과]
<i>Paederia scandens</i> (Lour.) Merr.	<b>Skunk vine</b> 계요등 (Gye-yo-deung)
<i>Paederia scandens</i> var. <i>angustifolia</i> (Nakai) T.B.Lee	<b>Narrow-leaf skunk vine</b> 좁은잎계요등 (Jop-eun-ip-gye-yo-deung)
<i>Paederia scandens</i> var. <i>velutina</i> (Nakai) Nakai	<b>Hairy skunk vine</b> 털계요등 (Teol-gye-yo-deung)
<i>Paeonia</i> L. [Paeoniaceae]	<b>Peony</b> 작약속 (Jak-yak-sok) [작약과]
<i>Paeonia japonica</i> (Makino) Miyabe & Takeda	<b>White woodland peony</b> 백작약 (Baek-jak-yak)
<i>Paeonia japonica</i> var. <i>glabra</i> Makino	<b>Smooth woodland peony</b> 민산작약 (Min-san-jak-yak)
<i>Paeonia japonica</i> var. <i>pillosa</i> Nakai	<b>Hairy woodland peony</b> 털백작약 (Teol-baek-jak-yak)
<i>Paeonia lactiflora</i> var. <i>trichocarpa</i> (Bunge) Stern	<b>Three-fruit white peony</b> 참작약 (Cham-jak-yak)
<i>Paeonia lactiflora</i> f. <i>nuda</i> Nakai	<b>Glabrous white peony</b> 민참작약 (Min-cham-jak-yak)
<i>Paeonia obovata</i> Maxim.	<b>Woodland peony</b> 산작약 (San-jak-yak)
<b>PAEONIACEAE Raf.</b>	<b>Peony family</b> 작약과 (Jak-yak-gwa)
<i>Paliurus</i> Mill. [Rhamnaceae]	<b>Jerusalem thorn</b> 겟대추나무속 (Gaet-dae-chu-na-mu-sok) [갈매나무과]
<i>Paliurus ramosissimus</i> (Lour.) Poir.	<b>Maritime jujuba</b> 겟대추나무 (Gaet-dae-chu-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Panax</i> Hill [Araliaceae]	Ginseng 인삼속 (In-sam-sok) [두릅나무과]
<i>Panax ginseng</i> C.A.Mey.	Korean ginseng 인삼 (In-sam)
<i>Panicum</i> L. [Poaceae]	Panicgrass 기장속 (Gi-jang-sok) [벼과]
<i>Panicum bisulcatum</i> Thunb.	Chaff panicgrass 개기장 (Gae-gi-jang)
<i>Papaver</i> L. [Papaveraceae]	Poppy 양귀비속 (Yang-gwi-bi-sok) [양귀비과]
<i>Papaver amurense</i> (N.Busch) N.Busch ex Tolm.	Amur poppy 흰양귀비 (Huin-yang-gwi-bi)
<i>Papaver radicum</i> var. <i>dissectipetalum</i> Y.N.Lee	Dissected-petal montane poppy 갈래두메양귀비 (Gal-rae-du-me-yang-gwi-bi)
<i>Papaver radicum</i> var. <i>pseudoradicatum</i> (Kitag.) Kitag.	Montane poppy 두메양귀비 (Du-me-yang-gwi-bi)
* <i>Papaver radicum</i> var. <i>pseudoradicatum</i> f. <i>albiflorum</i> Y.N.Lee	White-flower montane poppy 흰두메양귀비 (Huin-du-me-yang-gwi-bi)
PAPAVERACEAE Juss.	Poppy family 양귀비과 (Yang-gwi-bi-gwa)
<i>Parasenecio</i> W.W. Sm. & J. Small [Asteraceae]	Indian plantain 박쥐나물속 (Bak-jwi-na-mul-sok) [국화과]
<i>Parasenecio adenostyloides</i> (Franch. & Sav. ex Maxim.) H.Koyama	Glandular-style Indian plantain 게박쥐나물 (Ge-bak-jwi-na-mul)
<i>Parasenecio auriculatus</i> (DC.) J.R.Grant	Eared Indian plantain 귀박쥐나물 (Gwi-bak-jwi-na-mul)
<i>Parasenecio auriculatus</i> var. <i>kamtschatica</i> (Maxim.) H.Koyama	Kamchatka Indian plantain 나래박쥐나물 (Na-rae-bak-jwi-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Parasenecio auriculatus</i> var. <i>matsumurana</i> Nakai	<b>Mountain Indian plantain</b> 박쥐나물 (Bak-jwi-na-mul)
<i>Parasenecio firmus</i> (Kom.) Y.L.Chen	<b>Firm Indian plantain</b> 병풍쌈 (Byeong-pung-ssam)
<i>Parasenecio hastata</i> var. <i>ramosa</i> (Maxim.) Kizmura	<b>Branched Indian plantain</b> 가지민박쥐 (Ga-ji-min-bak-jwi)
<i>Parasenecio hastatus</i> (L.) H.Koyama	<b>Spearhead Indian plantain</b> 털박쥐나물 (Teol-bak-jwi-na-mul)
<i>Parasenecio hastatus</i> subsp. <i>orientalis</i> (Kitam.) H.Koyama	<b>Oriental Indian plantain</b> 민박쥐나물 (Min-bak-jwi-na-mul)
<i>Parasenecio hastatus</i> var. <i>farfaraefolia</i> (Siebold et Zucc.) Ohwi	<b>Colt's-foot-leaf Indian plantain</b> 참박쥐나물 (Cham-bak-jwi-na-mul)
<i>Parasenecio koraiensis</i> (Nakai) B.U.Oh	<b>Korean Indian plantain</b> 참나래박쥐 (Cham-na-rae-bak-jwi)
<i>Parasenecio pseudotaimingasa</i> (Nakai) B.U.Oh	<b>Smaller Indian plantain</b> 어리병풍 (Eo-ri-byeong-pung)
<b><i>Parathelypteris</i> (H. Itô) Ching</b> [Dryopteridaceae]	<b>Gland fern, Marsh fern, Parathelypteris</b> 사다리고사리속 (Sa-da-ri-go-sa-ri-sok) [면마과]
<i>Parathelypteris angustifrons</i> (Miq.) Ching	<b>Narrow gland fern</b> 탐라사다리고사리 (Tam-ra-sa-da-ri-go-sa-ri)
<i>Parathelypteris beddomei</i> (Baker) Ching	<b>Slender-leaf marsh fern</b> 가는잎처녀고사리 (Ga-neun-ip-cheo-nyeo-go-sa-ri)
<i>Parathelypteris cystopteroides</i> (D.C.Eaton) Ching	<b>Small gland fern</b> 좁사다리고사리 (Jom-sa-da-ri-go-sa-ri)
<i>Parathelypteris formosa</i> Nakaike	<b>Smooth gland fern</b> 민지네고사리 (Min-ji-ne-go-sa-ri)
<i>Parathelypteris glanduligera</i> (Kunze) Ching	<b>Ladder-shape gland fern</b> 사다리고사리 (Sa-da-ri-go-sa-ri)
<i>Parathelypteris glanduligera</i> var. <i>koreana</i> (Nakai) H.Itô	<b>Korean gland fern</b> 참사다리고사리 (Cham-sa-da-ri-go-sa-ri)
<i>Parathelypteris japonica</i> (Baker) Ching	<b>East Asian gland fern</b> 자네고사리 (Ji-ne-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Parathelypteris nipponica</i> (Franch. & Sav.) Ching	<b>Tall marsh fern</b> 키다리처녀고사리 (Ki-da-ri-cheo-nyeo-go-sa-ri)
<i>Parathelypteris nipponica</i> var. <i>borealis</i> (H.Hara) Nakaike	<b>Northern tall marsh fern</b> 털산고사리 (Teol-san-go-sa-ri)
<b>Parietaria L.</b> [Urticaceae]	<b>Pellitory</b> 개물통이 속 (Gae-mul-tong-i-sok) [쐐기풀과]
<i>Parietaria micrantha</i> Ledeb.	<b>Small-flower pellitory</b> 개물통이 (Gae-mul-tong-i)
<i>Parietaria micrantha</i> var. <i>coreana</i> (Nakai) H.Hara	<b>Korean small-flower pellitory</b> 칠보개물통이 (Chil-bo-gae-mul-tong-i)
<b>Paris L.</b> [Liliaceae]	<b>Paris</b> 삿갓나물속 (Sat-gat-na-mul-sok) [백합과]
<i>Paris tetraphylla</i> A.Gray	<b>Four-leaf paris</b> 네잎삿갓나물 (Ne-ip-sat-gat-na-mul)
<i>Paris verticillata</i> M.Bieb.	<b>Verticillate paris</b> 삿갓나물 (Sat-gat-na-mul)
* <i>Paris verticillata</i> var. <i>nigra</i> Y.N.Lee	<b>Black verticillate paris</b> 검은삿갓나물 (Geom-eun-sat-gat-na-mul)
<b>PARKERIACEAE Hook.</b>	<b>Water fern family</b> 물고사리과 (Mul-go-sa-ri-gwa)
<b>Parnassia L.</b> [Saxifragaceae]	<b>Grass of parnassus, Bog-stars</b> 물매화속 (Mul-mae-hwa-sok) [범의귀과]
<i>Parnassia alpicola</i> Makino	<b>Hallasan marsh parnassus</b> 애기물매화 (Ae-gi-mul-mae-hwa)
<i>Parnassia palustris</i> L.	<b>Marsh grass-of-parnassus</b> 물매화 (Mul-mae-hwa)
<b>Parthenocissus Planch.</b> [Vitaceae]	<b>Creeper, Virginia creeper</b> 담쟁이덩굴속 (Dam-jaeng-i-deong-gul-sok) [포도과]
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.	<b>Boston ivy</b> 담쟁이덩굴 (Dam-jaeng-i-deong-gul)

Scientific name	English name Korean name (Romanization)
<i>Paspalum</i> L. [Poaceae]	Bahiagrasses, Crowngrass, Dallis grasses 참새피속 (Cham-sae-pi-sok) [벼과]
<i>Paspalum thunbergii</i> Kunth ex Steud.	Asian crownglass 참새피 (Cham-sae-pi)
<i>Patrinia</i> Juss. [Valerianaceae]	Patrinia 마타리속 (Ma-ta-ri-sok) [마타리과]
<i>Patrinia rupestris</i> (Pall.) Juss.	Rocky golden lace 돌마타리 (Dol-ma-ta-ri)
<i>Patrinia saniculifolia</i> Hemsl.	Sanicula-leaf golden lace 금마타리 (Geum-ma-ta-ri)
<i>Patrinia scabiosifolia</i> Fisch. ex Trevir.	Golden lace 마타리 (Ma-ta-ri)
<i>Patrinia villosa</i> (Thunb.) Juss.	White-flower golden lace 똑갈 (Ttuk-gal)
<i>Paulownia</i> Siebold & Zucc. [Scrophulariaceae]	Paulownia 오동나무속 (O-dong-na-mu-sok) [현삼과]
<i>Paulownia coreana</i> Uyeki	Korean paulownia 오동나무 (O-dong-na-mu)
<b>PEDALIACEAE</b> R.Br.	Sesame family 참깨과 (Cham-kkae-gwa)
<i>Pedicularis</i> L. [Scrophulariaceae]	Lousewort 송이풀속 (Song-i-pul-sok) [현삼과]
<i>Pedicularis apodochila</i> Maxim.	Big-flower alpine lousewort 큰산송이풀 (Keun-san-song-i-pul)
<i>Pedicularis grandiflora</i> Fisch.	Big-flower lousewort 큰송이풀 (Keun-song-i-pul)
<i>Pedicularis hallaisanensis</i> Hurus.	Halla lousewort 한라송이풀 (Han-ra-song-i-pul)

Scientific name	English name Korean name (Romanization)
<i>Pedicularis ishidoyana</i> Koidz. & Ohwi	<b>Radical-flower lousewort</b> 애기송이풀 (Ae-gi-song-i-pul)
<i>Pedicularis lunaris</i> Nakai	<b>Acute-tip-fruit lousewort</b> 칼송이풀 (Kal-song-i-pul)
<i>Pedicularis mandshurica</i> Maxim.	<b>Manchurian lousewort</b> 만주송이풀 (Man-ju-song-i-pul)
<i>Pedicularis mandshurica</i> var. <i>coreana</i> (Bonati) Hurus.	<b>Hairy Manchurian lousewort</b> 털만주송이풀 (Teol-man-ju-song-i-pul)
<i>Pedicularis nigrescens</i> Nakai	<b>Rocky lousewort</b> 바위송이풀 (Ba-wi-song-i-pul)
<i>Pedicularis palustris</i> L.	<b>Hooked big-flower lousewort</b> 부전송이풀 (Bu-jeon-song-i-pul)
<i>Pedicularis resupinata</i> L.	<b>Resupinate lousewort</b> 송이풀 (Song-i-pul)
<i>Pedicularis resupinata</i> var. <i>umbrosa</i> Kom. ex Nakai	<b>Shady lousewort</b> 그늘송이풀 (Geu-neul-song-i-pul)
<i>Pedicularis resupinata</i> f. <i>albiflora</i> (Nakai) W.T.Lee	<b>White-flower lousewort</b> 흰송이풀 (Huin-song-i-pul)
<i>Pedicularis sceptrumcarolinum</i> L.	<b>Moor king lousewort</b> 대송이풀 (Dae-song-i-pul)
<i>Pedicularis spicata</i> Pall.	<b>Spicate lousewort</b> 이삭송이풀 (I-sak-song-i-pul)
<i>Pedicularis verticillata</i> L.	<b>Whorled-leaf lousewort</b> 구름송이풀 (Gu-reum-song-i-pul)
<b><i>Pellionia</i> Gaudich.</b> [Urticaceae]	<b>Pellionia</b> 펠리온나무속 (Pel-ri-on-na-mu-sok) [쐐기풀과]
<i>Pellionia scabra</i> Benth.	<b>Rough pellionia</b> 펠리온나무 (Pel-ri-on-na-mu)
<b><i>Pennisetum</i> Rich.</b> [Poaceae]	<b>Fountaingrass</b> 수크령속 (Su-keu-ryeong-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Pennisetum alopecuroides</i> (L.) Spreng.	<b>Foxtail fountaingrass</b> 수크령 (Su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>albiflorum</i> Y.N.Lee	<b>White foxtail fountaingrass</b> 흰수크령 (Huin-su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>erythrochaetum</i> Ohwi	<b>Reddish foxtail fountaingrass</b> 붉은수크령 (Bul-geun-su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>viridescens</i> (Miq.) Ohwi	<b>Greenish foxtail fountaingrass</b> 청수크령 (Cheong-su-keu-ryeong)
<i>Pennisetum latifolium</i> Spreng.	<b>Uruguay fountaingrass</b> 나도강아지풀 (Na-do-gang-a-ji-pul)
<b><i>Pentactina</i> Nakai</b> [Rosaceae]	<b>Pentactina</b> 금강인가목속 (Geum-gang-in-ga-mok-sok) [장미과]
<i>Pentactina rupicola</i> Nakai	<b>Korean pentactina</b> 금강인가목 (Geum-gang-in-ga-mok)
<b><i>Penthorum</i> L.</b> [Crassulaceae]	<b>Penthorum</b> 낙지다리속 (Nak-ji-da-ri-sok) [돌나물과]
<i>Penthorum chinense</i> Pursh	<b>Oriental penthorum</b> 낙지다리 (Nak-ji-da-ri)
<b><i>Peracarpa</i> Hook. f. &amp; Thomson</b> [Campanulaceae]	<b>Peracarpa</b> 홍노도라지속 (Hong-no-do-ra-ji-sok) [초롱꽃과]
<i>Peracarpa carnosa</i> var. <i>circaeoides</i> (F.Schmidt ex Miq.) Makino	<b>Fleshy peracarpa</b> 홍노도라지 (Hong-no-do-ra-ji)
<b><i>Persicaria</i> Mill.</b> [Polygonaceae]	<b>Smartweeds</b> 여뀌속 (Yeo-kkwi-sok) [마디풀과]
<i>Persicaria amphibia</i> (L.) Delarbre	<b>Water smartweed</b> 물여뀌 (Mul-yeo-kkwi)
<i>Persicaria breviochreata</i> (Makino) Ohki	<b>Narrow arrow-head smartweed</b> 긴화살여뀌 (Gin-hwa-sal-yeo-kkwi)

Scientific name	English name Korean name (Romanization)
<i>Persicaria bungeana</i> (Turcz.) Nakai ex T.Mori	<b>Prickly smartweed</b> 바늘여뀌 (Ba-neul-yeo-kkwi)
<i>Persicaria chinensis</i> (L.) H.Gross	<b>Creeping smartweed</b> 덩굴모밀 (Deong-gul-mo-mil)
<i>Persicaria conspicua</i> (Nakai) Nakai ex T.Mori	<b>Conspicuous smartweed</b> 꽃여뀌 (Kkot-yeo-kkwi)
<i>Persicaria debilis</i> H.Gross ex W.T.Lee	<b>Weak smartweed</b> 세뿔여뀌 (Se-ppul-yeo-kkwi)
<i>Persicaria dissitiflora</i> (Hemsl.) H.Gross ex T.Mori	<b>Hastate-leaf smartweed</b> 가시여뀌 (Ga-si-yeo-kkwi)
<i>Persicaria erectominor</i> var. <i>koreensis</i> (Nakai) H.Itô	<b>Dwarf smartweed</b> 대동여뀌 (Dae-dong-yeo-kkwi)
<i>Persicaria filiformis</i> (Thunb.) Nakai ex T.Mori	<b>Loose-spike smartweed</b> 이삭여뀌 (I-sak-yeo-kkwi)
<i>Persicaria foliosa</i> (H.Lindb.) Kitag.	<b>Manchurian smartweed</b> 만주겨이삭여뀌 (Man-ju-gyeo-i-sak-yeo-kkwi)
<i>Persicaria foliosa</i> var. <i>paludicola</i> (Makino) H.Hara ex H.Itô	<b>East Asian willow smartweed</b> 벼들겨이삭여뀌 (Beo-deul-gyeo-i-sak-yeo-kkwi)
<i>Persicaria hastatosagittata</i> (Makino) Nakai ex T. Mori	<b>Long arrow-head smartweed</b> 긴미꾸리낚시 (Gin-mi-kku-ri-nak-si)
<i>Persicaria hydropiper</i> (L.) Delarbre	<b>Water pepper</b> 여뀌 (Yeo-kkwi)
<i>Persicaria hydropiper</i> var. <i>fastigiatum</i> Nakai	<b>Fastigiate wetland smartweed</b> 가는여뀌 (Ga-neun-yeo-kkwi)
<i>Persicaria japonica</i> (Meisn.) H.Gross ex Nakai	<b>White-flower smartweed</b> 흰꽃여뀌 (Huin-kkot-yeo-kkwi)
<i>Persicaria lapathifolia</i> (L.) Delarbre	<b>Pale smartweed</b> 흰여뀌 (Huin-yeo-kkwi)
<i>Persicaria lapathifolia</i> var. <i>incana</i> (Roth) S.Ekman & T.Knutsson	<b>Hairy white-flower smartweed</b> 흰솜여뀌 (Huin-som-yeo-kkwi)
<i>Persicaria lapathifolia</i> var. <i>salicifolia</i> Miyabe	<b>Willow-leaf white-flower smartweed</b> 솜흰여뀌 (Som-huin-yeo-kkwi)

Scientific name	English name Korean name (Romanization)
<i>Persicaria longiseta</i> (Bruijn) Kitag.	<b>Oriental smartweed</b> 개여뀌 (Gae-yeo-kkwi)
<i>Persicaria longiseta</i> f. <i>breviseta</i> (Meisn.) W.T.Lee	<b>Short-stalk oriental smartweed</b> 짧은개여뀌 (Jjal-beun-gae-yeo-kkwi)
<i>Persicaria maackiana</i> (Regel) Nakai ex T.Mori	<b>Maack's arrow-head smartweed</b> 나도미꾸리낚시 (Na-do-mi-kku-ri-nak-si)
<i>Persicaria muricata</i> (Meisn.) Nemoto	<b>Broad arrow-head smartweed</b> 넓은잎미꾸리낚시 (Neol-beun-ip-mi-kku-ri-nak-si)
<i>Persicaria neofiliformis</i> (Nakai) Ohki	<b>New spike smartweed</b> 새이삭여뀌 (Sae-i-sak-yeo-kkwi)
<i>Persicaria nepalensis</i> (Meisn.) H.Gross	<b>Nepalese smartweed</b> 산여뀌 (San-yeo-kkwi)
<i>Persicaria nodosa</i> (Pers.) Opiz	<b>Node smartweed</b> 명아자여뀌 (Myeong-a-ja-yeo-kkwi)
<i>Persicaria perfoliata</i> (L.) H.Gross	<b>Asian tearthumb</b> 며느리배꼽 (Myeo-neu-ri-bae-kkop)
<i>Persicaria posumbu</i> var. <i>laxiflora</i> (Meisn.) H.Hara	<b>Tall smartweed</b> 장대여뀌 (Jang-dae-yeo-kkwi)
<i>Persicaria praetermissa</i> (Hook.f.) H.Hara	<b>Linear arrow-head smartweed</b> 좁은잎미꾸리낚시 (Jop-eun-ip-mi-kku-ri-nak-si)
<i>Persicaria pubescens</i> (Blume) H.Hara	<b>Nonspicy smartweed</b> 바보여뀌 (Ba-bo-yeo-kkwi)
<i>Persicaria sagittata</i> (L.) H.Gross	<b>Arrow-leaf smartweed</b> 미꾸리낚시 (Mi-kku-ri-nak-si)
<i>Persicaria senticosa</i> (Meisn.) H.Gross ex Nakai	<b>Prickled-vine smartweed</b> 며느리밀씻개 (Myeo-neu-ri-mit-ssit-gae)
* <i>Persicaria sieboldii</i> var. <i>aestiva</i> Ohki ex T.B.Lee	<b>Glabrous Siebold's smartweed</b> 민미꾸리낚시 (Min-mi-kku-ri-nak-si)
<i>Persicaria sieboldii</i> var. <i>paludosa</i> (Kom.) Nakai ex Kitag.	<b>Swamp Siebold's smartweed</b> 실미꾸리낚시 (Sil-mi-kku-ri-nak-si)
<i>Persicaria sieboldii</i> var. <i>sericea</i> Nakai ex T.B.Lee	<b>Hairy Siebold's smartweed</b> 털미꾸리낚시 (Teol-mi-kku-ri-nak-si)

Scientific name	English name Korean name (Romanization)
<i>Persicaria taquetii</i> (H.Lév.) Koidz.	<b>Taquet's smartweed</b> 거이삭여뀌 (Gyeo-i-sak-yeo-kkwi)
<i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross	<b>Thunberg's smartweed</b> 고마리 (Go-ma-ri)
<i>Persicaria trigonocarpa</i> (Makino) Nakai	<b>East Asian slender smartweed</b> 가는개여뀌 (Ga-neun-gae-yeo-kkwi)
<i>Persicaria viscofera</i> (Makino) H.Gross	<b>Sticky smartweed</b> 끈끈이여뀌 (Kkeun-kkeun-i-yeo-kkwi)
<i>Persicaria viscofera</i> var. <i>robusta</i> (Makino) Hiyama	<b>Big sticky smartweed</b> 큰끈끈이여뀌 (Keun-kkeun-kkeun-i-yeo-kkwi)
<i>Persicaria viscosa</i> (Buch.-Ham. ex D.Don) H.Gross ex T.Mori	<b>Reddish marsh smartweed</b> 기생여뀌 (Gi-saeng-yeo-kkwi)
<i>Persicaria vulgaris</i> Webb & Moq.	<b>Spring smartweed</b> 봄여뀌 (Bom-yeo-kkwi)
<b><i>Petasites</i> Mill. [Asteraceae]</b>	<b>Butterbur</b> 머위속 (Meo-wi-sok) [국화과]
<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.	<b>Giant butterbur</b> 머위 (Meo-wi)
<i>Petasites rubellus</i> (J.F.Gmel.) M.Toman	<b>Reddish butterbur</b> 개머위 (Gae-meo-wi)
<b><i>Peucedanum</i> L. [Apiaceae]</b>	<b>Hogfennel, Peucedanum</b> 기름나물속 (Gi-reum-na-mul-sok) [산형과]
<i>Peucedanum coreanum</i> Nakai	<b>Korean hogfennel</b> 두메기름나물 (Du-me-gi-reum-na-mul)
<i>Peucedanum elegans</i> Kom.	<b>Elegant hogfennel</b> 가는기름나물 (Ga-neun-gi-reum-na-mul)
<i>Peucedanum hakuunense</i> Nakai	<b>Baekun hogfennel</b> 백운기름나물 (Baek-un-gi-reum-na-mul)
<i>Peucedanum insolens</i> Kitag.	<b>Deokwoo hogfennel</b> 덕우기름나물 (Deok-u-gi-reum-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Peucedanum japonicum</i> Thunb.	<b>Coastal hogfennel</b> 깻기름나물 (Gaet-gi-reum-na-mul)
<i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz.	<b>Terebinthaceous hogfennel</b> 기름나물 (Gi-reum-na-mul)
<i>Peucedanum terebinthaceum</i> var. <i>deltoides</i> (Makino ex K.Yabe) Makino	<b>Mountain hogfennel</b> 산기름나물 (San-gi-reum-na-mul)
<b><i>Phacellanthus</i> Siebold &amp; Zucc.</b> [Orobanchaceae]	<b>Phacellanthus</b> 가지더부살이속 (Ga-ji-deo-bu-sal-i-sok) [열당과]
<i>Phacellanthus tubiflorus</i> Siebold & Zucc.	<b>Tubiflorous phacellanthus</b> 가지더부살이 (Ga-ji-deo-bu-sal-i)
<b><i>Phacelurus</i> Griseb.</b> [Poaceae]	<b>Phacelurus</b> 모새달속 (Mo-sae-dal-sok) [벼과]
<i>Phacelurus latifolius</i> (Steud.) Ohwi	<b>Broad-leaf phacelurus</b> 모새달 (Mo-sae-dal)
<i>Phacelurus latifolius</i> var. <i>angustifolius</i> (Debeaux) Kitag.	<b>Slender-leaf phacelurus</b> 가는잎모새달 (Ga-neun-ip-mo-sae-dal)
<b><i>Phaenosperma</i> Renvoize &amp; Clayton</b> [Poaceae]	<b>Phaenosperma</b> 기장풀속 (Gi-jang-pul-sok) [벼과]
<i>Phragmites japonicus</i> Steud.	<b>Globose phaenosperma</b> 산기장 (San-gi-jang)
<b><i>Phalaris</i> L.</b> [Poaceae]	<b>Canary grass</b> 갈풀속 (Gal-pul-sok) [벼과]
<i>Phalaris arundinacea</i> L.	<b>Reed canary grass</b> 갈풀 (Gal-pul)
<b><i>Phegopteris</i> (C. Presl) Féé</b> [Dryopteridaceae]	<b>Beech fern</b> 설설고사리속 (Seol-seol-go-sa-ri-sok) [면마과]
<i>Phegopteris connectilis</i> (Michx.) Watt.	<b>Long beech fern</b> 가래고사리 (Ga-rae-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Phegopteris decursive-pinnata</i> (H.C. Hall) Fée	<b>Winged beech fern</b> 설설고사리 (Seol-seol-go-sa-ri)
<b><i>Phellodendron</i> Rupr.</b> [Rutaceae]	<b>Corktree</b> <b>황벽나무속</b> (Hwang-byeok-na-mu-sok) [운향과]
<i>Phellodendron amurense</i> Rupr.	<b>Amur corktree</b> 황벽나무 (Hwang-byeok-na-mu)
<i>Phellodendron amurense</i> var. <i>sachalinense</i> F.Schmidt	<b>Sakhalin corktree</b> 화태황벽나무 (Hwa-tae-hwang-byeok-na-mu)
<i>Phellodendron amurense</i> f. <i>molle</i> (Nakai) W.T.Lee	<b>Hairy Amur corktree</b> 털황벽 (Teol-hwang-byeok)
<b><i>Philadelphus</i> L.</b> [Saxifragaceae]	<b>Mock orange</b> <b>고광나무속</b> (Go-gwang-na-mu-sok) [볍의귀과]
<i>Philadelphus koreanus</i> Nakai	<b>Yangdeok mock orange</b> 양덕고광나무 (Yang-deok-go-gwang-na-mu)
<i>Philadelphus koreanus</i> var. <i>robustus</i> (Nakai) W.T.Lee	<b>Robust Korean mock orange</b> 왕고광나무 (Wang-go-gwang-na-mu)
<i>Philadelphus pekinensis</i> Rupr.	<b>Beijing mock orange</b> 애기고광나무 (Ae-gi-go-gwang-na-mu)
<i>Philadelphus scaber</i> Nakai	<b>Rough mock orange</b> 섬고광나무 (Seom-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> Rupr.	<b>Korean mock orange</b> 고광나무 (Go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>jackii</i> Koehne	<b>Jack's mock orange</b> 털고광나무 (Teol-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>lasiogynus</i> (Nakai) W.T.Lee	<b>Woolly mock orange</b> 흰털고광나무 (Huin-teol-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>mandshuricus</i> (Maxim.) Kitag.	<b>Asian mock orange</b> 꼭지고광나무 (Kkok-ji-go-gwang-na-mu)
<i>Philadelphus seoulensis</i> Y.H.Chung & H.C.Shin	<b>Seoul mock orange</b> 서울고광나무 (Seo-ul-go-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Philadelphus tenuifolius</i> Rupr. & Maxim.	<b>Slender-leaf mock orange</b> 얇은잎고광나무 (Yal-beun-ip-go-gwang-na-mu)
<b><i>Phleum</i> L.</b> [Poaceae]	<b>Timothy</b> 산조아재비속 (San-jo-a-jae-bi-sok) [벼과]
<i>Phleum alpinum</i> L.	<b>Alpine timothy</b> 산조아재비 (San-jo-a-jae-bi)
<b><i>Phlomis</i> L.</b> [Lamiaceae]	<b>Jerusalem sage, Lampwick plant</b> 속단속 (Sok-dan-sok) [꿀풀과]
<i>Phlomis koraiensis</i> Nakai	<b>Korean Jerusalem sage</b> 산속단 (San-sok-dan)
<i>Phlomis maximowiczii</i> Regel	<b>Maximowicz's Jerusalem sage</b> 큰속단 (Keun-sok-dan)
<i>Phlomis umbrosa</i> Turcz.	<b>Shady Jerusalem sage</b> 속단 (Sok-dan)
<i>Phlomis umbrosa</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower Jerusalem sage</b> 흰속단 (Huin-sok-dan)
<b><i>Phragmites</i> Adans.</b> [Poaceae]	<b>Common reed, Reed</b> 갈대속 (Gal-dae-sok) [벼과]
<i>Phragmites australis</i> (Cav.) Trin ex Steud.	<b>Common reed</b> 갈대 (Gal-dae)
<i>Phragmites japonica</i> Steud.	<b>Runner reed</b> 달뿌리풀 (Dal-ppu-ri-pul)
<i>Phragmites karka</i> (Retz.) Trin. ex Steud.	<b>Tall reed</b> 큰달뿌리풀 (Keun-dal-ppu-ri-pul)
<b><i>Phryma</i> L.</b> [Phrymaceae]	<b>Lopseed, Phryma</b> 파리풀속 (Pa-ri-pul-sok) [파리풀과]
<i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda	<b>Asian lopseed</b> 파리풀 (Pa-ri-pul)

Scientific name	English name Korean name (Romanization)
<b>PHRYMACEAE</b> Schauer	<b>Lopseed family</b> 파리풀과 (Pa-ri-pul-gwa)
<b><i>Phtheirospermum</i> Bunge ex Fisch. &amp; C.A. Mey.</b> [Scrophulariaceae]	<b>Phtheirospermum</b> 나도송이풀속 (Na-do-song-i-pul-sok) [현삼과]
<b><i>Phtheirospermum japonicum</i> (Thunb.) Kanitz</b>	<b>Sticky phtheirospermum</b> 나도송이풀 (Na-do-song-i-pul)
<b><i>Phyllanthus</i> L.</b> [Euphorbiaceae]	<b>Leafflower</b> 여우주머니속 (Yeo-u-ju-meo-ni-sok) [대극과]
<b><i>Phyllanthus urinaria</i> L.</b>	<b>Common leafflower</b> 여우구슬 (Yeo-u-gu-seul)
<b><i>Phyllanthus ussuriensis</i> Rupr. &amp; Maxim.</b>	<b>Ussuri river leafflower</b> 여우주머니 (Yeo-u-ju-meo-ni)
<b><i>Phyllitis</i> Hill</b> [Aspleniaceae]	<b>Phyllitis</b> 골고사리속 (Gol-go-sa-ri-sok) [꼬리고사리과]
<b><i>Phyllitis scolopendrium</i> (L.) Newman</b>	<b>Hart's-tongue fern</b> 골고사리 (Gol-go-sa-ri)
<b><i>Phyllodoce</i> Salisb.</b> [Ericaceae]	<b>Mountain-heaths, Mountain heathers</b> 가솔송속 (Ga-sol-song-sok) [진달래과]
<b><i>Phyllodoce caerulea</i> (L.) Bab.</b>	<b>Blue mountain-heath</b> 가솔송 (Ga-sol-song)
<b><i>Phyllodoce caerulea</i> f. <i>albida</i> Uyeki</b>	<b>White mountain-heath</b> 흰가솔송 (Huin-ga-sol-song)
<b><i>Phyllospadix</i> Hook.</b> [Zosteraceae]	<b>Surfgrass</b> 새우말속 (Sae-u-mal-sok) [거머리말과]
<b><i>Phyllospadix iwatensis</i> Makino</b>	<b>Surfgrass</b> 새우말 (Sae-u-mal)
<b><i>Phyllospadix japonicus</i> Makino</b>	<b>Asian surfgrass</b> 게바다말 (Ge-ba-da-mal)

Scientific name	English name Korean name (Romanization)
<i>Phyllostachys</i> Siebold & Zucc. [Poaceae]	Bamboo 왕대속 (Wang-dae-sok) [벼과]
<i>Physaliastrum</i> Makino [Solanaceae]	Physaliastrum 가시꽈리속 (Ga-si-kkwa-ri-sok) [가지과]
<i>Physaliastrum japonicum</i> (Franch. & Sav.) Honda	East Asian physaliastrum 가시꽈리 (Ga-si-kkwa-ri)
<i>Physocarpus</i> Maxim. [Rosaceae]	Ninebark 산국수나무속 (San-guk-su-na-mu-sok) [장미과]
<i>Physocarpus amurensis</i> (Maxim.) Maxim.	Amur ninebark 산국수나무 (San-guk-su-na-mu)
<i>Physocarpus insularis</i> (Nakai) Nakai	Island ninebark 섬국수나무 (Seom-guk-su-na-mu)
<i>Phytolacca</i> L. [Phytolaccaceae]	Pokeweeds, Pokebush, Pokeberry, Pokeroot, Poke sallet 자리공속 (Ja-ri-gong-sok) [자리공과]
<i>Phytolacca insularis</i> Nakai	Island pokeweed 섬자리공 (Seom-ja-ri-gong)
PHYTOLACCACEAE R. Br.	Pokeweed family 자리공과 (Ja-ri-gong-gwa)
<i>Picea</i> A.Dietr. [Pinaceae]	Spruce 가문비나무속 (Ga-mun-bi-na-mu-sok) [소나무과]
<i>Picea jezoensis</i> (Siebold & Zucc.) Carrière	Dark-bark spruce 가문비나무 (Ga-mun-bi-na-mu)
<i>Picea jezoensis</i> f. <i>rubrilepis</i> Uyeki	Red-cone spruce 붉은가문비 (Bul-geun-ga-mun-bi)
<i>Picea koraiensis</i> Nakai	Korean spruce 종비나무 (Jong-bi-na-mu)
<i>Picea koraiensis</i> var. <i>tonaiensis</i> (Nakai) T.B.Lee	Hairy Korean spruce 털종비나무 (Teol-jong-bi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Picea pungsanensis</i> Uyeki	<b>Pungsan spruce</b> 풍산가문비 (Pung-san-ga-mun-bi)
<i>Picea pungsanensis</i> var. <i>intercedens</i> (Nakai) T.B.Lee	<b>Hairy Pungsan spruce</b> 털가문비나무 (Teol-ga-mun-bi-na-mu)
<b><i>Picrasma</i> Blume</b> [Simaroubaceae]	<b>Picrasma</b> 소태나무속 (So-tae-na-mu-sok) [소태나무과]
<i>Picrasma quassoides</i> (D.Don) Benn.	<b>Bitterwood</b> 소태나무 (So-tae-na-mu)
<b><i>Picris</i> L.</b> [Asteraceae]	<b>Oxtongue</b> 쇠서나물속 (Soe-seo-na-mul-sok) [국화과]
<i>Picris hieracioides</i> subsp. <i>kaimaensis</i> (Kitam.) Kitam.	<b>Gaema hawkweed oxtongue</b> 개마쇠서나물 (Gae-ma-soe-seo-na-mul)
<i>Picris hieracioides</i> var. <i>koreana</i> Kitam.	<b>Korean hawkweed oxtongue</b> 쇠서나물 (Soe-seo-na-mul)
<b><i>Pilea</i> Lindl.</b> [Urticaceae]	<b>Clearweed</b> 물통이속 (Mul-tong-i-sok) [쐐기풀과]
<i>Pilea hamaoi</i> Makino	<b>Large clearweed</b> 큰물통이 (Keun-mul-tong-i)
<i>Pilea japonica</i> (Maxim.) Hand.-Mazz.	<b>Montane clearweed</b> 산물통이 (San-mul-tong-i)
<i>Pilea mongolica</i> Wedd.	<b>Mongolian clearweed</b> 모시물통이 (Mo-si-mul-tong-i)
<i>Pilea oligantha</i> Nakai	<b>Ganggye clearweed</b> 강계큰물통이 (Gang-gye-keun-mul-tong-i)
<i>Pilea peploides</i> (Gaudich.) Hook. & Arn.	<b>Pacific island clearweed</b> 물통이 (Mul-tong-i)
<i>Pilea taquetii</i> Nakai	<b>Jeju clearweed</b> 제주큰물통이 (Je-ju-keun-mul-tong-i)

Scientific name	English name Korean name (Romanization)
<i>Pimpinella</i> L. [Apiaceae]	Burnet saxifrage, Pimpinella 참나물속 (Cham-na-mul-sok) [산형과]
<i>Pimpinella brachycarpa</i> (Kom.) Nakai	Chamnamul (Short-fruit pimpinella) 참나물 (Cham-na-mul)
<i>Pimpinella brachycarpa</i> var. <i>uchiyamana</i> (Y.Yabe) W.T.Lee & C.G.Jang	Shady short-fruit pimpinella 그늘참나물 (Geu-neul-cham-na-mul)
<i>Pimpinella gustavohegiana</i> Koidz.	Roe-buck pimpinella 노루참나물 (No-ru-cham-na-mul)
<i>Pimpinella hallaisanensis</i> (W.T.Lee & C.G. Jang) C.G.Jang	Halla pimpinella 한라참나물 (Han-ra-cham-na-mul)
<i>Pimpinella koreana</i> (Y.Yabe) Nakai	Korean pimpinella 가는참나물 (Ga-neun-cham-na-mul)
<b>PINACEAE Spreng. ex Rudolphi</b>	Pine family 소나무과 (So-na-mu-gwa)
<i>Pinellia</i> Ten. [Araceae]	Green dragons, Pinellia 반하속 (Ban-ha-sok) [천남성과]
<i>Pinellia ternata</i> (Thunb.) Breitenb.	Crow dipper 반하 (Ban-ha)
<i>Pinellia tripartita</i> (Blume) Schott	Green dragon 대반하 (Dae-ban-ha)
<i>Pinguicula</i> L. [Lentibulariaceae]	Butterwort 벌레잡이속 (Beol-re-jap-i-sok) [통발과]
<i>Pinguicula villosa</i> L.	Hairy butterwort 털잡이제비꽃 (Teol-jap-i-je-bi-kkot)
<i>Pinguicula vulgaris</i> var. <i>macroceras</i> (Pall. ex Link) Herder	California butterwort 벌레잡이제비꽃 (Beol-re-jap-i-je-bi-kkot)
<i>Pinus</i> L. [Pinaceae]	Pine 소나무속 (So-na-mu-sok) [소나무과]

Scientific name	English name Korean name (Romanization)
<i>Pinus densiflora</i> Siebold & Zucc.	<b>Korean red pine</b> 소나무 (So-na-mu)
<i>Pinus densiflora</i> f. <i>aggregata</i> Nakai	<b>Aggregate Korean red pine</b> 남복송 (Nam-bok-song)
<i>Pinus densiflora</i> f. <i>congesta</i> Uyeki	<b>Crowded Korean red pine</b> 여복송 (Yeo-bok-song)
<i>Pinus densiflora</i> f. <i>erecta</i> Uyeki	<b>Upright Korean red pine</b> 금강소나무 (Geum-gang-so-na-mu)
<i>Pinus densiflora</i> f. <i>multicaulis</i> Uyeki	<b>Many-stem Korean red pine</b> 반송 (Ban-song)
<i>Pinus densiflora</i> f. <i>pendula</i> Mayr	<b>Pendulous Korean red pine</b> 처진소나무 (Cheo-jin-so-na-mu)
<i>Pinus densiflora</i> f. <i>vittata</i> Uyeki	<b>Silver Korean red pine</b> 은송 (Eun-song)
<i>Pinus koraiensis</i> Siebold & Zucc.	<b>Korean pine</b> 잣나무 (Jat-na-mu)
<i>Pinus parviflora</i> Siebold & Zucc.	<b>Ulleungdo white pine</b> 섬잣나무 (Seom-jat-na-mu)
<i>Pinus pumila</i> (Pall.) Regel	<b>Dwarf Siberian pine</b> 눈잣나무 (Nun-jat-na-mu)
<i>Pinus tabuliformis</i> Carrière	<b>Manchurian red pine</b> 만주곰솔 (Man-ju-gom-sol)
<i>Pinus thunbergii</i> Parl.	<b>Black pine</b> 곰솔 (Gom-sol)
<i>Pinus thunbergii</i> f. <i>multicaulis</i> Uyeki	<b>Many-stem black pine</b> 곰반송 (Gom-ban-song)
<i>Piper L.</i> [Piperaceae]	<b>Pepper</b> 후추속 (Hu-chu-sok) [후추과]
<i>Piper kadsura</i> (Choisy) Ohwi	<b>Kadsura pepper</b> 후추등 (Hu-chu-deung)

Scientific name	English name Korean name (Romanization)
PIPERACEAE Giseke	Pepper family 후추과 (Hu-chu-gwa)
PITTOSPORACEAE R.Br.	Pittosporum family 돈나무과 (Don-na-mu-gwa)
<i>Pittosporum</i> Banks ex Gaertn. [Pittosporaceae]	Cheesewood, Pittosporums 돈나무속 (Don-na-mu-sok) [돈나무과]
<i>Pittosporum tobira</i> (Thunb.) W.T.Aiton	Australian laurel 돈나무 (Don-na-mu)
<i>Plagiogyria</i> (Kunze) Mett. [Plagiogyriaceae]	Plagiogyria 꿩고사리속 (Kkwong-go-sa-ri-sok) [꿩고사리과]
<i>Plagiogyria euphlebia</i> (Kunze) Mett.	Pheasant's tail fern 꿩고사리 (Kkwong-go-sa-ri)
<i>Plagiogyria japonica</i> Nakai	Petiole pheasant's tail fern 섬꿩고사리 (Seom-kkwong-go-sa-ri)
PLAGIOGYRIACEAE Bower	Plagiogyria family 꿩고사리과 (Kkwong-go-sa-ri-gwa)
PLANTAGINACEAE Juss.	Plantain family 질경이과 (Jil-gyeong-i-gwa)
<i>Plantago</i> L. [Plantaginaceae]	Plantain, Fleawort 질경이속 (Jil-gyeong-i-sok) [질경이과]
<i>Plantago asiatica</i> L.	Asian plantain 질경이 (Jil-gyeong-i)
<i>Plantago asiatica</i> f. <i>polystachya</i> (Makino) Nakai	Island plantain 섬질경이 (Seom-jil-gyeong-i)
<i>Plantago camtschatica</i> Cham. ex Link	Kamchatka plantain 개질경이 (Gae-jil-gyeong-i)
<i>Plantago depressa</i> Willd.	Depressed plantain 털질경이 (Teol-jil-gyeong-i)
<i>Plantago major</i> var. <i>japonica</i> (Franch. & Sav.) Miyabe	Giant plantain 왕질경이 (Wang-jil-gyeong-i)

Scientific name	English name Korean name (Romanization)
<i>Plantago major</i> f. <i>yezomaritima</i> (Koidz.) Ohwi	<b>Coastal glossy plantain</b> 갯질경이 (Gaet-jil-gyeong-i)
<b><i>Platanthera</i> Rich.</b> [Orchidaceae]	<b>Fringed orchid</b> 제비난초속 (Je-bi-nan-cho-sok) [난초과]
<i>Platanthera bifolia</i> (L.) Rich.	<b>Greater platanthera</b> 제비난초 (Je-bi-nan-cho)
<i>Platanthera fuscescens</i> (L.) Kraenzl.	<b>Asian platanthera</b> 넓은잎잠자리란 (Neol-beun-ip-jam-ja-ri-ran)
<i>Platanthera hologlottis</i> Maxim.	<b>White Asian platanthera</b> 흰제비란 (Huin-je-bi-ran)
<i>Platanthera japonica</i> (Thunb.) Lindl.	<b>East Asian platanthera</b> 갈매기난초 (Gal-mae-gi-nan-cho)
<i>Platanthera mandarinorum</i> Rchb.f.	<b>Common Korean platanthera</b> 산제비란 (San-je-bi-ran)
<i>Platanthera mandarinorum</i> subsp. <i>maximowicziana</i> (Schltr.) K.Inoue	<b>Baby Asian platanthera</b> 애기제비란 (Ae-gi-je-bi-ran)
<i>Platanthera minor</i> (Miq.) Rchb.f.	<b>Little platanthera</b> 한리잠자리난 (Han-ra-jam-ja-ri-nan)
<i>Platanthera ophrydioides</i> F.Schmidt	<b>Cloud Asian platanthera</b> 구름제비란 (Gu-reum-je-bi-ran)
<i>Platanthera sachalinensis</i> F.Schmidt	<b>Big Asian platanthera</b> 큰제비란 (Keun-je-bi-ran)
<i>Platanthera ussuriensis</i> (Regel & Maack) Maxim.	<b>Ussuri river platanthera</b> 나도잠자리란 (Na-do-jam-ja-ri-ran)
<b><i>Platycarya</i> Siebold &amp; Zucc.</b> [Juglandaceae]	<b>Platycarya</b> 굴피나무속 (Gul-pi-na-mu-sok) [가래나무과]
<i>Platycarya strobilacea</i> Siebold & Zucc.	<b>Cone-fruit platycarya</b> 굴피나무 (Gul-pi-na-mu)
<i>Platycarya strobilacea</i> f. <i>coreana</i> (Miq.) W.T.Lee	<b>Hairy cone-fruit platycarya</b> 털굴피나무 (Teol-gul-pi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Platycladus</i> Spach [Cupressaceae]	<b>Chinese arborvitae</b> 측백나무속 [Cheuk-baek-na-mu-sok] [측백나무과]
<i>Platycladus orientalis</i> (L.) Franco	<b>Oriental arborvitae</b> 측백나무 (Cheuk-baek-na-mu)
<i>Platycodon</i> A.DC. [Campanulaceae]	<b>Platycodon</b> 도라지속 (Do-ra-ji-sok) [초롱꽃과]
<i>Platycodon grandiflorus</i> (Jacq.) A.DC.	<b>Balloon-flower</b> 도라지 (Do-ra-ji)
<i>Platycodon grandiflorus</i> var. <i>duplex</i> Makino	<b>Double balloon-flower</b> 겹도라지 (Gyeop-do-ra-ji)
<i>Platycodon grandiflorus</i> var. <i>duplex</i> f. <i>leucanthum</i> H.Hara	<b>White-double balloon-flower</b> 흰겹도라지 (Huin-gyeop-do-ra-ji)
<i>Platycodon grandiflorus</i> f. <i>albiflorus</i> (Honda) H.Hara	<b>White balloon-flower</b> 백도라지 (Baek-do-ra-ji)
<i>Pleurosoriopsis</i> Fomin [Pteridaceae]	<b>Pleurosoriopsis</b> 좀고사리속 (Jom-go-sa-ri-sok) [고사리과]
<i>Pleurosoriopsis makinoi</i> (Maxim. ex Makino) Fomin	<b>Small moss-like fern</b> 좀고사리 (Jom-go-sa-ri)
<i>Pleurospermum</i> Hoffm. [Apiaceae]	<b>Pleurospermum</b> 누룩치속 (Nu-ruk-chi-sok) [산형과]
<i>Pleurospermum camtschaticum</i> Hoffm.	<b>Kamchatka pleurospermum</b> 왜우산풀 (Wae-u-san-pul)
<b>PLUMBAGINACEAE</b> Juss.	<b>Leadwort family</b> 겟질경과 (Gaet-jil-gyeong-gwa)
<i>Poa</i> L. [Poaceae]	<b>Bluegrass</b> 포아풀속 (Po-a-pul-sok) [벼과]
<i>Poa acroleuca</i> Steud.	<b>White-top bluegrass</b> 실포아풀 (Sil-po-a-pul)

Scientific name	English name Korean name (Romanization)
<i>Poa acroleuca</i> var. <i>submoniliformis</i> Makino	<b>Swollen-node white-top bluegrass</b> 마디포아풀 (Ma-di-po-a-pul)
<i>Poa annua</i> L.	<b>Annual bluegrass</b> 새포아풀 (Sae-po-a-pul)
<i>Poa deschampsoides</i> Ohwi	<b>Korean bluegrass</b> 좀새포아풀 (Jom-sae-po-a-pul)
<i>Poa glauca</i> Vahl	<b>Glaucous bluegrass</b> 자주포아풀 (Ja-ju-po-a-pul)
<i>Poa hisauchii</i> Honda	<b>Ditch bluegrass</b> 구내풀 (Gu-nae-pul)
<i>Poa kanboensis</i> Ohwi	<b>Gwanmo bluegrass</b> 관모포아풀 (Gwan-mo-po-a-pul)
<i>Poa komarovii</i> Roshev.	<b>Komarov's bluegrass</b> 코마로브포아풀 (Ko-ma-ro-beu-po-a-pul)
<i>Poa kumgangsanii</i> Ohwi	<b>Geumgang bluegrass</b> 금강포아풀 (Geum-gang-po-a-pul)
<i>Poa malacantha</i> var. <i>shinanoana</i> (Ohwi) Ohwi	<b>Mountain bluegrass</b> 두메포아풀 (Du-me-po-a-pul)
<i>Poa matsumurae</i> Hack.	<b>Slender kentucky bluegrass</b> 가는포아풀 (Ga-neun-po-a-pul)
<i>Poa nemoralis</i> L.	<b>Wood bluegrass</b> 선포아풀 (Seon-po-a-pul)
<i>Poa nipponica</i> Koidz.	<b>Thick bluegrass</b> 큰꾸러미풀 (Keun-kku-reo-mi-pul)
<i>Poa palustris</i> L.	<b>Fowl bluegrass</b> 눈포아풀 (Nun-po-a-pul)
<i>Poa radula</i> Franch. & Sav.	<b>Mountain ridge bluegrass</b> 좀꾸러미풀 (Jom-kku-reo-mi-pul)
<i>Poa sibirica</i> Roshev.	<b>Siberian bluegrass</b> 시베리아포아풀 (Si-be-ri-a-po-a-pul)
<i>Poa sphondyloides</i> Trin.	<b>Hard bluegrass</b> 포아풀 (Po-a-pul)

Scientific name	English name Korean name (Romanization)
<i>Poa takeshimana</i> Honda	<b>Island bluegrass</b> 섬포아풀 (Seom-po-a-pul)
<i>Poa trivialis</i> L.	<b>Rough bluegrass</b> 큰새포아풀 (Keun-sae-po-a-pul)
<i>Poa ullungdoensis</i> Chung	<b>Ulleung bluegrass</b> 울릉포아풀 (Ul-reung-po-a-pul)
<i>Poa ussuriensis</i> Roshev.	<b>Ussuri bluegrass</b> 갑산포아풀 (Gap-san-po-a-pul)
<i>Poa viridula</i> Palib.	<b>Greenish bluegrass</b> 청포아풀 (Cheong-po-a-pul)
<b>POACEAE Barnhart</b> (=Gramineae Juss.)	<b>Grass family</b> <b>벼과</b> (Byeo-gwa)
<b>Pogonia</b> Juss. [Orchidaceae]	<b>Pogonia</b> 방울새란속 (Bang-ul-sae-ran-sok) [난초과]
<i>Pogonia japonica</i> Rchb.f.	<b>Asian pogonia</b> 큰방울새란 (Keun-bang-ul-sae-ran)
* <i>Pogonia japonica</i> f. <i>albiflora</i> Y.N.Lee	<b>White Asian pogonia</b> 흰큰방울새란 (Huin-keun-bang-ul-sae-ran)
<i>Pogonia minor</i> (Makino) Makino	<b>Minor pogonia</b> 방울새란 (Bang-ul-sae-ran)
<b>POLEMONIACEAE Juss.</b>	<b>Phlox family</b> <b>꽃고비과</b> (Kkot-go-bi-gwa)
<b>Polemonium</b> L. [Polemoniaceae]	<b>Jacob's ladder</b> 꽃고비속 (Kkot-go-bi-sok) [꽃고비과]
<i>Polemonium caeruleum</i> subsp. <i>kiushianum</i> (Kitam.) H.Hara	<b>Racemose Jacob's ladder</b> 꽃고비 (Kkot-go-bi)
* <i>Polemonium kiushianum</i> f. <i>albiflorum</i> Y.N.Lee	<b>White-flower Jacob's ladder</b> 흰꽃고비 (Huin-kkot-go-bi)
<i>Polemonium racemosum</i> var. <i>laxiflorum</i> (Kitam.) Nakai	<b>Loosely-flower Jacob's ladder</b> 가지꽃고비 (Ga-ji-kkot-go-bi)

Scientific name	English name Korean name (Romanization)
<i>Pollia</i> Thunb. [Commelinaceae]	<b>Pollia</b> 나도생강속 (Na-do-saeng-gang-sok) [닭의장풀과]
<i>Pollia japonica</i> Thunb.	<b>East Asian pollia</b> 나도생강 (Na-do-saeng-gang)
<i>Polygala</i> L. [Polygalaceae]	<b>Milkworts, Polygala, Snakeroots</b> 원지속 (Won-ji-sok) [원지과]
<i>Polygala japonica</i> Houtt.	<b>Dwarf milkwort</b> 애기풀 (Ae-gi-pul)
* <i>Polygala japonica</i> f. <i>leucantha</i> Nakai	<b>White-flower dwarf milkwort</b> 흰애기풀 (Huin-ae-gi-pul)
<i>Polygala sibirica</i> L.	<b>Asian milkwort</b> 두메애기풀 (Du-me-ae-gi-pul)
<i>Polygala tatarinowii</i> Regel	<b>Oriental milkwort</b> 병아리풀 (Byeong-a-ri-pul)
<i>Polygala tenuifolia</i> Willd.	<b>Thin-leaf milkwort</b> 원지 (Won-ji)
<b>POLYGALACEAE</b> Hoffmanns. & Link	<b>Milkwort family</b> 원지과 (Won-ji-gwa)
<b>POLYGONACEAE</b> Juss.	<b>Buckwheat family</b> 마디풀과 (Ma-di-pul-gwa)
<i>Polygonatum</i> Mill. [Liliaceae]	<b>King solomon's-seal, Solomon's seal</b> 동굴레속 (Dung-gul-re-sok) [백합과]
<i>Polygonatum acuminatifolium</i> Kom.	<b>Sharp-tipped-leaf solomon's seal</b> 종동굴레 (Jong-dung-gul-re)
<i>Polygonatum cryptanthum</i> H.Lév. & Vaniot	<b>Mokpo wide-bract solomon's seal</b> 목포용동굴레 (Mok-po-yong-dung-gul-re)
<i>Polygonatum desoulavyi</i> Kom.	<b>Anmyeon wide-bract solomon's seal</b> 안면용동굴레 (An-myeon-yong-dung-gul-re)
<i>Polygonatum falcatum</i> A.Gray	<b>Moniliform-rhizome solomon's seal</b> 진황정 (Jin-hwang-jeong)

Scientific name	English name Korean name (Romanization)
<i>Polygonatum grandicaule</i> Y.S.Kim, B.U.Oh & C.G.Jang	<b>Upright solomon's seal</b> 선둥굴레 (Seon-dung-gul-re)
<i>Polygonatum humile</i> Fisch. ex Maxim.	<b>Dwarf solomon's seal</b> 각시둥굴레 (Gak-si-dung-gul-re)
<i>Polygonatum inflatum</i> Kom.	<b>Inflated solomon's seal</b> 통둥굴레 (Tung-dung-gul-re)
<i>Polygonatum infundiflorum</i> Y.S.Kim, B.U.Oh & C.G.Jang	<b>Late-blooming solomon's seal</b> 늦둥굴레 (Neut-dung-gul-re)
<i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim.	<b>Wide-bract solomon's seal</b> 용둥굴레 (Yong-dung-gul-re)
<i>Polygonatum lasianthum</i> Maxim.	<b>Korean solomon's seal</b> 죽대 (Juk-dae)
<i>Polygonatum odoratum</i> (Mill.) Druce	<b>Pungdo solomon's seal</b> 풍도둥굴레 (Pung-do-dung-gul-re)
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi	<b>Lesser solomon's seal</b> 등굴레 (Dung-gul-re)
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> f. <i>variegatum</i> Y.N.Lee	<b>Variegate lesser solomon's seal</b> 무늬둥굴레 (Mu-nui-dung-gul-re)
<i>Polygonatum robustum</i> (Korsh.) Nakai	<b>Robust solomon's seal</b> 왕둥굴레 (Wang-dung-gul-re)
<i>Polygonatum stenanthum</i> Nakai	<b>Small-flower solomon's seal</b> 암수둥굴레 (Am-su-dung-gul-re)
<i>Polygonatum stenophyllum</i> Maxim.	<b>Narrow-leaf solomon's seal</b> 층층둥굴레 (Cheung-cheung-dung-gul-re)
<i>Polygonatum thunbergii</i> Morr. & Decne.	<b>Thunberg's solomon's seal</b> 산둥굴레 (San-dung-gul-re)
<b><i>Polygonum</i> L. [Polygonaceae]</b>	<b>Bistort, Knotweed, Knotgrass, Mile-a-minute, Tearthumb</b> 마디풀속 (Ma-di-pul-sok) [마디풀과]
<i>Polygonum arenastrum</i> Boreau	<b>Oval-leaf knotweed</b> 갯마디풀 (Gaet-ma-di-pul)

Scientific name	English name Korean name (Romanization)
<i>Polygonum aviculare</i> L.	<b>Knotweed</b> 마디풀 (Ma-di-pul)
<i>Polygonum aviculare</i> var. <i>fusco-ochreatum</i> (Kom.) A.J.Li	<b>Jeju knotweed</b> 제주큰옥매듭풀 (Je-ju-keun-ok-mae-deup-pul)
<i>Polygonum bellardii</i> All.	<b>Narrow-leaf knotweed</b> 큰옥매듭풀 (Keun-ok-mae-deup-pul)
<i>Polygonum equisetiforme</i> Sibth. & Sm.	<b>Horse-tail knotweed</b> 개마디풀 (Gae-ma-di-pul)
<i>Polygonum humifusum</i> C.Merck ex K.Koch	<b>Alaska knotweed</b> 부산마디풀 (Bu-san-ma-di-pul)
<b>POLYPODIACEAE J.Presl &amp; C.Presl</b>	<b>Polypody family</b> 고란초과 (Go-ran-cho-gwa)
<i>Polypodium</i> L. [Polypodiaceae]	<b>Polypody, Rockcap fern</b> 미역고사리속 (Mi-yeok-go-sa-ri-sok) [고란초과]
<i>Polypodium fauriei</i> Christ	<b>Spiral polypody</b> 나사미역고사리 (Na-sa-mi-yeok-go-sa-ri)
<i>Polypodium virginianum</i> L.	<b>Rock polypody</b> ombokmi역고사리 (Jom-mi-yeok-go-sa-ri)
<i>Polypodium vulgare</i> L.	<b>Common polypody</b> 미역고사리 (Mi-yeok-go-sa-ri)
<i>Polypogon</i> Desf. [Poaceae]	<b>Beard grass, Rabbit's-foot grass</b> 쇠돌피속 (Soe-dol-pi-sok) [벼과]
<i>Polypogon fugax</i> Nees ex Steud.	<b>Asian minor rabbit's-foot grass</b> 쇠돌피 (Soe-dol-pi)
<i>Polypogon monspeliensis</i> (L.) Desf.	<b>Annual rabbit's-foot grass</b> 갓쇠돌피 (Gaet-soe-dol-pi)
<i>Polystichum</i> Roth [Dryopteridaceae]	<b>Holly fern, Polystichum</b> 나도히초미속 (Na-do-hi-cho-mi-sok) [면마과]
<i>Polystichum braunii</i> (Spenn.) Fée	<b>Braun's holly fern</b> 좀나도히초미 (Jom-na-do-hi-cho-mi)

Scientific name	English name Korean name (Romanization)
<i>Polystichum craspedosorum</i> (Maxim.) Diels	<b>Jumping holly fern</b> 낚시고사리 (Nak-si-go-sa-ri)
<i>Polystichum cyrtolepidotum</i> Franch.	<b>Jeju holly fern</b> 제주개관중 (Je-ju-gae-gwan-jung)
<i>Polystichum fibriloso-paleaceum</i> (Kodama) Tagawa	<b>Hairy holly fern</b> 털개관중 (Teol-gae-gwan-jung)
<i>Polystichum hancockii</i> (Hance) Diels	<b>Jeju cross holly fern</b> 제주십자고사리 (Je-ju-sip-ja-go-sa-ri)
<i>Polystichum lepidocaulon</i> (Hook.) J.Sm.	<b>Whipcord eyelash fern</b> 더부살이고사리 (Deo-bu-sal-i-go-sa-ri)
<i>Polystichum longifrons</i> Sa Kurata	<b>Long-frond holly fern</b> 섬나도히초미 (Seom-na-do-hi-cho-mi)
<i>Polystichum makinoi</i> (Tagawa) Tagawa	<b>Black-scale holly fern</b> 윤개관중 (Yun-gae-gwan-jung)
<i>Polystichum mayebarae</i> Tagawa	<b>Leathery holly fern</b> 큰개관중 (Keun-gae-gwan-jung)
<i>Polystichum ovatopaleaceum</i> (Kodama) Sa Kurata	<b>Jiri holly fern</b> 지리개관중 (Ji-ri-gae-gwan-jung)
<i>Polystichum ovatopaleaceum</i> var. <i>coraiense</i> (Christ) Sa Kurata	<b>Korean holly fern</b> 참나도히초미 (Cham-na-do-hi-cho-mi)
<i>Polystichum polyblepharum</i> (Roem. ex Kunze) C.Presl	<b>Multiciliate holly fern</b> 나도히초미 (Na-do-hi-cho-mi)
<i>Polystichum pseudomakinoi</i> Tagawa	<b>Two-color-scale holly fern</b> 나도개관중 (Na-do-gae-gwan-jung)
<i>Polystichum retrosopaleaceum</i> (Kodama) Tagawa	<b>Scaly holly fern</b> 비늘개관중 (Bi-neul-gae-gwan-jung)
<i>Polystichum rigens</i> Tagawa	<b>Stiff holly fern</b> 가시개관중 (Ga-si-gae-gwan-jung)
<i>Polystichum tagawanum</i> Sa Kurata	<b>Lusterless holly fern</b> 긴개관중 (Gin-gae-gwan-jung)
<i>Polystichum tripterion</i> (Kunze) C.Presl	<b>Cross holly fern</b> 십자고사리 (Sip-ja-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Polystichum tripterion f. subpinnatum</i> H.Ito	<b>Big cross holly fern</b> 큰십자고사리 (Keun-sip-ja-go-sa-ri)
<i>Polystichum tsus-simense</i> (Hook.) J.Sm.	<b>Korean rock fern</b> 검정개관중 (Geom-jeong-gae-gwan-jung)
<b>Ponerorchis Rchb.f.</b> [Orchidaceae]	<b>Ponerorchis</b> 나비난초속 (Na-bi-nan-cho-sok) [난초과]
<i>Ponerorchis graminifolia</i> Rchb.f.	<b>Grass-like-leaf ponerorchis</b> 나비난초 (Na-bi-nan-cho)
<i>Ponerorchis joo-iokiana</i> (Makino) Nakai	<b>Baedusian ponerochis</b> 너도제비란 (Neo-do-je-bi-ran)
<b>PONTEDERIACEAE Kunth</b>	<b>Water-hyacinth family</b> 물옥잠과 (Mul-ok-jam-gwa)
<b>Populus L.</b> [Salicaceae]	<b>Cottonwood, Poplar</b> 사시나무속 (Sa-si-na-mu-sok) [버드나무과]
<i>Populus davidiana</i> Dode	<b>Korean aspen</b> 사시나무 (Sa-si-na-mu)
<i>Populus davidiana</i> f. <i>laticuneata</i> Nakai	<b>Long-leaf Korean aspen</b> 긴잎사시나무 (Gin-ip-sa-si-na-mu)
<i>Populus davidiana</i> f. <i>tomentella</i> (Schneid.) W.T.Lee	<b>Hairy Korean aspen</b> 털사시나무 (Teol-sa-si-na-mu)
<i>Populus glandulosa</i> (Uyeki) Uyeki	<b>Suwon aspen</b> 수원사시나무 (Su-won-sa-si-na-mu)
<i>Populus koreana</i> Rehder	<b>Korean poplar</b> 물황칠나무 (Mul-hwang-cheol-na-mu)
<i>Populus maximowiczii</i> A.Henry	<b>Manchurian poplar</b> 황철나무 (Hwang-cheol-na-mu)
<i>Populus maximowiczii</i> var. <i>barbinervis</i> Nakai	<b>Hairy Manchurian poplar</b> 털황철나무 (Teol-hwang-cheol-na-mu)
<i>Populus simonii</i> Carrière	<b>Simon's poplar</b> 당버들 (Dang-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Portulaca</i> L. [Portulacaceae]	<b>Moss roses, Purslane</b> 쇠비름 속 (Soe-bi-reum-sok) [쇠비름과]
<i>Portulaca oleracea</i> L.	<b>Purslane</b> 쇠비름 (Soe-bi-reum)
<b>PORTULACACEAE</b> Juss.	<b>Purslane family</b> 쇠비름과 (Soe-bi-reum-gwa)
<i>Potamogeton</i> L. [Potamogetonaceae]	<b>Pondweed</b> 가래속 (Ga-rae-sok) [가래과]
<i>Potamogeton alpinus</i> Balb.	<b>Alpine pondweed</b> 좁은잎말 (Jop-eun-ip-mal)
<i>Potamogeton crispus</i> L.	<b>Curled pondweed</b> 말쯤 (Mal-jeum)
<i>Potamogeton cristatus</i> Regel & Maack	<b>Little-leaf pondweed</b> 가는가래 (Ga-neun-ga-rae)
<i>Potamogeton distinctus</i> A.Benn.	<b>Pondweed</b> 가래 (Ga-rae)
<i>Potamogeton fryeri</i> A.Benn.	<b>Fryer's pondweed</b> 선가래 (Seon-ga-rae)
<i>Potamogeton heterophyllus</i> Schreb.	<b>Variegated-leaf pondweed</b> 얇은가래 (An-jeun-ga-rae)
<i>Potamogeton maackianus</i> A.Benn.	<b>Maack's pondweed</b> 새우가래 (Sae-u-ga-rae)
<i>Potamogeton malaianus</i> Miq.	<b>Bamboo-leaf pondweed</b> 대가래 (Dae-ga-rae)
<i>Potamogeton natans</i> L.	<b>Floating-leaf pondweed</b> 큰가래 (Keun-ga-rae)
<i>Potamogeton octandrus</i> Poir.	<b>Little pondweed</b> 애기가래 (Ae-gi-ga-rae)
<i>Potamogeton octandrus</i> var. <i>mizuhikimo</i> (Makino) H.Hara	<b>Eight-stamen pondweed</b> 등포잎가래 (Deung-po-ip-ga-rae)

Scientific name	English name Korean name (Romanization)
<i>Potamogeton oxyphyllus</i> Miq.	<b>Acuminate-leaf pondweed</b> 말 (Mal)
<i>Potamogeton pectinatus</i> L.	<b>Sago pondweed</b> 솔잎가래 (Sol-ip-ga-rae)
<i>Potamogeton perfoliatus</i> L.	<b>Clasping-leaf pondweed</b> 넓은잎말 (Neol-beun-ip-mal)
<i>Potamogeton pusillus</i> L.	<b>Small pondweed</b> 실말 (Sil-mal)
<b>POTAMOGETONACEAE</b> <b>Bercht. &amp; J. Presl</b>	<b>Pondweed family</b> 가래과 (Ga-rae-gwa)
<b>Potentilla L.</b> <b>[Rosaceae]</b>	<b>Cinquefoil</b> 양지꽃속 (Yang-ji-kkot-sok) [장미과]
<i>Potentilla anemonifolia</i> Lehm.	<b>Anemone cinquefoil</b> 가락지나물 (Ga-rak-ji-na-mul)
<i>Potentilla bifurca</i> L.	<b>Glabrous forked-leaf cinquefoil</b> 물싸리풀 (Mulssa-ri-pul)
<i>Potentilla centigrana</i> Maxim.	<b>Mockstrawberry cinquefoil</b> 좀딸기 (Jom-ttal-gi)
<i>Potentilla chinensis</i> Ser.	<b>East Asian cinquefoil</b> 딱지꽃 (Ttak-ji-kkot)
<i>Potentilla chinensis</i> var. <i>concolor</i> Franch. & Sav.	<b>Hairy East Asian cinquefoil</b> 털딱지꽃 (Teol-ttak-ji-kkot)
<i>Potentilla cryptotaeniae</i> Maxim.	<b>Marsh cinquefoil</b> 물양지꽃 (Mul-yang-ji-kkot)
<i>Potentilla dickinsii</i> Franch. & Sav.	<b>Korean cinquefoil</b> 돌양지꽃 (Dol-yang-ji-kkot)
<i>Potentilla dickinsii</i> var. <i>breviseta</i> Nakai	<b>Short-pedicel Korean cinquefoil</b> 참양지꽃 (Cham-yang-ji-kkot)
<i>Potentilla dickinsii</i> var. <i>glabrata</i> Nakai	<b>Glabrous Korean cinquefoil</b> 섬양지꽃 (Seom-yang-ji-kkot)
<i>Potentilla discolor</i> Bunge	<b>Discolor cinquefoil</b> 솜양지꽃 (Som-yang-ji-kkot)

Scientific name	English name Korean name (Romanization)
<i>Potentilla egedii</i> var. <i>groenlandica</i> (Tratt.) Polunin	<b>Greenland cinquefoil</b> 눈양지꽃 (Nun-yang-ji-kkot)
<i>Potentilla flagellaris</i> Willd. ex Schltdl.	<b>Flagellar cinquefoil</b> 덩굴뱀딸기 (Deong-gul-baem-ttal-gi)
<i>Potentilla fragarioides</i> L.	<b>Sunny-place cinquefoil</b> 양지꽃 (Yang-ji-kkot)
<i>Potentilla freyniana</i> Bornm.	<b>Freyn's cinquefoil</b> 세잎양지꽃 (Se-ip-yang-ji-kkot)
<i>Potentilla fruticosa</i> L.	<b>Stiff shrubby cinquefoil</b> 풀싸리 (Mulssa-ri)
<i>Potentilla fruticosa</i> var. <i>mandshurica</i> Maxim.	<b>Manchurian shrubby cinquefoil</b> 흰풀싸리 (Huin-mulssa-ri)
<i>Potentilla matsumurae</i> Th.Wolf	<b>High mountain cinquefoil</b> 좀양지꽃 (Jom-yang-ji-kkot)
* <i>Potentilla matsumurae</i> f. <i>alba</i> Y.N.Lee	<b>White-flower high mountain cinquefoil</b> 흰좀양지꽃 (Huin-jom-yang-ji-kkot)
<i>Potentilla multifida</i> L.	<b>Divided cinquefoil</b> 만주딱지꽃 (Man-ju-ttak-ji-kkot)
<i>Potentilla niponica</i> Th.Wolf	<b>Wonsan cinquefoil</b> 원산딱지꽃 (Won-san-ttak-ji-kkot)
<i>Potentilla nivea</i> L.	<b>Snow cinquefoil</b> 은양지꽃 (Eun-yang-ji-kkot)
<i>Potentilla palustris</i> (L.) Scop.	<b>Purple marshlocks</b> 검은낭아초 (Geom-eun-nang-a-cho)
<i>Potentilla rugulosa</i> Kitag.	<b>Wrinkled cinquefoil</b> 당양지꽃 (Dang-yang-ji-kkot)
<i>Potentilla stolonifera</i> var. <i>quelpaertensis</i> Nakai	<b>Jeju cinquefoil</b> 제주양지꽃 (Je-ju-yang-ji-kkot)
<i>Potentilla viscosa</i> J.Don	<b>Viscous cinquefoil</b> 끈끈이딱지 (Kkeun-kkeun-i-ttak-ji)
<i>Potentilla yokusaina</i> Makino	<b>Smooth silverweed</b> 민눈양지꽃 (Min-nun-yang-ji-kkot)

Scientific name	English name Korean name (Romanization)
<i>Pourthiaeae</i> Decne. [Rosaceae]	<b>Pourthiaeae</b> 윤노리나무속 (Yun-no-ri-na-mu-sok) [장미과]
<i>Pourthiaeae villosa</i> (Thunb.) Decne.	<b>Oriental photinia</b> 윤노리나무 (Yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>brunnea</i> (H.Lév.) Nakai	<b>Brown oriental photinia</b> 떡윤노리나무 (Tteok-yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>coreana</i> Nakai	<b>Korean photinia</b> 좀윤노리 (Jom-yun-no-ri)
<i>Pourthiaeae villosa</i> var. <i>laevis</i> (Thunb.) Stapf	<b>Smooth oriental photinia</b> 민윤노리나무 (Min-yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>zollingeri</i> (Decne.) C.K.Schneid.	<b>Hairy oriental photinia</b> 털윤노리나무 (Teol-yun-no-ri-na-mu)
<i>Prenanthes</i> L. [Asteraceae]	<b>Purple lettuce, Rattlesnake-root</b> 왕씀배속 (Wang-sseum-bae-sok) [국화과]
<i>Prenanthes ochroleuca</i> (Maxim.) Hemsl.	<b>Yellow-white rattlesnake-root</b> 왕씀배 (Wang-sseum-bae)
<i>Prenanthes tatarinowii</i> Maxim.	<b>Tatarinow's rattlesnake-root</b> 개씀배 (Gae-sseum-bae)
<i>Primula</i> L. [Primulaceae]	<b>Primrose</b> 앵초속 (Aeng-cho-sok) [앵초과]
<i>Primula jesoana</i> Miq.	<b>Yalu river primrose</b> 큰앵초 (Keun-aeng-cho)
<i>Primula jesoana</i> var. <i>pubescens</i> (Takeda) Takeda & H.Hara	<b>Hairy Yalu river primrose</b> 털큰앵초 (Teol-keun-aeng-cho)
<i>Primula modesta</i> var. <i>hannasanensis</i> T.Yamaz.	<b>Alpine modest primrose</b> 설앵초 (Seol-aeng-cho)
<i>Primula sachalinensis</i> Nakai	<b>Baedusun primrose</b> 좀설앵초 (Jom-seol-aeng-cho)
* <i>Primula sachalinensis</i> f. <i>albida</i> Y.N.Lee	<b>White-flower Baedusun primrose</b> 흰좀설앵초 (Huin-jom-seol-aeng-cho)

Scientific name	English name Korean name (Romanization)
<i>Primula saxatilis</i> Kom.	<b>Rock primrose</b> 돌앵초 (Dol-aeng-cho)
<i>Primula sieboldii</i> E.Morren	<b>East Asian primrose</b> 앵초 (Aeng-cho)
* <i>Primula sieboldii</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower East Asian primrose</b> 흰앵초 (Huin-aeng-cho)
<b>PRIMULACEAE Batsch ex Borkh.</b>	<b>Primrose family</b> 앵초과 (Aeng-cho-gwa)
<b><i>Prinsepia</i> Royle</b> [Rosaceae]	<b>Prinsepia</b> 빈추나무속 (Bin-chu-na-mu-sok) [장미과]
<i>Prinsepia sinensis</i> (Oliv.) Oliv. ex Bean	<b>Cherry prinsepia</b> 빈추나무 (Bin-chu-na-mu)
<b><i>Prunella</i> L.</b> [Lamiaceae]	<b>Self-heals, Heal-all, Allheal</b> 꿀풀속 (Kkul-pul-sok) [꿀풀과]
<i>Prunella vulgaris</i> subsp. <i>asiatica</i> (Nakai) H.Hara	<b>Lilac self-heal</b> 꿀풀 (Kkul-pul)
<i>Prunella vulgaris</i> var. <i>aleutica</i> Fernald	<b>Alpine self-heal</b> 두메꿀풀 (Du-me-kkul-pul)
<i>Prunella vulgaris</i> f. <i>albiflora</i> Nakai	<b>White-flower self-heal</b> 흰꿀풀 (Huin-kkul-pul)
<b><i>Prunus</i> L.</b> [Rosaceae]	<b>Cherry, Plum</b> 벗나무속 (Beot-na-mu-sok) [장미과]
<i>Prunus buergeriana</i> Miq.	<b>Amur cherry</b> 섬개벗나무 (Seom-gae-beot-na-mu)
<i>Prunus choreiana</i> Nakai ex H.T.Im	<b>Peach-nanking cherry</b> 복사앵도나무 (Bok-sa-aeng-do-na-mu)
<i>Prunus davidiana</i> (Carrière) Franch.	<b>Pere David's cherry</b> 산복사나무 (San-bok-sa-na-mu)
<i>Prunus ishidoyana</i> Nakai	<b>Mountain bush cherry</b> 산이스라지 (San-i-seu-ra-ji)

Scientific name	English name Korean name (Romanization)
<i>Prunus japonica</i> var. <i>nakaii</i> (H.Lév.) Rehder	<b>Oriental bush cherry</b> 이스라지 (I-seu-ra-ji)
<i>Prunus japonica</i> f. <i>rufinervis</i> (Nakai) T.B.Lee	<b>Hairy oriental bush cherry</b> 털이스라지 (Teol-i-seu-ra-ji)
* <i>Prunus leveilleana</i> var. <i>pilosa</i> Nakai	<b>Pilose Korean hill cherry</b> 털개벗나무 (Teol-gae-beot-na-mu)
<i>Prunus maackii</i> Rupr.	<b>Amur choke cherry</b> 개벗지나무 (Gae-beot-ji-na-mu)
<i>Prunus mandshurica</i> (Maxim.) Koehne	<b>Manchurian cherry</b> 개살구나무 (Gae-sal-gu-na-mu)
<i>Prunus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee	<b>Hairy Manchurian cherry</b> 털개살구 (Teol-gae-sal-gu)
<i>Prunus maximowiczii</i> Rupr.	<b>Korean mountain cherry</b> 산개벗지나무 (San-gae-beot-ji-na-mu)
<i>Prunus meyeri</i> Rehder	<b>Meyer's cherry</b> 복개벗지나무 (Buk-gae-beot-ji-na-mu)
<i>Prunus padus</i> L.	<b>Bird cherry</b> 귀퉁나무 (Gwi-rung-na-mu)
<i>Prunus padus</i> var. <i>pubescens</i> Regel & Tiling	<b>Hairy bird cherry</b> 흰털귀퉁나무 (Huin-teol-gwi-rung-na-mu)
<i>Prunus padus</i> var. <i>seoulensis</i> (H.Lév.) Nakai	<b>Seoul bird cherry</b> 서울귀퉁나무 (Seo-ul-gwi-rung-na-mu)
<i>Prunus padus</i> f. <i>glauca</i> (Nakai) Kitag.	<b>Grayish bird cherry</b> 흰귀퉁나무 (Huin-gwi-rung-na-mu)
* <i>Prunus padus</i> f. <i>rufo-ferruginea</i> (Nakai) W.T.Lee	<b>Red-brown bird cherry</b> 차빛귀퉁 (Cha-bit-gwi-rung)
<i>Prunus sargentii</i> Rehder	<b>Sargent's cherry</b> 산벗나무 (San-beot-na-mu)
<i>Prunus sargentii</i> var. <i>verecunda</i> (Koidz.) Chin S.Chang	<b>Hairy Sargent's cherry</b> 분홍벗나무 (Bun-hong-beot-na-mu)
<i>Prunus serrulata</i> var. <i>densiflora</i> (Koehne) Uyeki	see <i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang

Scientific name	English name Korean name (Romanization)
<i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai	<b>Mountain oriental cherry</b> 잔털벚나무 (Jan-teol-beot-na-mu)
<i>Prunus serrulata</i> var. <i>quelpaertensis</i> Uyeki	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> var. <i>sontagiae</i> (Koehne) Nakai	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> var. <i>tomentella</i> Nakai	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang	<b>Oriental flowering cherry</b> 벗나무 (Beot-na-mu)
<i>Prunus sibirica</i> L.	<b>Siberian cherry</b> 시베리아살구 (Si-be-ri-a-sal-gu)
<i>Prunus sibirica</i> var. <i>pubescens</i> (Kostina) Kitag.	<b>Hairy Siberian cherry</b> 털시베리아살구 (Teol-si-be-ri-a-sal-gu)
<i>Prunus spachiana</i> f. <i>ascendens</i> (Makino) Kitam.	<b>Wild-spring cherry</b> 올벗나무 (Ol-beot-na-mu)
<i>Prunus takesimensis</i> Nakai	<b>Ulleungdo flowering cherry</b> 섬벗나무 (Seom-beot-na-mu)
<i>Prunus triloba</i> var. <i>truncata</i> Kom.	<b>Truncate flowering cherry</b> 풀또기 (Pul-tto-gi)
<i>Prunus verecunda</i> (Koidz.) Koehne	<u>see</u> <i>Prunus sargentii</i> var. <i>verecunda</i> (Koidz.) Chin S.Chang
<i>Prunus × yedoensis</i> Matsum.	<b>Korean flowering cherry</b> 왕벗나무 (Wang-beot-na-mu)
<i>Prunus × yedoensis</i> f. <i>nudiflora</i> (Koehne) Rehder	<b>Jeju flowering cherry</b> 제주벗나무 (Je-ju-beot-na-mu)
<b><i>Pseudocyclosorus</i> Ching</b> [Dryopteridaceae]	<b><i>Pseudocyclosorus</i></b> 제비꼬리고사리속 (Je-bi-kko-ri-go-sa-ri-sok) [면마과]
<i>Pseudocyclosorus esquirolii</i> (Christ) Ching	<b>Swallow-tail marsh fern</b> 제비꼬리고사리 (Je-bi-kko-ri-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Pseudognaphalium</i> Kirp. & Kuprian. [Asteraceae]	Cudweeds 떡쑥속 (Tteok-ssuk-sok)
<i>Pseudognaphalium affine</i> (D.Don) Anderb.	Jersey cudweed 떡쑥 (Tteok-ssuk)
<i>Pseudognaphalium hypoleucum</i> (DC.) Hilliard & B.L.Burtt	Autumn cudweed 금떡쑥 (Geum-tteok-ssuk)
<i>Pseudoraphis</i> Griff. [Poaceae]	Mudgrasses 물잔디속 (Mul-jan-di-sok) [벼과]
<i>Pseudoraphis sordida</i> (Thwaites) S.M.Phillips & S.L.Chen	East Asian mudgrass 물잔디 (Mul-jan-di)
<i>Pseudosasa</i> Makino ex Nakai [Poaceae]	Arrow bamboo 이대속 (I-dae-sok) [벼과]
<i>Pseudosasa japonica</i> (Siebold & Zucc. ex Steud.) Makino ex Nakai	Arrow bamboo 이대 (I-dae)
<i>Pseudosasa japonica</i> var. <i>purpurascens</i> Nakai	Purple arrow bamboo 자주이대 (Ja-ju-i-dae)
<i>Pseudostellaria</i> Pax [Caryophyllaceae]	False-starwort, Pseudostellaria 개별꽃속 (Gae-byeol-kkot-sok) [석죽과]
<i>Pseudostellaria bulbosa</i> (Nakai) Ohwi	Tuberous false-starwort 덩이뿌리개별꽃 (Deong-i-ppu-ri-gae-byeol-kkot)
<i>Pseudostellaria coreana</i> (Nakai) Ohwi	Korean false-starwort 참개별꽃 (Cham-gae-byeol-kkot)
<i>Pseudostellaria davidii</i> (Franch.) Pax ex Pax & Hoffm.	Dwarf false-starwort 덩굴개별꽃 (Deong-gul-gae-byeol-kkot)
<i>Pseudostellaria davidii</i> × <i>P. palibiniana</i> K.Chi & J.H.Pak	Bohyeon false-starwort 보현개별꽃 (Bo-hyeon-gae-byeol-kkot)
<i>Pseudostellaria heterophylla</i> (Miq.) Pax	Heterophylly false-starwort 개별꽃 (Gae-byeol-kkot)
<i>Pseudostellaria heterophylla</i> × <i>P. palibiniana</i> K.Chi & J.H.Pak	Biseul false-starwort 비슬개별꽃 (Bi-seul-gae-byeol-kkot)

Scientific name	English name Korean name (Romanization)
<i>Pseudostellaria japonica</i> (Korsh.) Pax	<b>East Asian false-starwort</b> 긴개별꽃 (Gin-gae-byeol-kkot)
<i>Pseudostellaria monantha</i> Ohwi	<b>Mountain false-starwort</b> 산개별꽃 (San-gae-byeol-kkot)
<i>Pseudostellaria okamotoi</i> Ohwi	<b>Jirisan false-starwort</b> 자리산개별꽃 (Ji-ri-san-gae-byeol-kkot)
<i>Pseudostellaria palibiniana</i> (Takeda) Ohwi	<b>Giant false-starwort</b> 큰개별꽃 (Keun-gae-byeol-kkot)
<i>Pseudostellaria setulosa</i> Ohwi	<b>Bristled false-starwort</b> 숲개별꽃 (Sup-gae-byeol-kkot)
<i>Pseudostellaria sylvatica</i> (Maxim.) Pax	<b>Narrow-leaf false-starwort</b> 가는잎개별꽃 (Ga-neun-ip-gae-byeol-kkot)
<b>PSILOTACEAE J.W. Griff. &amp; Henfr.</b>	<b>Whisk fern family</b> 솔잎란과 (Sol-ip-ran-gwa)
<b><i>Psilotum</i> Sw. [Psilotaceae]</b>	<b>Whisk fern</b> 솔잎란속 (Sol-ip-ran-sok) [솔잎란과]
<i>Psilotum nudum</i> (L.) P.Beauv.	<b>Whisk fern</b> 솔잎란 (Sol-ip-ran)
<b>PTERIDACEAE E.D.M. Kirchn.</b>	<b>Maidenhair fern family</b> 고사리과 (Go-sa-ri-gwa)
<b><i>Pteridium</i> Gled. ex Scop. [Pteridaceae]</b>	<b>Brakenfern</b> 고사리속 (Go-sa-ri-sok) [고사리과]
<i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A.Heller	<b>Eastern brakenfern</b> 고사리 (Go-sa-ri)
<b><i>Pteris</i> L. [Pteridaceae]</b>	<b>Brake fern</b> 봉의꼬리속 (Bong-ui-kko-ri-sok) [고사리과]
<i>Pteris cretica</i> L.	<b>Cretan brake fern</b> 큰봉의꼬리 (Keun-bong-ui-kko-ri)
<i>Pteris dispar</i> Kunze	<b>Unequal-lobe brake fern</b> 반쪽고사리 (Ban-jjok-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Pteris excelsa</i> Gaudich.	<b>Feather-like-unequal-lobe brake fern</b> 깃반쪽고사리 (Git-ban-jjok-go-sa-ri)
<i>Pteris excelsa</i> var. <i>fauriei</i> (Christ) W.C.Shih	<b>Jejudo unequal-lobe brake fern</b> 탐라반쪽고사리 (Tam-ra-ban-jjok-go-sa-ri)
<i>Pteris excelsa</i> var. <i>simplicior</i> (Tagawa) W.C.Shih	<b>Simple unequal-lobe brake fern</b> 섬깃반쪽고사리 (Seom-git-ban-jjok-go-sa-ri)
<i>Pteris multifida</i> Poir.	<b>Spider brake fern</b> 봉의꼬리 (Bong-ui-kko-ri)
<i>Pteris nipponica</i> Shieh	<b>Variegated cretan brake fern</b> 알록큰봉의꼬리 (Al-rok-keun-bong-ui-kko-ri)
<i>Pteris semipinnata</i> L.	<b>Big unequal-lobe brake fern</b> 큰반쪽고사리 (Keun-ban-jjok-go-sa-ri)
<b><i>Pternopetalum</i> Franch. [Apiaceae]</b>	<b>Pternopetalum</b> 반디미나리속 (Ban-di-mi-na-ri-sok) [산형과]
<i>Pternopetalum tanakae</i> (Franch. & Sav.) Hand.-Mazz.	<b>Linear-leaf pternopetalum</b> 반디미나리 (Ban-di-mi-na-ri)
<b><i>Pterygocalyx</i> Maxim. [Gentianaceae]</b>	<b>Pterygocalyx</b> 좁은잎덩굴용담속 (Jop-eun-ip-deong-gul-yong-dam-sok) [용담과]
<i>Pterygocalyx volubilis</i> Maxim.	<b>Twining pterygocalyx</b> 좁은잎덩굴용담 (Jop-eun-ip-deong-gul-yong-dam)
<b><i>Pterygoleurum</i> Kitag. [Apiaceae]</b>	<b>Pterygoleurum</b> 서울개발나물속 (Seo-ul-gae-bal-na-mul-sok) [산형과]
<i>Pterygoleurum neurophyllum</i> (Maxim.) Kitag.	<b>Nerved-leaf pterygoleurum</b> 서울개발나물 (Seo-ul-gae-bal-na-mul)
<b><i>Ptilagrostis</i> Griseb. [Poaceae]</b>	<b>False needlegrass</b> 수염풀속 (Su-yeom-pul-sok) [벼과]
<i>Ptilagrostis mongholica</i> (Turcz. ex Trin.) Griseb.	<b>Mongolian false needlegrass</b> 수염풀 (Su-yeom-pul)
<b><i>Puccinellia</i> Parl. [Poaceae]</b>	<b>Alkaligrass, Salt grass</b> 각시미꾸리광이속 (Gak-si-mi-kku-ri-gwang-i-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Puccinellia chinampoensis</i> Ohwi	<b>Jinnampo alkaligrass</b> 각시미꾸리광이 (Gak-si-mi-kku-ri-gwang-i)
<i>Puccinellia coreensis</i> Honda	<b>Korean alkaligrass</b> 갯겨이삭 (Gaet-gyeo-i-sak)
<i>Puccinellia nipponica</i> Ohwi	<b>Seashore alkaligrass</b> 갯꾸러미풀 (Gaet-kku-reo-mi-pul)
<b><i>Pueraria</i> DC.</b> [Fabaceae]	<b>Kudzu</b> 칡속 (Chik-sok) [콩과]
<i>Pueraria lobata</i> (Willd.) Ohwi	<b>East Asian arrow root</b> 칡 (Chik)
<b><i>Pulsatilla</i> Mill.</b> [Ranunculaceae]	<b>Easter flower, Meadow anemone, Pasque-flower, Prairie crocus, Wind flower</b> 할미꽃속 (Hal-mi-kkot-sok) [미나리아재비과]
<i>Pulsatilla cernua</i> (Thunb.) Bercht. & J.Presl	<b>Narrow-leaf pasque-flower</b> 가는잎할미꽃 (Ga-neun-ip-hal-mi-kkot)
<i>Pulsatilla dahurica</i> (Fisch. ex DC.) Spreng.	<b>Dahurian pasque-flower</b> 분홍할미꽃 (Bun-hong-hal-mi-kkot)
<i>Pulsatilla koreana</i> (Yabe ex Nakai) Nakai ex Nakai	<b>Korean pasque-flower</b> 할미꽃 (Hal-mi-kkot)
<i>Pulsatilla koreana</i> f. <i>flava</i> (Y.N.Lee) W.T.Lee	<b>Yellow Korean pasque-flower</b> 노랑할미꽃 (No-rang-hal-mi-kkot)
<i>Pulsatilla nivalis</i> Nakai	<b>Mountain pasque-flower</b> 산할미꽃 (San-hal-mi-kkot)
<i>Pulsatilla tongkangensis</i> Y.N.Lee & T.C.Lee	<b>Donggang pasque-flower</b> 동강할미꽃 (Dong-gang-hal-mi-kkot)
<i>Pulsatilla tongkangensis</i> f. <i>longisepala</i> Y.N.Lee	<b>Long-sepal Donggang pasque-flower</b> 긴동강할미꽃 (Gin-dong-gang-hal-mi-kkot)
<b><i>Pyrola</i> L.</b> [Pyrolaceae]	<b>Wintergreen</b> 노루발속 (No-ru-bal-sok) [노루발과]

Scientific name	English name Korean name (Romanization)
<i>Pyrola asarifolia</i> subsp. <i>incarnata</i> (DC.) Haber & Hir. Takah.	<b>Pink-flower wintergreen</b> 분홍노루발 (Bun-hong-no-ru-bal)
<i>Pyrola dahurica</i> (H.Andres) Kom.	<b>Dahurian wintergreen</b> 호노루발 (Ho-no-ru-bal)
<i>Pyrola denticulata</i> Koidz.	<b>Tooth-margine wintergreen</b> 애기노루발 (Ae-gi-no-ru-bal)
<i>Pyrola japonica</i> Klenze ex Alef.	<b>East Asian wintergreen</b> 노루발 (No-ru-bal)
<i>Pyrola japonica</i> var. <i>subaphylla</i> (Maxim.) Andres	<b>Single-leaf wintergreen</b> 홀잎노루발 (Hol-ip-no-ru-bal)
<i>Pyrola minor</i> L.	<b>Lesser wintergreen</b> 주걱노루발 (Ju-geok-no-ru-bal)
<i>Pyrola renifolia</i> Maxim.	<b>Kidney-leaf wintergreen</b> 콩팥노루발 (Kong-pat-no-ru-bal)
<i>Pyrola secunda</i> L.	<b>Sidebells wintergreen</b> 새끼노루발 (Sae-kki-no-ru-bal)
<b>PYROLACEAE Lindl.</b>	<b>Shinleaf family</b> 노루발과 (No-ru-bal-gwa)
<b>Pyrrosia</b> Mirb. [Polypodiaceae]	<b>Felt fern, Pyrrosia, Tongue fern</b> 석위속 (Seok-wi-sok) [고란초과]
<i>Pyrrosia hastata</i> (Thunb.) Ching	<b>Three-finger tongue fern</b> 세뿔석위 (Se-ppul-seok-wi)
<i>Pyrrosia linearifolia</i> (Hook.) Ching	<b>Lineate-leaf felt fern</b> 우단일엽 (U-dan-il-yeop)
<i>Pyrrosia lingua</i> (Thunb.) Farw.	<b>Tongue fern</b> 석위 (Seok-wi)
<i>Pyrrosia petiolosa</i> (Christ) Ching	<b>Petiolate tongue fern</b> 애기석위 (Ae-gi-seok-wi)
<i>Pyrrosia polydactyla</i> (Hance) Ching	<b>Five-finger tongue fern</b> 단풍잎석위 (Dan-pung-ip-seok-wi)
<i>Pyrrosia × nipponica</i> M.Beppu & Seriz.	<b>Single-leaf felt fern</b> 큰우단일엽 (Keun-u-dan-il-yeop)

Scientific name	English name Korean name (Romanization)
<i>Pyrus L.</i> [Rosaceae]	<b>Pear</b> <b>배나무속</b> (Bae-na-mu-sok) [장미과]
<i>Pyrus calleryana</i> var. <i>fauriei</i> (C.K.Schneid.) Rehder	<b>Korean sun pear</b> 콩배나무 (Kong-bae-na-mu)
<i>Pyrus pseudocalleryana</i> Uyeki	<b>Green Uibong wild pear</b> 청위봉배나무 (Cheong-wi-bong-bae-na-mu)
<i>Pyrus pseudouipongensis</i> Uyeki	<b>False Uibong wild pear</b> 개위봉배나무 (Gae-wi-bong-bae-na-mu)
<i>Pyrus pyrifolia</i> (Burm.f.) Nakai	<b>Sand pear</b> 돌배나무 (Dol-bae-na-mu)
<i>Pyrus uipongensis</i> Uyeki	<b>Uibong wild pear</b> 위봉배 (Wi-bong-bae)
<i>Pyrus ussuriensis</i> Maxim.	<b>Ussuri pear</b> 산돌배 (San-dol-bae)
<i>Pyrus ussuriensis</i> var. <i>diamantica</i> Uyeki	<b>Geumgangsan wild pear</b> 금강산돌배 (Geum-gang-san-dol-bae)
* <i>Pyrus ussuriensis</i> var. <i>hakunensis</i> (Nakai) T.B.Lee	<b>Baekun wild pear</b> 백운배나무 (Baek-un-bae-na-mu)
* <i>Pyrus ussuriensis</i> var. <i>nankaiensis</i> (Nakai) T.B.Lee	<b>Namhae wild pear</b> 남해배나무 (Nam-hae-bae-na-mu)
<i>Pyrus ussuriensis</i> var. <i>ovoidea</i> Rehder	<b>Ovoid-fruit Ussuri pear</b> 청실리 (Cheong-sil-ri)
* <i>Pyrus ussuriensis</i> var. <i>pubescens</i> Nakai ex Kawamoto	<b>Hairy-leaf Ussuri pear</b> 털산돌배 (Teol-san-dol-bae)
* <i>Pyrus ussuriensis</i> var. <i>seoulensis</i> (Nakai) T.B.Lee	<b>Munbae (Seoul Ussuri pear)</b> 문배 (Mun-bae)
* <i>Pyrus ussuriensis</i> var. <i>viridis</i> T.B.Lee	<b>Korean pear</b> 합실리 (Hap-sil-ri)
<i>Pyrus uyematsuana</i> Makino	<b>Field Ussuri pear</b> 들배나무 (Deul-bae-na-mu)

Scientific name	English name Korean name (Romanization)
<b>Q</b>	
<i>Quercus</i> L. [Fagaceae]	<b>Oak</b> 참나무속 (Cham-na-mu-sok) [참나무과]
<i>Quercus acuta</i> Thunb.	<b>Red-wood evergreen oak</b> 붉가시나무 (Buk-ga-si-na-mu)
<i>Quercus acuta</i> f. <i>subserra</i> (Uyeki) T.B.Lee	<b>Wando evergreen oak</b> 개붉가시나무 (Gae-buk-ga-si-na-mu)
<i>Quercus acutissima</i> Carruth.	<b>Sawtooth oak</b> 상수리나무 (Sang-su-ri-na-mu)
<i>Quercus acutissima</i> Carruth. × <i>Q. variabilis</i> Blume	<b>Jeongreungcham oak (Acuti × variabilis oak)</b> 정능참나무 (Jeong-neung-cham-na-mu)
<i>Quercus aliena</i> Blume	<b>Galcham oak (Oriental white oak)</b> 갈참나무 (Gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>acuteserrata</i> Maxim. ex Wenz.	<b>Jolgalcham oak (Acute-serrate white oak)</b> 졸갈참나무 (Jol-gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>acuteserrata</i> f. <i>calvescens</i> Rehder & Wilson	<b>Glabrous Jolgalcham oak (Blue acute-serrate white oak)</b> 청졸갈참나무 (Cheong-jol-gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>pellucida</i> Blume	<b>Glabrous Galcham oak (Blue-leaf white oak)</b> 청갈참나무 (Cheong-gal-cham-na-mu)
<i>Quercus dentata</i> Thunb.	<b>Korean oak</b> 떡갈나무 (Tteok-gal-na-mu)
<i>Quercus dentata</i> var. <i>fallax</i> Nakai	<b>Blue Korean oak</b> 청떡갈나무 (Cheong-tteok-gal-na-mu)
<i>Quercus dentata</i> var. <i>pinnatifida</i> Matsum.	<b>Cut-leaf Korean oak</b> 깃떡갈나무 (Git-tteok-gal-na-mu)
<i>Quercus × fabri</i> Hance	<b>Fabre's oak</b> 떡속소리나무 (Tteok-sok-so-ri-na-mu)
<i>Quercus gilva</i> Blume	<b>Red-bark oak</b> 개가시나무 (Gae-ga-si-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Quercus glauca</i> Thunb.	<b>Ring-cup oak</b> 종가시나무 (Jong-ga-si-na-mu)
<i>Quercus glauca</i> var. <i>nudata</i> Blume	<b>Smooth ring-cup oak</b> 민종가시나무 (Min-jong-ga-si-na-mu)
<i>Quercus mongolica</i> Fisch. ex Ledeb.	<b>Mongolian oak</b> 신갈나무 (Sin-gal-na-mu)
<i>Quercus mongolica</i> var. <i>crispula</i> (Blume) H.Ohashi	<b>Mulcham oak (Wavy Mongolian oak)</b> 물참나무 (Mul-cham-na-mu)
<i>Quercus mongolica</i> var. <i>liaotungensis</i> (Koidz.) Nakai	<b>East-Liaoning oak</b> 깃참나무 (Git-cham-na-mu)
<i>Quercus myrsinifolia</i> Blume	<b>Bamboo-leaf oak</b> 가시나무 (Ga-si-na-mu)
<i>Quercus salicina</i> Blume	<b>Willow-leaf evergreen oak</b> 침가시나무 (Cham-ga-si-na-mu)
<i>Quercus salicina</i> f. <i>latifolia</i> (Nakai) H.Ohba	<b>Wide willow-leaf evergreen oak</b> 넓은잎참가시나무 (Neol-beun-ip-cham-ga-si-na-mu)
<i>Quercus serrata</i> Murray	<b>Jolcham oak (Konara oak)</b> 졸참나무 (Jol-cham-na-mu)
<i>Quercus variabilis</i> Blume	<b>Oriental cork oak</b> 굴참나무 (Gul-cham-na-mu)
* <i>Quercus × alienoserratoides</i> T.B.Lee	<b>Mongolica × serrata oak</b> 신갈졸참나무 (Sin-gal-jol-cham-na-mu)
<i>Quercus × dentatomongolica</i> Nakai	<b>Dentata × mongolica hybrid oak</b> 떡신갈나무 (Tteok-sin-gal-na-mu)
* <i>Quercus × dentatoserratoides</i> T.B.Lee	<b>Dentata × mongolica × serrata hybrid oak</b> 떡신졸참나무 (Tteok-sin-jol-cham-na-mu)
<i>Quercus × mccormickii</i> Carruth.	<b>Dentata × aliena hybrid oak</b> 떡갈참나무 (Tteok-gal-cham-na-mu)
* <i>Quercus × mccormickomongolica</i> T.B.Lee	<b>Dentata × mongolica × aliena hybrid oak</b> 떡신갈참나무 (Tteok-sin-gal-cham-na-mu)
* <i>Quercus × mccormickoserrata</i> T.B.Lee	<b>Dentata × aliena × serrata hybrid oak</b> 떡갈졸참나무 (Tteok-gal-jol-cham-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Quercus × pontungensis</i> Uyeki	<b>Bongdongcham oak (Aliena × mongolica oak)</b> 봉동참나무 (Bong-dong-cham-na-mu)
<i>Quercus × urticifolia</i> Blume	<b>Galjolcham oak (Aliena × serrata oak)</b> 갈졸참나무 (Gal-jol-cham-na-mu)

**R**

<b>RANUNCULACEAE</b> Juss.	<b>Buttercup family</b> 미나리아재비과 (Mi-na-ri-a-jae-bi-gwa)
<i>Ranunculus</i> L. [Ranunculaceae]	<b>Buttercups, Spearworts, Water crowfoots</b> 미나리아재비속 (Mi-na-ri-a-jae-bi-sok) [미나리아재비과]
<i>Ranunculus acris</i> L.	<b>Meadow buttercup</b> 애기미나리아재비 (Ae-gi-mi-na-ri-a-jae-bi)
<i>Ranunculus acris</i> var. <i>monticola</i> (Kitag.) Tamura	<b>Mountain meadow buttercup</b> 산미나리아재비 (San-mi-na-ri-a-jae-bi)
<i>Ranunculus acris</i> f. <i>oreodoxa</i> (Kitag.) Tamura	<b>Small mountain meadow buttercup</b> 좁산미나리아재비 (Jom-san-mi-na-ri-a-jae-bi)
<i>Ranunculus cantoniensis</i> DC.	<b>Canton buttercup</b> 털개구리미나리 (Teol-gae-gu-ri-mi-na-ri)
<i>Ranunculus chinensis</i> Bunge	<b>Asian buttercup</b> 젓가락나물 (Jeot-ga-rak-na-mul)
<i>Ranunculus crucilobus</i> H.Lév.	<b>Hallasan buttercup</b> 바위미나리아재비 (Ba-wi-mi-na-ri-a-jae-bi)
<i>Ranunculus franchetii</i> H.Boissieu	<b>Franchet's buttercup</b> 왜미나리아재비 (Wae-mi-na-ri-a-jae-bi)
* <i>Ranunculus franchetii</i> f. <i>duplopetalus</i> Y.N.Lee	<b>Double-petal Franchet's buttercup</b> 겹왜미나리아재비 (Gyeop-wae-mi-na-ri-a-jae-bi)
<i>Ranunculus gmelinii</i> DC.	<b>Gmelin's buttercup</b> 물미나리아재비 (Mul-mi-na-ri-a-jae-bi)
<i>Ranunculus grandis</i> Honda	<b>Manchurian buttercup</b> 만주미나리아재비 (Man-ju-mi-na-ri-a-jae-bi)
<i>Ranunculus grandis</i> var. <i>austrokurilensis</i> (Tatew.) H.Hara	<b>Northern buttercup</b> 북미나리아재비 (Buk-mi-na-ri-a-jae-bi)

R

Scientific name	English name Korean name (Romanization)
<i>Ranunculus japonicus</i> Thunb.	<b>East Asian buttercup</b> 미나리아재비 (Mi-na-ri-a-jae-bi)
* <i>Ranunculus japonicus</i> f. <i>albiflorus</i> Y.N.Lee	<b>White East Asian buttercup</b> 흰미나리아재비 (Huin-mi-na-ri-a-jae-bi)
<i>Ranunculus kazusensis</i> Makino	<b>Maehwamareum (Korean water crowfoot)</b> 매화마름 (Mae-hwa-ma-reum)
* <i>Ranunculus quelpaertensis</i> var. <i>albiflorus</i> Y.N.Lee	<b>White-flower Jejudo buttercup</b> 흰왜젓가락나물 (Huin-wae-jeot-ga-rak-na-mul)
<i>Ranunculus repens</i> L.	<b>Creeping buttercup</b> 기는미나리아재비 (Gi-neun-mi-na-ri-a-jae-bi)
<i>Ranunculus sarmentosus</i> Adams	<b>Stolon water crowfoot</b> 나도마름아재비 (Na-do-ma-reum-a-jae-bi)
<i>Ranunculus sceleratus</i> L.	<b>Celery-leaf buttercup</b> 개구리자리 (Gae-gu-ri-ja-ri)
<i>Ranunculus silerifolius</i> H.Lév.	<b>Jejudo buttercup</b> 왜젓가락나물 (Wae-jeot-ga-rak-na-mul)
<i>Ranunculus tachiroei</i> Franch. & Sav.	<b>Long-beak buttercup</b> 개구리미나리 (Gae-gu-ri-mi-na-ri)
<i>Ranunculus tachiroei</i> f. <i>glabrescens</i> (Sakata) W.T.Lee	<b>Smooth long-beak buttercup</b> 민개구리미나리 (Min-gae-gu-ri-mi-na-ri)
<i>Ranunculus ternatus</i> Thunb.	<b>Catclaw buttercup</b> 개구리갓 (Gae-gu-ri-gat)
<i>Ranunculus yezoensis</i> Nakai	<b>Smooth water crowfoot</b> 민매화마름 (Min-mae-hwa-ma-reum)
<b><i>Raphanus</i> L. [Brassicaceae]</b>	<b>Radish</b> 무속 (Mu-sok) [십자화과]
<i>Raphanus sativus</i> f. <i>raphanistroides</i> Makino	<b>Seashore wild radish</b> 갯무 (Gaet-mu)
<b>RHAMNACEAE Juss.</b>	<b>Buckthorn family</b> 갈매나무과 (Gal-mae-na-mu-gwa)

Scientific name	English name Korean name (Romanization)
<i>Rhamnella</i> Miq. [Rhamnaceae]	<b>Rhamnella</b> 까마귀베개속 (Kka-ma-gwi-be-gae-sok) [갈매나무과]
<i>Rhamnella franguloides</i> (Maxim.) Weberb.	<b>Crow's pillow</b> 까마귀베개 (Kka-ma-gwi-be-gae)
<i>Rhamnus</i> L. [Rhamnaceae]	<b>Buckthorn</b> 갈매나무속 (Gal-mae-na-mu-sok) [갈매나무과]
<i>Rhamnus crenata</i> Siebold & Zucc.	<b>Oriental buckthorn</b> 산황나무 (San-hwang-na-mu)
<i>Rhamnus davurica</i> Pall.	<b>Dahurian buckthorn</b> 갈매나무 (Gal-mae-na-mu)
<i>Rhamnus diamantiaca</i> Nakai	<b>Geumgangsan buckthorn</b> 신갈매나무 (Sin-gal-mae-na-mu)
<i>Rhamnus koraiensis</i> C.K.Schneid.	<b>Korean buckthorn</b> 털갈매나무 (Teol-gal-mae-na-mu)
<i>Rhamnus parvifolia</i> Bunge	<b>Little-leaf buckthorn</b> 돌갈매나무 (Dol-gal-mae-na-mu)
<i>Rhamnus shozyoensis</i> Nakai	<b>Oblong-fruit buckthorn</b> 연밥갈매나무 (Yeon-bap-gal-mae-na-mu)
<i>Rhamnus taquetii</i> (H.Lév. & Vaniot) H.Lév.	<b>Jejudo buckthorn</b> 좀갈매나무 (Jom-gal-mae-na-mu)
<i>Rhamnus ussuriensis</i> J.J.Vassil.	<b>Ussuri buckthorn</b> 참갈매나무 (Cham-gal-mae-na-mu)
<i>Rhamnus yoshinoi</i> Makino	<b>Basally-pored-seed buckthorn</b> 짝자래나무 (Jjak-ja-rae-na-mu)
<i>Rhaphiolepis</i> Lindl. [Rosaceae]	<b>Hawthorn, Rhodotypos</b> 다정큼나무속 (Da-jeong-keum-na-mu-sok) [장미과]
<i>Rhaphiolepis indica</i> var. <i>integerrima</i> (Hook. & Arn.) Kitam.	<b>Round-leaf Indian hawthorn</b> 둥근잎다정큼 (Dung-geun-ip-da-jeong-keum)
<i>Rhaphiolepis indica</i> var. <i>liukiuensis</i> (Koidz.) Kitam.	<b>Long-leaf Indian hawthorn</b> 긴잎다정큼 (Gin-ip-da-jeong-keum)

Scientific name	English name Korean name (Romanization)
<i>Raphiolepis indica</i> var. <i>umbellata</i> (Thunb.) H.Ohashi	<b>Whole-leaf Indian hawthorn</b> 다정큼나무 (Da-jeong-keum-na-mu)
<b><i>Rhaponticum</i> Ludw.</b> [Asteraceae]	<b>Rhaponticum</b> <b>빼꾹채속</b> (Ppeo-kkuk-chae-sok) [국화과]
<i>Rhaponticum uniflorum</i> (L.) DC.	<b>Uniflower swisscentaury</b> 빼꾹채 (Ppeo-kkuk-chae)
<b><i>Rheum</i> L.</b> [Polygonaceae]	<b>Rhubarb</b> <b>대황속</b> (Dae-hwang-sok) [마디풀과]
<i>Rheum coreanum</i> Nakai	<b>Korean rhubarb</b> 장군풀 (Jang-gun-pul)
<b><i>Rhodiola</i> L.</b> [Crassulaceae]	<b>Rhodiola</b> <b>돌꽃속</b> (Dol-kkot-sok) [돌나물과]
<i>Rhodiola angusta</i> Nakai	<b>Narrow-leaf rhodiola</b> 좁은잎돌꽃 (Jop-eun-ip-dol-kkot)
<i>Rhodiola elongata</i> (Ledeb.) Fisch. & Mey.	<b>Elongate-leaf rhodiola</b> 돌꽃 (Dol-kkot)
<i>Rhodiola ramosa</i> Nakai	<b>Branching rhodiola</b> 가지돌꽃 (Ga-ji-dol-kkot)
<i>Rhodiola rosea</i> L.	<b>Rose-root rhodiola</b> 바위돌꽃 (Ba-wi-dol-kkot)
<b><i>Rhododendron</i> L.</b> [Ericaceae]	<b>Azalea, Rhododendron, Rosebay</b> <b>진달래속</b> (Jin-dal-rae-sok) [진달래과]
<i>Rhododendron aureum</i> Georgi	<b>Yellow-flower rosebay</b> 노랑만병초 (No-rang-man-byeong-cho)
<i>Rhododendron brachycarpum</i> D.Don ex G.Don	<b>Short-fruit rosebay</b> 만병초 (Man-byeong-cho)
<i>Rhododendron brachycarpum</i> var. <i>roseum</i> Koidz.	<b>Red-flower rosebay</b> 홍만병초 (Hong-man-byeong-cho)

Scientific name	English name Korean name (Romanization)
<i>Rhododendron dauricum</i> L.	<b>Dahurian rhododendron</b> 산진달래 (San-jin-dal-rae)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> (Adams) T. Yamaz.	<b>Lapland rosebay</b> 황산차 (Hwang-san-cha)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> var. <i>alpinum</i> (Glehn) T. Yamaz.	<b>Alpine lapland rosebay</b> 담자리참꽃 (Dam-ja-ri-cham-kkot)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> f. <i>albiflorum</i> (Herder ex Maxim.) T. Yamaz.	<b>White lapland rosebay</b> 흰황산참꽃 (Huin-hwang-san-cham-kkot)
<i>Rhododendron micranthum</i> Turcz.	<b>Spike rosebay</b> 꼬리진달래 (Kko-ri-jin-dal-rae)
<i>Rhododendron mucronulatum</i> Turcz.	<b>Korean rhododendron</b> 진달래 (Jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>ciliatum</i> Nakai	<b>Hairy Korean rhododendron</b> 털진달래 (Teol-jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>lucidum</i> Nakai	<b>Shiny-leaf Korean rhododendron</b> 반들진달래 (Ban-deul-jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>taquetii</i> Nakai	<b>Slender-fruit Korean rhododendron</b> 한라산진달래 (Han-ra-san-jin-dal-rae)
<i>Rhododendron mucromulatum</i> f. <i>albiflorum</i> (Nakai) Okuy.	<b>White-flower Korean rhododendron</b> 흰진달래 (Huin-jin-dal-rae)
<i>Rhododendron redowskianum</i> Maxim.	<b>Cute azalea</b> 좀참꽃 (Jom-cham-kkot)
<i>Rhododendron saisiuense</i> Nakai	<b>Hallasan azalea</b> 한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)
<i>Rhododendron schlippenbachii</i> Maxim.	<b>Royal azalea</b> 철쭉꽃 (Cheol-jjuk-kkot)
* <i>Rhododendron schlippenbachii</i> f. <i>albiflorum</i> Y.N.Lee	<b>White-flower royal azalea</b> 흰철쭉 (Huin-cheol-jjuk)
<i>Rhododendron tschonoskii</i> Maxim.	<b>White chick azalea</b> 흰참꽃나무 (Huin-cham-kkot-na-mu)
<i>Rhododendron tschonoskii</i> var. <i>trinerve</i> (Franch. ex Boiss.) Makino	<b>Three-leaf white chick azalea</b> 세잎참꽃 (Se-ip-cham-kkot)

Scientific name	English name Korean name (Romanization)
<i>Rhododendron weyrichii</i> Maxim.	<b>Weyrich's azalea</b> 참꽃나무 (Cham-kkot-na-mu)
<i>Rhododendron yedoense</i> Maxim.	<b>Multipetalous Korean azalea</b> 만첩산철쭉 (Man-cheop-san-cheol-jjuk)
<i>Rhododendron yedoense</i> f. <i>albiflora</i> H.T.Chang	<b>White Korean azalea</b> 흰산철쭉 (Huin-san-cheol-jjuk)
<i>Rhododendron yedoense</i> f. <i>poukhanense</i> (H.Lév.) M.Sugim. ex T.Yamaz.	<b>Korean azalea</b> 산철쭉 (San-cheol-jjuk)
<b><i>Rhodotypos</i> Siebold &amp; Zucc. [Rosaceae]</b>	<b>Rhodotypos</b> 병아리꽃나무속 (Byeong-a-ri-kkot-na-mu-sok) [장미과]
<i>Rhodotypos scandens</i> (Thunb.) Makino	<b>Black jetbead</b> 병아리꽃나무 (Byeong-a-ri-kkot-na-mu)
<b><i>Rhus</i> L. [Anacardiaceae]</b>	<b>Sumac</b> 붉나무속 (Buk-na-mu-sok) [옻나무과]
<i>Rhus chinensis</i> Mill.	<b>Nutmeg tree</b> 붉나무 (Buk-na-mu)
<b><i>Rhynchosia</i> Lour. [Fabaceae]</b>	<b>Snoutbean</b> 여우콩속 (Yeo-u-kong-sok) [콩과]
<i>Rhynchosia acuminatifolia</i> Makino	<b>Acuminate-leaf snoutbean</b> 큰여우콩 (Keun-yeo-u-kong)
<i>Rhynchosia volubilis</i> Lour.	<b>Winding snoutbean</b> 여우콩 (Yeo-u-kong)
<b><i>Rhynchospermum</i> Reinw. [Asteraceae]</b>	<b>Rhynchospermum</b> 추분취속 (Chu-bun-chwi-sok) [국화과]
<i>Rhynchospermum verticillatum</i> Reinw.	<b>Verticillate rhynchospermum</b> 추분취 (Chu-bun-chwi)
<b><i>Rhynchospora</i> Vahl [Cyperaceae]</b>	<b>Beakrush, Beaksedge</b> 골풀아재비속 (Gol-pul-a-jae-bi-sok) [사초과]

Scientific name	English name Korean name (Romanization)
<i>Rhynchospora alba</i> (L.) Vahl	<b>White beaksedge</b> 흰고양이수염 (Huin-go-yang-i-su-yeom)
<i>Rhynchospora chinensis</i> Nees & Mey ex Nees	<b>Spiked beaksedge</b> 고양이수염 (Go-yang-i-su-yeom)
<i>Rhynchospora faberi</i> C.B.Clarke	<b>Bulrush-like beaksedge</b> 골풀아재비 (Gol-pul-a-jae-bi)
<i>Rhynchospora fauriei</i> Franch.	<b>Big beaksedge</b> 큰고양이수염 (Keun-go-yang-i-su-yeom)
<i>Rhynchospora fujiiana</i> Makino	<b>Small beaksedge</b> 좁고양이수염 (Jom-go-yang-i-su-yeom)
<i>Rhynchospora malasica</i> C.B.Clarke	<b>Halla beaksedge</b> 한라골풀아재비 (Han-ra-gol-pul-a-jae-bi)
<i>Rhynchospora rubra</i> (Lour.) Makino	<b>Red-spike beaksedge</b> 붉은골풀아재비 (Bul-geun-gol-pul-a-jae-bi)
<b>Ribes L.</b> <b>[Saxifragaceae]</b>	<b>Currant</b> 까치밥나무속 (Kka-chi-bap-na-mu-sok) [범의귀과]
<i>Ribes burejense</i> F.Schmidt	<b>Stinky black currant</b> 바늘까치밥나무 (Ba-neul-kka-chi-bap-na-mu)
<i>Ribes diacanthum</i> Pall.	<b>Siberian currant</b> 가시까치밥나무 (Ga-si-kka-chi-bap-na-mu)
<i>Ribes fasciculatum</i> Siebold & Zucc.	<b>Winter-berry currant</b> 개당주나무 (Gae-dang-ju-na-mu)
<i>Ribes fasciculatum</i> var. <i>chinense</i> Maxim.	<b>Chinese winter-berry currant</b> 까마귀밥나무 (Kka-ma-gwi-bap-na-mu)
<i>Ribes horridum</i> Rupr. ex Maxim.	<b>Thorny currant</b> 꺼막바늘까치밥나무 (Kka-mak-ba-neul-kka-chi-bap-na-mu)
<i>Ribes komarovii</i> Pojark.	<b>Komarov's currant</b> 꼬리까치밥나무 (Kko-ri-kka-chi-bap-na-mu)
<i>Ribes komarovii</i> var. <i>breviracemum</i> (Nakai) T.B.Lee	<b>Slender-racemose currant</b> 좁꼬리까치밥나무 (Jom-kko-ri-kka-chi-bap-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Ribes latifolium</i> Jancz.	<b>Broad-leaf currant</b> 넓은잎까치밥나무 (Neol-beun-ip-kka-chi-bap-na-mu)
<i>Ribes mandshuricum</i> (Maxim.) Kom.	<b>Manchurian currant</b> 까치밥나무 (Kka-chi-bap-na-mu)
<i>Ribes mandshuricum</i> f. <i>subglabrum</i> (Kom.) Kitag.	<b>Hairy Manchurian currant</b> 개앵도나무 (Gae-aeng-do-na-mu)
<i>Ribes maximowiczianum</i> Kom.	<b>Common Korean currant</b> 명자순 (Myeong-ja-sun)
<i>Ribes pauciflorum</i> Turcz. ex Ledeb.	<b>Few-flower currant</b> 바위까치밥나무 (Ba-wi-kka-chi-bap-na-mu)
<i>Ribes triste</i> Pall.	<b>Swamp red currant</b> 눈까치밥나무 (Nun-kka-chi-bap-na-mu)
<i>Ribes ussuricense</i> Jancz.	<b>Korean black currant</b> 까막까치밥나무 (Kka-mak-kka-chi-bap-na-mu)
<b>Rodgersia A.Gray</b> [Saxifragaceae]	<b>Rodgersia</b> 도깨비부채속 (Do-kkae-bi-bu-chae-sok) [범의귀과]
<i>Rodgersia podophylla</i> A.Gray	<b>Rodger's bronze leaf</b> 도깨비부채 (Do-kkae-bi-bu-chae)
<b>Rorippa Scop.</b> [Brassicaceae]	<b>Yellowcress</b> 개갓냉이속 (Gae-gat-naeng-i-sok) [십자화과]
<i>Rorippa cantoniensis</i> (Lour.) Ohwi	<b>Small-seed yellowcress</b> 좀개갓냉이 (Jom-gae-gat-naeng-i)
<i>Rorippa globosa</i> (Turcz. ex Fisch. & C.A.Mey.) Hayek	<b>Globe yellowcress</b> 구슬갓냉이 (Gu-seul-gat-naeng-i)
<i>Rorippa indica</i> (L.) Hiern	<b>Variable-leaf yellowcress</b> 개갓냉이 (Gae-gat-naeng-i)
<i>Rorippa palustris</i> (L.) Besser	<b>Bog yellowcress</b> 속속이풀 (Sok-sok-i-pul)
<b>Rosa L.</b> [Rosaceae]	<b>Rose</b> 장미속 (Jang-mi-sok) [장미과]

Scientific name	English name Korean name (Romanization)
<i>Rosa acicularis</i> Lindl.	<b>Prickly rose</b> 인가목 (In-ga-mok)
<i>Rosa davurica</i> Pall.	<b>Amur rose</b> 생열귀나무 (Saeng-yeol-gwi-na-mu)
* <i>Rosa davurica</i> var. <i>ellipsoidea</i> Nakai ex Kawamoto	<b>Ellipsoid Amur rose</b> 긴생열귀 (Gin-saeng-yeol-gwi)
<i>Rosa davurica</i> f. <i>alba</i> (Nakai) T.B.Lee	<b>White Amur rose</b> 흰생열귀나무 (Huin-saeng-yeol-gwi-na-mu)
<i>Rosa jaluana</i> Kom.	<b>Northern baby rose</b> 국경찔레 (Guk-geong-jjil-re)
<i>Rosa kokusanensis</i> Nakai	<b>Heuksan rose</b> 흑산가시 (Heuk-san-ga-si)
<i>Rosa koreana</i> Kom.	<b>Korean rose</b> 흰인가목 (Huin-in-ga-mok)
<i>Rosa luciae</i> Franch. & Rochebr. ex Crép.	<b>Memorial rose</b> 제주찔레 (Je-ju-jjil-re)
<i>Rosa maximowicziana</i> Regel	<b>Maximowicz's rose</b> 용가시나무 (Yong-ga-si-na-mu)
<i>Rosa maximowicziana</i> var. <i>coreana</i> (R.Keller) Kitag.	<b>Korean Maximowicz's rose</b> 왕용가시 (Wang-yong-ga-si)
<i>Rosa maximowicziana</i> var. <i>pilosa</i> (Nakai) Nakai	<b>Hairy Maximowicz's rose</b> 털용가시 (Teol-yong-ga-si)
<i>Rosa multiflora</i> Thunb.	<b>Multiflora rose</b> 찔레꽃 (Jjil-re-kkot)
<i>Rosa multiflora</i> var. <i>adenochaeta</i> (Koidz.) Ohwi	<b>Glandular bristle multiflora rose</b> 털찔레 (Teol-jjil-re)
<i>Rosa multiflora</i> var. <i>quelpaertensis</i> (H.Lév.) Nakai	<b>Jejudo multiflora rose</b> 좀찔레 (Jom-jjil-re)
<i>Rosa pimpinellifolia</i> L.	<b>Burnet rose</b> 등근인가목 (Dung-geun-in-ga-mok)
<i>Rosa rugosa</i> Thunb.	<b>Rugose rose</b> 해당화 (Hae-dang-hwa)

Scientific name	English name Korean name (Romanization)
<i>Rosa rugosa</i> var. <i>chamissoniana</i> C.A.Mey.	<b>Thornless rugose rose</b> 민해당화 (Min-hae-dang-hwa)
<i>Rosa rugosa</i> var. <i>kamtschatica</i> (Vent.) Regel	<b>Small-fruit rugose rose</b> 개해당화 (Gae-hae-dang-hwa)
* <i>Rosa sileniflora</i> Nakai ex Kawamoto	<b>Glabrous Dahurian rose</b> 민생열귀 (Min-saeng-yeol-gwi)
<i>Rosa taisensis</i> Nakai	<b>Daecheong rose</b> 대청가시나무 (Dae-cheong-ga-si-na-mu)
<i>Rosa wichuraiana</i> Crep. ex Franch. & Sav.	<b>Wichura's rose</b> 돌가시나무 (Dol-ga-si-na-mu)
<i>Rosa wichuraiana</i> f. <i>ellipsoidea</i> Nakai	<b>Elliptic-fruit Wichura's rose</b> 긴돌가시나무 (Gin-dol-ga-si-na-mu)
<i>Rosa wichuraiana</i> f. <i>rosiflora</i> Nakai	<b>Red-flower Wichura's rose</b> 홍돌가시나무 (Hong-dol-ga-si-na-mu)
<b>ROSACEAE Juss.</b>	<b>Rose family</b> 장미과 (Jang-mi-gwa)
<b><i>Rotala</i> L. [Lythraceae]</b>	<b>Rotala</b> 마디꽃속 (Ma-di-kkot-sok) [부처꽃과]
<i>Rotala elatinomorpha</i> Makino	<b>Tall rotala</b> 한마디꽃 (Han-ma-di-kkot)
<i>Rotala indica</i> (Willd.) Koehne	<b>Indian rotala</b> 마디꽃 (Ma-di-kkot)
<i>Rotala mexicana</i> Cham. & Schleld.	<b>Diminutive rotala</b> 가는마디꽃 (Ga-neun-ma-di-kkot)
<b><i>Rubia</i> L. [Rubiaceae]</b>	<b>Madder, Rubia</b> 꼭두서니속 (Kkok-du-seo-ni-sok) [꼭두서니과]
<i>Rubia akane</i> Nakai	<b>Asian madder</b> 꼭두서니 (Kkok-du-seo-ni)
<i>Rubia chinensis</i> Regel & Maack	<b>Erect Asian madder</b> 큰꼭두서니 (Keun-kkok-du-seo-ni)

Scientific name	English name Korean name (Romanization)
<i>Rubia chinensis</i> var. <i>glabrescens</i> (Nakai) Kitag.	<b>Glabrous erect Asian madder</b> 민꼭두서니 (Min-kkok-du-seo-ni)
<i>Rubia cordifolia</i> var. <i>pratensis</i> Maxim.	<b>Heart-leaf Indian madder</b> 갈퀴꼭두서니 (Gal-kwi-kkok-du-seo-ni)
<i>Rubia cordifolia</i> var. <i>sylvatica</i> Maxim.	<b>Shrubby Indian madder</b> 덤불꼭두서니 (Deom-bul-kkok-du-seo-ni)
<i>Rubia hexaphylla</i> (Makino) Makino	<b>Six-leaf madder</b> 가지꼭두서니 (Ga-ji-kkok-du-seo-ni)
<i>Rubia jesensis</i> (Miq.) Miyabe & Miyake	<b>Four-leaf madder</b> 너도꼭두서니 (Neo-do-kkok-du-seo-ni)
<i>Rubia pubescens</i> Nakai	<b>Hairy madder</b> 우단꼭두서니 (U-dan-kkok-du-seo-ni)
<b>RUBIACEAE Juss.</b>	<b>Madder family</b> 꼭두서니과 (Kkok-du-seo-ni-gwa)
<b><i>Rubus</i> L. [Rosaceae]</b>	<b>Blackberry</b> 산딸기속 (San-ttal-gi-sok) [장미과]
<i>Rubus arcticus</i> L.	<b>Arctic raspberry</b> 함경딸기 (Ham-gyeong-ttal-gi)
<i>Rubus arcticus</i> f. <i>dentipetala</i> Uyeki & Sakata	<b>Denticulate-petal arctic raspberry</b> 가새함경딸기 (Ga-sae-ham-gyeong-ttal-gi)
<i>Rubus buergeri</i> Miq.	<b>Winter raspberry</b> 겨울딸기 (Gyeo-ul-ttal-gi)
<i>Rubus chamaemorus</i> L.	<b>Cloudberry</b> 진들딸기 (Jin-deul-ttal-gi)
<i>Rubus corchorifolius</i> L.f.	<b>Jute-leaf raspberry</b> 수리딸기 (Su-ri-ttal-gi)
<i>Rubus corchorifolius</i> var. <i>oliveri</i> (Miq.) Focke	<b>Smooth-leaf raspberry</b> 청수리딸기 (Cheong-su-ri-ttal-gi)
<i>Rubus coreanus</i> Miq.	<b>Bokbunja (Korean blackberry)</b> 복분자딸기 (Bok-bun-ja-ttal-gi)
* <i>Rubus coreanus</i> f. <i>concolor</i> (Nakai) T.B.Lee	<b>Glabrous-leaf bokbunja</b> 청복분자딸기 (Cheong-bok-bun-ja-ttal-gi)

Scientific name	English name Korean name (Romanization)
<i>Rubus crataegifolius</i> Bunge	<b>Korean raspberry</b> 산딸기 (San-ttal-gi)
<i>Rubus croceacanthus</i> H.Lév.	<b>Hooked-thorn raspberry</b> 검은딸기 (Geom-eun-ttal-gi)
<i>Rubus hirsutus</i> Thunb.	<b>Hirsute raspberry</b> 장딸기 (Jang-ttal-gi)
<i>Rubus hirsutus</i> var. <i>xanthocarpus</i> Nakai	<b>Yellow-fruit hirsute raspberry</b> 노란장딸기 (No-ran-jang-ttal-gi)
<i>Rubus hirsutus</i> f. <i>argyi</i> (H.Lév.) W.T.Lee	<b>Jeju hirsute raspberry</b> 제주장딸기 (Je-ju-jang-ttal-gi)
<i>Rubus hongnoensis</i> Nakai	<b>Hongno orange raspberry</b> 가시딸기 (Ga-si-ttal-gi)
<i>Rubus idaeus</i> var. <i>microphyllus</i> Turcz.	<b>Asian red raspberry</b> 멍덕딸기 (Meong-deok-ttal-gi)
<i>Rubus ikenoensis</i> H.Lév. & Vaniot	<b>Five-palmate-leaf raspberry</b> 오엽딸기 (O-yeop-ttal-gi)
* <i>Rubus longisepalus</i> Nakai ex Kawamoto	<b>Maekdo raspberry</b> 맥도딸기 (Maek-do-ttal-gi)
* <i>Rubus longisepalus</i> var. <i>tozawae</i> (Nakai ex Kawamoto) T.B.Lee	<b>Geoje raspberry</b> 거제딸기 (Geo-je-ttal-gi)
<i>Rubus matsumuranus</i> var. <i>concolor</i> (Kom.) Kitag.	<b>Glabrous-red raspberry</b> 나무딸기 (Na-mu-ttal-gi)
<i>Rubus nishimuranus</i> Koidz.	<b>Jeju raspberry</b> 제주산딸기 (Je-ju-san-ttal-gi)
<i>Rubus oldhamii</i> Miq.	<b>Korean creeping raspberry</b> 줄딸기 (Jul-ttal-gi)
<i>Rubus palmatus</i> Thunb.	<b>Palmate-leaf raspberry</b> 단풍딸기 (Dan-pung-ttal-gi)
<i>Rubus parvifolius</i> L.	<b>Trailing raspberry</b> 멍석딸기 (Meong-seok-ttal-gi)
<i>Rubus parvifolius</i> var. <i>taquetii</i> (H.Lév.) Nemoto	<b>Small-leaf trailing raspberry</b> 사순딸기 (Sa-seun-ttal-gi)

Scientific name	English name Korean name (Romanization)
* <i>Rubus parvifolius</i> f. <i>concolor</i> (Koidz.) Sugim.	<b>Glabrous-leaf trailing raspberry</b> 청명석딸기 (Cheong-meong-seok-ttal-gi)
<i>Rubus parvifolius</i> f. <i>subpinnatus</i> (Nakai) Nakai	<b>Five-pinnate-leaf trailing raspberry</b> 오엽명석딸기 (O-yeop-meong-seok-ttal-gi)
<i>Rubus phoenicolasius</i> Maxim.	<b>Wine raspberry</b> 곰딸기 (Gom-ttal-gi)
* <i>Rubus phoenicolasius</i> f. <i>albiflorus</i> (Nakai) T.B.Lee	<b>White-flower wineberry</b> 흰곰딸기 (Huin-gom-ttal-gi)
<i>Rubus ribisoideus</i> Matsum.	<b>Thornless southern raspberry</b> 섬딸기 (Seom-ttal-gi)
<i>Rubus schizostylus</i> H.Lév.	<b>Creeping bokbunja</b> 가시복분자딸기 (Ga-si-bok-bun-ja-ttal-gi)
<i>Rubus sorbifolius</i> Maxim.	<b>Sorbus-leaf yellow raspberry</b> 거지딸기 (Geo-ji-ttal-gi)
<i>Rubus sorbifolius</i> var. <i>myriadenus</i> (H.Lév. & Vaniot) T.B.Lee	<b>White-berry raspberry</b> 복딸나무 (Bok-ttal-na-mu)
<i>Rubus takesimensis</i> Nakai	<b>Ulleungdo raspberry</b> 섬나무딸기 (Seom-na-mu-ttal-gi)
<b><i>Rumex</i> L. [Polygonaceae]</b>	<b>Dock</b> 소리쟁이속 (So-ri-jaeng-i-sok) [마디풀과]
<i>Rumex acetosa</i> L.	<b>Garden dock</b> 수영 (Su-yeong)
<i>Rumex acetosella</i> L.	<b>Field dock</b> 애기수영 (Ae-gi-su-yeong)
<i>Rumex aquaticus</i> L.	<b>Western dock</b> 토대황 (To-dae-hwang)
<i>Rumex conglomeratus</i> Murray	<b>Clustered dock</b> 목밭소리쟁이 (Muk-bat-so-ri-jaeng-i)
<i>Rumex gmelinii</i> Turcz. ex Ledeb.	<b>Giant dock</b> 호대황 (Ho-dae-hwang)
<i>Rumex japonicus</i> Houtt.	<b>Northeast Asian curly dock</b> 참소리쟁이 (Cham-so-ri-jaeng-i)

Scientific name	English name Korean name (Romanization)
<i>Rumex longifolius</i> DC.	<b>Dooryard dock</b> 개대황 (Gae-dae-hwang)
<i>Rumex maritimus</i> L.	<b>Golden dock</b> 금소리쟁이 (Geum-so-ri-jaeng-i)
<i>Rumex montanus</i> Desf.	<b>Montane dock</b> 멧수영 (Met-su-yeong)
<i>Rumex patientia</i> L.	<b>Patience dock</b> 부령소리쟁이 (Bu-ryeong-so-ri-jaeng-i)
<i>Rumex stenophyllus</i> Ledeb.	<b>Narrow-leaf dock</b> 가는잎소리쟁이 (Ga-neun-ip-so-ri-jaeng-i)
<b><i>Ruppia</i> L. [Potamogetonaceae]</b>	<b>Ditch grasses, Widgeon grass, Widgeonweed</b> 줄말속 (Jul-mal-sok) [가래과]
<i>Ruppia cirrhosa</i> (Petagna) Grande	<b>Spiral widgeon grass</b> 나사줄말 (Na-sa-jul-mal)
<i>Ruppia maritima</i> L.	<b>Widgeon grass</b> 줄말 (Jul-mal)
<b>RUTACEAE Juss.</b>	<b>Rue family</b> 운향과 (Un-hyang-gwa)
<b>S</b>	
<b>SABIACEAE Blume</b>	<b>Sabia family</b> 나도밤나무과 (Na-do-bam-na-mu-gwa)
<b><i>Saccharum</i> L. [Poaceae]</b>	<b>Sugarcane</b> 개사탕수수속 (Gae-sa-tang-su-su-sok) [벼과]
<i>Saccharum spontaneum</i> L.	<b>Wild sugarcane</b> 개사탕수수 (Gae-sa-tang-su-su)
<b><i>Sacciolepis</i> Nash [Poaceae]</b>	<b>Cupscale grass</b> 물뚝새속 (Mul-ttuk-sae-sok) [벼과]
<i>Sacciolepis indica</i> (L.) Chase	<b>Glenwoodgrass</b> 좀물뚝새 (Jom-mul-ttuk-sae)

Scientific name	English name Korean name (Romanization)
<i>Sacciolepis indica</i> var. <i>oryzetorum</i> (Makino) Ohwi	<b>Paddy field glenwoodgrass</b> 물뚝새 (Mul-ttuk-sae)
<b><i>Sageretia</i> Brongn.</b> [Rhamnaceae]	<b>Sageretia, Mock buckthorn</b> 상동나무속 (Sang-dong-na-mu-sok) [갈매나무과]
<i>Sageretia thea</i> (Osbeck) M.C.Johnst.	<b>Mock buckthorn</b> 상동나무 (Sang-dong-na-mu)
<i>Sageretia theezans</i> f. <i>tomentosa</i> (C.K.Schneid.) H.Hara	<b>Hairy mock buckthorn</b> 털상동나무 (Teol-sang-dong-na-mu)
<b><i>Sagina</i> L.</b> [Caryophyllaceae]	<b>Pearlwort</b> 개미자리속 (Gae-mi-ja-ri-sok) [석죽과]
<i>Sagina japonica</i> (Sw.) Ohwi	<b>Asian pearlwort</b> 개미자리 (Gae-mi-ja-ri)
<i>Sagina maxima</i> A.Gray	<b>Sticky-stem pearlwort</b> 큰개미자리 (Keun-gae-mi-ja-ri)
<i>Sagina maxima</i> f. <i>crassicaulis</i> (S.Watson) Mizush.	<b>Glabrous sticky-stem pearlwort</b> 수개미자리 (Su-gae-mi-ja-ri)
* <i>Sagina maxima</i> f. <i>longifolia</i> (T.H.Chung) W.T.Lee	<b>Long-leaf sticky-stem pearlwort</b> 긴잎큰개미자리 (Gin-ip-keun-gae-mi-ja-ri)
<i>Sagina saginoides</i> (L.) H.Karst.	<b>Alpine pearlwort</b> 거문도개미자리 (Geo-mun-do-gae-mi-ja-ri)
<b><i>Sagittaria</i> L.</b> [Alismataceae]	<b>Arrowhead, Duck potato, Katniss, Swan potato, Tule potato, Wapato, Wapato</b> 보풀속 (Bo-pul-sok) [택사과]
<i>Sagittaria aginashi</i> Makino	<b>Narrow-leaf arrowhead</b> 보풀 (Bo-pul)
<i>Sagittaria natans</i> Pall.	<b>Floating arrowhead</b> 대택소귀나물 (Dae-taek-so-gwi-na-mul)
<i>Sagittaria pygmaea</i> Miq.	<b>Pygmy arrowhead</b> 을미 (Ol-mi)

Scientific name	English name Korean name (Romanization)
<i>Sagittaria trifolia</i> L.	<b>Three-leaf arrowhead</b> 벗풀 (Beot-pul)
<b>SALICACEAE</b> Mirb.	<b>Willow family</b> <b>벼드나무과</b> (Beo-deu-na-mu-gwa)
<i>Salicornia</i> L. [Chenopodiaceae]	<b>Glasswort, Pickleweed</b> 통통마디속 (Tung-tung-ma-di-sok) [명아주과]
<i>Salicornia europaea</i> L.	<b>Marshfire glasswort</b> 통통마디 (Tung-tung-ma-di)
<i>Salix</i> L. [Salicaceae]	<b>Willow</b> <b>벼드나무속</b> (Beo-deu-na-mu-sok) [벼드나무과]
<i>Salix berberifolia</i> Pall.	<b>Alpine willow</b> 매자잎버들 (Mae-ja-ip-beo-deul)
<i>Salix berberifolia</i> var. <i>brayi</i> (Ledeb.) Trautv. ex Herder	<b>Long-leaf alpine willow</b> 긴매자잎버들 (Gin-mae-ja-ip-beo-deul)
<i>Salix bicarpa</i> Nakai	<b>Paired-fruit willow</b> 쌍실버들 (Ssang-sil-beo-deul)
<i>Salix blinii</i> H.Lév.	<b>Jeju mountain willow</b> 제주산버들 (Je-ju-san-beo-deul)
<i>Salix brachypoda</i> (Trautv. & C.A.Mey.) Kom.	<b>Swamp silky willow</b> 탁장버들 (Dak-jang-beo-deul)
<i>Salix caprea</i> L.	<b>Goat willow</b> 호랑버들 (Ho-rang-beo-deul)
<i>Salix caprea</i> f. <i>elongata</i> (Nakai) Kitag.	<b>Elongate-leaf goat willow</b> 좀호랑버들 (Jom-ho-rang-beo-deul)
<i>Salix chaenomeloides</i> Kimura	<b>Giant pussy willow</b> 왕버들 (Wang-beo-deul)
<i>Salix chaenomeloides</i> var. <i>pilosa</i> (Nakai) Kimura	<b>Pilosered giant pussy willow</b> 털왕버들 (Teol-wang-beo-deul)
<i>Salix dependens</i> Nakai	<b>Weeping willow</b> 개수양버들 (Gae-su-yang-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix divaricata</i> var. <i>metaformosa</i> (Nakai) Kitag.	<b>Spreading willow</b> 눈산버들 (Nun-san-beo-deul)
<i>Salix divaricata</i> var. <i>orthostemma</i> (Nakai) Kitag.	<b>Dwarf willow</b> 난장이버들 (Nan-jang-i-beo-deul)
<i>Salix gilgiana</i> Seem.	<b>Willow</b> 내버들 (Nae-beo-deul)
<i>Salix gracilislans</i> Nakai	<b>Creeping rose-gold pussy willow</b> 눈갯버들 (Nun-gaet-beo-deul)
<i>Salix gracilistyla</i> Miq.	<b>Rose-gold pussy willow</b> 갓버들 (Gaet-beo-deul)
<i>Salix hallaisanensis</i> H.Lév.	<b>Hallasan willow</b> 떡버들 (Tteok-beo-deul)
<i>Salix hallaisanensis</i> var. <i>longifolia</i> Nakai	<b>Long-leaf Hallasan willow</b> 긴잎떡버들 (Gin-ip-tteok-beo-deul)
<i>Salix koriyanagi</i> Kimura ex Goerz	<b>False winnow willow</b> 개키버들 (Gae-ki-beo-deul)
<i>Salix ishidoyana</i> Nakai	<b>Ulleungdo willow</b> 섬버들 (Seom-beo-deul)
<i>Salix kangensis</i> Nakai	<b>Ganggye willow</b> 강계버들 (Gang-gye-beo-deul)
<i>Salix koreensis</i> Andersson	<b>Korean willow</b> 비드나무 (Beo-deu-na-mu)
<i>Salix koriyanagi</i> Kimura	<b>Winnow willow</b> 키버들 (Ki-beo-deul)
<i>Salix koriyanagi</i> f. <i>rubra</i> (Nakai) W.T.Lee	<b>Red winnow willow</b> 붉은키버들 (Bul-geun-ki-beo-deul)
<i>Salix maximowiczii</i> Kom.	<b>Maximowicz's willow</b> 쪽버들 (Jjok-beo-deul)
<i>Salix myrtilloides</i> L.	<b>Swamp willow</b> 진퍼리버들 (Jin-peo-ri-beo-deul)
<i>Salix pentandra</i> L.	<b>Laurel willow</b> 반짝버들 (Ban-jjak-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix purpurea</i> var. <i>smithiana</i> Trautv.	<b>Smith's purple willow</b> 당키버들 (Dang-ki-beo-deul)
<i>Salix rorida</i> Laksch.	<b>Prunia-shoot willow</b> 분버들 (Bun-beo-deul)
<i>Salix rorida</i> var. <i>roridaeformis</i> (Nakai) Ohwi	<b>Glandless pruina-shoot willow</b> 좀분버들 (Jom-bun-beo-deul)
<i>Salix rotundifolia</i> Trautv.	<b>Least willow</b> 콩버들 (Kong-beo-deul)
<i>Salix sericeo-cinerea</i> Nakai	<b>Gray willow</b> 큰산버들 (Keun-san-beo-deul)
<i>Salix sericeo-cinerea</i> f. <i>lanata</i> (Nakai) W.T.Lee	<b>Woolly gray willow</b> 털큰산버들 (Teol-keun-san-beo-deul)
<i>Salix siuzevii</i> Seem.	<b>Curly willow</b> 참오글잎버들 (Cham-o-geul-ip-beo-deul)
<i>Salix stipularis</i> Sm.	<b>Stipulate willow</b> 꽃버들 (Kkot-beo-deul)
<i>Salix subfragilis</i> Andersson	<b>Erect willow</b> 선버들 (Seon-beo-deul)
<i>Salix subopposita</i> Miq.	<b>Meadow little willow</b> 들버들 (Deul-beo-deul)
<i>Salix viminalis</i> L.	<b>Common willow</b> 육지꽃버들 (Yuk-ji-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>abbreviata</i> Doell.	<b>Small willow</b> 좀꽃버들 (Jom-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>angustifolia</i> Turcz.	<b>Narrow-leaf willow</b> 가는잎꽃버들 (Ga-neun-ip-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>linearifolia</i> Wimmer & Grabowski	<b>Linear-leaf willow</b> 좁은잎육지꽃버들 (Jop-eun-ip-yuk-ji-kkot-beo-deul)
<i>Salix xerophila</i> Flod.	<b>Beak willow</b> 여우버들 (Yeo-u-beo-deul)
<i>Salix xerophila</i> var. <i>fuscescens</i> (Nakai) W.T.Lee	<b>Brownish beak willow</b> 백산버들 (Baek-san-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix xerophila</i> f. <i>glabra</i> (Nakai) Kitag.	<b>Glabrous beak willow</b> 유가래나무 (Yu-ga-rae-na-mu)
<i>Salix xerophila</i> f. <i>manshurica</i> (Siuzew) Kitag.	<b>Long-leaf beak willow</b> 긴잎여우버들 (Gin-ip-yeo-u-beo-deul)
<b><i>Salomonia</i> Lour.</b> [Polygalaceae]	<b>Salomonia</b> 병아리다리속 (Byeong-a-ri-da-ri-sok) [원지과]
<i>Salomonia oblongifolia</i> DC.	<b>Oblong-leaf salomonia</b> 병아리다리 (Byeong-a-ri-da-ri)
<b><i>Salsola</i> L.</b> [Chenopodiaceae]	<b>Russian thistle</b> 수송나물속 (Su-song-na-mul-sok) [명아주과]
<i>Salsola collina</i> Pall.	<b>Slender Russian thistle</b> 솔장다리 (Sol-jang-da-ri)
<i>Salsola komarovii</i> Iljin	<b>Komarov's Russian thistle</b> 수송나물 (Su-song-na-mul)
<i>Salsola ruthenica</i> Iljin	<b>Winged-fruit Russian thistle</b> 나래수송나물 (Na-rae-su-song-na-mul)
<b><i>Salvia</i> L.</b> [Lamiaceae]	<b>Sage</b> 배암차즈기속 (Bae-am-cha-jeu-gi-sok) [꿀풀과]
<i>Salvia chanryoenica</i> Nakai	<b>Korean snake sage</b> 참배암차즈기 (Cham-bae-am-cha-jeu-gi)
<i>Salvia japonica</i> Thunb.	<b>East Asian sage</b> 동근배암차즈기 (Dung-geun-bae-am-cha-jeu-gi)
<i>Salvia plebeia</i> R.Br.	<b>Plebeian sage</b> 배암차즈기 (Bae-am-cha-jeu-gi)
<b><i>Salvinia</i> Ség.</b> [Salviniaceae]	<b>Watermoss</b> 생이가래속 (Saeng-i-ga-rae-sok) [생이가래과]
<i>Salvinia natans</i> (L.) All.	<b>Floating watermoss</b> 생이가래 (Saeng-i-ga-rae)
<b>SALVINIACEAE Martinov</b>	<b>Floating fern family</b> 생이가래과 (Saeng-i-ga-rae-gwa)

S

Scientific name	English name Korean name (Romanization)
<i>Sambucus</i> L. [Caprifoliaceae]	<b>Elder, Elderberry</b> <b>딱총나무속</b> (Ttak-chong-na-mu-sok) [인동과]
<i>Sambucus latipinna</i> Nakai	<b>Korean red elder</b> 넓은잎딱총나무 (Neol-beun-ip-ttak-chong-na-mu)
<i>Sambucus racemosa</i> subsp. <i>kamtschatica</i> (E.Wolf) Hultén	<b>Kamchatka red elder</b> 지렁쿠나무 (Ji-reong-ku-na-mu)
<i>Sambucus racemosa</i> subsp. <i>pendula</i> (Nakai) H.I.Lim & Chin S.Chang	<b>Ulleungdo elder</b> 말오줌나무 (Mal-o-jum-na-mu)
<i>Sambucus racemosa</i> subsp. <i>sieboldiana</i> (Blume ex Miq.) H.Hara	<b>Siebold's red elder</b> 덧나무 (Deot-na-mu)
* <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>lasiocarpa</i> T.B.Lee	<b>Woolly-fruit red elder</b> 털딱총나무 (Teol-ttak-chong-na-mu)
* <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>velutina</i> T.B.Lee	<b>Velvety red elder</b> 털지렁쿠나무 (Teol-ji-reong-ku-na-mu)
<i>Sambucus williamsii</i> Hance	<b>Northeast Asian red elder</b> 딱총나무 (Ttak-chong-na-mu)
<i>Sanguisorba</i> L. [Rosaceae]	<b>Burnet</b> <b>오이풀속</b> (O-i-pul-sok) [장미과]
<i>Sanguisorba argutidens</i> Nakai	<b>High-mountain burnet</b> 구름오이풀 (Gu-reum-o-i-pul)
<i>Sanguisorba hakusanensis</i> Makino	<b>Korean mountain burnet</b> 산오이풀 (San-o-i-pul)
<i>Sanguisorba longifolia</i> Bertol.	<b>Long-leaf burnet</b> 긴오이풀 (Gin-o-i-pul)
<i>Sanguisorba obtusa</i> Maxim.	<b>Alpine burnet</b> 두메오이풀 (Du-me-o-i-pul)
<i>Sanguisorba officinalis</i> L.	<b>Great burnet</b> 오이풀 (O-i-pul)
<i>Sanguisorba officinalis</i> var. <i>globularis</i> (Nakai) W.T.Lee	<b>Globular great burnet</b> 구슬오이풀 (Gu-seul-o-i-pul)

Scientific name	English name Korean name (Romanization)
<i>Sanguisorba stipulata</i> Raf.	<b>White burnet</b> 큰오이풀 (Keun-o-i-pul)
<i>Sanguisorba stipulata</i> f. <i>alba</i> (Trautv. & C.A.Mey.) Kitam.	<b>White Canadian burnet</b> 흰오이풀 (Huin-o-i-pul)
<i>Sanguisorba × tenuifolia</i> Fisch. ex Link	<b>Asian burnet</b> 가는오이풀 (Ga-neun-o-i-pul)
<i>Sanguisorba × tenuiflora</i> var. <i>purpurea</i> Trautv. & C.A.Mey	<b>Purple Asian burnet</b> 자주가는오이풀 (Ja-ju-ga-neun-o-i-pul)
<b><i>Sanicula</i> L. [Apiaceae]</b>	<b>Sanicle</b> 참반디속 (Cham-ban-di-sok) [산형과]
<i>Sanicula chinensis</i> Bunge	<b>East Asian sanicle</b> 참반디 (Cham-ban-di)
<i>Sanicula rubriflora</i> F.Schmidt ex Maxim.	<b>Red-flower sanicle</b> 붉은참반디 (Bul-geun-cham-ban-di)
<i>Sanicula tuberculata</i> Maxim.	<b>Dwarf sanicle</b> 애기참반디 (Ae-gi-cham-ban-di)
<b>SANTALACEAE R.Br.</b>	<b>Sandalwood family</b> 단향과 (Dan-hyang-gwa)
<b>SAPINDACEAE Juss.</b>	<b>Soapberry family</b> 무환자나무과 (Mu-hwan-ja-na-mu-gwa)
<b><i>Sarcandra</i> Gardner [Chloranthaceae]</b>	<b>Sarcandra</b> 죽절초속 (Juk-jeol-cho-sok) [홀아비꽃대과]
<i>Sarcandra glabra</i> (Thunb.) Nakai	<b>Glabrous sarcandra herb</b> 죽절초 (Juk-jeol-cho)
<b><i>Sasa</i> Makino &amp; Shibata [Poaceae]</b>	<b>Broad-leaf bamboo</b> 조릿대속 (Jo-rit-dae-sok) [벼과]
<i>Sasa borealis</i> (Hack.) Makino & Shibata	<b>Northern bamboo</b> 조릿대 (Jo-rit-dae)
<i>Sasa borealis</i> var. <i>gracilis</i> (Nakai) T.B.Lee	<b>Slender northern bamboo</b> 섬대 (Seom-dae)

Scientific name	English name Korean name (Romanization)
<i>Sasa chiisanensis</i> (Nakai) Y.N.Lee	<b>Jirisan bamboo</b> 갓대 (Gat-dae)
<i>Sasa coreana</i> Nakai	<b>Korean bamboo</b> 신이대 (Sin-i-dae)
<i>Sasa kurilensis</i> (Rupr.) Makino & Shibata	<b>Kuril bamboo</b> 섬조릿대 (Seom-jo-rit-dae)
<i>Sasa palmata</i> (Hort. ex Burb.) E.G.Camus	<b>Broad-leaf bamboo</b> 제주조릿대 (Je-ju-jo-rit-dae)
<b>SAURURACEAE Rich. ex T. Lestib.</b>	<b>Lizard's tail family</b> <b>삼백초과</b> (Sam-baek-cho-gwa)
<b><i>Saururus</i> L. [Saururaceae]</b>	<b>Lizard's tail, <i>Saururus</i></b> <b>삼백초속</b> (Sam-baek-cho-sok) [ <b>삼백초과</b> ]
<i>Saururus chinensis</i> (Lour.) Baill.	<b>Asian lizard's tail</b> 삼백초 (Sam-baek-cho)
<b><i>Saussurea</i> DC. [Asteraceae]</b>	<b>Saussurea, Saw-wort, Snow lotus</b> <b>취나물속</b> (Chwi-na-mul-sok) [ <b>국화과</b> ]
<i>Saussurea amurensis</i> Turcz. ex DC.	<b>Amur saussurea</b> 벼들취 (Beo-deul-chwi)
<i>Saussurea calcicola</i> Nakai	<b>Northern saussurea</b> 사창분취 (Sa-chang-bun-chwi)
<i>Saussurea chabyoungsanica</i> H.T.Im	<b>Jabyeong saussurea</b> 자병취 (Ja-byeong-chwi)
<i>Saussurea chinnampoensis</i> H.Lév. & Vaniot	<b>Jinnampo saussurea</b> 남포분취 (Nam-po-bun-chwi)
<i>Saussurea conandrifolia</i> Nakai	<b>Tobacco-leaf saussurea</b> 담배취 (Dam-bae-chwi)
<i>Saussurea diamantica</i> Nakai	<b>Geumgang saussurea</b> 금강분취 (Geum-gang-bun-chwi)
<i>Saussurea eriophylla</i> Nakai	<b>Woolly-leaf saussurea</b> 솜분취 (Som-bun-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea gracilis</i> Maxim.	<b>Silvery-hair saussurea</b> 은분취 (Eun-bun-chwi)
<i>Saussurea grandicapitula</i> W.Lee et H.T.Im	<b>Big-head saussurea</b> 태백취 (Tae-baek-chwi)
<i>Saussurea grandifolia</i> Maxim.	<b>Large-flower saussurea</b> 서덜취 (Seo-deol-chwi)
<i>Saussurea insularis</i> Kitam.	<b>Baekun saussurea</b> 백운취 (Baek-un-chwi)
<i>Saussurea japonica</i> (Thunb.) DC.	<b>East Asian saussurea</b> 큰각시취 (Keun-gak-si-chwi)
<i>Saussurea koidzumiana</i> Kitam.	<b>Gyeongseong saussurea</b> 경성서덜취 (Gyeong-seong-seo-deol-chwi)
<i>Saussurea komaroviana</i> Lipsch.	<b>Komarov's saussurea</b> 비단분취 (Bi-dan-bun-chwi)
* <i>Saussurea komaroviana</i> var. <i>macrophylla</i> Chung	<b>Large Komarov's saussurea</b> 큰비단분취 (Keun-bi-dan-bun-chwi)
<i>Saussurea macrolepis</i> (Nakai) Kitam.	<b>Serrate-leaf saussurea</b> 각시서덜취 (Gak-si-seo-deol-chwi)
<i>Saussurea manshurica</i> Kom.	<b>Manchurian saussurea</b> 덤불취 (Deom-bul-chwi)
<i>Saussurea manshurica</i> var. <i>pinnatifida</i> Nakai	<b>Dissected-leaf Manchurian saussurea</b> 깃덤불취 (Git-deom-bul-chwi)
<i>Saussurea maximowiczii</i> Herd	<b>Maximowicz's saussurea</b> 벼들분취 (Beo-deul-bun-chwi)
<i>Saussurea mongolica</i> (Franch.) Franch.	<b>Mongolian saussurea</b> 북분취 (Buk-bun-chwi)
<i>Saussurea myokoensis</i> Kitam.	<b>Myohyang saussurea</b> 묘향분취 (Myo-hyang-bun-chwi)
<i>Saussurea neoserrata</i> Nakai	<b>Elliptic-leaf saussurea</b> 산골취 (San-gol-chwi)
<i>Saussurea nipponica</i> subsp. <i>higomontana</i> (Honda) H.T. Im	<b>Mudeung saussurea</b> 무등취 (Mu-deung-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea nomurae</i> Kitam.	<b>Hogusan saussurea</b> 너울취 (Neo-ul-chwi)
<i>Saussurea odontolepis</i> (Herder) Sch.Bip. ex Maxim.	<b>Deeply-lobe saussurea</b> 빗살서덜취 (Bit-sal-seo-deol-chwi)
<i>Saussurea polylepis</i> Nakai	<b>Hongdo saussurea</b> 홍도서덜취 (Hong-do-seo-deol-chwi)
<i>Saussurea pseudogracilis</i> Kitam.	<b>Gayasan silvery-hair saussurea</b> 가야산은분취 (Ga-ya-san-eun-bun-chwi)
<i>Saussurea pulchella</i> (Fisch.) Fisch.	<b>Maiden saussurea</b> 각시취 (Gak-si-chwi)
<i>Saussurea pulchella</i> f. <i>albiflora</i> (Kitam.) Kitam.	<b>White beautiful-flower saussurea</b> 흰각시취 (Huin-gak-si-chwi)
<i>Saussurea rectinervis</i> Nakai	<b>Snow-white saussurea</b> 백설취 (Baek-seol-chwi)
<i>Saussurea recurvata</i> (Maxim.) Lipsch.	<b>Recurved-leaf saussurea</b> 긴분취 (Gin-bun-chwi)
<i>Saussurea rorinsanensis</i> Nakai	<b>Nangrimsan saussurea</b> 털분취 (Teol-bun-chwi)
<i>Saussurea seoulensis</i> Nakai	<b>Seoul saussurea</b> 분취 (Bun-chwi)
<i>Saussurea stenolepis</i> Nakai	<b>Woolly-hair saussurea</b> 물골취 (Mul-gol-chwi)
<i>Saussurea subtriangulata</i> Kom.	<b>Tailed calyx-lobe saussurea</b> 꼬리서덜취 (Kko-ri-seo-deol-chwi)
<i>Saussurea tanakae</i> Franch. & Sav. ex Maxim.	<b>Tall woolly saussurea</b> 당분취 (Dang-bun-chwi)
<i>Saussurea tomentosa</i> Kom.	<b>Montane woolly saussurea</b> 두메분취 (Du-me-bun-chwi)
<i>Saussurea triangulata</i> Trautv. & Mey.	<b>Highland saussurea</b> 두메취 (Du-me-chwi)
<i>Saussurea uchiyamana</i> Nakai	<b>Shady saussurea</b> 그늘취 (Geu-neul-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea umbrosa</i> Kom.	<b>Mountain maiden saussurea</b> 산각시취 (San-gak-si-chwi)
<i>Saussurea umbrosa</i> var. <i>herbicola</i> Nakai	<b>Long mountain maiden saussurea</b> 긴산취 (Gin-san-chwi)
<i>Saussurea ussuriensis</i> Maxim.	<b>Ussuri saussurea</b> 구와취 (Gu-wa-chwi)
<b><i>Saxifraga</i> L. [Saxifragaceae]</b>	<b>Saxifrage, Rockfoils</b> 범의귀속 (Beom-ui-gwi-sok) [범의귀과]
<i>Saxifraga cernua</i> L.	<b>Nodding saxifrage</b> 씨눈바위취 (Ssi-nun-ba-wi-chwi)
<i>Saxifraga fortunei</i> var. <i>incisolobata</i> (Engl. & Irmisch.) Nakai	<b>Serrate-petal rockfoil</b> 바위떡풀 (Ba-wi-tteok-pul)
<i>Saxifraga fortunei</i> var. <i>pilosissima</i> Nakai	<b>Long-hair rockfoil</b> 털바위떡풀 (Teol-ba-wi-tteok-pul)
<i>Saxifraga furumii</i> Nakai	<b>Nampotaesan rockfoil</b> 범의귀 (Beom-ui-gwi)
<i>Saxifraga laciniata</i> Nakai & Takeda	<b>Laciniate rockfoil</b> 구름범의귀 (Gu-reum-beom-ui-gwi)
<i>Saxifraga laciniata</i> var. <i>takedana</i> (Nakai) H.Hara	<b>Baedusasan lancinate rockfoil</b> 백두산바위취 (Baek-du-san-ba-wi-chwi)
<i>Saxifraga manshuriensis</i> (Engl.) Kom.	<b>Manchurian rockfoil</b> 흰바위취 (Huin-ba-wi-chwi)
<i>Saxifraga oblongifolia</i> Nakai	<b>Geumgangsan rockfoil</b> 참바위취 (Cham-ba-wi-chwi)
<i>Saxifraga octopetala</i> Nakai	<b>Round rockfoil</b> 구실바위취 (Gu-sil-ba-wi-chwi)
<i>Saxifraga punctata</i> L.	<b>Dotted rockfoil</b> 톱바위취 (Top-ba-wi-chwi)
<b>SAXIFRAGACEAE Juss.</b>	<b>Saxifrage family</b> 범의귀과 (Beom-ui-gwi-gwa)

Scientific name	English name Korean name (Romanization)
<i>Scabiosa</i> L. [Dipsacaceae]	<b>Pincushions, Scabious</b> 체꽃속 (Che-kkot-sok) [산토끼꽃과]
<i>Scabiosa tschiliensis</i> Grüning	<b>Northeastern scabious</b> 술체꽃 (Sol-che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>alpina</i> (Nakai) W.T.Lee	<b>Alpine scabious</b> 구름체꽃 (Gu-reum-che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>pinnata</i> (Nakai) W.T.Lee	<b>Pinnate-leaf scabious</b> 체꽃 (Che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>zuikoensis</i> (Nakai) W.T.Lee	<b>Glabrous-leaf scabious</b> 민둥체꽃 (Min-dung-che-kkot)
<i>Sceptridium</i> Lyon [Ophioglossaceae]	<b>Sceptridium</b> 고사리삼속 (Go-sa-ri-sam-sok) [고사리삼과]
<i>Sceptridium japonicum</i> (Prantl) Lyon	<b>East Asian grapefern</b> 산꽃고사리삼 (San-kkot-go-sa-ri-sam)
<i>Sceptridium multifidum</i> var. <i>rebustum</i> (Rupr. ex Milde) M.Nishida ex Tagawa	<b>Coloured grapefern</b> 산고사리삼 (San-go-sa-ri-sam)
<i>Sceptridium nipponicum</i> (Makino) Holub	<b>Mountain leathery grapefern</b> 단풍고사리삼 (Dan-pung-go-sa-ri-sam)
<i>Sceptridium ternatum</i> (Thunb.) Lyon	<b>Glabrous-ternate grapefern</b> 고사리삼 (Go-sa-ri-sam)
<i>Scheuchzeria</i> L. [Scheuchzeriaceae]	<b>Pod grass, Rannoch-rush</b> 장지채속 (Jang-ji-chae-sok) [장지채과]
<i>Scheuchzeria palustris</i> L.	<b>Pod grass</b> 장지채 (Jang-ji-chae)
<b>SCHEUCHZERIACEAE F. Rudolphi</b>	<b>Scheuchzeria family</b> 장지채과 (Jang-ji-chae-gwa)
<i>Schisandra</i> Michx. [Schisandraceae]	<b>Magnolia vine, Schisandra</b> 오미자속 (O-mi-ja-sok) [오미자과]

Scientific name	English name Korean name (Romanization)
<i>Schisandra chinensis</i> (Turcz.) Baill.	<b>Five-flavor magnolia vine</b> 오미자 (O-mi-ja)
<i>Schisandra nigra</i> var. <i>hypoleuca</i> Makino	<b>Glaucous-black magnolia vine</b> 흰흑오미자 (Huin-heuk-o-mi-ja)
<i>Schisandra repanda</i> (Siebold & Zucc.) Radlk.	<b>Black-berry magnolia vine</b> 흑오미자 (Heuk-o-mi-ja)
* <i>Schisandra viridicarpa</i> Y.N.Lee	<b>Green-berry magnolia vine</b> 청오미자 (Cheong-o-mi-ja)
<b>SCHISANDRACEAE</b> Blume	<b>Schisandra family</b> 오미자과 (O-mi-ja-gwa)
<i>Schizachne</i> Hack. [Poaceae]	<b>False melic</b> 호오리새속 (Ho-o-ri-sae-sok) [벼과]
<i>Schizachne purpurascens</i> subsp. <i>callosa</i> (Turcz. ex Griseb.) T. Koyama & Kawano	<b>False melic grass</b> 호오리새 (Ho-o-ri-sae)
<i>Schizachyrium</i> Nees [Poaceae]	<b>Bluestem</b> 쇠풀속 (Soe-pul-sok) [벼과]
<i>Schizachyrium brevifolium</i> (Sw.) Nees ex Buse	<b>Short-leaf bluestemgrass</b> 쇠풀 (Soe-pul)
<b>SCHIZAEACEAE</b> Kaulf.	<b>Curly grass family</b> 실고사리과 (Sil-go-sa-ri-gwa)
<i>Schizonepeta</i> (Benth.) Briq. [Lamiaceae]	<b>Japanese catnip</b> 헝개속 (Hyeong-gae-sok) [꿀풀과]
<i>Schizonepeta multifida</i> (L.) Briq.	<b>Multifidous-leaf catnip</b> 개형개 (Gae-hyeong-gae)
<i>Schizopepon</i> Maxim. [Cucurbitaceae]	<b>Schizopepon</b> 산외속 (San-oe-sok) [박과]
<i>Schizopepon bryoniifolius</i> Maxim.	<b>Cracking melon</b> 산외 (San-oe)

Scientific name	English name Korean name (Romanization)
<i>Schizophragma Siebold &amp; Zucc.</i> [Saxifragaceae]	<b>Hydrangea vine</b> <b>바위수국속</b> (Ba-wi-su-guk-sok) [범의귀과]
<i>Schizophragma hydrangeoides</i> Siebold & Zucc.	<b>Rocky hydrangea vine</b> <b>바위수국</b> (Ba-wi-su-guk)
<i>Schoenoplectus (Rchb.) Palla</i> [Cyperaceae]	<b>Bulrush, Club-rush, Tule</b> <b>큰고랭이속</b> (Keun-go-raeng-i-sok) [사초과]
<i>Schoenoplectus mucronatus</i> (L.) Palla	<b>Bog bulrush</b> <b>좀송이고랭이</b> (Jom-song-i-go-raeng-i)
<i>Schoenoplectus tabernaemontani</i> (C.C.Gmelin) Palla	<b>Soft-stem bulrush</b> <b>큰고랭이</b> (Keun-go-raeng-i)
<i>Schoenoplectus triangulatus</i> (Roxb.) Soják	<b>Big bog bulrush</b> <b>송이고랭이</b> (Song-i-go-raeng-i)
<i>Schoenoplectus triquetus</i> (L.) Palla	<b>Triangular bulrush</b> <b>세모고랭이</b> (Se-mo-go-raeng-i)
<i>Scilla L.</i> [Liliaceae]	<b>Scilla, Squill</b> <b>무릇속</b> (Mu-reut-sok) [백합과]
<i>Scilla scilloides</i> (Lindl.) Druce	<b>East Asian squill</b> <b>무릇</b> (Mu-reut)
<i>Scilla scilloides</i> f. <i>albiflora</i> (Satake) Satake & Okuy.	<b>White-flower squill</b> <b>흰무릇</b> (Huin-mu-reut)
<i>Scirpus L.</i> [Cyperaceae]	<b>Bulrush, Club-rush, Deergrass, Grassweed</b> <b>고랭이속</b> (Go-raeng-i-sok) [사초과]
<i>Scirpus fluviatilis</i> (Torr.) Sojak	<b>River bulrush</b> <b>큰매자기</b> (Keun-mae-ja-gi)
<i>Scirpus fiurenoides</i> Maxim.	<b>Lesser oriental bulrush</b> <b>좀솔방울고랭이</b> (Jom-sol-bang-ul-go-raeng-i)
<i>Scirpus juncoides</i> var. <i>hotarui</i> (Ohwi) Ohwi	<b>Rush-like bulrush</b> <b>을챙이고랭이</b> (Ol-chaeng-i-go-raeng-i)

Scientific name	English name Korean name (Romanization)
<i>Scirpus juncoides</i> Roxb. × <i>S. wallichii</i> Nees	<b>Goseong hybrid bulrush</b> 고성골 (Go-seong-gol)
<i>Scirpus karuisawensis</i> Makino	<b>Oriental bulrush</b> 솔방울고랭이 (Sol-bang-ul-go-raeng-i)
<i>Scirpus komarovii</i> Roshev.	<b>Komarov's bulrush</b> 광능골 (Gwang-neung-gol)
<i>Scirpus lineolatus</i> Franch. & Sav.	<b>Jeju rush-like bulrush</b> 제주올챙이골 (Je-ju-ol-chaeng-i-gol)
<i>Scirpus maritimus</i> L.	<b>Sea club rush</b> 매자기 (Mae-ja-gi)
<i>Scirpus maximowiczii</i> C.B.Clarke	<b>Few-spike bulrush</b> 황새고랭이 (Hwang-sae-go-raeng-i)
<i>Scirpus mitsukurianus</i> Makino	<b>Pine-cone bulrush</b> 솔방울골 (Sol-bang-ul-gol)
<i>Scirpus nipponicus</i> Makino	<b>Stalked-spike bulrush</b> 물고랭이 (Mul-go-raeng-i)
<i>Scirpus orientalis</i> Ohwi	<b>Oriental woodland bulrush</b> 검은도루박이 (Geom-eun-do-du-bak-i)
<i>Scirpus planiculmis</i> F.Schmidt	<b>Flat-stalk bulrush</b> 좀매자기 (Jom-mae-ja-gi)
<i>Scirpus radicans</i> Schkuhr	<b>Rooting bulrush</b> 도루박이 (Do-ru-bak-i)
<i>Scirpus wallichii</i> Nees	<b>Wallich's bulrush</b> 수원고랭이 (Su-won-go-raeng-i)
<i>Scirpus wichurae</i> Boeckeler	<b>Long pine-cone bulrush</b> 방울고랭이 (Bang-ul-go-raeng-i)
<b><i>Scleria</i> P.J.Bergius</b> [Cyperaceae]	<b>Nutrush, Nutrushes</b> 너도고랭이속 (Neo-do-go-raeng-i-sok) [사초과]
<i>Scleria mutoensis</i> Nakai	<b>Mudeung nutrush</b> 무등풀 (Mu-deung-pul)
<i>Scleria parvula</i> Steud.	<b>Small nutrush</b> 너도고랭이 (Neo-do-go-raeng-i)

Scientific name	English name Korean name (Romanization)
<i>Scleria pergracilis</i> (Nees) Kunth	<b>Fine-stalk nutrush</b> 애기덕산풀 (Ae-gi-deok-san-pul)
<i>Scopolia</i> Jacq. [Solanaceae]	<b>Scopolia</b> 미치광이풀속 (Mi-chi-gwang-i-pul-sok) [가지과]
<i>Scopolia japonica</i> Maxim.	<b>Korean scopolia</b> 미치광이풀 (Mi-chi-gwang-i-pul)
<i>Scopolia lutescens</i> Y.N.Lee	<b>Yellow scopolia</b> 노랑미치광이풀 (No-rang-mi-chi-gwang-i-pul)
<i>Scorzonera</i> L. [Asteraceae]	<b>Scorzonera, Serpentroot</b> 쇠채속 (Soe-chae-sok) [국화과]
<i>Scorzonera albicaulis</i> Bunge	<b>White-stem serpentroot</b> 쇠채 (Soe-chae)
<i>Scorzonera austriaca</i> subsp. <i>glabra</i> (Rupr.) Lipsch. & Krasch. ex Lipsch.	<b>Single-flower serpentroot</b> 멱쇠채 (Myeok-soe-chae)
<i>Scrophularia</i> L. [Scrophulariaceae]	<b>Figwort</b> 현삼속 (Hyeon-sam-sok) [현삼과]
<i>Scrophularia borealikoreana</i> Nakai	<b>Northern Korean figwort</b> 설령개현삼 (Seol-ryeong-gae-hyeon-sam)
<i>Scrophularia buergeriana</i> Miq.	<b>Buerger's figwort</b> 현삼 (Hyeon-sam)
<i>Scrophularia buergeriana</i> var. <i>quelpartensis</i> Yamaz.	<b>Jeju Buerger's figwort</b> 제주현삼 (Je-ju-hyeon-sam)
<i>Scrophularia cephalantha</i> Nakai	<b>Headed-flower figwort</b> 몽울토현삼 (Mong-ul-to-hyeon-sam)
<i>Scrophularia grayana</i> Maxim. ex Kom.	<b>Gray's figwort</b> 개현삼 (Gae-hyeon-sam)
<i>Scrophularia kakudensis</i> Franch.	<b>Mountain figwort</b> 큰개현삼 (Keun-gae-hyeon-sam)
<i>Scrophularia kakudensis</i> var. <i>microphylla</i> Nakai	<b>Small-leaf mountain figwort</b> 줌현삼 (Jom-hyeon-sam)

Scientific name	English name Korean name (Romanization)
<i>Scrophularia koraiensis</i> Nakai	<b>Korean figwort</b> 토현삼 (To-hyeon-sam)
<i>Scrophularia koraiensis</i> var. <i>velutina</i> Sakata ex Uyeki & Sakata	<b>Velvety Korean figwort</b> 일월토현삼 (Il-wol-to-hyeon-sam)
<i>Scrophularia takesimensis</i> Nakai	<b>Ulleungdo figwort</b> 섬현삼 (Seom-hyeon-sam)
<b>SCROPHULARIACEAE Juss.</b>	<b>Figwort family</b> 현삼과 (Hyeon-sam-gwa)
<b><i>Scutellaria</i> L. [Lamiaceae]</b>	<b>Skullcap</b> 골무꽃속 (Gol-mu-kkot-sok) [꼴풀과]
<i>Scutellaria asperiflora</i> Nakai	<b>Scattered-flower skullcap</b> 다발골무꽃 (Da-bal-gol-mu-kkot)
<i>Scutellaria dentata</i> var. <i>alpina</i> Nakai	<b>Alpine dentate skullcap</b> 수골무꽃 (Su-gol-mu-kkot)
<i>Scutellaria dentata</i> var. <i>alpina</i> f. <i>albida</i> Y.N.Lee	<b>White alpine dentate skullcap</b> 흰수골무꽃 (Huin-su-gol-mu-kkot)
<i>Scutellaria dependens</i> Maxim.	<b>Delicate skullcap</b> 애기골무꽃 (Ae-gi-gol-mu-kkot)
<i>Scutellaria fauriei</i> H.Lév. & Vaniot	<b>Understory skullcap</b> 그늘골무꽃 (Geu-neul-gol-mu-kkot)
<i>Scutellaria indica</i> L.	<b>Indian skullcap</b> 골무꽃 (Gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>alba</i> S.T.Kim & S.T.Lee	<b>Bibari skullcap</b> 비바리골무꽃 (Bi-ba-ri-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>coccinea</i> S.T.Kim & S.T.Lee	<b>Pink Indian skullcap</b> 연지골무꽃 (Yeon-ji-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>parvifolia</i> (Makino) Makino	<b>Dwarf Indian skullcap</b> 좀골무꽃 (Jom-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>tsusimensis</i> (H.Hara) Ohwi	<b>Thick-leaf Indian skullcap</b> 떡잎골무꽃 (Tteok-ip-gol-mu-kkot)
<i>Scutellaria indica</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower Indian skullcap</b> 흰골무꽃 (Huin-gol-mu-kkot)

S

Scientific name	English name Korean name (Romanization)
<i>Scutellaria insignis</i> Nakai	<b>Gwangneung skullcap</b> 광릉골무꽃 (Gwang-reung-gol-mu-kkot)
<i>Scutellaria moniliorrhiza</i> Kom.	<b>Moniliform skullcap</b> 구슬골무꽃 (Gu-seul-gol-mu-kkot)
<i>Scutellaria pekinensis</i> var. <i>transitra</i> (Makino) H.Hara	<b>Mountain skullcap</b> 산골무꽃 (San-gol-mu-kkot)
<i>Scutellaria pekinensis</i> var. <i>ussuriensis</i> (Re-gel) Hand.-Mazz.	<b>Ussuri skullcap</b> 호골무꽃 (Ho-gol-mu-kkot)
<i>Scutellaria regeliana</i> Nakai	<b>Slender-leaf skullcap</b> 가는골무꽃 (Ga-neun-gol-mu-kkot)
<i>Scutellaria strigillosa</i> Hemsl.	<b>Sandy skullcap</b> 참골무꽃 (Cham-gol-mu-kkot)
<i>Scutellaria strigillosa</i> var. <i>yezoensis</i> (Kudo) Kitam.	<b>Wetland skullcap</b> 왜골무꽃 (Wae-gol-mu-kkot)
<b>Securinega</b> Comm. ex Juss. [Euphorbiaceae]	<b>Securinega</b> 광대싸리속 (Gwang-daessa-ri-sok) [대극과]
<i>Securinega suffruticosa</i> (Pall.) Rehder	<b>Suffrutescent securinega</b> 광대싸리 (Gwang-daessa-ri)
<b>Sedirea</b> Garay & H.R.Sweet [Orchidaceae]	<b>Sedirea</b> 나도풍란속 (Na-do-pung-ran-sok) [난초과]
<i>Sedirea japonica</i> (Rchb.f.) Garay & H.R.Sweet	<b>Nadopungran (East Asian aerides)</b> 나도풍란 (Na-do-pung-ran)
<b>Sedum</b> L. [Crassulaceae]	<b>Stonecrop</b> 돌나물속 (Dol-na-mul-sok) [돌나물과]
<i>Sedum aizoon</i> L.	<b>Aizoon stonecrop</b> 가는기린초 (Ga-neun-gi-rin-cho)
<i>Sedum aizoon</i> var. <i>latifolium</i> Maxim.	<b>Wide-leaf aizoon stonecrop</b> 큰기린초 (Keun-gi-rin-cho)
<i>Sedum aizoon</i> var. <i>ramosum</i> Uyeki & Sakata	<b>Branching aizoon stonecrop</b> 가지기린초 (Ga-ji-gi-rin-cho)

Scientific name	English name Korean name (Romanization)
<i>Sedum alfredii</i> Hance	<b>Simple stonecrop</b> 민말똥비름 (Min-mal-ttong-bi-reum)
<i>Sedum bulbiferum</i> Makino	<b>Bulbose stonecrop</b> 말똥비름 (Mal-ttong-bi-reum)
<i>Sedum japonicum</i> Siebold ex Miq.	<b>Rocky moss-rose stonecrop</b> 돌채송화 (Dol-chae-song-hwa)
<i>Sedum kamtschaticum</i> Fisch. & Mey.	<b>Orange stonecrop</b> 기린초 (Gi-rin-cho)
<i>Sedum latiovalifolium</i> Y.N.Lee	<b>Taebaek stonecrop</b> 태백기린초 (Tae-baek-gi-rin-cho)
<i>Sedum lepidopodium</i> Nakai	<b>Coastal stringy stonecrop</b> 갯돌나물 (Gaet-dol-na-mul)
<i>Sedum makinoi</i> Maxim.	<b>Round-leaf stonecrop</b> 둥근잎비름 (Dung-geun-ip-bi-reum)
<i>Sedum middendorffianum</i> Maxim.	<b>Miniature stonecrop</b> 애기기린초 (Ae-gi-gi-rin-cho)
<i>Sedum oryzifolium</i> Makino	<b>Coastal moss-like stonecrop</b> 땅채송화 (Ttang-chae-song-hwa)
<i>Sedum polytrichoides</i> Hemsl.	<b>Moss-like stonecrop</b> 바위채송화 (Ba-wi-chae-song-hwa)
<i>Sedum sarmentosum</i> Bunge	<b>Stringy stonecrop</b> 돌나물 (Dol-na-mul)
<i>Sedum selskianum</i> Regel & Maack	<b>Amur stonecrop</b> 털기린초 (Teol-gi-rin-cho)
<i>Sedum takesimense</i> Nakai	<b>Ulleungdo stonecrop</b> 섬기린초 (Seom-gi-rin-cho)
<i>Sedum tosaense</i> Makino	<b>Spatulate-leaf stonecrop</b> 주걱비름 (Ju-geok-bi-reum)
<i>Sedum zokuriense</i> Nakai	<b>Songni stonecrop</b> 속리기린초 (Sok-ri-gi-rin-cho)
<i>Selaginella</i> P.Beauv. [Selaginellaceae]	<b>Spikemoss, Lesser clubmosses, Selaginella</b> 부처손속 (Bu-cheo-son-sok) [부처손과]

Scientific name	English name Korean name (Romanization)
<i>Selaginella helvetica</i> (L.) Spring	<b>Dwarf spikemoss</b> 왜구실사리 (Wae-gu-sil-sa-ri)
<i>Selaginella involvens</i> (Sw.) Spring	<b>Tree spikemoss</b> 부처손 (Bu-cheo-son)
<i>Selaginella nipponica</i> Franch. & Sav.	<b>Erect selaginella</b> 선비늘이끼 (Seon-bi-neul-i-kki)
<i>Selaginella remotifolia</i> Spring	<b>Loose-leaf selaginella</b> 비늘이끼 (Bi-neul-i-kki)
<i>Selaginella rossii</i> (Baker) Warb.	<b>Bead selaginella</b> 구실사리 (Gu-sil-sa-ri)
<i>Selaginella shakotensis</i> (Franch. & Sav.) Miyabe & Kudo	<b>Dense-leaf selarginella</b> 개실사리 (Gae-sil-sa-ri)
<i>Selaginella sibirica</i> (Milde) Hieron.	<b>Siberian spikemoss</b> 실사리 (Sil-sa-ri)
<i>Selaginella stauntoniana</i> Spring	<b>Red-stem spikemoss</b> 개부처손 (Gae-bu-cheo-son)
<i>Selaginella tamariscina</i> (P.Beauv.) Spring	<b>Little club-moss</b> 바위손 (Ba-wi-son)
<b>SELAGINELLACEAE Willk.</b>	<b>Spikemoss family</b> 부처손과 (Bu-cheo-son-gwa)
<b><i>Semiaquilegia</i> Makino</b> [Ranunculaceae]	<b>Semiaquilegia</b> 개구리발톱속 (Gae-gu-ri-bal-top-sok) [미나리아재비과]
<i>Semiaquilegia adoxoides</i> (DC.) Makino	<b>Muskroot-like semiaquilegia</b> 개구리발톱 (Gae-gu-ri-bal-top)
<b><i>Senecio</i> L.</b> [Asteraceae]	<b>Ragworts, Groundsels</b> 금방망이속 (Geum-bang-mang-i-sok) [국화과]
<i>Senecio argunensis</i> Turcz.	<b>Argun groundsel</b> 쑥방망이 (Ssuk-bang-mang-i)
<i>Senecio birubonensis</i> Kitam.	<b>Geumgang groundsel</b> 금강송방망이 (Geum-gang-som-bang-mang-i)

Scientific name	English name Korean name (Romanization)
<i>Senecio cannabifolius</i> Less.	<b>Aleutian groundsel</b> 삼잎방망이 (Sam-ip-bang-mang-i)
<i>Senecio nemorensis</i> L.	<b>Shady groundsel</b> 금방망이 (Geum-bang-mang-i)
<i>Senecio pierotii</i> Miq.	<b>Asian swamp groundsel</b> 솜쑥방망이 (Som-ssuk-bang-mang-i)
<i>Senecio pseudoarnica</i> Less.	<b>Seaside groundsel</b> 웅기솜나물 (Ung-gi-som-na-mul)
<b><i>Serratula</i> L. [Asteraceae]</b>	<b>Plumeless sawwort</b> 산비장이속 (San-bi-jang-i-sok) [국화과]
<i>Serratula coronata</i> var. <i>insularis</i> (Iljin) Kitam.	<b>Mountain coronate sawwort</b> 산비장이 (San-bi-jang-i)
<i>Serratula coronata</i> f. <i>alpina</i> (Nakai) W.T.Lee	<b>Alpine coronate sawwort</b> 한라산비장이 (Han-ra-san-bi-jang-i)
<i>Serratula hayatae</i> Nakai	<b>Serrate sawwort</b> 잔톱비장이 (Jan-top-bi-jang-i)
<i>Serratula komarovii</i> Iljin	<b>Minute sawwort</b> 잔잎산비장이 (Jan-ip-san-bi-jang-i)
<b><i>Setaria</i> P.Beauv. [Poaceae]</b>	<b>Bristlegrass, Foxtail</b> 강아지풀속 (Gang-a-ji-pul-sok) [벼과]
<i>Setaria chondrachne</i> (Steud.) Honda	<b>Hard bristlegrass</b> 조아재비 (Jo-a-jae-bi)
<i>Setaria glauca</i> var. <i>dura</i> (I.C.Chung) I.C.Chung	<b>Wrinkled-glume yellow bristlegrass</b> 주름금강아지풀 (Ju-reum-geum-gang-a-ji-pul)
<i>Setaria pumila</i> (Poir.) Roem. & Schult.	<b>Yellow bristlegrass</b> 금강아지풀 (Geum-gang-a-ji-pul)
<i>Setaria pumila</i> subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon	<b>Cattail bristlegrass</b> 가는금강아지풀 (Ga-neun-geum-gang-a-ji-pul)
<i>Setaria viridis</i> subsp. <i>pycnocoma</i> (Steud.) Tzvelev	<b>Dense-flower bristlegrass</b> 수강아지풀 (Su-gang-a-ji-pul)

Scientific name	English name Korean name (Romanization)
<i>Setaria viridis</i> var. <i>pachystachys</i> (Franch. & Sav.) Makino & Nemoto	<b>Coastal green bristlegrass</b> 갯강아지풀 (Gaet-gang-a-ji-pul)
<b><i>Sibbaldia</i> L.</b> [Rosaceae]	<b>Sibbaldia</b> 너도양지꽃속 (Neo-do-yang-ji-kkot-sok) [장미과]
<i>Sibbaldia procumbens</i> L.	<b>Creeping sibbaldia</b> 너도양지꽃 (Neo-do-yang-ji-kkot)
<b><i>Sigesbeckia</i> L.</b> [Asteraceae]	<b>St. Paul's wort</b> 진득찰속 (Jin-deuk-chal-sok) [국화과]
<i>Sigesbeckia glabrescens</i> (Makino) Makino	<b>Hair-stalk St. Paul's wort</b> 진득찰 (Jin-deuk-chal)
<i>Sigesbeckia orientalis</i> L.	<b>Common St. Paul's wort</b> 제주진득찰 (Je-ju-jin-deuk-chal)
<i>Sigesbeckia pubescens</i> (Makino) Makino	<b>Glandular-stalk St. Paul's wort</b> 털진득찰 (Teol-jin-deuk-chal)
<b><i>Silene</i> L.</b> [Caryophyllaceae]	<b>Campion, Catchfly</b> 끈끈이장구채속 (Kkeun-kkeun-i-jang-gu-chae-sok) [석죽과]
<i>Silene aprica</i> Turcz. ex Fisch. & C.A.Mey.	<b>Meadow catchfly</b> 애기장구채 (Ae-gi-jang-gu-chae)
<i>Silene aprica</i> var. <i>oldhamiana</i> (Miq.) C.Y.Wu	<b>Seashore catchfly</b> 갯장구채 (Gaet-jang-gu-chae)
<i>Silene baccifera</i> (L.) Roth	<b>Berry catchfly</b> 덩굴별꽃 (Deong-gul-byeol-kkot)
<i>Silene capitata</i> Kom.	<b>Pink catchfly</b> 분홍장구채 (Bun-hong-jang-gu-chae)
<i>Silene fasciculata</i> Nakai	<b>Halla catchfly</b> 한라장구채 (Han-ra-jang-gu-chae)
<i>Silene firma</i> Siebold & Zucc.	<b>Catchfly</b> 장구채 (Jang-gu-chae)
<i>Silene firma</i> f. <i>pubescens</i> (Makino) Makino	<b>Hairy catchfly</b> 털장구채 (Teol-jang-gu-chae)

Scientific name	English name Korean name (Romanization)
<i>Silene foliosa</i> Maxim.	<b>Hosan catchfly</b> 호산장구채 (Ho-san-jang-gu-chae)
<i>Silene jenisseensis</i> Willd.	<b>Slender catchfly</b> 가는다리장구채 (Ga-neun-da-ri-jang-gu-chae)
<i>Silene koreana</i> Kom.	<b>Sticky catchfly</b> 끈끈이장구채 (Kkeun-kkeun-i-jang-gu-chae)
<i>Silene macrostyla</i> Maxim.	<b>Long-style catchfly</b> 층층장구채 (Cheung-cheung-jang-gu-chae)
<i>Silene myongcheonensis</i> S.P.Hong & H.K.Moon	<b>Myeongcheon catchfly</b> 명천장구채 (Myeong-cheon-jang-gu-chae)
<i>Silene noctiflora</i> L.	<b>Night-flowering catchfly</b> 말냉이장구채 (Mal-naeng-i-jang-gu-chae)
<i>Silene oligantha</i> Nakai	<b>White catchfly</b> 흰장구채 (Huin-jang-gu-chae)
<i>Silene repens</i> Patrin	<b>Creeping catchfly</b> 오랑캐장구채 (O-rang-kae-jang-gu-chae)
<i>Silene seoulensis</i> Nakai	<b>Seoul catchfly</b> 가는장구채 (Ga-neun-jang-gu-chae)
<i>Silene takeshimensis</i> Uyeki & Sakata	<b>Ulleung catchfly</b> 울릉장구채 (Ul-reung-jang-gu-chae)
<b>SIMAROUBACEAE DC.</b>	<b>Quassia family</b> <b>소태나무과</b> (So-tae-na-mu-gwa)
<b><i>Sinomenium</i> Diels</b> <b>[Menispermaceae]</b>	<b><i>Sinomenium</i></b> <b>방기속</b> (Bang-gi-sok) <b>[새모래덩굴과]</b>
<i>Sinomenium acutum</i> (Thunb.) Rehder & E.H.Wilson	<b>Orientvine</b> 방기 (Bang-gi)
<b><i>Sinosenecio</i> B.Nord.</b> <b>[Asteraceae]</b>	<b>Butterweed</b> <b>국화방망이속</b> (Guk-hwa-bang-mang-i-sok) <b>[국화과]</b>
<i>Sinosenecio koreanus</i> (Kom.) B.Nord.	<b>Korean butterweed</b> 국화방망이 (Guk-hwa-bang-mang-i)

Scientific name	English name Korean name (Romanization)
<i>Siphonostegia</i> Benth. [Scrophulariaceae]	<b>Siphonostegia</b> 절국대속 (Jeol-guk-dae-sok) [현삼과]
<i>Siphonostegia chinensis</i> Benth.	<b>Asian siphonostegia</b> 절국대 (Jeol-guk-dae)
<i>Sisymbrium</i> L. [Brassicaceae]	<b>Hedgemustard</b> 노란장대속 (No-ran-jang-dae-sok) [십자화과]
<i>Sisymbrium heteromallum</i> C.A.Mey.	<b>Drooping-fruit hedgemustard</b> 굽은노란장대 (Gup-eun-no-ran-jang-dae)
<i>Sisymbrium luteum</i> (Maxim.) O.E.Schulz	<b>Yellow-flower hedgemustard</b> 노란장대 (No-ran-jang-dae)
<i>Sisyrinchium</i> L. [Iridaceae]	<b>Blue-eye grass</b> 등심붓꽃속 (Deung-sim-but-kkot-sok) [붓꽃과]
<i>Sisyrinchium angustifolium</i> f. <i>album</i> J.K.Sim & Y.S.Kim	<b>White narrow-leaf blue-eye grass</b> 흰등심붓꽃 (Huin-deung-sim-but-kkot)
<i>Sium</i> L. [Apiaceae]	<b>Water parsnip</b> 개발나물속 (Gae-bal-na-mul-sok) [산형과]
<i>Sium heterophyllum</i> Y.N.Lee	<b>Heterophyllous water parsnip</b> 대암개발나물 (Dae-am-gae-bal-na-mul)
<i>Sium ninsi</i> L.	<b>Tuberous water parsnip</b> 감자개발나물 (Gam-ja-gae-bal-na-mul)
<i>Sium suave</i> Walter	<b>Hemlock water parsnip</b> 개발나물 (Gae-bal-na-mul)
<i>Sium ternifolium</i> B.Y.Lee & S.C.Ko	<b>Ternate-leaf water parsnip</b> 세잎개발나물 (Se-ip-gae-bal-na-mul)
<i>Smilacina</i> Desf. [Liliaceae]	<b>Smilacina, Solomon's seal</b> 솜대속 (Som-dae-sok) [백합과]
<i>Smilacina bicolor</i> Nakai	<b>Purple-flower solomon's seal</b> 자주솜대 (Ja-ju-som-dae)

Scientific name	English name Korean name (Romanization)
<i>Smilacina bicolor</i> var. <i>flavovirens</i> N.S.Lee & J.Y.Kim	<b>Green-flower solomon's seal</b> 연두솜대 (Yeon-du-som-dae)
<i>Smilacina dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) LaFrankie	<b>Smooth solomon's seal</b> 민솜대 (Min-som-dae)
<i>Smilacina japonica</i> var. <i>lutecarpa</i> Y.N.Lee	<b>Golden-friut solomon's seal</b> 황금솜대 (Hwang-geum-som-dae)
<i>Smilacina japonica</i> var. <i>mandshurica</i> Maxim.	<b>Large false solomon's seal</b> 왕솜대 (Wang-som-dae)
<b><i>Smilax</i> L. [Liliaceae]</b>	<b>Catbriers, Greenbriers, Prickly-ivys, Smilaxes</b> 청미래덩굴속 (Cheong-mi-rae-deong-gul-sok) [백합과]
<i>Smilax china</i> L.	<b>East Asian greenbrier</b> 청미래덩굴 (Cheong-mi-rae-deong-gul)
<i>Smilax nipponica</i> Miq.	<b>White back greenbrier</b> 선밀나물 (Seon-mil-na-mul)
<i>Smilax riparia</i> A.DC.	<b>Riparian greenbrier</b> 밀나물 (Mil-na-mul)
<i>Smilax riparia</i> var. <i>ussuriensis</i> f. <i>stenophylla</i> (H.Hara) T.Koyama	<b>Narrow-leaf riparian greenbrier</b> 좁은잎밀나물 (Jop-eun-ip-mil-na-mul)
<i>Smilax sieboldii</i> Miq.	<b>Siebold's greenbrier</b> 청가시덩굴 (Cheong-ga-si-deong-gul)
<i>Smilax sieboldii</i> f. <i>intermis</i> (Nakai) H.Hara	<b>Smooth Siebold's greenbrier</b> 민청가시덩굴 (Min-cheong-ga-si-deong-gul)
<b>SOLANACEAE Juss.</b>	<b>Nightshade family</b> 가지과 (Ga-ji-gwa)
<b><i>Solanum</i> L. [Solanaceae]</b>	<b>Nightshade</b> 가지속 (Ga-ji-sok) [가지과]
<i>Solanum japonense</i> Nakai	<b>Narrow-leaf nightshade</b> 좁은잎배풍등 (Jop-eun-ip-bae-pung-deung)
<i>Solanum lyratum</i> Thunb.	<b>Lyre-leaf nightshade</b> 배풍등 (Bae-pung-deung)

S

Scientific name	English name Korean name (Romanization)
<i>Solanum megacarpum</i> Koidz.	<b>Big nightshade</b> 왕배풀등 (Wang-bae-pung-deung)
<i>Solidago</i> L. [Asteraceae]	<b>Goldenrod</b> 미역취속 (Mi-yeok-chwi-sok) [국화과]
<i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H.Hara	<b>Asian goldenrod</b> 미역취 (Mi-yeok-chwi)
<i>Solidago virgaurea</i> subsp. <i>gigantea</i> (Nakai) Kitam.	<b>Ulleung goldenrod</b> 울릉미역취 (Ul-reung-mi-yeok-chwi)
<i>Solidago virgaurea</i> var. <i>coreana</i> Nakai	<b>Korean goldenrod</b> 나래미역취 (Na-rae-mi-yeok-chwi)
<i>Solidago virgaurea</i> var. <i>leiocarpa</i> (Benth.) A.Gray	<b>European goldenrod</b> 산미역취 (San-mi-yeok-chwi)
<i>Sonchus</i> L. [Asteraceae]	<b>Sowthistle</b> 방가지똥속 (Bang-ga-ji-ttong-sok) [국화과]
<i>Sonchus brachyotus</i> DC.	<b>Seashore sowthistle</b> 사데풀 (Sa-de-pul)
<i>Sophora</i> L. [Fabaceae]	<b>Necklacepod</b> 고삼속 (Go-sam-sok) [콩과]
<i>Sophora flavescens</i> Solander ex Aiton	<b>Shrubby sophora</b> 고삼 (Go-sam)
<i>Sorbaria</i> (Ser.) A.Braun [Rosaceae]	<b>False spiraea</b> 쉬땅나무속 (Swi-ttang-na-mu-sok) [장미과]
<i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim.	<b>Drooping-flower false spiraea</b> 좀쉬땅나무 (Jom-swi-ttang-na-mu)
<i>Sorbaria sorbifolia</i> var. <i>stellipila</i> Maxim.	<b>False spiraea</b> 쉬땅나무 (Swi-ttang-na-mu)
* <i>Sorbaria sorbifolia</i> f. <i>glandulosa</i> (Nakai) T.B.Lee	<b>Glandular false spiraea</b> 점쉬땅나무 (Jeom-swi-ttang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Sorbaria sorbifolia</i> f. <i>incerta</i> (C.K.Schneid.) Kitag.	<b>Incatae false spiraea</b> 청취땅나무 (Cheong-swi-ttang-na-mu)
<b><i>Sorbus L.</i></b> <b>[Rosaceae]</b>	<b>Mountain ash</b> 마가목속 (Ma-ga-mok-sok) [장미과]
<i>Sorbus alnifolia</i> (Siebold & Zucc.) K.Koch	<b>Korean mountain ash</b> 풀배나무 (Pat-bae-na-mu)
<i>Sorbus alnifolia</i> var. <i>lasiocarpa</i> T.B.Lee	<b>Long-fruit Korean mountain ash</b> 긴팔배나무 (Gin-pat-bae-na-mu)
<i>Sorbus alnifolia</i> var. <i>lobulata</i> (Koidz.) Rehder	<b>Lobulate-leaf Korean mountain ash</b> 별배나무 (Beol-bae-na-mu)
<i>Sorbus alnifolia</i> f. <i>hirtella</i> (Nakai) W.T.Lee	<b>Hairy Korean mountain ash</b> 털풀배나무 (Teol-pat-bae-na-mu)
<i>Sorbus alnifolia</i> f. <i>oblongifolia</i> (Nakai) W.T.Lee	<b>Oblong-leaf Korean mountain ash</b> 긴잎풀배나무 (Gin-ip-pat-bae-na-mu)
<i>Sorbus amurensis</i> Koehne	<b>Amur mountain ash</b> 당마가목 (Dang-ma-ga-mok)
<i>Sorbus amurensis</i> var. <i>lanata</i> Nakai	<b>White-hair Amur mountain ash</b> 흰털당마가목 (Huin-teol-dang-ma-ga-mok)
<i>Sorbus amurensis</i> var. <i>rufa</i> Nakai	<b>Reddish Amur mountain ash</b> 차빛당마가목 (Cha-bit-dang-ma-ga-mok)
<i>Sorbus amurensis</i> f. <i>latifoliolata</i> (Nakai) W.T.Lee	<b>Wide-leaf Amur mountain ash</b> 넓은잎당마가목 (Neol-beun-ip-dang-ma-ga-mok)
<i>Sorbus commixta</i> Hedl.	<b>Silvery mountain ash</b> 마가목 (Ma-ga-mok)
<i>Sorbus commixta</i> var. <i>pilosa</i> Nakai	<b>Hairy mountain ash</b> 잔털마가목 (Jan-teol-ma-ga-mok)
<i>Sorbus commixta</i> var. <i>rufo-ferruginea</i> C.K.Schneid.	<b>Red-brown mountain ash</b> 녹마가목 (Nok-ma-ga-mok)
<i>Sorbus commixta</i> f. <i>rufo-hirtella</i> Nakai	<b>Red-hair mountain ash</b> 왕털마가목 (Wang-teol-ma-ga-mok)
<i>Sorbus sambucifolia</i> var. <i>pseudogracilis</i> C.K.Schneid.	<b>Siberian mountain ash</b> 산마가목 (San-ma-ga-mok)

Scientific name	English name Korean name (Romanization)
<b><i>Sorghum</i> Moench</b> [Poaceae]	<b>Sorghum</b> 수수새속 (Su-su-sae-sok) [벼과]
<i>Sorghum nitidum</i> (Vahl) Pers.	<b>Shining sorghum</b> 수수새 (Su-su-sae)
<b>SPARGANIACEAE Hanin</b>	<b>Bur-reed family</b> 흑삼릉과 (Heuk-sam-reung-gwa)
<i>Sparganium</i> L. [Sparganiaceae]	<b>Bur-reed</b> 흑삼릉속 (Heuk-sam-reung-sok) [흑삼릉과]
<i>Sparganium erectum</i> L.	<b>Simple-stem bur-reed</b> 흑삼릉 (Heuk-sam-reung)
<i>Sparganium fallax</i> Graebn.	<b>Twisted bur-reed</b> 남흑삼릉 (Nam-heuk-sam-reung)
<i>Sparganium hyperboreum</i> Laest. ex Beurl.	<b>Northern bur-reed</b> 좁은잎흑삼릉 (Jop-eun-ip-heuk-sam-reung)
<i>Sparganium japonicum</i> Rothert	<b>Long-stem bur-reed</b> 긴흑삼릉 (Gin-heuk-sam-reung)
<b><i>Spergularia</i> (Pers.) J.Presl &amp; C.Presl</b> [Caryophyllaceae]	<b>Sandspurrys, Sea-spurreys</b> 갯개미자리속 (Gaet-gae-mi-ja-ri-sok) [석죽과]
<i>Spergularia marina</i> (L.) Besser	<b>Salt sandspurry</b> 갯개미자리 (Gaet-gae-mi-ja-ri)
<b><i>Sphallerocarpus</i> Besser ex DC.</b> [Apiaceae]	<b>Sphallerocarpus</b> 무산상자속 (Mu-san-sang-ja-sok) [산형과]
<i>Sphallerocarpus gracilis</i> (Besser ex Trevir.) Koso-Pol.	<b>Thin sphallerocarpus</b> 무산상자 (Mu-san-sang-ja)
<b><i>Sphenomeris</i> Maxon</b> [Pteridaceae]	<b>Sphenomeris</b> 바위고사리속 (Ba-wi-go-sa-ri-sok) [고사리과]
<i>Sphenomeris biflora</i> (Kaulf.) Tagawa	<b>Biflorate wedgelet fern</b> 갯바위고사리 (Gaet-ba-wi-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Sphenomeris chinensis</i> (L.) Maxon	<b>Pala'a lace fern</b> 바위고사리 (Ba-wi-go-sa-ri)
<i>Spiraea</i> L. [Rosaceae]	<b>Spiraea</b> 조팝나무속 (Jo-pap-na-mu-sok) [장미과]
<i>Spiraea betulifolia</i> Pall.	<b>White spiraea</b> 둥근잎조팝나무 (Dung-geun-ip-jo-pap-na-mu)
<i>Spiraea blumei</i> G.Don	<b>Montane spiraea</b> 산조팝나무 (San-jo-pap-na-mu)
<i>Spiraea chamaedryfolia</i> L.	<b>Elm-leaf spiraea</b> 인가목조팝나무 (In-ga-mok-jo-pap-na-mu)
<i>Spiraea chamaedryfolia</i> var. <i>pilosa</i> (Nakai) H.Hara	<b>Pilose elm-leaf spiraea</b> 털인가목조팝나무 (Teol-in-ga-mok-jo-pap-na-mu)
<i>Spiraea chartacea</i> Nakai	<b>Thick-leaf summer spiraea</b> 떡조팝나무 (Tteok-jo-pap-na-mu)
<i>Spiraea chinensis</i> Maxim.	<b>Chinese spiraea</b> 당조팝나무 (Dang-jo-pap-na-mu)
<i>Spiraea fritschiana</i> C.K.Schneid.	<b>Korean spiraea</b> 참조팝나무 (Cham-jo-pap-na-mu)
<i>Spiraea media</i> Schmidt	<b>Oriental spiraea</b> 긴잎조팝나무 (Gin-ip-jo-pap-na-mu)
<i>Spiraea media</i> var. <i>sericea</i> (Turcz.) Maxim.	<b>Silky oriental spiraea</b> 털긴잎조팝나무 (Teol-gin-ip-jo-pap-na-mu)
<i>Spiraea microgyna</i> Nakai	<b>Small spiraea</b> 좁조팝나무 (Jom-jo-pap-na-mu)
<i>Spiraea miyabei</i> Koidz.	<b>Thin-leaf spiraea</b> 덤불조팝나무 (Deom-bul-jo-pap-na-mu)
<i>Spiraea nankaiensis</i> Nakai	<b>Namhae spiraea</b> 남해조팝나무 (Nam-hae-jo-pap-na-mu)
<i>Spiraea prunifolia</i> f. <i>simpliciflora</i> Nakai	<b>Simple bridalwreath spiraea</b> 조팝나무 (Jo-pap-na-mu)
<i>Spiraea pseudocrenata</i> Nakai	<b>Long-leaf mountain spiraea</b> 긴잎산조팝나무 (Gin-ip-san-jo-pap-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Spiraea pubescens</i> Turcz.	<b>Pubescent spiraea</b> 아구장나무 (A-gu-jang-na-mu)
<i>Spiraea pubescens</i> var. <i>lasiocarpa</i> Nakai	<b>Woolly-fruit pubescent spiraea</b> 설악조팝나무 (Seol-ak-jo-pap-na-mu)
<i>Spiraea pubescens</i> f. <i>leiocarps</i> (Nakai) Kitag.	<b>Smooth-fruit pubescent spiraea</b> 초평조팝나무 (Cho-pyeong-jo-pap-na-mu)
<i>Spiraea salicifolia</i> L.	<b>Willow-leaf spiraea</b> 꼬리조팝나무 (Kko-ri-jo-pap-na-mu)
<i>Spiraea trichocarpa</i> Nakai	<b>Korean meadow spiraea</b> 갈기조팝나무 (Gal-gi-jo-pap-na-mu)
<i>Spiranthes</i> Rich. [Orchidaceae]	<b>Ladies tresses, Ladies'-tresses, Lady's tresses</b> 타래난초속 (Ta-rae-nan-cho-sok) [난초과]
<i>Spiranthes sinensis</i> (Pers.) Ames	<b>Ladies' tresse</b> 타래난초 (Ta-rae-nan-cho)
* <i>Spiranthes sinensis</i> f. <i>albiflora</i> Y.N.Lee	<b>White-flower ladies' tresse</b> 흰타래난초 (Huin-ta-rae-nan-cho)
<i>Spirodela</i> Schleid. [Lemnaceae]	<b>Duckmeat</b> 개구리밥속 (Gae-gu-ri-bap-sok) [개구리밥과]
<i>Spirodela polyrhiza</i> (L.) Schleid.	<b>Great duckmeat</b> 개구리밥 (Gae-gu-ri-bap)
<i>Spodiopogon</i> Trin. [Poaceae]	<b>Spodiopogon</b> 기름새속 (Gi-reum-sae-sok) [벼과]
<i>Spodiopogon cotulifer</i> (Thunb.) Hack.	<b>Articulation-bearing spodiopogon</b> 기름새 (Gi-reum-sae)
<i>Spodiopogon sibiricus</i> Trin.	<b>Siberian spodiopogon</b> 큰기름새 (Keun-gi-reum-sae)
<i>Sporobolus</i> R.Br. [Poaceae]	<b>Dropseed grasses, Sacaton grasses</b> 주꼬리새풀속 (Jwi-kko-ri-sae-pul-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Sporobolus fertilis</i> (Steud.) Clayton	<b>Sacaton grass</b> 쥐꼬리새풀 (Jwi-kko-ri-sae-pul)
<i>Sporobolus piliferus</i> (Trin.) Kunt	<b>Barundi sacaton grass</b> 나도잔디 (Na-do-jan-di)
<b><i>Stachys</i> L.</b> [Lamiaceae]	<b>Betony, Heal-all, Hedgenettle, Lamb's ears, Self-heal, Woundwort</b> 석잠풀속 (Seok-jam-pul-sok) [꿀풀과]
<i>Stachys japonica</i> Miq.	<b>Hairless woundwort</b> 석잠풀 (Seok-jam-pul)
* <i>Stachys japonica</i> var. <i>hispidula</i> (H.Hara) Y.M.Lee & H.J.Choi	<b>Rough woundwort</b> 개석잠풀 (Gae-seok-jam-pul)
<i>Stachys japonica</i> var. <i>villosa</i> (Kudo) Ohwi	<b>Bristle woundwort</b> 털석잠풀 (Teol-seok-jam-pul)
<i>Stachys oblongifolia</i> Benth.	<b>Velvety woundwort</b> 우단석잠풀 (U-dan-seok-jam-pul)
<b><i>Staphylea</i> L.</b> [Staphyleaceae]	<b>Bladdernut</b> 고추나무속 (Go-chu-na-mu-sok) [고추나무과]
<i>Staphylea bumalda</i> DC.	<b>Bumald's bladdernut</b> 고추나무 (Go-chu-na-mu)
<b>STAPHYLEACEAE</b> Martinov	<b>Bladdernut family</b> 고추나무과 (Go-chu-na-mu-gwa)
<b><i>Stauntonia</i> DC.</b> [Lardizabalaceae]	<b><i>Stauntonia</i></b> 멀꿀속 (Meol-kkul-sok) [으름덩굴과]
<i>Stauntonia hexaphylla</i> (Thunb.) Decne.	<b><i>Stauntonia</i> vine</b> 멀꿀 (Meol-kkul)
<b><i>Stellaria</i> L.</b> [Caryophyllaceae]	<b>Stitchwort, Chickweed</b> 별꽃속 (Byeol-kkot-sok) [석죽과]
<i>Stellaria alsine</i> var. <i>undulata</i> (Thunb.) Ohwi	<b>Bog chickweed</b> 벼룩나물 (Byeo-ruk-na-mul)

S

Scientific name	English name Korean name (Romanization)
<i>Stellaria aquatica</i> (L.) Scop.	<b>Giant chickweed</b> 쇠별꽃 (Soe-byeol-kkot)
<i>Stellaria bungeana</i> Fenzl	<b>Woodland chickweed</b> 큰별꽃 (Keun-byeol-kkot)
<i>Stellaria diffusa</i> Willd. ex Schltld.	<b>Spreading chickweed</b> 애기 가지 별꽃 (Ae-gi-ga-ji-byeol-kkot)
<i>Stellaria diversiflora</i> Maxim.	<b>Diverse-flower chickweed</b> 일월산별꽃 (Il-wol-san-byeol-kkot)
<i>Stellaria filicaulis</i> Makino	<b>Slender chickweed</b> 실별꽃 (Sil-byeol-kkot)
<i>Stellaria longifolia</i> Muhl. ex Willd.	<b>Long-leaf chickweed</b> 긴잎별꽃 (Gin-ip-byeol-kkot)
<i>Stellaria media</i> (L.) Vill.	<b>Common chickweed</b> 별꽃 (Byeol-kkot)
<i>Stellaria neopalustris</i> Kitag.	<b>Sinuiju chickweed</b> 신의주별꽃 (Sin-ui-ju-byeol-kkot)
<i>Stellaria radians</i> L.	<b>Ciliate-petal chickweed</b> 왕별꽃 (Wang-byeol-kkot)
<i>Stellera</i> L. [Thymelaeaceae]	<b>Stellera</b> 피뿌리풀속 (Pi-ppu-ri-pul-sok) [팝꽃나무과]
<i>Stellera chamaejasme</i> L.	<b>Bloody-root stellera</b> 피뿌리풀 (Pi-ppu-ri-pul)
<i>Stephanandra</i> Siebold & Zucc. [Rosaceae]	<b>Stephanandra</b> 국수나무속 (Guk-su-na-mu-sok) [장미과]
<i>Stephanandra incisa</i> (Thunb.) Zabel	<b>Laceshrub</b> 국수나무 (Guk-su-na-mu)
<i>Stephanandra incisa</i> var. <i>quadrifissa</i> (Nakai) T.B.Lee	<b>Quadrifid-leaf laceshrub</b> 나비국수나무 (Na-bi-guk-su-na-mu)
<i>Stephania</i> Lour. [Menispermaceae]	<b>Stephania</b> 함박이속 (Ham-bak-i-sok) [새모래덩굴과]

Scientific name	English name Korean name (Romanization)
<i>Stephania japonica</i> (Thunb.) Miers	<b>Snake vine</b> 함박이 (Ham-bak-i)
<b>STERCULIACEAE</b> Vent.	<b>Sterculia family</b> <b>벽오동과</b> (Byeok-o-dong-gwa)
<i>Stewartia</i> L. [Theaceae]	<b>Stewartia</b> <b>노각나무속</b> (No-gak-na-mu-sok) [차나무과]
<i>Stewartia pseudocamellia</i> Maxim.	<b>Korean stewartia</b> 노각나무 (No-gak-na-mu)
<i>Stimpsonia</i> C.Wright ex A.Gray [Primulaceae]	<b>Stimpsonia</b> <b>이삭봄맞이속</b> (I-sak-bom-mat-i-sok) [앵초과]
<i>Stimpsonia chamaedrioides</i> C.Wright ex A.Gray	<b>Common stimpsonia</b> 이삭봄맞이 (I-sak-bom-mat-i)
<i>Stipa</i> L. [Poaceae]	<b>Feather grass, Needlegrass, Spear grass</b> <b>나래새속</b> (Na-rae-sae-sok) [벼과]
<i>Stipa coreana</i> Honda	<b>Korean needlegrass</b> 참나래새 (Cham-na-rae-sae)
<i>Stipa coreana</i> var. <i>japonica</i> (Matsum.) Y.N.Lee	<b>Jeju needlegrass</b> 제주나래새 (Je-ju-na-rae-sae)
<i>Stipa pekinensis</i> Hance	<b>Chinese needlegrass</b> 나래새 (Na-rae-sae)
<i>Stipa sibirica</i> (L.) Lam.	<b>Needlegrass</b> 가는나래새 (Ga-neun-na-rae-sae)
<i>Streptolirion</i> Edgew. [Commelinaceae]	<b>Streptolirion</b> <b>덩굴닭의장풀속</b> (Deong-gul-dak-ui-jang-pul-sok) [닭의장풀과]
<i>Streptolirion volubile</i> Edgew.	<b>Twining streptolirion</b> 덩굴닭의장풀 (Deong-gul-dak-ui-jang-pul)
<i>Streptopus</i> Michx. [Liliaceae]	<b>Twisted-stalk</b> <b>죽대아재비속</b> (Juk-dae-a-jae-bi-sok) [백합과]

S

Scientific name	English name Korean name (Romanization)
<i>Streptopus amplexifolius</i> (L.) DC.	<b>Clasping-leaf twisted-stalk</b> 죽대아재비 (Juk-dae-a-jae-bi)
<i>Streptopus koreanus</i> (Kom.) Ohwi	<b>Korean twisted-stalk</b> 왕죽대아재비 (Wang-juk-dae-a-jae-bi)
<i>Streptopus ovalis</i> (Ohwi) F.T.Wang & Y.C.Tang	<b>Geumgang twisted-stalk</b> 금강애기나리 (Geum-gang-ae-gi-na-ri)
* <i>Streptopus ovalis</i> var. <i>albus</i> Y.N.Lee	<b>White-flower twisted-stalk</b> 흰금강애기나리 (Huin-geum-gang-ae-gi-na-ri)
<b><i>Strobilanthes</i> Blume</b> [Acanthaceae]	<b>Strobilanthes</b> 방울꽃속 (Bang-ul-kkot-sok) [쥐꼬리망초과]
<i>Strobilanthes oliganthus</i> Miq.	<b>Few-flower conehead</b> 방울꽃 (Bang-ul-kkot)
<b>STYRACACEAE DC. &amp; Spreng.</b>	<b>Styrax family</b> 때죽나무과 (Ttae-juk-na-mu-gwa)
<b><i>Styrax</i> L.</b> [Styracaceae]	<b>Snowbell, <i>Styrax</i></b> 때죽나무속 (Ttae-juk-na-mu-sok) [때죽나무과]
<i>Styrax japonicus</i> Siebold & Zucc.	<b>Snowbell tree</b> 때죽나무 (Ttae-juk-na-mu)
<i>Styrax obassia</i> Siebold & Zucc.	<b>Fragrant snowbell</b> 쪽동백나무 (Ijok-dong-baek-na-mu)
<i>Styrax shiraianus</i> Makino	<b>Jirisan snowbell</b> ombokbaeknaamu (Jom-jjok-dong-baek-na-mu)
<b><i>Suaeda</i> Forssk. ex Scop.</b> [Chenopodiaceae]	<b>Seepweed, Seablites</b> 나문재속 (Na-mun-jae-sok) [명아주과]
<i>Suaeda australis</i> (R.Br.) Moq.	<b>Southern seepweed</b> 방석나물 (Bang-seok-na-mul)
<i>Suaeda glauca</i> (Bunge) Bunge	<b>Asian common seepweed</b> 나문재 (Na-mun-jae)
<i>Suaeda heteroptera</i> Kitag.	<b>Narrow-saline seepweed</b> 좁은해홍나물 (Jop-eun-hae-hong-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Suaeda japonica</i> Makino	<b>East Asian seepweed</b> 칠면초 (Chil-myeon-cho)
<i>Suaeda malacosperma</i> H.Hara	<b>Brackish zone seepweed</b> 기수초 (Gi-su-cho)
<i>Suaeda maritima</i> (L.) Dumort.	<b>Herbaceous seepweed</b> 해홍나물 (Hae-hong-na-mul)
<i>Swertia</i> L. [Gentianaceae]	<b>Felwort, Swertia</b> 쓴풀속 (Sseun-pul-sok) [용담과]
<i>Swertia diluta</i> var. <i>tosaensis</i> (Makino) H.Hara	<b>Diluted swertia</b> 개쓴풀 (Gae-sseun-pul)
<i>Swertia erythrosticta</i> Maxim.	<b>Red-spot swertia</b> 점박이별꽃풀 (Jeom-bak-i-byeol-kkot-pul)
<i>Swertia japonica</i> (Schult.) Makino	<b>East Asian swertia</b> 쓴풀 (Sseun-pul)
<i>Swertia pseudochinensis</i> H.Hara	<b>False Chinese swertia</b> 자주쓴풀 (Ja-ju-sseun-pul)
<i>Swertia pseudochinensis</i> f. <i>alba</i> Y.N.Lee	<b>White-flower false Chinese swertia</b> 흰자주쓴풀 (Huin-ja-ju-sseun-pul)
<i>Swertia tetrapetala</i> Pall.	<b>Lesser tetrapetal swertia</b> 네귀쓴풀 (Ne-gwi-sseun-pul)
<i>Swertia veratroides</i> Maxim. ex Kom.	<b>Spatulate-leaf swertia</b> 별꽃풀 (Byeo-kkot-pul)
<i>Swertia wilfordii</i> (A.Kern.) Kom.	<b>Large tetrapetal swertia</b> 큰잎쓴풀 (Keun-ip-sseun-pul)
<i>Symphyllocarpus</i> Maxim. [Asteraceae]	<b>Symphyllocarpus</b> 개중대가리속 (Gae-jung-dae-ga-ri-sok) [국화과]
<i>Symphyllocarpus exilis</i> Maxim.	<b>Common symphyllocarpus</b> 개중대가리 (Gae-jung-dae-ga-ri)
<b>SYMPLOCACEAE</b> Desf.	<b>Sweetleaf family</b> 노린재나무과 (No-rin-jae-na-mu-gwa)

Scientific name	English name Korean name (Romanization)
<i>Symplocarpus</i> Salisb. ex W.P.C. Barton [Araceae]	<b>Skunk cabbage</b> 앉은부채속 (An-jeun-bu-chae-sok) [천남성과]
<i>Symplocarpus nipponicus</i> Makino	<b>East Asian skunk cabbage</b> 애기앉은부채 (Ae-gi-an-jeun-bu-chae)
<i>Symplocarpus renifolius</i> Schott ex Miq.	<b>Oriental skunk cabbage</b> 앉은부채 (An-jeun-bu-chae)
<i>Symplocos</i> Jacq. [Symplocaceae]	<b>Sweetleaf</b> 노린재나무속 (No-rin-jae-na-mu-sok) [노린재나무과]
<i>Symplocos chinensis</i> var. <i>leucocarpa</i> (Nakai) Ohwi	<b>White Asian sweetleaf</b> 흰노린재나무 (Huin-no-rin-jae-na-mu)
<i>Symplocos sawafutagi</i> Nagam.	<b>Asian sweetleaf</b> 노린재나무 (No-rin-jae-na-mu)
<i>Symplocos coreana</i> (H.Lév.) Ohwi	<b>Korean sweetleaf</b> 설노린재나무 (Seom-no-rin-jae-na-mu)
<i>Symplocos lucida</i> (Thunb.) Siebold & Zucc.	<b>Thick sweetleaf</b> 사철검은재나무 (Sa-cheol-geom-eun-jae-na-mu)
<i>Symplocos prunifolia</i> Siebold & Zucc.	<b>Cherry-leaf sweetleaf</b> 검은재나무 (Geom-eun-jae-na-mu)
<i>Symplocos tanakana</i> Nakai	<b>Black sweetleaf</b> 검노린재나무 (Geom-no-rin-jae-na-mu)
<i>Syneilesis</i> Maxim. [Asteraceae]	<b>Syneilesis</b> 우산나물속 (U-san-na-mul-sok) [국화과]
<i>Syneilesis aconitifolia</i> (Bunge) Maxim.	<b>Shredded umbrella plant</b> 애기우산나물 (Ae-gi-u-san-na-mul)
<i>Syneilesis palmata</i> (Thunb.) Maxim.	<b>Palmate shredded umbrella plant</b> 우산나물 (U-san-na-mul)
<i>Synurus</i> Iljin [Asteraceae]	<b>Synurus</b> 수리취속 (Su-ri-chwi-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Synurus deltoides</i> (Aiton) Nakai	<b>Deltoid synurus</b> 수리취 (Su-ri-chwi)
<i>Synurus deltoides</i> var. <i>incisolobata</i> (DC.) Kitam.	<b>Deeply-lobe deltoid synurus</b> 가새수리취 (Ga-sae-su-ri-chwi)
<i>Synurus excelsus</i> (Makino) Kitam.	<b>Large deltoid synurus</b> 큰수리취 (Keun-su-ri-chwi)
<i>Synurus palmatopinnatifidus</i> (Makino) Kitam.	<b>Chrysanthemum-leaf synurus</b> 국화수리취 (Guk-hwa-su-ri-chwi)
<i>Synurus palmatopinnatifidus</i> var. <i>indivisus</i> (Makino) Kitam.	<b>Undivided chrysanthemum-leaf synurus</b> 민국화수리취 (Min-guk-hwa-su-ri-chwi)
<b><i>Syringa</i> L. [Oleaceae]</b>	<b>Lilac</b> 수수꽃다리속 (Su-su-kkot-da-ri-sok) [풀풀레나무과]
<i>Syringa fauriei</i> H.Lév.	<b>Willow-leaf Manchurian lilac</b> 벼들개회나무 (Beo-deul-gae-hoe-na-mu)
<i>Syringa oblata</i> var. <i>dilatata</i> (Nakai) Rehder	<b>Korean early lilac</b> 수수꽃다리 (Su-su-kkot-da-ri)
<i>Syringa patula</i> (Palib.) Nakai	<b>Miss Kim lilac</b> 털개회나무 (Teol-gae-hoe-na-mu)
<i>Syringa patula</i> var. <i>kamibayshii</i> (Nakai) M.Kim	<b>Korean lilac</b> 정향나무 (Jeong-hyang-na-mu)
<i>Syringa patula</i> f. <i>lactea</i> (Nakai) M.Kim	<b>White Korean lilac</b> 흰정향나무 (Huin-jeong-hyang-na-mu)
<i>Syringa patula</i> var. <i>venosa</i> (Nakai) M.Kim	<b>Ulleungdo Miss Kim lilac</b> 섬개회나무 (Seom-gae-hoe-na-mu)
<i>Syringa patula</i> var. <i>venosa</i> f. <i>lactea</i> M.Kim	<b>White Ulleungdo Miss Kim lilac</b> 흰섬개회나무 (Huin-seom-gae-hoe-na-mu)
<i>Syringa reticulata</i> (Blume) H.Hara	<b>Manchurian lilac</b> 개회나무 (Gae-hoe-na-mu)
<i>Syringa reticulata</i> var. <i>mandshurica</i> (Maxim.) H.Hara	see <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa reticulata</i> var. <i>mandshurica</i> f. <i>koreana</i> T.B.Lee	see <i>Syringa reticulata</i> (Blume) H.Hara

Scientific name	English name Korean name (Romanization)
<i>Syringa reticulata</i> var. <i>mandshurica</i> f. <i>longifolia</i> T.B.Lee	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa reticulata</i> f. <i>bracteata</i> (Nakai) T.B.Lee	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa wolfii</i> C.K.Schneid.	<b>Beautiful Wolf's lilac</b> 꽃개회나무 (Kkot-gae-hoe-na-mu)
<i>Syringa wolfii</i> var. <i>hirsuta</i> (C.K.Schneid.) Rehder	<b>Wolf's lilac</b> 털꽃개회나무 (Teol-kkot-gae-hoe-na-mu)

**T**

<b><i>Taeniophyllum</i> Blume</b> [Orchidaceae]	<b>Taeniophyllum</b> 거미난초속 (Geo-mi-nan-cho-sok) [난초과]
<i>Taeniophyllum glandulosum</i> Blume	<b>Glandular taeniophyllum</b> 거미란 (Geo-mi-ran)
<b><i>Tanacetum</i> L.</b> [Asteraceae]	<b>Tansy</b> 쑥국화속 (Ssuk-guk-hwa-sok) [국화과]
<i>Tanacetum vulgare</i> L.	<b>Tansy</b> 쑥국화 (Ssuk-guk-hwa)
<b><i>Taraxacum</i> Zinn</b> [Asteraceae]	<b>Dandelion</b> 민들레속 (Min-deul-re-sok) [국화과]
<i>Taraxacum coreanum</i> Nakai	<b>White-flowering Korean dandelion</b> 흰민들레 (Huin-min-deul-re)
<i>Taraxacum coreanum</i> var. <i>flavescens</i> Kitam.	<b>Yellowish white-flowering Korean dandelion</b> 흰노랑민들레 (Huin-no-rang-min-deul-re)
<i>Taraxacum formosanum</i> Kitam.	<b>Youngdo dandelion</b> 영도민들레 (Yeong-do-min-deul-re)
<i>Taraxacum hallaisanense</i> Nakai	<b>Hallasan small dandelion</b> 줌민들레 (Jom-min-deul-re)
<i>Taraxacum mongolicum</i> Hand.-Mazz.	<b>Mongolian dandelion</b> 털민들레 (Teol-min-deul-re)

Scientific name	English name Korean name (Romanization)
<i>Taraxacum ohwianum</i> Kitam.	<b>Montane dandelion</b> 산민들레 (San-min-deul-re)
<i>Taraxacum platycarpum</i> Dahlst.	<b>Korean dandelion</b> 민들레 (Min-deul-re)
<i>Taraxacum platypecidum</i> Diels	<b>White-hair dandelion</b> 흰털민들레 (Huin-teol-min-deul-re)
<b>TAXACEAE</b> Gray	<b>Yew family</b> <b>주목과</b> (Ju-mok-gwa)
<i>Taxillus</i> Tiegh. [Loranthaceae]	<b>Taxillus</b> 참나무겨우살이속 (Cham-na-mu-gyeo-u-sal-i-sok) [겨우살이과]
<i>Taxillus yadoriki</i> (Siebold ex Maxim.) Danster	<b>Silverberry-like taxillus</b> 참나무겨우살이 (Cham-na-mu-gyeo-u-sal-i)
<b>Taxus</b> L. [Taxaceae]	<b>Yew</b> <b>주목속</b> (Ju-mok-sok) [주목과]
<i>Taxus baccata</i> var. <i>latifolia</i> Pilg.	<b>Wide-leaf Ulleungdo yew</b> 회솔나무 (Hoe-sol-na-mu)
<i>Taxus cuspidata</i> Siebold & Zucc.	<b>Rigid-branch yew</b> 주목 (Ju-mok)
<i>Taxus cuspidata</i> var. <i>nana</i> Rehder	<b>Korean spreading yew</b> 설악눈주목 (Seol-ak-nun-ju-mok)
<b>Tephroseris (Rchb.) Rchb.</b> [Asteraceae]	<b>Groundsel</b> 송방망이속 (Som-bang-mang-i-sok) [국화과]
<i>Tephroseris flammea</i> (Turcz. ex DC.) Holub	<b>Scarlet groundsel</b> 산솜방망이 (San-som-bang-mang-i)
<i>Tephroseris flammea</i> var. <i>glabrisolia</i> (Cufod.) K.J.Kim	<b>Smooth-leaf scarlet groundsel</b> 민솜방망이 (Min-som-bang-mang-i)
<i>Tephroseris kirilowii</i> (Turcz. ex DC.) Holub	<b>East Asian groundsel</b> 솜방망이 (Som-bang-mang-i)

Scientific name	English name Korean name (Romanization)
<i>Tephroseris phaeantha</i> (Nakai) C.Jeffrey & Y.L.Chen	<b>Rocky alpine groundsel</b> 바위솜나물 (Ba-wi-som-na-mul)
<i>Tephroseris pseudosonchus</i> (Vaniot) C.Jeffrey & Y.L.Chen	<b>Alpine-swamp groundsel</b> 물솜방망이 (Mul-som-bang-mang-i)
<b><i>Ternstroemia</i> Mutis ex L.f.</b> [Theaceae]	<b><i>Ternstroemia</i></b> <b>후피향나무속</b> (Hu-pi-hyang-na-mu-sok) [차나무과]
<i>Ternstroemia gymnanthera</i> (Wight & Arn.) Sprague	<b>Naked-anther ternstroemia</b> 후피향나무 (Hu-pi-hyang-na-mu)
<b><i>Tetragonia</i> L.</b> [Aizoaceae]	<b>Tetragonia</b> <b>변행초속</b> (Beon-haeng-cho-sok) [변행초과]
<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	<b>Common tetragonia</b> 변행초 (Beon-haeng-cho)
<b><i>Teucrium</i> L.</b> [Lamiaceae]	<b>Germander</b> <b>곽향속</b> (Gwak-hyang-sok) [꿀풀과]
<i>Teucrium japonicum</i> Houtt.	<b>Spike-flower germander</b> 개곽향 (Gae-gwak-hyang)
<i>Teucrium veronicoides</i> Maxim.	<b>Mountain germander</b> 곽향 (Gwak-hyang)
<i>Teucrium viscidum</i> Blume	<b>Sticky germander</b> 섬곽향 (Seom-gwak-hyang)
<i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H.Hara	<b>Procumbent sticky germander</b> 덩굴곽향 (Deong-gul-gwak-hyang)
<b><i>Thalictrum</i> L.</b> [Ranunculaceae]	<b>Meadow-rue</b> <b>꿩의다리속</b> (Kkwong-ui-da-ri-sok) [미나리아재비과]
<i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> Nakai	<b>Silver meadow-rue</b> 은꿩의다리 (Eun-kkwong-ui-da-ri)
<i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling	<b>Siberian columbine meadow-rue</b> 꿩의다리 (Kkwong-ui-da-ri)

Scientific name	English name Korean name (Romanization)
<i>Thalictrum baicalense</i> Turcz.	<b>Baical meadow-rue</b> 바이칼꿩의다리 (Ba-i-kal-kkwong-ui-da-ri)
<i>Thalictrum coreanum</i> H.Lév.	<b>Korean meadow-rue</b> 연잎꿩의다리 (Yeon-ip-kkwong-ui-da-ri)
<i>Thalictrum filamentosum</i> Maxim.	<b>Filamentous meadow-rue</b> 큰산꿩의다리 (Keun-san-kkwong-ui-da-ri)
<i>Thalictrum filamentosum</i> var. <i>tenerum</i> (Huth) Ohwi	<b>Tuberous-rooted meadow-rue</b> 산꿩의다리 (San-kkwong-ui-da-ri)
<i>Thalictrum ichangense</i> Lecoy. ex Oliv.	<b>Pallid lotus-leaf meadow-rue</b> 꼭지연잎꿩의다리 (Kkok-ji-yeon-ip-kkwong-ui-da-ri)
<i>Thalictrum kemense</i> Franch.	<b>Long-stalk low meadow-rue</b> 큰꿩의다리 (Keun-kkwong-ui-da-ri)
<i>Thalictrum kemense</i> var. <i>hypoleucum</i> (Siebold & Zucc.) Kitag.	<b>East Asian low meadow-rue</b> 좀꿩의다리 (Jom-kkwong-ui-da-ri)
<i>Thalictrum osmorrhizoides</i> Nakai	<b>Shady meadow-rue</b> 그늘꿩의다리 (Geu-neul-kkwong-ui-da-ri)
<i>Thalictrum petaloideum</i> L.	<b>Petaloid meadow-rue</b> 꽃꿩의다리 (Kkot-kkwong-ui-da-ri)
<i>Thalictrum rochebrunnianum</i> var. <i>grandisepalum</i> (H.Lév.) Nakai	<b>Yellow-filamentous meadow-rue</b> 금꿩의다리 (Geum-kkwong-ui-da-ri)
<i>Thalictrum sachalinense</i> Lecoy.	<b>Northern-mountain meadow-rue</b> 윗꿩의다리 (Moet-kkwong-ui-da-ri)
<i>Thalictrum simlex</i> var. <i>brevipes</i> H.Hara	<b>Short-stalk slimtop meadow-rue</b> 긴잎꿩의다리 (Gin-ip-kkwong-ui-da-ri)
<i>Thalictrum uchiyamae</i> Nakai	<b>Seoul meadow-rue</b> 자주꿩의다리 (Ja-ju-kkwong-ui-da-ri)
<b>THEACEAE</b> Mirb.	<b>Tea family</b> 차나무과 (Cha-na-mu-gwa)
<b><i>Thelypteris</i> Schmidel</b> [Dryopteridaceae]	<b>Maiden fern</b> 처녀고사리속 (Cheo-nyeo-go-sa-ri-sok) [면마과]

Scientific name	English name Korean name (Romanization)
<i>Thelypteris palustris</i> (Salisb.) Schott	<b>Eastern marsh fern</b> 처녀고사리 (Cheo-nyeo-go-sa-ri)
<b><i>Themeda</i> Forssk.</b> [Poaceae]	<b>Kangaroo grass</b> 솔새속 (Sol-sae-sok) [벼과]
<i>Themeda triandra</i> var. <i>japonica</i> (Willd.) Makino	<b>Solsae (Brush grass)</b> 솔새 (Sol-sae)
<b><i>Thermopsis</i> R.Br.</b> [Fabaceae]	<b>Goldenbanner</b> 갯활량나물속 (Gaet-hwal-ryang-na-mul-sok) [콩과]
<i>Thermopsis lupinoides</i> (L.) Link	<b>Northeastern goldenbanner</b> 갯활량나물 (Gaet-hwal-ryang-na-mul)
<b><i>Thesium</i> L.</b> [Santalaceae]	<b>Thesium</b> 제비꽃속 (Je-bi-kkul-sok) [단향과]
<i>Thesium chinense</i> Turcz.	<b>East Asian thesium</b> 제비꽃 (Je-bi-kkul)
<i>Thesium refractum</i> C.A.Mey.	<b>Long-leaf thesium</b> 긴제비꽃 (Gin-je-bi-kkul)
<b><i>Thrixspermum</i> Lour.</b> [Orchidaceae]	<b>Thrixspermum</b> 비자란속 (Bi-ja-ran-sok) [난초과]
<i>Thrixspermum japonicum</i> (Miq.) Rchb.f.	<b>East Asian thrixspermum</b> 비자란 (Bi-ja-ran)
<b><i>Thuja</i> L.</b> [Cupressaceae]	<b>Arborvitae, Thujas</b> 눈측백속 (Nun-cheuk-back-sok) [측백나무과]
<i>Thuja koraiensis</i> Nakai	<b>Korean arborvitae</b> 눈측백 (Nun-cheuk-back)
<b>THYMELAEACEAE Juss.</b>	<b>Mezereum family</b> 팥꽃나무과 (Pat-kkot-na-mu-gwa)
<b><i>Thymus</i> L.</b> [Lamiaceae]	<b>Thyme</b> 백리향속 (Baek-ri-hyang-sok) [꿀풀과]

Scientific name	English name Korean name (Romanization)
<i>Thymus quinquecostatus</i> Celak.	<b>Five-rib thyme</b> 백리향 (Baek-ri-hyang)
<i>Thymus quinquecostatus</i> var. <i>japonicus</i> H.Hara	<b>Ulleungdo thyme</b> 섬백리향 (Seom-baek-ri-hyang)
* <i>Thymus quinquecostatus</i> f. <i>albus</i> Y.N.Lee	<b>White five-rib thyme</b> 흰백리향 (Huin-baek-ri-hyang)
<b><i>Thyrocarpus</i> Hance</b> [Boraginaceae]	<b><i>Thyrocarpus</i></b> <b>대청지치속</b> (Dae-cheong-ji-chi-sok) [지치과]
<i>Thyrocarpus glochidiatus</i> Maxim.	<b>Curved-tooth thyrocarpus</b> 대청지치 (Dae-cheong-ji-chi)
<b><i>Tiarella</i> L.</b> [Saxifragaceae]	<b>Foam flower</b> 헐떡이풀속 (Heol-tteok-i-pul-sok) [벌의귀과]
<i>Tiarella polyphylla</i> D.Don	<b>Foam flower</b> 헐떡이풀 (Heol-tteok-i-pul)
<b><i>Tilia</i> L.</b> [Tiliaceae]	<b>Basswood, Lime trees, Linden</b> 피나무속 (Pi-na-mu-sok) [피나무과]
<i>Tilia amurensis</i> Rupr.	<b>Amur linden</b> 피나무 (Pi-na-mu)
<i>Tilia amurensis</i> var. <i>grosseserrata</i> Nakai	<b>Serrate-leaf Amur linden</b> 평안피나무 (Pyeong-an-pi-na-mu)
<i>Tilia insularis</i> Nakai	<b>Ulleungdo linden</b> 섬피나무 (Seom-pi-na-mu)
<i>Tilia koreana</i> Nakai	<b>Korean linden</b> 연밥피나무 (Yeon-bap-pi-na-mu)
<i>Tilia mandshurica</i> Rupr. & Maxim.	<b>Manchurian lime</b> 찰피나무 (Chal-pi-na-mu)
<i>Tilia megaphylla</i> Nakai	<b>Beads linden</b> 염주나무 (Yeom-ju-na-mu)
<i>Tilia megaphylla</i> f. <i>subintegra</i> Nakai	<b>Round-leaf beads linden</b> 둥근잎염주나무 (Dung-geun-ip-yeom-ju-na-mu)

T

Scientific name	English name Korean name (Romanization)
<i>Tilia ovalis</i> Nakai	<b>Oval-fruit linden</b> 웅기피나무 (Ung-gi-pi-na-mu)
<i>Tilia rufa</i> Nakai	<b>Brown linden</b> 털피나무 (Teol-pi-na-mu)
<i>Tilia semicostata</i> Nakai	<b>Bibaldo seashore linden</b> 개염주나무 (Gae-yeom-ju-na-mu)
<i>Tilia taquetii</i> C.K.Schneid.	<b>Mulberry-leaf linden</b> 뽕잎피나무 (Ppong-ip-pi-na-mu)
<b>TILIACEAE Juss.</b>	<b>Linden family</b> <b>피나무과</b> (Pi-na-mu-gwa)
<b><i>Tilingia</i> Regel &amp; Tiling</b> [ <i>Apiaceae</i> ]	<b><i>Tilingia</i></b> <b>개회향속</b> (Gae-hoe-hyang-sok) [산형과]
<i>Tilingia nakaiana</i> Kitag.	<b>Songni tilingia</b> 속리참나물 (Sok-ri-cham-na-mul)
<i>Tilingia tsusimensis</i> (Y.Yabe) Kitag.	<b>South tilingia</b> 대마참나물 (Dae-ma-cham-na-mul)
<b><i>Tillaea</i> L.</b> [ <i>Crassulaceae</i> ]	<b>Pygmyweed</b> 대구돌나물속 (Dae-gu-dol-na-mul-sok) [돌나물과]
<i>Tillaea aquatica</i> L.	<b>Water pygmyweed</b> 대구돌나물 (Dae-gu-dol-na-mul)
<b><i>Tipularia</i> Nutt.</b> [ <i>Orchidaceae</i> ]	<b><i>Tipularia</i></b> <b>비비추난초속</b> (Bi-bi-chu-nan-cho-sok) [난초과]
<i>Tipularia japonica</i> Matsum.	<b>Hosta-leaf orchid</b> 비비추난초 (Bi-bi-chu-nan-cho)
<b><i>Tofieldia</i> Huds.</b> [ <i>Liliaceae</i> ]	<b>Tofieldia, Asphodel</b> 석장포속 (Seok-jang-po-sok) [백합과]
<i>Tofieldia coccinea</i> Rich.	<b>Northern asphodel</b> 숙은꽃장포 (Suk-eun-kkot-jang-po)

Scientific name	English name Korean name (Romanization)
<i>Tofieldia coccinea</i> var. <i>fusca</i> (Miyabe & Kudô) H.Hara	<b>Black northern asphodel</b> 검은꽃장포 (Geom-eun-kkot-jang-po)
<i>Tofieldia coccinea</i> var. <i>kondoi</i> (Miyabe & Kudô) H.Hara	<b>Halla asphodel</b> 한라꽃장포 (Han-ra-kkot-jang-po)
<i>Tofieldia nuda</i> Maxim.	<b>White-flower rock asphodel</b> 꽃장포 (Kkot-jang-po)
<b><i>Torilis</i> Adans.</b> [Apiaceae]	<b>Hedgeparsley</b> 사상자속 (Sa-sang-ja-sok) [산형과]
<i>Torilis japonica</i> (Houtt.) DC.	<b>Erect hedgeparsley</b> 사상자 (Sa-sang-ja)
<i>Torilis scabra</i> (Thunb.) DC.	<b>Rough hedgeparsley</b> 개사상자 (Gae-sa-sang-ja)
<b><i>Torreya</i> Arn.</b> [Taxaceae]	<b>Nutmeg yew, Torreya</b> 비자나무속 (Bi-ja-na-mu-sok) [주목과]
<i>Torreya nucifera</i> (L.) Siebold & Zucc.	<b>Nut-bearing torreya</b> 비자나무 (Bi-ja-na-mu)
<b><i>Torreochloa</i> G.L.Church</b> [Poaceae]	<b>False mannagrass</b> 좀미꾸리광이속 (Jom-mi-kku-ri-gwang-i-sok) [벼과]
<i>Torreochloa pallida</i> (Torr.) Church	<b>Pale false mannagrass</b> 좀미꾸리광이 (Jom-mi-kku-ri-gwang-i)
<b><i>Torularia</i> Bonnem.</b> [Brassicaceae]	<b>Torularia</b> 염주냉이속 (Yeom-ju-naeng-i-sok) [십자화과]
<i>Torularia humilis</i> (C.A.Mey.) O.E.Schulz	<b>Low torularia</b> 염주냉이 (Yeom-ju-naeng-i)
<b><i>Toxicodendron</i> Mill.</b> [Rutaceae]	<b>Poison ivy, Poison oak, Lacquer tree</b> 옻나무속 [Ot-na-mu-sok]
<i>Toxicodendron orientale</i> Greene	<b>Asian lacquer tree</b> 덩굴옻나무 (Deong-gul-ot-na-mu)

T

Scientific name	English name Korean name (Romanization)
<i>Toxicodendron succedaneum</i> (L.) Kuntze	<b>Wax lacquer tree</b> 검양옻나무 (Geom-yang-ot-na-mu)
<i>Toxicodendron sylvestre</i> (Siebold & Zucc.) Kuntze	<b>Wood lacquer tree</b> 산검양옻나무 (San-geom-yang-ot-na-mu)
<i>Toxicodendron trichocarpum</i> (Miq.) Kuntze	<b>Bristly-fruit lacquer tree</b> 개옻나무 (Gae-ot-na-mu)
<b><i>Trachelospermum</i> Lem. [Apocynaceae]</b>	<b>Trachelospermum</b> 마삭줄속 (Ma-sak-jul-sok) [협죽도과]
<i>Trachelospermum asiaticum</i> (Siebold & Zucc.) Nakai	<b>Asian jasmine</b> 마삭줄 (Ma-sak-jul)
<i>Trachelospermum asiaticum</i> var. <i>majus</i> (Nakai) Ohwi	<b>White-flower Asian jasmine</b> 백화등 (Baek-hwa-deung)
<i>Trachelospermum jasminoides</i> var. <i>pubescens</i> Makino	<b>Hairy star jasmine</b> 털마삭줄 (Teol-ma-sak-jul)
<b><i>Trapa</i> L. [Trapaceae]</b>	<b>Water-chestnut</b> 마름속 (Ma-reum-sok) [마름과]
<i>Trapa amurensis</i> Flerow	<b>Amur water-chestnut</b> 흑수마름 (Heuk-su-ma-reum)
<i>Trapa bicornis</i> L.	<b>Korean water-chestnut</b> 유전마름 (Yu-jeon-ma-reum)
<i>Trapa bispinosa</i> Roxb.	<b>Two-spin water-chestnut</b> 큰마름 (Keun-ma-reum)
<i>Trapa incisa</i> Siebold & Zucc.	<b>Tiny water-chestnut</b> 애기마름 (Ae-gi-ma-reum)
<i>Trapa japonica</i> Flerow	<b>East Asian water-chestnut</b> 마름 (Ma-reum)
<i>Trapa maximowiczi</i> Korsh.	<b>Manchurian water-chestnut</b> 만주애기마름 (Man-ju-ae-gi-ma-reum)
<i>Trapa natans</i> L.	<b>Common water-chestnut</b> 네마름 (Ne-ma-reum)

Scientific name	English name Korean name (Romanization)
<i>Trapa natans</i> var. <i>japonica</i> Nakai	<b>Popyeong water-chestnet</b> 포평마름 (Po-pyeong-ma-reum)
<i>Trapa pseudoincisa</i> Nakai	<b>Small water-chestnut</b> 물마름 (Mul-ma-reum)
<b>TRAPACEAE Dumort.</b>	<b>Water-chestnut family</b> 마름과 (Ma-reum-gwa)
<b><i>Trapella</i> Oliv. [Pedaliaceae]</b>	<b>Trapella</b> <b>수염마름속</b> (Su-yeom-ma-reum-sok) [참깨과]
<i>Trapella sinensis</i> Oliv.	<b>Three-appendage trapella</b> 세수염마름 (Se-su-yeom-ma-reum)
<i>Trapella sinensis</i> var. <i>antenifera</i> (H.Lév.) H.Hara	<b>Five-appendage trapella</b> 수염마름 (Su-yeom-ma-reum)
<b><i>Triadenum</i> Raf. [Clusiaceae]</b>	<b>Marsh St. Johnswort</b> 물고추나물속 (Mul-go-chu-na-mul-sok) [물레나물과]
<i>Triadenum japonicum</i> (Blume) Makino	<b>Pink-flower marsh St.Johnswort</b> 물고추나물 (Mul-go-chu-na-mul)
<b><i>Tribulus</i> L. [Zygophyllaceae]</b>	<b>Puncturevine</b> 남가새속 (Nam-ga-sae-sok) [남가새과]
<i>Tribulus terrestris</i> L.	<b>Puncturevine</b> 남가새 (Nam-ga-sae)
<b><i>Trichophorum</i> Pers. [Cyperaceae]</b>	<b>Bulrush</b> 애기황새풀속 (Ae-gi-hwang-sae-pul-sok) [사초과]
<i>Trichophorum alpinum</i> (L.) Pers.	<b>Alpine bulrush</b> 애기황새풀 (Ae-gi-hwang-sae-pul)
<b><i>Trichosanthes</i> L. [Cucurbitaceae]</b>	<b>Trichosanthes</b> 하늘타리속 (Ha-neul-ta-ri-sok) [박과]
<i>Trichosanthes kirilowii</i> Maxim.	<b>Mongolian snakegourd</b> 하늘타리 (Ha-neul-ta-ri)

T

Scientific name	English name Korean name (Romanization)
<i>Trichosanthes kirilowii</i> var. <i>japonica</i> (Miq.) Kitam.	<b>Yellow Mongolian snakegourd</b> 노랑하늘타리 (No-rang-ha-neul-ta-ri)
<b><i>Tricyrtis</i> Wall.</b> [Liliaceae]	<b>Toad lilies, Tricyrtis</b> <b>빼꽃나리속</b> (Ppeo-kkuk-na-ri-sok) [백합과]
<i>Tricyrtis macropoda</i> Miq.	<b>Toad lily</b> 빼꽃나리 (Ppeo-kkuk-na-ri)
<b><i>Trientalis</i> L.</b> [Primulaceae]	<b>Starflower, Wintergreens</b> <b>기생꽃속</b> (Gi-saeng-kkot-sok) [앵초과]
<i>Trientalis europaea</i> L.	<b>European starflower</b> 참기생꽃 (Cham-gi-saeng-kkot)
<i>Trientalis europaea</i> var. <i>arctica</i> (Fisch. ex Hook.) Ledeb.	<b>Arctic starflower</b> 기생꽃 (Gi-saeng-kkot)
<b><i>Trifolium</i> L.</b> [Fabaceae]	<b>Clover</b> <b>토끼풀속</b> (To-kki-pul-sok) [콩과]
<i>Trifolium lupinaster</i> f. <i>alpinus</i> (Nakai) M.K.Park	<b>Alpine lupine clover</b> 제주달구지풀 (Je-ju-dal-gu-ji-pul)
<i>Trifolium lupinaster</i> L.	<b>Lupine clover</b> 달구지풀 (Dal-gu-ji-pul)
<b><i>Triglochin</i> L.</b> [Juncaginaceae]	<b>Arrowgrass</b> <b>지채속</b> (Ji-chae-sok) [지채과]
<i>Triglochin maritima</i> L.	<b>Sea arrowgrass</b> 지채 (Ji-chae)
<i>Triglochin palustris</i> L.	<b>Marsh arrowgrass</b> 물지채 (Mul-ji-chae)
<b><i>Trigonotis</i> Steven</b> [Boraginaceae]	<b>Trigonotis</b> <b>꽃마리속</b> (Kkot-ma-ri-sok) [지치과]
<i>Trigonotis icumae</i> (Maxim.) Makino	<b>Stoloniferous trigonotis</b> 덩굴꽃마리 (Deong-gul-kkot-ma-ri)

Scientific name	English name Korean name (Romanization)
<i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore	<b>Common Asian trigonotis</b> 꽃마리 (Kkot-ma-ri)
<i>Trigonotis radicans</i> (Turcz.) Steven	<b>Rooting trigonotis</b> 거센털꽃마리 (Geo-sen-teol-kkot-ma-ri)
<i>Trigonotis radicans</i> var. <i>sericea</i> (Maxim.) H.Hara	<b>Korean trigonotis</b> 참꽃마리 (Cham-kkot-ma-ri)
<b><i>Trillium</i> L.</b> <b>[Liliaceae]</b>	<b>Birthroot, Birthwort, Trillium, Tri flower, Wakerobin</b> 연영초속 (Yeon-yeong-cho-sok) [백합과]
<i>Trillium camschatcense</i> Ker Gawl.	<b>Kamchatka trillium</b> 연영초 (Yeon-yeong-cho)
<i>Trillium tschonoskii</i> Maxim.	<b>Pointed-petal trillium</b> 큰연영초 (Keun-yeon-yeong-cho)
<b><i>Tripogon</i> Roem. &amp; Schult.</b> <b>[Poaceae]</b>	<b>Fiveminute grass</b> 갯잠자리피속 (Gaet-jam-ja-ri-pi-sok) [벼과]
<i>Tripogon chinensis</i> (Franch.) Hack.	<b>Asian fiveminute grass</b> 갯잠자리피 (Gaet-jam-ja-ri-pi)
<i>Tripogon longearistatus</i> Hack. ex Honda	<b>Gyorae fiveminute grass</b> 교래잠자리피 (Gyo-rae-jam-ja-ri-pi)
<b><i>Tripora</i> P.D.Cantino</b> <b>[Lamiaceae]</b>	<b>Odor bluebeard</b> 누린내풀속 (Nu-rin-nae-pul-sok) [꿀풀과]
<i>Tripora divaricata</i> (Maxim.) P.D.Cantino	<b>Odor bluebeard</b> 누린내풀 (Nu-rin-nae-pul)
<b><i>Tripterospermum</i> Blume</b> <b>[Gentianaceae]</b>	<b>Tripterospermum</b> 덩굴용담속 (Deong-gul-yong-dam-sok) [용담과]
<i>Tripterospermum japonicum</i> (Siebold & Zucc.) Maxim.	<b>Climbing gentian</b> 덩굴용담 (Deong-gul-yong-dam)
<b><i>Tripterygium</i> Hook.f.</b> <b>[Celastraceae]</b>	<b>Tripterygium</b> 미역줄나무속 (Mi-yeok-jul-na-mu-sok) [노박덩굴과]

Scientific name	English name Korean name (Romanization)
<i>Tripterygium regelii</i> Sprague & Takeda	<b>Regel's threewingnut</b> 미역줄나무 (Mi-yeok-jul-na-mu)
<b><i>Trisetum</i> Pers.</b> [Poaceae]	<b>Oatgrass</b> 잠자리피속 (Jam-ja-ri-pi-sok) [벼과]
<i>Trisetum bifidum</i> (Thunb.) Ohwi	<b>Spike oatgrass</b> 잠자리피 (Jam-ja-ri-pi)
<i>Trisetum sibiricum</i> Rupr.	<b>Siberian oatgrass</b> 시베리아잠자리피 (Si-be-ri-a-jam-ja-ri-pi)
<i>Trisetum spicatum</i> (L.) K.Richt.	<b>Two-fork oatgrass</b> 산잠자리피 (San-jam-ja-ri-pi)
<b><i>Triumfetta</i> L.</b> [Tiliaceae]	<b>Burbark</b> 고슴도치풀속 (Go-seum-do-chi-pul-sok) [피나무과]
<i>Triumfetta japonica</i> Makino	<b>Japanese burbark</b> 고슴도치풀 (Go-seum-do-chi-pul)
<b><i>Trollius</i> L.</b> [Ranunculaceae]	<b>Globe-flower</b> 금매화속 (Geum-mae-hwa-sok) [미나리아재비과]
<i>Trollius japonicus</i> Miq.	<b>Baedusgan globe-flower</b> 애기금매화 (Ae-gi-geum-mae-hwa)
<i>Trollius ledebourii</i> Rehb.	<b>Short-petal globe-flower</b> 금매화 (Geum-mae-hwa)
<i>Trollius macropetalus</i> (Regel) F.Schmidt	<b>Long-petal globe-flower</b> 큰금매화 (Keun-geum-mae-hwa)
<b><i>Tsuga</i> (Endl.) Carrière</b> [Pinaceae]	<b>Hemlock</b> 솔송나무속 (Sol-song-na-mu-sok) [소나무과]
<i>Tsuga diversifolia</i> (Maxim.) Mast.	<b>Ulleungdo hemlock</b> 솔송나무 (Sol-song-na-mu)
<b><i>Tubocapsicum</i> (Wettst.) Makino</b> [Solanaceae]	<b>Tubocapsicum</b> 알꽈리속 (Al-kkwa-ri-sok) [ 가지과 ]

Scientific name	English name Korean name (Romanization)
<i>Tubocapsicum anomalum</i> (Franch. & Sav.) Makino	<b>Naked ground berry</b> 알꽈리 (Al-kkwa-ri)
<b><i>Tulipa</i> L.</b> [Liliaceae]	<b>Tulip</b> 산자고속 (San-ja-go-sok) [백합과]
<i>Tulipa edulis</i> (Miq.) Baker	<b>Edible tulip</b> 산자고 (San-ja-go)
<b><i>Tylophora</i> R.Br.</b> [Asclepiadaceae]	<b>Tylophora</b> 왜박주가리속 (Wae-bak-ju-ga-ri-sok) [박주가리과]
<i>Tylophora floribunda</i> Miq.	<b>Many-flower tylophora</b> 왜박주가리 (Wae-bak-ju-ga-ri)
<b><i>Typha</i> L.</b> [Typhaceae]	<b>Bulrush, Catminetail, Cattail, Corn dog grass, Cumbungi, Punks, Reedmace</b> 부들속 (Bu-deul-sok) [부들과]
<i>Typha angustifolia</i> L.	<b>Lesser cattail</b> 애기부들 (Ae-gi-bu-deul)
<i>Typha latifolia</i> L.	<b>Broad-leaf cattail</b> 큰잎부들 (Keun-ip-bu-deul)
<i>Typha laxmannii</i> Lepech.	<b>Slender cattail</b> 꼬마부들 (Kko-ma-bu-deul)
<i>Typha orientalis</i> C.Presl	<b>Oriental cattail</b> 부들 (Bu-deul)
<b>TYPHACEAE Juss.</b>	<b>Cattail family</b> 부들과 (Bu-deul-gwa)
<b>U</b>	
<b>ULMACEAE Mirb.</b>	<b>Elm family</b> 느릅나무과 (Neu-reup-na-mu-gwa)
<b><i>Ulmus</i> L.</b> [Ulmaceae]	<b>Elm</b> 느릅나무속 (Neu-reup-na-mu-sok) [느릅나무과]

Scientific name	English name Korean name (Romanization)
<i>Ulmus davidiana</i> Planch. ex DC.	<b>David's elm</b> 당느릅나무 (Dang-neu-reup-na-mu)
<i>Ulmus davidiana</i> var. <i>japonica</i> (Rehder) Nakai	<b>Wilson's elm</b> 느릅나무 (Neu-reup-na-mu)
<i>Ulmus laciniata</i> (Trautv.) Mayr	<b>Manchurian elm</b> 난티나무 (Nan-ti-na-mu)
<i>Ulmus macrocarpa</i> Hance	<b>Large-fruit elm</b> 왕느릅나무 (Wang-neu-reup-na-mu)
<i>Ulmus × mesocarpa</i> M.Y.Kim & S.T.Lee	<b>Medium-fruit elm</b> 중느릅나무 (Jung-neu-reup-na-mu)
<i>Ulmus parvifolia</i> Jacq.	<b>Lacebark elm</b> 참느릅나무 (Cham-neu-reup-na-mu)
<i>Ulmus pumila</i> L.	<b>Siberian elm</b> 비술나무 (Bi-sul-na-mu)
<b><i>Urtica</i> L. [Urticaceae]</b>	<b>Nettle, Stinging nettles</b> 쐐기풀속 (Sswae-gi-pul-sok) [쐐기풀과]
<i>Urtica angustifolia</i> Fisch. ex Hornem.	<b>Narrow-leaf nettle</b> 가는잎쐐기풀 (Ga-neun-ip-sswae-gi-pul)
<i>Urtica angustifolia</i> var. <i>sikokiana</i> (Makino) Ohwi	<b>Long narrow-leaf nettle</b> 긴꼬리쐐기풀 (Gin-kko-ri-sswae-gi-pul)
<i>Urtica laetevirens</i> Maxim.	<b>Small-leaf nettle</b> 애기쐐기풀 (Ae-gi-sswae-gi-pul)
<i>Urtica laetevirens</i> var. <i>robusta</i> F.Maec.	<b>Island small-leaf nettle</b> 섬쐐기풀 (Seom-sswae-gi-pul)
<i>Urtica thunbergiana</i> Siebold & Zucc.	<b>East Asian nettle</b> 쐐기풀 (Sswae-gi-pul)
<b>URTICACEAE Juss.</b>	<b>Nettle family</b> 쐐기풀과 (Sswae-gi-pul-gwa)
<b><i>Utricularia</i> L. [Lentibulariaceae]</b>	<b>Bladderwort</b> 통발속 (Tong-bal-sok) [통발과]

Scientific name	English name Korean name (Romanization)
<i>Utricularia bifida</i> L.	<b>Bifid bladderwort</b> 땅귀개 (Ttang-gwi-gae)
<i>Utricularia intermedia</i> Hayne	<b>Flat-leaf bladderwort</b> 개통발 (Gae-tong-bal)
<i>Utricularia multispinosa</i> (Miki) Miki	<b>Lesser bladderwort</b> 실통발 (Sil-tong-bal)
<i>Utricularia ochroleuca</i> R.W.Hartm.	<b>Yellowish-white bladderwort</b> 북통발 (Buk-tong-bal)
<i>Utricularia pilosa</i> (Makino) Makino	<b>Asian golden bladderwort</b> 들통발 (Deul-tong-bal)
<i>Utricularia racemosa</i> Wall. ex Walp.	<b>Dense-flower bladderwort</b> 이삭귀개 (I-sak-gwi-gae)
<i>Utricularia vulgaris</i> var. <i>japonica</i> (Makino) T.Yamanaka	<b>Common bladderwort</b> 통발 (Tong-bal)
<i>Utricularia yakusimensis</i> Masam.	<b>Purple-flower bladderwort</b> 자주땅귀개 (Ja-ju-ttang-gwi-gae)
<b>V</b>	
<i>Vaccinium</i> L. [Ericaceae]	<b>Blueberry</b> 산앵도나무속 (San-aeng-do-na-mu-sok) [진달래과]
<i>Vaccinium bracteatum</i> Thunb.	<b>Sea blueberry</b> 모새나무 (Mo-sae-na-mu)
<i>Vaccinium hirtum</i> var. <i>koreanum</i> (Nakai) Kitam.	<b>Korean blueberry</b> 산앵도나무 (San-aeng-do-na-mu)
* <i>Vaccinium hirtum</i> var. <i>variegatum</i> Nakai ex T.Mori	<b>Variegate Korean blueberry</b> 색산앵도나무 (Saek-san-aeng-do-na-mu)
<i>Vaccinium japonicum</i> Miq.	<b>Mountain blueberry</b> 산매자나무 (San-mae-ja-na-mu)
<i>Vaccinium japonicum</i> var. <i>ciliaris</i> (Matsum.) Nakai	<b>Hairy mountain blueberry</b> 털매자 (Teol-mae-ja)
<i>Vaccinium oldhamii</i> Miq.	<b>Oldham's blueberry</b> 정금나무 (Jeong-geum-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Vaccinium oldhamii</i> f. <i>glaucinum</i> (Nakai) Kitam.	<b>Glaucous Oldham's blueberry</b> 지포나무 (Ji-po-na-mu)
<i>Vaccinium oxycoccus</i> L.	<b>Swamp blueberry</b> 년출월귤 (Neon-chul-wol-gyul)
<i>Vaccinium oxycoccus</i> subsp. <i>microcarpus</i> (Turcz.) Kitam.	<b>Small blueberry</b> 애기월귤 (Ae-gi-wol-gyul)
<i>Vaccinium uliginosum</i> L.	<b>Bog blueberry</b> 들쭉나무 (Deul-jjuk-na-mu)
<i>Vaccinium uliginosum</i> var. <i>alpinum</i> Bigelow	<b>Alpine bog blueberry</b> 산들쭉나무 (San-deul-jjuk-na-mu)
<i>Vaccinium uliginosum</i> f. <i>depressum</i> Nakai ex Uyeki	<b>Flat-bush bog blueberry</b> 굽은들쭉나무 (Gul-geun-deul-jjuk-na-mu)
<i>Vaccinium vitis-idaea</i> L.	<b>Cowberry</b> 월귤 (Wol-gyul)
<b>Valeriana</b> L. [ <i>Valerianaceae</i> ]	<b>Valerian</b> 쥐오줌풀속 (Jwi-o-jum-pul-sok) [마타리과]
<i>Valeriana amurensis</i> P.A.Smirn. ex Kom.	<b>Amur valerian</b> 설령쥐오줌풀 (Seol-ryeong-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> Nakai ex F.Maek.	<b>Wide-leaf valerian</b> 넓은잎쥐오줌풀 (Neol-eun-ip-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> var. <i>integra</i> (Nakai) Nakai ex F.Maek.	<b>Long-leaf valerian</b> 긴잎쥐오줌풀 (Gin-ip-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> var. <i>verticillata</i> S.H.Park	<b>Verticillate valerian</b> 세잎쥐오줌풀 (Se-ip-jwi-o-jum-pul)
<i>Valeriana fauriei</i> Briq.	<b>Korean valerian</b> 쥐오줌풀 (Jwi-o-jum-pul)
<i>Valeriana fauriei</i> var. <i>dasycarpa</i> H.Hara	<b>Dense-fruit valerian</b> 광릉쥐오줌풀 (Gwang-reung-jwi-o-jum-pul)
<i>Valeriana fauriei</i> f. <i>coreana</i> (Briq.) H.Hara	<b>Little valerian</b> 좁쥐오줌 (Jom-jwi-o-jum)

Scientific name	English name Korean name (Romanization)
<i>Valeriana pulchra</i> Nakai	<b>Gando valerian</b> 간도취오줌풀 (Gan-do-jwi-o-jum-pul)
<b>VALERIANACEAE</b> Batsch	<b>Valerian family</b> 마타리과 (Ma-ta-ri-gwa)
<i>Vallisneria</i> L. [Hydrocharitaceae]	<b>Eelgrass, Tape grass, Vallis</b> 나사말속 (Na-sa-mal-sok) [자라풀과]
<i>Vallisneria natans</i> (Lour.) H.Hara	<b>Asian tape grass</b> 나사말 (Na-sa-mal)
<i>Vallisneria spinulosa</i> S.Z.Yan	<b>Spinulose tape grass</b> 낙동나사말 (Nak-dong-na-sa-mal)
<i>Veratrum</i> L. [Liliaceae]	<b>False-hellebore, Corn lilies</b> 여로속 (Yeo-ro-sok) [백합과]
<i>Veratrum bohnhofii</i> var. <i>latifolium</i> Nakai	<b>Samsu false-hellebore</b> 삼수여로 (Sam-su-yeo-ro)
<i>Veratrum coreanum</i> O.Loes.	<b>Halla false-hellebore</b> 한라여로 (Han-ra-yeo-ro)
<i>Veratrum dahuricum</i> (Turcz.) Loes.	<b>Dahurian false-hellebore</b> 관모박새 (Gwan-mo-bak-sae)
<i>Veratrum dolichopetalum</i> O.Loes.	<b>Long-petal false-hellebore</b> 푸른박새 (Pu-reun-bak-sae)
<i>Veratrum maackii</i> Regel	<b>Hairy false-hellebore</b> 여로 (Yeo-ro)
<i>Veratrum maackii</i> var. <i>japonicum</i> (Baker) Shimizu	<b>Korean meadow false-hellebore</b> 긴잎여로 (Gin-ip-yeo-ro)
<i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H.Hara	<b>Blue false-hellebore</b> 파란여로 (Pa-ran-yeo-ro)
<i>Veratrum nigrum</i> L.	<b>Black false-hellebore</b> 참여로 (Cham-yeo-ro)
<i>Veratrum oxysepalum</i> Turcz.	<b>East Asian white false-hellebore</b> 박새 (Bak-sae)

Scientific name	English name Korean name (Romanization)
<i>Veratrum versicolor</i> Nakai	<b>White false-hellebore</b> 흰여로 (Huin-yeo-ro)
<i>Veratrum versicolor</i> f. <i>brunnea</i> Nakai	<b>Reddish-flower false-hellebore</b> 붉은여로 (Bul-geun-yeo-ro)
<i>Veratrum versicolor</i> f. <i>viride</i> Nakai	<b>Greenish-flower false-hellebore</b> 푸른여로 (Pu-reun-yeo-ro)
<b><i>Verbena</i> L.</b> [ <i>Verbenaceae</i> ]	<b>Vervain</b> 마편초속 (Ma-pyeon-cho-sok) [마편초과]
<i>Verbena officinalis</i> L.	<b>Common verbena</b> 마편초 (Ma-pyeon-cho)
<b>VERBENACEAE J.St.-Hil.</b>	<b>Verbena family</b> 마편초과 (Ma-pyeon-cho-gwa)
<b><i>Veronica</i> L.</b> [ <i>Scrophulariaceae</i> ]	<b>Speedwell</b> 개불알풀속 (Gae-bul-al-pul-sok) [현삼과]
<i>Veronica anagallis-aquatica</i> L.	<b>Blue water speedwell</b> 큰물침개나물 (Keun-mul-ching-gae-na-mul)
<i>Veronica dahurica</i> Steven	<b>Dahurian spike speedwell</b> 구와꼬리풀 (Gu-wa-kko-ri-pul)
<i>Veronica didyma</i> var. <i>lilacina</i> (H.Hara) T.Yamaz.	<b>Wayside speedwell</b> 개불알풀 (Gae-bul-al-pul)
<i>Veronica kiusiana</i> Furumi	<b>Long-hairy spike speedwell</b> 넓은잎꼬리풀 (Neol-beun-ip-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>diamantiaca</i> (Nakai) T.Yamaz.	<b>Geumgangsan spike speedwell</b> 봉래꼬리풀 (Bong-rae-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>glabrifolia</i> (Kitag.) Kitag.	<b>Smooth-leaf spike speedwell</b> 큰산꼬리풀 (Keun-san-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>villosa</i> Yamaz.	<b>Villous spike speedwell</b> 털넓은잎꼬리풀 (Teol-neol-beun-ip-kko-ri-pul)
<i>Veronica linariifolia</i> Pall. ex Link	<b>Linear-leaf spike speedwell</b> 꼬리풀 (Kko-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Veronica linariifolia</i> var. <i>dilatata</i> (Nakai & Kitag.) Nakai & Kitag.	<b>Large linear-leaf spike speedwell</b> 큰꼬리풀 (Keun-kko-ri-pul)
* <i>Veronica linariifolia</i> var. <i>villosula</i> (Nakai) T.B.Lee	<b>Hairy linear-leaf spike speedwell</b> 털꼬리풀 (Teol-kko-ri-pul)
* <i>Veronica linariifolia</i> f. <i>alba</i> T.B.Lee	<b>White linear-leaf spike speedwell</b> 흰꼬리풀 (Huin-kko-ri-pul)
<i>Veronica longifolia</i> L.	<b>Long-leaf spike speedwell</b> 긴산꼬리풀 (Gin-san-kko-ri-pul)
<i>Veronica nakaiana</i> Ohwi	<b>Ulleungdo spike speedwell</b> 섬꼬리풀 (Seom-kko-ri-pul)
<i>Veronica ovata</i> Nakai	<b>Jejudo spike speedwell</b> 넓은산꼬리풀 (Neol-beun-san-kko-ri-pul)
<i>Veronica peregrina</i> L.	<b>Purslane speedwell</b> 문모초 (Mun-mo-cho)
<i>Veronica pyrethrina</i> Nakai	<b>Large spike speedwell</b> 큰구와꼬리풀 (Keun-gu-wa-kko-ri-pul)
<i>Veronica rotunda</i> Nakai	<b>Round-leaf spike speedwell</b> 둥근산꼬리풀 (Dung-geun-san-kko-ri-pul)
<i>Veronica rotunda</i> var. <i>coreana</i> (Nakai) T.Yamaz.	<b>Korean spike speedwell</b> 자리산꼬리풀 (Ji-ri-san-kko-ri-pul)
<i>Veronica rotunda</i> var. <i>subintegra</i> (Nakai) T.Yamaz.	<b>Mountain spike speedwell</b> 산꼬리풀 (San-kko-ri-pul)
<i>Veronica stelleri</i> var. <i>longistyla</i> Kitag.	<b>High-mountain speedwell</b> 두메투구꽃 (Du-me-tu-gu-kkot)
* <i>Veronica stelleri</i> var. <i>longistyla</i> f. <i>rufescens</i> Y.N.Lee	<b>Pink high-mountain speedwell</b> 흰분홍두메투구꽃 (Huin-bun-hong-du-me-tu-gu-kot)
<i>Veronica tenella</i> All.	<b>Bright-blue speedwell</b> 방패꽃 (Bang-pae-kkot)
<i>Veronica undulata</i> Wall.	<b>Undulate speedwell</b> 물칭개나물 (Mul-ching-gae-na-mul)
<b>Veronicastrum</b> Heist. ex Fabr. [Scrophulariaceae]	<b>Veronicastrum</b> 냉초속 (Naeng-cho-sok) [현삼과]

Scientific name	English name Korean name (Romanization)
<i>Veronicastrum sibiricum</i> (L.) Pennell	<b>Siberian veronicastrum</b> 냉초 (Naeng-cho)
<i>Veronicastrum tubiflorum</i> (Fisch. & C.A.Mey.) H.Hara	<b>Willow-leaf veronicastrum</b> 버들잎꼬리풀 (Beo-deul-ip-kko-ri-pul)
<i>Viburnum</i> L. [Caprifoliaceae]	<b>Viburnum</b> <b>산분꽃나무속</b> (San-bun-kkot-na-mu-sok) [인동과]
<i>Viburnum burejaeticum</i> Regel & Herder	<b>Manchurian viburnum</b> 산분꽃나무 (San-bun-kkot-na-mu)
<i>Viburnum carlesii</i> Hemsl.	<b>Korean spice viburnum</b> 분꽃나무 (Bun-kkot-na-mu)
<i>Viburnum dilatatum</i> Thunb.	<b>Linden viburnum</b> 가막살나무 (Ga-mak-sal-na-mu)
<i>Viburnum erosum</i> Thunb.	<b>Leather-leaf viburnum</b> 덜꿩나무 (Deol-kkwong-na-mu)
<i>Viburnum erosum</i> var. <i>taquetii</i> (H.Lév.) Rehder	<b>Dissected-leaf viburnum</b> 가새덜꿩나무 (Ga-sae-deol-kkwong-na-mu)
<i>Viburnum erosum</i> var. <i>vegetum</i> Nakai	<b>Large-leaf viburnum</b> 개덜꿩나무 (Gae-deol-kkwong-na-mu)
<i>Viburnum furcatum</i> Blume	<b>Forked viburnum</b> 분단나무 (Bun-dan-na-mu)
<i>Viburnum japonicum</i> (Thunb.) Sprengel	<b>Wax-leaf viburnum</b> 푸른가막살 (Pu-reun-ga-mak-sal)
<i>Viburnum koreanicum</i> Nakai	<b>Korean viburnum</b> 배암나무 (Bae-am-na-mu)
<i>Viburnum odoratissimum</i> var. <i>awabuki</i> (K.Koch) Zabel ex Rümpler	<b>Sweet viburnum</b> 아왜나무 (A-wae-na-mu)
<i>Viburnum opulus</i> var. <i>calvescens</i> (Rehder) H.Hara	<b>Smooth-cranberrybush viburnum</b> 백당나무 (Baek-dang-na-mu)
* <i>Viburnum opulus</i> f. <i>puberulum</i> (Kom.) Sugim.	<b>Hairy-cranberrybush viburnum</b> 털백당나무 (Teol-baek-dang-na-mu)
<i>Viburnum wrightii</i> Miq.	<b>Wright's viburnum</b> 산가막살나무 (San-ga-mak-sal-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Viburnum wrightii</i> var. <i>stipitatum</i> Nakai	<b>Stipulate Wright's viburnum</b> 덧잎가막살나무 (Deot-ip-ga-mak-sal-na-mu)
<b><i>Vicia</i> L.</b> [Fabaceae]	<b>Vetch</b> 나비나물속 (Na-bi-na-mul-sok) [콩과]
<i>Vicia amurensis</i> Oett.	<b>Amur vetch</b> 별완두 (Beol-wan-du)
<i>Vicia amoena</i> Fisch. ex DC.	<b>Cheder vetch</b> 갈퀴나물 (Gal-kwi-na-mul)
* <i>Vicia amoena</i> f. <i>albiflora</i> Y.N.Lee	<b>White cheder vetch</b> 흰갈퀴나물 (Huin-gal-kwi-na-mul)
<i>Vicia amurensis</i> var. <i>pallida</i> (Turcz.) Kitag.	<b>Pale Amur vetch</b> 숲갈퀴나물 (Sup-gal-kwi-na-mul)
<i>Vicia anguste-pinnata</i> Nakai	<b>Narrow-pinnate vetch</b> 가는갈퀴나물 (Ga-neun-gal-kwi-na-mul)
<i>Vicia angustifolia</i> L. ex Reichard	<b>Narrow-leaf vetch</b> 가는살갈퀴 (Ga-neun-sal-gal-kwi)
<i>Vicia angustifolia</i> var. <i>minor</i> (Bertol.) Ohwi	<b>Lesser narrow-leaf vetch</b> 가는갈퀴 (Ga-neun-gal-kwi)
<i>Vicia angustifolia</i> var. <i>segetilis</i> (Thuill.) Arcang.	<b>Infield narrow-leaf vetch</b> 살갈퀴 (Sal-gal-kwi)
<i>Vicia bifolia</i> Nakai	<b>Lesser two-leaf vetch</b> 잔나비나물 (Jan-na-bi-na-mul)
<i>Vicia chosenensis</i> Ohwi	<b>Yellow-flower vetch</b> 노랑갈퀴 (No-rang-gal-kwi)
<i>Vicia cracca</i> L.	<b>Turfed vetch</b> 등갈퀴나물 (Deung-gal-kwi-na-mul)
* <i>Vicia heptajuga</i> Nakai	<b>Seven-pair-leaflet vetch</b> 선등갈퀴 (Seon-deung-gal-kwi)
<i>Vicia hirsuta</i> (L.) Gray	<b>Hairy vetch</b> 새완두 (Sae-wan-du)
<i>Vicia hirticalycina</i> Nakai	<b>Korean bird vetch</b> 나래완두 (Na-rae-wan-du)

Scientific name	English name Korean name (Romanization)
<i>Vicia japonica</i> A.Gray	<b>Wide-leaf Asian vetch</b> 넓은잎갈퀴 (Neol-beun-ip-gal-kwi)
<i>Vicia linearifolia</i> Y.N.Lee	<b>Gyebang vetch</b> 계방나비나물 (Gye-bang-na-bi-na-mul)
<i>Vicia nipponica</i> Matsum.	<b>Four-leaf vetch</b> 네잎갈퀴나물 (Ne-ip-gal-kwi-na-mul)
<i>Vicia pseudoorobus</i> Fisch. & C.A.Mey.	<b>Large-leaf vetch</b> 큰등갈퀴 (Keun-deung-gal-kwi)
<i>Vicia pseudoorobus</i> f. <i>albiflora</i> (Nakai) T.B.Lee	<b>White large-leaf vetch</b> 흰큰등갈퀴 (Huin-keun-deung-gal-kwi)
<i>Vicia tenuifolia</i> Roth	<b>Fine-leaf vetch</b> 가는등갈퀴 (Ga-neun-deung-gal-kwi)
<i>Vicia tetrasperma</i> (L.) Schreb.	<b>Lentil vetch</b> 얼치기완두 (Eol-chi-gi-wan-du)
<i>Vicia unijuga</i> A.Braun	<b>Two-leaf vetch</b> 나비나물 (Na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>apoda</i> Nakai	<b>Beautiful two-leaf vetch</b> 꽃나비나물 (Kkot-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ohwiana</i> (Hosok.) Nakai	<b>Dense-flower two-leaf vetch</b> 함경나비나물 (Ham-gyeong-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>albiflora</i> Y.N.Lee	<b>White two-leaf vetch</b> 흰큰나비나물 (Huin-keun-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ouensanensis</i> H.Lév.	<b>Large two-leaf vetch</b> 큰나비나물 (Keun-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>venusta</i> Nakai	<b>Sweet two-leaf vetch</b> 광양나비나물 (Gwang-yang-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>albiflora</i> Nakai	<b>White beautiful two-leaf vetch</b> 흰꽃나비나물 (Huin-kkot-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>angustifolia</i> Makino ex Ohwi	<b>Narrow two-leaf vetch</b> 긴잎나비나물 (Gin-ip-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>minor</i> Nakai	<b>Hallasan two-leaf vetch</b> 애기나비나물 (Ae-gi-na-bi-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Vicia venosa</i> (Willd.) Maxim.	<b>Venose vetch</b> 연리갈퀴 (Yeon-ri-gal-kwi)
<i>Vicia venosa</i> var. <i>albiflora</i> (Turcz.) Maxim.	<b>Northern meadow vetch</b> 큰네잎갈퀴 (Keun-ne-ip-gal-kwi)
<i>Vicia venosa</i> var. <i>cuspidata</i> Maxim.	<b>Gwangneung vetch</b> 광릉갈퀴 (Gwang-reung-gal-kwi)
<b><i>Vigna</i> Savi</b> [Fabaceae]	<b>Cowpea</b> 동부속 (Dong-bu-sok) [콩과]
<i>Vigna angularis</i> var. <i>nipponensis</i> (Ohwi) Ohwi & H.Ohashi	<b>Wild red cowpea</b> 새풀 (Sae-pat)
<i>Vigna nakashimae</i> (Ohwi) Ohwi & H.Ohashi	<b>Common Asian cowpea</b> 좀돌풀 (Jom-dol-pat)
<i>Vigna vexillata</i> var. <i>tsusimensis</i> Matsum.	<b>Seashore black-eye cowpea</b> 돌동부 (Dol-dong-bu)
<b><i>Viola</i> L. [Violaceae]</b>	<b>Violet</b> 제비꽃속 (Je-bi-kkot-sok) [제비꽃과]
<i>Viola acuminata</i> Ledeb.	<b>Long-stem violet</b> 줄방제비꽃 (Jol-bang-je-bi-kkot)
<i>Viola acuminata</i> f. <i>glaberrima</i> (H.Hara) Kitam.	<b>Glabrous acuminate violet</b> 민줄방제비꽃 (Min-jol-bang-je-bi-kkot)
<i>Viola albida</i> Palib.	<b>Taebaek violet</b> 태백제비꽃 (Tae-baek-je-bi-kkot)
<i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F.Mack. ex H.Hara	<b>Namsan violet</b> 남산제비꽃 (Nam-san-je-bi-kkot)
<i>Viola albida</i> f. <i>takahashii</i> (Makino) W.T.Lee	<b>Maple-leaf violet</b> 단풍제비꽃 (Dan-pung-je-bi-kkot)
<i>Viola biflora</i> L.	<b>Arctic yellow violet</b> 장백제비꽃 (Jang-baek-je-bi-kkot)
<i>Viola blandaeformis</i> Nakai	<b>Thin-leaf violet</b> 얇은잎제비꽃 (Yeol-beun-ip-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
<i>Viola boissieuana</i> Makino	<b>Delicate violet</b> 각시제비꽃 (Gak-si-je-bi-kkot)
<i>Viola brevistipulata</i> var. <i>minor</i> Nakai	<b>Hairy yellow violet</b> 털노랑제비꽃 (Teol-no-rang-je-bi-kkot)
<i>Viola collina</i> Besser	<b>Hill violet</b> 둥근털제비꽃 (Dung-geun-teol-je-bi-kkot)
<i>Viola crassa</i> Makino	<b>Alpine violet</b> 구름제비꽃 (Gu-reum-je-bi-kkot)
<i>Viola diamantiaca</i> Nakai	<b>Geumgang violet</b> 금강제비꽃 (Geum-gang-je-bi-kkot)
<i>Viola diamantiaca</i> f. <i>glabrior</i> (Kitag.) Kitag.	<b>Glabrous Geumgang violet</b> 민금강제비꽃 (Min-geum-gang-je-bi-kkot)
<i>Viola epipsila</i> Ledeb.	<b>Dwarf marsh violet</b> 누운제비꽃 (Nu-un-je-bi-kkot)
<i>Viola grypoceras</i> A.Gray	<b>Creeping Korean violet</b> 낚시제비꽃 (Nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>exilis</i> (Miq.) Nakai	<b>Small creeping violet</b> 애기낚시제비꽃 (Ae-gi-nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>exilis</i> f. <i>albiflora</i> Nakai	<b>White small creeping violet</b> 흰애기낚시제비꽃 (Huin-ae-gi-nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>pubescens</i> Nakai	<b>Hairy creeping violet</b> 털낚시제비꽃 (Teol-nak-si-je-bi-kkot)
<i>Viola hirtipes</i> S.Moore	<b>White-hair violet</b> 흰털제비꽃 (Huin-teol-je-bi-kkot)
<i>Viola hondoensis</i> W.Becker & H.Boissieu	<b>Chinese mallow-leaf violet</b> 아욱제비꽃 (A-uk-je-bi-kkot)
<i>Viola ibukiana</i> Makino	<b>Hwaeom violet</b> 화엄제비꽃 (Hwa-eom-je-bi-kkot)
<i>Viola japonica</i> Langsd. ex DC.	<b>Japanese violet</b> 왜제비꽃 (Wae-je-bi-kkot)
<i>Viola kapsanensis</i> Nakai	<b>Gapsan violet</b> 갑산제비꽃 (Gap-san-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
* <i>Viola kapsanensis</i> f. <i>albiflora</i> (Nakai) T.B.Lee	<b>White Gapsan violet</b> 흰갑산제비꽃 (Huin-gap-san-je-bi-kkot)
<i>Viola keiskei</i> Miq.	<b>Short-hair violet</b> 잔털제비꽃 (Jan-teol-je-bi-kkot)
<i>Viola kusanoana</i> Makino	<b>Northern long-stem violet</b> 큰줄방제비꽃 (Keun-jol-bang-je-bi-kkot)
<i>Viola lactiflora</i> Nakai	<b>Milky-white violet</b> 흰젖제비꽃 (Huin-jeot-je-bi-kkot)
<i>Viola mandshurica</i> W.Becker	<b>Manchurian violet</b> 제비꽃 (Je-bi-kkot)
<i>Viola mirabilis</i> L.	<b>Wonder violet</b> 넓은잎제비꽃 (Neol-beun-ip-je-bi-kkot)
<i>Viola obtusa</i> (Makino) Makino	<b>Musky violet</b> 사향제비꽃 (Sa-hyang-je-bi-kkot)
<i>Viola orientalis</i> (Maxim.) W.Becker	<b>Oriental yellow violet</b> 노랑제비꽃 (No-rang-je-bi-kkot)
<i>Viola ovato-oblonga</i> (Miq.) Makino	<b>Long-leaf violet</b> 긴잎제비꽃 (Gin-ip-je-bi-kkot)
<i>Viola ovato-oblonga</i> f. <i>pubescens</i> F.Maek.	<b>Hairy long-leaf violet</b> 털긴잎제비꽃 (Teol-gin-ip-je-bi-kkot)
<i>Viola patrinii</i> DC. ex Ging.	<b>White-flower violet</b> 흰제비꽃 (Huin-je-bi-kkot)
<i>Viola phalacrocarpa</i> Maxim.	<b>Red-flower violet</b> 털제비꽃 (Teol-je-bi-kkot)
<i>Viola phalacrocarpa</i> f. <i>glaberrima</i> (W.Becker) F.Maek. ex H.Hara	<b>Glabrous red-flower violet</b> 민둥제비꽃 (Min-dung-je-bi-kkot)
<i>Viola raddeana</i> Regel	<b>Erect violet</b> 선제비꽃 (Seon-je-bi-kkot)
<i>Viola rossii</i> Hemsl.	<b>Conical-leaf violet</b> 고깔제비꽃 (Go-kkal-je-bi-kkot)
<i>Viola sacchalinensis</i> H.Boissieu	<b>Sakhalin violet</b> 왜줄방제비꽃 (Wae-jol-bang-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
<i>Viola selkirkii</i> Pursh ex Goldie	<b>Great-spur violet</b> 뫼제비꽃 (Moe-je-bi-kkot)
<i>Viola selkirkii</i> f. <i>albiflora</i> (Nakai) F.Maek. ex H.Hara	<b>White Selkirk's violet</b> 흰뫼제비꽃 (Huin-moe-je-bi-kkot)
<i>Viola seoulensis</i> Nakai	<b>Seoul violet</b> 서울제비꽃 (Seo-ul-je-bi-kkot)
<i>Viola takesimana</i> Nakai	<b>Ulleungdo violet</b> 섬제비꽃 (Seom-je-bi-kkot)
<i>Viola thibaudieri</i> Franch. & Sav.	<b>Persicaria-leaf violet</b> 여뀌잎제비꽃 (Yeo-kkwi-ip-je-bi-kkot)
<i>Viola tokubuchiana</i> var. <i>takedana</i> (Makino) F.Maek.	<b>Sunny violet</b> 민둥뫼제비꽃 (Min-dung-moe-je-bi-kkot)
<i>Viola variegata</i> Fisch. ex Link	<b>Variegated-leaf violet</b> 알록제비꽃 (Al-rok-je-bi-kkot)
<i>Viola variegata</i> var. <i>chinensis</i> Bunge	<b>Purple variegated-leaf violet</b> 자주알록제비꽃 (Ja-ju-al-rok-je-bi-kkot)
<i>Viola verecunda</i> A.Gray	<b>Hidden violet</b> 콩제비꽃 (Kong-je-bi-kkot)
<i>Viola verecunda</i> var. <i>semilunaris</i> Maxim.	<b>Semilunar-leaf violet</b> 반달콩제비꽃 (Ban-dal-kong-je-bi-kkot)
<i>Viola violacea</i> Makino	<b>Purple-leaf violet</b> 자주잎제비꽃 (Ja-ju-ip-je-bi-kkot)
<i>Viola Websteri</i> Hemsl.	<b>Big violet</b> 왕제비꽃 (Wang-je-bi-kkot)
<i>Viola woosanensis</i> Y.N.Lee & J.Kim	<b>Ulleungdo sweet violet</b> 우산제비꽃 (U-san-je-bi-kkot)
<i>Viola yamatsutae</i> Ishid. ex Kitag.	<b>Gyeongseong violet</b> 경성제비꽃 (Gyeong-seong-je-bi-kkot)
<i>Viola yazawana</i> Makino	<b>Dwarf Geumgang violet</b> 애기금강제비꽃 (Ae-gi-geum-gang-je-bi-kkot)
<i>Viola yedoensis</i> Makino	<b>Field purple-flower violet</b> 호제비꽃 (Ho-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
<b>VIOLACEAE</b> Batsch	<b>Violet family</b> 제비꽃과 (Je-bi-kkot-gwa)
<i>Viscum</i> L. [Loranthaceae]	<b>Mistletoe</b> 겨우살이속 (Gyeo-u-sal-i-sok) [겨우살이과]
<i>Viscum album</i> var. <i>coloratum</i> (Kom.) Ohwi	<b>Korean mistletoe</b> 겨우살이 (Gyeo-u-sal-i)
<i>Viscum coloratum</i> f. <i>rubroaurantiacum</i> (Makino) Kitag.	<b>Red-berry Korean mistletoe</b> 붉은겨울살이 (Bul-geun-gyeo-ul-sal-i)
<b>VITACEAE</b> Juss.	<b>Grape family</b> 포도과 (Po-do-gwa)
<i>Vitex</i> L. [Verbenaceae]	<b>Chastetree</b> 순비기나무속 (Sun-bi-gi-na-mu-sok) [마편초과]
<i>Vitex negundo</i> var. <i>incisa</i> (Lam.) C.B.Clarke	<b>Five-leaf chastetree</b> 좀목형 (Jom-mok-hyeong)
<i>Vitex rotundifolia</i> L.f.	<b>Beach vitex</b> 순비기나무 (Sun-bi-gi-na-mu)
<i>Vitis</i> L. [Vitaceae]	<b>Grape, Grapevines</b> 포도속 (Po-do-sok) [포도과]
<i>Vitis amurensis</i> Rupr.	<b>Amur grapevine</b> 왕미루 (Wang-meo-ru)
<i>Vitis coignetiae</i> Pulliat ex Planch.	<b>Crimson grapevine</b> 머루 (Meo-ru)
<i>Vitis coignetiae</i> f. <i>glabrescens</i> (Nakai) H.Hara	<b>Ulleungdo crimson grapevine</b> 섬미루 (Seom-meo-ru)
<i>Vitis ficifolia</i> var. <i>sinuata</i> (Regel) H.Hara	<b>Sinuate mulberry-leaf grapevine</b> 까마귀미루 (Kka-ma-gwi-meo-ru)
<i>Vitis ficifolia</i> f. <i>glabrata</i> (Nakai) W.T.Lee	<b>Smooth mulberry-leaf grapevine</b> 청까마귀미루 (Cheong-kka-ma-gwi-meo-ru)
<i>Vitis flexuosa</i> Thunb.	<b>Creeping grapevine</b> 새미루 (Sae-meo-ru)

Scientific name	English name Korean name (Romanization)
<b>VITTARIACEAE Ching</b>	<b>Shoestring fern family</b> 일엽아재비과 (Il-yeop-a-jae-bi-gwa)
<b>W</b>	
<b><i>Wahlenbergia</i> Schrad. ex Roth</b> [Campanulaceae]	<b>Wahlenbergia</b> 애기도록지속 (Ae-gi-do-ra-ji-sok) [초롱꽃과]
<i>Wahlenbergia marginata</i> (Thunb.) A.DC.	<b>Southern rockbell</b> 애기도라지 (Ae-gi-do-ra-ji)
<b><i>Waldsteinia</i> Willd.</b> [Rosaceae]	<b>Barren strawberry</b> 나도양지꽃속 (Na-do-yang-ji-kkot-sok) [장미과]
<i>Waldsteinia ternata</i> (Stephan) Fritsch	<b>Siberian barren strawberry</b> 나도양지꽃 (Na-do-yang-ji-kkot)
<b><i>Wedelia</i> Jacq.</b> [Asteraceae]	<b>Creepingoxeye, Wedelia</b> 겟금불초속 (Gaet-geum-gul-cho-sok) [국화과]
<i>Wedelia chinensis</i> (Osbeck) Merr.	<b>Chinese wedelia</b> 긴갓금불초 (Gin-gaet-geum-bul-cho)
<i>Wedelia prostrata</i> Hemsl.	<b>Beach prostrating wedelia</b> 겟금불초 (Gaet-geum-bul-cho)
<b><i>Weigela</i> Thunb.</b> [Caprifoliaceae]	<b>Weigela</b> 병꽃나무속 (Byeong-kkot-na-mu-sok) [인동과]
<i>Weigela florida</i> (Bunge) A.DC.	<b>Old-fashion weigela</b> 붉은병꽃나무 (Bul-geun-byeong-kkot-na-mu)
<i>Weigela florida</i> f. <i>alba</i> (Carrière) Rehder	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.
<i>Weigela florida</i> f. <i>candida</i> (Voss) Rehder	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.
<i>Weigela florida</i> f. <i>subtricolor</i> Nakai	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.

Scientific name	English name Korean name (Romanization)
<i>Weigela hortensis</i> C.A.Mey.	<b>Garden weigela</b> 골병꽃나무 (Gol-byeong-kkot-na-mu)
<i>Weigela hortensis</i> f. <i>nivea</i> Bonard	<b>Nivea garden weigela</b> 흰골병꽃나무 (Huin-gol-byeong-kkot-na-mu)
<i>Weigela praecox</i> (Lemoine) L.H.Bailey	<b>Early-blooming weigela</b> 소영도리나무 (So-yeong-do-ri-na-mu)
<i>Weigela praecox</i> var. <i>pilosa</i> (Nakai) Nakai	<b>Hairy early-blooming weigela</b> 산소영도리나무 (San-so-yeong-do-ri-na-mu)
<i>Weigela subsessilis</i> (Nakai) L.H.Bailey	<b>Korean weigela</b> 병꽃나무 (Byeong-kkot-na-mu)
<i>Weigela subsessilis</i> var. <i>mollis</i> Uyeki	<u>see</u> <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
<i>Weigela toensis</i> Nakai	<u>see</u> <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
<b><i>Wikstroemia</i> Endl.</b> [Thymelaeaceae]	<b>False ohelo</b> 산닥나무속 (San-dak-na-mu-sok) [팔꽃나무과]
<i>Wikstroemia ganpi</i> (Siebold & Zucc.) Maxim.	<b>Geomundo false ohelo</b> 거문도닥나무 (Geo-mun-do-dak-na-mu)
<i>Wikstroemia trichotoma</i> (Thunb.) Makino	<b>Montane false ohelo</b> 산닥나무 (San-dak-na-mu)
<b><i>Wisteria</i> Nutt.</b> [Fabaceae]	<b>Wisteria</b> 등속 (Deung-sok) [콩과]
<i>Wisteria floribunda</i> (Willd.) DC.	<b>Japanese wisteria</b> 등 (Deung)
<i>Wisteria floribunda</i> f. <i>alba</i> Rehder & E.H.Wilson	<b>White Japanese wisteria</b> 흰등 (Huin-deung)
<b><i>Wolffia</i> Horkel ex Schleid.</b> [Lemnaceae]	<b>Duckweed, Watermeal</b> 분개구리밥속 (Bun-gae-gu-ri-bap-sok) [개구리밥과]
<i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.	<b>Rootless watermeal</b> 분개구리밥 (Bun-gae-gu-ri-bap)

Scientific name	English name Korean name (Romanization)
<i>Woodsia</i> R.Br. [Dryopteridaceae]	<b>Cliff fern, Woodsia</b> <b>우드풀속</b> (U-deu-pul-sok) <b>[면마과]</b>
<i>Woodsia glabella</i> R.Br. ex Richards	<b>Smooth woodsia</b> 애기카풀고사리 (Ae-gi-ga-mul-go-sa-ri)
<i>Woodsia ilvensis</i> (L.) R.Br.	<b>Rusty woodsia</b> 두메우드풀 (Du-me-u-deu-pul)
<i>Woodsia intermedia</i> Tagawa	<b>Intermediate woodsia</b> 좀우드풀 (Jom-u-deu-pul)
<i>Woodsia macrochlaena</i> Mett. ex Kuhn	<b>Wide-blade woodsia</b> 참우드풀 (Cham-u-deu-pul)
<i>Woodsia manchuriensis</i> Hook.	<b>Manchurian woodsia</b> 만주우드풀 (Man-ju-u-deu-pul)
<i>Woodsia microsora</i> Kodama	<b>Geumgang woodsia</b> 금강가풀고사리 (Geum-gang-ga-mul-go-sa-ri)
<i>Woodsia polystichoides</i> D.C.Eaton	<b>Holly-fern woodsia</b> 우드풀 (U-deu-pul)
<i>Woodsia polystichoides</i> f. <i>sinuata</i> (Hook.) Kitag.	<b>Sinuate holly-fern woodsia</b> 애기면모고사리 (Ae-gi-myeon-mo-go-sa-ri)
<i>Woodsia pseudoilvensis</i> Tagawa	<b>False-elba woodsia</b> 메가풀고사리 (Me-ga-mul-go-sa-ri)
<i>Woodsia saitoana</i> Tagawa	<b>Korean woodsia</b> 좁쌀우드풀 (Jop-ssal-u-deu-pul)
<i>Woodsia subcordata</i> Turcz.	<b>Subcordate woodsia</b> 산우드풀 (San-u-deu-pul)
<i>Woodwardia</i> Sm. [Blechnaceae]	<b>Chain fern</b> <b>새깃아재비속</b> (Sae-git-a-jae-bi-sok) <b>[새깃아재비과]</b>
<i>Woodwardia japonica</i> (L.f.) Sm.	<b>Asian chain fern</b> 새깃아재비 (Sae-git-a-jae-bi)

Scientific name	English name Korean name (Romanization)
<b>X</b>	
<i>Xylosma</i> G.Forst. [Flacourtiaceae]	<b>Brushhollies, Xylosmas</b> 산유자나무속 (San-yu-ja-na-mu-sok) [산유자나무과]
<i>Xylosma congesta</i> (Lour.) Merr.	<b>Shiny xylosma</b> 산유자나무 (San-yu-ja-na-mu)
<b>Y</b>	
<i>Youngia</i> Cass. [Asteraceae]	<b>Youngia</b> 뽀리뱅이속 (Ppo-ri-baeng-i-sok) [국화과]
<i>Youngia japonica</i> (L.) DC.	<b>Oriental false hawksbeard</b> 뽀리뱅이 (Ppo-ri-baeng-i)
<i>Youngia japonica</i> subsp. <i>longiflora</i> Babc. & Stebbins	<b>Long-head oriental false hawksbeard</b> 긴꽃뽀리뱅이 (Gin-kkot-ppo-ri-baeng-i)
<b>Z</b>	
<i>Zannichellia</i> L. [Potamogetonaceae]	<b>Horned pondweed</b> 뿔말속 (Ppul-mal-sok) [가래과]
<i>Zannichellia palustris</i> L.	<b>Horned pondweed</b> 뿔말 (Ppul-mal)
<i>Zanthoxylum</i> L. [Rutaceae]	<b>Prickly-ash</b> 초피나무속 (Cho-pi-na-mu-sok) [운향과]
<i>Zanthoxylum ailanthoides</i> Siebold & Zucc.	<b>Alianthus-like prickly-ash</b> 머귀나무 (Meo-gwi-na-mu)
<i>Zanthoxylum coreanum</i> Nakai	<b>Large-leaflet prickly-ash</b> 왕초피나무 (Wang-cho-pi-na-mu)
<i>Zanthoxylum fauriei</i> (Nakai) Ohwi	<b>Lesser alianthus-like prickly-ash</b> 좀머귀나무 (Jom-meo-gwi-na-mu)
<i>Zanthoxylum piperitum</i> (L.) DC.	<b>Chopi (Korean pepper)</b> 초피나무 (Cho-pi-na-mu)

X

Y

Z

Scientific name	English name Korean name (Romanization)
<i>Zanthoxylum piperitum</i> f. <i>pubescens</i> (Nakai) W.T.Lee	<b>Hairy chopi</b> 털초피나무 (Teol-cho-pi-na-mu)
<i>Zanthoxylum planispinum</i> Siebold & Zucc.	<b>Winged prickly-ash</b> 개산초 (Gae-san-cho)
<i>Zanthoxylum schinifolium</i> Siebold & Zucc.	<b>Mastic-leaf prickly ash</b> 산초나무 (San-cho-na-mu)
<i>Zanthoxylum schinifolium</i> var. <i>inermis</i> (Nakai) T.B.Lee	<b>Smooth mastic-leaf prickly ash</b> 민산초나무 (Min-san-cho-na-mu)
* <i>Zanthoxylum schinifolium</i> f. <i>microphyllum</i> (Nakai) W.T.Lee	<b>Small mastic-leaf prickly ash</b> 좀산초나무 (Jom-san-cho-na-mu)
<b>Zelkova</b> Spach [Ulmaceae]	<b>Zelkova</b> 느티나무속 (Neu-ti-na-mu-sok) [느릅나무과]
<i>Zelkova serrata</i> (Thunb.) Makino	<b>Sawleaf zelkova</b> 느티나무 (Neu-ti-na-mu)
<b>Zizania</b> L. [Poaceae]	<b>Wild rice</b> 줄속 (Jul-sok) [벼과]
<i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf	<b>Manchurian wild rice</b> 줄 (Jul)
<b>Zizyphus</b> Adans. [Rhamnaceae]	<b>Zizyphus</b> 대추나무속 (Dae-chu-na-mu-sok) [갈매나무과]
<i>Zizyphus jujuba</i> Mill.	<b>Jujube</b> 뭐대추나무 (Moet-dae-chu-na-mu)
* <i>Zizyphus jujuba</i> var. <i>hoonensis</i> (Kawamoto) T.B.Lee	<b>Boeun jujube</b> 보은대추나무 (Bo-eun-dae-chu-na-mu)
<b>Zostera</b> L. [Zosteraceae]	<b>Eelgrass, Marine eelgrass, Simply eelgrass</b> 거머리말속 (Geo-meo-ri-mal-sok) [거머리말과]
<i>Zostera asiatica</i> Miki	<b>Asian eelgrass</b> 왕거머리말 (Wang-geo-meo-ri-mal)

Scientific name	English name Korean name (Romanization)
<i>Zostera caespitosa</i> Miki	<b>Tufted eelgrass</b> 포기거머리말 (Po-gi-geo-meo-ri-mal)
<i>Zostera caulescens</i> Miki	<b>Northeastern eelgrass</b> 수거머리말 (Su-geo-meo-ri-mal)
<i>Zostera geojeensis</i> H.Shin, Cho & Y.S.Oh	<b>Sub-nod eelgrass</b> 좀마디거머리말 (Jom-ma-di-geo-meo-ri-mal)
<i>Zostera japonica</i> Asch. & Graebn.	<b>Dwarf eelgrass</b> 애기거머리말 (Ae-gi-geo-meo-ri-mal)
<i>Zostera marina</i> L.	<b>Common eelgrass</b> 거머리말 (Geo-meo-ri-mal)
<b>ZOSTERACEAE Dumort.</b>	<b>Eelgrass family, Seagrass family</b> 거머리말과 (Geo-meo-ri-mal-gwa)
<b>Zoysia Willd.</b> [Poaceae]	<b>Lawngrass, Zoysiagrass</b> 잔디속 (Jan-di-sok) [벼과]
<i>Zoysia japonica</i> Steud.	<b>Korean lawngrass</b> 잔디 (Jan-di)
<i>Zoysia japonica</i> var. <i>pallida</i> Nakai ex Honda	<b>Pale Korean lawngrass</b> 푸른잔디 (Pu-reun-jan-di)
<i>Zoysia macrostachya</i> Franch. & Sav.	<b>Big-spike lawngrass</b> 왕잔디 (Wang-jan-di)
<i>Zoysia sinica</i> Hance	<b>Seaside lawngrass</b> 갯잔디 (Gaet-jan-di)
<b>Zygadenus Endl.</b> [Liliaceae]	<b>Zygadenus</b> 나도여로속 (Na-do-yeo-ro-sok) [백합과]
<i>Zygadenus sibiricus</i> (L.) A.Gray	<b>Siberian death camas</b> 나도여로 (Na-do-yeo-ro)
<b>ZYGOPHYLLACEAE R.Br.</b>	<b>Caltrop family</b> 남가새과 (Nam-ga-sae-gwa)

Z





**A**

Abelia 89 / 332  
 Abundant-flower meliosma 63 / 537  
 Acanthus family 258 / 333  
 Achlys 183 / 335  
 Aconite 299 / 336  
 Aconogonon 198 / 337  
 Actinidia 82 / 338  
 Actinostemma 104 / 339  
 Acuminate goosefoot 99 / 406  
 Acuminate-leaf pondweed 108 / 587  
 Acuminate-leaf snoutbean 284 / 606  
 Acute-leaf evergreen spindletree 155 / 463  
 Acute-leaf Indian dendranthema 4 / 436  
 Acute-leaf sneezewort yarrow 286 / 335  
 Acute-serrate white oak 246 / 599  
 Acute-tip adonis 182 / 342  
 Acute-tip-fruit lousewort 278 / 563  
 Acuti variabilis oak 240 / 599  
 Adderstongue 62 / 552  
 Adder's tongue 211 / 462  
 Adder's tongue family 34 / 551  
 Adder's-tongue ferns 62 / 552  
 Adenostemma 119 / 341  
 Adina 42 / 342  
 Adlumia 257 / 342  
 Adonis 145 / 342  
 Adoxa 214 / 342  
 Aeginetia 209 / 343  
 Aggregate Korean red pine 69 / 575  
 Aging chive 96 / 348  
 Agrimony 265 / 343  
 Ainsliaea 83 / 344  
 Aizoon stonecrop 2 / 632  
 Ajania 186 / 344  
 Akebia 227 / 345  
 Akebian-fruit orchid 227 / 433  
 Alangium 132 / 345  
 Alangium family 132 / 345  
 Alaska knotweed 146 / 583  
 Albizia 231 / 345  
 Albizzias 231 / 345  
 Alder 216 / 348  
 Aleutian groundsel 168 / 635  
 Aleutian managrass 96 / 481  
 Ailanthus-like prickly-ash 111 / 683  
 Aliena × mongolica oak 145 / 601  
 Aliena × serrata oak 12 / 601  
 Alkaligrass 10 / 595  
 Allheal 60 / 590  
 Alpine bearberry 315 / 357  
 Alpine bistort 200 / 374

Alpine bittercress 204 / 387  
 Alpine bog blueberry 160 / 668  
 Alpine broad-leaf allium 160 / 348  
 Alpine buckler fern 301 / 447  
 Alpine bulrush 209 / 661  
 Alpine burnet 97 / 620  
 Alpine calamint 97 / 416  
 Alpine carpesium 96 / 400  
 Alpine clubmoss 163 / 529  
 Alpine coronate sawwort 307 / 635  
 Alpine dentate skullcap 190 / 631  
 Alpine enchanter's nightshade 260 / 410  
 Alpine forget-me-not 165 / 461  
 Alpine goutweed 222 / 343  
 Alpine juniper 37 / 505  
 Alpine knotweed 198 / 337  
 Alpine lapland rosebay 85 / 605  
 Alpine lupine clover 242 / 662  
 Alpine milkvetch 176 / 368  
 Alpine modest primrose 176 / 589  
 Alpine monk's-hood 11 / 336  
 Alpine pearlwort 29 / 615  
 Alpine pearly everlasting 40 / 351  
 Alpine pink 41 / 440  
 Alpine pondweed 254 / 586  
 Alpine reedgrass 148 / 381  
 Alpine sainfoin sweetvetch 72 / 486  
 Alpine scabious 41 / 626  
 Alpine self-heal 96 / 590  
 Alpine sheep's fescue 96 / 469  
 Alpine-snowbed gentian 112 / 477  
 Alpine-swamp groundsel 121 / 654  
 Alpine sweetgrass 167 / 489  
 Alpine sweetvetch 116 / 486  
 Alpine three-leaf ladybell 35 / 341  
 Alpine timothy 165 / 570  
 Alpine vernalgrass 302 / 354  
 Alpine violet 41 / 676  
 Alpine willow 110 / 616  
 Alpine yarrow 299 / 335  
 Alplily 14 / 524  
 Alternate-flower thread sedge 175 / 398  
 Amaranth 152 / 349  
 Amaranth family 152 / 349  
 Amaryllis family 191 / 349  
 American searocket 172 / 381  
 American silvertop 26 / 480  
 American sloughgrass 23 / 371  
 American yellowrocket 62 / 371  
 Amethystea 23 / 350  
 Amitostigma 143 / 350  
 Ammannia 249 / 350  
 Amplexicaul swallow-wort 187 / 429  
 Amrokgang angelica 168 / 354

Amrokgang sedge 269 / 393  
 Amur adonis 145 / 342  
 Amur anemone 100 / 352  
 Amur angelica 260 / 353  
 Amur barberry 110 / 371  
 Amur cherry 177 / 590  
 Amur choke cherry 18 / 591  
 Amur corktree 316 / 569  
 Amur daylily 284 / 487  
 Amur grapevine 219 / 679  
 Amur honeysuckle 40 / 525  
 Amur jack-in-the-pulpit 99 / 358  
 Amur linden 305 / 657  
 Amur maackia 82 / 531  
 Amur maple 196 / 334  
 Amur mountain ash 85 / 641  
 Amur mouse-ear chickweed 10 / 404  
 Amur ninebark 159 / 572  
 Amur northern bedstraw 72 / 474  
 Amur poppy 325 / 559  
 Amur rose 172 / 609  
 Amur saussurea 139 / 622  
 Amur silvergrass 121 / 541  
 Amur stonecrop 290 / 633  
 Amur valerian 176 / 668  
 Amur vetch 141 / 673  
 Amur wallflower 146 / 461  
 Amur water-chestnut 318 / 660  
 Amur willowherb 312 / 456  
 Amur wood fern 201 / 446  
 Amur yellow-flower broomrape 203 / 554  
 Anagallidium 87 / 351  
 Anemone 129 / 352  
 Anemone cinquefoil 6 / 587  
 Angelica 85 / 353  
 Angular willowherb 96 / 456  
 Aniseed tree 151 / 496  
 Anisetre 151 / 496  
 Anmyeon wide-bract solomon's seal 201 / 581  
 Annual bluegrass 171 / 579  
 Annual mitrewort 141 / 542  
 Annual rabbit's-foot grass 26 / 583  
 Antlerfern 118 / 405  
 Aphananthe 303 / 354  
 Appendicular sedge 104 / 399  
 Apple 155 / 533  
 Apricot fern 245 / 449  
 Arabidopsis 208 / 355  
 Aralia family 95 / 357  
 Arborvitae 80 / 656  
 Arching hollyfern 163 / 433  
 Arctic daisy 159 / 436  
 Arctic raspberry 309 / 611

Arctic starflower 48 / 662	Asian hedgehyssop 279 / 482	Asian white swallow-wort 126 / 429
Arctic stitchwort 61 / 540	Asian herb bennet 138 / 480	Asian wild flax 21 / 522
Arctic yellow violet 238 / 675	Asian hornbeam 20 / 400	Asian willow-leaf yellowhead 138 / 498
Arctous 315 / 357	Asian jack-in-the-pulpit 116 / 359	Asian yellow spring bedstraw 185 / 475
Arenaria 142 / 358	Asian jasmine 106 / 660	Asparagus 153 / 363
Argus groundsel 200 / 634	Asian knotweed 313 / 467	Asphodel 174 / 658
Aristate goosefoot 128 / 407	Asian lacquer tree 90 / 659	Aster 271 / 365
Aristate mitra sedge 31 / 395	Asian leafless bird's nest orchid 206 / 548	Astilboides 18 / 367
Aristate sweetroot 51 / 555	Asian liverleaf 76 / 488	Asymmetric spleenwort 80 / 365
Arrow bamboo 228 / 593	Asian lizard's tail 167 / 622	Atractylodes 168 / 370
Arrowgrass family 261 / 503	Asian lobelia 191 / 524	Attenuate St. Johnswort 272 / 495
Arrowgrass 261 / 662	Asian lopseed 300 / 570	Attractive hollyfern 188 / 356
Arrowhead 144 / 615	Asian madder 57 / 610	Aucuba 196 / 370
Arrowhead-leaf ragwort 315 / 517	Asian marshweed 42 / 520	Augustinowicz's sedge 148 / 389
Arrow-leaf smartweed 123 / 566	Asian mazus 256 / 535	Auricled widelip orchid 308 / 522
Articulation-bearing spodiopogon 48 / 644	Asian milkwort 97 / 581	Australian dodder 197 / 427
Arum family 273 / 356	Asian minor rabbit's-foot grass 188 / 583	Australian laurel 92 / 576
Aruncus 21 / 362	Asian mitchella 313 / 542	Autumnal sand sedge 78 / 389
Arundinella 294 / 362	Asian mock orange 57 / 569	Autumn cudweed 46 / 593
Ash 122 / 472	Asian montane woodruff 157 / 364	Autumn fern 315 / 447
Ashgrey sedge 317 / 390	Asian moonseed 170 / 537	Autumn-flower oleaster 144 / 451
Ashy pipewort 36 / 460	Asian mountain fringe 257 / 342	Autumn oleaster 144 / 451
Asian baneberry 77 / 338	Asian murainagrass 26 / 500	Avens 138 / 479
Asian beach jackbean 309 / 386	Asian oak fern 166 / 483	Awl-fruit sedge 210 / 398
Asian beaked hazel 266 / 423	Asian pearlwort 17 / 615	Awned rice flatsedge 47 / 431
Asian bentgrass 32 / 344	Asian pearly everlasting 82 / 351	Awned vernalgrass 54 / 354
Asian birdsfoot-trefoil 140 / 527	Asian pennywort 143 / 403	Awnless velvet bentgrass 125 / 344
Asian bistort 141 / 374	Asian pink 192 / 439	Azalea 262 / 604
Asian bittercress 81 / 387	Asian plantain 264 / 576	
Asian black birch 119 / 373	Asian platanthera 73 / 577	<b>B</b>
Asian blue cohosh 60 / 401	Asian pogonia 282 / 580	Baby Asian platanthera 208 / 577
Asian bluestar 240 / 351	Asian prince's pine 110 / 407	Baby buckler fern 208 / 448
Asian burnet 4 / 621	Asian red raspberry 111 / 612	Baby-saw autumn fern 208 / 447
Asian buttercup 240 / 601	Asian royal fern 34 / 556	Baby's-breath 87 / 484
Asian chain fern 169 / 682	Asian sand sedge 299 / 393	Baedodus gentian 135 / 477
Asian coastal wormwood 283 / 360	Asian seashore saltbush 25 / 370	Baedodus birch 136 / 373
Asian common ladyfern 138 / 370	Asian serviceberry 272 / 350	Baedodus bittercress 96 / 387
Asian common seepweed 66 / 648	Asian single-sorus spleenwort 265 / 365	Baedodus globe-flower 204 / 664
Asian copperleaf 55 / 333	Asian siphonostegia 239 / 638	Baedodus lancinate rockfoil 136 / 625
Asian crownglass 269 / 562	Asian sprangletop 100 / 514	Baedodus ponerochis 71 / 585
Asian cutgrass 32 / 512	Asian spring stitchwort 168 / 540	Baedodus primrose 250 / 589
Asian dayflower 84 / 418	Asian subulate fescue 218 / 468	Baedodus spurge 135 / 465
Asian dwarf pennywort 176 / 493	Asian supplejack 109 / 372	Baedodus sedge 135 / 396
Asian eelgrass 218 / 684	Asian surfgrass 31 / 571	Baekun flowering ash 137 / 473
Asian eight-petal dryas 84 / 446	Asian swamp groundsel 187 / 635	Baekun hogfennel 137 / 567
Asian fawnlily 211 / 462	Asian sweetleaf 77 / 650	Baekun kuhlhasseltia orchid 137 / 507
Asian five-minute grass 27 / 663	Asian tape grass 67 / 669	Baekunsan daylily 137 / 487
Asian flatsedge 133 / 430	Asian tearthumb 112 / 566	Baekunsan saussurea 137 / 623
Asian flowering ash 189 / 472	Asian trailplant 112 / 339	Baekun wild pear 137 / 598
Asian golden bladderwort 101 / 667	Asian twinleaf 55 / 503	Baekyang broomrape 137 / 554
Asian goldenrod 124 / 640	Asian twinsorus fern 202 / 443	Bagflower 78 / 415
Asian greater celadine 205 / 406	Asian vetch-like sweetvetch 66 / 486	Bahiagrasses 270 / 562
Asian hairy-scale hollyfern 293 / 357	Asian walking fern 29 / 385	Baical meadow-rue 131 / 655
Asian hazel 21 / 423	Asian water plantain 264 / 346	
	Asian water-nymph 95 / 546	

Bakdal birch 131 / 373	Beard Hackel's cleistogenes 192 / 413	Big-flower lady's slipper 145 / 432
Bakha 132 / 537	Beardless iris 185 / 499	Big-flower ladybell 91 / 339
Balloon-flower 91 / 578	Beard Northeast Asian alder 309 / 349	Big-flower lousewort 283 / 562
Balsam family 145 / 371	Beard white deadnettle 38 / 509	Big-flower morning-star lily 286 / 519
Bamboo 219 / 572	Beautiful corydalis 158 / 423	Big-head carpesium 213 / 400
Bamboo fern 8 / 418	Beautiful eulalia 21 / 462	Big-head saussurea 288 / 623
Bamboo-leaf oak 8 / 600	Beautiful-flower water iris 59 / 498	Big lady's slipper 220 / 432
Bamboo-leaf pondweed 86 / 586	Beautiful ladybell 46 / 340	Big-leaf dammanacanthus 193 / 434
Baneberry 77 / 338	Beautiful two-leaf vetch 58 / 674	Big-leaf golden saxifrage 129 / 409
Bangahpul 134 / 501	Beautiful Wolf's lilac 57 / 652	Big-leaf hare's ear 21 / 380
Barberry 110 / 371	Beautiful woodland bittercress 59 / 387	Big-leaf tick clover 91 / 439
Barberry family 110 / 371	Beautyberry 235 / 383	Big male-scale sedge 275 / 394
Barley-like orchid 313 / 379	Bedstraw 12 / 474	Big muhly 285 / 545
Barnyard grass 94 / 305 / 450	Beech 71 / 467	Big nightshade 219 / 640
Barnyard millets 305 / 450	Beech family 267 / 467	Big pipewort 279 / 460
Barren strawberry 64 / 680	Beech fern 176 / 568	Big-root cymbidium 88 / 428
Barrenwort 168 / 457	Beggar lice 91 / 438	Big shaggy wood fern 286 / 447
Barundi sacaton grass 65 / 645	Beggarticks 91 / 373	Big-spike lawnglass 220 / 685
Basally-pored-seed buckthorn	Beijing mock orange 203 / 569	Big springparsley 285 / 428
	Belamcanda 141 / 371	Big sticky smartweed 281 / 567
265 / 603	Bellard's koberesia 249 / 506	Big-tongue jack sedge 207 / 392
Basketgrass 256 / 552	Bellflower 276 / 385	Big twinsorus fern 279 / 443
Basswood 305 / 657	Bellflower family 276 / 385	Big unequal-lobe brake fern 282 / 595
Bayberry 183 / 545	Benjamin bush 172 / 521	Big violet 220 / 678
Bayberry family 183 / 546	Bent 32 / 343	Big-wheat sedge 219 / 394
Bay-rum tree 183 / 545	Bent-beak sedge 26 / 393	Bijindo bean 153 / 449
Bay-tree 318 / 532	Bentgrass 32 / 343	Billion-dollar grasses 305 / 450
Beach bluebell 27 / 538	Bermuda grass 224 / 430	Bilobed grewia 237 / 483
Beach morning glory 25 / 384	Berry catchfly 90 / 636	Bindweed 112 / 384
Beach pink 181 / 440	Bertoella 237 / 372	Bindweed family 112 / 419
Beach prostrating wedelia 25 / 680	Betony 174 / 645	Biond's hackberry 302 / 402
Beach-sand aster 177 / 365	Betony-leaf mazus 175 / 535	Bipinnate lace fern 54 / 539
Beach sandwort 26 / 490	Bibaldo seashore linden 22 / 658	Birch 233 / 372
Beach silvertop 26 / 480	Bibari skullcap 152 / 631	Birch family 233 / 373
Beach wetchling 27 / 510	Bifid bladdertwort 102 / 667	Bird cherry 44 / 591
Beach vitex 193 / 679	Biflorate wedgelet fern 25 / 642	Bird-foot forest poppy 170 / 493
Beach wormseed 325 / 361	Big Asian platanthera 285 / 577	Bird's egg cucumber 170 / 537
Beaded yellow corydalis 214 / 422	Big attenuate St. Johnswort 279 / 495	Bird's-nest fern 300 / 364
Beadfern 239 / 495	Big autumn fern 285 / 447	Bird's nest orchid 170 / 548
Bead-root orchid 200 / 489	Big beaksedge 279 / 607	Birdleg dimeria 235 / 442
Bead selaginella 42 / 634	Big blue lilyturf 111 / 523	Biro gentian 152 / 476
Beads linden 214 / 657	Big bog bulrush 187 / 628	Birthroot 214 / 663
Beaked-fruit narrow mitra sedge	Big-bract hare's ear 101 / 379	Birthwort 214 / 259 / 359 / 663
146 / 397	Big-bract monk's-hood 175 / 337	Birthwort family 259 / 359
Beakgrain 224 / 440	Big brea 285 / 378	Biseul false-starwort 153 / 593
Beakrush 37 / 606	Big bristled-leaf cow-wheat 170 / 536	Bishop's caps 63 / 542
Beak sedge 282 / 397	Big buckler fern 285 / 448	Bishop's hat 168 / 457
Beaksedge 37 / 606	Big-caudate hollyfern 284 / 357	Bistort 106 / 141 / 374 / 582
Beak willow 212 / 618	Big clubmoss 219 / 491	Bittercress 316 / 386
Bearded cow-wheat 192 / 536	Big cross holly fern 284 / 585	Bitter fleabane 125 / 459
Bearded fringe gentian 192 / 478	Big-ear spleenwort 23 / 364	Bittersweet 77 / 402
Bearded maple 275 / 333	Big-ear twinsorus fern 255 / 444	Bittersweet family 77 / 402
Bearded wildmint 292 / 537	Big-flower alpine lousewort 283 / 562	Bitterwood 184 / 573
Beard filmy fern 192 / 494	Big-flower bittercress 286 / 388	Black amplexicaul swallow-wort
Beard grass 188 / 583	Big-flower clematis 280 / 414	
Beardgrass 129 / 376		30 / 429

Black bedstraw 30 / 474	Blue-scarlet pimpernel 104 / 351	Bristlegrass 14 / 635
Black climbing swallow-wort 318 / 429	Bluestar 240 / 351	Bristle honeysuckle 290 / 526
Black crucifera habenaria 134 / 484	Bluestem 129 / 190 / 376 / 627	Bristle-hair aster 27 / 366
Black false-hellebore 270 / 669	Bluethread 139 / 380	Bristleless spikerush 217 / 453
Black honeysuckle 202 / 526	Bluish dendranthema 69 / 436	Bristle oriental bittersweet 15 / 402
Black jack 91 / 373	Blunt-leaf sandwort 18 / 542	Bristle woundwort 294 / 645
Black jetbead 143 / 606	Blunt-leaf sea milkwort 26 / 480	Bristle-tip edelweiss 163 / 513
Black northern asphodel 30 / 659	Blunt-lobe spicebush 172 / 521	Bristly-fruit lacquer tree 22 / 660
Black pine 37 / 575	Blyxa 217 / 375	Bristly-margin angelica 272 / 353
Black pipewort 30 / 460	Boat orchid 144 / 428	Bristly yarrow 297 / 335
Black sweetleaf 30 / 650	Boeun jujube 144 / 684	Brittle false pimpernel 223 / 522
Black verticillate paris 30 / 561	Bog arum 162 / 382	Brittle water-nymph 298 / 547
Blackberry 160 / 611	Bog blueberry 101 / 668	Broad arrow-head smartweed 73 / 566
Black-berry magnolia vine 318 / 627	Bog bulrush 251 / 628	Broad evergreen witch hazel 74 / 444
Black-cone Korean fir 30 / 333	Bog chickweed 141 / 645	Broad flat-rock tree 154 / 532
Black-end swallow-wort 136 / 429	Bog orchid 310 / 484	Broad-leaf bamboo
Black-flower Korean clematis 223 / 414	Bog rosemary 238 / 351	243 / 244 / 621 / 622
Black-flower lespedeza 30 / 516	Bog sedge 249 / 506	Broad-leaf cattail 284 / 665
Black-flower widelip orchid 318 / 523	Bog-stars 119 / 561	Broad-leaf cottonsedge 286 / 461
Black-fruit hackberry 31 / 402	Bog yellowcress 185 / 608	Broad-leaf crepidiastrum 239 / 425
Black-scale holly fern 226 / 584	Bogbean 244 / 537	Broad-leaf currant 73 / 608
Black-scale ladyfern 148 / 369	Bohyeon false-starwort 144 / 593	Broad-leaf globe thistle 285 / 450
Black-spike sedge 13 / 389	Bokbunja 144 / 611	Broad-leaf hackberry 238 / 403
Black-tiny sedge 203 / 391	Boneset 101 / 464	Broad-leaf long-tail iris 72 / 499
Bladderfern 129 / 433	Bongdongcham oak 145 / 601	Broad-leaf managrass 219 / 481
Bladderferns 306 / 433	Bonnet bellflower 89 / 417	Broad-leaf oleaster 144 / 451
Bladdernut 35 / 645	Borage family 261 / 376	Broad-leaf phacelurus 114 / 568
Bladdernut family 35 / 645	Border privet 259 / 519	Broad-leaf willowherb 73 / 456
Bladderwort 299 / 666	Boston ivy 85 / 561	Broad-spike melic 199 / 536
Bladderwort family 299 / 512	Bothriospermum 58 / 376	Broad-wing bugseed 57 / 420
Blady grass 105 / 497	Botrypus 81 / 377	Brome 269 / 378
Bleeding heart 46 / 441	Bowl-shape-scale sedge 237 / 396	Brome grasses 269 / 378
Bletilla 232 / 375	Box 317 / 380	Broom-rape 276 / 553
Blister sedge 170 / 399	Box-leaf holly 59 / 496	Broomrape 276 / 553
Bloodgrass 49 / 500	Boxwood 317 / 380	Broomrape family 214 / 553
Bloodgrasses 88 / 500	Boxwood family 317 / 380	Broussonetia 82 / 379
Blood iris 151 / 499	Brachybotrys 85 / 377	Brownish beak willow 136 / 618
Bloody-root stellera 305 / 646	Brackish zone seepweed 49 / 649	Brown linden 297 / 658
Blue acute-serrate white oak 275 / 599	Brake fern 146 / 594	Brown oriental photinia 104 / 589
Blue amethystea 23 / 350	Brakenfern 35 / 594	Brown-spike sedge 245 / 396
Blue cohosh 60 / 401	Branched horsetail 20 / 458	Brown's sedge 320 / 389
Blue Korean oak 274 / 599	Branched Indian plantain 9 / 560	Browntop 63 / 539
Blue locoweed 38 / 557	Branching aizoon stonecrop 9 / 632	Brush grass 186 / 656
Blue mountain-heath 7 / 571	Branching British yellowhead 9 / 498	Brushhollies 164 / 683
Blue rocket 299 / 336	Branching rhodiola 9 / 604	Buckbean 244 / 537 / 538
Blue water speedwell 282 / 670	Branching rock pine 9 / 555	Buckbean family 244 / 537
Bluebead 65 / 416	Brasenia 194 / 378	Buckler fern 38 / 446
Bluebeard 277 / 401	Braun's holly fern 247 / 583	Buckthorn 11 / 603
Bluebells 27 / 538	Breea 245 / 378	Buckthorn family 11 / 602
Blueberry 163 / 667	Bride corydalis 11 / 422	Buckwheat family 106 / 581
Blue-eye grass 101 / 638	Bright-blue speedwell 134 / 671	Budding rockcress 165 / 356
Blue false-hellebore 300 / 669	Brilliant campion 291 / 528	Buerger's figwort 311 / 630
Bluegrass 302 / 578	Bristled false-starwort 194 / 594	Buerger's maackia 17 / 531
Blue-leaf white oak 273 / 599	Bristled-fluit bedstraw 291 / 475	Buerger's pipewort 238 / 460
	Bristle dontostemon 280 / 445	Bugbane 77 / 195 / 338 / 409

Bugle 244 / 345  
 Bugleweed 195 / 244 / 345 / 529  
 Bugseed 312 / 419  
 Bujeon angelica 146 / 417  
 Bujeon helleborine 146 / 457  
 Bujeon larkspur 146 / 435  
 Bulbiferous woodnettle 313 / 509  
 Bulbil stonecrop 169 / 494  
 Bulbophyllum 278 / 379  
 Bulbose stonecrop 108 / 633  
 Bull's-horn corydalis 189 / 421  
 Bulrush 33 / 146 / 209 / 279 / 628 / 661 / 665  
 Bulrush-like beaksedge 37 / 607  
 Burnald's bladdernut 35 / 645  
 Bunchberry dogwood 304 / 420  
 Bunge's corydalis 258 / 421  
 Bunge's hackberry 253 / 402  
 Bunge's reedgrass 151 / 381  
 Bupleurum 196 / 379  
 Burbard 35 / 664  
 Burman bristle fern 79 / 508  
 Burmannia family 139 / 380  
 Burnet 216 / 620  
 Burnet rose 98 / 609  
 Burnet saxifrage 268 / 574  
 Burning bush 137 / 441  
 Burning bush spindletree 315 / 462  
 Bur-reed 318 / 642  
 Bur-reed family 318 / 642  
 Burr marigolds 91 / 373  
 Busch's corydalis 264 / 421  
 Bush clovers 199 / 514  
 Bushkiller 29 / 402  
 Bush oriental bittersweet 89 / 402  
 Butterbur 111 / 567  
 Buttercup family 123 / 601  
 Buttercups 123 / 601  
 Butterweed 43 / 637  
 Butterwort 140 / 574  
 Byeonsan winter aconite 142 / 459  
 By-gone ostericum 14 / 556

## C

Cabbage family 198 / 378  
 Calamus 272 / 338  
 Calanthe 171 / 382  
 Caldesia 99 / 382  
 California butterwort 140 / 574  
 Callalily 162 / 382  
 Callianthemum 110 / 383  
 Caltrop family 69 / 685  
 Camellia 95 / 384  
 Camel's foot 145 / 431  
 Camphor tree 77 / 410

Campion 61 / 95 / 528 / 636  
 Campitosorus 29 / 385  
 Campylotropis 59 / 385  
 Canary grass 12 / 568  
 Candleberry 183 / 545  
 Candle-shape maple 146 / 335  
 Cane 310 / 362  
 Carex 269 / 458  
 Canton buttercup 289 / 601  
 Capillary wormwood 157 / 360  
 Capricornis sedge 210 / 390  
 Capsella 70 / 386  
 Carlesia 93 / 399  
 Carnation 301 / 439  
 Carnation family 174 / 401  
 Carpesium 84 / 399  
 Carpet bugle 244 / 345  
 Carpetgrass 244 / 362  
 Carpetweed 173 / 542  
 Carpetweed family 173 / 542  
 Carrot family 167 / 355  
 Carrot fern 175 / 551  
 Caryopteris 277 / 401  
 Cashew family 217 / 351  
 Castor aralia 228 / 506  
 Catbriers 274 / 639  
 Catchfly 61 / 237 / 636  
 Catclaw buttercup 14 / 602  
 Catmints 18 / 549  
 Catnip 146 / 665  
 Catnip 18 / 549  
 Cat's ear 48 / 495  
 Catsfoot 136 / 354  
 Cat's-foot 136 / 354  
 Cattail 146 / 665  
 Cattail bristlegrass 2 / 635  
 Cattail family 146 / 665  
 Caudate autumn fern 6 / 446  
 Caudate hollyfern 56 / 357  
 Caudate-leaf hackberry 304 / 403  
 Caudate-leaf mulberry 56 / 544  
 Caudate tick clover 95 / 438  
 Cayratia 29 / 401  
 Celadine 205 / 406  
 Celery family 167 / 355  
 Celery-leaf buttercup 15 / 602  
 Celery sand wormwood 19 / 359  
 Centella 143 / 403  
 Centipeda 258 / 403  
 Centipede's foot orchid 260 / 413  
 Centranthera 181 / 403  
 Cephalanthera 227 / 403  
 Cephalotaxus 19 / 404  
 Ceylon hound's tongue 178 / 430  
 Chaff flower 189 / 335  
 Chaff panicgrass 15 / 559  
 Chain fern 169 / 682  
 Chain fern family 169 / 375  
 Chamssuk 270 / 360  
 Chamaegastrodia 208 / 405  
 Chamnamul 268 / 574  
 Champion's autumn fern 243 / 446  
 Champion's bluethread 206 / 380  
 Changhaen spikerush 92 / 453  
 Changing-color ikeris 7 / 502  
 Chang's silvergrass 238 / 541  
 Channelled water plantain 288 / 346  
 Chastetree 193 / 679  
 Cheat grasses 269 / 378  
 Cheder vetch 12 / 673  
 Cheesewood 92 / 576  
 Cheonmma 273 / 476  
 Cherry 141 / 590  
 Cherry-leaf sweetleaf 31 / 650  
 Cherry prinsepia 154 / 590  
 Chervil 239 / 354  
 Chess grasses 269 / 378  
 Chestnut 133 / 401  
 Chestnut-leaf colysis fern 133 / 417  
 Chestnut-leaf fern 133 / 547  
 Chickweed 142 / 645  
 Chickweed sparrow 264 / 539  
 Chilbo metanarthecium 278 / 538  
 Chinese arborvitae 276 / 578  
 Chinese barberry 85 / 372  
 Chinese castanea 210 / 401  
 Chinese dodder 26 / 427  
 Chinese gooseberry family 82 / 339  
 Chinese juniper 311 / 505  
 Chinese mallow-leaf violet 201 / 676  
 Chinese mulberry 93 / 544  
 Chinese needlegrass 66 / 647  
 Chinese peashrub 36 / 386  
 Chinese spiraea 86 / 643  
 Chinese thistle 243 / 411  
 Chinese wedelia 49 / 680  
 Chinese winter-berry currant 54 / 607  
 Chinese yam 105 / 442  
 Chingan mountain bugseed 229 / 419  
 Chinkapin 114 / 401  
 Chinquapin 114 / 401  
 Chionographis 197 / 408  
 Chloranthus 314 / 408  
 Chloranthus family 314 / 408  
 Chocolate vine 227 / 345  
 Chopi 276 / 683  
 Choseonia 171 / 408  
 Choseon ladybell 220 / 341  
 Choseon-willow 171 / 408  
 Choseon gentian 320 / 476

Choseon sheep's fescue 191 / 468	Coastal oriental bittersweet 310 / 402
Chrysanthus honeysuckle 10 / 525	Coastal rock sedge 128 / 389
Chrysanthemum anemone 43 / 352	Coastal rockcress 27 / 356
Chrysanthemum bedstraw 43 / 474	Coastal small reedgrass 27 / 382
Chrysanthemum-leaf mountain yam 43 / 443	Coastal stringy stonecrop 25 / 633
Chrysanthemum-leaf synurus 43 / 651	Cobbler's pegs 91 / 373
Chuckley pear 272 / 349	Cockspur grass 305 / 450
Ciliate cat's ear 48 / 495	Codonopsis 89 / 416
Ciliated-fruit sedge 212 / 389	Coelachne 252 / 417
Ciliate fiurena 31 / 473	Coeloglossum viride 22 / 433
Ciliate hairy arundinella 169 / 362	Coelopleurum 146 / 417
Ciliate-petal chickweed 220 / 646	Cohosh 60 / 195 / 401 / 409
Ciliate wheatgrass 185 / 455	Cold-growing cymbidium 308 / 428
Cinnamon 77 / 410	Colicroot 259 / 346
Cinnamon fern 60 / 555	Colicweed 259 / 346
Cinquefoil 210 / 587	Coloured grapefern 158 / 626
Circular-lip galaxias 65 / 473	Coloured wildginger 116 / 363
Citron daylily 37 / 487	Colt's-foot-leaf Indian plantain 268 / 560
Clasping-leaf pondweed 73 / 587	Columbine 110 / 355
Clasping-leaf twisted-stalk 256 / 648	Colysis 185 / 417
Clausia 285 / 412	Common adenostemma 119 / 341
Clavate bentgrass 158 / 344	Common Asian cowpea 248 / 675
Clearweed 122 / 573	Common Asian trigonotis 58 / 663
Cleisostoma 260 / 413	Common astilboides 18 / 367
Cleistogenes 87 / 413	Common bistort 269 / 374
Clematis 227 / 413	Common bladderwort 299 / 667
Cleyera 153 / 415	Common bluebead lily 65 / 416
Cliff fern 224 / 682	Common bluebeard 277 / 401
Climbing fern 197 / 530	Common bog rosemary 206 / 351
Climbing fig 219 / 469	Common breea 245 / 378
Climbing gentian 91 / 663	Common brome 269 / 378
Climbing hydrangea 101 / 492	Common calanthe 171 / 382
Climbing seedbox 212 / 527	Common camellia 94 / 385
Climbing swallow-wort 90 / 429	Common carpesium 84 / 400
Clinopodium 277 / 415	Common chickweed 142 / 646
Closed-flower hosta 255 / 490	Common corydalis 312 / 423
Cloud Asian platanthera 41 / 577	Common cotoneaster 98 / 424
Cloudberry 262 / 611	Common cottongrass 271 / 461
Clover 298 / 662	Common daphniphyllum 247 / 434
Clubmoss 81 / 173 / 491 / 529	Common eelgrass 28 / 685
Clubmoss family 173 / 528	Common fairybell 227 / 444
Club-rush 33 / 628	Common Korean currant 113 / 608
Club weeping fern 134 / 514	Common Korean platanthera 165 / 577
Cluster amaryllis 169 / 529	Common leafflower 212 / 571
Clustered dock 117 / 613	Common leptopyrum 129 / 514
Coastal chive 26 / 347	Common lophatherum 245 / 526
Coastal dimeria 25 / 442	Common mare's-tail 188 / 489
Coastal glossy plantain 28 / 577	Common moonwort 135 / 377
Coastal green bristlegrass 24 / 636	Common mouse-ear chickweed 239 / 404
Coastal hogfennel 25 / 568	Common nipplewort 19 / 509
Coastal lespedeza 310 / 515	Common oreorchis 13 / 553
Coastal mock-cypress 25 / 506	Common polypody 123 / 583
Coastal moss-like stoncrops 103 / 633	Common pricklegrass 27 / 426
Coastal oleaster 78 / 451	Common reed 11 / 570
	Common rush 37 / 503
	Common spurge 86 / 465
	Common St. Paul's wort 243 / 636
	Common stimpsonia 229 / 647
	Common sweet flag 272 / 338
	Common symphyllocarpus 22 / 649
	Common tetragonia 139 / 654
	Common tick clover 16 / 439
	Common verbena 107 / 670
	Common water-chestnut 74 / 660
	Common willow 226 / 618
	Common wood sorrel 204 / 557
	Common woodrush 159 / 527
	Compressed michelia 275 / 539
	Cone-fruit platycarya 44 / 577
	Conical-leaf violet 33 / 677
	Coniogramme 34 / 418
	Connected aster 127 / 365
	Convient-wing mono maple 264 / 334
	Conspicuous smartweed 59 / 565
	Contorted fringe gentian 57 / 478
	Convallaria 227 / 418
	Coon's tail 151 / 405
	Copperleaf 55 / 333
	Coralbead 89 / 416
	Coralberry 136 / 357
	Coralroot 167 / 419
	Corchoropsis 55 / 419
	Cordata enchanter's nightshade 190 / 410
	Coreanomecon 109 / 419
	Cork spindletree 86 / 462
	Corktree 316 / 569
	Com dog grass 146 / 665
	Com gromwell 23 / 523
	Com lilies 212 / 669
	Comiculate spurred gentian 86 / 485
	Comopteris 155 / 420
	Cortusa 255 / 421
	Cotoneaster 177 / 424
	Cottongrass 316 / 461
	Cotton-grass 316 / 461
	Cottonsedge 316 / 461
	Cottonwood 156 / 585
	Cowbane 92 / 409
	Cowberry 226 / 668
	Cow parsnip 211 / 488
	Cowpea 95 / 675
	Cowtail pine 19 / 404
	Cow-wheat 58 / 536
	Crab apples 155 / 533
	Crabapples 155 / 533
	Crabgrass 129 / 442
	Crabs 155 / 533
	Cracking melon 164 / 627

Cranesbills 259 / 478  
 Creeper 85 / 561  
 Creeper-like sedge 90 / 397  
 Creeping beach ikeris 27 / 502  
 Creeping bentgrass 203 / 344  
 Creeping bokbunja 8 / 613  
 Creeping broad-leaf sedge 87 / 398  
 Creeping buttercup 48 / 602  
 Creeping catchfly 216 / 637  
 Creeping cedar 173 / 529  
 Creeping goosefoot 313 / 407  
 Creeping grapevine 170 / 679  
 Creeping ikeris 251 / 502  
 Creeping Korean violet 68 / 676  
 Creeping lilyturf 16 / 523  
 Creeping managrass 226 / 481  
 Creeping narrow-leaf sedge 260 / 395  
 Creeping oxeye 47 / 680  
 Creeping rose-gold pussy willow  
 79 / 617  
 Creeping sedge 87 / 390  
 Creeping sibbaldia 71 / 636  
 Creeping smartweed 90 / 565  
 Creeping three-lobe beggartick 79 / 374  
 Creeping wood sorrel 39 / 557  
 Cremastra 210 / 424  
 Crenate fern 223 / 548  
 Crepidiastrixeris 314 / 425  
 Crepidiastrum 33 / 425  
 Crepidomanes 40 / 425  
 Crested dog's tail grass 154 / 430  
 Crested late-summer mint 311 / 454  
 Cretan brake fern 282 / 594  
 Crimson grapevine 111 / 679  
 Cross holly fern 198 / 584  
 Crowberry 195 / 456  
 Crowberry family 195 / 455  
 Crow corn 259 / 346  
 Crowded Korean red pine 212 / 575  
 Crow dipper 133 / 574  
 Crowngrass 270 / 562  
 Crown rockcress 234 / 356  
 Crow's pillow 54 / 603  
 Crucifers family 198 / 378  
 Cruciform habenaria 22 / 484  
 Crypsinus 33 / 426  
 Cucubalus 90 / 427  
 Cucullaria neottiantha orchid 41 / 549  
 Cudrania 60 / 427  
 Cudweed 221 / 482  
 Cudweeds 104 / 593  
 Cumbungi 146 / 665  
 Cupgrass 62 / 460  
 Cupscale grass 119 / 614  
 Curled pondweed 109 / 586

Curled-stigma sedge 53 / 389  
 Curly willow 270 / 618  
 Curly grass family 197 / 627  
 Curly sedge 80 / 397  
 Currant 55 / 607  
 Curved-awn fimbriystylis 127 / 471  
 Curved-utricle sedge 168 / 390  
 Curved-tooth thyrocarpus 88 / 657  
 Curve monkshood 287 / 336  
 Cuspidate deadnettle 312 / 509  
 Cuspidate girardinia 284 / 480  
 Cute azalea 252 / 605  
 Cutgrass 32 / 512  
 Cut-leaf Korean oak 54 / 599  
 Cyclogramma 65 / 427  
 Cyclosorus 142 / 427  
 Cylindrical rockcress 271 / 356  
 Cylindrical-stigma willowherb 113 / 456  
 Cypress family 276 / 427  
 Cyrtosia 227 / 433

## D

Dactylorhiza viridis 22 / 433  
 Dadohiae hosta 81 / 490  
 Daechaeong rose 88 / 610  
 Daegu clematis 86 / 414  
 Dagga family 167 / 386  
 Dahurian angelica 41 / 353  
 Dahurian asparagus 109 / 363  
 Dahurian bedstraw 284 / 474  
 Dahurian buckthorn 11 / 603  
 Dahurian bugbane 80 / 409  
 Dahurian clustered bellflower 233 / 385  
 Dahurian cranesbill 165 / 478  
 Dahurian false-hellebore 38 / 669  
 Dahurian juniper 83 / 505  
 Dahurian larch 231 / 510  
 Dahurian lespedeza 313 / 515  
 Dahurian loosestrife 253 / 531  
 Dahurian milkvetch 234 / 368  
 Dahurian morning glory 174 / 384  
 Dahurian pasque-flower 149 / 596  
 Dahurian rhododendron 165 / 605  
 Dahurian snowparsley 156 / 416  
 Dahurian spike speedwell 42 / 670  
 Dahurian wheatgrass 26 / 455  
 Dahurian wintergreen 312 / 597  
 Dallis grasses 270 / 562  
 Dammacanthus 313 / 434  
 Dandelion 125 / 652  
 Danyang aster 83 / 365  
 Daphne 300 / 434  
 Daphniphyllum 43 / 434  
 Daphniphyllum family 43 / 434

Dark-bark spruce 7 / 572  
 Dark-flower pipewort 30 / 460  
 Date-plum 35 / 443  
 David's elm 85 / 666  
 David's vetchling 315 / 510  
 Dayflower family 84 / 418  
 Dayflowers 84 / 418  
 Daylily 226 / 487  
 Deadnettle 38 / 508  
 Declinate bugseed 53 / 419  
 Decumbent bugle 48 / 345  
 Decumbent corydalis 253 / 421  
 Decurrent colysis fern 283 / 417  
 Deeply-lobe deltoid synurus 7 / 651  
 Deeply-lobe saussurea 154 / 624  
 Deeply-serrate-leaf ostericum 196 / 556  
 Deergrass 33 / 628  
 Deer's foot fern 72 / 435  
 Deinostema 263 / 435  
 Delicate amitostigma 143 / 350  
 Delicate maiden silvergrass 5 / 541  
 Delicate skullcap 203 / 631  
 Delicate starviolet 192 / 486  
 Delicate violet 10 / 676  
 Deltoid synurus 191 / 651  
 Dendranthema 159 / 436  
 Dendrobium 173 / 436  
 Dendropanax 317 / 437  
 Dense-flower bladderwort 228 / 667  
 Dense-flower bristlegrass 190 / 635  
 Dense-flower elatostema 115 / 452  
 Dense-flower spikerush 128 / 453  
 Dense-flower two-leaf wetch 309 / 674  
 Dense-fruit dittany 136 / 441  
 Dense-fruit valerian 39 / 668  
 Dense-leaf selarginella 21 / 634  
 Dense watergrass 59 / 379  
 Dentata × aliena hybrid oak 103 / 600  
 Dentata × aliena × serrata hybrid oak  
 103 / 600  
 Dentata × mongolica × aliena hybrid oak  
 103 / 600  
 Dentata × mongolica hybrid oak  
 103 / 600  
 Dentata × mongolica × serrata hybrid oak  
 103 / 600  
 Dentate dontostemon 5 / 445  
 Dentate-lobe alpine bell 255 / 421  
 Denticulate-petal arctic raspberry 7 / 611  
 Deodeok 89 / 417  
 Deokwoo hogfennel 89 / 567  
 Depressed plantain 297 / 576  
 Devil's bush 8 / 454  
 Devil's helmet 299 / 336  
 Devil's woodnettle 163 / 509

Devilwood 115 / 555	Dogwood family 277 / 420	Dwarf Korean plum yew 79 / 404
Diamond bluebell 46 / 485	Donggang pasque-flower 94 / 596	Dwarf lilyturf 184 / 552
Diapensia 202 / 440	Dongrae thistle 94 / 412	Dwarf marsh violet 79 / 676
Diapensia family 202 / 440	Don's sedge 323 / 390	Dwarf milkwort 209 / 581
Diaphanous flatsedge 56 / 430	Dontostemon 5 / 444	Dwarf rainbow pink 68 / 440
Diarthon 201 / 441	Dooryard dock 16 / 614	Dwarf rock pine 68 / 539
Dichotomous anemone 6 / 352	Dopatrium 102 / 445	Dwarf sand sedge 249 / 397
Dichotomous swertia 87 / 351	Dotted beadfern 239 / 495	Dwarf sanicle 208 / 621
Dickins' sedge 91 / 390	Dotted rockfoil 298 / 625	Dwarf Siberian pine 80 / 575
Dickwort 137 / 551	Double balloon-flower 32 / 578	Dwarf small-leaf birch 18 / 373
Dictamnus 137 / 441	Double-petal Franchet's buttercup 32 / 601	Dwarf smartweed 87 / 565
Different-scale sedge 162 / 392	Double Siebold's magnolia 32 / 532	Dwarf solomon's seal 10 / 582
Different-spike sedge 230 / 392	Downward-hair cranesbill 294 / 478	Dwarf spikemoss 221 / 634
Difformed flatsedge 202 / 430	Downward-hair eyebright 296 / 466	Dwarf willow 68 / 617
Digitaria-like sedge 129 / 392	Downward-leaf ladyfern 28 / 369	Dwarf woodland Korean iris 76 / 498
Diluted swertia 21 / 649	Downy East Asian alder 236 / 349	Dyer's woad 88 / 500
Dimeria 235 / 442	Downy golden-and-silver honeysuckle 236 / 525	Dysophylla 118 / 449
Diminutive rotala 3 / 610	Downy shield-fern 287 / 428	Dystaenia 179 / 449
Dimorphous-spike sedge 229 / 390	Draba 58 / 445	
Diospyros 13 / 443	Dragonhead 223 / 445	
Discoid-involucrue alpine yarrow 166 / 335	Drooping carpesium 248 / 400	
Discolor cinquefoil 187 / 587	Drooping-flower false spiraea 251 / 640	
Disporum 204 / 444	Drooping-fruit hedge mustard 44 / 638	
Dissected eupatorium 11 / 464	Drooping woodreed 63 / 410	
Dissected-leaf Manchurian saussurea 54 / 623	Dropping bell flower 85 / 377	
Dissected-leaf mono maple 49 / 334	Dropseed grasses 259 / 644	
Dissected-leaf monk's-hood 3 / 336	Dryopsis 323 / 446	
Dissected-leaf mountain hawthorn 7 / 424	Dryopteridaceae Herter 112 / 446	
Dissected-leaf porcelainberry 7 / 350	Dry rockjasmine 35 / 352	
Dissected-leaf viburnum 7 / 672	Duchesnea 138 / 449	
Dissected-leaf wormwood 43 / 361	Duck lettuce 122 / 556	
Dissected-leaf yellow corydalis 2 / 423	Duckmeat 15 / 644	
Dissected mulberry 7 / 544	Duck potato 144 / 615	
Dissected-petal montane poppy 11 / 559	Duckweed 148 / 246 / 512 / 681	
Ditch bluegrass 40 / 579	Duckweed family 15 / 512	
Ditch grasses 257 / 614	Duckweed fern 118 / 370	
Ditch sedge 92 / 388	Dumangang sedge 258 / 399	
Dittany 137 / 441	Dumasia 153 / 449	
Divaricate carpesium 50 / 400	Dumortier's daylily 10 / 487	
Diverse-flower chickweed 231 / 646	Dunbaria 213 / 449	
Diverse-petal angelica 236 / 353	Dutchman's pipe 259 / 359	
Diverse-leaf jack-in-the-pulpit 95 / 358	Dwarf abelia 248 / 332	
Divided cinquefoil 107 / 588	Dwarf bittercress 57 / 388	
Dock 184 / 613	Dwarf bog birch 251 / 373	
Dodder 170 / 427	Dwarf corydalis 68 / 422	
Dogbane 190 / 355	Dwarf eelgrass 203 / 685	
Dogbane family 312 / 355	Dwarf false-indigo 70 / 498	
Dog's tail grass 154 / 430	Dwarf false-starwort 90 / 593	
Dog-strangling vine 136 / 429	Dwarf fan-shape columbine 306 / 355	
Dog's-tooth grass 224 / 430	Dwarf Geumgang violet 204 / 678	
Dog's-tooth violet 211 / 462	Dwarf horsetail 250 / 458	
Dogwood 277 / 420	Dwarf Indian skullcap 247 / 631	
	Dwarf juniper 80 / 505	

## E

Eared Indian plantain 44 / 559	
Eared ladyfern 36 / 369	
Early barnyard grass 78 / 450	
Early-blooming bistort 228 / 374	
Early-blooming gentian 145 / 477	
Early-blooming honeysuckle 217 / 526	
Early-blooming ivory honeysuckle 53 / 525	
Early-blooming weigela 184 / 681	
Early coralroot 167 / 419	
Early forsythia 107 / 471	
Early yellowrocket 145 / 371	
East Asian aerides 65 / 632	
East Asian alder 216 / 348	
East Asian alpine forget-me-not 165 / 461	
East Asian arrow root 278 / 596	
East Asian ash 122 / 472	
East Asian basketgrass 252 / 417	
East Asian beakgrain 223 / 440	
East Asian beautyberry 234 / 383	
East Asian buttercup 123 / 602	
East Asian cinquefoil 102 / 587	
East Asian clustered gentian 38 / 477	
East Asian cutgrass 62 / 512	
East Asian deer's foot 183 / 335	
East Asian dwarf mosla 4 / 544	
East Asian edelweiss 222 / 513	
East Asian euchresta 107 / 462	
East Asian eryua 156 / 466	
East Asian fairy orchid 265 / 550	
East Asian false rue anemone 63 / 456	
East Asian false-starwort 49 / 594	
East Asian floatingheart 251 / 550	
East Asian glabrate brown top 126 / 539	

- |   |  |  |
|---|--|--|
| East Asian gland fern 260 / 560                 | Eastern marsh fern 272 / 656               | Epipogium 226 / 457                    |
| East Asian grapefern 159 / 626                  | East Indian hollyfern 3 / 357              | Eranthis 71 / 459                      |
| East Asian greenbrier 274 / 639                 | East Indian walnut 231 / 345               | Erect Asian madder 280 / 610           |
| East Asian groundsel 187 / 653                  | East-Liaoning oak 54 / 600                 | Erect cephalanthera 227 / 403          |
| East Asian hackberry 301 / 403                  | Ebony family 12 / 450                      | Erect fig 273 / 469                    |
| East Asian harebell 215 / 368                   | Echinosophora 15 / 450                     | Erect hedgeparsley 156 / 659           |
| East Asian hogweed 211 / 488                    | Eclipta 308 / 451                          | Erect hygrophila 122 / 493             |
| East Asian hornbeam 171 / 556                   | Edelweiss 187 / 512                        | Erect ladybell 174 / 339               |
| East Asian island eurya 179 / 466               | Edgeworth's hogpeanut 171 / 351            | Erect muhly 176 / 545                  |
| East Asian loosely-leaf marsh fern<br>236 / 538 | Edible amaranth 152 / 349                  | Erect St. Johnswort 36 / 495           |
| East Asian low meadow-rue 247 / 655             | Edible aster 271 / 366                     | Erect vetchling 175 / 511              |
| East Asian mallotus 215 / 533                   | Edible deepblue honeysuckle 89 / 524       | Erect violet 175 / 677                 |
| East Asian monk's-hood 307 / 336                | Edible tulip 164 / 665                     | Erect selaginella 175 / 634            |
| East Asian mountain yam 268 / 442               | Eelgrass 28 / 67 / 669 / 684               | Erect willow 175 / 618                 |
| East Asian mudgrass 122 / 593                   | Eelgrass family 28 / 685                   | Erman's birch 156 / 373                |
| East Asian necklace fern 151 / 522              | Ehretia 187 / 451                          | Esculent barnyard grass 305 / 450      |
| East Asian nervilia 215 / 549                   | Eight-leaf chocolate vine 212 / 345        | Esthwaite waterweed 31 / 492           |
| East Asian nettle 199 / 666                     | Eight-stamen pondweed 102 / 586            | Euchiton 304 / 462                     |
| East Asian orixa 169 / 553                      | Elaeocarpus 85 / 452                       | Euchresta 107 / 462                    |
| East Asian ostericum 115 / 556                  | Elaeocarpus family 85 / 452                | Eulalia 21 / 462                       |
| East Asian peppervine 9 / 350                   | Elatostema 112 / 452                       | Eumenol angelica 15 / 353              |
| East Asian physalastrum 7 / 572                 | Elder 102 / 620                            | Eurasian mouse-ear chickweed 148 / 404 |
| East Asian platanthera 11 / 577                 | Elderberry 102 / 620                       | Eurasian water-milfoil 229 / 546       |
| East Asian pollia 64 / 581                      | Elegance female holly 13 / 496             | Eurasian woodrush 162 / 528            |
| East Asian primrose 209 / 590                   | Elegant hogfennel 2 / 567                  | European goldenrod 161 / 640           |
| East Asian sage 98 / 619                        | Elegant ladyfern 39 / 369                  | European starflower 267 / 662          |
| East Asian sanicle 268 / 621                    | Elephant-ear 93 / 372                      | European stickseed 101 / 509           |
| East Asian saussurea 279 / 623                  | Elephant-eared saxifrage 93 / 372          | Eurya 156 / 466                        |
| East Asian sedge 23 / 393                       | Elephant's ears 93 / 372                   | Euryale 8 / 466                        |
| East Asian seepweed 277 / 649                   | Eleuthero 215 / 454                        | Euscaphis 109 / 466                    |
| East Asian shield sundew 61 / 446               | Ellipsoid Amur rose 51 / 609               | Eutrema 36 / 466                       |
| East Asian shorthusk 84 / 377                   | Elliptic colysis fern 185 / 417            | Evening primrose family 128 / 551      |
| East Asian skunk cabbage 207 / 650              | Elliptic-fruited bog blueberry 50 / 668    | Even white rot 305 / 493               |
| East Asian slender smartweed 2 / 567            | Elliptic-fruited Witchura's rose 50 / 610  | Evergreen spindletree 157 / 463        |
| East Asian soup-mint 134 / 501                  | Elliptic-leaf saussurea 158 / 623          | Evergreen spleenwort 157 / 364         |
| East Asian spikerush 217 / 453                  | Elm 81 / 665                               | Evergreen witch hazel 244 / 444        |
| East Asian squill 116 / 628                     | Elm family 80 / 665                        | Everlasting 136 / 354                  |
| East Asian stripe maple 158 / 334               | Elm-leaf spiraea 230 / 643                 | Eyebright 253 / 465                    |
| East Asian sweetia 200 / 649                    | Elongate bean fern 53 / 512                |  |
| East Asian teasel 166 / 444                     | Elongate-fruited Korean barberry 213 / 372 |  |
| East Asian thesium 241 / 656                    | Elongate Korean lespedeza 81 / 515         | F                                      |
| East Asian thrixspermum 153 / 656               | Elongate-leaf bugseed 52 / 419             | Fabre's oak 103 / 599                  |
| East Asian twinsorus fern 23 / 443              | Elongate-leaf goat willow 253 / 616        | Fairy moss 118 / 370                   |
| East Asian water-chestnut 106 / 660             | Elongate-leaf rhodiola 92 / 604            | Fairy orchids 265 / 550                |
| East Asian white birch 233 / 373                | Elongate wavy-leaf basketgrass 271 / 552   | Fairy slipper 305 / 384                |
| East Asian white false-hellebore 131 / 669      | Elsholtzia 311 / 454                       | Fairy slipper orchid 305 / 384         |
| East Asian wild mint 132 / 537                  | Emarginata eurya 224 / 466                 | Fairy wings 168 / 457                  |
| East Asian wildparsley 300 / 426                | Enchanter's nightshade 295 / 410           | Fallopia 84 / 467                      |
| East Asian willow smartweed 138 / 565           | Engler's beech 71 / 467                    | False bindweed 112 / 384               |
| East Asian wintergreen 76 / 597                 | Engler's selliquea fern 279 / 426          | False bittercress 253 / 387            |
| East Asian wood fern 263 / 448                  | English sundew 51 / 446                    | False brome 194 / 378                  |
| East Asian yellow water-lily 22 / 549           | Entire-leaf abelia 130 / 332               | False bush-clover 59 / 385             |
| Easter flower 309 / 596                         | Entire-leaf false goat's beard 223 / 367   | False Chinese sedge 310 / 396          |
| Eastern brakenfern 34 / 594                     | Eolchigi lady's slipper 211 / 433          | False Chinese swertia 234 / 649        |
|   | Epimedium 168 / 457                        | False Choseon-willow 64 / 408          |

False daisy 308 / 451	Field dock 207 / 613	Flat-bush bog blueberry 44 / 668
False-elba woodsia 112 / 682	Field flat fimbriстил 101 / 471	Flat-leaf bladderwort 23 / 667
False goat's beard 77 / 367	Field horsetail 188 / 458	Flatsedges 134 / 430
False-hellebore 212 / 669	Field purple-flower violet 313 / 678	Flat-stalk bulrush 248 / 629
False Java water-dropwort 17 / 551	Field rush 53 / 504	Flax 201 / 522
False ladyfern 120 / 369	Field sensitive pea 266 / 405	Flax family 201 / 521
False lily of the valley 95 / 533	Field touch-me-not 120 / 497	Flax-leaf diarthron 201 / 441
False mannagrass 249 / 659	Field Ussuri pear 100 / 598	Fleabane 16 / 459
False melic 313 / 627	Fig 117 / 469	Fleawort 264 / 576
False melic grass 313 / 627	Fig-leaf goosefoot 249 / 407	Fleshy peracarpa 314 / 564
False needlegrass 192 / 595	Fig-marigold family 139 / 344	Floating arrowhead 88 / 615
Falsenettle 114 / 375	Figwort 311 / 630	Floating fern family 172 / 619
False ohelo 159 / 681	Figwort family 311 / 631	Floatingheart 211 / 550
False pimpernel 134 / 522	Filamentous meadow-rue 283 / 655	Floating-leaf pondweed 279 / 586
False rue anemone 63 / 456	Filarees 43 / 461	Floating marsh marygold 205 / 384
False scrappy lace fern 32 / 539	Filifolium 198 / 469	Floating watermoss 172 / 619
False spiraea 194 / 640	Filiform rockjasmine 206 / 352	Flowering quince 113 / 405
False spirea 77 / 367	Filmy fern 192 / 272 / 494 / 535	Foam flower 311 / 657
False spleenwort 262 / 437	Filmy fern family 272 / 494	Foetid's bugbane 316 / 409
False-starwort 18 / 593	Fimbry 306 / 470	Foldwing 231 / 441
False twayblade 66 / 522	Fimbrystilis 306 / 470	Forbes' knotweed 13 / 467
False Uibong wild pear 22 / 598	Fine-leaf lily 283 / 520	Ford's clockfern 19 / 406
False wheatgrass 17 / 517	Fine-leaf vetch 3 / 674	Forest-live sedge 194 / 390
False winnow willow 23 / 617	Fin maiden spleenwort 260 / 494	Forest poppy 305 / 493
False wormwood 109 / 360	Fine-point mannagrass 88 / 481	Forget-me-not 15 / 545
Fan-leaf mountain yam 147 / 442	Fine-stalk nutrush 205 / 630	Forked fern 133 / 304 / 441 / 481
Farfugium 292 / 468	Finger-grass 129 / 442	Forked-stem adonis 9 / 342
Fastigiate-branch willowherb 317 / 456	Fir clubmoss 248 / 491	Forked viburnum 148 / 672
Fastigiate wetland smartweed 4 / 565	Fir clubmosses 81 / 491	Forking fern family 304 / 481
Father-and-child plant 304 / 462	Firm Indian plantain 144 / 560	Forsythia 15 / 471
Fatoua 155 / 468	Firmosses 81 / 491	Fortune's hollyfern 188 / 433
Fatsia 300 / 468	Firs 239 / 333	Fortune's loosestrife 263 / 530
Faurie's bamboo fern 14 / 418	Fischer's dragonhead 223 / 445	Fountaingrass 193 / 563
Faurie's ladyfern 161 / 369	Fischer's mouse-ear chickweed 285 / 404	Four-angle enchanter's nightshade 109 / 411
Fawnlily 211 / 462	Fischer's ragwort 37 / 517	Four-flower sedge 78 / 397
Feather grass 66 / 647	Fischer's spurge 70 / 465	Four-leaf bedstraw 11 / 475
Feather-like-unequal-lobe brake fern 54 / 595	Fishing-rod-like sedge 68 / 391	Four-leaf clover 74 / 534
Fedde's wormwood 154 / 360	Five-appendage trapella 192 / 661	Four-leaf madder 71 / 611
Felt fern 173 / 200 / 597 / 649	Five-finger tongue fern 83 / 597	Four-leaf paris 74 / 561
Fen milkvetch 24 / 368	Five-flavor magnolia vine 216 / 627	Four-leaf vetch 74 / 674
Fen-sedge 277 / 412	Five-leaf carpetweed 173 / 542	Four-nerve eulalia 289 / 462
Fescue 53 / 468	Five-leaf chastetree 249 / 679	Four-petal Asian lobelia 170 / 524
Few-flower brome 56 / 378	Five-leaf chocolate vine 227 / 345	Four-season orchid 183 / 428
Few-flower conehead 134 / 648	Five-leaf gynostemma 94 / 483	Four-spin coon's tail 216 / 405
Few-flower currant 130 / 608	Fiveminute grass 27 / 663	Fowl bluegrass 80 / 579
Few-flower sedge 161 / 396	Five-palmette-leaf raspberry 216 / 612	Foxtail 14 / 104 / 349 / 635
Few-flower spindletree 317 / 463	Five-petal loosestrife 314 / 531	Foxtail fountaingrass 193 / 564
Few-flower St. Johnswort 263 / 495	Five-pinnate-leaf trailing raspberry 216 / 613	Foxtail grass 104 / 349
Few-spike bulrush 316 / 629	Five-rib thyme 136 / 657	Fragile fern 306 / 433
Few-spikelet fimbriстил 243 / 471	Five-vein vetchling 213 / 511	Fragile ferns 306 / 433
Few-vein marsh fern 10 / 532	Flabellate sedge 317 / 391	Fragrant eupatorium 101 / 464
Few-twigs asparagus 134 / 363	Flacourtie family 164 / 471	Fragrant fern 256 / 447
Fibrillose short-stem sedge 28 / 389	Flagellar cinquefoil 90 / 588	Fragrant necklace fern 169 / 522
Field aster 200 / 367		Fragrant orchid 185 / 483

Fragrant snowbell 265 / 648  
 Franchet's buttercup 222 / 601  
 Fraxinella 137 / 441  
 Freyn's cinquefoil 182 / 588  
 Friendly lily 296 / 519  
 Fringed brome 154 / 378  
 Fringed gentian 192 / 478  
 Fringed orchid 241 / 577  
 Fringetree 229 / 407  
 Fritillary 301 / 473  
 Frogbit 232 / 492  
 Frog orchid 22 / 434  
 Frog's bit family 232 / 492  
 Fryer's pondweed 174 / 586  
 Fumewort 312 / 421  
 Fumitory family 312 / 473

**G**

Gaema hawkweed oxtongue 16 / 573  
 Gaenari 15 / 471  
 Gagea 258 / 473  
 Galcham oak 12 / 599  
 Galearis 65 / 473  
 Galingales 134 / 430  
 Galjolcham oak 12 / 601  
 Gando valerian 11 / 669  
 Ganggye clearweed 13 / 573  
 Ganggye willow 13 / 617  
 Gangwon ladyfern 14 / 369  
 Gapsan violet 13 / 676  
 Garden Asian dayflower 281 / 418  
 Garden asparagus 153 / 363  
 Garden dock 192 / 613  
 Garden stoncrocrop 60 / 493  
 Garden weigela 36 / 681  
 Gardneria 215 / 476  
 Gas plant 137 / 441  
 Gastrochilus 47 / 476  
 Gastrodia 273 / 476  
 Gayasan ladybell 8 / 340  
 Gayasan silvery-hair saussurea 8 / 624  
 Gaya touch-me-not 8 / 497  
 Gebera anandra 186 / 512  
 Gentian 223 / 476  
 Gentian family 223 / 477  
 Geoje raspberry 29 / 612  
 Geomundo evergreen spindletree 181 / 463  
 Geomundo false ohelo 29 / 681  
 Geomun jack-in-the-pulpit 29 / 359  
 Geomun maiden silvergrass 29 / 541  
 Georing's lemon grass 20 / 428  
 Geranium 259 / 478  
 Geranium family 259 / 478

Germander 38 / 654  
 Geumgang bluebell 46 / 485  
 Geumgang bluegrass 46 / 579  
 Geumgangchoronkkot 46 / 485  
 Geumgangsan buckthorn 196 / 603  
 Geumgang groundsel 45 / 634  
 Geumgang rockjasmine 45 / 352  
 Geumgangsan rockfoil 268 / 625  
 Geumgangsan spike speedwell 145 / 670  
 Geumgangsan wild pear 45 / 598  
 Geumgang saussurea 45 / 622  
 Geumgang twisted-stalk 45 / 648  
 Geumgang violet 46 / 676  
 Geumgang woodsia 45 / 682  
 Ghost plant 64 / 543  
 Giant butterbur 111 / 567  
 Giant chickweed 189 / 646  
 Giant corydalis 280 / 422  
 Giant cranesbill 283 / 478  
 Giant dock 312 / 613  
 Giant false-starwort 279 / 594  
 Giant hyssop 135 / 343  
 Giant knotweed 221 / 468  
 Giant meadowsweet 286 / 470  
 Giant plantain 221 / 576  
 Giant tappinger glade fern 218 / 438  
 Giant pussy willow 219 / 616  
 Gibbous sedge 64 / 391  
 Ginseng 215 / 230 / 454 / 554  
 Girardinia 284 / 480  
 Glabrate sedge 37 / 391  
 Glabrate wildginger 10 / 362  
 Glabrous acuminate violet 127 / 675  
 Glabrous Baical anemone 131 / 352  
 Glabrous beak willow 226 / 619  
 Glabrous beautyberry 127 / 383  
 Glabrous brilliant campion 329 / 528  
 Glabrous colicroot 212 / 346  
 Glabrous cranesbill 146 / 478  
 Glabrous Dahurian rose 126 / 610  
 Glabrous deutzia 122 / 439  
 Glabrous erect Asian madder 124 / 611  
 Glabrous-flower mountain bedstraw 126 / 475  
 Glabrous forked-leaf cinquefoil 121 / 587  
 Glabrous-fruit corchoropsis 55 / 419  
 Glabrous-fruit mercury 165 / 538  
 Glabrous Galcham oak 273 / 599  
 Glabrous Geumgang violet 124 / 676  
 Glabrous harlequin glorybower 28 / 415  
 Glabrous Indian pipe 71 / 543  
 Glabrous Jolgalcham oak 275 / 599  
 Glabrous Korean boxwood 181 / 380  
 Glabrous Korean cinquefoil 180 / 587

Glabrous-leaf bokbunja 274 / 611  
 Glabrous-leaf scabious 125 / 626  
 Glabrous-leaf trailing raspberry 274 / 613  
 Glabrous macropoda holly 124 / 496  
 Glabrous Manchurian alder 125 / 348  
 Glabrous monk'shood 126 / 336  
 Glabrous red-flower violet 125 / 677  
 Glabrous-red raspberry 66 / 612  
 Glabrous sarcandra herb 257 / 621  
 Glabrous shiny spurge 127 / 465  
 Glabrous Siebold's smartweed 125 / 566  
 Glabrous sticky-stem pearlwort 190 / 615  
 Glabrous Tamra starviolet 127 / 486  
 Glabrous ternate grapefern 34 / 626  
 Glabrous turk's-cap lily 126 / 520  
 Glabrous vlassoviana thistle 128 / 412  
 Glabrous white peony 127 / 558  
 Gland fern 155 / 560  
 Glandless pruina-shoot willow 250 / 618  
 Glandular bristle multiflora rose 297 / 609  
 Glandular false spiraea 240 / 640  
 Glandular ladyfern 269 / 368  
 Glandular-stalk St. Paul's wort 297 / 636  
 Glandular-style Indian plantain 31 / 559  
 Glandular taeniophyllum 29 / 652  
 Glandular wood fern 238 / 449  
 Glasswort 299 / 616  
 Glaucous-black magnolia vine 330 / 627  
 Glaucous bluegrass 234 / 579  
 Glaucous Oldham's blueberry 262 / 668  
 Glechoma 50 / 480  
 Gleditsia 256 / 480  
 Gleichenia 304 / 481  
 Glenwoodgrass 249 / 614  
 Glittering chive 3 / 348  
 Globose-fruit golden saxifrage 46 / 409  
 Globose-spike bistort 98 / 374  
 Globe-flower 47 / 664  
 Globe thistles 239 / 450  
 Globe yellowcress 41 / 608  
 Globose fimbristylis 100 / 471  
 Globose phaenosperma 159 / 568  
 Globular great burnet 42 / 620  
 Globular-spike sedge 263 / 392  
 Glochidion 244 / 481  
 Glomerate flatsedge 120 / 431  
 Glorybower 78 / 415  
 Glossy adina 42 / 342  
 Glossy-leaf carpesium 273 / 400  
 Glossy-leaf paper plant 300 / 468  
 Glossy privet 85 / 519  
 Gmelin's buttercup 119 / 601  
 Gmelin's saltbush 2 / 370

Gmelin's sedge 89 / 392  
 Gmelin's wormwood 89 / 360  
 Goatsbeard 21 / 362  
 Goat-thorn 316 / 367  
 Goat willow 312 / 616  
 Goering's cymbidium 144 / 428  
 Goering's wood fern 131 / 447  
 Goldenbanner 28 / 656  
 Golden buckler fern 48 / 447  
 Golden cephalanthera 46 / 404  
 Golden dock 47 / 614  
 Golden-flower lily 46 / 520  
 Golden-frut solomon's seal 316 / 639  
 Golden hair fern 48 / 495  
 Golden lace 106 / 562  
 Goldenrain tree 113 / 507  
 Goldenrod 124 / 640  
 Golden saxifrage 39 / 408  
 Golden-saxifrage 39 / 408  
 Golden-yellow wormwood 47 / 359  
 Golpul 37 / 503  
 Gondre 34 / 412  
 Goosefoot 113 / 406  
 Goosefoot family 113 / 406  
 Goosegrass 219 / 454  
 Goosegrass sedge 214 / 391  
 Gooseneck loosestrife 280 / 530  
 Goseong hybrid bulrush 35 / 629  
 Gourd family 131 / 427  
 Goutweed 161 / 343  
 Goyang lespedeza 35 / 516  
 Granny's bonnet 110 / 355  
 Grape 301 / 679  
 Grape family 301 / 679  
 Grapefern 135 / 377  
 Grapevines 301 / 679  
 Grass family 141 / 580  
 Grass-leaf sweet flag 174 / 338  
 Grass-like-leaf ponerorchis 67 / 585  
 Grass of parnassus 119 / 561  
 Grassweed 33 / 628  
 Grassy-leaf yellow iris 47 / 499  
 Gray-blue spicebush 13 / 521  
 Grayish bird cherry 320 / 591  
 Gray's figwort 24 / 630  
 Gray's golden saxifrage 39 / 409  
 Gray willow 283 / 618  
 Great burnet 216 / 620  
 Great duckmeat 15 / 644  
 Greater celandine 205 / 406  
 Greater platanthera 241 / 577  
 Great flatsedge 218 / 431  
 Great hairy willowherb 282 / 456  
 Great-spur violet 115 / 678  
 Green autumn fern 275 / 447

Green bean fern 278 / 512  
 Green-berry magnolia vine 275 / 627  
 Greenbriers 274 / 639  
 Green-calyx abeliophyllum 303 / 333  
 Green-calyx enchanter's nightshade  
    303 / 411  
 Green-calyx miseonnamu 303 / 332  
 Green cheonma 303 / 476  
 Green-cone Khingan fir 274 / 333  
 Green-cone Korean fir 302 / 333  
 Green dragon 87 / 574  
 Green dragons 133 / 574  
 Green fairybell 284 / 444  
 Green-flower bamboo-leaf orchid 78 / 428  
 Green-flower helleborine 274 / 457  
 Green-flower solomon's seal 213 / 639  
 Green-flower stonecrop 178 / 494  
 Greenland cinquefoil 80 / 588  
 Greenland labrador tea 309 / 511  
 Greenish black-end swallow-wort  
    303 / 429  
 Greenish bluegrass 275 / 580  
 Greenish-flower false-hellebore 303 / 670  
 Greenish foxtail fountaingrass 275 / 564  
 Greenish juncea lespedeza 274 / 515  
 Green large-bract mosla 303 / 544  
 Green-leaf marsh fern 302 / 532  
 Green tall gastropodia 303 / 476  
 Green tapering glade fern 302 / 438  
 Green thread sedge 78 / 398  
 Green twinsorus fern 31 / 444  
 Green Uibong wild pear 275 / 598  
 Green wormwood 223 / 362  
 Grewia 237 / 482  
 Gromwells 262 / 523  
 Groundcone 216 / 376  
 Ground ivy 50 / 480  
 Ground little rose 247 / 406  
 Ground pine 152 / 244 / 345 / 529  
 Ground pines 173 / 529  
 Groundsel 187 / 653  
 Groundsels 47 / 634  
 Gueldenstaedtia 208 / 483  
 Gwangneung ash 39 / 472  
 Gwangneung beakgrain 39 / 440  
 Gwangneung buckler fern 39 / 448  
 Gwangneung friendly lily 39 / 519  
 Gwangneung ladyfern 44 / 369  
 Gwangneung skullcap 39 / 632  
 Gwangneung vetch 39 / 675  
 Gwangneung wheatgrass 39 / 455  
 Gwanmo bluegrass 38 / 579  
 Gwanmo rock pine 11 / 554  
 Gwanmo sedge 11 / 389  
 Gyebang vetch 33 / 674  
 Gyeongseong saussurea 33 / 623  
 Gyeongseong violet 33 / 678  
 Gyeopul 32 / 512  
 Gymnadenia 185 / 483  
 Gymnospermium 306 / 483  
 Gynostemma 94 / 483  
 Gyorae five-minute grass 40 / 663  
 Gypsywort 195 / 529

**H**

Hackberry 301 / 402  
 Hackelia 105 / 484  
 Hackel's cleistogenes 87 / 413  
 Haenke's rush 24 / 504  
 Hairgrass 250 / 438  
 Hairless Asian calamint 303 / 415  
 Hairless barnyard grass 87 / 450  
 Hairless East Asian ash 125 / 472  
 Hairless woundwort 174 / 645  
 Hair-like sedge 116 / 390  
 Hairsedge 113 / 379  
 Hair-spreading lespedeza 102 / 516  
 Hair-stalk St. Paul's wort 262 / 636  
 Hairy agrimony 265 / 343  
 Hairy alpine bistort 295 / 375  
 Hairy Amur corktree 298 / 569  
 Hairy arundinella 294 / 362  
 Hairy Asian moonseed 294 / 537  
 Hairy beach wetchling 289 / 511  
 Hairy bird cherry 329 / 591  
 Hairy bistort 312 / 374  
 Hairy border privet 297 / 519  
 Hairy-bract cow-wheat 292 / 536  
 Hairy burning bush spindletree 298 / 463  
 Hairy butterwort 296 / 574  
 Hairy catchfly 296 / 636  
 Hairy chopi 297 / 684  
 Hairy chrysanthia honeysuckle  
    293 / 525  
 Hairy cone-fruit platycarya 290 / 577  
 Hairy corydalis 298 / 422  
 Hairy crabweed 155 / 468  
 Hairy-cranberrybush viburnum  
    292 / 672  
 Hairy creeping broad-leaf sedge  
    291 / 390  
 Hairy creeping violet 290 / 676  
 Hairy cupgrass 62 / 461  
 Hairy early-blooming weigela  
    163 / 681  
 Hairy East Asian alder 295 / 348  
 Hairy East Asian cinquefoil 291 / 587  
 Hairy false-hellebore 212 / 669  
 Hairy false spleenwort 297 / 437

- |  |  |
|--|--|
| Hairy forest-live sedge 114 / 391                | Hairy purple loosestrife 293 / 531             |
| Hairy forsythia 238 / 472                        | Hairy rockcress 296 / 356                      |
| Hairy Freyn's wormwood 293 / 360                 | Hairy Sargent's cherry 149 / 591               |
| Hairy-fruit yellow bedstraw 294 / 475            | Hairy-sepal clausia 285 / 413                  |
| Hairy golden-and-silver honeysuckle<br>295 / 525 | Hairy Siberian crabapple 295 / 533             |
| Hairy golden saxifrage 289 / 409                 | Hairy Siebold's smartweed 292 / 566            |
| Hairy hardy kiwi 291 / 338                       | Hairy skunk vine 289 / 558                     |
| Hairy harlequin glorybower 291 / 415             | Hairy small-leaf privet 252 / 518              |
| Hairy hayscented fern 235 / 437                  | Hairy spicebush 296 / 521                      |
| Hairy holly fern 289 / 584                       | Hairy star jasmine 291 / 660                   |
| Hairy horn fern 294 / 420                        | Hairy-style eleutherococcus 180 / 454          |
| Hairy knotweed 294 / 337                         | Hairy swallow-wort 6 / 429                     |
| Hairy Korean aspen 293 / 585                     | Hairy thread-leaf chive 294 / 347              |
| Hairy Korean cranesbill 291 / 478                | Hairy twin-leaf twayblade 295 / 548            |
| Hairy Korean hawthorn 293 / 424                  | Hairy two-leaf fimbriostylis 298 / 470         |
| Hairy Korean lespedeza 296 / 516                 | Hairy-vein knotweed 65 / 467                   |
| Hairy Korean mountain ash 297 / 641              | Hairy-vein lettuce 163 / 508                   |
| Hairy Korean pearl bush 289 / 467                | Hairy vetch 171 / 673                          |
| Hairy Korean rhododendron 297 / 605              | Hairy vetch-like sweetvetch 290 / 486          |
| Hairy Korean spruce 296 / 572                    | Hairy virgate wormwood 293 / 361               |
| Hairy-leaf dense-fruit dittany 292 / 442         | Hairy wheatgrass 289 / 455                     |
| Hairy-leaf mountain isodon 293 / 501             | Hairy white-flower smartweed<br>324 / 565      |
| Hairy-leaf Ussuri peat 293 / 598                 | Hairy whitlow-grass 290 / 445                  |
| Hairy-leaf yellow bedstraw 296 / 476             | Hairy whorled-leaf ladybell 296 / 341          |
| Hairy labrador tea 136 / 511                     | Hairy wild chervil 296 / 354                   |
| Hairy linear-leaf spike speedwell<br>290 / 671   | Hairy woodland peony 292 / 558                 |
| Hairy long-leaf false-nettle 290 / 375           | Hairy Yalu river primrose 297 / 589            |
| Hairy long-leaf violet 290 / 677                 | Hairy yellow violet 291 / 676                  |
| Hairy lophatherum 296 / 526                      | Halfchaff sedge 182 / 523                      |
| Hairy Maack's larkspur 296 / 435                 | Half-white leafy lespedeza 328 / 515           |
| Hairy madder 224 / 611                           | Halla asphodel 307 / 659                       |
| Hairy Manchurian cherry 289 / 591                | Halla beaksedge 307 / 607                      |
| Hairy Manchurian currant 21 / 608                | Halla catchfly 308 / 636                       |
| Hairy Manchurian lousewort 292 / 563             | Halla cheonma 308 / 476                        |
| Hairy Manchurian paint maple<br>292 / 335        | Halla chive 307 / 348                          |
| Hairy Manchurian poplar 298 / 585                | Halla dendranthema 307 / 436                   |
| Hairy marsh vetchling 295 / 511                  | Halla edelweiss 308 / 513                      |
| Hairy Maximowicz's rose 295 / 609                | Halla edible aster 308 / 366                   |
| Hairy miniature mosla 297 / 544                  | Halla false goat's beard 307 / 367             |
| Hairy mock buckthorn 294 / 615                   | Halla false-hellebore 308 / 669                |
| Hairy Mongolian deutzia 292 / 439                | Halla hosta 307 / 491                          |
| Hairy monk's-hood 78 / 336                       | Halla leafless bird's nest orchid<br>307 / 548 |
| Hairy mountain ash 236 / 641                     | Halla lettuce 306 / 508                        |
| Hairy mountain blueberry 292 / 667               | Halla lousewort 308 / 562                      |
| Hairy mouse-ear chickweed 296 / 404              | Halla mint 307 / 454                           |
| Hairy Northeast Asian alder 292 / 349            | Halla monk's-hood 308 / 337                    |
| Hairy oriental bittersweet 291 / 402             | Halla oreorchis 306 / 553                      |
| Hairy oriental bush cherry 295 / 591             | Halla pimpinella 308 / 574                     |
| Hairy oriental photinia 295 / 589                | Halla quillwort 307 / 501                      |
| Hairy porcelainberry 289 / 350                   | Halla rush 307 / 504                           |
| Hairy prickly castor oil tree 295 / 506          | Hallasan azalea 307 / 605                      |
| Hairy Pungsan spruce 288 / 573                   | Hallasan bittercress 140 / 387                 |
|  | Hallasan buttercup 130 / 601                   |
|  | Hallasan corydalis 288 / 422                   |
|  | Hallasan cranesbill 180 / 479                  |
|  | Hallasan falsenettle 177 / 376                 |
|  | Hallasan ladybell 252 / 341                    |
|  | Hallasan marsh parnassus 206 / 561             |
|  | Hallasan small dandelion 249 / 652             |
|  | Hallasan two-leaf vetch 204 / 674              |
|  | Hallasan willow 103 / 617                      |
|  | Hallasan wormwood 180 / 360                    |
|  | Halla willowherb 307 / 457                     |
|  | Hamheung ixeris 309 / 502                      |
|  | Hamilton's spindletree 269 / 463               |
|  | Hancock's sedge 310 / 392                      |
|  | Handaeri ragwort 306 / 517                     |
|  | Hanran 308 / 428                               |
|  | Haplopterus 230 / 485                          |
|  | Hard bluegrass 302 / 579                       |
|  | Hard bristlegrass 245 / 635                    |
|  | Hardy geranium 168 / 479                       |
|  | Hardy kiwi 82 / 338                            |
|  | Harebell 215 / 368                             |
|  | Hare's foot fern 72 / 435                      |
|  | Harlequin glorybower 78 / 415                  |
|  | Hart's-tongue fern 36 / 571                    |
|  | Haspan flatsedge 113 / 431                     |
|  | Hastate-leaf smartweed 8 / 565                 |
|  | Hawberry 162 / 424                             |
|  | Hawkweed 245 / 489                             |
|  | Hawthorn 82 / 162 / 424 / 603                  |
|  | Hayscented fern 235 / 437                      |
|  | Hazelnut 21 / 423                              |
|  | Headed-flower figwort 115 / 630                |
|  | Heal-all 60 / 174 / 590 / 645                  |
|  | Heart-leaf hornbeam 55 / 400                   |
|  | Heart-leaf Indian madder 12 / 611              |
|  | Heart-leaf peppergrass 202 / 513               |
|  | Heart-shape walnut 265 / 503                   |
|  | Heath family 262 / 459                         |
|  | Hedgehyssop 280 / 482                          |
|  | Hedgemustard 75 / 638                          |
|  | Hedgenettle 174 / 645                          |
|  | Hedgeparsley 156 / 659                         |
|  | Helleborine 84 / 457                           |
|  | Heloniopsis 272 / 487                          |
|  | Hemiptelea 195 / 488                           |
|  | Hemistepa 262 / 488                            |
|  | Hemlock 186 / 664                              |
|  | Hemlock parsley 166 / 418                      |
|  | Hemlock water parsnip 18 / 638                 |
|  | Hemp dogbane 190 / 355                         |
|  | Hemp family 167 / 386                          |
|  | Hempnettle 298 / 474                           |
|  | Hemp-nettle 298 / 474                          |
|  | Henbit deadnettle 38 / 509                     |
|  | Hepatica 76 / 488                              |

Herbaceous seepweed 310 / 649  
 Herb-sophia 238 / 438  
 Herminium 200 / 488  
 Hermitgold clematis 18 / 414  
 Heron's bill 43 / 461  
 Heterocarpous tick clover 235 / 438  
 Heteroglumous reedgrass 100 / 381  
 Heterophylous water parsnip 87 / 638  
 Heterophylyl false-starwort 18 / 593  
 Heuchsanda hosta 318 / 491  
 Heuksan rose 318 / 609  
 Hibiscus family 201 / 534  
 Hidden-petal bluethread 139 / 380  
 Hidden violet 278 / 678  
 Highland saussurea 97 / 624  
 Highly-branch aster 217 / 366  
 High-mountain angelica 35 / 417  
 High-mountain burnet 41 / 620  
 High mountain cinquefoil 251 / 588  
 High-mountain ladyfern 96 / 369  
 High mountain rush 267 / 503  
 High-mountain speedwell 97 / 671  
 High-mountain wormwood 158 / 361  
 High-mountain woodrush 40 / 528  
 Hill sedge 211 / 396  
 Hill violet 100 / 676  
 Hirsute raspberry 237 / 612  
 Hitch hikers 91 / 438  
 Hogfennel 48 / 567  
 Hogpeanut 171 / 350  
 Hogusan saussurea 71 / 624  
 Hogweed 211 / 488  
 Holly 13 / 496  
 Holly family 13 / 355  
 Holly fern 66 / 91 / 188 / 356 / 433 / 583  
 Holly-fern woodsia 224 / 682  
 Hololeion 56 / 490  
 Hondo sedge 230 / 392  
 Honewort 300 / 426  
 Honeysuckle 230 / 524  
 Honeysuckle family 230 / 386  
 Hongdo crepidiastrixeris 314 / 425  
 Hongdo daylily 314 / 487  
 Hongdo saussurea 314 / 624  
 Hongno orange raspberry 8 / 612  
 Hooked big-flower lousewort 146 / 563  
 Hooked-spine bittersweet 303 / 402  
 Hooked-thorn raspberry 30 / 612  
 Hop 315 / 491  
 Hop family 167 / 386  
 Hophornbeam 171 / 556  
 Hop-hornbeam 171 / 556  
 Hoppner's sedge 208 / 398  
 Horizontal Chinese juniper 105 / 505  
 Hornbeam 172 / 400

Horned holly 312 / 496  
 Horned pondweed 155 / 683  
 Horn fern 155 / 420  
 Hornwort 151 / 311 / 354 / 405  
 Hornwort family 151 / 405  
 Horny goat weed 168 / 457  
 Horsefly's eye 101 / 445  
 Horsetail 185 / 458  
 Horsetail family 185 / 457  
 Horse-tail knotweed 16 / 583  
 Horsetail-like spikerush 54 / 453  
 Hortensia 190 / 492  
 Hosan catchfly 313 / 637  
 Hosta 153 / 490  
 Hosta-leaf orchid 152 / 658  
 Hound's tongue 178 / 430  
 Hovenia 311 / 491  
 Hulten's licorice-root 48 / 518  
 Humbert's sedge 281 / 392  
 Humifuse spurge 103 / 465  
 Hurricane lilies 169 / 529  
 Hwaeom violet 315 / 676  
 Hwanggi 316 / 368  
 Hyacinth-flower clematis 143 / 414  
 Hyacinth orchid 232 / 375  
 Hybrid beautyberry 20 / 383  
 Hybrid broad-leaf oleaster 282 / 451  
 Hybrid complex 211 / 433  
 Hybrid false spleenwort 22 / 437  
 Hybrid spleenwort 29 / 364  
 Hydrangea 190 / 492  
 Hydrangea vine 130 / 628  
 Hydrilla 31 / 492  
 Hydrocharis 232 / 492  
 Hymenophyllum 260 / 494  
 Hypericum 119 / 494  
 Hypodematum 48 / 495  
 Hystrix 191 / 495

**I**

Ice plant family 139 / 344  
 Idesia 228 / 496  
 Ilwol hosta 231 / 490  
 Imgye helleborine 231 / 457  
 Impatiens 120 / 497  
 Incertae false spiraea 275 / 641  
 Incheon ladybell 230 / 340  
 Incheon wormwood 206 / 361  
 Incised corydalis 233 / 422  
 Incised-leaf aster 7 / 366  
 Indian broomrape 209 / 343  
 Indian dammacanthus 313 / 434  
 Indian dendranthema 12 / 436  
 Indian goosegrass 219 / 454

Indian hemp 190 / 355  
 Indian jointvetch 231 / 343  
 Indian lettuce 218 / 508  
 Indian lovegrass 282 / 459  
 Indian marshweed 124 / 520  
 Indian pennywort 305 / 493  
 Indian pipe 193 / 543  
 Indian pipe family 193 / 543  
 Indian plantain 132 / 559  
 Indian rotala 105 / 610  
 Indian skullcap 36 / 631  
 Indigo 103 / 497  
 Infield narrow-leaf vetch 167 / 673  
 Inflated solomon's seal 299 / 582  
 Insignificant bristle fern 40 / 425  
 Intermediate corchoropsis 202 / 419  
 Intermediate dendranthema 229 / 436  
 Intermediate fringed pink 59 / 440  
 Intermediate woodsia 251 / 682  
 Interrupted fern 228 / 555  
 Iris 151 / 498  
 Iris family 151 / 498  
 Irregular-streak newlitsa 169 / 548  
 Island bluegrass 181 / 580  
 Island corydalis 181 / 421  
 Island devilwood 131 / 555  
 Island gardneria 215 / 476  
 Island golden calanthe 47 / 382  
 Island jack-in-the-pulpit 181 / 358  
 Island large-bract mosla 180 / 544  
 Island narrow-leaf bittercress 179 / 387  
 Island ninebark 177 / 572  
 Island plantain 181 / 576  
 Island pokeweed 180 / 572  
 Island ramie 179 / 375  
 Island single-leaf fern 180 / 485  
 Island small-leaf nettle 179 / 666  
 Island thistle 121 / 411  
 Isodon 161 / 500  
 Isopyrum 108 / 501  
 Ivory lady's slipper 123 / 432  
 Ivory-flower abeliophyllum 169 / 332  
 Ivory-flower miseonnamu 169 / 332  
 Ivy 187 / 486  
 Ivy morning glory 205 / 384  
 Ixeridium 200 / 502  
 Ixeris 175 / 502

**J**

Jabyeong saussurea 233 / 622  
 Jackbean 310 / 386  
 Jack-in-the-pulpit 273 / 358  
 Jack's mock orange 58 / 569  
 Jacob's ladder 289 / 580

- Jalu ragwort 51 / 517  
 Jangseong sedge 238 / 393  
 Japanese angelica 24 / 354  
 Japanese burbark 35 / 664  
 Japanese camphor tree 172 / 410  
 Japanese catnip 312 / 627  
 Japanese chinquapin 114 / 401  
 Japanese cleyera 153 / 415  
 Japanese clover 109 / 507  
 Japanese clovers 199 / 514  
 Japanese dodder 170 / 427  
 Japanese honey locust 256 / 480  
 Japanese lasianthus 117 / 510  
 Japanese moongrass 264 / 542  
 Japanese myrmecis 17 / 546  
 Japanese quillwort 120 / 501  
 Japanese shield fern 162 / 448  
 Japanese swallow-wort 90 / 429  
 Japanese thistle 21 / 411  
 Japanese violet 222 / 676  
 Japanese wisteria 101 / 681  
 Java water-dropwort 123 / 550  
 Jeffersonia 55 / 502  
 Jeju aster 242 / 366  
 Jeju Buerger's figwort 243 / 630  
 Jeju cinquefoil 243 / 588  
 Jeju clearweed 243 / 573  
 Jeju clubmoss 50 / 491  
 Jeju cross holly fern 242 / 584  
 Jejudo barberry 179 / 372  
 Jejudo beautyberry 170 / 383  
 Jejudo buckthorn 246 / 603  
 Jejudo bugbane 222 / 410  
 Jejudo buttercup 222 / 602  
 Jejudo cranesbill 181 / 478  
 Jejudo glandular loosestrife 177 / 530  
 Jejudo hydrangea 288 / 492  
 Jejudo ladybell 180 / 341  
 Jejudo maaackia 185 / 531  
 Jejudo maiden silvergrass 47 / 541  
 Jejudo multiflora rose 252 / 609  
 Jejudo ragwort 28 / 518  
 Jejudo spike speedwell 72 / 671  
 Jejudo spindletree 99 / 463  
 Jejudo twinsorus fern 180 / 443  
 Jejudo unequal-lobe brake fern 287 / 595  
 Jeju falsenettle 242 / 376  
 Jeju flowering cherry 242 / 592  
 Jeju habenaria 242 / 484  
 Jeju hirsute raspberry 243 / 612  
 Jeju holly fern 241 / 584  
 Jeju knotweed 243 / 583  
 Jeju leafless lecanorichis 242 / 511  
 Jeju long-leaf falsenettle 242 / 375

- Jeju membranous milkvetch 243 / 368  
 Jeju mountain willow 242 / 616  
 Jeju narrow-leaf bittercress 243 / 387  
 Jeju needlegrass 242 / 647  
 Jeju pennywort 243 / 493  
 Jeju pipewort 241 / 460  
 Jeju purple reedgrass 242 / 381  
 Jeju quillwort 242 / 501  
 Jeju raspberry 242 / 612  
 Jeju rush-like bulrush 243 / 629  
 Jeju spear colysis fern 243 / 417  
 Jeju spurge 242 / 465  
 Jeju surprise lily 242 / 530  
 Jeju violet crabgrass 287 / 442  
 Jeombongsan thistle 240 / 412  
 Jeongreungcham oak 240 / 599  
 Jeongseon rock pine 240 / 554  
 Jeongyeong thistle 240 / 411  
 Jeonji pogostemon 239 / 449  
 Jersey cudweed 104 / 593  
 Jerusalem sage 184 / 570  
 Jerusalem thorn 25 / 558  
 Jewelweed 120 / 497  
 Jindo lespedeza 262 / 516  
 Jinmampo alkaligrass 10 / 596  
 Jinnampo saussurea 70 / 622  
 Jiri crepidiastrum 260 / 425  
 Jiri holly fern 260 / 584  
 Jiri honeysuckle 260 / 525  
 Jiri meadowsweet 261 / 469  
 Jiri monk's-hood 261 / 336  
 Jirisan ash 119 / 472  
 Jirisan bamboo 13 / 622  
 Jirisan false-starwort 261 / 594  
 Jirisan horn fern 261 / 420  
 Jirisan ladyfern 261 / 369  
 Jirisan sheep's fescue 261 / 468  
 Jirisan snowbell 252 / 648  
 Jirisan spreading-hair eleuthero 261 / 454  
 Jirisan twilight lily 261 / 520  
 Jiri spurge 260 / 465  
 Jiri tailed-leaf isodon 261 / 500  
 Job's tears wormwood 227 / 360  
 Jodo cheesetree 244 / 481  
 Jointgrass 189 / 487  
 Jointvetch 232 / 343  
 Jolcham oak 246 / 600  
 Jolgacham oak 246 / 599  
 Jolkkin's spurge 202 / 465  
 Jujube 115 / 684  
 Jumping holly fern 68 / 584  
 Juncea lespedeza 102 / 515  
 Juneberry 272 / 349  
 Junegrass 92 / 507

- Juniper 311 / 504  
 Junos-hair fern 202 / 341  
 Jute-leaf raspberry 191 / 611
- ## K
- Kadsura 70 / 505  
 Kadsura pepper 318 / 575  
 Kadsura vine 70 / 505  
 Kalkora mimosa 220 / 346  
 Kamchatka bedstraw 291 / 474  
 Kamchatka fleabane 161 / 459  
 Kamchatka goatsbeard 79 / 362  
 Kamchatka hemlock parsely 166 / 418  
 Kamchatka Indian plantain 66 / 559  
 Kamchatka plantain 23 / 576  
 Kamchatka pleurostpermum 222 / 578  
 Kamchatka red elder 260 / 620  
 Kamchatka trillium 214 / 663  
 Kangaroo grass 186 / 656  
 Kelp-leaf weeping fern 82 / 513  
 Katniiss 144 / 615  
 Kerria 316 / 506  
 Khingan fir 148 / 333  
 Kidney-leaf wintergreen 279 / 597  
 Kidney weed 201 / 441  
 King solomon's-seal 98 / 581  
 King wood fern 221 / 448  
 Kirengeshoma 64 / 506  
 Kirilow's indigo 103 / 497  
 Kiwi 82 / 338  
 Kiwi family 82 / 339  
 Kneeling angelica 222 / 353  
 Knorrinia 195 / 506  
 Knotgrass 106 / 582  
 Knotweed 106 / 582  
 Kobus magnolia 114 / 532  
 Koelreuteria 113 / 507  
 Komarov's bluegrass 278 / 579  
 Komarov's bugbane 195 / 410  
 Komarov's bulrush 38 / 629  
 Komarov's currant 56 / 607  
 Komarov's hawthorn 228 / 424  
 Komarov's Russian thistle 191 / 619  
 Komarov's saussurea 152 / 623  
 Konara oak 246 / 600  
 Korean abelialeaf 123 / 332  
 Korean abeliophyllum 123 / 332  
 Korean aging chive 268 / 347  
 Korean agrimony 165 / 343  
 Korean alpine eyebright 208 / 466  
 Korean alpine fleabane 40 / 459  
 Korean alpine gentian 35 / 477  
 Korean anemone 314 / 352  
 Korean angelica 268 / 354

Korean angelica tree 95 / 357	Korean ginseng 230 / 559	Korean needlegrass 267 / 647
Korean arborvitae 80 / 656	Korean gland fern 269 / 560	Korean neillia 124 / 547
Korean aspen 156 / 585	Korean goatsbeard 306 / 362	Korean oak 103 / 599
Korean aster 140 / 366	Korean gobon 34 / 354	Korean pasque-flower 308 / 596
Korean atracylodes 86 / 370	Korean goldenbell tree 15 / 471	Korean paulownia 215 / 562
Korean autumn oliveaster 220 / 451	Korean goldenrod 66 / 640	Korean pear 309 / 598
Korean azalea 166 / 606	Korean goosefoot 268 / 407	Korean pearl bush 9 / 467
Korean bamboo 196 / 622	Korean huckleberry 221 / 403	Korean pentactina 45 / 564
Korean barberry 110 / 372	Korean hawkweed 55 / 489	Korean pepper 276 / 683
Korean bellflower 181 / 385	Korean hawkweed oxtongue 189 / 573	Korean photinia 251 / 589
Korean big-fruit stitchwort 266 / 540	Korean hogfennel 96 / 567	Korean pickled-peel onion 245 / 348
Korean birch 29 / 373	Korean holly fern 267 / 584	Korean pigweed 290 / 370
Korean bird's-wetch 66 / 673	Korean honeysuckle 194 / 525	Korean pimpinella 5 / 574
Korean bittercress 266 / 387	Korean hornbeam 184 / 400	Korean pine 237 / 575
Korean black currant 54 / 608	Korean hydrangea 104 / 492	Korean plum yew 279 / 404
Korean blackberry 144 / 611	Korean Indian plantain 267 / 560	Korean poplar 122 / 585
Korean blueberry 163 / 667	Korean indigo 125 / 497	Korean prickly thistle 128 / 412
Korean bluegrass 250 / 579	Korean Jerusalem sage 163 / 570	Korean privet 180 / 518
Korean boxwood 317 / 380	Korean kirengeshoma 64 / 506	Korean pyramid bugle 244 / 345
Korean buckthorn 289 / 603	Korean knotweed 167 / 467	Korean quillwort 268 / 501
Korean bugle 232 / 345	Korean lady's bedstraw 266 / 474	Korean raspberry 160 / 612
Korean bugleweed 20 / 529	Korean lady's slipper 39 / 432	Korean red elder 73 / 620
Korean butterweed 43 / 637	Korean ladybell 59 / 340	Korean red pine 183 / 575
Korean calanthe 179 / 382	Korean lawnglass 235 / 685	Korean rhododendron 262 / 605
Korean caryota-leaf hollyfern 270 / 433	Korean lespedeza 244 / 515	Korean rhubarb 237 / 604
Korean castanea 133 / 401	Korean libanotis 290 / 517	Korean rock fern 31 / 585
Korean cinquefoil 94 / 587	Korean lilac 240 / 651	Korean rocky chive 93 / 347
Korean clematis 183 / 414	Korean linden 213 / 657	Korean rose 326 / 609
Korean clover 98 / 507	Korean loosestrife 271 / 530	Korean scopolia 124 / 630
Korean corydalis 245 / 423	Korean lovegrass 45 / 458	Korean sedge 245 / 390
Korean cow-wheat 50 / 536	Korean maidenhair fern 34 / 341	Korean sheep's fescue 267 / 468
Korean cranesbill 98 / 478	Korean maple 85 / 334	Korean small-flower pellitory 277 / 561
Korean creeping raspberry 257 / 612	Korean Maximowicz's rose 220 / 609	Korean snake sage 269 / 619
Korean crowberry 195 / 456	Korean meadow false-hellebore 52 / 669	Korean solomon's seal 256 / 582
Korean dandelion 125 / 653	Korean meadow-rue 214 / 655	Korean spice viburnum 148 / 672
Korean dendranthema 158 / 436	Korean meadow spiraea 11 / 644	Korean spike speedwell 261 / 671
Korean dendropanax 317 / 437	Korean meadow sweet 288 / 470	Korean spindletree 271 / 463
Korean deutzia 110 / 439	Korean milkvetch 240 / 368	Korean spiraea 271 / 643
Korean dogwood 160 / 420	Korean mint 135 / 343	Korean spreading yew 176 / 653
Korean early lilac 191 / 651	Korean mistletoe 32 / 679	Korean spruce 255 / 572
Korean edelweiss 187 / 513	Korean mock orange 33 / 569	Korean stewartia 74 / 647
Korean elephant-ear 93 / 372	Korean monk's-hood 136 / 336	Korean sun pear 278 / 598
Korean epimedium 168 / 457	Korean montane aster 79 / 366	Korean swamppink 272 / 487
Korean eyebright 55 / 465	Korean mountain ash 300 / 641	Korean sweetheart tree 109 / 466
Korean fairybell 226 / 444	Korean mountain burnet 164 / 620	Korean sweetleaf 178 / 650
Korean false goat's beard 193 / 367	Korean mountain castanea 161 / 401	Korean tailed-leaf isodon 98 / 500
Korean false-starwort 266 / 593	Korean mountain cherry 158 / 591	Korean tapering glade fern 37 / 437
Korean figwort 298 / 631	Korean mountain magnolia 309 / 532	Korean thistle 34 / 412
Korean filifolium 236 / 469	Korean mountain spurge 96 / 464	Korean trigonotis 267 / 663
Korean filmy fern 207 / 494	Korean mountain vetchling 162 / 511	Korean twisted-stalk 221 / 648
Korean fir 41 / 333	Korean mouse-ear chickweed 148 / 405	Korean uniform wood fern 267 / 449
Korean flowering cherry 220 / 592	Korean mulberry 162 / 544	Korean valerian 260 / 668
Korean forest poppy 109 / 419	Korean murainagrass 270 / 500	Korean viburnum 135 / 672
Korean frog orchid 302 / 434	Korean necklace pod 15 / 450	Korean water crowfoot 110 / 602
Korean gentian 223 / 477		Korean water-chestnut 226 / 660

Korean weigela 143 / 681  
 Korean wheatgrass 34 / 455  
 Korean widelip orchid 267 / 523  
 Korean wild chive 84 / 347  
 Korean wildginger 234 / 363  
 Korean willow 138 / 617  
 Korean winter hazel 330 / 423  
 Korean woodruff 12 / 364  
 Korean woodsia 253 / 682  
 Korean wormwood 199 / 361  
 Korsakow's monochoria 121 / 543  
 Korshinsky's sedge 226 / 393  
 Korthals mistletoe 95 / 507  
 Kramer's navelwort 232 / 551  
 Kramer's rush 151 / 504  
 Kramer's widelip orchid 61 / 523  
 Kudzu 278 / 596  
 Kuhlhaettia 137 / 507  
 Kummerowia 109 / 507  
 Kuril bamboo 180 / 622  
 Kusnezoff's monkshood 229 / 336

**L**

Labrador tea 136 / 511  
 Lacebark elm 268 / 666  
 Lace fern 94 / 255 / 527 / 539  
 Lacefern 69 / 426  
 Laceshrub 43 / 646  
 Lacinate-flower campion 241 / 528  
 Lacinate rockfoil 41 / 625  
 Lacosteopsis 79 / 508  
 Lacquer tree 217 / 659  
 Ladder-shape gland fern 155 / 560  
 Ladies tresses 287 / 644  
 Ladies' tresse 287 / 644  
 Ladies'-tresses 287 / 644  
 Ladybells 235 / 339  
 Ladyfern 14 / 368  
 Lady's slipper orchid 75 / 432  
 Lady's slipper orchids 145 / 432  
 Lady's tresses 287 / 644  
 Lagopsis 320 / 508  
 Lamark's ladybell 97 / 340  
 Lamb's ears 174 / 645  
 Lampwick plant 184 / 570  
 Lance Asiabell 89 / 417  
 Lance colysis fem 271 / 418  
 Lanceolate-leaf cow-wheat 205 / 536  
 Lanceolate rocky forsythia 51 / 472  
 Lanceolate sedge 44 / 393  
 Langsdorf's reedgrass 162 / 381  
 Lapland rosebay 316 / 605  
 Laporteia 318 / 509  
 Lapland reedgrass 105 / 381

Larch 231 / 510  
 Larch-like stitchwort 71 / 540  
 Lardizabal family 227 / 509  
 Large-bract mosla 160 / 544  
 Large-bract mountain hawthorn 231 / 424  
 Large clearweed 282 / 573  
 Large deltoid synurus 284 / 651  
 Large false solomon's seal 220 / 639  
 Large false spleenwort 285 / 437  
 Large-flower Asian calamint 59 / 415  
 Large-flower Chinese peashrub 133 / 386  
 Large-flower deutzia 130 / 439  
 Large-flower indigo 280 / 497  
 Large-flower motherwort 188 / 513  
 Large-flower saussurea 172 / 623  
 Large-flower widelip orchid 280 / 523  
 Large-fruit amaranth 79 / 349  
 Large-fruit elm 219 / 666  
 Large Jejudo twinsorus fern 283 / 443  
 Large Komarov's bittercress 281 / 387  
 Large Komarov's saussurea 282 / 623  
 Large-leaf dogwood 37 / 420  
 Large-leaf falsenettle 222 / 375  
 Large-leaf labrador tea 219 / 511  
 Large-leaflet prickly-ash 221 / 683  
 Large-leaf mountain isodon 55 / 501  
 Large-leaf paniculose supplejack 111 / 372  
 Large-leaf vetch 281 / 674  
 Large-leaf viburnum 16 / 672  
 Large linear-leaf spike speedwell 280 / 671  
 Larger red autumn fern 286 / 447  
 Large-sepal corydalis 12 / 422  
 Large-spike sedge 220 / 397  
 Large spike speedwell 280 / 671  
 Large tetrapetal swertia 285 / 649  
 Large two-leaf vetch 281 / 674  
 Large wando lespediza 80 / 515  
 Large widelip orchid 217 / 523  
 Large wood sorrel 280 / 557  
 Larkspur 240 / 435  
 Lasianthus 117 / 510  
 Lastrea 286 / 510  
 Late-blooming hosta 310 / 491  
 Late-blooming solomon's seal 81 / 582  
 Laurel family 77 / 511  
 Laurel willow 133 / 617  
 Lawnglass 235 / 685  
 Lawn marsh pennwort 305 / 493  
 Leadwort family 27 / 578  
 Leaf between flower 58 / 377  
 Leafflower 213 / 571

Leaf-like-calyx deepblue honeysuckle 16 / 524  
 Leafless epipodium 226 / 457  
 Leafless lecanorchis 117 / 511  
 Leafy lespediza 270 / 515  
 Leafy spurge 321 / 464  
 Least water-lily 221 / 549  
 Least willow 278 / 618  
 Leather flower 227 / 413  
 Leatherleaf 263 / 405  
 Leather-leaf viburnum 89 / 672  
 Leathery holly fern 279 / 584  
 Leathery wood fern 152 / 447  
 Lecanorchis 117 / 511  
 Lehman's sedge 105 / 393  
 Lemmaphyllum 278 / 512  
 Lemon grass 20 / 428  
 Lentil vetch 211 / 674  
 Lentoid sedge 152 / 396  
 Leopard lily 141 / 371  
 Leopard plant 37 / 292 / 468 / 517  
 Leopard's bane 299 / 336  
 Lepisorus 231 / 513  
 Leptogramma 263 / 514  
 Leptopyrum 129 / 514  
 Leptorumohra 218 / 514  
 Lespedeza 199 / 514  
 Lesser alianthus-like prickly-ash 248 / 683  
 Lesser bladderwort 198 / 667  
 Lesser cattail 206 / 665  
 Lesser clubmosses 147 / 633  
 Lesser fimbriystylis 129 / 471  
 Lesser lilyturf 248 / 523  
 Lesser narrow-leaf vetch 2 / 673  
 Lesser oriental bulrush 251 / 628  
 Lesser rattlesnake plantain 206 / 482  
 Lesser solomon's seal 98 / 582  
 Lesser tetrapetal swertia 74 / 649  
 Lesser tiger lily 258 / 520  
 Lesser two-leaf vetch 235 / 673  
 Lesser wintergreen 255 / 597  
 Lettuce 218 / 508  
 Leucanthemella 287 / 517  
 Leveille's big-leaf hare's ear 251 / 380  
 Leveille's swamp fern 65 / 427  
 Libanotis 290 / 517  
 Licorice-root 48 / 518  
 Ligulate sedge 12 / 392  
 Lilac 191 / 651  
 Lilac clustered gentian 213 / 477  
 Lilac daphne 300 / 434  
 Lilac self-heal 60 / 590  
 Lily 137 / 519  
 Lily family 137 / 519

Lily-leaf ladybell	66 / 340	Long-beard porcupine	191 / 496	Long pine-cone bulrush	134 / 629
Lily of the valley	227 / 419	Long-bract cephalanthera	227 / 404	Long-rostrate sedge	305 / 394
Lilyturf	111 / 523	Long-calyx pink	194 / 440	Long-seed willowherb	128 / 457
Limelight wood fern	57 / 447	Long false spleenwort	65 / 438	Long-sepal Donggang pasque-flower	50 / 596
Lime trees	305 / 657	Long-frond holly fern	178 / 584	Long-spike fimbristylis	286 / 471
Linden family	305 / 658	Long-fruit autumn oleaster	51 / 451	Long-stalk low meadow-rue	281 / 655
Linden viburnum	6 / 672	Long-fruit Korean mountain ash	53 / 641	Long-stamen chive	160 / 347
Lindley's eupatorium	36 / 464	Long-fruit tick clover	50 / 439	Long-stem bur-reed	53 / 642
Linear arrow-head smartweed	254 / 566	Long-glandular eyebright	283 / 466	Long-stem violet	246 / 675
Linear-fruit blyxa	217 / 375	Long-hair filmy fern	46 / 535	Long-style catchfly	277 / 637
Linear-leaf bedstraw	196 / 475	Long-hair rockfoil	292 / 625	Long-tail iris	10 / 499
Linear-leaf British yellowhead	2 / 498	Long-hairy spike speedwell	73 / 670	Long-tail spleenwort	56 / 364
Linear-leaf chive	175 / 347	Long-head oriental false hawksbeard	50 / 683	Long-tail-spike sedge	159 / 398
Linear-leaf habenaria	236 / 484	Long-leaf alpine willow	50 / 616	Loose-spike brown top	281 / 540
Linear-leaf Korean gentian	264 / 477	Long-leaf Asian hollyfern	52 / 433	Loose St. Johnswort	246 / 495
Linear-leaf leucantheme	287 / 517	Long-leaf bay-tree	183 / 532	Loose-flower hornbeam	172 / 400
Linear-leaf pternopetalum	132 / 595	Long-leaf beak willow	52 / 619	Loose-leaf selaginella	152 / 634
Linear-leaf spike speedwell	57 / 670	Long-leaf burnet	51 / 620	Loosely-flower Jacob's ladder	9 / 580
Linear-leaf thistle	139 / 411	Long-leaf chickweed	52 / 646	Loosely-leaf marsh fern	100 / 538
Linear-leaf willow	254 / 618	Long-leaf fringetree	52 / 407	Loosely-spike sedge	198 / 393
Linear-sorus lance fern	194 / 527	Long-leaf Hallasan willow	52 / 617	Loose-spike smartweed	229 / 565
Linear-three-leaf ladybell	5 / 341	Long-leaf Indian hawthorn	52 / 603	Loosestrife	147 / 531
Lineate-leaf felt fern	224 / 597	Long-leaf knotweed	49 / 337	Loosestrife family	147 / 531
Linden	305 / 657	Long-leaf Korean aspen	52 / 585	Lophatherum	245 / 526
Lip ferns	19 / 406	Long-leaf Korean boxwood	53 / 380	Lopseed	300 / 570
Lipfern	19 / 406	Long-leaf lespedeza	52 / 515	Lopseed family	300 / 571
Lipocarpha	182 / 523	Long-leaflet Manchurian walnut	49 / 503	Lotus rock pine	214 / 554
Lithuania mannagrass	276 / 481	Long-leaf mountain isodon	52 / 501	Lousewort	188 / 562
Litsea	54 / 524	Long-leaf mountain spiraea	52 / 643	Lovegrass	269 / 458
Little-beak gymnospermium	306 / 483	Long-leaf northern bedstraw	124 / 474	Low sedge	4 / 392
Little club-moss	130 / 634	Long-leaf spike speedwell	51 / 671	Low torularia	214 / 659
Little-leaf buckthorn	92 / 603	Long-leaf sticky-stem pearlwort	53 / 615	Loxogramme	255 / 527
Little-leaf peashrub	247 / 386	Long-leaf thesium	53 / 656	Lucid asparagus	273 / 363
Little-leaf pondweed	2 / 586	Long-leaf valerian	52 / 668	Ludwigia	212 / 527
Little lovegrass	250 / 458	Long-leaf violet	52 / 677	Lupine clover	84 / 662
Little moonwort	246 / 377	Long loose-flower hornbeam	51 / 400	Lusterless holly fern	49 / 584
Little platiantha	308 / 577	Long Mokpo sedge	50 / 391	Lyconis	169 / 529
Little pondweed	203 / 586	Long mountain maiden saussurea	51 / 625	Lyngbye's sedge	164 / 394
Little rose	247 / 406	Long narrow-leaf nettle	49 / 666	Lyrate-leaf rockcress	115 / 356
Little shaggy shield fern	209 / 447	Long omphalotrix	199 / 551	Lyre-leaf nightshade	135 / 639
Little valerian	252 / 668	Long-pedicel milkvetch	50 / 368	Lyre-shape hemistepa	262 / 488
Live-for-ever	61 / 493	Long-pedicel pennycwort	286 / 493		
Liverleaf	76 / 488	Long-pedicel snake-tongue starviolet	50 / 486	<b>M</b>	
Liverwort	76 / 488	Long-peduncle chrysantha honeysuckle	239 / 525	Maackia	82 / 531
Livid sedge	95 / 394	Long-peduncle lespedeza	59 / 516	Maack's aster	246 / 366
Lizard's tail	167 / 622	Long-peduncle pilose lespedeza	49 / 516	Maack's bugleweed	207 / 529
Lizard's tail family	167 / 622	Long-petal false-hellebore	303 / 669	Maack's larkspur	285 / 435
Lobed actinostemma	104 / 339	Long-petal globe-flower	280 / 664	Maack's pondweed	171 / 586
Lobelia	194 / 524			Maack's sedge	287 / 394
Lobulate-leaf Korean mountain ash	140 / 641			Maack's spindletree	254 / 463
Locoweed	97 / 316 / 367 / 557			Maack's arrow-head smartweed	63 / 566
Long arrow-head smartweed	50 / 565			Machilus	318 / 532
Long beech fern	6 / 568				
Long-beak buttercup	15 / 602				

Mackenzie's sedge 283 / 394	Manchurian rockfoil 323 / 625	Marsh cudweed 221 / 482
Macropoda holly 88 / 496	Manchurian saussurea 90 / 623	Marsh dewflower 156 / 545
Macropodus daphniphyllum 43 / 434	Manchurian sedge 108 / 394	Marsh false spleenwort 263 / 437
Macrothelypteris 10 / 532	Manchurian shrubby cinquefoil 322 / 588	Marsh fern 155 / 560
Maculate sedge 116 / 394	Manchurian smartweed 107 / 565	Marshfire glasswort 299 / 616
Madder 57 / 610	Manchurian tick clover 205 / 439	Marsh grass-of-parnassus 119 / 561
Madder family 57 / 611	Manchurian turk's-cap lily 108 / 520	Marsh horsetail 20 / 458
Madwoman's milk 101 / 465	Manchurian viburnum 162 / 672	Marsh ladybell 264 / 340
Maehwamareum 110 / 602	Manchurian violet 241 / 677	Marsh marigold 95 / 384
Maekdo raspberry 111 / 612	Manchurian walnut 6 / 503	Marsh penny 305 / 493
Maengsan abelia 88 / 332	Manchurian water-chestnut 108 / 660	Marsh-rosemary 28 / 42 / 520
Maesa 154 / 532	Manchurian wild rice 257 / 684	Marsh sedge 81 / 389
Maesa family 154 / 532	Manchurian wildginger 108 / 363	Marsh St. Johnswort 118 / 661
Magnolia 114 / 532	Manchurian woodsia 108 / 682	Marshweed 74 / 520
Magnolia family 114 / 532	Manchurian yellow loosestrife 55 / 530	Marsh willowherb 139 / 456
Magnolia vine 216 / 626	Mangosteen family 119 / 416	Mastic-leaf prickly ash 166 / 684
Magnus aster 218 / 366	Mankyu's clematis 40 / 414	Maule's quince 304 / 405
Maiden chloranthus 216 / 408	Mankyuua 241 / 534	Maximowicz's hawthorn 200 / 424
Maiden fern 272 / 655	Mannagrass 123 / 481	Maximowicz's rose 223 / 609
Maidenhair fern 38 / 341	Many-bract bothriospermum 267 / 376	Maximowicz's berteroella 237 / 372
Maidenhair fern family 34 / 594	Many-branch golden saxifrage 8 / 409	Maximowicz's eyebright 202 / 466
Maidenhair spleenwort 265 / 365	Many-branch whitlow-grass 40 / 445	Maximowicz's holeleion 56 / 490
Maiden saussurea 10 / 624	Many-flower ammannia 249 / 350	Maximowicz's Jerusalem sage 283 / 570
Maiden silvergrass 270 / 541	Many-flower fimbriystylis 70 / 470	Maximowicz's ostericum 3 / 556
Malaxis 229 / 533	Many-flower ladybell 193 / 340	Maximowicz's rush 197 / 504
Male fern 38 / 446	Many-flower tylophora 222 / 665	Maximowicz's saussurea 139 / 623
Mallotus 215 / 533	Many-fold sequence bentgrass 212 / 344	Maximowicz's sedge 220 / 394
Manchurian aging chive 250 / 347	Many-head ikeris 141 / 502	Maximowicz's willow 265 / 617
Manchurian alder 121 / 348	Many-head rock pine 82 / 554	Maximowicz's woodruff 14 / 364
Manchurian angelica 92 / 357	Many-sepal anemone 60 / 353	Mayflower 95 / 533
Manchurian ash 100 / 472	Many-spike flatsedge 26 / 431	May-tree 162 / 424
Manchurian baby's-breath 87 / 484	Many-stem black pine 37 / 575	Mazus 256 / 534
Manchurian beakgrain 56 / 441	Many-stem Jejudo beautyberry 250 / 383	Meadow adder's tongue 247 / 552
Manchurian bird's nest orchid 170 / 548	Many-stem Korean red pine 132 / 575	Meadow anemone 309 / 596
Manchurian bittercress 107 / 388	Many-stem wild calamint 288 / 416	Meadow barnyard grass 248 / 450
Manchurian buttercup 107 / 601	Maple 83 / 333	Meadow buttercup 206 / 601
Manchurian cherry 20 / 591	Maple family 83 / 335	Meadow catchfly 208 / 636
Manchurian clematis 227 / 414	Maple-leaf ainsliaea 83 / 344	Meadow horsetail 121 / 458
Manchurian currant 55 / 608	Maple-leaf mountain yam 83 / 442	Meadow little willow 100 / 618
Manchurian elm 68 / 666	Maple-leaf mukdenia 93 / 545	Meadow monk'shooe 176 / 337
Manchurian hazel 118 / 423	Maple-leaf violet 83 / 675	Meadow-rue 60 / 654
Manchurian honeysuckle 121 / 526	Mare's-tail 188 / 489	Meadowsweet 288 / 469
Manchurian iris 108 / 499	Mare's-tail family 188 / 489	Mecodium 272 / 535
Manchurian isopyrum 107 / 501	Margaric leaf rock pine 263 / 554	Medicineplant 119 / 341
Manchurian ladybell 108 / 340	Margaric spikerush 322 / 453	Medium hairy-fruit lady's bedstraw 20 / 475
Manchurian larch 108 / 510	Marine eelgrass 28 / 684	Medium-fruit elm 258 / 666
Manchurian lilac 24 / 651	Maritime jujuba 25 / 558	Meehania 140 / 535
Manchurian lime 266 / 657	Marlberry 232 / 357	Megaleranthis 113 / 535
Manchurian lousewort 108 / 563	Marsdenia 65 / 534	Melic 199 / 536
Manchurian maple 145 / 334	Marsh arrowgrass 122 / 662	Melic grass 199 / 536
Manchurian paint maple 107 / 334	Marsh calla 162 / 382	Meliosma 63 / 537
Manchurian peashrub 266 / 386	Marsh cinquefoil 121 / 587	Melothria 170 / 537
Manchurian pipevine 102 / 359		Memorial rose 243 / 609
Manchurian poplar 316 / 585		
Manchurian red pine 107 / 575		

Mercurialis 165 / 538	Moehringia 18 / 542	Mosquitofern 118 / 370
Mercuries 165 / 538	Mokpo sedge 115 / 391	Moss-like pipewort 203 / 460
Metanarthecium 278 / 538	Mokpo spurge 115 / 465	Moss-like stonecrop 131 / 633
Metaplexis 131 / 538	Mokpo wide-bract solomon's seal 115 / 581	Moss roses 189 / 586
Metathelypteris 100 / 538	Mokryeon 114 / 532	Motherwort 230 / 513
Meterostachys 68 / 538	Mongolian clearweed 114 / 573	Mountain aristate sweetroot 265 / 555
Meyendorf's aster 21 / 366	Mongolian dandelion 292 / 652	Mountain ash 105 / 641
Meyer's cherry 147 / 591	Mongolian deutzia 108 / 439	Mountain Asian calamint 166 / 415
Meyer's sedge 262 / 395	Mongolian false needlegrass 192 / 595	Mountain aster 163 / 366
Mezereum family 300 / 656	Mongolian milkvetch 316 / 368	Mountain avens 84 / 446
Michelia 275 / 539	Mongolian mulberry 115 / 544	Mountain bedstraw 157 / 475
Microcarpaea 264 / 539	Mongolian oak 196 / 600	Mountain blueberry 160 / 667
Microsorium 272 / 539	Mongolian saussurea 148 / 623	Mountain bluegrass 97 / 579
Midget crabapple 21 / 534	Mongolian snakegourd 306 / 661	Mountain buckler fern 165 / 446
Mile-a-minute 106 / 582	Mongolica × serrata oak 196 / 600	Mountain bush cherry 164 / 590
Milktree 156 / 548	Moniliform dendrobium 173 / 437	Mountain cat-tail sedge 158 / 393
Milkvetch 316 / 367	Moniliform-rhizome solomon's seal 264 / 581	Mountain chrysantha honeysuckle 158 / 525
Milkweed family 131 / 363	Moniliform skullcap 41 / 632	Mountain clubmoss 115 / 529
Milkwort 26 / 480	Monk's-hood 299 / 336	Mountain coronate sawwort 162 / 635
Milkwort family 225 / 581	Monkey-flowers 119 / 540	Mountain cottonsedge 97 / 461
Milkworts 225 / 581	Monnier's snowparsley 140 / 416	Mountain daphne 96 / 434
Milky-white violet 327 / 677	Monocoria 121 / 543	Mountain everlasting 135 / 354
Milletgrass 62 / 540	Mono maple 34 / 334	Mountain false-starwort 158 / 594
Mimosa 231 / 346	Mono-sorus maidenhair fern 177 / 342	Mountain figwort 279 / 630
Miniature mosia 258 / 544	Monotropastrum 64 / 543	Mountain germander 38 / 654
Miniature sedge 206 / 390	Montane alder 97 / 349	Mountain golden saxifrage 158 / 409
Miniature stonecrop 204 / 633	Montane angelica 96 / 353	Mountain hawthorn 162 / 424
Miniature widelip orchid 66 / 523	Montane bedstraw 96 / 475	Mountain heathers 7 / 571
Minor hosta 250 / 491	Montane buckler fern 115 / 448	Mountain-heaths 7 / 571
Minor pogonia 134 / 580	Montane clearweed 161 / 573	Mountain hogfennel 159 / 568
Mint 132 / 537	Montane dandelion 161 / 653	Mountain hydrangea 163 / 492
Mint family 60 / 508	Montane dock 112 / 614	Mountain Indian plantain 132 / 560
Minute bittercress 209 / 388	Montane false ohelo 159 / 681	Mountain isodon 161 / 500
Minute blue dayflower 204 / 418	Montane honeysuckle 97 / 525	Mountain knotweed 161 / 337
Minute duckweed 246 / 512	Montane ladyfern 165 / 369	Mountain Korean maple 159 / 334
Minute-gibbous sedge 277 / 397	Montane poppy 97 / 559	Mountain ladyfern 158 / 368
Minute rock pine 249 / 554	Montane sedge 163 / 399	Mountain leathery grapefern 83 / 626
Minute sawwort 236 / 635	Montane spiraea 165 / 643	Mountain locoweed 97 / 557
Miquel's mazus 79 / 535	Montane woodrush 96 / 528	Mountain maiden saussurea 157 / 625
Miquel's pipewort 20 / 460	Montane woolly saussurea 97 / 624	Mountain maiden silvergrass 115 / 541
Miseonnamu 123 / 332	Montane wormwood 163 / 361	Mountain meadow buttercup 161 / 601
Mission bells 301 / 473	Moonseed 170 / 537	Mountain melic 220 / 536
Miss Kim lilac 289 / 651	Moonseed family 170 / 537	Mountain nerved-fruit sedge 229 / 394
Mistletoe 32 / 679	Moonwort 135 / 377	Mountain oriental cherry 236 / 592
Mitchella 313 / 542	Moograss 264 / 542	Mountain pasque-flower 166 / 596
Miterworts 63 / 542	Moor king lousewort 87 / 563	Mountain ridge bluegrass 247 / 579
Mitrasacme 141 / 542	Moor rush 88 / 504	Mountain rock pine 113 / 555
Mitra sedge 32 / 395	Morning glory 112 / 384	Mountain skullcap 158 / 632
Mixed nerved-scale sedge 236 / 388	Morning glory family 112 / 419	Mountain sorrel 64 / 557
Moccasin flower 145 / 432	Morning-star lily 306 / 519	Mountain spike speedwell 159 / 671
Mock buckthorn 168 / 615	Moschatel family 214 / 342	Mountain toothwort 22 / 510
Mock orange 33 / 569	Mosla 258 / 544	Mountain twinsorus fern 96 / 443
Mock strawberry 126 / 449	Mosquito fern 118 / 370	Mousebane 299 / 336
Mockstrawberry cinquefoil 248 / 587		Mouse-ear chickweed 239 / 404
Modemipul 113 / 535		

Mudeung nutrush 116 / 629	Namhae wild pear 70 / 598	Narrow quillwort 3 / 501
Mudeung saussurea 116 / 623	Nampotaesan rockfoil 141 / 625	Narrow-saline seepweed 255 / 648
Mudgrasses 122 / 593	Namsan violet 69 / 675	Narrow-scale sedge 3 / 398
Mud sedge 88 / 394	Nangrim reedgrass 70 / 382	Narrow-spiculate flatsedge 224 / 431
Mudwort 102 / 521	Nangrimsan saussurea 293 / 624	Narrow sword fern 257 / 549
Mugunghwa 116 / 489	Nanocnide 63 / 547	Narrow three-leaf clematis 254 / 414
Mugwort 200 / 359	Narcissus anemone 129 / 352	Narrow two-leaf vetch 51 / 674
Muhly 259 / 545	Narrow arrow-head smartweed 53 / 564	Narrow whorled-leaf ladybell 6 / 341
Mukdenia 93 / 545	Narrow-bract ragwort 210 / 517	Narrow-winged-stem rush 142 / 504
Mulberry 155 / 543	Narrow East Asian hogweed 253 / 488	Navelwort 232 / 551
Mulberry family 155 / 543	Narrow-flower Asian dayflower 248 / 418	Necklace fern 151 / 522
Mulberry-leaf linden 155 / 658	Narrow gland fern 287 / 560	Necklacepod 35 / 640
Mulberry mistletoe 56 / 527	Narrow-head ragwort 36 / 518	Needle fir 238 / 333
Mulcham oak 122 / 600	Narrow-leaf alpine bistort 207 / 375	Needlegrass 2 / 66 / 647
Multiciliate holly fern 66 / 584	Narrow-leaf Amur silvergrass 4 / 541	Needle juniper 75 / 505
Multifidous-leaf catnip 24 / 627	Narrow-leaf arrowhead 144 / 615	Needle-leaf bog rosemary 238 / 352
Multiflora rose 265 / 609	Narrow-leaf autumn-flower oleaster 254 / 451	Needle-sedge 128 / 396
Multilobe mukdenia 281 / 545	Narrow-leaf bittercress 199 / 387	Needle spikerush 190 / 453
Multi-lobe sellioid fern 277 / 426	Narrow-leaf buckler fern 5 / 446	Neillia 62 / 547
Multipetalous Korean azalea 108 / 606	Narrow-leaf campion 3 / 528	Neocheiropteris 133 / 547
Multi-ridge meadowsweet 271 / 470	Narrow-leaf dock 4 / 614	Neofinetia 304 / 547
Multi-stem lovegrass 152 / 459	Narrow-leaf erect fig 254 / 469	Neolindleya 256 / 547
Munbae 117 / 598	Narrow-leaf false-starwort 4 / 594	Neolitsea 270 / 548
Munsu bamboo 117 / 362	Narrow-leaf flowering ash 251 / 472	Neonchul lespedeza 72 / 515
Murainagrass 189 / 500	Narrow-leaf goosefoot 3 / 407	Northeast Asian ajania 186 / 345
Murdannia 156 / 545	Narrow-leaf grewia 251 / 483	Neotriblemma 139 / 548
Musan ragwort 116 / 518	Narrow-leaf hawkweed 245 / 489	Neotribleparia 223 / 548
Musan sedge 117 / 388	Narrow-leaf hosta 164 / 490	Neottia 170 / 548
Musk-flowers 119 / 540	Narrow-leaf Japanese thistle 254 / 411	Neottianthe orchid 41 / 549
Musk orchid 64 / 489	Narrow-leaf knotweed 284 / 583	Nepalese cranesbill 164 / 479
Muskroot 213 / 342	Narrow-leaf Korean barberry 254 / 372	Nepalese browntop 63 / 540
Muskroot-like semiaquilegia 15 / 634	Narrow-leaf labrador tea 253 / 511	Nepalese monkey-flower 119 / 540
Musky violet 157 / 677	Narrow-leaf ladybell 186 / 339	Nepalese pennywort 286 / 493
Mustard-color lady's slipper 32 / 432	Narrow-leaf ladyfern 4 / 369	Nepalese smartweed 163 / 566
Mustard flowers family 198 / 378	Narrow-leaf mint 5 / 454	Nerved-fruit sedge 40 / 395
Mustards family 198 / 378	Narrow-leaf nettle 4 / 666	Nerved-leaf pterygopleurum 172 / 595
Myeongcheon catchfly 113 / 637	Narrow-leaf nightshade 254 / 639	Nerved-mitra sedge 210 / 395
Myeongcheon wormwood 113 / 361	Narrow-leaf pasque-flower 5 / 596	Nerved-scale sedge 36 / 388
Myeongyi 225 / 347	Narrow-leaf prickly castor oil tree 5 / 506	Nervilia 215 / 549
Myohyang saussurea 116 / 623	Narrow-leaf reedgrass 136 / 381	Netted adder's tongue 232 / 552
Myrmecis 17 / 546	Narrow-leaf rhodiola 254 / 604	Nettle 199 / 666
Myrsinae family 232 / 546	Narrow-leaf riparian greenbrier 254 / 639	Nettle family 199 / 666
Mysore thorn 196 / 381	Narrow-leaf rock pine 206 / 554	Nettle-leaf mint 140 / 535
<b>N</b>		Netvein hollyfern 188 / 433
Nadopungran 65 / 632	Narrow-leaf skunk vine 253 / 558	Newlitsea 270 / 548
Naejang twinsorus fern 70 / 444	Narrow-leaf solomon's seal 277 / 582	New spike smartweed 171 / 566
Naengi 70 / 386	Narrow-leaf vetch 3 / 673	New wild flag iris 196 / 499
Najad family 232 / 492	Narrow-leaf willow 4 / 618	Nicker 197 / 381
Naked-anther ternstroemia 318 / 654	Narrow-lobe corydalis 176 / 422	Night-flowering catchfly 108 / 637
Naked ground berry 202 / 665	Narrow mitra sedge 198 / 397	Nightshade 9 / 639
Naked miterwort 63 / 542	Narrow oriental wormwood 198 / 360	Nightshade family 8 / 639
Namdo corydalis 69 / 422	Narrow-pinnate vetch 2 / 673	Ninebark 159 / 572
Namhae spiraea 70 / 643		Nipplewort 19 / 205 / 406 / 509
		Nivea garden weigela 319 / 681

Nodding beggartick 253 / 373	Northern wormwood 260 / 359	Orange-flower surprise lily 137 / 530
Nodding lily 185 / 519	Northland cottonsedge 176 / 461	Orange-fruit hackberry 166 / 402
Nodding saxifrage 200 / 625	Norway sedge 31 / 395	Orange stonecrop 48 / 633
Nodding stickseed 104 / 484	Notched-leaf tall lespediza 147 / 516	Orcibular sedge 42 / 398
Node smartweed 112 / 566	Nut-bearing torreya 153 / 659	Orchid family 68 / 553
Non-cuspidate falsoenettle 303 / 376	Nutmall tree 149 / 606	Oreocnide 153 / 553
Non-perianth bristleless spikerush 117 / 453	Nutgrass flatsedge 311 / 431	Oreorchis 13 / 553
Nonspicy smartweed 129 / 566	Nutmeg yew 153 / 659	Oriental arborvitae 276 / 578
Normal closed-flower hosta 269 / 490	Nutrush 71 / 629	Oriental bamboo fern 34 / 418
Northeast Asian alder 89 / 349	Nutrushes 71 / 629	Oriental bamboo plant 217 / 375
Northeast Asian curly dock 270 / 613	Nutsedges 71 / 430	Oriental bittersweet 77 / 402
Northeast Asian neillia 62 / 547		Oriental buckthorn 167 / 603
Northeast Asian red elder 102 / 620		Oriental bulrush 185 / 629
Northeast Asian wild strawberry 102 / 472		Oriental bush cherry 229 / 591
Northeastern eelgrass 190 / 685	Oak 268 / 599	Oriental cattail 146 / 665
Northeastern goldenbanner 28 / 656	Oak family 267 / 467	Oriental chaff flower 188 / 335
Northeastern scabious 186 / 626	Oak fern 298 / 483	Oriental chive 166 / 347
Northern alder 104 / 348	Oak ferns 298 / 483	Oriental columbine 109 / 355
Northern Asian willowherb 257 / 456	Oak-leaf goosefoot 276 / 407	Oriental cork oak 44 / 600
Northern asphodel 193 / 658	Oatgrass 236 / 664	Oriental false hawksbeard 154 / 683
Northern baby rose 43 / 609	Oblanceolate erect cephalanthera 127 / 404	Oriental fescue 160 / 468
Northern bamboo 244 / 621	Oblong-fruit buckthorn 213 / 603	Oriental flowering cherry 141 / 592
Northern beak sedge 120 / 397	Oblong-leaf Korean mountain ash 53 / 641	Oriental Indian plantain 126 / 560
Northern bedstraw 51 / 474	Oblong-sorus lance fern 255 / 527	Oriental knight's larkspur 271 / 436
Northern bugleweed 294 / 529	Oboval-leaf ehrertia 187 / 451	Oriental korthal mistletoe 94 / 507
Northern bur-reed 254 / 642	Odaesan golden saxifrage 215 / 408	Oriental ladyfern 14 / 369
Northern buttercup 147 / 601	Odaesan iris 75 / 499	Oriental milkwort 143 / 581
Northern dendranthema 159 / 436	Odaesan woodrush 215 / 528	Oriental motherwort 230 / 513
Northern edelweiss 100 / 513	Odor bluebeard 78 / 663	Oriental ostrich fern 16 / 534
Northern field horsetail 148 / 458	Oiltree 205 / 540	Oriental penthorum 67 / 564
Northern groundcone 216 / 376	Oldenlandia 137 / 551	Oriental persimmon 12 / 443
Northern Korean bedstraw 290 / 474	Old-fashion weigela 150 / 680	Oriental photinia 226 / 589
Northern Korean figwort 176 / 630	Oldham's blueberry 240 / 667	Oriental raisin tree 311 / 491
Northern lipfern 161 / 406	Oldham's meliosma 309 / 537	Oriental skunk cabbage 201 / 650
Northern long-stem violet 285 / 677	Oldham's tick clover 281 / 438	Oriental smartweed 22 / 566
Northern maidenhair fern 38 / 342	Old man's beard 227 / 413	Oriental spiraea 52 / 643
Northern meadow bittercress 159 / 388	Old world adder's tongue 82 / 552	Oriental vining fig 114 / 469
Northern meadow sedge 109 / 399	Old world forked fern 133 / 441	Oriental waterfern 118 / 405
Northern meadow vetch 281 / 675	Oleaster 144 / 451	Oriental water-starwort 142 / 383
Northern moonwort 112 / 377	Olive family 122 / 551	Oriental water-willow 258 / 505
Northern mountain bittercress 221 / 388	Omphalotrix 199 / 551	Oriental white oak 12 / 599
Northern-mountain meadow-rue 115 / 655	One-flower wintergreen 313 / 542	Oriental woodland bulrush 30 / 629
Northern onion 238 / 347	Onion 147 / 347	Oriental wormwood 241 / 360
Northern pink 259 / 440	Oniongrass 199 / 536	Oriental yellow chive 75 / 347
Northern pipevine 269 / 359	Onychium 175 / 551	Oriental yellow gagea 258 / 473
Northern rockjasmine 113 / 352	Ophiopogon 111 / 552	Oriental yellowhead 47 / 498
Northern saussurea 156 / 622	Oplopanax 102 / 553	Oriental yellow violet 76 / 677
Northern shield fern 147 / 447	Opposite-leaf eupatorium 140 / 464	Orientvine 133 / 637
Northern spleenwort 132 / 364	Opposite-leaf paper mulberry 106 / 379	Orixa 169 / 553
Northern tall marsh fern 293 / 561	Orach 25 / 370	Ornamental onion 147 / 347
Northern upside-down fern 218 / 514	Orange campion 95 / 528	Orostachys 130 / 554
Northern water hemlock 92 / 409		Orpine 61 / 493

- Ostrich fern 274 / 534  
 Ottelia 122 / 556  
 Oval-fruit linden 225 / 658  
 Oval-leaf cow-wheat 202 / 536  
 Oval-leaf knotweed 25 / 582  
 Oval-leaf Korean privet 99 / 518  
 Oval-leaf privet 221 / 519  
 Oval ludwigia 80 / 527  
 Ovate blunt-lobe spicebush 99 / 521  
 Ovate-leaf atracylodes 168 / 370  
 Ovate-leaf bistort 79 / 374  
 Ovate-leaf deepblue honeysuckle 99 / 525  
 Ovate-leaf deinostema 99 / 435  
 Ovate spikerush 98 / 453  
 Ovoid-fruit Ussuri pear 275 / 598  
 Oxtongue 189 / 573
- P**
- Pacific firmoss 81 / 491  
 Pacific island clearweed 122 / 573  
 Pacific island flatsedge 134 / 430  
 Pacific mosquitofern 282 / 371  
 Paddy bittercress 78 / 387  
 Paddy field glenwoodgrass 119 / 615  
 Paired-fruit willow 199 / 616  
 Pala'a lace fern 129 / 643  
 Palapalai 94 / 539  
 Pale Amur vetch 194 / 673  
 Pale false mannagrass 249 / 659  
 Pale-flower Thunberg's geranium 326 / 479  
 Pale-green stem rush 302 / 504  
 Pale Korean lawnglass 303 / 685  
 Pale smartweed 325 / 565  
 Pale touch-me-not 123 / 497  
 Pale-yellow corydalis 40 / 422  
 Pallid long-rostrate sedge 198 / 394  
 Pallid lotus-leaf meadow-rue 57 / 655  
 Palmate-leaf alangium 83 / 345  
 Palmate-leaf raspberry 83 / 612  
 Palmate maple 83 / 334  
 Palmate shredded umbrella plant 224 / 650  
 Panicgrass 49 / 559  
 Paniculate swallow-wort 166 / 429  
 Paniculate Korean deutzia 56 / 439  
 Paniculous supplejack 274 / 372  
 Paper mulberry 59 / 379  
 Papillose rush 274 / 504  
 Papillose sedge 188 / 391  
 Papoose root 60 / 401  
 Papyrus sedges 134 / 430  
 Parasitic maiden fern 293 / 428

- Parathelypteris 155 / 560  
 Paris 168 / 561  
 Parnassus-leaf caldesia 99 / 382  
 Parsley family 167 / 355  
 Parsley fern 147 / 426  
 Pasque-flower 309 / 596  
 Pasture spikesedge 59 / 507  
 Patience dock 146 / 614  
 Patrinia 106 / 562  
 Paulownia 216 / 562  
 Pax's sedge 86 / 396  
 Pea 213 / 510  
 Pea family 278 / 467  
 Peach-nanking cherry 144 / 590  
 Pear 135 / 598  
 Pearl bush 9 / 467  
 Pearlwort 17 / 615  
 Pearly everlasting 82 / 160 / 351  
 Peashrub 36 / 386  
 Pedicellate three-stamen waterwort 120 / 452  
 Peduncled wide-leaf low sedge 218 / 396  
 Pedunculate abelia 291 / 332  
 Pellonia 301 / 563  
 Peltitory 17 / 561  
 Pellucid spikerush 225 / 453  
 Pendulous Korean red pine 272 / 575  
 Pendulous rockcress 80 / 356  
 Pendulous thistle 284 / 411  
 Pentactina 46 / 564  
 Penthorum 67 / 564  
 Peony 235 / 558  
 Peony family 235 / 558  
 Pepper 318 / 575  
 Peppergrass 81 / 513  
 Pepper family 318 / 576  
 Peppervine 16 / 350  
 Pepperwort 81 / 513  
 Peracarpa 314 / 564  
 Pere David's cherry 161 / 590  
 Perennial false aster 138 / 505  
 Perfect aquatic weed 31 / 492  
 Persicaria-leaf violet 212 / 678  
 Persimmon trees 13 / 443  
 Petaloid meadow-rue 58 / 655  
 Petersen's false spleenwort 288 / 438  
 Petiolate tongue fern 207 / 597  
 Petiole pheasant's tail fern 178 / 576  
 Peucedanum 48 / 567  
 Phacelanthus 9 / 568  
 Phacelurus 114 / 568  
 Phaeosperma 49 / 568  
 Pheasant's eye 145 / 342  
 Pheasant's tail fern 60 / 576  
 Phlox family 58 / 580  
 Phryma 300 / 570  
 Phtheirospermum 64 / 571  
 Phyllitis 36 / 571  
 Physaliastrum 7 / 572  
 Pickleweed 299 / 616  
 Picrasma 184 / 573  
 Pigweed 152 / 349  
 Pilose bellflower 107 / 417  
 Pilose elm-leaf spiraea 295 / 643  
 Pilose enchanter's nightshade 23 / 410  
 Pilose giant pussy willow 295 / 616  
 Pilose Korean hill cherry 289 / 591  
 Pilose lespedeza 40 / 516  
 Pilose-leaf sedge 293 / 396  
 Pilose rocky forsythia 293 / 472  
 Pimpemel 104 / 351  
 Pimpinella 268 / 574  
 Pincushion plant 202 / 440  
 Pincushions 275 / 626  
 Pine 183 / 574  
 Pine-cone bulrush 185 / 629  
 Pine family 183 / 574  
 Pine-leaf sedge 186 / 389  
 Pinellia 133 / 574  
 Pink 301 / 439  
 Pink baby's-breath 3 / 484  
 Pink catchfly 149 / 636  
 Pink corydalis 101 / 423  
 Pink family 174 / 401  
 Pink-flower abeliophyllum 149 / 332  
 Pink-flower bugle 70 / 345  
 Pink-flower marsh St.Johnswort 118 / 661  
 Pink-flower misoennamu 149 / 332  
 Pink-flower shiny mint 149 / 455  
 Pink-flower wintergreen 149 / 597  
 Pink-hairy spotted lady's slipper 149 / 432  
 Pink high-mountain speedwell 323 / 671  
 Pink Indian skulcap 214 / 631  
 Pink loosestrife 149 / 531  
 Pinkroot family 106 / 524  
 Pinnate-compound crepidiastrum 55 / 425  
 Pinnate-leaf scabious 275 / 626  
 Pinnate-lobe bristle fern 68 / 508  
 Pinnate rice flatsedge 224 / 431  
 Pinnatifid-radiate beggartick 42 / 374  
 Pipevine 259 / 359  
 Pipewort 36 / 459  
 Pipewort family 36 / 459  
 Pittosporum family 92 / 576  
 Pittosporums 92 / 576  
 Plagiogyria 60 / 576  
 Plagiogyria family 60 / 576

Plantain 264 / 576  
 Plantain family 264 / 576  
 Plantain lily 153 / 490  
 Platyarya 44 / 577  
 Platycodon 92 / 578  
 Plebeian sage 135 / 619  
 Pleurosoriopsis 246 / 578  
 Pleuroserpermum 78 / 578  
 Plum 141 / 590  
 Plumeless sawwort 162 / 635  
 Plum yew 19 / 404  
 Plum yew family 19 / 404  
 Pocheon dendranthema 302 / 436  
 Pod grass 238 / 626  
 Pogonia 134 / 580  
 Pointed-petal trillium 284 / 663  
 Poison-bulb 117 / 426  
 Poison ivy 217 / 659  
 Poison oak 217 / 659  
 Poison parsnip 92 / 409  
 Pokeberry 232 / 572  
 Pokebush 232 / 572  
 Pokeroot 232 / 572  
 Poke sallet 232 / 572  
 Pokeweed family 232 / 572  
 Pokeweeds 232 / 572  
 Pollia 64 / 581  
 Polygala 225 / 581  
 Polymorphic angelica 44 / 354  
 Polypody 123 / 583  
 Polypody family 33 / 583  
 Polystichum 66 / 583  
 Pond-lily 22 / 549  
 Pond lovegrass 10 / 458  
 Pondweed 6 / 586  
 Pondweed family 6 / 587  
 Ponerorchis 67 / 585  
 Ponysfoot 201 / 441  
 Poplar 156 / 585  
 Poppy 210 / 559  
 Poppy family 210 / 559  
 Popyeong water-chestnet 302 / 661  
 Porcelainberry 16 / 350  
 Potae sedge 302 / 398  
 Potanin's rush 136 / 504  
 Pourthiaeaa 226 / 589  
 Prairie crocus 309 / 596  
 Prairie junegrass 92 / 507  
 Prematured autumn oleaster 217 / 452  
 Pretty pygmy water-lily 10 / 550  
 Prickled-vine smartweed 112 / 566  
 Pricklegrass 27 / 426  
 Prickly-ash 276 / 683  
 Prickly castor oil tree 228 / 506  
 Prickly-ivys 274 / 639

Prickly rose 230 / 609  
 Prickly smartweed 128 / 565  
 Prickly waterlily 8 / 466  
 Pride-of-rochester 108 / 439  
 Primrose 209 / 589  
 Primrose family 209 / 590  
 Primrose-willow 212 / 527  
 Prince's pine 110 / 407  
 Prinsenia 154 / 590  
 Prism-fruit rush 269 / 504  
 Privet 259 / 518  
 Procumbens Chinese juniper 181 / 505  
 Procumbent sticky germander 90 / 654  
 Prostrate corydalis 79 / 422  
 Prostrate false pimpernel 134 / 522  
 Protruding mannagrass 263 / 481  
 Protruding spleenwort 194 / 364  
 Prunia-shoot willow 148 / 618  
 Pseudocyclosorus 241 / 592  
 Pseudo-glaucous sedge 199 / 391  
 Pseudostellaria 18 / 593  
 Pternopetalum 132 / 595  
 Pterygocalyx 254 / 595  
 Pterygopleurum 172 / 595  
 Pubescent spirea 200 / 644  
 Puerto Rico fimbriostylis 209 / 470  
 Puncturevine 69 / 661  
 Pungdo solomon's seal 304 / 582  
 Pungdo spurge 304 / 464  
 Pungdo winter aconite 304 / 459  
 Pungsan spruce 305 / 573  
 Punks 146 / 665  
 Purple alpine clematis 234 / 413  
 Purple arrow bamboo 234 / 593  
 Purple Asian burnet 233 / 621  
 Purple autumn fern 234 / 448  
 Purple-awn muhly 259 / 545  
 Purple beautyberry 251 / 383  
 Purple-flower angelica 129 / 353  
 Purple-flower bladderwort 233 / 667  
 Purple-flower rattlebox 315 / 426  
 Purple-flower solomon's seal 234 / 638  
 Purple-flower stoncrocrop 233 / 494  
 Purple-fruit porcelainberry 233 / 350  
 Purple globe thistle 239 / 450  
 Purple-glume flatsedge 134 / 431  
 Purple hyacinth-flower clematis 234 / 414  
 Purple lady's slipper 234 / 432  
 Purple-leaf bangahpul 234 / 501  
 Purple-leaf violet 234 / 678  
 Purple lettuce 220 / 589  
 Purple loosestrife 147 / 531  
 Purple maiden silvergrass 211 / 541  
 Purple marshlocks 30 / 588

Purple reedgrass 198 / 381  
 Purple-spotted gastrochilus 47 / 476  
 Purple-stem berry catchfly 233 / 427  
 Purple swallow-wort 233 / 429  
 Purple variegated-leaf violet 234 / 678  
 Purple wood sorrel 234 / 557  
 Purplish field mosla 100 / 544  
 Purplish wheatgrass 233 / 455  
 Purslane 189 / 586  
 Purslane family 189 / 586  
 Purslane speedwell 117 / 671  
 Pussytoes 136 / 354  
 Puzzlegrass 185 / 458  
 Pyeonggang juniper 301 / 505  
 Pyeongyang spurge 301 / 464  
 Pygmy arrowhead 217 / 615  
 Pygmy mitrewort 282 / 542  
 Pygmy water-lily 190 / 550  
 Pygmyweed 86 / 658  
 Pyrosia 173 / 597

**Q**

Quadrifid-leaf laceshrub 67 / 646  
 Quassia family 184 / 637  
 Queen coralbead 89 / 416  
 Queen of all poisons 299 / 336  
 Queen's-veil maiden-fern 286 / 510  
 Quihoui privet 169 / 519  
 Quillwort 120 / 501  
 Quillwort family 120 / 501

**R**

Rabbit's-ear iris 241 / 498  
 Rabbit's foot ferns 72 / 435  
 Rabbit's-foot grass 188 / 583  
 Racemose Jacob's ladder 58 / 580  
 Racemose ladybell 223 / 340  
 Racemose locoweed 291 / 557  
 Radde's sedge 315 / 397  
 Radiate beggartick 168 / 374  
 Radical-flower lousewort 207 / 563  
 Radicans winter creeper spindlertree 257 / 463  
 Radish 117 / 602  
 Ragwort 37 / 517  
 Ragworts 47 / 634  
 Rainbow pink 301 / 439  
 Rainforest spleenwort 54 / 364  
 Ramie 114 / 375  
 Randy beef grass 168 / 238 / 457  
 Rannoch-rush 123 / 626  
 Rare clubmoss 107 / 529  
 Rattlebox 315 / 426

- |   |  |                                     |
|---|--|-------------------------------------|
| Rattle milkvetch 233 / 367                | Red-twig maple 195 / 334                     | Rock polypody 249 / 583             |
| Rattlepods 315 / 426                      | Red winnow willow 150 / 617                  | Rock primrose 94 / 590              |
| Rattlesnake fern 81 / 377                 | Red-wood evergreen oak 149 / 599             | Rock whitlow-grass 159 / 445        |
| Rattlesnake plantain 157 / 482            | Reed 11 / 570                                | Rocky alpine groundsel 130 / 654    |
| Rattlesnake-root 220 / 589                | Reed canary grass 12 / 568                   | Rocky dendranthema 130 / 436        |
| Rebun big-flower lady's slipper 105 / 432 | Reed grass 163 / 381                         | Rocky forsythia 157 / 472           |
| Recurved-leaf saussurea 51 / 624          | Redmace 146 / 665                            | Rocky golden lace 93 / 562          |
| Red Asian knotweed 151 / 467              | Reflexed-margined single-leaf fern 230 / 485 | Rocky hydrangea vine 130 / 628      |
| Red baneberry 150 / 338                   | Reflex-flower anemone 317 / 353              | Rocky licorice-root 24 / 518        |
| Red-bark dogwood 322 / 420                | Regel's threewingnut 123 / 664               | Rocky lousewort 130 / 563           |
| Red-bark oak 14 / 599                     | Reindeer woodrush 247 / 528                  | Rocky mint 209 / 455                |
| Red-based leaf sedge 307 / 391            | Remarkable callianthemum 110 / 383           | Rocky moss-rose stonecrop 94 / 633  |
| Red-berry Korean mistletoe 149 / 679      | Remarkable sedge 56 / 395                    | Rodger's bronze leaf 91 / 608       |
| Red-brown bird cherry 266 / 591           | Resupinate lousewort 188 / 563               | Rodgersia 91 / 608                  |
| Red-brown mountain ash 78 / 641           | Retusa fringetree 229 / 407                  | Roe-buck pimpernel 77 / 574         |
| Red-center goosefoot 112 / 407            | Rhamnella 54 / 603                           | Rooting bulrush 92 / 629            |
| Red-cone Korean fir 150 / 333             | Rhaponticum 154 / 604                        | Rooting trigonotis 29 / 663         |
| Red-cone spruce 149 / 572                 | Rheumatism root 55 / 502                     | Rootless watermeal 148 / 681        |
| Reddish alpine yarrow 151 / 335           | Rhodiola 92 / 604                            | Rose 237 / 608                      |
| Reddish Amur mountain ash 266 / 641       | Rhododendron 262 / 604                       | Rosebay 262 / 604                   |
| Reddish butterbur 16 / 567                | Rhodotypos 82 / 143 / 603 / 606              | Rosebay willowherb 149 / 456        |
| Reddish foxtail fountaingrass 150 / 564   | Rhombic-leaf goosefoot 274 / 407             | Rose family 237 / 610               |
| Reddish honeysuckle 314 / 526             | Rhubarb 88 / 604                             | Rose-gold pussy willow 26 / 617     |
| Reddish marsh smartweed 49 / 567          | Rhynchospermum 276 / 606                     | Rosemallow 116 / 489                |
| Reddish rattlesnake plantain 150 / 482    | Rice cutgrass 246 / 512                      | Rose of sharon 116 / 489            |
| Reddish-brown hardy kiwi 178 / 339        | Ricefield flatsedge 269 / 431                | Rose-root rhodiola 130 / 604        |
| Reddish-flower false-hellebore 150 / 670  | Ricefield water-nymph 67 / 546               | Rosette carpesium 205 / 400         |
| Reddish-yellow surprise lily 149 / 530    | Rice paddy marshweed 184 / 520               | Rosy cow-wheat 58 / 536             |
| Red false bush-clover 150 / 385           | Richardson's brome 19 / 379                  | Rosy lady's slipper 237 / 432       |
| Red fescue 218 / 469                      | Rigescens sedge 262 / 397                    | Rotala 106 / 610                    |
| Red-flower rosebay 314 / 604              | Rigid-branch yew 256 / 653                   | Rough bentgrass 49 / 344            |
| Red-flower sanicle 150 / 621              | Rigid lace fern 94 / 539                     | Rough bluegrass 283 / 580           |
| Red-flower violet 296 / 677               | Ring-cup oak 255 / 600                       | Rough-hair hound's tongue 219 / 430 |
| Red-flower Wichura's rose 314 / 610       | Ringen's jack-in-the-pulpit 286 / 358        | Rough hay-scented fern 157 / 437    |
| Red-foot wormwood 89 / 361                | Riparian Choseon-willow 171 / 408            | Rough hedgeparsley 19 / 659         |
| Red-fruit bearberry 314 / 357             | Riparian greenbrier 128 / 639                | Rough melic 270 / 536               |
| Red-fruit spicebush 152 / 521             | River bulrush 282 / 628                      | Rough mock orange 177 / 569         |
| Red-hair enchanter's nightshade 151 / 410 | Riverside chive 13 / 347                     | Rough pellionia 301 / 563           |
| Red-hair mountain ash 221 / 641           | Riverside wormwood 121 / 361                 | Rough potato 131 / 538              |
| Red Korean meadowsweet 150 / 470          | Robust beautyberry 220 / 383                 | Rough-seed bedstraw 74 / 475        |
| Red Korean pyramid bugle 150 / 345        | Robust Korean mock orange 218 / 569          | Rough-surface aster 55 / 365        |
| Red least water-lily 69 / 549             | Robust pipewort 72 / 459                     | Rough woundwort 20 / 645            |
| Red nervé hardy kiwi 77 / 338             | Robust solomon's seal 219 / 582              | Round-fruit abeliophyllum 98 / 332  |
| Red nettle-leaf mint 150 / 535            | Rock brake 147 / 426                         | Round-fruit blyxa 217 / 375         |
| Red-petiole mono maple 150 / 334          | Rock buckler fern 131 / 448                  | Round-fruit miseonamu 98 / 332      |
| Red-root gromwell 261 / 523               | Rockcap fern 123 / 583                       | Round-leaf Indian hawthorn 99 / 603 |
| Red-spike beaksedge 150 / 607             | Rock carlesia 93 / 399                       | Round-leaf beads linden 99 / 657    |
| Red-spot swertia 240 / 649                | Rock clematis 131 / 413                      | Round-leaf camphor tree 99 / 410    |
| Red spurge 150 / 464                      | Rockcress 237 / 355                          | Round-leaf holly 111 / 496          |
| Redstem 249 / 350                         | Rockfoils 141 / 625                          | Round-leaf hylotelephium 99 / 494   |
| Red-stem mulberry 150 / 544               | Rockjasmine 145 / 352                        | Round-leaf ladybell 100 / 339       |
| Red-stem spikemoss 19 / 634               | Rock lace fern 94 / 539                      | Round-leaf mukdenia 93 / 545        |
| Redtop bentgrass 319 / 344                | Rock-loving sedge 130 / 394                  | Round-leaf spike speedwell 98 / 671 |
|   | Rock pine 130 / 554                          | Round-leaf stonecrop 99 / 633       |
|   |  | Round-leaf sundew 61 / 446          |

Round rockfoil 42 / 625  
 Round sedge 120 / 397  
 Round wax-leaf privet 99 / 518  
 Rowdy lamb herb 168 / 457  
 Royal azalea 273 / 605  
 Royal fern family 34 / 556  
 Rubia 57 / 610  
 Ruderal chaff flower 294 / 335  
 Rue family 225 / 614  
 Rufous woodrush 170 / 528  
 Rugose rose 310 / 609  
 Runner reed 84 / 570  
 Running clubmoss 173 / 529  
 Running mountain basketgrass 9 / 552  
 Rupestrine dragonhead 140 / 445  
 Rush 37 / 503  
 Rush family 37 / 503  
 Rush-like bulrush 217 / 628  
 Rush sandwort 142 / 358  
 Russian pigweed 62 / 370  
 Russian thistle 191 / 619  
 Rusty fimbri stylis 28 / 471  
 Rusty woodsia 97 / 682  
 Ryegrass sedge 312 / 394

**S**

Sabia family 63 / 614  
 Sacaton grass 259 / 645  
 Sacaton grasses 259 / 644  
 Sage 135 / 619  
 Sagebrush 200 / 359  
 Sageretia 168 / 615  
 Sago pondweed 186 / 587  
 Sail fern 142 / 428  
 Sakhalin corktree 315 / 569  
 Sakhalin mitra sedge 9 / 396  
 Sakhalin reedgrass 157 / 382  
 Sakhalin tiny sedge 75 / 390  
 Sakhalin violet 222 / 677  
 Salomonia 143 / 619  
 Saltbush 25 / 370  
 Salt grass 10 / 595  
 Salt sandspurry 24 / 642  
 Samsu false-hellebore 168 / 669  
 Sandalwood family 83 / 621  
 Sand pear 93 / 598  
 Sandspurrys 24 / 642  
 Sandworts 62 / 540  
 Sandy skullcap 266 / 632  
 Sanicle 268 / 621  
 Sanicle-leaf megalanthus 113 / 535  
 Sanicula-leaf golden lace 46 / 562  
 Sarcandra 257 / 621  
 Sargent's cherry 161 / 591

Sarvis 272 / 349  
 Sarvisberry 272 / 349  
 Saskatoon 272 / 349  
 Satintail 105 / 497  
 Saururus 167 / 622  
 Saussurea 276 / 622  
 Sawgrass 277 / 412  
 Sawleaf zelkova 81 / 684  
 Sawtooth oak 169 / 599  
 Saw-wort 276 / 622  
 Saxifrage 141 / 625  
 Saxifrage family 141 / 625  
 Scabious 275 / 626  
 Scabrous aphananthe 303 / 355  
 Scabrous-leaf sedge 273 / 398  
 Scabrous scissors-like sedge 45 / 391  
 Scaly holly fern 152 / 584  
 Scarlet groundsel 163 / 653  
 Scattered-flower skullcap 82 / 631  
 Scattered ladybell 114 / 340  
 Scented-tops 62 / 386  
 Sceptridium 34 / 626  
 Scheuchzeria family 238 / 626  
 Schindler's lespedeza 236 / 516  
 Schisandra 216 / 626  
 Schisandra family 216 / 627  
 Schizopepon 164 / 627  
 Schlechtendal's rattlesnake plantain 157 / 482  
 Schmidt's ragwort 16 / 518  
 Schmidt's sedge 268 / 398  
 Schoberia-like asparagus 153 / 363  
 Schulz's bittercress 254 / 388  
 Scilla 116 / 628  
 Scissors-like sedge 160 / 391  
 Scopolia 124 / 630  
 Scorzonera 189 / 630  
 Sea arrowgrass 261 / 662  
 Seaberry 17 / 485  
 Seablites 67 / 648  
 Sea blueberry 114 / 667  
 Sea club rush 110 / 629  
 Seagrass 310 / 485  
 Seagrass family 28 / 685  
 Sea-lavender 28 / 520  
 Sea loving seagrass 310 / 485  
 Sea rosemary 114 / 358  
 Sea sandwort 26 / 490  
 Searocket 172 / 381  
 Seashore alkaligrass 25 / 596  
 Seashore aster 24 / 367  
 Seashore black-eye cowpea 93 / 675  
 Seashore carrot 25 / 435  
 Seashore catchfly 27 / 636  
 Seashore falsenettle 219 / 376

Seashore milkvetch 28 / 368  
 Seashore oriental wormwood 27 / 360  
 Seashore pink 28 / 440  
 Seashore rock starviolet 68 / 486  
 Seashore snowparsley 26 / 416  
 Seashore sowthistle 155 / 640  
 Seashore spatulate aster 309 / 366  
 Seashore toadfax 310 / 521  
 Seashore wild radish 25 / 602  
 Seashore yellow corydalis 24 / 423  
 Seaside groundsel 225 / 635  
 Seaside lawnglass 27 / 685  
 Seaside liverleaf 169 / 488  
 Seaside mulberry 179 / 544  
 Seaside sandplant 26 / 490  
 Sea-spurreys 24 / 642  
 Sea wheatgrass 24 / 517  
 Securinega 39 / 632  
 Sedakov's sedge 68 / 398  
 Sedge 157 / 388  
 Sedges 157 / 430  
 Sedirea 65 / 632  
 Seepweed 67 / 648  
 Selaginella 147 / 633  
 Self-heal 174 / 645  
 Self-heals 60 / 590  
 Semiaquilegia 15 / 634  
 Semilunar-leaf violet 132 / 678  
 Sensitive fern 209 / 551  
 Sensitive pea 266 / 405  
 Seokgok 173 / 437  
 Seorak spurge 176 / 464  
 Seosura sedge 172 / 393  
 Seoul bird cherry 173 / 591  
 Seoul catchfly 5 / 637  
 Seoul meadow-rue 233 / 655  
 Seoul mock orange 173 / 569  
 Seoul saussurea 148 / 624  
 Seoul sedge 32 / 388  
 Seoul sheep's fescue 173 / 469  
 Seoul Ussuri pear 117 / 598  
 Seoul violet 173 / 678  
 Seoul violet crabgrass 173 / 442  
 Seoul wildginger 173 / 363  
 Sericea lespedeza 153 / 515  
 Sericeous newlitsea 270 / 548  
 Serpentroot 189 / 630  
 Serrate Amur jack-in-the-pulpit 273 / 358  
 Serrate ladybell 298 / 339  
 Serrate-leaf Amur linden 301 / 657  
 Serrate-leaf chloranthus 58 / 408  
 Serrate-leaf flowering ash 188 / 473  
 Serrate-leaf rockcress 131 / 356  
 Serrate-leaf saussurea 10 / 623

- Serrate-leaf water-nymph 286 / 547  
 Serrate nanocnide 63 / 547  
 Serrate-petal hydrangea 58 / 492  
 Serrate-petal rockfoil 130 / 625  
 Serrate sawwort 236 / 635  
 Serviceberry 272 / 349  
 Sesame family 267 / 562  
 Sesel-like libanotis 4 / 517  
 Sessile lobelia 194 / 524  
 Setaceous-bract fimbriostylis 31 / 470  
 Setaceous-leaf pipewort 8 / 460  
 Seven-pair-leaflet vetch 174 / 673  
 Sewer vine 33 / 558  
 Shadblow 272 / 349  
 Shadbush 272 / 349  
 Shadow sedge 62 / 398  
 Shadwood 272 / 349  
 Shady anemone 194 / 353  
 Shady dwarf lilyturf 197 / 552  
 Shady groundsel 47 / 635  
 Shady horn fern 228 / 420  
 Shady Jerusalem sage 184 / 570  
 Shady juncea lespedeza 297 / 515  
 Shady ladyfern 203 / 368  
 Shady lousewort 44 / 563  
 Shady meadow-rue 44 / 655  
 Shady mucronate sedge 45 / 396  
 Shady nipplewort 44 / 509  
 Shady saussurea 45 / 624  
 Shady short-fruit pimpernel 45 / 574  
 Shaggy shield fern 299 / 447  
 Shallow maple-leaf ainsliaea 8 / 344  
 Shallow-teeth spleenwort 174 / 365  
 Shallow-tooth ladyfern 23 / 369  
 Sharp-leaf privet 160 / 518  
 Sharp-tipped-leaf solomon's seal  
     255 / 581  
 Sheathed monochoria 119 / 543  
 Sheathed sedge 264 / 399  
 Sheep's fescue 53 / 468  
 Shepherd's purse 70 / 386  
 Shield fern 38 / 447  
 Shikoku marbled cranesbill 155 / 479  
 Shining paper mulberry 124 / 379  
 Shining sorghum 191 / 642  
 Shinleaf family 76 / 597  
 Shiny autumn fern 132 / 448  
 Shiny bugleweed 194 / 529  
 Shiny-leaf Korean rhododendron  
     132 / 605  
 Shiny mint 59 / 455  
 Shiny-spike sedge 132 / 399  
 Shiny spurge 268 / 465  
 Shiny xylosma 164 / 683  
 Shoestring fern family 230 / 680  
 Shore juniper 310 / 505  
 Short Asian beaked hazel 143 / 423  
 Short-awn foxtail grass 104 / 349  
 Short-beak hazel 143 / 423  
 Short bristle-like-hair ixeris 175 / 502  
 Short-calyx Asian hornbeam 85 / 400  
 Short erect cephalanthera 57 / 404  
 Short forest-live sedge 126 / 390  
 Short-fruit pimpernel 268 / 574  
 Short-fruit rosebay 107 / 604  
 Short-hair spring sedge 12 / 390  
 Short-hair violet 236 / 677  
 Short-hairy morning glory 112 / 384  
 Short-thusk 84 / 377  
 Short-leaf asparagus 28 / 363  
 Short-leaf bluestemgrass 190 / 627  
 Short-leaf sedge 211 / 395  
 Short-leaf spikesedge 300 / 507  
 Short-leaf wormwood 45 / 360  
 Short-pedicel Korean cinquefoil  
     270 / 587  
 Short-petal globe-flower 47 / 664  
 Short plumous clematis 250 / 413  
 Short-raceme rattlesnake plantain  
     179 / 482  
 Short-rhizome hollyfern 251 / 357  
 Short-stalk oriental smartweed  
     265 / 566  
 Short-stalk slimtop meadow-rue  
     51 / 655  
 Short-stem sedge 274 / 389  
 Short-style spurge 83 / 465  
 Short vetchling 207 / 510  
 Showy mistletoe family 32 / 526  
 Showy stonecrop 281 / 494  
 Shredded umbrella plant 207 / 650  
 Shrubby Indian madder 89 / 611  
 Shrubby oreocnide 130 / 553  
 Shrubby sophora 35 / 640  
 Shrub lespedeza 198 / 514  
 Shuttlecock fern 273 / 534  
 Sibaldia 71 / 636  
 Siberian barren strawberry 64 / 680  
 Siberian bluegrass 195 / 579  
 Siberian cherry 195 / 592  
 Siberian columbine meadow-rue  
     60 / 654  
 Siberian crabapple 209 / 533  
 Siberian currant 7 / 607  
 Siberian death camas 65 / 685  
 Siberian elm 153 / 666  
 Siberian filifolium 198 / 469  
 Siberian geranium 259 / 479  
 Siberian ginseng 215 / 454  
 Siberian jointgrass 189 / 487  
 Siberian knorringia 195 / 506  
 Siberian larkspur 240 / 435  
 Siberian lettuce 233 / 508  
 Siberian lily 69 / 520  
 Siberian locoweed 195 / 557  
 Siberian meadowsweet 83 / 470  
 Siberian monkshood 76 / 336  
 Siberian mountain ash 160 / 641  
 Siberian oatgrass 195 / 664  
 Siberian onion 225 / 347  
 Siberian peppergrass 195 / 513  
 Siberian sea rosemary 114 / 358  
 Siberian spikemoss 197 / 634  
 Siberian spindletree 317 / 463  
 Siberian spodiopogon 280 / 644  
 Siberian swallow-wort 210 / 429  
 Siberian veronicastrum 71 / 672  
 Siberian wheatgrass 18 / 455  
 Siberian wormwood 42 / 360  
 Sickle-leaf hare's ear 270 / 380  
 Sickle neofinetia 304 / 547  
 Sidebells wintergreen 169 / 597  
 Siebold's chinquapin 42 / 401  
 Siebold's clubmoss 258 / 492  
 Siebold's falsenettle 52 / 376  
 Siebold's greenbrier 273 / 639  
 Siebold's hosta 283 / 491  
 Siebold's Manchurian walnut 218 / 503  
 Siebold's spurge 90 / 465  
 Siebold's red elder 14 / 620  
 Sievers' wormwood 167 / 361  
 Silk plants 231 / 346  
 Silk tree 231 / 346  
 Silk trees 231 / 346  
 Silkworm thorn 59 / 427  
 Silky juncea lespedeza 23 / 515  
 Silky oriental spiraea 290 / 643  
 Silky-hair fimbriostylis 296 / 471  
 Silky-hair shrub lespedeza 294 / 514  
 Silverberry 144 / 451  
 Silverberry-like taxillus 267 / 653  
 Silver clockfern 146 / 406  
 Silvergrass 211 / 541  
 Silver Korean red pine 228 / 575  
 Silver meadow-rue 227 / 654  
 Silvertop 26 / 480  
 Silver vine 16 / 338  
 Silvery-hair saussurea 228 / 623  
 Silvery mountain ash 105 / 641  
 Silvery sedge 162 / 389  
 Silvery wormwood 317 / 359  
 Simon's poplar 86 / 585  
 Simple bridalwreath spiraea 245 / 643  
 Simple bugbane 276 / 410  
 Simple-leaf false spleenwort 139 / 548

Simple-leaf riverside wormwood 223 / 361	Slender-racemose currant 247 / 607	Small-leaf beautyberry 187 / 383
Simple-stem bur-reed 318 / 642	Slender Russian thistle 186 / 619	Small-leaf Korean angelica tree 205 / 357
Simple stonecrop 125 / 633	Slender shadow sedge 44 / 399	Small-leaf Korean hornbeam 250 / 400
Simple unequal-lobe brake fern 177 / 595	Slender-stem rush 118 / 504	Small-leaf mountain figwort 253 / 630
Simply eelgrass 28 / 684	Slender two-leaf fimbriostylis 6 / 470	Small-leaf mountain isodon 215 / 501
Sinan calanthe 196 / 382	Slender water-nymph 197 / 546	Small-leaf nettle 207 / 666
Sinchang dendranthema 196 / 436	Slender wheatgrass 2 / 455	Small-leaf privet 252 / 518
Single delight 313 / 542	Slender wild calamint 208 / 416	Small-leaf Siberian crabapple 251 / 533
Single delight 313 / 543	Slender willowherb 249 / 457	Small-leaf trailing raspberry 156 / 612
Single-flower anemone 222 / 352	Slightly-asymmetric spleenwort 235 / 365	Small loosestrife 246 / 530
Single-flower honeysuckle 145 / 526	Slim-stem lily 102 / 519	Small magenta plant 231 / 441
Single-flower iris 68 / 499	Slim-stem reedgrass 210 / 382	Small maple-leaf ainsliaea 248 / 344
Single-flower serpentroot 112 / 630	Slipper orchids 145 / 432	Small marsh willowherb 206 / 456
Single-leaf cremastra 210 / 424	Sloughgrass 23 / 371	Small mastic-leaf prickly ash 250 / 684
Single-leaf felt fern 284 / 597	Sluggish sedge 258 / 393	Small Maximowicz's hololeion 247 / 490
Single-leaf wintergreen 314 / 597	Small Amur adonis 206 / 342	Small moss-like fern 246 / 578
Single-spike chloranthus 314 / 408	Small beaksedge 246 / 607	Small mountain meadow buttercup 250 / 601
Sinomenium 133 / 637	Small-bean-like orchid 278 / 379	Small mucronate sedge 209 / 395
Sinuate hollyfern woodsia 205 / 682	Small blueberry 207 / 668	Small-needle sedge 206 / 392
Sinuate mulberry-leaf grapevine 54 / 679	Small box-leaf holly 247 / 496	Small nerwed-fruit sedge 203 / 393
Sinujiu chickweed 196 / 646	Small carpetgrass 244 / 362	Small nutrush 71 / 629
Siphonostegia 239 / 638	Small corydalis 222 / 421	Small paper mulberry 204 / 379
Sirises 231 / 346	Small creeping violet 204 / 676	Small-petal yellowhead 239 / 498
Six-leaf madder 9 / 611	Small daylily 207 / 487	Small pipewort 246 / 460
Six-sepal clematis 244 / 413	Small Dickins' sedge 248 / 392	Small pondweed 197 / 587
Skullcap 36 / 631	Smaller Indian plantain 211 / 560	Small reed 163 / 381
Skunk cabbage 201 / 650	Smallest mint 253 / 454	Small-seed yellowcress 246 / 608
Skunk vine 33 / 558	Small false spleenwort 252 / 437	Small shiny-spike sedge 206 / 399
Skyblue broomrape 276 / 553	Small flatsedge 143 / 431	Small spirea 252 / 643
Slender angelica 34 / 354	Small-flower Asian calamint 277 / 415	Small-square spikerush 248 / 453
Slender bistort 3 / 374	Small-flower beggartick 55 / 373	Small squarrose-leaf gentian 247 / 477
Slender catchfly 3 / 637	Small-flower bittercress 248 / 388	Small-star woodrush 142 / 528
Slender cattail 57 / 665	Small-flower false pimpernel 78 / 522	Small stone-wall spleenwort 131 / 365
Slender chickweed 197 / 646	Small-flower forget-me-not 15 / 545	Small virgin's-bower clematis 235 / 414
Slender cottonsedge 235 / 461	Small-flower knotweed 21 / 204 / 338 / 467	Small water-chestnut 205 / 661
Slender-culm thick-nerve sedge 256 / 397	Small-flower mountain calamint 97 / 416	Small wavy-leaf basketgrass 208 / 552
Slender-fruit Korean rhododendron 307 / 605	Small-flower pellitory 17 / 561	Small white touch-me-not 160 / 497
Slender kentucky bluegrass 6 / 579	Small-flower scented-top 62 / 386	Small willow 247 / 618
Slender-leaf bedstraw 248 / 474	Small-flower seaberry 17 / 485	Small yellow spring bedstraw 207 / 475
Slender-leaf duck lettuce 4 / 556	Small-flower sedge 253 / 395	Smartweeds 212 / 564
Slender-leaf Indian lettuce 5 / 508	Small-flower solomon's seal 203 / 582	Smilacina 187 / 638
Slender-leaf marsh fern 5 / 560	Small-fruit knotweed 266 / 338	Smilaxes 274 / 639
Slender-leaf mock orange 210 / 570	Small-fruit rugose rose 23 / 610	Smith's purple willow 86 / 618
Slender-leaf phacelurus 4 / 568	Small gagea 208 / 473	Smooth Asian fescue 17 / 469
Slender-leaf skullicap 2 / 632	Small gland fern 250 / 560	Smooth bedstraw 125 / 474
Slender-leaf wormwood 5 / 360	Small-glum fescue 53 / 469	Smooth-cranberrybush viburnum 135 / 672
Slender mountain sandwort 38 / 358	Small hairy agrimony 252 / 343	Smooth eupatorium 125 / 464
Slender northern bamboo 178 / 621	Small-head lipocarpha 181 / 523	Smooth filmy fern 252 / 535
Slender-pedicel sedge 302 / 398	Small-head silvery wormwood 253 / 359	Smooth forked fern 203 / 481
Slender pipewort 2 / 460	Small Japanese silvergrass 211 / 541	Smooth-fruit narrow mitra sedge 261 / 397
	Small-leaf autumn oleaster 126 / 452	

Smooth-fruit pubescent spiraea	Songni lespedeza 184 / 516
276 / 644	Songni stonecrop 184 / 633
Smooth gland fern	Songni tilingia 184 / 658
Smooth-leaf honeysuckle	Sorbus-leaf yellow raspberry 29 / 613
Smooth-leaf raspberry	Sorghum 191 / 642
Smooth-leaf scarlet groundsel	South enchanter's nightshade 295 / 411
Smooth-leaved spike speedwell	Southern adder's tongue 62 / 552
Smooth linear-leaf habenaria	Southern bugbane 20 / 409
Smooth long-beak buttercup	Southern crabgrass 129 / 442
Smooth maiden silvergrass	Southern lacefern 69 / 427
Smooth mastic-leaf prickly ash	Southern rockbell 205 / 680
126 / 684	Southern seepweed 134 / 648
Smooth Maximowicz' sedge	Southern shaggy shield fern 69 / 448
Smooth mountain twinsorus fern	South tilingia 87 / 658
125 / 443	Sowthistle 133 / 640
Smooth mulberry-leaf grapevine	Soybean 278 / 482
273 / 679	Spanish needle 91 / 373
Smooth oriental photinia	Sparse-flower sedge 142 / 398
Smooth ring-cup oak	Spatulate-leaf abelia 255 / 332
Smooth Siberian crabapple	Spatulate-leaf rockcress 255 / 356
Smooth Siebold's greenbrier	Spatulate-leaf stonewort 255 / 633
Smooth silverweed	Spatulate-leaf swertia 142 / 649
Smooth solomon's seal	Spatulate rock pine 98 / 554
Smooth water crowfoot	Spear grass 66 / 647
Smooth wavy-leaf basketgrass	Spearhead Indian plantain 292 / 560
Smooth wood false brome	Spear-leaf selliguea fern 33 / 426
Smooth woodland peony	Spear star fern 271 / 539
Smooth woodland whitlow-grass	Spearworts 123 / 601
124 / 445	Speedwell 19 / 670
Smooth woodsia	Sphallerocarpus 117 / 642
Smotherweed	Sphenomeris 129 / 642
Snake grass	Spicate falsoonetle 247 / 376
Snake-tongue starviolet	Spicate lousewort 229 / 563
Snake vine	Spicebush 172 / 521
Snakeroot	Spicewood 172 / 521
Snakeroots	Spider brake fern 145 / 595
Snappedweed	Spiderwort family 84 / 418
Snoutbean	Spike colicroot 259 / 346
Snowbell	Spiked beaksedge 35 / 607
Snowbell tree	Spiked dactylorhiza 185 / 434
Snow cinquefoil	Spike-flower germander 14 / 654
Snowdon alplily	Spikemoss 147 / 633
Snow lotus	Spikemoss family 147 / 634
Snowparsley	Spike mulberry mistletoe 56 / 527
Snow-white saussurea	Spikenard 95 / 357
Snowy false lily of the valley	Spike oatgrass 236 / 664
Soapberry family	Spike rosebay 57 / 605
Softest sedge	Spikerushes 128 / 452
Soft-hair swamp fern	Spikesedge 300 / 507
Soft-stem bulrush	Spikesedges 128 / 452
Solomon's seal	Spindle 315 / 462
Solsae	Spindletree 315 / 462
Sonchus-leaf crepidiastrum	Spined Japanese thistle 8 / 411
Songak	Spineless Japanese honey locust
Songak ivy	127 / 480
Songak	Spinose rock pine 231 / 555
Spinulose tape grass	Spinulose tape grass 67 / 669
Spiny stickseed	Spiny stickseed 94 / 509
Spiny water-nymph	Spiny water-nymph 124 / 547
Spiral-leaf jack-in-the-pulpit	Spiral-leaf jack-in-the-pulpit 80 / 358
Spiral polypody	Spiral polypody 67 / 583
Spiral widgeon grass	Spiral widgeon grass 67 / 614
Spiraea	Spiraea 245 / 643
Spleenwort	Spleenwort 56 / 364
Spleenwort family	Spleenwort family 56 / 364
Split-lip hempenettle	Split-lip hempenettle 298 / 474
Spodiopogon	Spodiopogon 48 / 644
Spoon-leaf yellow loosestrife	Spoon-leaf yellow loosestrife 25 / 531
Spotless bonnet bellflower	Spotless bonnet bellflower 303 / 417
Spotless Schlechtendal's rattlesnake	Spotless Schlechtendal's rattlesnake
plantain	274 / 482
Spotted bellflower	Spotted bellflower 275 / 385
Spotted corydalis	Spotted corydalis 240 / 422
Spotted lady's slipper	Spotted lady's slipper 293 / 432
Spotted laurel	Spotted laurel 196 / 370
Spotted wildginger	Spotted wildginger 22 / 363
Sprangletop	Sprangletop 100 / 514
Sprawling dickwort	Sprawling dickwort 242 / 551
Spreading branch ladybell	Spreading branch ladybell 74 / 339
Spreading chickweed	Spreading chickweed 203 / 646
Spreading false goat's beard	Spreading false goat's beard 263 / 367
Spreading-hair eleuthero	Spreading-hair eleuthero 295 / 454
Spreading knotweed	Spreading knotweed 221 / 337
Spreading mannagrass	Spreading mannagrass 53 / 481
Spreading sneezeweed	Spreading sneezeweed 258 / 403
Spreading swamp bloodgrass	Spreading swamp bloodgrass 79 / 500
Spreading wildginger	Spreading wildginger 47 / 363
Spreading willow	Spreading willow 80 / 617
Spring gueldenstaedtia	Spring gueldenstaedtia 208 / 483
Springparsley	Springparsley 285 / 428
Spring smartweed	Spring smartweed 145 / 567
Spruce	Spruce 7 / 572
Spurge	Spurge 87 / 464
Spurge family	Spurge family 87 / 465
Spurred gentian	Spurred gentian 86 / 484
Square-stem spikerush	Square-stem spikerush 74 / 453
Square-stem statice	Square-stem statice 27 / 521
Squarrose-leaf gentian	Squarrose-leaf gentian 42 / 477
Squaw root	Squaw root 60 / 401
Squill	Squill 116 / 628
Squirrel foot	Squirrel foot 145 / 432
Squirrel's-foot fern	Squirrel's-foot fern 72 / 435
Ssuk	Ssuk 199 / 361
St. Johnswort	St. Johnswort 119 / 494
St. Olaf's candlestick	St. Olaf's candlestick 313 / 543
St. Paul's wort	St. Paul's wort 262 / 636
Staff tree	Staff tree 77 / 402
Staff vine	Staff vine 77 / 402
Staff vine family	Staff vine family 77 / 402
Staghorn clubmoss	Staghorn clubmoss 120 / 529

- Stalked-spike bulrush 118 / 629  
Stalkless-flower eleuthero 215 / 454  
Stanavoi clematis 31 / 414  
Star-anise 151 / 496  
Star-anise family 151 / 496  
Starflower 48 / 662  
Star-flower fairybell 204 / 444  
Star-flower gromwell 132 / 524  
Star sedge 309 / 391  
Starviolet 192 / 486  
Statice 28 / 520  
Stauntonia 111 / 645  
Stauntonia vine 111 / 645  
Staunton's bugseed 312 / 420  
Steeple cap 145 / 432  
Stellera 305 / 646  
Stephanandra 43 / 646  
Stephania 309 / 646  
Stephan's filaree 43 / 461  
Sterculia family 142 / 647  
Stewartia 11 / 647  
Stewart's catnip 75 / 549  
Stickseed 101 / 509  
Stickseeds 91 / 373  
Stickwilly 12 / 475  
Sticky catchfly 61 / 637  
Sticky colicroot 61 / 346  
Sticky East Asian alder 225 / 348  
Sticky germander 177 / 654  
Sticky phtheirospermum 64 / 571  
Sticky smartweed 61 / 567  
Sticky-stem pearlwort 279 / 615  
Stiff clubmoss 20 / 529  
Stiff holly fern 7 / 584  
Stiff shrubby cinquefoil 121 / 588  
Stimpsonia 229 / 647  
Stinging nettles 199 / 666  
Stinky black currant 128 / 607  
Stipulate willow 58 / 618  
Stipulate Wright's viburnum 90 / 673  
Stitchwort 62 / 142 / 540 / 645  
Stolon-bearing anemone 182 / 353  
Stolon-bearing wormwood 73 / 361  
Stolon golden saxifrage 204 / 408  
Stoloniferous trigonotis 90 / 662  
Stolon water crowfoot 63 / 602  
Stonecrop 61 / 93 / 493 / 632  
Stonecrop family 93 / 424  
Stoneseeds 262 / 523  
Stone-wall spleenwort 93 / 365  
Stork's bill 43 / 461  
Straight-angle mono maple 218 / 334  
Straight-awn fimbriostylis 203 / 471  
Straight-bean Japanese honey locust 201 / 480  
Straight fern 49 / 377  
Strata fen-sedge 277 / 412  
Strawberry 102 / 472  
Stream-bank ixeris 70 / 502  
Streptolirion 90 / 647  
Striation-flower alpilily 61 / 524  
Stringy stonecrop 93 / 633  
Strobilanthes 134 / 648  
Styrax 103 / 648  
Styrax family 103 / 648  
Subcordate woodsia 164 / 682  
Sub-nod eelgrass 248 / 685  
Subumbellate sedge 41 / 398  
Suffrutescent securinega 39 / 632  
Sugarcane 19 / 614  
Sugarplum 272 / 349  
Sumac 149 / 606  
Summer fimbriostylis 249 / 470  
Summer-flowering calanthe 212 / 382  
Summer-white oiltree 205 / 540  
Sunan maiden silvergrass 193 / 541  
Sunbonnets 186 / 512  
Sundew 61 / 445  
Sundew family 61 / 446  
Sunflower family 43 / 367  
Sunny-place cinquefoil 210 / 588  
Sunny violet 125 / 678  
Supplejack 109 / 372  
Surfgrass 171 / 571  
Surprise lily 169 / 529  
Suwon aspen 193 / 585  
Suwon sedge 193 / 396  
Swallow-tail marsh fern 241 / 592  
Swallowwort 205 / 406  
Swallow-wort 136 / 429  
Swamp bloodgrass 49 / 500  
Swamp blueberry 72 / 668  
Swamplily 118 / 425  
Swamppink 272 / 487  
Swamp red currant 79 / 608  
Swamp shield-fern 30 / 428  
Swamp Siebold's smartweed 197 / 566  
Swamp silky willow 82 / 616  
Swampweed 122 / 493  
Swamp-white loosestrife 118 / 531  
Swamp willow 264 / 617  
Swan potato 144 / 615  
Sweep's woodbrush 60 / 527  
Sweet autumn clematis 270 / 414  
Sweet bonnet bellflower 205 / 417  
Sweet cheonma 208 / 406  
Sweet cicely 51 / 555  
Sweet flag 272 / 338  
Sweet gale 183 / 545  
Sweetgrass 311 / 489  
Sweet-grass 123 / 481  
Sweet hydrangea 181 / 492  
Sweetleaf 77 / 650  
Sweetleaf family 77 / 649  
Sweet mountain yam 10 / 443  
Sweet peas 213 / 510  
Sweetpepperbush 110 / 415  
Sweetroot 51 / 555  
Sweet two-leaf vetch 39 / 674  
Sweetvetch 116 / 486  
Sweet viburnum 201 / 672  
Sweet william 301 / 439  
Sweet woodruff 174 / 364  
Sweet wormwood 16 / 359  
Swertia 200 / 649  
Swollen-node white-top bluegrass 106 / 579  
Sword fern 257 / 549  
Sword-leaf crepidiastrum 24 / 425  
Sword-leaf dogbane 22 / 355  
Sword-leaf Jeongyeong thistle 5 / 411  
Sword-leaf litsea 226 / 524  
Sword-leaf upright ladybell 50 / 340  
Sword-leaf wood fern 81 / 448  
Sword-like hosta 229 / 490  
Sword-like sedge 74 / 399  
Sycamore-leaf falsernette 17 / 376  
Symphyllocarpus 22 / 649  
Syneileisis 224 / 650  
Synurus 191 / 650

- |  |   |   |
|--|---|---|
| Tamra gastrochilus 287 / 476           | Three-finger tongue fern 182 / 597            | Tobacco-leaf saussurea 84 / 622         |
| Tamra starviolet 288 / 486             | Three-flower bedstraw 20 / 475                | Toco grass 189 / 500                    |
| Tansy 199 / 652                        | Three-flower Korean clematis 309 / 414        | Tofieldia 174 / 658                     |
| Tansymustard 238 / 438                 | Three-flower maple 145 / 335                  | Tokoro mountain yam 91 / 443            |
| Tape grass 67 / 669                    | Three-fruit white peony 271 / 558             | Tomentose condor-vine 65 / 534          |
| Tape-grass family 232 / 492            | Three-hull rush 40 / 504                      | Tomentose corchoropsis 190 / 419        |
| Tappering glade fern 289 / 438         | Three-leaf arrowhead 141 / 616                | Tongue fern 173 / 597                   |
| Taquet's smartweed 32 / 567            | Three-leaf clematis 156 / 413                 | Tongyeong bittercress 299 / 387         |
| Tatarinow's aster 17 / 367             | Three-leaf false lily of the valley 182 / 533 | Toothed clubmoss 138 / 492              |
| Tatarinow's honeysuckle 320 / 526      | Three-leaf Komarov's bugbane 182 / 410        | Toothed ikeridium 200 / 502             |
| Tatarinow's rattlesnake-root 21 / 589  | Three-leaf ladybell 235 / 341                 | Tooth-margina wintergreen 204 / 597     |
| Taxillus 267 / 653                     | Three-leaf monk'shood 182 / 337               | Toothwort 22 / 510                      |
| Tea camellia 265 / 385                 | Three-leaf white chick azalea 183 / 605       | Torreya 153 / 659                       |
| Tea family 265 / 655                   | Three-lobe beggartick 6 / 374                 | Torularia 214 / 659                     |
| Tearthumb 106 / 582                    | Three-lobe crabapple 201 / 534                | Touch-me-not 120 / 497                  |
| Teasel 166 / 444                       | Three-lobe cranesbill 252 / 479               | Tower rockcress 237 / 356               |
| Teasel family 166 / 444                | Three-petal bedstraw 3 / 475                  | Trachelospermum 106 / 660               |
| Teazel 166 / 444                       | Three-some flowering ash 33 / 473             | Trailing crabgrass 249 / 442            |
| Teeth-margin crepidiastrum 228 / 425   | Three-stamen waterwort 120 / 452              | Trailing raspberry 111 / 612            |
| Tender monkey-flower 206 / 540         | Thrixspermum 153 / 656                        | Trailplant 112 / 339                    |
| Terebinthaceous hogfennel 48 / 568     | Thujae 80 / 656                               | Transverse Brown's sedge 315 / 389      |
| Terete-leaf Thunberg's chive 98 / 348  | Thunberg's bay-tree 317 / 532                 | Trapella 192 / 661                      |
| Ternate-leaf water parsnip 182 / 638   | Thunberg's chive 162 / 348                    | Traveller's joy 227 / 413               |
| Ternstroemia 318 / 654                 | Thunberg's daylily 76 / 488                   | Tree clethra 110 / 415                  |
| Tetragonia 139 / 654                   | Thunberg's geranium 229 / 479                 | Tree spikemoss 147 / 634                |
| Tetterwort 205 / 406                   | Thunberg's helleborine 84 / 457               | Trefoil 140 / 527                       |
| The frog orchid 22 / 433               | Thunberg's smartweed 34 / 567                 | Triangular bulrush 182 / 628            |
| Thesium 241 / 656                      | Thunberg's solomon's seal 160 / 582           | Triangular-leaf ladyfern 41 / 369       |
| Thick bluegrass 281 / 579              | Thyme 136 / 656                               | Triangular lettuce 96 / 508             |
| Thick-leaf Indian skullcap 104 / 631   | Thyme-leaf sandwort 142 / 358                 | Triangular onion 182 / 347              |
| Thick-leaf pennywort 305 / 493         | Thyrocarpus 88 / 657                          | Triangular Thunberg's onion 182 / 348   |
| Thick-leaf summer spiraea 104 / 643    | Tick clover 91 / 438                          | Triceps chestnut rush 176 / 503         |
| Thick-nerve sedge 286 / 397            | Tickseed 312 / 419                            | Trichosanthes 306 / 661                 |
| Thick-sepal clematis 252 / 413         | Tickseed sunflowers 91 / 373                  | Tricuspidate falsenettle 29 / 376       |
| Thick-stem aster 4 / 366               | Ticks 91 / 373                                | Tricyrtis 154 / 662                     |
| Thick sweetleaf 156 / 650              | Tick-trefoil 91 / 438                         | Tri flower 214 / 663                    |
| Thin autumn fern 214 / 448             | Tidal-marsh flatsedge 71 / 431                | Trigonotis 58 / 662                     |
| Thin-leaf knotweed 210 / 338           | Tiger lily 267 / 520                          | Trillium 214 / 663                      |
| Thin-leaf milkwort 225 / 581           | Tilingia 24 / 658                             | Trilobe monk'shood 182 / 336            |
| Thin-leaf spiraea 89 / 643             | Timothy 165 / 570                             | Trilobed-leaf alangium 132 / 345        |
| Thin-leaf violet 214 / 675             | Tiny ardisia 167 / 358                        | Trin's bentgrass 31 / 344               |
| Thin northern lipfern 148 / 406        | Tiny bristle fern 147 / 425                   | Triparted-leaf eupatorium 311 / 464     |
| Thin sphallerocarpus 117 / 642         | Tiny moonwort 68 / 377                        | Tripterispermum 91 / 663                |
| Thin-spicate sedge 215 / 392           | Tiny sedge 236 / 389                          | Tripterygium 123 / 663                  |
| Thistle 212 / 411                      | Tiny St. Johnswort 203 / 495                  | Tri-wing maidenhair spleenwort 23 / 365 |
| Thomapple 162 / 424                    | Tiny water-chestnut 119 / 660                 | Tropical fimbriostylis 128 / 470        |
| Thornless rugose rose 128 / 610        | Tiny weeping fern 207 / 513                   | Trout lily 211 / 462                    |
| Thornless southern raspberry 178 / 613 | Tipularia 152 / 658                           | True autumn fern 271 / 448              |
| Thorny currant 54 / 607                | Toad lilies 154 / 662                         | True needle spikerush 268 / 453         |
| Thoroughwort 101 / 464                 | Toad lily 154 / 662                           | True wormwood 270 / 360                 |
| Thread-leaf chive 197 / 347            | Toad rush 204 / 503                           | Truncate flowering cherry 304 / 592     |
| Thread pipewort 196 / 460              | Toadflax 310 / 521                            | Tuberous false-starwort 91 / 593        |
| Thread sedge 197 / 396                 |   | Tuberous-rooted meadow-rue 159 / 655    |
| Three-appendage trapella 182 / 661     |   | Tuberous water parsnip 13 / 638         |
| Three-color Korean lespedeza 167 / 516 |   |   |

Tubiflorous phacellanthus 9 / 568  
 Tubocapsicum 202 / 664  
 Tubular-flower swamppink 193 / 487  
 Tufted eelgrass 301 / 685  
 Tufted hairgrass 250 / 438  
 Tufted loosestrife 138 / 531  
 Tufted rock-living sedge 131 / 394  
 Tuft St. Johnswort 82 / 495  
 Tule 279 / 628  
 Tule potato 144 / 615  
 Tulip 164 / 665  
 Tumbleweed 312 / 419  
 Turczaninov's melic 280 / 536  
 Turfed vetch 101 / 673  
 Turfy sedge 301 / 389  
 Tussock cottongrass 316 / 461  
 Tussock grass 250 / 438  
 Tutsan 119 / 494  
 Twig-sedge 277 / 412  
 Twilight lily 306 / 520  
 Twinflower 105 / 522  
 Twin-flower anemone 199 / 353  
 Twining monk's-hood 5 / 337  
 Twining pterygocalyx 253 / 595  
 Twining streptolirion 90 / 647  
 Twining swallow-wort 183 / 429  
 Twinleaf 55 / 502  
 Twin-leaf twayblade 199 / 549  
 Twinsorus fern 255 / 443  
 Twisted bur-reed 70 / 642  
 Twisted-stalk 257 / 647  
 Two-color-scale holly fern 61 / 584  
 Two-fork oatgrass 165 / 664  
 Two-leaf beadrush 95 / 533  
 Two-leaf cremastra 98 / 425  
 Two-leaf fimbristylis 306 / 470  
 Two-leaf oreorchis 98 / 553  
 Two-leaf vetch 67 / 674  
 Two-seed sedge 3 / 390  
 Two-spikelet fimbristylis 57 / 471  
 Two-spin water-chestnut 281 / 660  
 Two-tip sedge 166 / 393  
 Two-toothed-beak sedge 317 / 392  
 Tylophora 222 / 665

**U**

Uda needle sedge 18 / 399  
 Uibong wild pear 226 / 598  
 Ulleung bluegrass 225 / 580  
 Ulleung catchfly 225 / 637  
 Ulleung dendranthema 225 / 436  
 Ulleungdo abelia 178 / 332  
 Ulleungdo alder 180 / 349  
 Ulleungdo aster 180 / 366

Ulleungdo barberry 219 / 371  
 Ulleungdo cotoneaster 177 / 424  
 Ulleungdo crimson grapevine 179 / 679  
 Ulleungdo deadnettle 177 / 509  
 Ulleungdo dystaenia 179 / 450  
 Ulleungdo elder 109 / 620  
 Ulleungdo figwort 181 / 631  
 Ulleungdo flowering cherry 179 / 592  
 Ulleungdo hare's ear 179 / 380  
 Ulleungdo hemlock 186 / 664  
 Ulleungdo honeysuckle 177 / 525  
 Ulleungdo jack-in-the-pulpit 178 / 359  
 Ulleungdo ladyfern 177 / 368  
 Ulleungdo linden 181 / 657  
 Ulleungdo liverleaf 178 / 488  
 Ulleungdo lotus rock pine 225 / 554  
 Ulleungdo maple 178 / 334  
 Ulleungdo Miss Kim lilac 177 / 651  
 Ulleungdo raspberry 178 / 613  
 Ulleungdo rockcress 180 / 356  
 Ulleungdo spike speedwell 178 / 671  
 Ulleungdo stonecrop 177 / 633  
 Ulleungdo sweet violet 224 / 678  
 Ulleungdo thyme 179 / 657  
 Ulleungdo turk's-cap lily 179 / 520  
 Ulleungdo violet 180 / 678  
 Ulleungdo white pine 180 / 575  
 Ulleungdo willow 179 / 617  
 Ulleung goldenrod 225 / 640  
 Umbellied rockjasmine 145 / 352  
 Umbel rice flatsedge 167 / 431  
 Umbrella elatostema 224 / 452  
 Umbrella-sedge 31 / 473  
 Umbrella-sedges 134 / 430  
 Understory skullcap 44 / 631  
 Undivided chrysanthemum-leaf synurus 124 / 651  
 Undulate speedwell 122 / 671  
 Unequal-lobe brake fern 133 / 594  
 Unicorn root 259 / 346  
 Unifloral clematis 222 / 413  
 Uniflower swisscentaury 154 / 604  
 Uniform wood fern 37 / 448  
 Uni-spikelet fimbristylis 190 / 471  
 Upright Asian swallow-wort 175 / 429  
 Upright cranesbill 175 / 478  
 Upright golden saxifrage 174 / 409  
 Upright Korean red pine 45 / 575  
 Upright ladybell 86 / 340  
 Upright monk's-hood 263 / 337  
 Upright-spike flatsedge 189 / 431  
 Upright solomon's seal 174 / 582  
 Upright water hemlock 4 / 409  
 Upright yellow corydalis 174 / 422  
 Upside-down hollyfern 230 / 357

Urn orchid 232 / 375  
 Uruguay fountaingrass 61 / 564  
 Ussuri bellflower 183 / 417  
 Ussuri bluegrass 13 / 580  
 Ussuri buckthorn 266 / 603  
 Ussuri fritillary 301 / 473  
 Ussuri pear 160 / 598  
 Ussuri river leafflower 213 / 571  
 Ussuri river platianthera 65 / 577  
 Ussuri saussurea 42 / 625  
 Ussuri sedge 198 / 399  
 Ussuri skullcap 312 / 632  
 Ussuri spikerush 118 / 453  
 Ussuri splindletree 66 / 463  
 Ussuri thistle 211 / 411  
 Ussuri water-milfoil 175 / 546  
 Ussuri weeping fern 164 / 514  
 Uydo surprise lily 226 / 530

**V**

Valerian 260 / 668  
 Valerian family 106 / 669  
 Valley wood fern 33 / 448  
 Vallis 67 / 669  
 Variable spleenwort 204 / 365  
 Variable-leaf yellowcress 14 / 608  
 Variegate creeping narrow-leaf sedge 116 / 395  
 Variegate cretan brake fern 202 / 595  
 Variegate cucullate neotianthe orchid 239 / 483  
 Variegated-leaf hardy kiwi 259 / 338  
 Variegated-leaf pondweed 201 / 586  
 Variegated-leaf violet 202 / 678  
 Variegate jack-in-the-pulpit 240 / 359  
 Variegate Korean blueberry 172 / 667  
 Variegate lesser solomon's seal 116 / 582  
 Variegate maiden silvergrass 211 / 541  
 Vase vine 227 / 413  
 Velutinous rattlesnake plantain 293 / 482  
 Velvet bentgrass 30 / 344  
 Velvet common bistort 297 / 374  
 Velvet cranesbill 224 / 479  
 Velvet Dahurian wheatgrass 158 / 455  
 Velvet Korean figwort 231 / 631  
 Velvet red elder 297 / 620  
 Velvet woundwort 224 / 645  
 Venose vetch 213 / 675  
 Venus' shoes 145 / 432  
 Verbena family 107 / 670  
 Vernalgrasses 311 / 354  
 Vernal grasses 311 / 354

Vernal water-starwort 120 / 384  
*Veronicastrum* 71 / 671  
*Verrucolose fimbriostylis* 303 / 470  
*Verticillate paris* 168 / 561  
*Verticillate rhynchospermum* 276 / 606  
*Verticillate valerian* 183 / 668  
*Vervain* 107 / 670  
*Vesper iris* 88 / 498  
*Vetch* 67 / 673  
*Vetchlings* 213 / 510  
*Viburnum* 162 / 672  
*Vidal's ladyfern* 157 / 369  
*Vidal's mountain honeysuckle* 218 / 526  
*Villus dunbaria* 213 / 449  
*Villus spike speedwell* 291 / 670  
*Vine-like fern* 197 / 530  
*Violet* 241 / 675  
*Violet blood iris* 263 / 499  
*Violet crabgrass* 126 / 442  
*Violet deinostema* 263 / 435  
*Violet family* 241 / 679  
*Violet-flower Odaesan iris* 144 / 499  
*Violet orychophragmus* 184 / 555  
*Violet Stanavoi clematis* 255 / 414  
*Virgate wormwood* 153 / 361  
*Virginia creeper* 85 / 561  
*Virgin's bower* 227 / 413  
*Viscous cinquefoil* 61 / 588  
*Vlassoviana thistle* 326 / 412

## W

*Wahlenbergia* 205 / 680  
*Wakerobin* 214 / 663  
*Wallflower* 200 / 461  
*Wallich's bulrush* 192 / 629  
*Wallich's rush* 79 / 504  
*Wall-rue* 94 / 365  
*Walnut* 6 / 503  
*Walnut family* 6 / 503  
*Walnut tree* 6 / 503  
*Walter's dogwood* 109 / 421  
*Wando corydalis* 218 / 423  
*Wando evergreen oak* 19 / 599  
*Wando lespedeza* 251 / 516  
*Wapato* 144 / 615  
*Warty tall gastrodia* 308 / 476  
*Water-arum* 162 / 382  
*Water chestnut* 69 / 453  
*Water-chestnut* 106 / 660  
*Water-chestnut family* 106 / 661  
*Water clover* 74 / 534  
*Water clover family* 74 / 534  
*Water crowfoots* 123 / 601  
*Water-dropwort* 123 / 550

*Water fern* 118 / 370  
*Water fern family* 118 / 561  
*Watergrass* 113 / 379  
*Water hemlock* 92 / 409  
*Waterhorehound* 195 / 529  
*Water horsetail* 120 / 458  
*Water-hyacinth family* 121 / 585  
*Water lilies* 191 / 550  
*Waterlily* 191 / 550  
*Water-lily* 22 / 191 / 549 / 550  
*Water-lily family* 190 / 550  
*Watermeal* 148 / 681  
*Water-milfoil* 121 / 546  
*Watermilfoil family* 17 / 485  
*Watermoss* 172 / 619  
*Water mudwort* 102 / 521  
*Water-nymph* 67 / 546  
*Waternymph family* 232 / 492  
*Water-nymph family* 67 / 546  
*Water parsnip* 18 / 638  
*Water pennywort* 305 / 493  
*Water pepper* 212 / 565  
*Water plantain* 288 / 346  
*Water plantain family* 288 / 346  
*Water-primrose* 212 / 527  
*Water-purslane* 212 / 527  
*Water pygmyweed* 86 / 658  
*Watershield* 193 / 378  
*Water smartweed* 121 / 564  
*Water star* 118 / 449  
*Water-starwort* 142 / 383  
*Water-starwort family* 142 / 383  
*Waterthyme* 31 / 492  
*Waterwheel plant* 140 / 346  
*Water-willow* 259 / 505  
*Waterwort* 120 / 452  
*Waterwort family* 120 / 452  
*Wavy bittercress* 316 / 387  
*Wavy-leaf basketgrass* 256 / 552  
*Wavy-leaf honeysuckle* 42 / 526  
*Wavy Mongolian oak* 122 / 600  
*Waxberry tree* 183 / 546  
*Wax lacquer tree* 30 / 660  
*Wax-leaf privet* 38 / 518  
*Wax-leaf viburnum* 302 / 672  
*Wax-myrtle* 183 / 545  
*Waxy managrass* 31 / 481  
*Wayside speedwell* 19 / 670  
*Weak ixeris* 140 / 502  
*Weak smartweed* 182 / 565  
*Wedelia* 47 / 680  
*Weeping fern* 231 / 513  
*Weeping white mulberry* 272 / 544  
*Weeping willow* 20 / 616  
*Weigela* 143 / 680

*Western dock* 298 / 613  
*Western purple cranesbill* 149 / 479  
*Western touch-me-not* 75 / 497  
*Wetland skullcap* 221 / 632  
*Wet-sand sedge* 264 / 388  
*Weyrich's azalea* 267 / 606  
*Wheatgrass* 17 / 455  
*Whipcord eyelash fern* 89 / 584  
*Whippoorwill shoe* 145 / 432  
*Whisk fern* 186 / 594  
*Whisk fern family* 186 / 594  
*White adder's mouth* 228 / 533  
*White alder family* 110 / 415  
*White alpine dentate skullcap* 324 / 631  
*White Amur rose* 324 / 609  
*White Asian fawnlily* 325 / 462  
*White Asian platanthera* 327 / 577  
*White Asian pogonia* 328 / 580  
*White Asian sweetleaf* 321 / 650  
*White back greenbrier* 175 / 639  
*White balloon-flower* 135 / 578  
*White bamboo-leaf orchid* 257 / 428  
*White beaksedge* 319 / 607  
*White beautiful-flower saussurea*  
319 / 624  
*White beautiful two-leaf vetch*  
320 / 674  
*White beautyberry* 326 / 383  
*White-berry raspberry* 144 / 613  
*White big-flower ladybell* 321 / 339  
*White big-flower lady's slipper*  
323 / 432  
*White bistort* 323 / 374  
*White bluebeard* 328 / 401  
*White bristly-margin angelica* 323 / 353  
*White burnet* 284 / 621  
*White camellia* 321 / 385  
*White Canadian burnet* 325 / 621  
*White catchfly* 326 / 637  
*White cheder vetch* 319 / 673  
*White chick azalea* 328 / 605  
*White-clustered bellflower* 326 / 385  
*White common breea* 327 / 378  
*White crown rockcress* 327 / 356  
*White Dahurian bedstraw* 319 / 474  
*White daphne* 136 / 434  
*White deadnettle* 221 / 509  
*White decumbent corydalis* 327 / 421  
*White-double balloon-flower* 319 / 578  
*White East Asian buttercup* 322 / 602  
*White-egret flower* 310 / 484  
*White false-hellebore* 325 / 670  
*White field touch-me-not* 322 / 497  
*White Fischer's dragonhead* 326 / 445  
*White five-rib thyme* 323 / 657

White flatsedge 323 / 431	White-flower water iris 321 / 498	White mountain-heath 319 / 571
White-flower Asian jasmine 138 / 660	White-flower wineberry 319 / 613	White mountain locoweed 321 / 557
White-flower Baekdusan primrose 327 / 589	White-flower Zollinger's gentian 328 / 477	White-mountain wormwood 152 / 361
White-flower Biro gentian 323 / 477	White forsythia 123 / 332	White narrow-flower Asian dayflower 320 / 418
White-flower bittercress 123 / 387	White foxtail fountaingrass 324 / 564	White narrow-leaf blue-eye grass 322 / 638
White-flower blood iris 323 / 499	White fringed pink 324 / 440	White nettle-leaf mint 323 / 535
White-flower campion 321 / 528	White Gapsan violet 319 / 677	White Oldham's tick clover 328 / 439
White-flower corydalis 330 / 421	White Geumgang bluebell 320 / 485	White oriental swamppink 328 / 487
White-flower dwarf milkwort 325 / 581	White geumgangchoronkkot 320 / 485	White oval-leaf cow-wheat 325 / 536
White-flower East Asian monk's-hood 329 / 337	White goosefoot 322 / 407	White pipewort 319 / 460
White-flower East Asian primrose 325 / 590	White-hair Amur mountain ash 329 / 641	White prickly thistle 323 / 412
White-flower false Chinese swertia 326 / 649	White-hair dandelion 329 / 653	White-scale flatsedge 303 / 431
White-flower golden lace 104 / 562	White-hair golden saxifrage 320 / 409	White-scale wood fern 323 / 446
White-flower Halla mint 329 / 454	White hairless fleabane 320 / 459	White scattered ladybell 322 / 340
White-flower helleborine 321 / 457	White-hair violet 329 / 676	White Selkirk's violet 322 / 678
White-flower high mountain cinquefoil 327 / 588	White-hair yellow bedstraw 329 / 475	White serrate ladybell 329 / 339
White-flower Ilwol hosta 326 / 490	White-hairy spotted lady's slipper 329 / 432	White shrub lespedeza 325 / 514
White-flower Indian skullcap 319 / 631	White Hallasan cranesbill 324 / 479	White small creeping violet 325 / 676
White-flowering Korean dandelion 322 / 652	White hedge morning glory 322 / 384	White snowdrop 71 / 459
White-flower Jacob's ladder 320 / 580	White hosta 323 / 490	White spike sedge 326 / 395
White-flower Jejudo buttercup 326 / 602	White hyacinth-flower clematis 327 / 414	White spiraea 99 / 643
White-flower Jerusalem sage 324 / 570	White incised corydalis 326 / 422	White stem serpentrout 189 / 630
White-flower Kirilow's indigo 322 / 497	White Japanese thistle 319 / 411	White stringflower 197 / 408
White-flower Korean cranesbill 321 / 478	White Japanese wisteria 322 / 681	White tailed-leaf isodon 325 / 500
White-flower Korean gentian 326 / 477	White Korean azalea 324 / 606	White tall lespedeza 329 / 516
White-flower Korean rhododendron 327 / 605	White Korean bellflower 324 / 385	White tapering glade fern 329 / 438
White-flower Korean thistle 319 / 412	White Korean false goat's beard 324 / 367	White three-leaf ladybell 326 / 341
White-flower ladies' tresse 328 / 644	White Korean lespedeza 327 / 515	Whitethorn 162 / 424
White-flower lady's bedstraw 324 / 475	White Korean lilac 327 / 651	White toothed ixiroidium 325 / 502
White-flower lagopsis 320 / 508	White Korean meadowsweet 328 / 470	White-top bluegrass 198 / 578
White-flower lousewort 324 / 563	White Korean pyramid bugle 327 / 345	White two-leaf vetch 328 / 674
White-flower mint 329 / 454	White lapland rosebay 330 / 605	White Ulleungdo Miss Kim lilac 324 / 651
White-flower montane poppy 321 / 559	White large-leaf vetch 328 / 674	White-villous monk's-hood 271 / 337
White-flower Odaesan iris 321 / 499	White large-sepal corydalis 319 / 422	White wild morning glory 328 / 384
White-flower rock asphodel 59 / 659	White leaf Korean thistle 326 / 412	White wild pink 329 / 440
White-flower royal azalea 328 / 605	White leafy lespedeza 174 / 515	White wild strawberry 322 / 472
White-flower self-heal 321 / 590	White lily-leaf ladybell 321 / 340	White woodland peony 137 / 558
White-flower shiny mint 321 / 455	White linear-leaf spike speedwell 320 / 671	White woodland thistle 321 / 412
White-flower small corydalis 326 / 421	White-lobe Korean dendranthema 42 / 436	Whitish Freyn's wormwood 324 / 360
White-flower smartweed 320 / 565	White long-tail iris 319 / 499	Whitish gentian 164 / 476
White-flower squill 322 / 628	White Maack's larkspur 327 / 435	Whitish-purple monk's-hood 257 / 336
White-flower surprise lily 324 / 530	White magnus aster 325 / 366	Whitlow-grasses 58 / 445
White-flower twisted-stalk 320 / 648	White maiden silvergrass 325 / 541	Whole-leaf Indian hawthorn 82 / 604
White-flower violet 327 / 677	White many-bract bothriospermum 328 / 377	Whorled-leaf ladybell 277 / 341
White-flower vlassoviana thistle 320 / 412	White marsh ladybell 328 / 340	Whorled-leaf lousewort 41 / 563
	White minor hosta 327 / 491	Whorled-leaf stonecrop 182 / 494
	White minute rock pine 327 / 555	Whorled water-milfoil 121 / 546
		Wichura's rose 92 / 610
		Wide-blade woodisia 270 / 682
		Wide-bract solomon's seal 223 / 582
		Wide-elliptic rock pine 302 / 554
		Wide Korean maple 72 / 334

Wide-leaf aizoon stonecrop 280 / 632	Willow 70 / 138 / 616 / 617	Woodland peony 164 / 558
Wide-leaf Amur mountain ash 73 / 641	Willow family 138 / 616	Woodland thistle 91 / 412
Wide-leaf Amur silvergrass 73 / 541	Willowherb 128 / 456	Woodland whitlow-grass 58 / 445
Wide-leaf Asian vetch 72 / 674	Willow-leaf evergreen oak 266 / 600	Woodland wormwood 44 / 362
Wide-leaf chrysanthia honeysuckle 73 / 525	Willow-leaf lance fern 139 / 527	Wood milletgrass 62 / 540
Wide-leaf deepblue honeysuckle 73 / 525	Willow-leaf Manchurian lilac 138 / 651	Woodreed 63 / 410
Wide-leaf honeysuckle 322 / 526	Willow-leaf privet 139 / 519	Woodruff 14 / 363
Wide-leaf hosta 72 / 490	Willow-leaf spicebush 78 / 521	Woodrush 60 / 527
Wide-leaf labrador tea 77 / 511	Willow-leaf spiraea 57 / 644	Wood rush 60 / 527
Wide-leaf ladyfern 72 / 370	Willow-leaf veronicastrum 139 / 672	Wood-rush 60 / 527
Wide-leaf low sedge 73 / 396	Willow-leaf white-flower smartweed 187 / 565	Woodsia 224 / 682
Wide-leaf Maximowicz's woodruff 72 / 364	Willow spindletree 139 / 464	Wood small reed 165 / 381
Wide-leaf monk'shooe 74 / 337	Wilson's elm 80 / 666	Wood sorrel 40 / 556
Wide-leaf mountain hawthorn 73 / 424	Wind flower 309 / 596	Wood sorrel family 40 / 556
Wide-leaf Ulleungdo yew 317 / 653	Winding-leaf iris 287 / 498	Woolly-fruit pubescent spiraea 176 / 644
Wide-leaf valerian 74 / 668	Winding snoutbean 213 / 606	Woolly-fruit red elder 291 / 620
Wide-leaf wormwood 73 / 361	Wine raspberry 37 / 613	Woolly-fruit sedge 140 / 393
Widelip orchid 66 / 522	Winged beech fern 176 / 569	Woolly gray willow 297 / 618
Wide-petal pipewort 72 / 460	Winged burning bush spindletree 317 / 463	Woolly-hair saussurea 118 / 624
Wide-sepal Geumgang bluebell 30 / 485	Winged corydalis 69 / 421	Woolly-leaf saussurea 187 / 622
Wide-sepal geumgangchoronkkot 30 / 485	Winged prickly-ash 20 / 684	Woolly-leaf sedge 295 / 393
Wide willow-leaf evergreen oak 74 / 600	Winged-fruit Russian thistle 66 / 619	Woolly lespedeza 21 / 516
Widgeon grass 257 / 614	Winged-stem rush 69 / 503	Woolly mock orange 329 / 569
Widgeonweed 257 / 614	Wing monk'shooe 69 / 337	Woolly narrow-leaf bittercress 294 / 387
Widow's tears 84 / 418	Winnow willow 287 / 617	Woolly-scale sedge 68 / 392
Wild apples 155 / 533	Winter aconite 71 / 459	Woolly-stem cranesbill 12 / 478
Wild calla 162 / 382	Winter-berry currant 16 / 607	Wormseed wallflower 200 / 462
Wild carrot 85 / 435	Winter-berry spindletree 252 / 463	Wormwood 200 / 359
Wild chervil 239 / 354	Winter creeper spindletree 250 / 463	Woundwort 174 / 645
Wild dampalsu trees 85 / 452	Winter cress 62 / 371	Wright's filmy fern 272 / 535
Wild flag iris 147 / 499	Wintergreen 76 / 110 / 407 / 596	Wright's viburnum 157 / 672
Wildginger 245 / 362	Wintergreens 48 / 662	Wrinkled cinquefoil 86 / 588
Wild hop 315 / 491	Winter hazel 330 / 423	Wrinkled-glume yellow bristlegrass 256 / 635
Wild lilyturf 111 / 552	Winter-hazel 244 / 444	Wrinkled-margin gymnanenia 256 / 547
Wild morning glory 282 / 384	Winter raspberry 32 / 611	Wrinkled mock strawberry 138 / 449
Wild pear 272 / 349	Wisteria 101 / 681	
Wild-plum 272 / 349	Witch hazel family 244 / 485	
Wild red cowpea 171 / 675	Woad 88 / 500	
Wild rice 258 / 684	Wolf's bane 299 / 336	
Wildrye 26 / 455	Wolf's lilac 290 / 652	
Wild rye 94 / 517	Women's bane 299 / 336	
Wild soybean 19 / 482	Wonder violet 73 / 677	
Wild-spring cherry 217 / 592	Wonsan cinquefoil 225 / 588	
Wild sugarcane 36 / 614	Wonsan rush 185 / 504	
Wild wasabi 245 / 466	Wonsan spikerush 225 / 452	
Wilford's cranesbill 183 / 479	Wood bluegrass 176 / 579	
Wilford's spleenwort 315 / 365	Wood false brome 194 / 378	
Wilford's swallow-wort 191 / 430	Wood fern 38 / 446	
Wilford's hay-scented fern 285 / 437	Wood fern family 112 / 446	
	Wood lacquer tree 158 / 660	
	Woodland chickweed 282 / 646	
	Woodland forget-me-not 222 / 545	
	Woodland horsetail 81 / 458	
		X
		Xylosmas 164 / 683
		Y
		Yalu river primrose 284 / 589
		Yam 106 / 442
		Yam family 105 / 443
		Yangdeok mock orange 210 / 569
		Yarrow 299 / 335
		Yellow avens 282 / 479
		Yellow bluestem 129 / 376
		Yellow bristlegrass 45 / 635
		Yellowcress 14 / 608
		Yellow bristle-hair ikeris 76 / 502

Yellow East Asian eurya 103 / 466	Yellowish white-flowering Korean dandelion 321 / 652	Yellow wood sorrel 174 / 557
Yellow-filamentous meadow-rue 46 / 655	Yellow Korean pasque-flower 76 / 596	Yentai fimbri stylis 135 / 471
Yellow flatsedge 100 / 431	Yellow loosestrife 271 / 530	Yew 256 / 653
Yellow floatingheart 76 / 550	Yellow-mantle sedge 207 / 395	Yew family 256 / 653
Yellow-flower broomrape 316 / 554	Yellow Mongolian snakegourd 76 / 662	Yin yang huo 168 / 457
Yellow-flower hedge mustard 75 / 638	Yellow oriental columbine 75 / 355	Youngdo dandelion 215 / 652
Yellow-flower rosebay 75 / 604	Yellow-paint maple 289 / 334	Youngia 154 / 683
Yellow-flower spanish needle 291 / 373	Yellowrocket 62 / 371	
Yellow-flower vetch 75 / 673	Yellow rosemallow 315 / 489	
Yellow friendly lily 76 / 519	Yellow scopolis 75 / 630	Z
Yellow-fruit hackberry 76 / 403	Yellow slim-stem lily 75 / 519	Zelkova 81 / 684
Yellow-fruit hirsute raspberry 75 / 612	Yellow star-of-Bethlehem 258 / 473	Zizyphus 88 / 684
Yellow golden saxifrage 78 / 408	Yellow surprise lily 262 / 530	Zollinger's gentian 280 / 477
Yellowhead 47 / 498	Yellow swamp foxglove 181 / 403	Zoysiagrass 235 / 685
Yellow Indian pipe 41 / 543	Yellow toadflax 254 / 521	Zygadenus 65 / 685
Yellowish velvety-leaf litsea 54 / 524	Yellow water-lily 266 / 550	
Yellowish-white bladderwort 148 / 667	Yellow-white rattlesnake-root 220 / 589	





## A

Ae-gi-an-jeun-bu-chae 207 / 650  
 Ae-gi-ban-deul-sa-cho 206 / 399  
 Ae-gi-ba-neul-kkot 206 / 456  
 Ae-gi-ba-neul-sa-cho 206 / 392  
 Ae-gi-ba-wi-sol 206 / 554  
 Ae-gi-beo-eo-meon-cho 206 / 380  
 Ae-gi-bi-ssuk 206 / 361  
 Ae-gi-bok-su-cho 206 / 342  
 Ae-gi-bom-mat-i 206 / 352  
 Ae-gi-bu-deul 206 / 665  
 Ae-gi-cham-ban-di 208 / 621  
 Ae-gi-cheon-il-sa-cho 208 / 398  
 Ae-gi-cheon-ma 208 / 406  
 Ae-gi-cheon-ma-sok 208 / 405  
 Ae-gi-dak-na-mu 204 / 379  
 Ae-gi-dak-ui-deong-gul 204 / 467  
 Ae-gi-dak-ui-jang-pul 204 / 418  
 Ae-gi-dam-bae-pul 205 / 400  
 Ae-gi-deo-deok 205 / 417  
 Ae-gi-deok-san-pul 205 / 630  
 Ae-gi-deung 205 / 540  
 Ae-gi-deung-sok 205 / 540  
 Ae-gi-do-duk-nom-ui-gal-go-ri  
 205 / 439

Ae-gi-dong-ui-na-mul 205 / 384

Ae-gi-do-ra-ji 205 / 680

Ae-gi-do-ra-ji-sok 205 / 680

Ae-gi-du-reup-na-mu 205 / 357

Ae-gi-ga-ji-byeo-kkot 203 / 646

Ae-gi-gam-dung-sa-cho 203 / 391

Ae-gi-ga-mul-go-sa-ri 203 / 682

Ae-gi-ga-rae 203 / 586

Ae-gi-geo-meo-ri-mal 203 / 685

Ae-gi-geum-gang-je-bi-kkot 204 / 678

Ae-gi-geum-mae-hwa 204 / 664

Ae-gi-gi-rin-cho 204 / 633

Ae-gi-go-chu-na-mul 203 / 495

Ae-gi-go-gwang-na-mu 203 / 569

Ae-gi-gok-jeong-cho 203 / 460

Ae-gi-gol-mu-kkot 203 / 631

Ae-gi-gol-pul 204 / 503

Ae-gi-gwaeng-i-bap 204 / 557

Ae-gi-gwaeng-i-nun 204 / 408

Ae-gi-gyeo-i-sak 203 / 344

Ae-gi-ha-neul-ji-gi 209 / 470

Ae-gi-huin-sa-cho 209 / 395

Ae-gi-hwang-sae-naeng-i 209 / 388

Ae-gi-hwang-sae-pul 209 / 661

Ae-gi-hwang-sae-pul-sok 209 / 661

Ae-gi-hyang-yu 209 / 455

Ae-gi-il-yeop-cho 207 / 513

Ae-gi-i-sak-sa-cho 207 / 395

Ae-gi-jang-dae 208 / 355

Ae-gi-jang-dae-sok 208 / 355

Ae-gi-jang-gu-chae 208 / 636  
 Ae-gi-ja-un 208 / 483  
 Ae-gi-ja-un-sok 208 / 483  
 Ae-gi-je-bi-ran 208 / 577  
 Ae-gi-ji-ne-go-sa-ri 208 / 447  
 Ae-gi-jok-je-bi-go-sa-ri 208 / 448  
 Ae-gi-jop-ssal-pul 208 / 466  
 Ae-gi-jung-ui-mu-reut 208 / 473  
 Ae-gi-ju-reum-joe-gae-pul 208 / 552  
 Ae-gi-kko-ri-go-sa-ri 204 / 365  
 Ae-gi-ma-reum 205 / 660  
 Ae-gi-mi-na-ri-a-jae-bi 205 / 601  
 Ae-gi-mul-kkwa-ri-a-jae-bi 206 / 540  
 Ae-gi-mul-mae-hwa 206 / 561  
 Ae-gi-mu-yeop-ran 206 / 548  
 Ae-gi-myeo-neu-ri-bap-pul 205 / 536  
 Ae-gi-myeon-mo-go-sa-ri 205 / 682  
 Ae-gi-na-bi-na-mul 204 / 674  
 Ae-gi-naeng-i 204 / 387  
 Ae-gi-nak-si-je-bi-kkot 204 / 676  
 Ae-gi-na-ri 204 / 444  
 Ae-gi-na-ri-sok 204 / 444  
 Ae-gi-no-ru-bal 204 / 597  
 Ae-gi-pul 209 / 581  
 Ae-gi-sa-cheol-ran 206 / 482  
 Ae-gi-sa-cho 206 / 390  
 Ae-gi-seok-nam 206 / 351  
 Ae-gi-seok-wi 207 / 597  
 Ae-gi-sol-na-mul 207 / 475  
 Ae-gi-song-i-pul 207 / 563  
 Ae-gi-ssi-beom-kko-ri 207 / 375  
 Ae-gi-sswae-gi-pul 207 / 666  
 Ae-gi-su-yeom-i-kki 207 / 494  
 Ae-gi-su-yeong 207 / 613  
 Ae-gi-swip-ssa-ri 207 / 529  
 Ae-gi-tap-kkot 208 / 416  
 Ae-gi-top-ji-ne-go-sa-ri 209 / 447  
 Ae-gi-ttong-pul 205 / 406  
 Ae-gi-ttong-pul-sok 205 / 406  
 Ae-gi-u-san-na-mul 207 / 650  
 Ae-gi-wan-du 207 / 510  
 Ae-gi-wol-gyul 207 / 668  
 Ae-gi-won-chu-ri 207 / 487  
 Ae-gi-yeom-ju-sa-cho 207 / 392  
 Ae-gwaeng-i-sa-cho 203 / 393  
 Aeng-cho 209 / 590  
 Aeng-cho-gwa 209 / 590  
 Aeng-cho-sok 209 / 589  
 A-geu-bae-na-mu 201 / 534  
 A-gu-jang-na-mu 200 / 644  
 A-gwang-na-mu 200 / 424  
 A-ja-bi-gwa-jeul 201 / 480  
 Al-bang-dong-sa-ni 202 / 430  
 Al-kkwa-ri 202 / 664  
 Al-kkwa-ri-sok 202 / 664

Al-myeo-neu-ri-bap-pul 202 / 536  
 Al-rok-je-bi-kkot 202 / 678  
 Al-rok-keun-bong-ui-kko-ri 202 / 595  
 A-ma-gwa 201 / 521  
 A-ma-pul 201 / 441  
 A-ma-pul-sok 201 / 441  
 A-ma-sok 201 / 522  
 Am-baem-go-sa-ri 203 / 368  
 Am-dae-geuk 202 / 465  
 Am-goe-bul-na-mu 202 / 526  
 Am-gong-jak-go-sa-ri 202 / 341  
 Am-go-sa-ri 202 / 443  
 Am-ha-neul-ji-gi 203 / 471  
 Am-kka-chi-kkae 202 / 419  
 Am-mae 202 / 440  
 Am-mae-gwa 202 / 440  
 Am-mae-sok 202 / 440  
 Am-pul-go-sa-ri 203 / 481  
 Am-su-dung-gul-re 203 / 582  
 A-mul-go-sa-ri 201 / 446  
 An-jeun-bu-chae 201 / 650  
 An-jeun-bu-chae-sok 201 / 650  
 An-jeun-ga-rae 201 / 586  
 An-jeun-ip-da-dak-naeng-i 202 / 513  
 An-jeun-jop-ssal-pul 202 / 466  
 An-myeon-yong-dung-gul-re 201 / 581  
 Ap-rok-deo-bu-sal-i 203 / 554  
 A-uk-gwa 201 / 534  
 A-uk-je-bi-kkot 201 / 676  
 A-uk-me-pul 201 / 441  
 A-uk-me-pul-sok 201 / 441  
 A-wae-na-mu 201 / 672

## B

Ba-bo-yeo-kkwi 129 / 566  
 Ba-da-ji-gi 128 / 470  
 Ba-di-na-mul 129 / 353  
 Ba-di-pul 129 / 514  
 Ba-di-pul-sok 129 / 514  
 Bae-am-cha-jeu-gi 135 / 619  
 Bae-am-cha-jeu-gi-sok 135 / 619  
 Bae-am-na-mu 135 / 672  
 Bae-cho-hyang 135 / 343  
 Bae-cho-hyang-sok 135 / 343  
 Baek-bu-ja 136 / 336  
 Baek-dang-na-mu 135 / 672  
 Baek-do-ra-ji 135 / 578  
 Baek-du-sa-cho 135 / 396  
 Baek-du-san-ba-wi-chwi 136 / 625  
 Baek-du-san-dae-geuk 135 / 465  
 Baek-du-san-go-sa-ri-sam 135 / 377  
 Baek-du-san-go-sa-ri-sam-sok  
 135 / 377  
 Baek-du-san-gu-seul-bung-i 135 / 477  
 Baek-du-san-ja-jak-na-mu 136 / 373

Baek-du-san-tteok-ssuk 135 / 354	Bal-pul-go-sa-ri 133 / 441	Ba-ram-ha-neul-ji-gi 129 / 471
Baek-du-san-tteok-ssuk-sok 136 / 354	Bal-pul-go-sa-ri-sok 133 / 441	Ba-ram-kkot 129 / 352
Baek-du-sil-gol-pul 136 / 504	Bam-il-yeop 133 / 547	Ba-ram-kkot-sok 129 / 352
Baek-hap-gwa 137 / 519	Bam-il-yeop-sok 133 / 547	Bat-ha-neul-ji-gi 135 / 471
Baek-hap-sok 137 / 519	Bam-ip-go-sa-ri 133 / 417	Bat-ttuk-oe-pul 134 / 522
Baek-hwa-deung 138 / 660	Bam-na-mu 133 / 401	Bat-ttuk-oe-pul-sok 134 / 522
Baek-jak-yak 137 / 558	Bam-na-mu-sok 133 / 401	Ba-wi-chae-song-hwa 131 / 633
Baek-mi-kkot 136 / 429	Ban-dal-kong-je-bi-kkot 132 / 678	Ba-wi-daeng-gang-na-mu 130 / 332
Baek-mi-kkot-sok 136 / 429	Ban-deul-git-go-sa-ri 132 / 364	Ba-wi-dol-kkot 130 / 604
Baek-ri-hyang 136 / 657	Ban-deul-jin-dal-rae 132 / 605	Ba-wi-go-sa-ri 129 / 643
Baek-ri-hyang-sok 136 / 656	Ban-deul-ji-ne-go-sa-ri 132 / 448	Ba-wi-gu-jeol-che 130 / 436
Baek-ryang-geum 136 / 357	Ban-deul-sa-cho 132 / 399	Ba-wi-gwaeng-i-nun 129 / 409
Baek-san-beo-deul 136 / 618	Ban-di-ji-chi 132 / 524	Ba-wi-jang-dae 131 / 356
Baek-san-cha 136 / 511	Ban-di-mi-na-ri 132 / 595	Ba-wi-jok-je-bi-go-sa-ri 131 / 448
Baek-san-cha-sok 136 / 511	Ban-di-mi-na-ri-sok 132 / 595	Ba-wi-jom-go-sa-ri 131 / 365
Baek-san-sae-pul 136 / 381	Ba-neul-eong-geong-kwi 128 / 412	Ba-wi-jong-deong-gul 131 / 413
Baek-seo-hyang 136 / 434	Ba-neul-gol 128 / 453	Ba-wi-kka-chi-bap-na-mu 130 / 608
Baek-seol-chwi 137 / 624	Ba-neul-gol-sok 128 / 452	Ba-wi-mal-bal-do-ri 130 / 439
Baek-seon 136 / 441	Ba-neul-kka-chi-bap-na-mu 128 / 607	Ba-wi-mi-na-ri-a-jae-bi 130 / 601
Baek-seon-sok 137 / 441	Ba-neul-kkot 128 / 457	Ba-wi-mo-si 130 / 553
Baek-un-bae-na-mu 137 / 598	Ba-neul-kkot-gwa 128 / 551	Ba-wi-po-gi-sa-cho 131 / 394
Baek-un-chwi 137 / 623	Ba-neul-kkot-sok 128 / 456	Ba-wi-sa-cho 130 / 394
Baek-un-gi-reum-na-mul 137 / 567	Ba-neul-myeong-a-ju 128 / 407	Ba-wi-sol 130 / 554
Baek-un-pul 137 / 486	Ba-neul-sa-cho 128 / 396	Ba-wi-sol-sol 130 / 554
Baek-un-pul-sok 137 / 551	Ba-neul-yeo-kkwi 128 / 565	Ba-wi-som-na-mul 130 / 654
Baek-un-ran 137 / 507	Bang-a-pul 134 / 501	Ba-wi-son 130 / 634
Baek-un-ran-sok 137 / 507	Bang-dong-sa-ni 133 / 430	Ba-wi-song-i-pul 130 / 563
Baek-un-san-won-chu-ri 137 / 487	Bang-dong-sa-ni-a-jae-bi 134 / 430	Ba-wi-su-guk 130 / 628
Baek-un-soe-mul-pu-re 137 / 473	Bang-dong-sa-ni-dae-ga-ri 134 / 431	Ba-wi-su-guk-sok 130 / 628
Baek-yang-deo-bu-sal-i 137 / 554	Bang-dong-sa-ni-sok 134 / 430	Ba-wi-teum-go-sa-ri 131 / 447
Baek-yang-kkot 137 / 530	Bang-ga-ji-ttong-sok 133 / 640	Ba-wi-teok-pul 130 / 625
Baem-go-sa-ri 138 / 370	Bang-gi 133 / 637	Beo-deu-jaeng-i-na-mul 138 / 505
Baem-mu 138 / 480	Bang-gi-sok 133 / 637	Beo-deul-ba-neul-kkot 139 / 456
Baem-mu-sok 138 / 479	Bang-mang-i-il-yeop-cho 134 / 514	Beo-deul-bun-chwi 139 / 623
Baem-top 138 / 492	Bang-pae-kkot 134 / 671	Beo-deul-cham-bit 139 / 548
Baem-ttal-gi 138 / 449	Bang-seok-na-mul 134 / 648	Beo-deul-cham-bit-sok 139 / 548
Baem-ttal-gi-sok 138 / 449	Bang-ul-bi-jja-ru 134 / 363	Beo-deul-chwi 139 / 622
Bae-na-mu-sok 135 / 598	Bang-ul-go-raeng-i 134 / 629	Beo-deul-gae-hoe-na-mu 138 / 651
Bae-pung-deung 135 / 639	Bang-ul-kkot 134 / 648	Beo-deul-geum-bul-cho 138 / 498
Ba-i-kal-ba-ram-kkot 131 / 352	Bang-ul-kkot-sok 134 / 648	Beo-deul-gyeo-i-sak-yeo-kkwi
Ba-i-kal-kkwong-ui-da-ri 131 / 655	Bang-ul-nan-cho 134 / 484	138 / 565
Bak-dal-mok-seo 131 / 555	Bang-ul-sae-ran 134 / 580	Beo-deul-hoe-na-mu 139 / 464
Bak-dal-na-mu 131 / 373	Bang-ul-sae-ran-sok 134 / 580	Beo-deul-il-yeop 139 / 527
Bak-gwa 131 / 427	Ban-ha 133 / 574	Beo-deul-ip-eong-geong-kwi 139 / 411
Bak-ha 132 / 537	Ban-ha-sok 133 / 574	Beo-deul-ip-kko-ri-pul 139 / 672
Bak-ha-sok 132 / 537	Ban-jiak-beo-deul 133 / 617	Beo-deul-jwi-ttong-na-mu 139 / 519
Bak-ju-ga-ri 131 / 538	Ban-jjok-go-sa-ri 133 / 594	Beo-deul-kka-chi-su-yeom 138 / 531
Bak-ju-ga-ri-gwa 131 / 363	Ban-song 132 / 575	Beo-deul-myeong-a-ju 138 / 407
Bak-ju-ga-ri-sok 131 / 538	Ban-yong-gol-dam-cho 133 / 386	Beo-deu-na-mu 138 / 617
Bak-ju-ga-ri-na-mu 132 / 345	Ba-raeng-i 129 / 442	Beo-deu-na-mu-gwa 138 / 616
Bak-jwi-na-mu-gwa 132 / 345	Ba-raeng-i-sa-cho 129 / 392	Beo-deu-na-mu-sok 138 / 616
Bak-jwi-na-mul 132 / 560	Ba-raeng-i-sae 129 / 376	Beo-eo-meon-cho 139 / 380
Bak-jwi-na-mul-sok 132 / 559	Ba-raeng-i-sae-sok 129 / 376	Beo-eo-meon-cho-gwa 139 / 380
Bak-jwi-na-mu-sok 132 / 345	Ba-raeng-i-sok 129 / 442	Beo-eo-meon-cho-sok 139 / 380
Bak-sae 131 / 669	Ba-ram-go-sa-ri 129 / 433	

Beol-bae-na-mu 140 / 641	Bi-neul-gae-gwan-jung 152 / 584	Bu-chae-ma 147 / 442
Beol-deung-gol-na-mul 140 / 464	Bi-neul-go-sa-ri 152 / 447	Bu-chae-ssa-ri 147 / 516
Beol-gae-mi-chwi 140 / 366	Bi-neul-i-kki 152 / 634	Bu-cheo-kkot 147 / 531
Beol-kkae-deong-gul 140 / 535	Bi-neul-sa-cho 152 / 396	Bu-cheo-kkot-gwa 147 / 531
Beol-kkae-deong-gul-sok 140 / 535	Bi-neul-seok-song 152 / 529	Bu-cheo-kkot-sok 147 / 531
Beol-kkae-naeng-i 140 / 387	Bi-no-ri 152 / 459	Bu-cheo-son 147 / 634
Beol-kkae-pul 140 / 445	Bi-nyeo-gol-pul 151 / 504	Bu-cheo-son-gwa 147 / 634
Beol-no-rang-i 140 / 527	Bip-sae-gwi-ri 154 / 378	Bu-cheo-son-sok 147 / 633
Beol-no-rang-i-sok 140 / 527	Bi-reum 152 / 349	Bu-chu-sok 147 / 347
Beol-re-jap-i-je-bi-kkot 140 / 574	Bi-reum-gwa 152 / 349	Bu-deul 146 / 665
Beol-re-jap-i-sok 140 / 574	Bi-reum-sok 152 / 349	Bu-deul-gwa 146 / 665
Beol-re-meok-i-mal 140 / 346	Bi-ro-yong-dam 152 / 476	Bu-deul-sol 146 / 665
Beol-re-meok-i-mal-sok 140 / 346	Bi-seul-gae-byeol-kkot 153 / 593	Bu-ge-kkot-na-mu 146 / 335
Beol-sa-cho 140 / 393	Bi-ssuk 153 / 361	Bu-jeon-ba-di 146 / 417
Beol-sa-sang-ja 140 / 416	Bi-sul-na-mu 153 / 666	Bu-jeon-ba-di-sok 146 / 417
Beol-sseum-ba-gwi 141 / 502	Bi-su-ri 153 / 515	Bu-jeon-je-bi-go-kkal 146 / 435
Beol-wan-du 141 / 673	Bit-sal-sae 154 / 430	Bu-jeon-jwi-son-i 146 / 478
Beom-bu-chae 141 / 371	Bit-sal-sae-sok 154 / 430	Bu-jeon-ran 146 / 457
Beom-bu-chae-sok 141 / 371	Bit-sal-seo-deol-chwi 154 / 624	Bu-jeon-song-i-pul 146 / 563
Beom-kko-ri 141 / 374	Bi-yang-na-mu-sok 153 / 553	Bu-ji-kkaeng-i-na-mul 146 / 461
Beom-kko-ri-sok 141 / 374	Bo-chun-hwa 144 / 428	Buk-ba-wi-go-sa-ri 147 / 426
Beom-ui-gwi 141 / 625	Bo-chun-hwa-sok 144 / 428	Buk-ba-wi-go-sa-ri-sok 147 / 426
Beom-ui-gwi-gwa 141 / 625	Bo-eun-dae-chu-na-mu 144 / 684	Buk-bun-chwi 148 / 623
Beom-ui-gwi-sok 141 / 625	Bo-hyeon-gae-byeol-kkot 144 / 593	Buk-bu-sit-git-go-sa-ri 148 / 406
Beon-haeng-cho 139 / 654	Bok-bun-ja-ttal-gi 144 / 611	Buk-gae-beot-ji-na-mu 147 / 591
Beon-haeng-cho-gwa 139 / 344	Bok-ja-gi 145 / 335	Buk-ga-si-na-mu 149 / 599
Beon-haeng-cho-sok 139 / 654	Bok-jang-na-mu 145 / 334	Buk-gwan-jung 147 / 447
Beot-eum-sseum-ba-gwi 140 / 502	Bok-ju-meo-ni-ran 145 / 432	Buk-jeom-na-do-na-mul 148 / 404
Beot-na-mu 141 / 592	Bok-ju-meo-ni-ran-sok 145 / 432	Buk-mi-na-ri-a-jae-bi 147 / 601
Beot-na-mu-sok 141 / 590	Bok-sa-aeng-do-na-mu 144 / 590	Buk-na-mu 149 / 606
Beot-pul 141 / 616	Bok-su-cho 145 / 342	Buk-na-mu-sok 149 / 606
Bi-ba-ri-gol-mu-kkot 152 / 631	Bok-su-cho-sok 145 / 342	Buk-no-rang-sang-sa-hwa 149 / 530
Bi-bi-chu-nan-cho 152 / 658	Bok-ttal-na-mu 144 / 613	Buk-sa-cho 148 / 389
Bi-bi-chu-nan-cho-sok 152 / 658	Bol-re-goe-bul-na-mu 145 / 526	Buk-sae-bal-go-sa-ri 148 / 369
Bi-bi-chu-sok 153 / 490	Bom-gu-seul-bung-i 145 / 477	Buk-seon-jeom-na-do-na-mul 148 / 405
Bi-dan-bun-chwi 152 / 623	Bom-mat-i 145 / 352	Buk-seon-me-ttwi-gi-pi 148 / 381
Bi-dan-ssuk 152 / 361	Bom-mat-i-ikkot-sok 145 / 352	Buk-soe-tteu-gi 148 / 458
Bi-go-sa-ri 151 / 522	Bom-na-do-naeng-i 145 / 371	Buk-tong-bal 148 / 667
Bi-go-sa-ri-sok 151 / 522	Bom-yeo-kkwi 145 / 567	Bul-geun-beol-kkae-deong-gul 150 / 535
Bi-ja-na-mu 153 / 659	Bong-dong-cham-na-mu 145 / 601	Bul-geun-byeong-kkot-na-mu 150 / 680
Bi-ja-na-mu-sok 153 / 659	Bong-rae-kko-ri-pul 145 / 670	Bul-geun-cham-ban-di 150 / 621
Bi-ja-ran 153 / 656	Bong-seon-hwa-gwa 145 / 371	Bul-geun-dae-geuk 150 / 464
Bi-ja-ran-sok 153 / 656	Bong-ui-kko-ri 145 / 595	Bul-geun-dae-san-ppong 150 / 544
Bi-jin-do-kong 153 / 449	Bong-ui-kko-ri-sok 146 / 594	Bul-geun-ga-mun-bi 149 / 572
Bi-jin-do-kong-sok 153 / 449	Bo-pul 144 / 615	Bul-geun-gol-pul-a-jae-bi 150 / 607
Bi-jja-ru 153 / 363	Bo-pul-sok 144 / 615	Bul-geun-go-ro-soe 150 / 334
Bi-jja-ru-sok 153 / 363	Bo-ra-na-rang-mu-nui-but-kkot 144 / 499	Bul-geun-gu-sang 150 / 333
Bi-jju-gi-na-mu 153 / 415	Bo-ri-bap-na-mu 144 / 451	Bul-geun-gyeo-ul-sal-i 149 / 679
Bi-jju-gi-na-mu-sok 153 / 415	Bo-ri-jang-na-mu 144 / 451	Bul-geun-ho-jang-geun 151 / 467
Bi-re-na-mu 154 / 532	Bo-ri-su-na-mu 144 / 451	Bul-geun-jo-gae-na-mul 150 / 345
Bi-re-na-mu-gwa 154 / 532	Bo-ri-su-na-mu-gwa 144 / 451	Bul-geun-ki-beo-deul 150 / 617
Bi-re-na-mu-sok 154 / 532	Bo-ri-su-na-mu-sok 144 / 451	Bul-geun-kkot-ssa-ri 150 / 385
Bi-mok-na-mu 152 / 521	Bu-chae-but-kkot 147 / 499	Bul-geun-no-ru-sam 150 / 338
Bin-chu-na-mu 154 / 590	Bu-chae-goe-bul-i-kki 147 / 425	
Bin-chu-na-mu-sok 154 / 590		

Bul-geun-sa-cheol-ran 150 / 482  
 Bul-geun-su-keu-ryeong 150 / 564  
 Bul-geun-teol-i-seul 151 / 410  
 Bul-geun-teo-ri-pul 150 / 470  
 Bul-geun-top-pul 151 / 335  
 Bul-geun-yeo-ro 150 / 670  
 Bun-beo-deul 148 / 618  
 Bun-bi-na-mu 148 / 333  
 Bun-chwi 148 / 624  
 Bun-dan-na-mu 148 / 672  
 Bun-gae-gu-ri-bap 148 / 681  
 Bun-gae-gu-ri-bap-sok 148 / 681  
 Bun-hong-ba-neul-kkot 149 / 456  
 Bun-hong-beot-na-mu 149 / 591  
 Bun-hong-hal-mi-kkot 149 / 596  
 Bun-hong-jang-gu-chae 149 / 636  
 Bun-hong-jop-ssal-pul 149 / 531  
 Bun-hong-jwi-son-i 149 / 479  
 Bun-hong-kkot-hyang-yu 149 / 455  
 Bun-hong-mi-seon-na-mu 149 / 332  
 Bun-hong-no-nu-bal 149 / 597  
 Bun-hong-teol-bok-ju-meo-ni-ran  
                                   149 / 432  
 Bun-kkot-na-mu 148 / 672  
 Bung-eo-ma-reum 151 / 405  
 Bung-eo-ma-reum-gwa 151 / 405  
 Bung-eo-ma-reum-sok 151 / 405  
 Bung-gen-sae-pul 151 / 381  
 Bu-ri-sil-cheong-sa-cho 146 / 397  
 Bu-ryeong-so-ri-jaeng-i 146 / 614  
 Bu-san-ma-di-pul 146 / 583  
 Bu-sit-git-go-sa-ri 146 / 406  
 But-kkot 151 / 499  
 But-kkot-gwa 151 / 498  
 But-kkot-sok 151 / 498  
 But-sun-na-mu 151 / 496  
 But-sun-na-mu-gwa 151 / 496  
 But-sun-na-mu-sok 151 / 496  
 Byeo-gwa 141 / 580  
 Byeok-o-dong-gwa 142 / 647  
 Byeol-go-sa-ri 142 / 428  
 Byeol-go-sa-ri-sok 142 / 427  
 Byeol-i-kki 142 / 383  
 Byeol-i-kki-gwa 142 / 383  
 Byeol-i-kki-sok 142 / 383  
 Byeol-kkot 142 / 646  
 Byeol-kkot-pul 142 / 649  
 Byeol-kkot-sok 142 / 645  
 Byeol-kkwong-ui-bap 142 / 528  
 Byeol-nal-gae-gol-pul 142 / 504  
 Byeol-pung-gyeong-sa-cho 143 / 395  
 Byeol-sa-cho 142 / 398  
 Byeong-a-ri-bang-dong-sa-ni 143 / 431  
 Byeong-a-ri-da-ri 143 / 619  
 Byeong-a-ri-kkot-na-mu 143 / 606

Byeong-a-ri-kkot-na-mu-sok 143 / 606  
 Byeong-a-ri-nan-cho 143 / 350  
 Byeong-a-ri-nan-cho-sok 143 / 350  
 Byeong-a-ri-pul 143 / 581  
 Byeong-gae-am-na-mu 143 / 423  
 Byeong-jo-hui-pul 143 / 414  
 Byeong-kkot-na-mu 143 / 681  
 Byeong-kkot-na-mu-sok 143 / 680  
 Byeong-mul-gae-am-na-mu 143 / 423  
 Byeong-pul 143 / 403  
 Byeong-pul-sol 143 / 403  
 Byeong-pung-ssam 144 / 560  
 Byeon-san-ba-ram-kkot 142 / 459  
 Byeo-ruk-a-jae-bi 141 / 542  
 Byeo-ruk-a-jae-bi-sok 141 / 542  
 Byeo-ruk-i-ja-ri 142 / 358  
 Byeo-ruk-i-ja-ri-sok 142 / 358  
 Byeo-ruk-i-ul-ta-ri 142 / 358  
 Byeo-ruk-na-mul 141 / 645

**C**

Cha-bit-dang-ma-ga-mok 266 / 641  
 Cha-bit-gwi-rung 266 / 591  
 Chae-go-chu-na-mul 272 / 495  
 Chae-jin-mok 272 / 350  
 Chae-jin-mok-sok 272 / 349  
 Cha-geol-i-ran 265 / 550  
 Cha-geol-i-ran-sok 265 / 550  
 Cha-il-bong-gae-mi-ja-ri 266 / 540  
 Cha-kko-ri-go-sa-ri 265 / 365  
 Chal-pi-na-mu 266 / 657  
 Cham-bae-am-cha-jeu-gi 269 / 619  
 Cham-bak-jwi-na-mul 268 / 560  
 Cham-ban-di 268 / 621  
 Cham-ban-di-sok 268 / 621  
 Cham-ba-neul-gol 268 / 453  
 Cham-bang-dong-sa-ni 269 / 431  
 Cham-ba-wi-chwi 268 / 625  
 Cham-beom-kko-ri 269 / 374  
 Cham-bi-bi-chu 269 / 490  
 Cham-bi-nyeo-gol-pul 269 / 504  
 Cham-bit-sal-na-mu 269 / 463  
 Cham-chwi 271 / 366  
 Cham-chwi-sok 271 / 365  
 Cham-dae-geuk 268 / 465  
 Cham-dang-gwi 268 / 354  
 Cham-du-me-bu-chu 268 / 348  
 Cham-eok-sae 270 / 541  
 Cham-eu-a-ri 270 / 414  
 Cham-gae-am-na-mu 266 / 423  
 Cham-gae-byeon-kkot 266 / 593  
 Cham-gae-sing-a 266 / 338  
 Cham-gae-yeon-kkot 266 / 550  
 Cham-gal-kwi-deong-gul 266 / 474  
 Cham-gal-mae-na-mu 266 / 603

Cham-ga-si-na-mu 266 / 600  
 Cham-gim-ui-teol 267 / 468  
 Cham-gi-saeng-kkot 267 / 662  
 Cham-go-chu-naeng-i 266 / 387  
 Cham-gol-dam-cho 266 / 386  
 Cham-gol-mu-kkot 266 / 632  
 Cham-gol-pul 267 / 503  
 Cham-gom-bi-neul-go-sa-ri 267 / 449  
 Cham-hoe-na-mu 271 / 463  
 Cham-hwang-sae-pul 271 / 461  
 Cham-jak-yah 271 / 558  
 Cham-jang-dae-na-mul 271 / 356  
 Cham-je-bi-go-kkal 271 / 436  
 Cham-ji-ne-go-sa-ri 271 / 448  
 Cham-jo-pap-na-mu 271 / 643  
 Cham-jop-ssal-pul 271 / 530  
 Cham-jop-ssal-pul-sok 271 / 530  
 Cham-jul-ba-kkot 271 / 337  
 Cham-ju-reum-jo-gae-pul 271 / 552  
 Cham-kkae-gwa 267 / 562  
 Cham-kkot-bat-i 267 / 376  
 Cham-kkot-ma-ri 267 / 663  
 Cham-kkot-na-mu 267 / 606  
 Cham-ma 268 / 442  
 Cham-mul-bu-chu 268 / 501  
 Cham-myéong-a-ju 268 / 407  
 Cham-na-do-hi-cho-mi 267 / 584  
 Cham-na-mu-gwa 267 / 467  
 Cham-na-mu-gyeo-u-sal-i 267 / 653  
 Cham-na-mu-gyeo-u-sal-i-sok  
                                   267 / 653  
 Cham-na-mul 268 / 574  
 Cham-na-mul-sok 268 / 574  
 Cham-na-mu-sok 268 / 599  
 Cham-na-rae-bak-jwi 267 / 560  
 Cham-na-rae-sae 267 / 647  
 Cham-na-ri 267 / 520  
 Cham-na-ri-nan-chu 267 / 523  
 Cham-neu-reup-na-mu 268 / 666  
 Cham-o-geul-ip-beo-deul 270 / 618  
 Cham-sa-da-ri-go-sa-ri 269 / 560  
 Cham-sae-bal-go-sa-ri 269 / 368  
 Cham-sae-geu-ryeong 269 / 458  
 Cham-sae-geu-ryeong-sok 269 / 458  
 Cham-sae-gwi-ri 269 / 378  
 Cham-sae-gwi-ri-sok 269 / 378  
 Cham-sae-pi 269 / 562  
 Cham-sae-pi-sok 270 / 562  
 Cham-san-bu-chu 269 / 347  
 Cham-sat-gat-sa-cho 269 / 393  
 Cham-si-ho 270 / 380  
 Cham-sik-na-mu 270 / 548  
 Cham-sik-na-mu-sok 270 / 548  
 Cham-soe-bo-ri 270 / 500  
 Cham-soe-go-bi 270 / 433

Cham-so-ri-jaeng-i 270 / 613  
 Cham-ssal-sae 270 / 536  
 Cham-ssa-ri 270 / 515  
 Cham-ssuk 270 / 360  
 Cham-teo-ri-pul 271 / 470  
 Cham-ttuk-sa-cho 268 / 398  
 Cham-u-deu-pul 270 / 682  
 Cham-yang-ji-kkot 270 / 587  
 Cham-yeo-ro 270 / 669  
 Cha-na-mu 265 / 385  
 Cha-na-mu-gwa 265 / 655  
 Chang-go-sa-ri 271 / 418  
 Chang-il-yeop 271 / 539  
 Chang-il-yeop-sok 272 / 539  
 Chang-po 272 / 338  
 Chang-po-sok 272 / 338  
 Cha-pul 266 / 405  
 Cha-pul-sok 266 / 405  
 Che-kkot 275 / 626  
 Che-kkot-sok 275 / 626  
 Cheo-jin-ppong-na-mu 272 / 544  
 Cheo-jin-so-na-mu 272 / 575  
 Cheol-jjuk-kkot 273 / 605  
 Cheong-bi-nyeo-gol-pul 274 / 504  
 Cheong-bi-su-ri 274 / 515  
 Cheong-bok-bun-ja-ttal-gi 274 / 611  
 Cheong-bun-bi-na-mu 274 / 333  
 Cheong-dak-ui-nan-cho 274 / 457  
 Cheong-gal-cham-na-mu 273 / 599  
 Cheong-ga-si-deong-gul 273 / 639  
 Cheong-goe-bul-na-mu 273 / 526  
 Cheong-ji-ne-go-sa-ri 275 / 447  
 Cheong-jol-gal-cham-na-mu 275 / 599  
 Cheong-kka-ma-gwi-meo-ru 273 / 679  
 Cheong-meong-seok-ttal-gi 274 / 613  
 Cheong-mi-rae-deong-gul 274 / 639  
 Cheong-mi-rae-deong-gul-sok  
     274 / 639  
 Cheong-myung-a-ju 274 / 407  
 Cheong-na-rae-go-sa-ri 273 / 534  
 Cheong-na-rae-go-sa-ri-sok 274 / 534  
 Cheong-o-mi-ja 275 / 627  
 Cheong-pi-sa-cho 275 / 394  
 Cheong-po-a-pul 275 / 580  
 Cheong-sa-cheol-ran 274 / 482  
 Cheong-sa-cho 274 / 389  
 Cheong-sa-jo 274 / 372  
 Cheong-si-dak-na-mu 275 / 333  
 Cheong-sil-ri 275 / 598  
 Cheong-su-keu-ryeong 275 / 564  
 Cheong-su-ri-ttal-gi 274 / 611  
 Cheong-swi-it-tang-na-mu 275 / 641  
 Cheong-tteok-gal-na-mu 274 / 599  
 Cheon-gung-sok 273 / 416  
 Cheong-wi-bong-bae-na-mu 275 / 598

Cheon-il-dam-bae-pul 273 / 400  
 Cheon-il-sa-cho 273 / 398  
 Cheon-ma 273 / 476  
 Cheon-ma-sok 273 / 476  
 Cheon-mun-dong 273 / 363  
 Cheon-nam-seong 273 / 358  
 Cheon-nam-seong-gwa 273 / 356  
 Cheon-nam-seong-sok 273 / 358  
 Cheon-seon-gwa-na-mu 273 / 469  
 Cheo-nyeo-ba-di 272 / 353  
 Cheo-nyeo-chi-ma 272 / 487  
 Cheo-nyeo-chi-ma-sok 272 / 487  
 Cheo-nyeo-go-sa-ri 272 / 656  
 Cheo-nyeo-go-sa-ri-sok 272 / 655  
 Cheo-nyeo-i-kki 272 / 535  
 Cheo-nyeo-i-kki-gwa 272 / 494  
 Cheo-nyeo-i-kki-sok 272 / 535  
 Cheuk-baek-na-mu 276 / 578  
 Cheuk-baek-na-mu-gwa 276 / 427  
 Cheuk-baek-na-mu-sok 276 / 578  
 Cheung-cheung-dung-gul-re 277 / 582  
 Cheung-cheung-go-raeng-i 277 / 412  
 Cheung-cheung-go-raeng-i-sok  
     277 / 412  
 Cheung-cheung-go-ran-cho 277 / 426  
 Cheung-cheung-i-kkot 277 / 415  
 Cheung-cheung-i-kkot-sok 277 / 415  
 Cheung-cheung-jan-dae 277 / 341  
 Cheung-cheung-jang-gu-chae 277 / 637  
 Cheung-cheung-na-mu 277 / 420  
 Cheung-cheung-na-mu-gwa 277 / 420  
 Cheung-cheung-na-mu-sok 277 / 420  
 Cheung-kkot-na-mu 277 / 401  
 Cheung-kkot-na-mu-sok 277 / 401  
 Cheung-sil-sa-cho 277 / 397  
 Chik 278 / 596  
 Chik-sok 278 / 596  
 Chil-bo-chi-ma 278 / 538  
 Chil-bo-chi-ma-sok 278 / 538  
 Chil-bo-gae-mul-tong-i 277 / 561  
 Chil-myeon-cho 277 / 649  
 Cho-jong-yong 276 / 553  
 Cho-jong-yong-sok 276 / 553  
 Chong-jeon-gwang-i 276 / 481  
 Cho-pi-na-mu 276 / 683  
 Cho-pi-na-mu-sok 276 / 683  
 Cho-pyeong-jo-pap-na-mu 276 / 644  
 Cho-rong-kkot 275 / 385  
 Cho-rong-kkot-gwa 276 / 385  
 Cho-rong-kkot-sok 276 / 385  
 Cho-ryeong-mok 275 / 539  
 Cho-ryeong-mok-sok 275 / 539  
 Chot-dae-seung-ma 276 / 410  
 Chu-bun-chwi 276 / 606  
 Chu-bun-chwi-sok 276 / 606

Chwi-myeong-a-ju 276 / 407  
 Chwi-na-mul-sok 276 / 622  
  
**D**  
 Da-bal-gol-mu-kkot 82 / 631  
 Da-buk-ba-wi-sol 82 / 554  
 Da-buk-go-chu-na-mul 82 / 495  
 Da-buk-tteok-ssuk 82 / 351  
 Da-buk-tteok-ssuk-sok 82 / 351  
 Da-dak-naeng-i-sok 81 / 513  
 Da-do-hae-bi-bi-chu 81 / 490  
 Dae-am-gae-bal-na-mul 87 / 638  
 Dae-am-sa-cho 87 / 390  
 Dae-ban-ha 87 / 574  
 Dae-cheong 88 / 500  
 Dae-cheong-bu-chae 88 / 498  
 Dae-cheong-ga-si-na-mu 88 / 610  
 Dae-cheong-ji-chi 88 / 657  
 Dae-cheong-ji-chi-sok 88 / 657  
 Dae-cheong-sok 88 / 500  
 Dae-chu-na-mu-sok 88 / 684  
 Dae-dong-yeo-kkwi 87 / 565  
 Dae-ga-rae 86 / 586  
 Dae-geuk 86 / 465  
 Dae-geuk-gwa 87 / 465  
 Dae-geuk-sok 87 / 464  
 Dae-gu-dol-na-mul 86 / 658  
 Dae-gu-dol-na-mul-sok 86 / 658  
 Dae-gu-eu-a-ri 86 / 414  
 Dae-gu-sa-cho 86 / 396  
 Dae-heung-ran 88 / 428  
 Dae-hwang-sok 88 / 604  
 Dae-ma-cham-na-mul 87 / 658  
 Dae-man-pi 87 / 450  
 Dae-na-mul 87 / 484  
 Dae-na-mul-sok 87 / 484  
 Daeng-daeng-i-deong-gul 89 / 416  
 Daeng-daeng-i-deong-gul-sok 89 / 416  
 Daeng-daeng-i-na-mu 89 / 524  
 Daeng-gang-na-mu 88 / 332  
 Daeng-gang-na-mu-sok 89 / 332  
 Dae-paet-jip-na-mu 88 / 496  
 Daep-ssa-ri-sok 88 / 506  
 Dae-sa-cho 87 / 398  
 Dae-sae-pul 87 / 413  
 Dae-sae-pul-sok 87 / 413  
 Dae-seong-sseun-pul 87 / 351  
 Dae-seong-sseun-pul-sok 87 / 351  
 Dae-song-i-pul 87 / 563  
 Dae-taek-bi-nyeo-gol-pul 88 / 504  
 Dae-taek-gwang-i 88 / 481  
 Dae-taek-sa-cho 88 / 394  
 Dae-taek-so-gwi-na-mul 88 / 615  
 Da-jeong-keum-na-mu 82 / 604  
 Da-jeong-keum-na-mu-sok 82 / 603

Dak-jang-beo-deul 82 / 616	Dan-pung-teo-ri-pul 83 / 470	Deul-me-na-mu 100 / 472
Dak-na-mu-sok 82 / 379	Dan-pung-ttal-gi 83 / 612	Deul-sa-cho 100 / 391
Dak-ui-deong-gul-sok 84 / 467	Dan-yang-ssuk-bu-jaeng-i 83 / 365	Deul-sae-pul 100 / 381
Dak-ui-jang-pul 84 / 418	Da-rae 82 / 338	Deul-tong-bal 101 / 667
Dak-ui-jang-pul-gwa 84 / 418	Da-rae-na-mu-gwa 82 / 339	Deul-tteok-ssuk 100 / 513
Dak-ui-jang-pul-sok 84 / 418	Da-rae-na-mu-sok 82 / 338	Deu-mun-go-sa-ri 100 / 538
Dak-ui-nan-cho 84 / 457	Da-ram-jwi-kko-ri 81 / 491	Deu-mun-go-sa-ri-sok 100 / 538
Dak-ui-nan-cho-sok 84 / 457	Da-ram-jwi-kko-ri-sok 81 / 491	Deung 101 / 681
Dal-gu-ji-pul 84 / 662	Da-reup-na-mu 82 / 531	Deung-chik 102 / 359
Dal-ppu-ri-pul 84 / 570	Da-reup-na-mu-sok 82 / 531	Deung-dae-pul 101 / 465
Dal-rae 84 / 347	Da-si-ma-go-sa-ri-sam 82 / 552	Deung-dae-si-ho 101 / 379
Dam-bae-chwi 84 / 622	Da-si-ma-il-yeop-cho 82 / 513	Deung-e-pul 101 / 445
Dam-bae-pul 84 / 400	Dat-kkot 86 / 485	Deung-e-pul-sok 102 / 445
Dam-bae-pul-sok 84 / 399	Dat-kkot-sok 86 / 484	Deung-gal-kwi-na-mul 101 / 673
Dam-jaeng-i-deong-gul 85 / 561	Deo-bu-sal-i-go-sa-ri 89 / 584	Deung-gol-na-mul 101 / 464
Dam-jaeng-i-deong-gul-sok 85 / 561	Deo-deok 89 / 417	Deung-gol-na-mul-sok 101 / 464
Dam-ja-ri-cham-kkot 85 / 605	Deo-deok-sok 89 / 416	Deung-po-ip-ga-rae 102 / 586
Dam-ja-ri-kkot-na-mu 84 / 446	Deok-jin-sa-cho 89 / 392	Deung-po-pul 102 / 521
Dam-ja-ri-kkot-na-mu-sok 84 / 446	Deok-u-gi-reum-na-mul 89 / 567	Deung-po-pul-sok 102 / 521
Dam-pal-su 85 / 452	Deol-kkwong-na-mu 89 / 672	Deung-sim-but-kkot-sok 101 / 638
Dam-pal-su-gwa 85 / 452	Deom-bul-chwi 90 / 623	Deung-sok 101 / 681
Dam-pal-su-sok 85 / 452	Deom-bul-jo-pap-na-mu 89 / 643	Deung-su-guk 101 / 492
Dam-sang-i-sak-pul 84 / 377	Deom-bul-kkot-du-seo-ni 89 / 611	Deu-reong-bang-dong-sa-ni 100 / 431
Dam-sang-i-sak-pul-sok 84 / 377	Deom-bul-no-bak-deong-gul 89 / 402	Deu-reong-sae 100 / 514
Dan-cheon-hyang-na-mu 83 / 505	Deom-bul-o-ri-na-mu 89 / 349	Deu-reong-sae-sok 100 / 514
Dang-beo-deul 86 / 585	Deom-bul-ssuk 89 / 361	Do-duk-nom-ui-gal-go-ri 91 / 439
Dang-bun-chwi 86 / 624	Deong-gul-baem-ttal-gi 90 / 588	Do-duk-nom-ui-gal-go-ri-sok 91 / 438
Dang-dan-pung-na-mu 85 / 334	Deong-gul-bak-ju-ga-ri 90 / 429	Doen-jang-pul 95 / 438
Dang-gae-ji-chi 85 / 377	Deong-gul-byeol-kkot 90 / 636	Dok-hwal 92 / 357
Dang-gae-ji-chi-sok 85 / 377	Deong-gul-byeol-kkot-sok 90 / 427	Do-kkae-bi-ba-neul 91 / 373
Dang-gae-seo-eo-na-mu 85 / 400	Deong-gul-dak-ui-jang-pul 90 / 647	Do-kkae-bi-ba-neul-sok 91 / 373
Dang-geun-sok 85 / 435	Deong-gul-dak-ui-jang-pul-sok 90 / 647	Do-kkae-bi-bu-chae 91 / 608
Dang-gwang-na-mu 85 / 519	Deong-gul-gae-byeol-kkot 90 / 593	Do-kkae-bi-bu-chae-sok 91 / 608
Dang-gwi-sok 85 / 353	Deong-gul-gwak-hyang 90 / 654	Do-kkae-bi-eong-geong-kwi 91 / 412
Dang-hoe-ip-na-mu 86 / 462	Deong-gul-kkot-ma-ri 90 / 662	Do-kkae-bi-sa-cho 91 / 390
Dang-jan-dae 86 / 340	Deong-gul-min-baek-mi-kkot 90 / 429	Do-kkae-bi-soe-go-bi 91 / 433
Dang-jo-pap-na-mu 86 / 643	Deong-gul-mo-mil 90 / 565	Do-kko-ro-ma 91 / 443
Dang-ki-beo-deul 86 / 618	Deong-gul-ot-na-mu 90 / 659	Dok-mi-na-ri 92 / 409
Dang-mae-ja-na-mu 85 / 372	Deong-gul-sa-cho 90 / 397	Dok-mi-na-ri-sok 92 / 409
Dang-ma-ga-mok 85 / 641	Deong-gul-yong-dam 91 / 663	Dol-aeng-cho 94 / 590
Dang-neu-reup-na-mu 85 / 666	Deong-gul-yong-dam-sok 91 / 663	Dol-bae-na-mu 93 / 598
Dang-sap-ju 86 / 370	Deong-i-ppu-ri-gae-byeol-kkot 91 / 593	Dol-bang-pung 93 / 399
Dang-yang-ji-kkot 86 / 588	Deot-ip-ga-mak-sal-na-mu 90 / 673	Dol-bang-pung-sok 93 / 399
Dan-hyang-gwa 83 / 621	Deot-na-mu 90 / 620	Dol-bu-chae 93 / 372
Dan-ju-dae-geuk 83 / 465	Deo-wi-ji-gi 89 / 360	Dol-bu-chae-sok 93 / 372
Dan-pung-bak-jwi-na-mu 83 / 345	Deul-bae-na-mu 100 / 598	Dol-bu-chae-son 93 / 545
Dan-pung-chwi 83 / 344	Deul-ba-ram-kkot 100 / 352	Dol-bu-chu 93 / 347
Dan-pung-chwi-sok 83 / 344	Deul-beo-deul 100 / 618	Dol-chae-song-hwa 94 / 633
Dan-pung-go-sa-ri-sam 83 / 626	Deul-ha-neul-ji-gi 101 / 471	Dol-dam-go-sa-ri 93 / 365
Dan-pung-ip-seok-wi 83 / 597	Deul-hyeon-ho-saeak 101 / 423	Dol-dan-pung 93 / 545
Dan-pung-je-bi-kkot 83 / 675	Deul-ji-chi 101 / 509	Dol-dan-pung-sok 93 / 545
Dan-pung-ma 83 / 442	Deul-ji-chi-sok 101 / 509	Dol-dong-bu 93 / 675
Dan-pung-na-mu 83 / 334	Deul-jjuk-na-mu 101 / 668	Dol-gal-mae-na-mu 92 / 603
Dan-pung-na-mu-gwa 83 / 335	Deul-kkae-pul 100 / 544	Dol-ga-si-na-mu 92 / 610
Dan-pung-na-mu-sok 83 / 333		Dol-gi-ne-mo-gol 92 / 453

Dol-jan-go-sa-ri 94 / 539  
 Dol-jan-go-sa-ri-sok 94 / 539  
 Dol-ji-chi 94 / 509  
 Dol-jom-go-sa-ri 94 / 365  
 Dol-kkot 92 / 604  
 Dol-kkot-sok 92 / 604  
 Dol-kong 94 / 482  
 Dol-ma-ta-ri 93 / 562  
 Dol-na-mul 93 / 633  
 Dol-na-mul-gwa 93 / 424  
 Dol-na-mul-sok 93 / 632  
 Dol-oe 94 / 483  
 Dol-oe-sok 94 / 483  
 Dol-pi 94 / 450  
 Dol-ppong-na-mu 93 / 544  
 Dol-to-kgi-go-sa-ri 94 / 539  
 Dol-yang-ji-kkot 94 / 587  
 Dong-a-na-ja-seu-mal 95 / 546  
 Dong-baek-na-mu 94 / 385  
 Dong-baek-na-mu-gyeo-u-sal-i  
94 / 507  
 Dong-baek-na-mu-gyeo-u-sal-i-sok  
95 / 507  
 Dong-baek-na-mu-sok 95 / 384  
 Dong-baek-sa-cho 95 / 394  
 Dong-bu-sok 95 / 675  
 Dong-gang-hal-mi-kkot 94 / 596  
 Dong-ja-kkot 95 / 528  
 Dong-ja-kkot-sok 95 / 528  
 Dong-rae-eong-geong-kwi 94 / 412  
 Dong-ui-na-mul 95 / 384  
 Dong-ui-na-mul-sok 95 / 384  
 Don-na-mu 92 / 576  
 Don-na-mu-gwa 92 / 576  
 Don-na-mu-sok 92 / 576  
 Do-raeng-i-pi 92 / 507  
 Do-raeng-i-pi-sok 92 / 507  
 Do-raeng-i-sa-cho 92 / 388  
 Do-ra-ji 91 / 578  
 Do-ra-ji-mo-si-dae 91 / 339  
 Do-ra-ji-sok 92 / 578  
 Do-ru-bak-i 92 / 629  
 Du-ip-gam-ja-nan-cho 98 / 553  
 Du-ip-yak-nan-cho 98 / 425  
 Du-me-ae-gi-pul 97 / 581  
 Du-me-ba-neul-kkot 96 / 456  
 Du-me-bu-chu 96 / 348  
 Du-me-bun-chwi 97 / 624  
 Du-me-cheung-cheung-i 97 / 416  
 Du-me-chwi 97 / 624  
 Du-me-dae-guek 96 / 464  
 Du-me-dak-na-mu 96 / 434  
 Du-me-dam-bae-pul 96 / 400  
 Du-me-dang-geun 96 / 353  
 Du-me-gae-go-sa-ri 96 / 369

Du-me-gal-kwi 96 / 475  
 Du-me-gim-ui-teol 96 / 469  
 Du-me-gi-reum-na-mul 96 / 567  
 Du-me-go-deul-ppae-gi 96 / 508  
 Du-me-go-sa-ri 96 / 443  
 Du-me-hong-goe-bul-na-mu 97 / 525  
 Du-me-hwang-sae-pul 97 / 461  
 Du-me-jan-dae 97 / 340  
 Du-me-ja-un 97 / 557  
 Du-me-ja-un-sok 97 / 557  
 Du-me-kkul-pul 96 / 590  
 Du-me-kkwong-ui-bap 96 / 528  
 Du-me-mi-kku-ri-gwang-i 96 / 481  
 Du-me-naeng-i 96 / 387  
 Du-me-o-i-pul 97 / 620  
 Du-me-o-ri-na-mu 97 / 349  
 Du-me-po-a-pul 97 / 579  
 Du-me-tap-pul 97 / 416  
 Du-me-tu-gu-kkot 97 / 671  
 Du-me-u-deu-pul 97 / 682  
 Du-me-yang-gwi-bi 97 / 559  
 Dung-geun-bae-am-cha-jeu-gi 98 / 619  
 Dung-geun-ba-wi-sol 98 / 554  
 Dung-geun-beom-kko-ri 98 / 374  
 Dung-geun-geom-ba-neul-gol 98 / 453  
 Dung-geun-ha-neul-ji-gi 100 / 471  
 Dung-geun-i-jil-pul 98 / 478  
 Dung-geun-in-ga-mok 98 / 609  
 Dung-geun-ip-bi-reum 99 / 633  
 Dung-geun-ip-cham-bit-sal-na-mu  
99 / 463  
 Dung-geun-ip-cheon-nam-seong  
99 / 358  
 Dung-geun-ip-daeng-daeng-i 99 / 525  
 Dung-geun-ip-da-jeong-keum 99 / 603  
 Dung-geun-ip-gae-ya-gwang 98 / 424  
 Dung-geun-ip-go-chu-pul 99 / 435  
 Dung-geun-ip-gwang-na-mu 99 / 518  
 Dung-geun-ip-jo-pap-na-mu 99 / 643  
 Dung-geun-ip-kkwong-ui-bi-reum  
99 / 494  
 Dung-geun-ip-myeong-a-ju 99 / 406  
 Dung-geun-ip-nok-na-mu 99 / 410  
 Dung-geun-ip-saeng-gang-na-mu  
99 / 521  
 Dung-geun-ip-seom-jwi-ttong-na-mu  
99 / 518  
 Dung-geun-ip-taek-sa 99 / 382  
 Dung-geun-ip-taek-sa-sok 99 / 382  
 Dung-geun-ip-yeon-ju-na-mu 99 / 657  
 Dung-geun-jan-dae 100 / 339  
 Dung-geun-mae-deup-pul 98 / 507  
 Dung-geun-mi-seon-na-mu 98 / 332  
 Dung-geun-o-ri-bang-pul 98 / 500  
 Dung-geun-san-bu-chu 98 / 348

Dung-geun-san-kko-ri-pul 98 / 671  
 Dung-geun-teol-je-bi-kkot 100 / 676  
 Dung-gul-re 98 / 582  
 Dung-gul-re-sok 98 / 581  
 Du-reup-na-mu 95 / 357  
 Du-reup-na-mu-gwa 95 / 357  
 Du-reup-na-mu-sok 95 / 357  
 Du-ru-mi-cheon-nam-seong 95 / 358  
 Du-ru-mi-kkot 95 / 533  
 Du-ru-mi-kkot-sok 95 / 533

## E

Eok-sae 211 / 541  
 Eok-sae-a-jae-bi 211 / 541  
 Eok-sae-sok 211 / 541  
 Eol-chi-gi-bok-ju-meo-ni-ran 211 / 433  
 Eol-chi-gi-wan-du 211 / 674  
 Eol-re-ji 211 / 462  
 Eol-re-ji-sok 211 / 462  
 Eol-ruk-eok-sae 211 / 541  
 Eol-ruk-sa-cho 211 / 395  
 Eon-deok-sa-cho 211 / 396  
 Eong-geong-kwi 211 / 411  
 Eong-geong-kwi-sok 212 / 411  
 Eong-seong-gyeo-i-sak 212 / 344  
 Eo-ri-byeong-pung 211 / 560  
 Eo-ri-gon-dal-bi 210 / 517  
 Eo-ri-yeon-kkot 211 / 550  
 Eo-ri-yeon-kkot-sok 211 / 550  
 Eo-su-ri 211 / 488  
 Eo-su-ri-sok 211 / 488  
 Eu-a-ri 227 / 414  
 Eu-a-ri-sok 227 / 413  
 Eum-na-mu 228 / 506  
 Eum-na-mu-sok 228 / 506  
 Eum-yang-go-bi 228 / 555  
 Eun-bang-ul-kkot 227 / 419  
 Eun-bang-ul-kkot-sok 227 / 418  
 Eun-bun-chwi 228 / 623  
 Eun-dae-nan-cho 227 / 404  
 Eun-dae-nan-cho-sok 227 / 403  
 Eung-dal-go-sa-ri 228 / 420  
 Eun-kkwong-ui-da-ri 227 / 654  
 Eun-nan-cho 227 / 403  
 Eun-song 228 / 575  
 Eun-yang-ji-kkot 228 / 588  
 Eu-reum-deong-gul 227 / 345  
 Eu-reum-deong-gul-gwa 227 / 509  
 Eu-reum-deong-gul-sok 227 / 345  
 Eu-reum-nan-cho 227 / 433  
 Eu-reum-nan-cho-sok 227 / 433

## G

Ga-chim-bak-dal 9 / 467

Ga-chim-bak-dal-sok 9 / 467	Gae-gat-naeng-i-sok 14 / 608	Gae-mi-tap-sok 17 / 485
Gae-aeng-do-na-mu 21 / 608	Gae-gi-jang 15 / 559	Gae-mo-si-pul 17 / 376
Gae-a-geu-bae-na-mu 21 / 534	Gae-go-sa-ri 14 / 369	Gae-muk-sae 17 / 469
Gae-a-ma 21 / 522	Gae-go-sa-ri-sok 14 / 368	Gae-mul-pu-re-na-mu 17 / 531
Gae-am-na-mu 21 / 423	Gae-gu-ri-bal-top 15 / 634	Gae-mul-tong-i 17 / 561
Gae-am-na-mu-sok 21 / 423	Gae-gu-ri-bal-top-sok 15 / 634	Gae-mul-tong-i-sok 17 / 561
Gae-bak-dal-na-mu 18 / 373	Gae-gu-ri-bap 15 / 644	Gae-myeon-ma 16 / 534
Gae-bak-ha 18 / 549	Gae-gu-ri-bap-gwa 15 / 512	Gae-na-ri 15 / 471
Gae-bak-ha-sok 18 / 549	Gae-gu-ri-bap-sok 15 / 644	Gae-na-ri-sok 15 / 471
Gae-bal-na-mul 18 / 638	Gae-gu-ri-gat 14 / 602	Gae-neu-sam 15 / 450
Gae-bal-na-mul-sok 18 / 638	Gae-gu-ri-ja-ri 15 / 602	Gae-neu-sam-sok 15 / 450
Gae-ba-neul-sa-cho 18 / 399	Gae-gu-ri-mi-na-ri 15 / 602	Gae-no-bak-deong-gul 15 / 402
Gae-beo-mu-ri 18 / 414	Gae-gu-rit-dae 15 / 353	Gae-ot-na-mu 22 / 660
Gae-beot-ji-na-mu 18 / 591	Gae-gwak-hyang 14 / 654	Gae-pa-ri-chae 23 / 515
Gae-bi-ja-na-mu 19 / 404	Gae-hae-dang-hwa 23 / 610	Gae(pi) 23 / 371
Gae-bi-ja-na-mu-gwa 19 / 404	Gae-hoe-hyang 24 / 518	Gae-pi-sok 23 / 371
Gae-bi-ja-na-mu-sok 19 / 404	Gae-hoe-hyang-sok 24 / 658	Gae-sa-cheol-ssuk 19 / 359
Gae-bip-sae-gwi-ri 19 / 379	Gae-hoe-na-mu 24 / 651	Gae-sae-bi-na-mu 20 / 383
Gae-bo-ri 18 / 455	Gae-hwang-gi 24 / 368	Gae-sal-gu-na-mu 20 / 591
Gae-bo-ri-ppaeng-i 19 / 509	Gae-hyeong-gae 24 / 627	Gae-san-cho 20 / 684
Gae-bo-ri-ppaeng-i-sok 19 / 509	Gae-hyeon-sam 24 / 630	Gae-sa-sang-ja 19 / 659
Gae-bu-cheo-son 19 / 634	Gae-jam-ja-ri-nan-cho 22 / 484	Gae-sa-tang-su-su 19 / 614
Gae-bu-ga-si-na-mu 19 / 599	Gae-je-bi-nan 22 / 434	Gae-sa-tang-su-su-sok 19 / 614
Gae-bul-al-pul 19 / 670	Gae-je-bi-nan-sok 22 / 433	Gae-seo-eo-na-mu 20 / 400
Gae-bul-al-pul-sok 19 / 670	Gae-jeong-hyang-pul 22 / 355	Gae-seok-jam-pul 20 / 645
Gae-bu-sit-git-go-sa-ri 19 / 406	Gae-ji-chi 23 / 523	Gae-seok-song 20 / 529
Gae-bu-sit-git-go-sa-ri-sok 19 / 406	Gae-jil-gyeong-i 23 / 576	Gae-seon-gal-kwi 20 / 475
Gae-byeol-kkot 18 / 593	Gae-ji-beo-ri-sa-cho 23 / 393	Gae-seung-ma 20 / 409
Gae-byeol-kkot-sok 18 / 593	Gae-jok-do-ri-pul 22 / 363	Gae-seung-ma-sok 21 / 362
Gae-byeong-pung 18 / 367	Gae-jom-jin-go-sa-ri 22 / 437	Gae-si-ho 21 / 380
Gae-byeong-pung-sok 18 / 367	Gae-jong-yong 22 / 510	Gae-sil-sa-ri 21 / 634
Gae-byeo-ruk 18 / 542	Gae-jong-yong-sok 22 / 510	Gae-sing-a 21 / 338
Gae-byeo-ruk-sok 18 / 542	Gae-jung-dae-ga-ri 22 / 649	Gae-soe-tteu-gi 20 / 458
Gae-cha-go-sa-ri 23 / 364	Gae-jung-dae-ga-ri-sok 22 / 649	Gae-sok-sae 20 / 458
Gae-cha-jeu-gi 23 / 350	Gae-ki-beo-deul 23 / 617	Gae-sol-na-mul 20 / 475
Gae-cha-jeu-gi-sok 23 / 350	Gae-kkot-ma-ri 15 / 545	Gae-sol-sae 20 / 428
Gae-cha-kko-ri-go-sa-ri 23 / 365	Gae-kkot-ma-ri-sok 15 / 545	Gae-sol-sae-sok 20 / 428
Gae-dae-hwang 16 / 614	Gae-ma-di-pul 16 / 583	Gae-ssa-ri 21 / 516
Gae-dam-bae 16 / 518	Gae-maek-mun-dong 16 / 523	Gae-sseum-bae 21 / 589
Gae-dang-ju-na-mu 16 / 607	Gae-mang-cho-sok 16 / 459	Gae-sseun-pul 21 / 649
Gae-da-rae 16 / 338	Gae-ma-soe-seo-na-mul 16 / 573	Gae-ssuk-bu-jaeng-i 21 / 366
Gae-deol-kkwong-na-mu 16 / 672	Gae-meo-ru 16 / 350	Gae-su-yang-beo-deul 20 / 616
Gae-deul-jiuk-na-mu 16 / 524	Gae-meo-ru-sok 16 / 350	Gae-su-yeom 20 / 460
Gae-do-duk-nom-ui-gal-go-ri 16 / 439	Gae-meo-wi 16 / 567	Gae-swip-ssa-ri 20 / 529
Gae-eok-sae 21 / 462	Gae-mi-chwi 17 / 367	Gaet-bang-dong-sa-ni 26 / 431
Gae-eok-sae-sok 21 / 462	Gae-mi-ja-ri 17 / 615	Gaet-bang-pung 26 / 480
Gae-eong-geong-kwi 21 / 411	Gae-mi-ja-ri-sok 17 / 615	Gaet-bang-pung-sok 26 / 480
Gae-ga-ji-go-bi-go-sa-ri 14 / 418	Gae-mil 17 / 455	Gaet-ba-raeng-i 25 / 442
Gae-gal-kwi 14 / 364	Gae-mil-a-jae-bi 17 / 517	Gaet-ba-wi-go-sa-ri 25 / 642
Gae-gal-kwi-sok 14 / 363	Gae-mil-a-jae-bi-sok 18 / 517	Gaet-beo-deul 26 / 617
Gae-gam-chae 14 / 524	Gae-mi-nan-cho 17 / 546	Gaet-bom-mat-i 26 / 480
Gae-gam-chae-sok 14 / 524	Gae-mi-nan-cho-sok 17 / 546	Gaet-bom-mat-i-kkot-sok 26 / 480
Gae-gam-su 14 / 465	Gae-mi-na-ri 17 / 551	Gaet-bo-ri 26 / 455
Gae-ga-si-na-mu 14 / 599	Gae-mi-tap 17 / 485	Gaet-bo-ri-sa-cho 26 / 393
Gae-gat-naeng-i 14 / 608	Gae-mi-tap-gwa 17 / 485	Gaet-bo-ri-sok 26 / 455

Gaet-bu-chu 26 / 347  
 Gaet-byeo-l-kkot 26 / 490  
 Gaet-byeo-l-kkot-sok 26 / 490  
 Gaet-cheong-sa-cho 28 / 389  
 Gaet-cheon-mun-dong 28 / 363  
 Gaet-chwi 28 / 518  
 Gaet-dae-chu-na-mu 25 / 558  
 Gaet-dae-chu-na-mu-sok 25 / 558  
 Gaet-daep-ssa-ri 25 / 506  
 Gaet-dang-geun 25 / 435  
 Gaet-dol-na-mul 25 / 633  
 Gae-teol-i-seul 23 / 410  
 Gaet-gae-mi-chwi 24 / 367  
 Gaet-gae-mi-ja-ri 24 / 642  
 Gaet-gae-mi-ja-ri-sok 24 / 642  
 Gaet-gang-a-ji-pul 24 / 636  
 Gaet-gang-hwal 24 / 354  
 Gaet-geum-bul-cho 25 / 680  
 Gaet-geum-gul-cho-sok 47 / 680  
 Gaet-geu-ryeong 24 / 517  
 Gaet-gi-reum-na-mul 25 / 568  
 Gaet-go-deul-ppae-gi 24 / 425  
 Gaet-goe-bul-ju-meo-ni 24 / 423  
 Gaet-gol-pul 24 / 504  
 Gaet-gyeo-i-sak 24 / 596  
 Gaet-ha-neul-ji-gi 28 / 471  
 Gaet-hwal-ryang-na-mul 28 / 656  
 Gaet-hwal-ryang-na-mul-sok 28 / 656  
 Gaet-hwang-gi 28 / 368  
 Gaet-jam-ja-ri-pi 27 / 663  
 Gaet-jam-ja-ri-pi-sok 27 / 663  
 Gaet-jan-di 27 / 685  
 Gaet-jang-dae 27 / 356  
 Gaet-jang-gu-chae 27 / 636  
 Gaet-je-bi-ssuk 27 / 360  
 Gaet-ji-chi 27 / 538  
 Gaet-ji-chi-sok 27 / 538  
 Gaet-jil-gyeong 27 / 521  
 Gaet-jil-gyeong-gwa 27 / 578  
 Gaet-jil-gyeong-i 28 / 577  
 Gaet-jil-gyeong-sok 28 / 520  
 Gaet-jo-pul 27 / 382  
 Gaet-kka-chi-su-yeom 25 / 531  
 Gaet-kku-reo-mi-pul 25 / 596  
 Gaet-ma-di-pul 25 / 582  
 Gaet-me-kkot 25 / 384  
 Gaet-mu 25 / 602  
 Gaet-neun-jaeng-i 25 / 370  
 Gaet-neun-jaeng-i-sok 25 / 370  
 Gae-tong-bal 23 / 667  
 Gae-top-go-sa-ri 23 / 443  
 Gae-top-nal-go-sa-ri 23 / 369  
 Gaet-pae-raeng-i-kkot 28 / 440  
 Gaet-sa-sang-ja 26 / 416  
 Gaet-sil-sae-sam 26 / 427

Gaet-soe-bo-ri 26 / 500	Gal-jol-cham-na-mu 12 / 601
Gaet-soe-dol-pi 26 / 583	Gal-kwi-a-jae-bi 12 / 364
Gaet-sseum-ba-gwi 27 / 502	Gal-kwi-deong-gul 12 / 475
Gaet-ssuk-bu-jaeng-i 27 / 366	Gal-kwi-deong-gul-sok 12 / 474
Gae-ttong-ssuk 16 / 359	Gal-kwi-hyeon-ho-saek 12 / 422
Gaet-wan-du 27 / 510	Gal-kwi-kkok-du-seo-ni 12 / 611
Gaet-yul-mu 27 / 426	Gal-kwi-na-mul 12 / 673
Gaet-yul-mu-sok 27 / 426	Gal-lae-deung-gol-na-mul 11 / 464
Gae-wi-bong-bae-na-mu 22 / 598	Gal-mae-gi-nan-cho 11 / 577
Gae-yeo-kkwi 22 / 566	Gal-mae-na-mu 11 / 603
Gae-yeom-ju-na-mu 22 / 658	Gal-mae-na-mu-gwa 11 / 602
Gae-yeon-kkot 22 / 549	Gal-mae-na-mu-sok 11 / 603
Gae-yeon-sok 22 / 549	Gal-mi-ba-wi-sol 11 / 554
Ga-hoe-top 9 / 350	Gal-mi-jwi-son-i 12 / 478
Ga-ji-ba-wi-sol 9 / 555	Gal-mi-sa-cho 11 / 389
Ga-ji-bok-su-cho 9 / 342	Gal-pul 12 / 568
Ga-ji-cheong-sa-cho 9 / 396	Gal-pul-sok 12 / 568
Ga-ji-deo-bu-sal-i 9 / 568	Gal-rae-du-me-yang-gwi-bi 11 / 559
Ga-ji-deo-bu-sal-i-sok 9 / 568	Gal-sa-cho 12 / 392
Ga-ji-dol-kkot 9 / 604	Gal-saek-sa-cho 12 / 390
Ga-ji-geum-bul-cho 9 / 498	Ga-mak-sal-na-mu 6 / 672
Ga-ji-gi-rin-cho 9 / 632	Ga-mak-sa-ri 6 / 374
Ga-ji-go-bi-go-sa-ri 8 / 418	Gam-dung-sa-cho 13 / 389
Ga-ji-gok-jeong-cho 8 / 460	Gam-guk 12 / 436
Ga-ji-gwa 8 / 639	Gam-ja-gae-bal-na-mul 13 / 638
Ga-ji-gwaeng-i-nun 8 / 409	Gam-ja-nan-cho 13 / 553
Ga-ji-ju-reum-jo-gae-pul 9 / 552	Gam-ja-nan-cho-sok 13 / 553
Ga-ji-kkok-du-seo-ni 9 / 611	Gam-jeol-dae 13 / 467
Ga-ji-kkot-go-bi 9 / 580	Gam-na-mu 12 / 443
Ga-ji-min-bak-jwi 9 / 560	Gam-na-mu-gwa 12 / 450
Ga-ji-sok 9 / 639	Gam-na-mu-sok 13 / 443
Gak-si-but-kkot 10 / 499	Gam-tae-na-mu 13 / 521
Gak-si-chwi 10 / 624	Gam-tang-na-mu 13 / 496
Gak-si-dung-gul-re 10 / 582	Gam-tang-na-mu-gwa 13 / 355
Gak-si-geu-ryeong 10 / 458	Gam-tang-na-mu-sok 13 / 496
Gak-si-goe-bul-na-mu 10 / 525	Ga-mun-bi-na-mu 7 / 572
Gak-si-go-sa-ri 10 / 532	Ga-mun-bi-na-mu-sok 7 / 572
Gak-si-go-sa-ri-sok 10 / 532	Gan-do-jwi-o-jum-pul 11 / 669
Gak-si-hyeon-ho-saek 11 / 422	Ga-neun-ba-di 3 / 556
Gak-si-je-bi-kkot 10 / 676	Ga-neun-beom-kko-ri 3 / 374
Gak-si-jok-do-ri-pul 10 / 362	Ga-neun-bi-neul-sa-cho 3 / 398
Gak-si-ma 10 / 443	Ga-neun-cham-na-mul 5 / 574
Gak-si-mi-kku-ri-gwang-i 10 / 596	Ga-neun-cheung-cheung-jan-dae
Gak-si-mi-kku-ri-gwang-i-sok 10 / 595	6 / 341
Gak-si-seo-deol-chwi 10 / 623	Ga-neun-dae-na-mul 3 / 484
Gak-si-su-ryeon 10 / 550	Ga-neun-da-ri-jang-gu-chae 3 / 637
Gak-si-tong-jeom-na-do-na-mul 10 / 404	Ga-neun-deung-gal-kwi 3 / 674
Gak-si-tu-gu-kkot 11 / 336	Ga-neun-dol-jjeo-gwi 3 / 336
Gak-si-won-chu-ri 10 / 487	Ga-neun-dong-ja-kkot 3 / 528
Gal-cham-na-mu 12 / 599	Ga-neun-gae-mil 2 / 455
Gal-dae 11 / 570	Ga-neun-gae-su-yeom 2 / 460
Gal-dae-sol 11 / 570	Ga-neun-gaet-neun-jaeng-i 2 / 370
Gal-gi-jo-pap-na-mu 11 / 644	Ga-neun-gae-yeo-kkwi 2 / 567
Gal-go-ri-ne-ip-gal-kwi 11 / 475	Ga-neun-gal-kwi 2 / 673
	Ga-neun-gal-kwi-na-mul 2 / 673

Ga-neun-ga-rae 2 / 586	Gang-gye-keun-mul-tong-i 13 / 573	Geom-eun-do-ru-bak-i 30 / 629
Ga-neun-geum-bul-cho 2 / 498	Gang-hwal 14 / 556	Geom-eun-gae-seon-gal-kwi 30 / 474
Ga-neun-geum-gang-a-ji-pul 2 / 635	Gang-won-go-sa-ri 14 / 369	Geom-eun-gae-su-yeom 30 / 460
Ga-neun-gi-reum-na-mul 2 / 567	Gan-jang-pul 11 / 549	Geom-eun-gok-jeong-cho 30 / 460
Ga-neun-gi-rin-cho 2 / 632	Gap-san-je-bi-kkot 13 / 676	Geom-eun-gu-sang 30 / 333
Ga-neun-goe-bul-ju-meo-ni 2 / 423	Gap-san-po-a-pul 13 / 580	Geom-eun-gyeo-i-sak 30 / 344
Ga-neun-gol-mu-kkot 2 / 632	Ga-rae 6 / 586	Geom-eun-jae-na-mu 31 / 650
Ga-neun-ha-neul-ji-gi 6 / 470	Ga-rae-ba-ram-kkot 6 / 352	Geom-eun-jong-deong-gul 31 / 414
Ga-neun-hong-ji-ne-go-sa-ri 6 / 446	Ga-rae-go-sa-ri 6 / 568	Geom-eun-kkot-jang-po 30 / 659
Ga-neun-ip-bang-pung 4 / 517	Ga-rae-gwa 6 / 587	Geom-eun-nang-a-cho 30 / 588
Ga-neun-ip-cheo-nyeo-go-sa-ri 5 / 560	Ga-rae-na-mu 6 / 503	Geom-eun-sat-gat-na-mul 30 / 561
Ga-neun-ip-dok-mi-na-ri 4 / 409	Ga-rae-na-mu-gwa 6 / 503	Geom-eun-som-a-ma-jon 30 / 429
Ga-neun-ip-eok-sae 5 / 541	Ga-rae-na-mu-sok 6 / 503	Geom-eun-ttal-gi 30 / 612
Ga-neun-ip-eum-na-mu 5 / 506	Ga-rae-sok 6 / 586	Geo-mi-go-sa-ri 29 / 385
Ga-neun-ip-gae-byeon-kkot 4 / 594	Ga-rak-ji-na-mul 6 / 587	Geo-mi-go-sa-ri-sok 29 / 385
Ga-neun-ip-gae-go-sa-ri 4 / 369	Ga-sae-deol-kkwong-na-mu 7 / 672	Geo-mi-kko-ri-go-sa-ri 29 / 364
Ga-neun-ip-gam-guk 4 / 436	Ga-sae-ham-gyeong-ttal-gi 7 / 611	Geo-mi-nan-cho-sok 29 / 652
Ga-neun-ip-geu-neul-sa-cho 4 / 392	Ga-sae-ip-gae-meo-ru 7 / 350	Geo-mi-ran 29 / 652
Ga-neun-ip-hal-mi-kkot 5 / 596	Ga-sae-ip-san-sa 7 / 424	Geom-jeong-bang-dong-sa-ni 31 / 473
Ga-neun-ip-hyang-yu 5 / 454	Ga-sae-ppong-na-mu 7 / 544	Geom-jeong-bang-dong-sa-ni-sok 31 / 473
Ga-neun-ip-jan-dae 5 / 341	Ga-sae-sseum-ba-gwi 7 / 502	31 / 473
Ga-neun-ip-jok-je-bi-go-sa-ri 5 / 446	Ga-sae-ssuk-bu-jaeng-i 7 / 366	Geom-jeong-bi-neul-go-sa-ri 31 / 444
Ga-neun-ip-kkot-beo-deul 4 / 618	Ga-sae-su-ri-chwi 7 / 651	Geom-jeong-gae-gwan-jung 31 / 585
Ga-neun-ip-mo-sae-dal 4 / 568	Ga-si-bok-bun-ja-ttal-gi 8 / 613	Geom-jeong-gyeo-i-sak 31 / 344
Ga-neun-ip-mul-eok-sae 4 / 541	Ga-si-eong-geong-kwi 8 / 411	Geom-jeong-ha-neul-ji-gi 31 / 470
Ga-neun-ip-mul-jil-gyeong-i 4 / 556	Ga-si-gae-gwan-jung 7 / 584	Geom-jeong-jin-deul-pi 31 / 481
Ga-neun-ip-san-deul-kkae 4 / 544	Ga-si-kka-chi-bap-na-mu 7 / 607	Geom-jeong-mal 31 / 492
Ga-neun-ip-so-ri-jaeng-i 4 / 614	Ga-si-kkwa-ri 7 / 572	Geom-jeong-mal-sok 31 / 492
Ga-neun-ip-ssuk 5 / 360	Ga-si-kkwa-ri-sok 7 / 572	Geom-jeong-ta-rae-sa-cho 31 / 395
Ga-neun-ip-sswae-gi-pul 4 / 666	Ga-si-na-mu 8 / 600	Geom-na-mu-ssa-ri 30 / 516
Ga-neun-ip-wang-go-deul-ppae-gi 5 / 508	Ga-si-o-gal-pi 8 / 454	Geom-no-rin-jae-na-mu 30 / 650
Ga-neun-jang-dae 5 / 445	Ga-si-ttal-gi 8 / 612	Geom-paeng-na-mu 31 / 402
Ga-neun-jang-dae-sok 5 / 444	Ga-si-yeo-kkwi 8 / 565	Geom-san-cho-rong-kkot 30 / 485
Ga-neun-jang-gu-chae 5 / 637	Ga-si-yeon 8 / 466	Geo-mun-cheon-nam-seong 29 / 359
Ga-neun-jeong-yeong-eong-geng-kwi 5 / 411	Ga-si-yeon-sok 8 / 466	Geo-mun-do-dak-na-mu 29 / 681
Ga-neun-jul-dol-jjeo-gwi 5 / 337	Ga-sol-song 7 / 571	Geo-mun-do-gae-mi-ja-ri 29 / 615
Ga-neun-ma-di-kkot 3 / 610	Ga-sol-song-sok 7 / 571	Geo-mun-eok-sae 29 / 541
Ga-neun-mul-bu-chu 3 / 501	Gat-dae 13 / 622	Geo-mun-nu-ri-jang-na-mu 28 / 415
Ga-neun-myeong-a-ju 3 / 407	Ga-ya-dan-pung-chwi 8 / 344	Geom-yang-ot-na-mu 30 / 660
Ga-neun-na-rae-sae 2 / 647	Ga-ya-mul-bong-seon 8 / 497	Geo-sen-teol-kkot-ma-ri 29 / 663
Ga-neun-ne-ip-gal-kwi 3 / 475	Ga-ya-san-eun-bun-chwi 8 / 624	Geum-bang-dong-sa-ni 47 / 431
Ga-neun-o-i-pul 4 / 621	Ga-ya-san-jan-dae 8 / 340	Geum-bang-mang-i 47 / 635
Ga-neun-po-a-pul 6 / 579	Ge-ba-da-mal 31 / 571	Geum-bang-mang-i-sok 47 / 634
Ga-neun-sa-cho 3 / 390	Ge-bak-jwi-na-mul 31 / 559	Geum-bul-cho 47 / 498
Ga-neun-sal-gal-kwi 3 / 673	Geo-buk-kko-ri 29 / 376	Geum-bul-cho-sok 47 / 498
Ga-neun-san-bu-chu 3 / 348	Geo-je-su-na-mu 29 / 373	Geum-but-kkot 47 / 499
Ga-neun-soe-go-sa-ri 3 / 356	Geo-je-ttal-gi 29 / 612	Geum-chang-cho 48 / 345
Ga-neun-ssuk-bu-jaeng-i 4 / 366	Geo-ji-deong-gul 29 / 402	Geum-eok-sae 47 / 541
Ga-neun-teol-baek-mi 6 / 429	Geo-ji-deong-gul-sok 29 / 401	Geum-gang-ae-gi-na-ri 45 / 648
Ga-neun-yeo-kkwi 4 / 565	Geo-ji-ttal-gi 29 / 613	Geum-gang-a-ji-pul 45 / 635
Gang-a-ji-pul-sol 14 / 635	Geo-kku-ri-gae-go-sa-ri 28 / 369	Geum-gang-bom-mat-i 45 / 352
Gang-bu-chu 13 / 347	Geo-meo-ri-mal 28 / 685	Geum-gang-bun-chwi 45 / 622
Gang-gye-beo-deul 13 / 617	Geo-meo-ri-mal-gwa 28 / 685	Geum-gang-cheo-nyeo-i-kki 46 / 535
	Geo-meo-ri-mal-sok 28 / 684	Geum-gang-cho-rong-kkot 46 / 485
	Geom-eun-byeyo-go-sa-ri 30 / 428	Geum-gang-cho-rong-kkot-sok 46 / 485

- Geum-gang-ga-mul-go-sa-ri 45 / 682  
 Geum-gang-in-ga-mok 45 / 564  
 Geum-gang-in-ga-mok-sok 46 / 564  
 Geum-gang-jan-dae 46 / 340  
 Geum-gang-je-bi-kkot 46 / 676  
 Geum-gang-poa-a-pul 46 / 579  
 Geum-gang-san-dol-bae 45 / 598  
 Geum-gang-san-ttuk-sa-cho 45 / 391  
 Geum-gang-som-bang-mang-i 45 / 634  
 Geum-gang-so-na-mu 45 / 575  
 Geum-gang-ssuk 45 / 360  
 Geum-gwaeng-i-nun 46 / 409  
 Geum-hon-cho 48 / 495  
 Geum-hon-cho-sok 48 / 495  
 Geum-ja-ran 47 / 476  
 Geum-ja-ran-sok 47 / 476  
 Geum-jok-je-bi-go-sa-ri 48 / 447  
 Geum-kkwong-ui-da-ri 46 / 655  
 Geum-mae-hwa 47 / 664  
 Geum-mae-hwa-sok 47 / 664  
 Geum-ma-ta-ri 46 / 562  
 Geum-nan-cho 46 / 404  
 Geum-nang-hwa 46 / 441  
 Geum-nang-hwa-sok 46 / 441  
 Geum-na-ri 46 / 520  
 Geum-o-jok-do-ri-pul 47 / 363  
 Geum-sae-u-nan-cho 47 / 382  
 Geum-so-ri-jaeng-i 47 / 614  
 Geum-ssuk 47 / 359  
 Geum-teol-go-sa-ri 48 / 495  
 Geum-teol-go-sa-ri-sok 48 / 495  
 Geum-teok-ssuk 46 / 593  
 Geu-neul-bo-ri-ppaeng-i 44 / 509  
 Geu-neul-cham-na-mul 45 / 574  
 Geu-neul-chwi 45 / 624  
 Geu-neul-gae-go-sa-ri 44 / 369  
 Geu-neul-gol-mul-kkot 44 / 631  
 Geu-neul-huin-sa-cho 45 / 396  
 Geu-neul-kkwong-ui-da-ri 44 / 655  
 Geu-neul-sa-cho 44 / 393  
 Geu-neul-sil-sa-cho 44 / 399  
 Geu-neul-song-i-pul 44 / 563  
 Geu-neul-ssuk 44 / 362  
 Geu-ryeong 45 / 458  
 Gi-jang-dae-pul 49 / 500  
 Gi-jang-dae-pul-sok 49 / 500  
 Gi-jang-pul-sok 49 / 568  
 Gi-jang-sok 49 / 559  
 Gil-gol-pul 53 / 504  
 Gil-ma-ga-ji-na-mu 53 / 525  
 Gil-ttuk-sa-cho 53 / 389  
 Gim-ui-teol 53 / 468  
 Gim-ui-teol-a-jae-bi 53 / 469  
 Gim-ui-teol-sok 53 / 468  
 Gin-bo-ri-su-na-mu 51 / 451  
 Gin-bun-chwi 51 / 624  
 Gin-byeong-kkot-pul 50 / 480  
 Gin-byeong-kkot-pul-sok 50 / 480  
 Gin-dam-bae-pul 50 / 400  
 Gin-dang-jan-dae 50 / 340  
 Gin-da-ram-jwi-kko-ri 50 / 491  
 Gin-deul-ijuk-na-mu 50 / 668  
 Gin-do-duk-nom-uy-gal-go-ri 50 / 439  
 Gin-dol-ga-si-na-mu 50 / 610  
 Gin-dong-gang-hal-mi-kkot 50 / 596  
 Gin-du-ip-gal-kwi 50 / 486  
 Gi-neun-mi-na-ri-a-jae-bi 48 / 602  
 Gin-gae-byeol-kkot 49 / 594  
 Gin-gae-gwan-jung 49 / 584  
 Gin-gae-sing-a 49 / 337  
 Gin-gaet-geum-bul-cho 49 / 680  
 Gin-ga-rae-na-mu 49 / 503  
 Gin-go-ro-soe 49 / 334  
 Gin-gwaeng-i-ssa-ri 49 / 516  
 Gin-gyeo-i-sak 49 / 344  
 Gin-heuk-sam-reung 53 / 642  
 Gin-ho-mo-cho 53 / 419  
 Gin-hwa-sal-yeo-kkwi 53 / 564  
 Gin-ip-byeon-kkor 52 / 646  
 Gin-ip-cham-ssa-ri 52 / 515  
 Gin-ip-da-jeong-keum 52 / 603  
 Gin-ip-do-kkae-bi-soe-go-bi 52 / 433  
 Gin-ip-gal-kwi 51 / 474  
 Gin-ip-gom-chwi 51 / 517  
 Gin-ip-hoe-yang-mok 53 / 380  
 Gin-ip-i-pap-na-mu 52 / 407  
 Gin-ip-jang-da-ri-pul 52 / 419  
 Gin-ip-je-bi-kkot 52 / 677  
 Gin-ip-jo-pap-na-mu 52 / 643  
 Gin-ip-jwi-o-jum-pul 52 / 668  
 Gin-ip-keun-gae-mi-ja-ri 53 / 615  
 Gin-ip-kkeun-kkeun-i-ju-geok 51 / 446  
 Gin-ip-kkwong-ui-da-ri 51 / 655  
 Gin-ip-mo-si-pul 52 / 376  
 Gin-ip-na-bi-na-mul 51 / 674  
 Gin-ip-pat-bae-na-mu 53 / 641  
 Gin-ip-san-bak-ha 52 / 501  
 Gin-ip-san-jo-pap-na-mu 52 / 643  
 Gin-ip-sa-si-na-mu 52 / 585  
 Gin-ip-tteok-beo-deul 52 / 617  
 Gin-ip-yeo-ro 52 / 669  
 Gin-ip-yeo-u-beo-deul 52 / 619  
 Gin-je-bi-kkul 53 / 656  
 Gin-jin-deul-pi 53 / 481  
 Gin-kko-ri-sswae-gi-pul 49 / 666  
 Gin-kkot-dae-hwang-gi 50 / 368  
 Gin-kkot-go-sa-ri-sam 49 / 377  
 Gin-kkot-myeo-neu-ri-bap-pul 50 / 536  
 Gin-kkot-ppo-ri-baeng-i 50 / 683  
 Gin-kong-jja-gae-deong-gul 53 / 512  
 Gin-mae-ja-ip-beo-deul 50 / 616  
 Gin-mi-kku-ri-nak-si 50 / 565  
 Gin-mok-po-sa-cho 50 / 391  
 Gin-o-i-pul 51 / 620  
 Gin-pat-bae-na-mu 53 / 641  
 Gin-saeng-yeol-gwi 51 / 609  
 Gin-san-chwi 51 / 625  
 Gin-san-gae-na-ri 51 / 472  
 Gin-san-kko-ri-pul 51 / 671  
 Gin-sa-sang-ja 51 / 555  
 Gin-sa-sang-ja-sok 51 / 555  
 Gin-seo-eo-na-mu 51 / 400  
 Gi-reum-dang-gwi 48 / 518  
 Gi-reum-dang-gwi-sok 48 / 518  
 Gi-reum-na-mul 48 / 568  
 Gi-reum-na-mul-sok 48 / 567  
 Gi-reum-sae 48 / 644  
 Gi-reum-sae-sok 48 / 644  
 Gi-rin-cho 48 / 633  
 Gi-saeng-kkot 48 / 662  
 Gi-saeng-kkot-sok 48 / 662  
 Gi-saeng-yeo-kkwi 49 / 567  
 Gi-su-cho 49 / 649  
 Git-ban-ijok-go-sa-ri 54 / 595  
 Git-cham-na-mu 54 / 600  
 Git-deom-bul-chwi 54 / 623  
 Git-dol-jan-go-sa-ri 54 / 539  
 Git-go-sa-ri 54 / 364  
 Git-tteok-gal-na-mu 54 / 599  
 Go-bi 34 / 556  
 Go-bi-go-sa-ri 34 / 418  
 Go-bi-go-sa-ri-sok 34 / 418  
 Go-bit-gwa 34 / 556  
 Go-bit-sok 34 / 555  
 Go-bon 34 / 354  
 Go-chu-naeng-i 36 / 466  
 Go-chu-naeng-i-sok 36 / 466  
 Go-chu-na-mu 35 / 645  
 Go-chu-na-mu-gwa 35 / 645  
 Go-chu-na-mul 36 / 495  
 Go-chu-na-mu-sok 35 / 645  
 Go-deul-ppae-gi 33 / 425  
 Go-deul-ppae-gi-sok 33 / 425  
 Goe-bul-i-kki 40 / 425  
 Goe-bul-i-kki-sok 40 / 425  
 Goe-bul-ju-meo-ni 40 / 422  
 Goe-bul-na-mu 40 / 525  
 Go-gwang-na-mu 33 / 569  
 Go-gwang-na-mu-sok 33 / 569  
 Gok-jeong-cho 36 / 460  
 Gok-jeong-cho-gwa 36 / 459  
 Gok-jeong-cho-sok 36 / 459  
 Go-kkal-je-bi-kkot 33 / 677  
 Gol-byeong-kkot-na-mu 36 / 681  
 Gol-dam-cho 36 / 386

Gol-dam-cho-sok 36 / 386	Guk-gyeong-jjil-re 43 / 609	Gu-wa-chwi 42 / 625
Gol-deung-gol-na-mul 36 / 464	Guk-hwa-bang-mang-i 43 / 637	Gu-wa-ga-mak-sa-ri 42 / 374
Gol-gae-go-sa-ri 36 / 369	Guk-hwa-bang-mang-i-sok 43 / 637	Gu-wa-kko-ri-pul 42 / 670
Gol-go-sa-ri 36 / 571	Guk-hwa-ba-ram-kkot 43 / 352	Gu-wa-mal 42 / 520
Gol-go-sa-ri-sok 36 / 571	Guk-hwa-gal-kwi 43 / 474	Gu-wa-mal-sok 42 / 520
Gol-ip-won-chu-ri 37 / 487	Guk-hwa-gwa 43 / 367	Gu-wa-ssuk 42 / 360
Gol-mu-kkot 36 / 631	Guk-hwa-ip-ssuk 43 / 361	Gwaeng-i-bap 39 / 557
Gol-mu-kkot-sok 36 / 631	Guk-hwa-jwi-son-i 43 / 461	Gwaeng-i-bap-gwa 40 / 556
Gol-pul 37 / 503	Guk-hwa-jwi-son-i-sok 43 / 461	Gwaeng-i-bap-sok 40 / 556
Gol-pul-a-jae-bi 37 / 607	Guk-hwa-ma 43 / 443	Gwaeng-i-nun 39 / 409
Gol-pul-a-jae-bi-sok 37 / 606	Guk-hwa-su-ri-chwi 43 / 651	Gwaeng-i-nun-sok 39 / 408
Gol-pul-gwa 37 / 503	Guk-su-na-mu 43 / 646	Gwaeng-i-sa-cho 40 / 395
Gol-pul-sok 37 / 503	Gul-cham-na-mu 44 / 600	Gwaeng-i-ssa-ri 40 / 516
Gol-sa-cho 36 / 388	Gul-geo-ri-na-mu 43 / 434	Gwak-hyang 38 / 654
Go-ma-ri 34 / 567	Gul-geo-ri-na-mu-gwa 43 / 434	Gwak-hyang-sok 38 / 654
Gom-ban-song 37 / 575	Gul-geo-ri-na-mu-sok 43 / 434	Gwa-nam-pul 38 / 477
Gom-bi-neul-go-sa-ri 37 / 448	Gul-geun-deul-jjuk-na-mu 44 / 668	Gwang-dae-na-mul 38 / 509
Gom-chwi 37 / 517	Gul-pi-na-mu 44 / 577	Gwang-dae-na-mul-sok 38 / 508
Gom-chwi-sok 37 / 517	Gul-pi-na-mu-sok 44 / 577	Gwang-dae-ssa-ri 39 / 632
Gom-sol 37 / 575	Gu-nae-pul 40 / 579	Gwang-dae-ssa-ri-sok 39 / 632
Gom-ttal-gi 37 / 613	Gung-gung-i 44 / 354	Gwang-dae-su-yeom 38 / 509
Gom-ui-mal-chae-na-mu 37 / 420	Gup-eun-no-ran-jang-dae 44 / 638	Gwang-na-mu 38 / 518
Gon-dal-bi 36 / 518	Gu-reum-beom-ui-gwi 41 / 625	Gwang-neung-gol 38 / 629
Gong-jak-go-sa-ri 38 / 342	Gu-reum-byeong-a-ri-nan-cho 41 / 549	Gwang-reung-gae-go-sa-ri 39 / 369
Gong-jak-go-sa-ri-sok 38 / 341	Gu-reum-byeong-a-ri-nan-cho-sok 41 / 549	Gwang-reung-gae-mil 39 / 455
Gop-hyang-na-mu 37 / 505	Gu-reum-che-kkot 41 / 626	Gwang-reung-gal-cho 39 / 675
Gop-sae-go-sa-ri 37 / 437	Gu-reum-gol-pul 40 / 504	Gwang-reung-gol-mu-kkot 39 / 632
Gop-seul-sa-cho 37 / 391	Gu-reum-guk-hwa 40 / 459	Gwang-reung-jok-je-bi-go-sa-ri 39 / 448
Go-raeng-i-sok 33 / 628	Gu-reum-je-bi-kkot 41 / 676	Gwang-reung-jwi-o-jum-pul 39 / 668
Go-ran-cho 33 / 426	Gu-reum-je-bi-ran 41 / 577	Gwang-reung-mul-pu-re 39 / 472
Go-ran-cho-gwa 33 / 583	Gu-reum-kkot-da-ji 40 / 445	Gwang-reung-teol-jung-na-ri 39 / 519
Go-ran-cho-sok 33 / 426	Gu-reum-kkong-ui-bap 40 / 528	Gwang-reung-vo-gang-kkot 39 / 432
Go-ro-soe-na-mu 34 / 334	Gu-reum-o-i-pul 41 / 620	Gwang-reung-yong-su-yeom 39 / 440
Go-ryeo-eong-geong-kwi 34 / 412	Gu-reum-pae-raeng-i-kkot 41 / 440	Gwang-yang-na-bi-na-mul 39 / 674
Go-ryeo-gae-bo-ri 34 / 455	Gu-reum-sa-cho 41 / 398	Gwan-jung 38 / 447
Go-ryeo-gong-jak-go-sa-ri 34 / 341	Gu-reum-song-i-pul 41 / 563	Gwan-jung-sok 38 / 446
Go-sam 35 / 640	Gu-reum-tteok-ssuk 40 / 351	Gwan-mo-bak-sae 38 / 669
Go-sam-sok 35 / 640	Gu-rit-dae 41 / 353	Gwan-mo-du-me-ja-un 38 / 557
Go-san-ba-di 35 / 417	Gu-rye-jong-deong-gul 40 / 414	Gwan-mo-gae-mi-ja-ri 38 / 358
Go-san-bom-mat-i 35 / 352	Gu-sang-na-mu 41 / 333	Gwan-mo-po-a-pul 38 / 579
Go-san-gu-seul-bung-i 35 / 477	Gu-sang-nan-pul 41 / 543	Gwi-bak-jwi-na-mul 44 / 559
Go-san-jan-dae 35 / 341	Gu-seul-bung-i 42 / 477	Gwi-rung-na-mu 44 / 591
Go-sa-ri 34 / 594	Gu-seul-daeng-daeng-i 42 / 526	Gye-bang-na-bi-na-mul 33 / 674
Go-sa-ri-gwa 34 / 594	Gu-seul-gae-go-sa-ri 41 / 369	Gye-gok-go-sa-ri 33 / 448
Go-sa-ri-sam 34 / 626	Gu-seul-gat-naeng-i 41 / 608	Gyeo-i-sak 32 / 344
Go-sa-ri-sam-gwa 34 / 551	Gu-seul-gol-mu-kkot 41 / 632	Gyeo-i-sak-sok 32 / 343
Go-sa-ri-sam-sok 34 / 626	Gu-seul-kkot-na-mu 42 / 342	Gyeo-i-sak-yeo-kkwi 32 / 567
Go-sa-ri-sok 35 / 594	Gu-seul-kkot-na-mu-sok 42 / 342	Gyeo-ja-bok-ju-meo-ni-ran 32 / 432
Go-seong-gol 35 / 629	Gu-seul-o-i-pul 42 / 620	Gyeong-seong-je-bi-kkot 33 / 678
Go-seum-do-chi-pul 35 / 664	Gu-seul-sa-cho 42 / 398	Gyeong-seong-sa-cho 32 / 388
Go-seum-do-chi-pul-sok 35 / 664	Gu-sil-ba-wi-chwi 42 / 625	Gyeong-seong-seo-deol-chwi 33 / 623
Go-yang-i-su-yeom 35 / 607	Gu-sil-jat-bam-na-mu 42 / 401	Gyeop-dol-jan-go-sa-ri 32 / 539
Go-yang-ssa-ri 35 / 516	Gu-sil-sa-ri 42 / 634	Gyeop-do-ra-ji 32 / 578
Go-yom-na-mu 35 / 443		Gyeop-ham-bak-kkot-na-mu 32 / 532
Gu-jeol-cho 42 / 436		

Gyeo-pul 32 / 512  
 Gyeo-pul-sok 32 / 512  
 Gyeop-wae-mi-na-ri-a-jae-bi 32 / 601  
 Gyeo-rak-gyeo-sa-cho 31 / 395  
 Gyeo-sa-cho 32 / 395  
 Gyeo-ul-ttal-gi 32 / 611  
 Gyeo-u-sal-i 32 / 679  
 Gyeo-u-sal-i-gwa 32 / 526  
 Gyeo-u-sal-i-sok 32 / 679  
 Gye-ryong-soe-mul-pu-re 33 / 473  
 Gye-yo-deung 33 / 558  
 Gye-yo-deung-sok 33 / 558  
 Gyo-rae-jam-ja-ri-pi 40 / 663

## H

Hae-byeon-no-bak-deong-gul 310 / 402  
 Hae-byeon-no-gan-ju 310 / 505  
 Hae-byeon-ssa-ri 310 / 515  
 Hae-dang-hwa 310 / 609  
 Hae-guk 309 / 366  
 Hae-ho-mal 310 / 485  
 Hae-ho-mal-sok 310 / 485  
 Hae-hong-na-mul 310 / 649  
 Hae-in-bi-bi-chu 310 / 491  
 Hae-jang-juk-sok 310 / 362  
 Hae-nyeo-kong 309 / 386  
 Hae-nyeo-kong-sok 310 / 386  
 Hae-o-ra-bi-nan-cho 310 / 484  
 Hae-o-ra-bi-nan-cho-sok 310 / 484  
 Hae-ran-cho 310 / 521  
 Hae-ran-cho-sok 310 / 521  
 Hae-san-sa-cho 310 / 392  
 Haet-sa-cho 310 / 396  
 Hal-mi-kkot 308 / 596  
 Hal-mi-kkot-sok 309 / 596  
 Hal-mi-mil-mang 309 / 414  
 Han-ra-bu-chu 307 / 348  
 Ham-bak-i 309 / 647  
 Ham-bak-i-sok 309 / 646  
 Ham-bak-kkot-na-mu 309 / 532  
 Ham-buk-o-ri-na-mu 309 / 349  
 Ham-buk-sa-cho 309 / 391  
 Ham-gyeong-baek-san-cha 309 / 511  
 Ham-gyeong-na-bi-na-mul 309 / 674  
 Ham-gyeong-ttal-gi 309 / 611  
 Ham-heung-sseum-ba-gwi 309 / 502  
 Han-dae-ri-gom-chwi 306 / 517  
 Han-deul-go-sa-ri 306 / 433  
 Han-deul-go-sa-ri-sok 306 / 433  
 Ha-neul-ji-gi 306 / 470  
 Ha-neul-ji-gi-sok 306 / 470  
 Ha-neul-mae-bal-top 306 / 355  
 Ha-neul-mal-na-ri 306 / 520  
 Ha-neul-na-ri 306 / 519  
 Ha-neul-ta-ri 306 / 661

Ha-neul-ta-ri-sok 306 / 661  
 Han-gye-ryeong-pul 306 / 483  
 Han-gye-ryeong-pul-sok 306 / 483  
 Han-ma-di-kkot 308 / 610  
 Han-ra-ba-neul-kkot 307 / 457  
 Han-ra-bi-bi-chu 307 / 491  
 Han-ra-charm-chwi 308 / 366  
 Han-ra-cham-na-mul 308 / 574  
 Han-ra-cheon-ma 308 / 476  
 Han-ra-dol-jjeo-gwi 307 / 336  
 Han-ra-gae-seung-ma 306 / 362  
 Han-ra-gam-ja-nan-cho 306 / 553  
 Han-ra-go-deul-ppae-gi 306 / 508  
 Han-ra-gol-pul 307 / 504  
 Han-ra-gol-pul-a-jae-bi 307 / 607  
 Han-ra-gu-jeol-cho 307 / 436  
 Han-ra-jam-ja-ri-nan 308 / 577  
 Han-ra-jang-gu-chae 308 / 636  
 Han-ra-kkot-hyang-yu 307 / 454  
 Han-ra-kkot-jang-po 307 / 659  
 Han-ra-mul-bu-chu 307 / 501  
 Han-ran 308 / 428  
 Han-ra-no-ro-o-jum 307 / 367  
 Han-ra-ok-jam-nan-cho 308 / 522  
 Han-ra-sa-cho 307 / 391  
 Han-ra-sae-dung-ji-ran 307 / 548  
 Han-ra-san-bi-jang-i 307 / 635  
 Han-ra-san-cham-kkot-na-mu 307 / 605  
 Han-ra-san-jin-dal-rae 307 / 605  
 Han-ra-som-da-ri 308 / 513  
 Han-ra-song-i-pul 308 / 562  
 Han-ra-tu-gu-kkot 308 / 337  
 Han-ra-yeo-ro 308 / 669  
 Han-ryeon-cho 308 / 451  
 Han-ryeon-cho-sok 308 / 451  
 Hap-da-ri-na-mu 309 / 537  
 Hasil-sil-ri 309 / 598  
 Heol-teeok-i-pul 311 / 657  
 Heol-teeok-i-pul-sok 311 / 657  
 Heot-gae-na-mu 311 / 491  
 Heot-gae-na-mu-sok 311 / 491  
 Heuk-bak-ju-ga-ri 318 / 429  
 Heuk-nan-cho 318 / 523  
 Heuk-o-mi-ja 318 / 627  
 Heuk-sam-reung 318 / 642  
 Heuk-sam-reung-gwa 318 / 642  
 Heuk-sam-reung-sok 318 / 642  
 Heuk-san-do-bi-bi-chu 318 / 491  
 Heuk-san-ga-si 318 / 609  
 Heuk-sswae-gi-pul-sok 318 / 509  
 Heuk-su-ma-reun 318 / 660  
 Hi-eo-ri 330 / 423  
 Hi-eo-ri-sol 330 / 423  
 Ho-ba-neul-kkot 312 / 456  
 Ho-beom-kko-ri 312 / 374  
 Ho-bi-su-ri 313 / 515  
 Ho-dae-hwang 312 / 613  
 Hoe-ip-na-mu 317 / 463  
 Hoe-mok-na-mu 317 / 463  
 Hoe-na-mu 317 / 463  
 Hoe-ri-ba-ram-kkot 317 / 353  
 Hoe-ryeong-ba-neul-kkot 317 / 456  
 Hoe-ryeong-sa-cho 317 / 392  
 Hoe-saek-sa-cho 317 / 390  
 Hoe-sol-na-mu 317 / 653  
 Hoe-yang-mok 317 / 380  
 Hoe-yang-mok-gwa 317 / 380  
 Hoe-yang-mok-sok 317 / 380  
 Ho-gol-mu-kkot 312 / 632  
 Ho-gwang-dae-su-yeom 312 / 509  
 Ho-ja-deong-gul 313 / 542  
 Ho-ja-deong-gul-sok 313 / 542  
 Ho-ja-na-mu 313 / 434  
 Ho-ja-na-mu-sok 313 / 434  
 Ho-jang-geun 313 / 467  
 Ho-je-bi-kkot 313 / 678  
 Ho-ju-myéong-a-ju 313 / 407  
 Hok-nan-cho 313 / 379  
 Hok-sswae-gi-pul 313 / 509  
 Hol-a-bi-ba-ram-kkot 314 / 352  
 Hol-a-bi-kkot-dae 314 / 408  
 Hol-a-bi-kkot-dae-gwa 314 / 408  
 Hol-a-bi-kkot-dae-sok 314 / 408  
 Hol-ip-no-ru-bal 314 / 597  
 Hol-kkot-no-ru-bal 313 / 543  
 Hol-kkot-no-ru-bal-sok 313 / 543  
 Ho-mil-sa-cho 312 / 394  
 Ho-mo-cho 312 / 420  
 Ho-mo-cho-sok 312 / 419  
 Hong-do-go-deul-ppae-gi 314 / 425  
 Hong-do-go-deul-ppae-gi-sok  
 314 / 425  
 Hong-do-kka-chi-su-yeom 314 / 531  
 Hong-dol-ga-si-na-mu 314 / 610  
 Hong-do-seo-deol-chwi 314 / 624  
 Hong-do-won-chu-ri 314 / 487  
 Hong-goe-bul-na-mu 314 / 526  
 Hong-ji-ne-go-sa-ri 315 / 447  
 Hong-man-byéong-cho 314 / 604  
 Hong-no-do-ra-ji 314 / 564  
 Hong-no-do-ra-ji-sok 314 / 564  
 Hong-wol-gyul 314 / 357  
 Hong-wol-gyul-sok 315 / 357  
 Ho-no-ru-bal 312 / 597  
 Ho-o-ri-sae 313 / 627  
 Ho-o-ri-sae-sok 313 / 627  
 Ho-rang-beo-deul 312 / 616  
 Ho-rang-ga-si-na-mu 312 / 496  
 Ho-san-jang-gu-chae 313 / 637  
 Hu-bak-na-mu 317 / 532

Hu-bak-na-mu-sok 318 / 532	Huin-geum-gang-ae-gi-na-ri 320 / 648	Huin-keun-do-duk-nom-ui-gal-o-ri 328 / 439
Hu-chu-deung 318 / 575	Huin-geum-gang-cho-rong-kkot 320 / 485	Huin-keun-gu-seul-bung-i 328 / 477
Hu-chu-gwa 318 / 576	Huin-geu-neul-yong-dam 320 / 476	Huin-keun-me-kkot 328 / 384
Hu-chu-sok 318 / 575	Huin-goe-bul-na-mu 320 / 526	Huin-keun-na-bi-na-mul 328 / 674
Huin-ae-gi-nak-si-je-bi-kkot 325 / 676	Huin-gol-byeong-kkot-na-mu 319 / 681	Huin-kko-ri-pul 320 / 671
Huin-ae-gi-pul 325 / 581	Huin-gol-mu-kkot 319 / 631	Huin-kko-ri-sa-cho 320 / 389
Huin-aeng-cho 325 / 590	Huin-gom-ttal-gi 319 / 613	Huin-kkot-chang-po 321 / 498
Huin-al-myeo-neu-ri-bap-pul 325 / 536	Huin-go-ryeo-eong-geong-kwi 319 / 412	Huin-kkot-go-bi 320 / 580
Huin-ba-di-na-mul 323 / 353	Huin-go-yang-i-su-yeom 319 / 607	Huin-kkot-gwang-dae-na-mul 320 / 508
Huin-baek-ri-hyang 323 / 657	Huin-gu-reum-guk-hwa 320 / 459	Huin-kkot-gwang-dae-na-mul-sok 320 / 508
Huin-ba-neul-eong-geong-kwi 323 / 412	Huin-gwaeng-i-nun 320 / 409	Huin-kkot-hyang-yu 321 / 455
Huin-ba-neul-gol 322 / 453	Huin-gwi-rung-na-mu 320 / 591	Huin-kkot-ip-eong-geong-kwi 320 / 412
Huin-bang-dong-sa-ni 323 / 431	Huin-gyeo-i-sak 319 / 344	Huin-kkot-jom-dak-ui-jang-pul 320 / 418
Huin-ba-wi-chwi 323 / 625	Huin-gyeop-do-ra-ji 319 / 578	Huin-kkot-na-bi-na-mul 320 / 674
Huin-beol-kkae-deong-gul 323 / 535	Huin-han-ra-dol-jjeo-gwi 329 / 337	Huin-kkot-yeo-kkwi 320 / 565
Huin-beom-kko-ri 323 / 374	Huin-han-ra-kkot-hyang-yu 329 / 454	Huin-kkul-pul 321 / 590
Huin-bi-bi-chu 323 / 490	Huin-heuk-o-mi-ja 330 / 627	Huin-mal-chae-na-mu 322 / 420
Huin-bi-neul-go-sa-ri 323 / 446	Huin-hwang-san-cham-kkot 330 / 605	Huin-me-kkot 322 / 384
Huin-bi-neul-go-sa-ri-sok 323 / 446	Huin-hyang-yu 329 / 454	Huin-mi-na-ri-a-jae-bi 322 / 602
Huin-bi-ro-yong-dam 323 / 477	Huin-hyeon-ho-saek 330 / 421	Huin-min-deul-re 322 / 652
Huin-bok-ju-meo-ni-ran 323 / 432	Huin-i-jil-pul 326 / 479	Huin-moe-je-bi-kkot 322 / 678
Huin-bun-hong-du-me-tu-gu-kot 323 / 671	Huin-il-wol-bi-bi-chu 326 / 490	Huin-mo-si-dae 322 / 340
Huin-but-kkot 323 / 499	Huin-in-ga-mo 326 / 609	Huin-mul-bong-seon 322 / 497
Huin-cham-kkot-bat-i 328 / 377	Huin-ip-eong-geong-kwi 326 / 412	Huin-mul-ssa-ri 322 / 588
Huin-cham-kkot-na-mu 328 / 605	Huin-ip-go-ryeo-eong-geong-kwi 326 / 412	Huin-mu-reut 322 / 628
Huin-cham-ssa-ri 328 / 515	Huin-i-sak-sa-cho 326 / 395	Huin-myeong-a-ju 322 / 407
Huin-cheol-ijjuk 328 / 605	Huin-ja-ju-goe-bul-ju-meo-ni 326 / 422	Huin-na-ri-jan-dae 321 / 340
Huin-cheo-nyeo-chi-ma 328 / 487	Huin-ja-ju-kkot-bang-mang-i 326 / 385	Huin-no-rang-min-deul-re 321 / 652
Huin-cheung-kkot-na-mu 328 / 401	Huin-ja-ju-sseun-pul 326 / 649	Huin-no-rang-mu-nui-but-kkot 321 / 499
Huin-dae-geuk 321 / 464	Huin-jak-sal-na-mu 326 / 383	Huin-no-rin-jae-na-mu 321 / 650
Huin-dak-ui-nan-cho 321 / 457	Huin-jan-dae 326 / 341	Huin-o-i-pul 325 / 621
Huin-deung 322 / 681	Huin-jang-dae-na-mul 327 / 356	Huin-o-ri-bang-pul 325 / 500
Huin-deung-goe-bul-na-mu 322 / 526	Huin-jang-gu-chae 326 / 637	Huin-pae-raeng-i-kkot 329 / 440
Huin-deung-sim-but-kkot 322 / 638	Huin-je-bi-go-kkal 327 / 435	Huin-pul-ssa-ri 329 / 516
Huin-do-kkae-bi-eong-geong-kwi 321 / 412	Huin-je-bi-kkot 327 / 677	Huin-sa-cho 323 / 390
Huin-dong-baek-na-mu 321 / 385	Huin-je-bi-ran 327 / 577	Huin-saeng-yeol-gwi-na-mu 324 / 609
Huin-dong-ja-kkot 321 / 528	Huin-jeong-hyang-na-mu 327 / 651	Huin-san-cheol-ijjuk 324 / 606
Huin-do-ra-ji-mo-si-dae 321 / 339	Huin-jeot-je-bi-kkot 327 / 677	Huin-sang-sa-hwa 324 / 530
Huin-du-me-ja-un 321 / 557	Huin-jin-beom 328 / 336	Huin-san-ssuk 324 / 360
Huin-du-me-yang-gwi-bi 321 / 559	Huin-jin-dal-rae 327 / 605	Huin-seom-cho-rong-kkot 324 / 385
Huin-dung-geun-i-jil-pul 321 / 478	Huin-jin-peo-ri-jan-dae 328 / 340	Huin-seom-gae-hoe-na-mu 324 / 651
Huin-eok-sae 325 / 541	Huin-jo-baeng-i 327 / 378	Huin-seom-jwi-son-i 324 / 479
Huin-eol-re-ji 325 / 462	Huin-jo-gae-na-mul 327 / 345	Huin-sok-dan 324 / 570
Huin-gae-su-yeom 319 / 460	Huin-jo-hui-pul 327 / 414	Huin-sol-na-mul 324 / 475
Huin-gak-si-but-kkot 319 / 499	Huin-jom-ba-wi-sol 327 / 555	Huin-som-yeo-kkwi 324 / 565
Huin-gak-si-chwi 319 / 624	Huin-jom-bi-bi-chu 327 / 491	Huin-song-i-pul 324 / 563
Huin-gal-kwi 319 / 474	Huin-jom-hyeon-ho-saek 327 / 421	Huin-ssa-ri 325 / 514
Huin-gal-kwi-hyeon-ho-saek 319 / 422	Huin-jom-seol-aeng-cho 327 / 589	Huin-sseum-ba-gwi 325 / 502
Huin-gal-kwi-na-mul 319 / 673	Huin-jom-yang-ji-kkot 327 / 588	Huin-ssuk 325 / 361
Huin-gap-san-je-bi-kkot 319 / 677	Huin-jo-rok-ssa-ri 327 / 515	
Huin-ga-si-eong-geong-kwi 319 / 411	Huin-keun-bang-ul-sae-ran 328 / 580	
Huin-ga-sol-song 319 / 571	Huin-keun-deung-gal-kwi 328 / 674	

Huin-su-gol-mu-kkot 324 / 631  
 Huin-suk-eun-no-ru-o-jum 324 / 367  
 Huin-su-keu-ryeong 324 / 564  
 Huin-sul-pae-raeng-i-kkot 324 / 440  
 Huin-ta-rae-nan-cho 328 / 644  
 Huin-teol-bok-ju-meo-ni-ran 329 / 432  
 Huin-teol-dang-ma-ga-mok 329 / 641  
 Huin-teol-dong-ja-kkot 329 / 528  
 Huin-teol-go-gwang-na-mu 329 / 569  
 Huin-teol-go-sa-ri 329 / 438  
 Huin-teol-gwi-rung-na-mu 329 / 591  
 Huin-teol-je-be-kkot 329 / 676  
 Huin-teol-min-deul-re 329 / 653  
 Huin-teol-sol-na-mul 329 / 475  
 Huin-teo-ri-pul 328 / 470  
 Huin-top-jan-dae 329 / 339  
 Huin-ttang-bi-ssa-ri 322 / 497  
 Huin-ttat-ttal-gi 322 / 472  
 Huin-wae-hyeon-ho-saek 326 / 421  
 Huin-wae-jeot-ga-rak-na-mul 326 / 602  
 Huin-wang-gaet-ssuk-bu-jaeng-i  
     325 / 366  
 Huin-yang-gwi-bi 325 / 559  
 Huin-yeo-kkwi 325 / 565  
 Huin-yeo-ro 325 / 670  
 Huin-yong-dam 326 / 477  
 Huin-yong-meo-ri 326 / 445  
 Hu-pi-hyang-na-mu 318 / 654  
 Hu-pi-hyang-na-mu-sok 318 / 654  
 Hu-ra-bel-ra-ta-sa-cho 317 / 391  
 Hwa-eom-je-be-kkot 315 / 676  
 Hwal-na-mul 315 / 426  
 Hwal-na-mul-sok 315 / 426  
 Hwal-ryang-na-mul 315 / 510  
 Hwang-byeok-na-mu 316 / 569  
 Hwang-byeok-na-mu-sok 316 / 569  
 Hwang-cheol-na-mu 316 / 585  
 Hwang-chil-na-mu 317 / 437  
 Hwang-chil-na-mu-sok 317 / 437  
 Hwang-geum-som-dae 316 / 639  
 Hwang-geun 315 / 489  
 Hwang-gi 316 / 368  
 Hwang-gi-sok 316 / 367  
 Hwang-go-sa-ri 315 / 437  
 Hwang-hae-ssuk 317 / 359  
 Hwang-jong-yong 316 / 554  
 Hwang-mae-hwa 316 / 506  
 Hwang-mae-hwa-sok 316 / 506  
 Hwang-sae-go-raeng-i 316 / 629  
 Hwang-sae-naeng-i 316 / 387  
 Hwang-sae-naeng-i-sok 316 / 386  
 Hwang-sae-pul 316 / 461  
 Hwang-sae-pul-sok 316 / 461  
 Hwang-sae-seung-ma 316 / 409  
 Hwang-san-cha 316 / 605

Hwan-sam-deong-gul 315 / 491  
 Hwan-sam-deong-gul-sok 315 / 491  
 Hwa-sal-gom-chwi 315 / 517  
 Hwa-sal-na-mu 315 / 462  
 Hwa-sal-na-mu-sok 315 / 462  
 Hwa-sal-sa-cho 315 / 389  
 Hwa-san-gop-seul-sa-cho 315 / 397  
 Hwa-tae-hwang-byeok-na-mu  
     315 / 569  
 Hyang-bu-ja 311 / 431  
 Hyang-deung-gol-na-mul 311 / 464  
 Hyang-gi-pul-sok 311 / 354  
 Hyang-mo 311 / 489  
 Hyang-mo-sok 311 / 489  
 Hyang-na-mu 311 / 505  
 Hyang-na-mu-sok 311 / 504  
 Hyang-yu 311 / 454  
 Hyang-yu-sok 311 / 454  
 Hyeong-gae-sok 312 / 627  
 Heyon-ho-saek 312 / 423  
 Heyon-ho-saek-gwa 312 / 473  
 Heyon-ho-saek-sok 312 / 421  
 Heyon-sam 311 / 630  
 Hyeon-sam-gwa 311 / 631  
 Hyeon-sam-sok 311 / 630  
 Hyeop-juk-do-gwa 312 / 355

**I**

I-dae 228 / 593  
 I-dae-sok 228 / 593  
 I-go-deul-ppae-gi 228 / 425  
 I-hwa-gu-jeol-cho 229 / 436  
 I-jil-pul 229 / 479  
 Ik-mo-cho 230 / 513  
 Ik-mo-cho-sok 230 / 513  
 Il-bon-sa-cho 230 / 392  
 Il-saek-go-sa-ri 230 / 357  
 Il-wol-bi-chu 231 / 490  
 Il-wol-san-byeon-kkot 231 / 646  
 Il-wol-san-sa-na-mu 231 / 424  
 Il-wol-to-hyeon-sam 231 / 631  
 Il-yeop-a-jae-bi 230 / 485  
 Il-yeop-a-jae-bi-gwa 230 / 680  
 Il-yeop-a-jae-bi-sok 230 / 485  
 Il-yeop-cho 231 / 513  
 Il-yeop-cho-sok 231 / 513  
 Im-gye-cheong-dak-ui-nan-cho  
     231 / 457  
 I-na-mu 228 / 496  
 I-na-mu-sok 228 / 496  
 In-cheon-jan-dae 230 / 340  
 In-dong-deong-gul 230 / 525  
 In-dong-gwa 230 / 386  
 In-dong-sol 230 / 524  
 In-ga-mok 230 / 609

In-ga-mok-jo-pap-na-mu 230 / 643  
 In-je-sa-cho 230 / 392  
 I-no-ri-na-mu 228 / 424  
 In-sam 230 / 559  
 In-sam-sok 230 / 559  
 I-pap-na-mu 229 / 407  
 I-pap-na-mu-sok 229 / 407  
 Ip-gal-na-mu 231 / 510  
 Ip-gal-na-mu-sok 231 / 510  
 Ip-sae-ba-wi-sol 231 / 555  
 Ip-sul-mang-che 231 / 441  
 Ip-sul-mang-cho-sok 231 / 441  
 I-reun-beom-kko-ri 228 / 374  
 I-sak-ba-kkot 229 / 336  
 I-sak-bi-bi-chu 229 / 490  
 I-sak-bom-mat-i 229 / 647  
 I-sak-bom-mat-i-sok 229 / 647  
 I-sak-dan-yeop-ran 228 / 533  
 I-sak-dan-yeop-ran-sok 229 / 533  
 I-sak-gwi-gae 228 / 667  
 I-sak-ho-mo-cho 229 / 419  
 I-sak-mul-su-se-mi 229 / 546  
 I-sak-sa-cho 229 / 390  
 I-sak-song-i-pul 229 / 563  
 I-sak-yeo-kkwi 229 / 565  
 I-sam-sa-cho 229 / 394  
 I-seu-ra-ji 229 / 591

**J**

Ja-ban-pul 232 / 551  
 Ja-ban-pul-sok 232 / 551  
 Ja-byeong-chwi 233 / 622  
 Jae-ssuk 238 / 438  
 Jae-ssuk-sok 238 / 438  
 Ja-geum-u 232 / 358  
 Ja-geum-u-gwa 232 / 546  
 Ja-geum-u-sok 232 / 357  
 Ja-gwi-na-mu 231 / 346  
 Ja-gwi-na-mu-sok 231 / 346  
 Ja-gwi-pul 231 / 343  
 Ja-gwi-pul-sok 232 / 343  
 Ja-jak-na-mu 233 / 373  
 Ja-jak-na-mu-gwa 233 / 373  
 Ja-jak-na-mu-sok 233 / 372  
 Ja-ju-ae-gi-gwaeng-i-bap 234 / 557  
 Ja-ju-al-rok-je-be-kkot 234 / 678  
 Ja-ju-bak-ju-ga-ri 233 / 429  
 Ja-ju-bang-a-pul 234 / 501  
 Ja-ju-bang-ga-ji-ttong 233 / 508  
 Ja-ju-bok-ju-meo-ni-ran 234 / 432  
 Ja-ju-deong-gul-byeol-kkot 233 / 427  
 Ja-ju-gae-hwang-gi 233 / 367  
 Ja-ju-gae-meo-ru 233 / 350  
 Ja-ju-gae-mil 233 / 455  
 Ja-ju-ga-neun-o-i-pul 233 / 621

Ja-ju-goe-bul-ju-meo-ni 233 / 422	Jang-mi-sok 237 / 608	Je-ju-geom-jeong-gok-jeong-cho 241 / 460
Ja-ju-hwang-gi 234 / 368	Jan-go-sa-ri 235 / 437	Je-ju-gin-ip-mo-si-pul 242 / 375
Ja-ju-i-dae 234 / 593	Jan-go-sa-ri-sok 235 / 437	Je-ju-go-sa-ri-sam 241 / 534
Ja-ju-ip-je-bi-kkot 234 / 678	Jang-seong-sa-cho 238 / 393	Je-ju-go-sa-ri-sam-sok 241 / 534
Ja-ju-jang-dae-na-mul 234 / 356	Jang-su-go-sa-ri 238 / 449	Je-ju-guk-hwa 242 / 366
Ja-ju-ji-ne-go-sa-ri 234 / 448	Jang-su-man-ri-hwa 238 / 472	Je-ju-ha-neul-ji-gi 243 / 471
Ja-ju-jo-hui-pul 234 / 414	Jang-su-paeng-na-mu 238 / 403	Je-ju-hwang-gi 243 / 368
Ja-ju-jok-do-ri-pul 234 / 363	Jang-ttal-gi 237 / 612	Je-ju-hyeon-sam 243 / 630
Ja-ju-jong-deong-gul 234 / 413	Jan-ip-ba-di 236 / 353	Je-ju-jang-ttal-gi 243 / 612
Ja-ju-kkot-bang-mang-i 233 / 385	Jan-ip-san-bi-jang-i 236 / 635	Je-ju-jin-deuk-chal 243 / 636
Ja-ju-kkhwong-ui-bi-reum 233 / 494	Jan-na-bi-na-mul 235 / 673	Je-ju-ji-ne-go-sa-ri 243 / 446
Ja-ju-kkhwong-ui-da-i 233 / 655	Jan-nun-sseop-go-sa-ri 235 / 365	Je-ju-jjil-re 243 / 609
Ja-ju-po-a-pul 234 / 579	Jan-sil-ssuk 236 / 469	Je-ju-jo-rit-dae 243 / 622
Ja-ju-som-dae 234 / 638	Jan-sol-ip-sa-cho 236 / 389	Je-ju-keun-mul-tong-i 243 / 573
Ja-ju-sseun-pul 234 / 649	Jan-teol-beot-na-mu 236 / 592	Je-ju-keun-ok-mae-deup-pul 243 / 583
Ja-ju-ttang-gwi-gae 233 / 667	Jan-teol-deu-mun-go-sa-ri 236 / 538	Je-ju-mo-si-pul 242 / 376
Jak-eun-hwang-sae-pul 235 / 461	Jan-teol-in-dong 236 / 525	Je-ju-mul-bu-chu 242 / 501
Jak-eun-sa-wi-jil-ppang 235 / 414	Jan-teol-je-bi-kkot 236 / 677	Je-ju-mu-yeop-ran 242 / 511
Jak-sal-na-mu 234 / 383	Jan-teol-ma-ga-mok 236 / 641	Je-ju-na-rae-sae 242 / 647
Jak-sal-na-mu-sok 235 / 383	Jan-teol-o-ri-na-mu 236 / 349	Je-ju-ol-chaeng-i-gol 243 / 629
Jak-yak-gwa 235 / 558	Jan-top-bi-jang-i 236 / 635	Je-ju-pi-mak-i 243 / 493
Jak-yak-sok 235 / 558	Jap-gol-sa-cho 236 / 388	Je-ju-sae-pul 242 / 381
Jam-ja-ri-nan-cho 236 / 484	Jap-ssa-ri 236 / 516	Je-ju-san-beo-deul 242 / 616
Jam-ja-ri-pi 236 / 664	Ja-ran 232 / 375	Je-ju-sang-sa-hwa 242 / 530
Jam-ja-ri-pi-sok 236 / 664	Ja-ran-cho 232 / 345	Je-ju-san-ttal-gi 242 / 612
Jan-dae 235 / 341	Ja-ran-sok 232 / 375	Je-ju-sip-ja-go-sa-ri 242 / 584
Jan-dae-sok 235 / 339	Ja-ra-pul 232 / 492	Je-ju-ssa-ri-naeng-i 243 / 387
Jan-di 235 / 685	Ja-ra-pul-gwa 232 / 492	Je-ju-yang-ji-kkot 243 / 588
Jan-di-ba-raeng-i 235 / 442	Ja-ra-pul-sok 232 / 492	Jeol-cho-na-mu 239 / 525
Jan-di-ba-raeng-i-sok 235 / 442	Ja-ri-gong-gwa 232 / 572	Jeol-guk-dae 239 / 638
Jan-di-gal-go-ri 235 / 438	Ja-ri-gong-sok 232 / 572	Jeol-guk-dae-sok 239 / 638
Jan-di-sok 235 / 685	Ja-ru-na-do-go-sa-ri-sam 232 / 552	Jeol-gut-dae 239 / 450
Jang-baek-je-bi-kkot 238 / 675	Jat-na-mu 237 / 575	Jeol-gut-dae-sok 239 / 450
Jang-baek-pae-naeng-i-kkot 238 / 440	Je-bi-but-kkot 241 / 498	Jeol-yeong-pul 239 / 425
Jang-dae-naeng-i 237 / 372	Je-bi-dong-ja-kkot 241 / 528	Jeom-bak-i-byeol-kkot-pul 240 / 649
Jang-dae-naeng-i-sok 237 / 372	Je-bi-go-kkal 240 / 435	Jeom-bak-i-cheon-nam-seong 240 / 359
Jang-dae-na-mul 237 / 356	Je-bi-go-kkal-sok 240 / 435	Jeom-bak-i-gu-reum-byeong-a-ri-nan-cho 239 / 483
Jang-dae-na-mul-sok 237 / 355	Je-bi-kko-ri-go-sa-ri 241 / 592	Jeom-bong-san-eong-geong-kwi 240 / 412
Jang-dae-yeo-kkwi 237 / 566	Je-bi-kko-ri-go-sa-ri-sok 241 / 592	Jeom-go-sa-ri 239 / 495
Jang-da-ri-na-mul 237 / 420	Je-bi-kkot 241 / 677	Jeom-go-sa-ri-sok 239 / 495
Jang-eok-sae 238 / 541	Je-bi-kkot-gwa 241 / 679	Jeom-hyeon-ho-saek 240 / 422
Jang-gu-bap-na-mu 237 / 483	Je-bi-kkot-sok 241 / 675	Jeom-na-do-na-mul 239 / 404
Jang-gu-bap-na-mu-sok 237 / 482	Je-bi-kkul 241 / 656	Jeom-na-do-na-mul-sok 239 / 404
Jang-gu-chae 237 / 636	Je-bi-kkul-sok 241 / 656	Jeom-swi-ttang-na-mu 240 / 640
Jang-gun-dae-sa-cho 237 / 396	Je-bi-nan-cho 241 / 577	Jeong-geum-na-mu 240 / 667
Jang-gun-pul 237 / 604	Je-bi-nan-cho-sok 241 / 577	Jeong-hyang-na-mu 240 / 651
Jang-heung-gok-jeong-cho 238 / 460	Je-bi-ssuk 241 / 360	Jeong-hyang-pul 240 / 351
Jang-ji-chae 238 / 626	Je-ju-baek-un-pul 242 / 551	Jeong-hyang-pul-sok 240 / 351
Jang-ji-chae-gwa 238 / 626	Je-ju-bang-ul-ran 242 / 484	Jeong-neung-cham-na-mu 240 / 599
Jang-ji-chae-sok 238 / 626	Je-ju-beot-na-mu 242 / 592	Jeong-seon-ba-wi-sol 240 / 554
Jang-ji-seok-nam 238 / 352	Je-ju-chang-go-sa-ri 243 / 417	Jeong-seon-hwang-gi 240 / 368
Jang-ji-seok-nam-sok 238 / 351	Je-ju-dae-geuk 242 / 465	
Jang-mi-bit-bok-ju-meo-ni-ran 237 / 432	Je-ju-dal-gu-jii-pul 242 / 662	
Jang-mi-gwa 237 / 610	Je-ju-eong-geong-kwi 243 / 411	
	Je-ju-gae-gwan-jung 241 / 584	

Jeong-yeong-eong-geong-kwi	Jin-peo-ri-kka-chi-su-yeom 263 / 530
240 / 411	Jin-peo-ri-kkot-na-mu 263 / 405
Jeon-ho 239 / 354	Jin-peo-ri-kkot-na-mu-sok 263 / 405
Jeon-ho-sok 239 / 354	Jin-peo-ri-no-ru-o-jum 263 / 367
Jeon-ju-mul-kko-ri-pul 239 / 449	Jin-peo-ri-sa-cho 264 / 388
Jeon-na-mu 238 / 333	Jin-peo-ri-sae 264 / 542
Jeon-na-mu-sok 239 / 333	Jin-peo-ri-sae-sok 264 / 542
Jeon-ui-geum-bul-cho 239 / 498	Jin-peo-ri-yong-dam 264 / 477
Jeot-ga-rak-na-mul 240 / 601	Jin-ttang-go-chu-pul 263 / 435
Jeung-san-ssuk 260 / 359	Jin-ttang-go-chu-pul-sok 263 / 435
Ji-chae 261 / 662	Jip-kke-go-ro-soe 264 / 334
Ji-chae-gwa 261 / 503	Ji-po-na-mu 262 / 668
Ji-chae-sok 261 / 662	Jip-sa-cho 264 / 399
Ji-chi 261 / 523	Jip-sin-na-mul 265 / 343
Ji-chi-gwa 261 / 376	Jip-sin-na-mul-sok 265 / 343
Ji-ching-gae 262 / 488	Ji-reong-ku-na-mu 260 / 620
Ji-ching-gae-sok 262 / 488	Ji-ri-ba-kkot 261 / 336
Ji-chi-sok 262 / 523	Ji-ri-dae-geuk 260 / 465
Jil-gyeong-i 264 / 576	Ji-ri-dae-sa-cho 260 / 395
Jil-gyeong-i-gwa 264 / 576	Ji-ri-gae-gwan-jung 260 / 584
Jil-gyeong-i-sok 264 / 576	Ji-ri-gang-hwal 260 / 353
Jil-gyeong-i-tae-ki-sa 264 / 346	Ji-ri-go-deul-ppae-gi 260 / 425
Jin-beom 263 / 337	Ji-ri-goe-bul-na-mu 260 / 525
Jin-bo-ra-but-kkot 263 / 499	Ji-ri-o-ri-bang-pul 261 / 500
Jin-dal-rae 262 / 605	Ji-ri-san-gae-byeol-kkot 261 / 594
Jin-dal-rae-gwa 262 / 459	Ji-ri-san-gim-ui-teol 261 / 468
Jin-dal-rae-sok 262 / 604	Ji-ri-san-go-sa-ri 261 / 369
Jin-deuk-chal 262 / 636	Ji-ri-san-ha-neul-mal-na-ri 261 / 520
Jin-deuk-chal-sok 262 / 636	Ji-ri-san-kko-ri-pul 261 / 671
Jin-deul-geom-jeong-sa-cho 262 / 395	Ji-ri-san-o-gal-pi 261 / 454
Jin-deul-pi 263 / 481	Ji-ri-san-sup-go-sa-ri 261 / 420
Jin-deul-sa-cho 263 / 392	Ji-ri-sil-cheong-sa-cho 261 / 397
Jin-deul-ttal-gi 262 / 611	Ji-ri-teo-ri-pul 261 / 469
Jin-do-ssa-ri 262 / 516	Jjak-ja-rae-na-mu 265 / 603
Ji-ne-bal-ran 260 / 413	Jjal-beun-gae-yeo-kkwi 265 / 566
Ji-ne-bal-ran-sok 260 / 413	Jjal-beun-sa-sang-ja 265 / 555
Ji-ne-go-sa-ri 260 / 560	Jjil-re-kkot 265 / 609
Ji-neu-reo-mi-go-sa-ri 260 / 494	Jjok-beo-deul 265 / 617
Ji-neu-reo-mi-go-sa-ri-sok 260 / 494	Jjok-dong-baek-na-mu 265 / 648
Jin-go-sa-ri 262 / 437	Jjok-ga-rae-na-mu 265 / 503
Jin-go-sa-ri-sok 262 / 437	Jjok-jan-go-sa-ri 265 / 365
Jin-heuk-pul 264 / 539	Jo-a-jae-bi 245 / 635
Jin-heuk-pul-sok 264 / 539	Jo-baeng-i 245 / 378
Jin-hwang-jeong 264 / 581	Jo-baeng-i-sok 245 / 378
Jin-geo-ri-go-sa-ri 263 / 448	Jo-bap-na-mul 245 / 489
Jin-ju-ba-wi-sol 263 / 554	Jo-bap-na-mul-sok 245 / 489
Jin-ju-go-chu-na-mul 263 / 495	Jo-do-man-du-na-mu 244 / 481
Jin-nam-po-sa-cho 262 / 397	Jo-do-man-du-na-mu-sok 244 / 481
Jin-no-rang-sang-sa-hwa 262 / 530	Jo-gae-na-mul 244 / 345
Jin-peol-hyeon-ho-saek 264 / 421	Jo-gae-na-mul-sok 244 / 345
Jin-peo-ri-beo-deul 264 / 617	Jo-gae-pul 244 / 362
Jin-peo-ri-gae-go-sa-ri 263 / 437	Jo-gae-pul-sok 244 / 362
Jin-peo-ri-go-sa-ri 263 / 514	Jo-i-sak-sa-cho 245 / 396
Jin-peo-ri-go-sa-ri-sok 263 / 514	Jok-do-ri-pul 245 / 363
Jin-peo-ri-jan-dae 264 / 340	Jok-do-ri-pul-sok 245 / 362
	Jok-je-bi-go-sa-ri 245 / 449
	Jol-bang-je-bi-kkot 246 / 675
	Jol-cham-na-mu 246 / 600
	Jol-gal-cham-na-mu 246 / 599
	Jom-ba-neul-kkot 249 / 457
	Jom-ba-neul-sa-cho 249 / 506
	Jom-ba-neul-sa-cho-sok 249 / 506
	Jom-ba-raeng-i 249 / 442
	Jom-ba-wi-sol 249 / 554
	Jom-bi-bi-chu 250 / 491
	Jom-bo-ri-sa-cho 249 / 397
	Jom-bu-cheo-kkot 249 / 350
	Jom-bu-chu 250 / 347
	Jom-bun-beo-deul 250 / 618
	Jom-cham-bit-sal-na-mu 252 / 463
	Jom-cham-kkot 252 / 605
	Jom-cheo-nyeo-i-kki 252 / 535
	Jom-cheung-cheung-jan-dae 252 / 341
	Jom-daeng-gang-na-mu 248 / 332
	Jom-dak-ui-jang-pul 248 / 418
	Jom-dam-bae-pul 248 / 400
	Jom-da-ram-jwi-kko-ri 248 / 491
	Jom-do-kkae-bi-sa-cho 248 / 392
	Jom-dol-pat 248 / 675
	Jom-dol-pi 248 / 450
	Jom-eo-ri-yeon-kkot 251 / 550
	Jom-gae-gat-naeng-i 246 / 608
	Jom-gae-gu-ri-bap 246 / 512
	Jom-gae-gu-ri-bap-sok 246 / 512
	Jom-gae-mi-chwi 246 / 366
	Jom-gae-su-yeom 246 / 460
	Jom-ga-ji-pul 246 / 530
	Jom-gal-mae-na-mu 246 / 603
	Jom-go-chu-na-mul 246 / 495
	Jom-gol-dam-cho 247 / 386
	Jom-gol-mu-kkot 247 / 631
	Jom-go-sa-ri 246 / 578
	Jom-go-sa-ri-sam 246 / 377
	Jom-go-sa-ri-sok 246 / 578
	Jom-go-yang-i-su-yeom 246 / 607
	Jom-gul-geo-ri-na-mu 247 / 434
	Jom-gu-seul-bung-i 247 / 477
	Jom-gyeo-pul 246 / 512
	Jom-ho-rang-beo-deul 253 / 616
	Jom-hwang-hae-ssuk 253 / 359
	Jom-hyang-yu 253 / 454
	Jom-hyeon-ho-saek 253 / 421
	Jom-hyeon-sam 253 / 630
	Jom-ja-jak-na-mu 251 / 373
	Jom-jak-sal-na-mu 251 / 383
	Jom-jang-gu-bap-na-mu 251 / 483
	Jom-jin-go-sa-ri 252 / 437
	Jom-jip-sin-na-mul 252 / 343
	Jom-jjil-re 252 / 609

Jom-jjok-dong-baek-na-mu 252 / 648	Jom-ssa-ri 251 / 516	Jo-rit-dae-sok 244 / 621
Jom-jo-gae-pul 252 / 417	Jom-sseum-ba-gwi 251 / 502	Jo-rok-na-mu 244 / 444
Jom-jo-gae-pul-sok 252 / 417	Jom-swi-ttang-na-mu 251 / 640	Jo-rok-na-mu-gwa 244 / 485
Jom-jong-deong-gul 252 / 413	Jom-teol-jwi-ttong-na-mu 252 / 518	Jo-rok-na-mu-sok 244 / 444
Jom-jo-pap-na-mu 252 / 643	Jom-ttak-chwi 248 / 344	Jo-rok-ssa-ri 244 / 515
Jom-jwi-o-jun 252 / 668	Jom-itgal-gi 248 / 587	Jo-ryeong-eu-a-ri 244 / 413
Jom-jwi-son-i 252 / 479	Jom-u-deu-pul 251 / 682	Jo-seon-hyeon-ho-saek 245 / 423
Jom-jwi-ttong-na-mu 252 / 518	Jom-ya-gwang-na-mu 251 / 533	Jo-seon-ma-neul 245 / 348
Jom-kkae-ip-na-mu 247 / 376	Jom-yang-ji-kkot 251 / 588	Jo-seon-sa-cho 245 / 390
Jom-kke-muk 247 / 490	Jom-yun-no-ri 251 / 589	Ju-geok-bi-bi-chu 255 / 490
Jom-kko-ri-kka-chi-bap-na-mu 247 / 607	Jong-bi-na-mu 255 / 572	Ju-geok-bi-reum 255 / 633
Jom-kkot-beo-deul 247 / 618	Jong-da-ri-kkot 255 / 421	Ju-geok-daeng-gang-na-mu 255 / 332
Jom-kku-reo-mi-pul 247 / 579	Jong-da-ri-kkot-sok 255 / 421	Ju-geok-il-yeop 255 / 527
Jom-kkwang-kkwang-na-mu 247 / 496	Jong-deong-gul 255 / 414	Ju-geok-il-yeop-sok 255 / 527
Jom-kkwong-ui-bap 247 / 528	Jong-dung-gul-re 255 / 581	Ju-geok-jang-dae 255 / 356
Jom-kkwong-ui-da-ri 247 / 655	Jong-ga-si-na-mu 255 / 600	Ju-geok-no-ru-bal 255 / 597
Jom-ma-di-geo-meo-ri-mal 248 / 685	Jo-pap-na-mu 245 / 643	Ju-jeo-ri-go-sa-ri 256 / 447
Jom-mae-ja-gi 248 / 629	Jo-pap-na-mu-sok 245 / 643	Juk-baek-ran 257 / 428
Jom-mae-kmun-dong 248 / 523	Jop-eun-baek-san-cha 253 / 511	Juk-dae 256 / 582
Jom-meo-gwi-na-mu 248 / 683	Jop-eun-eo-su-ri 253 / 488	Juk-dae-a-jae-bi 256 / 648
Jom-mi-kku-ri-gwang-i 249 / 659	Jop-eun-hae-hong-na-mul 255 / 648	Juk-dae-a-jae-bi-sok 257 / 647
Jom-mi-kku-ri-gwang-i-sok 249 / 659	Jop-eun-ip-bae-pung-deung 254 / 639	Juk-jeol-cho 257 / 621
Jom-min-deul-re 249 / 652	Jop-eun-ip-bo-ri-jang 254 / 451	Juk-jeol-cho-sok 257 / 621
Jom-min-ha-neul-ji-gi 249 / 470	Jop-eun-ip-cham-bit-sal-na-mu 254 / 463	Jul 257 / 684
Jom-mi-yeok-go-sa-ri 249 / 583	Jop-eun-ip-cheon-seon-gwa 254 / 469	Jul-ba-kkot 257 / 336
Jom-mok-hyeong 249 / 679	Jop-eun-ip-deong-gul-yong-dam 253 / 595	Jul-ba-neul-kkot 257 / 456
Jom-mul-ttuk-sae 249 / 614	Jop-eun-ip-deong-gul-yong-dam-sok 254 / 595	Jul-daeng-gang-na-mu 257 / 332
Jom-myeong-a-ju 249 / 407	Jop-eun-ip-dol-kkot 254 / 604	Jul-go-sa-ri 257 / 549
Jom-na-do-go-sa-ri-sam 247 / 552	Jop-eun-ip-eong-geong-kwi 254 / 411	Jul-go-sa-ri-sok 257 / 549
Jom-na-do-hi-cho-mi 247 / 583	Jop-eun-ip-ga-mak-sa-ri 253 / 373	Jul-hyeon-ho-saek 258 / 421
Jom-naeng-i 248 / 388	Jop-eun-ip-gye-yo-deung 253 / 558	Jul-kkot-ju-meo-ni 257 / 342
Jom-nang-a-cho 247 / 406	Jop-eun-ip-hae-ran-cho 254 / 521	Jul-kkot-ju-meo-ni-sok 257 / 342
Jom-nang-a-cho-sok 247 / 406	Jop-eun-ip-heuk-sam-reung 254 / 642	Jul-mal 257 / 614
Jom-ne-ip-gal-kwi 248 / 474	Jop-eun-ip-mae-ja 254 / 372	Jul-mal-sok 257 / 614
Jom-ne-mo-gol 248 / 453	Jop-eun-ip-mal 254 / 586	Jul-sa-cheol-na-mu 257 / 463
Jom-pung-ge-na-mu 253 / 402	Jop-eun-ip-mi-kku-ri-nak-si 254 / 566	Jul-sa-cho 258 / 393
Jom-sa-cheol-na-mu 250 / 463	Jop-eun-ip-mil-na-mul 254 / 639	Jul-seok-song 258 / 492
Jom-sa-da-ri-go-sa-ri 250 / 560	Jop-eun-ip-mi-na-ri-naeng-i 254 / 388	Jul-sok 258 / 684
Jom-sae-bi-na-mu 250 / 383	Jop-eun-ip-sa-wi-jil-ppang 254 / 414	Jul-ttal-gi 257 / 612
Jom-sae-geu-ryeong 250 / 458	Jop-eun-ip-yuk-ji-kkot-beo-deul 254 / 618	Ju-mok 256 / 653
Jom-sae-po-a-pul 250 / 579	Jop-ssal-naeng-i 253 / 387	Ju-mok-gwa 256 / 653
Jom-sae-pul 250 / 438	Jop-ssal-pul 253 / 531	Ju-mok-sok 256 / 653
Jom-sae-pul-sok 250 / 438	Jop-ssal-pul-sok 253 / 465	Jung-dae-ga-ri-pul 258 / 403
Jom-san-cho-na-mu 250 / 684	Jop-ssal-sa-cho 253 / 395	Jung-dae-ga-ri-pul-sok 258 / 403
Jom-san-mi-na-ri-a-jae-bi 250 / 601	Jop-ssal-u-deu-pul 253 / 682	Jung-jeong-eok-sae 258 / 541
Jom-san-seo-eo-na-mu 250 / 400	Jo-reum-na-mul 244 / 538	Jung-na-ri 258 / 520
Jom-sa-wi-jil-ppang 250 / 413	Jo-reum-na-mul-gwa 244 / 537	Jung-neu-reup-na-mu 258 / 666
Jom-seol-aeng-cho 250 / 589	Jo-reum-na-mul-sok 244 / 537	Jung-sat-gat-sa-cho 258 / 399
Jom-si-ho 251 / 380	Jo-rit-dae 244 / 621	Jung-ui-mu-reut 258 / 473
Jom-soe-go-sa-ri 251 / 357	Jo-rit-dae-pul 245 / 526	Jung-ui-mu-reut-sok 258 / 473
Jom-soe-mul-pu-re 251 / 472	Jo-rit-dae-pul-sok 245 / 526	Ju-reum-geum-gang-a-ji-pul 256 / 635
Jom-sok-sae 250 / 458		Ju-reum-go-sa-ri 255 / 444
Jom-sol-bang-ul-go-raeng-i 251 / 628		Ju-reum-go-sa-ri-sok 255 / 443
Jom-song-i-go-raeng-i 251 / 628		Ju-reum-ip 256 / 535
		Ju-reum-ip-sok 256 / 534

Ju-reum-je-bi-ran 256 / 547  
 Ju-reum-je-bi-ran-sok 256 / 547  
 Ju-reum-jo-gae-pul 256 / 552  
 Ju-reum-jo-gae-pul-sok 256 / 552  
 Ju-reum-sa-cho 256 / 397  
 Ju-yeop-na-mu 256 / 480  
 Ju-yeop-na-mu-sok 256 / 480  
 Jwi-bang-ul-deong-gul 259 / 359  
 Jwi-bang-ul-deong-gul-gwa 259 / 359  
 Jwi-bang-ul-deong-gul-sok 259 / 359  
 Jwi-da-rae 259 / 338  
 Jwi-kkae-pul 258 / 544  
 Jwi-kkae-pul-sok 258 / 544  
 Jwi-kko-ri-mang-cho 258 / 505  
 Jwi-kko-ri-mang-cho-gwa 258 / 333  
 Jwi-kko-ri-mang-cho-sok 259 / 505  
 Jwi-kko-ri-pul 259 / 346  
 Jwi-kko-ri-pul-sok 259 / 346  
 Jwi-kko-ri-sae 259 / 545  
 Jwi-kko-ri-sae-pul 259 / 645  
 Jwi-kko-ri-sae-pul-sok 259 / 644  
 Jwi-kko-ri-sae-sok 259 / 545  
 Jwi-o-jum-pul 260 / 668  
 Jwi-o-jum-pul-sok 260 / 668  
 Jwi-son-i-pul 259 / 479  
 Jwi-son-i-pul-gwa 259 / 478  
 Jwi-son-i-pul-sok 259 / 478  
 Jwi-teol-i-seul 260 / 410  
 Jwi-ttong-na-mu 259 / 519  
 Jwi-ttong-na-mu-sok 259 / 518

**K**

Kal-song-i-pul 278 / 563  
 Keun-ae-gi-na-ri 284 / 444  
 Keun-aeng-cho 284 / 589  
 Keun-baem-mu 282 / 479  
 Keun-ba-neul-kkot 282 / 456  
 Keun-bang-ul-sae-ran 282 / 580  
 Keun-ban-jjok-go-sa-ri 282 / 595  
 Keun-bi-bi-chu 283 / 491  
 Keun-bi-dan-bun-chwi 282 / 623  
 Keun-bi-no-ri 282 / 459  
 Keun-bi-ssuk 283 / 360  
 Keun-bong-ui-kko-ri 282 / 594  
 Keun-bo-ri-jang-na-mu 282 / 451  
 Keun-byeol-kkot 282 / 646  
 Keun-byeo-ruk-a-jae-bi 282 / 542  
 Keun-cham-na-mul 285 / 428  
 Keun-cham-na-mul-sok 285 / 428  
 Keun-cheon-il-sa-cho 286 / 397  
 Keun-cheon-nam-seong 286 / 358  
 Keun-cheo-nyeo-go-sa-ri 286 / 510  
 Keun-cheo-nyeo-go-sa-ri-sok 286 / 510  
 Keun-dak-ui-jang-pul 281 / 418  
 Keun-dal-ppu-ri-pul 281 / 570

Keun-deum-seong-i-sak-sae 281 / 540  
 Keun-deung-gal-kwi 281 / 674  
 Keun-do-duk-nom-ui-gal-go-ri 281 / 438  
 Keun-dol-dan-pung 281 / 545  
 Keun-du-ru-mi-kkot 281 / 533  
 Keun-eong-geong-kwi 284 / 411  
 Keun-gae-bi-ja-na-mu 279 / 404  
 Keun-gae-byeol-kkot 279 / 594  
 Keun-gae-go-sa-ri 279 / 443  
 Keun-gae-gwan-jung 279 / 584  
 Keun-gae-hyeon-sam 279 / 630  
 Keun-gae-mi-ja-ri 279 / 615  
 Keun-gae-su-yeom 279 / 460  
 Keun-gak-si-chwi 279 / 623  
 Keun-ga-rae 279 / 586  
 Keun-geum-mae-hwa 280 / 664  
 Keun-gi-reum-sae 280 / 644  
 Keun-gi-rin-cho 280 / 632  
 Keun-go-chu-na-mul 279 / 495  
 Keun-go-chu-pul 279 / 482  
 Keun-go-chu-pul-sok 280 / 482  
 Keun-goe-bul-ju-meo-ni 280 / 422  
 Keun-go-raeng-i 279 / 628  
 Keun-go-raeng-i-sok 279 / 628  
 Keun-go-ran-cho 279 / 426  
 Keun-go-yang-i-su-yeom 279 / 607  
 Keun-gu-seul-bung-i 280 / 477  
 Keun-gu-wa-kko-ri-pul 280 / 671  
 Keun-gwaeng-i-bap 280 / 557  
 Keun-ha-neul-ji-ji 286 / 471  
 Keun-ha-neul-na-ri 286 / 519  
 Keun-hong-ji-ne-go-sa-ri 286 / 447  
 Keun-hwang-sae-naeng-i 286 / 388  
 Keun-hwang-sae-pul 286 / 461  
 Keun-ip-bu-deul 284 / 665  
 Keun-ip-gal-kwi 284 / 474  
 Keun-ip-sseun-pul 285 / 649  
 Keun-jang-dae 285 / 413  
 Keun-jang-dae-sok 285 / 412  
 Keun-je-bi-go-kkal 285 / 435  
 Keun-je-bi-ran 285 / 577  
 Keun-jeol-gut-dae 285 / 450  
 Keun-jeom-na-do-na-mul 285 / 404  
 Keun-ji-ne-go-sa-ri 285 / 447  
 Keun-jin-go-sa-ri 285 / 437  
 Keun-jo-baeng-i 285 / 378  
 Keun-jok-je-bi-go-sa-ri 285 / 448  
 Keun-jol-bang-je-bi-kkot 285 / 677  
 Keun-jo-rong 285 / 430  
 Keun-jwi-kko-ri-sae 285 / 545  
 Keun-kka-chi-su-yeom 280 / 530  
 Keun-kkeop-jil-sae 280 / 536  
 Keun-kkeun-kkeun-i-yeo-kkwi 281 / 567  
 Keun-kkok-du-seo-ni 280 / 610

Keun-kko-ri-pul 280 / 671  
 Keun-kkot-eu-a-ri 280 / 414  
 Keun-kkot-jang-dae 280 / 445  
 Keun-kkot-ok-jam-nan-cho 280 / 523  
 Keun-kkot-ttang-bi-ssa-ri 280 / 497  
 Keun-kku-reo-mi-pul 281 / 579  
 Keun-kkwong-ui-bi-reum 281 / 494  
 Keun-kkwong-ui-da-ri 281 / 655  
 Keun-mae-ja-gi 282 / 628  
 Keun-ma-reum 281 / 660  
 Keun-me-kkot 282 / 384  
 Keun-mul-ching-gae-na-mul 282 / 670  
 Keun-mul-gae-gu-ri-bap 282 / 371  
 Keun-mul-sa-gat-sa-cho 282 / 397  
 Keun-mul-tong-i 282 / 573  
 Keun-na-bi-na-mul 281 / 674  
 Keun-ne-ip-gal-kwi 281 / 675  
 Keun-neun-jaeng-i-naeng-i 281 / 387  
 Keun-o-i-pul 284 / 621  
 Keun-ok-mae-deup-pul 284 / 583  
 Keun-pi-mak-i 286 / 493  
 Keun-pi-mak-i-pul 286 / 493  
 Keun-sae-po-a-pul 283 / 580  
 Keun-san-beo-deul 283 / 618  
 Keun-san-jop-ssal-pul 283 / 466  
 Keun-san-kko-ri-pul 283 / 670  
 Keun-san-kkwong-ui-da-ri 283 / 655  
 Keun-san-sa-cho 283 / 394  
 Keun-san-song-i-pul 283 / 562  
 Keun-se-ip-jwi-son-i 283 / 478  
 Keun-seom-jan-go-sa-ri 283 / 443  
 Keun-sip-ja-go-sa-ri 284 / 585  
 Keun-soe-go-sa-ri 284 / 357  
 Keun-sok-dan 283 / 570  
 Keun-sol-na-ri 283 / 520  
 Keun-song-i-pul 283 / 562  
 Keun-son-go-bi 283 / 417  
 Keun-sswae-gi-pul 284 / 480  
 Keun-sswae-gi-pul-sok 284 / 480  
 Keun-su-ri-chwi 284 / 651  
 Keun-teo-ri-pul 286 / 470  
 Keun-top-ji-ne-go-sa-ri 286 / 447  
 Keun-top-ni-na-ja-seu-mal 286 / 547  
 Keun-top-pul 286 / 335  
 Keun-ttuk-sa-cho 281 / 392  
 Keun-u-dan-il-yeop 284 / 597  
 Keun-won-chu-ri 284 / 487  
 Keun-yeon-yeong-cho 284 / 663  
 Keun-yeo-u-kong 284 / 606  
 Ki-beo-deul 287 / 617  
 Ki-da-ri-ba-kko 287 / 336  
 Ki-da-ri-cheo-nyeo-go-sa-ri 287 / 561  
 Ki-da-ri-nan-cho 286 / 522  
 Ki-keun-kkwong-ui-bi-reum 287 / 494  
 Ki-keun-san-guk 287 / 517

Ki-keun-san-guk-sok 287 / 517	Kko-ri-go-sa-ri-gwa 56 / 364	Kkwong-go-sa-ri-sok 60 / 576
Kka-chi-bak-dal 55 / 400	Kko-ri-go-sa-ri-sok 56 / 364	Kkwong-ui-bap 60 / 527
Kka-chi-bal 55 / 373	Kko-ri-gyeo-u-sal-i 56 / 527	Kkwong-ui-bap-sok 60 / 527
Kka-chi-bap-na-mu 55 / 608	Kko-ri-gyeo-u-sal-i-sok 56 / 527	Kkwong-ui-ba-ram-kkot 60 / 353
Kka-chi-bap-na-mu-sok 55 / 607	Kko-ri-ho-mo-cho 57 / 420	Kkwong-ui-bi-reum 60 / 493
Kka-chi-go-deul-ppae-gi 55 / 425	Kko-ri-jin-dal-rae 57 / 605	Kkwong-ui-bi-reum-sok 61 / 493
Kka-chi-kkae 55 / 419	Kko-ri-jok-je-bi-go-sa-ri 57 / 447	Kkwong-ui-da-ri 60 / 654
Kka-chi-kkae-sok 55 / 419	Kko-ri-jop-na-mu 57 / 644	Kkwong-ui-da-ri-a-jae-bi 60 / 401
Kka-chi-su-yeom 55 / 530	Kko-ri-kka-chi-bap-na-mu 56 / 607	Kkwong-ui-da-ri-a-jae-bi-sok 60 / 401
Kkae-na-mul 55 / 501	Kko-ri-mal-bal-do-ri 56 / 439	Kkwong-ui-da-ri-sok 60 / 654
Kkaeng-kkaeng-i-pul 55 / 503	Kko-ri-ppong-na-mu 56 / 544	Ko-ma-ro-beu-po-a-pul 278 / 579
Kkaeng-kkaeng-i-pul-sok 55 / 502	Kko-ri-pul 57 / 670	Kong-bae-na-mu 278 / 598
Kkae-pul 55 / 333	Kko-ri-sae 56 / 378	Kong-beo-deul 278 / 618
Kkae-pul-sok 55 / 333	Kko-ri-seo-deol-chwi 56 / 624	Kong-gwa 278 / 467
Kkal-kkeum-jop-ssal-pul 55 / 465	Kko-ri-soe-go-sa-ri 56 / 357	Kong-je-bi-kkot 278 / 678
Kka-ma-gwi-bap-na-mu 54 / 607	Kkot-bat-i 58 / 377	Kong-ija-gae-deong-gul 278 / 512
Kka-ma-gwi-be-gae 54 / 603	Kkot-bat-i-sok 58 / 376	Kong-ija-gae-deong-gul-sok 278 / 512
Kka-ma-gwi-be-gae-sok 54 / 603	Kkot-beo-deul 58 / 618	Kong-ija-gae-ran 278 / 379
Kka-ma-gwi-ijok-na-mu 54 / 524	Kkot-cham-ssa-ri 59 / 516	Kong-ija-gae-ran-sok 278 / 379
Kka-ma-gwi-ijok-na-mu-sok 54 / 524	Kkot-chang-po 59 / 498	Kong-pat-no-ru-bal 279 / 597
Kka-ma-gwi-meo-ru 54 / 679	Kkot-cheung-cheung-i-kkot 59 / 415	Kong-sok 278 / 482
Kka-mak-ba-neul-kka-chi-bap-na-mu	Kkot-dae 58 / 408	
54 / 607	Kkot-da-ji 58 / 445	
Kka-mak-kka-chi-bap-na-mu 54 / 608	Kkot-da-ji-sok 58 / 445	M
Kka-rak-gol 54 / 453	Kkot-gae-hoe-na-mu 57 / 652	Ma 105 / 442
Kka-rak-hyang-gi-pul 54 / 354	Kkot-go-bi 58 / 580	Ma-di-kkot 105 / 610
Kka-sil-ssuk-bu-jaeng-i 55 / 365	Kkot-go-bi-gwa 58 / 580	Ma-di-kkot-sok 106 / 610
Kke-muk 56 / 490	Kkot-go-bi-sok 58 / 580	Ma-di-po-a-pul 106 / 579
Kke-muk-sok 56 / 490	Kkot-ha-neul-ji-gi 59 / 379	Ma-di-pul 106 / 583
Kkeol-kkeol-i-pul 55 / 489	Kkot-hwang-sae-naeng-i 59 / 387	Ma-di-pul-gwa 106 / 581
Kkeol-kkeum-bang-dong-sa-ni 56 / 430	Kkot-hyang-yu 59 / 455	Ma-di-pul-sok 106 / 582
Kkeop-jil-yong-su-yeom 56 / 441	Kkot-jan-dae 59 / 340	Mae-bal-top 109 / 355
Kkeun-jeok-jwi-kko-ri-pul 61 / 346	Kkot-jang-po 59 / 659	Mae-bal-top-na-mu 110 / 371
Kkeun-kkeun-i-gwi-ga 61 / 446	Kkot-kkhwong-ui-da-ri 58 / 655	Mae-bal-top-sok 110 / 355
Kkeun-kkeun-i-gwi-gae-gwa 61 / 446	Kkot-ma-ri 58 / 663	Mae-deup-pul 109 / 507
Kkeun-kkeun-i-gwi-gae-sok 61 / 445	Kkot-ma-ri-sok 58 / 662	Mae-deup-pul-sok 109 / 507
Kkeun-kkeun-i-jang-gu-chae 61 / 637	Kkot-myeo-neu-ri-bap-pul 58 / 536	Mae-hwa-ba-ram-kkot 110 / 383
Kkeun-kkeun-i-jang-gu-chae-sok	Kkot-myeo-neu-ri-bap-pul-sok 58 / 536	Mae-hwa-ba-ram-kkot-sok 110 / 383
61 / 636	Kkot-na-bi-na-mul 58 / 674	Mae-hwa-mal-bal-dori 110 / 439
Kkeun-kkeun-i-ju-geok 61 / 446	Kkot-pa-dae-ga-ri 59 / 507	Mae-hwa-ma-reum 110 / 602
Kkeun-kkeun-i-ttak-ji 61 / 588	Kkot-pae-raeng-i-kkot 59 / 440	Mae-hwa-no-ru-bal 110 / 407
Kkeun-kkeun-i-yeo-kkwi 61 / 567	Kkot-san-su-guk 58 / 492	Mae-hwa-no-ru-bal-sok 110 / 407
Kko-in-yong-dam 57 / 478	Kkot-ssa-ri 59 / 385	Mae-hwa-o-ri-gwa 110 / 415
Kkok-du-seo-ni 57 / 610	Kkot-ssa-ri-sok 59 / 385	Mae-hwa-o-ri-na-mu 110 / 415
Kkok-du-seo-ni-gwa 57 / 611	Kkot-yeo-kkwi 59 / 565	Mae-hwa-o-ri-sok 110 / 415
Kkok-du-seo-ni-sok 57 / 610	Kku-ji-na-mu 59 / 379	Mae-ja-gi 110 / 629
Kkok-ji-go-gwang-na-mu 57 / 569	Kku-ji-ppong-na-mu 59 / 427	Mae-ja-ip-beo-deul 110 / 616
Kkok-ji-yeon-ip-khwong-ui-da-ri	Kku-ji-ppong-na-mu-sok 60 / 427	Mae-ja-na-mu 110 / 372
57 / 655	Kkul-pul 60 / 590	Mae-ja-na-mu-gwa 110 / 371
Kkol-ha-neul-ji-gi 57 / 471	Kkul-pul-gwa 60 / 508	Mae-ja-na-mu-sok 110 / 371
Kko-ma-bu-deul 57 / 665	Kkul-pul-sok 60 / 590	Maek-do-ttal-ji 111 / 612
Kko-ma-eun-nan-cho 57 / 404	Kkwang-kkwang-na-mu 59 / 496	Maek-mun-a-jae-bi 111 / 552
Kko-Ma-Naeng-i 57 / 388	Kkwong-go-bi 60 / 555	Maek-mun-dong 111 / 523
Kko-rang-sa-cho 56 / 395	Kkwong-go-sa-ri 60 / 576	Maek-mun-dong-sok 111 / 523
Kko-ri-go-sa-ri 56 / 364	Kkwong-go-sa-ri-gwa 60 / 576	Mae-mi-kkot 109 / 419

Mae-mi-kkot-sok 109 / 419  
 Ma-ga-mok 105 / 641  
 Ma-ga-mok-sok 105 / 641  
 Ma-gwa 105 / 443  
 Ma-jeon-gwa 106 / 524  
 Ma-ju-ip-kku-ji-na-mu 106 / 379  
 Mal 108 / 587  
 Mal-bal-do-ri 108 / 439  
 Mal-bal-do-ri-sok 108 / 439  
 Mal-chae-na-mu 109 / 421  
 Mal-geun-dae-ssuk 109 / 360  
 Mal-jeum 109 / 586  
 Mal-naeng-i-jang-gu-chae 108 / 637  
 Mal-na-ri 108 / 520  
 Mal-o-jum-na-mu 109 / 620  
 Mal-o-jum-ttae 109 / 466  
 Mal-o-jum-ttae-sok 109 / 466  
 Mal-teol-i-seul 109 / 411  
 Mal-ttong-bi-reum 108 / 633  
 Man-byeong-cho 107 / 604  
 Man-cheop-san-cheol-ijuk 108 / 606  
 Mang-gae-na-mu 109 / 372  
 Mang-gae-na-mu-sok 109 / 372  
 Mang-jeok-cheon-mun-dong 109 / 363  
 Mang-sa-cho 109 / 399  
 Man-ju-ae-gi-ma-reum 108 / 660  
 Man-ju-ba-ram-kkot 107 / 501  
 Man-ju-ba-ram-kkot-sok 108 / 501  
 Man-ju-but-kkot 108 / 499  
 Man-ju-gom-sol 107 / 575  
 Man-ju-go-ro-soe 107 / 334  
 Man-ju-gyeo-i-sak-yeo-kkwi 107 / 565  
 Man-ju-ip-gal-na-mu 108 / 510  
 Man-ju-jan-dae 108 / 340  
 Man-ju-jok-do-ri-pul 108 / 363  
 Man-ju-mi-na-ri-a-jae-bi 107 / 601  
 Man-ju-non-naeng-i 107 / 388  
 Man-ju-sa-cho 108 / 394  
 Man-ju-song-i-pul 108 / 563  
 Man-ju-ttak-ji-kkot 107 / 588  
 Man-ju-u-deu-pul 108 / 682  
 Man-nyeon-kong 107 / 462  
 Man-nyeon-kong-sok 107 / 462  
 Man-nyeon-seok-song 107 / 529  
 Man-ri-hwa 107 / 471  
 Man-sam 107 / 417  
 Ma-pyeon-cho 107 / 670  
 Ma-pyeon-cho-gwa 107 / 670  
 Ma-pyeon-cho-sok 107 / 670  
 Ma-reum 106 / 660  
 Ma-reum-gwa 106 / 661  
 Ma-reum-sok 106 / 660  
 Ma-sak-jul 106 / 660  
 Ma-sak-jul-sok 106 / 660  
 Ma-sok 106 / 442

Ma-ta-ri 106 / 562  
 Ma-ta-ri-gwa 106 / 669  
 Ma-ta-ri-sok 106 / 562  
 Me-ga-mul-go-sa-ri 112 / 682  
 Me-go-sa-ri-sam 112 / 377  
 Me-kkot 112 / 384  
 Me-kkot-gwa 112 / 419  
 Me-kkot-sok 112 / 384  
 Meo-gwi-na-mu 111 / 683  
 Meok-neon-chul 111 / 372  
 Meol-kkul 111 / 645  
 Meol-kkul-sok 111 / 645  
 Meong-deok-ttal-gi 111 / 612  
 Meong-seok-ttal-gi 111 / 612  
 Meong-ul-pul-sok 112 / 452  
 Meon-na-mu 111 / 496  
 Meo-ru 111 / 679  
 Meo-wi 111 / 567  
 Meo-wi-sok 111 / 567  
 Met-su-yeong 112 / 614  
 Met-yong-dam 112 / 477  
 Mi-chi-gwang-i-pul 124 / 630  
 Mi-chi-gwang-i-pul-sok 124 / 630  
 Mi-kku-ri-gwang-i-sok 123 / 481  
 Mi-kku-ri-nak-si 123 / 566  
 Mil-na-mul 128 / 639  
 Mil-sa-cho 128 / 389  
 Mi-na-ri 123 / 550  
 Mi-na-ri-a-jae-bi 123 / 602  
 Mi-na-ri-a-jae-bi-gwa 123 / 601  
 Mi-na-ri-a-jae-bi-sok 123 / 601  
 Mi-na-ri-naeng-i 123 / 387  
 Mi-na-ri-sok 123 / 550  
 Min-baek-mi-kkot 126 / 429  
 Min-baem-ttal-gi 126 / 449  
 Min-bak-jwi-na-mul 126 / 560  
 Min-ba-kkot 126 / 336  
 Min-ba-raeng-i 126 / 442  
 Min-ba-raeng-i-sae 126 / 539  
 Min-bo-ri-su-na-mu 126 / 452  
 Min-cham-dae-geuk 127 / 465  
 Min-cham-jak-yak 127 / 558  
 Min-cheong-ga-si-deong-gul 127 / 639  
 Min-dae-paet-jip-na-mu 124 / 496  
 Min-deul-re 125 / 653  
 Min-deul-re-sol 125 / 652  
 Min-deung-gol-na-mul 125 / 464  
 Min-du-me-go-sa-ri 125 / 443  
 Min-dung-che-kkot 125 / 626  
 Min-dung-gal-kwi 125 / 474  
 Min-dung-je-bi-kkot 125 / 677  
 Min-dung-moe-je-bi-kkot 125 / 678  
 Min-eun-nan-cho 127 / 404  
 Min-gae-gu-ri-mi-na-ri 124 / 602  
 Min-geum-gang-je-bi-kkot 124 / 676

Min-gin-ip-gal-kwi 124 / 474  
 Min-guk-hwa-su-ri-chwi 124 / 651  
 Min-gu-wa-mal 124 / 520  
 Min-hae-dang-hwa 128 / 610  
 Min-ha-neul-ji-gi 127 / 471  
 Min-huin-ip-eong-geong-kwi 128 / 412  
 Min-jak-sal-na-mu 127 / 383  
 Min-jam-ja-ri-nan-cho 127 / 484  
 Min-ji-ne-go-sa-ri 127 / 560  
 Min-jol-bang-je-bi-kkot 127 / 675  
 Min-jong-ga-si-na-mu 127 / 600  
 Min-ju-reum-jo-gae-pul 127 / 552  
 Min-ju-yeop-na-mu 127 / 480  
 Min-kkok-du-seo-ni 124 / 611  
 Min-kkot-da-ji 124 / 445  
 Min-kku-ji-na-mu 124 / 379  
 Min-mae-hwa-ma-reum 125 / 602  
 Min-mal-ttong-bi-reum 125 / 633  
 Min-mang-cho 125 / 459  
 Min-me-gi-i-sak 125 / 344  
 Min-mi-kku-ri-nak-si 125 / 566  
 Min-mul-o-ri-na-mu 125 / 348  
 Min-mul-pu-re-na-mu 125 / 472  
 Min-na-do-guk-su-na-mu 124 / 547  
 Min-na-ja-seu-mal 124 / 547  
 Min-nun-yang-ji-kkot 124 / 588  
 Min-saeng-yeol-gwi 126 / 610  
 Min-san-cho-na-mu 126 / 684  
 Min-san-gal-kwi 126 / 475  
 Min-san-jak-yak 126 / 558  
 Min-seom-mal-na-ri 126 / 520  
 Min-som-bang-mang-i 126 / 653  
 Min-som-dae 126 / 639  
 Min-ssuk-bu-jaeng-i 127 / 365  
 Min-sup-gae-mil 126 / 378  
 Min-sup-i-sak-sa-cho 126 / 390  
 Min-tam-ra-pul 127 / 486  
 Min-ttang-bi-ssa-ri 125 / 497  
 Min-ya-gwang-na-mu 127 / 533  
 Min-yun-no-ri-na-mu 127 / 589  
 Mi-saek-bok-ju-meo-ni-ran 123 / 432  
 Mi-saek-mul-bong-seon 123 / 497  
 Mi-seon-na-mu 123 / 332  
 Mi-seon-na-mu-sok 123 / 332  
 Mi-yeok-chwi 124 / 640  
 Mi-yeok-chwi-sok 124 / 640  
 Mi-yeok-go-sa-ri 123 / 583  
 Mi-yeok-go-sa-ri-sok 123 / 583  
 Mi-yeok-jul-na-mu 123 / 664  
 Mi-yeok-jul-na-mu-sok 123 / 663  
 Mo-de-mi-pul 113 / 535  
 Mo-de-mi-pul-sok 113 / 535  
 Moe-je-bi-kkot 115 / 678  
 Moe-jok-je-bi-go-sa-ri 115 / 448  
 Moe-seok-song 115 / 529

Moet-dae-chu-na-mu 115 / 684	Mul-bu-chu 120 / 501	Mul-re-na-mul-sok 119 / 494
Moet-eok-sae 115 / 541	Mul-bu-chu-gwa 120 / 501	Mul-sa-cho 120 / 397
Moet-hwang-gi 116 / 486	Mul-bu-chu-sok 120 / 501	Mul-sat-gat-sa-cho 120 / 397
Moet-hwang-gi-sok 116 / 486	Mul-byeol 120 / 452	Mul-seok-song 120 / 529
Moet-jang-dae 115 / 356	Mul-byeol-gwa 120 / 452	Mul-soe-teeu-gi 121 / 458
Moet-kkwong-ui-da-ri 115 / 655	Mul-byeol-i-kki 120 / 384	Mul-sok-sae 120 / 458
Moet-mi-na-ri 115 / 556	Mul-byeol-sok 120 / 452	Mul-som-bang-mang-i 121 / 654
Moet-mi-na-ri-sok 115 / 556	Mul-byeo-ruk-i-ja-ri 120 / 452	Mul-ssa-ri 121 / 588
Moet-pul-sa-cho 116 / 390	Mul-cham-dae 122 / 439	Mul-ssa-ri-pul 121 / 587
Mo-gam-ju-na-mu 113 / 507	Mul-cham-na-mu 122 / 600	Mul-ssuk 121 / 361
Mo-gam-ju-na-mu-sok 113 / 507	Mul-ching-gae-na-mul 122 / 671	Mul-su-se-mi 121 / 546
Mo-gi-bang-dong-sa-ni 113 / 431	Mul-dal-gae-bi 119 / 543	Mul-su-se-mi-sok 121 / 546
Mo-gi-gol 113 / 379	Mul-deul-me-na-mu 119 / 472	Mul-tong-i 122 / 573
Mo-gi-gol-sok 113 / 379	Mul-eok-sae 121 / 541	Mul-tong-i-sok 122 / 573
Mok-po-dae-geuk 115 / 465	Mul-eong-geong-kwi 121 / 411	Mul-ttuk-sae 119 / 615
Mok-po-sa-cho 115 / 391	Mul-gae-am-na-mu 118 / 423	Mul-ttuk-sae-sok 119 / 614
Mok-po-yong-dung-gul-re 115 / 581	Mul-gae-gu-ri-bap 118 / 371	Mul-yang-ji-kkot 121 / 587
Mok-ryeon 114 / 532	Mul-gae-gu-ri-bap-sok 118 / 370	Mul-yeo-kkwi 121 / 564
Mok-ryeon-gwa 114 / 532	Mul-go-chu-na-mul 118 / 661	Mun-bae 117 / 598
Mok-ryeon-sok 114 / 532	Mul-go-chu-na-mu-sok 118 / 661	Mun-ju-ran 117 / 426
Mok-seo-sok 115 / 555	Mul-gol-chwi 118 / 624	Mun-ju-ran-sok 118 / 425
Mo-mil-jat-bam-na-mu 114 / 401	Mul-gol-pul 118 / 504	Mun-mo-cho 117 / 671
Mo-mil-jat-bam-na-mu-sok 114 / 401	Mul-go-raeng-i 118 / 629	Mun-su-jo-rit-dae 117 / 362
Mong-go-ppong-na-mu 115 / 544	Mul-go-sa-ri 118 / 405	Mu-nui-cheon-nam-seong 116 / 359
Mong-ul-pul 115 / 452	Mul-go-sa-ri-gwa 118 / 561	Mu-nui-dung-gul-re 116 / 582
Mong-ul-to-hyeon-sam 115 / 630	Mul-go-sa-ri-sok 118 / 405	Mu-nui-ji-ri-dae-sa-cho 116 / 395
Mo-rae-ji-chi 114 / 358	Mul-hwang-cheol-na-mu 122 / 585	Mu-nui-jok-do-ri-pul 116 / 363
Mo-rae-ji-chi-sok 114 / 358	Mul-ip-pul 122 / 493	Mu-nui-sa-cho 116 / 394
Mo-rae-sa-cho 114 / 391	Mul-ip-pul-sok 122 / 493	Mu-reut 116 / 628
Mo-ram 114 / 469	Mul-jan-di 122 / 593	Mu-reut-sok 116 / 628
Mo-ran-ba-wi-sol 113 / 555	Mul-jan-di-sok 122 / 593	Mu-san-gom-chwi 116 / 518
Mo-sae-dal 114 / 568	Mul-ji-chae 122 / 662	Mu-san-sa-cho 117 / 388
Mo-sae-dal-sok 114 / 568	Mul-jil-gyeong-i 122 / 556	Mu-san-sang-ja 117 / 642
Mo-sae-na-mu 114 / 667	Mul-jil-gyeong-i-sok 122 / 556	Mu-san-sang-ja-sok 117 / 642
Mo-si-dae 114 / 340	Mul-kka-chi-su-yeom 118 / 531	Mu-sok 117 / 602
Mo-si-mul-tong-i 114 / 573	Mul-kko-chaeng-i-gol 118 / 453	Mu-yeop-ran 117 / 511
Mo-si-pul 114 / 375	Mul-kko-ri-pul 118 / 449	Mu-yeop-ran-sok 117 / 511
Mo-si-pul-sok 114 / 375	Mul-kko-ri-pul-sok 118 / 449	Myeok-soe-chae 112 / 630
Mu-deung-chwi 116 / 623	Mul-kkwa-ri-a-jae-bi 119 / 540	Myeol-ga-chi 112 / 339
Mu-deung-pul 116 / 629	Mul-kkwa-ri-a-jae-bi-sok 119 / 540	Myeol-ga-chi-sok 112 / 339
Mu-gung-hwa 116 / 489	Mul-mae-hwa 119 / 561	Myeo-neu-ri-bae-kkot 112 / 566
Mu-gung-hwa-sok 116 / 489	Mul-mae-hwa-sok 119 / 561	Myeo-neu-ri-mit-ssit-gae 112 / 566
Mu-hwa-gwa-na-mu-sok 117 / 469	Mul-ma-reum 119 / 661	Myeong-a-ja-yeo-kkwi 112 / 566
Mu-hwan-ja-na-mu-gwa 117 / 621	Mul-meo-wi 119 / 341	Myeong-a-ju 112 / 407
Mu-hwa-pi-ol-bang-gae-a-jae-bi	Mul-meo-wi-sok 119 / 341	Myeong-a-ju-gwa 113 / 406
117 / 453	Mul-mi-na-ri-a-jae-bi 119 / 601	Myeong-a-ju-sok 113 / 406
Mu-ju-na-mu 117 / 510	Mul-ok-jam 121 / 543	Myeong-cheon-ba-neul-kkot 113 / 456
Mu-ju-na-mu-sok 117 / 510	Mul-ok-jam-gwa 121 / 585	Myeong-cheon-bom-mat-i 113 / 352
Muk-bat-so-ri-jaeng-i 117 / 613	Mul-ok-jam-sok 121 / 543	Myeong-cheon-jang-gu-chae 113 / 637
Mul-aeng-do-na-mu 121 / 526	Mul-o-ri-na-mu 121 / 348	Myeong-cheon-ssuk 113 / 361
Mul-baem-go-sa-ri 120 / 369	Mul-pu-re-na-mu 122 / 472	Myeong-ja-na-mu-sok 113 / 405
Mul-bak-dal-na-mu 119 / 373	Mul-pu-re-na-mu-gwa 122 / 551	Myeong-ja-sun 113 / 608
Mul-bang-dong-sa-ni 120 / 431	Mul-pu-re-na-mu-sok 122 / 472	Myeon-ma-gwa 112 / 446
Mul-bong-seon 120 / 497	Mul-re-na-mul 119 / 494	Myo-hyang-bun-chwi 116 / 623
Mul-bong-seon-sok 120 / 497	Mul-re-na-mul-gwa 119 / 416	

## N

Na-bi-guk-su-na-mu 67 / 646  
 Na-bi-na-mul 67 / 674  
 Na-bi-na-mul-sok 67 / 673  
 Na-bi-nan-cho 67 / 585  
 Na-bi-nan-cho-sok 67 / 585  
 Na-do-bam-na-mu 63 / 537  
 Na-do-bam-na-mu-gwa 63 / 614  
 Na-do-bam-na-mu-sok 63 / 537  
 Na-do-ba-raeng-i-sae 63 / 540  
 Na-do-ba-raeng-i-sok 63 / 539  
 Na-do-ba-ram-kkot 63 / 456  
 Na-do-ba-ram-kkot-sok 63 / 456  
 Na-do-beom-ui-gwi 63 / 542  
 Na-do-beom-ui-gwi-sok 63 / 542  
 Na-do-byeol-sa-cho 64 / 391  
 Na-do-daepssa-ri 62 / 370  
 Na-do-daepssa-ri-sok 63 / 370  
 Na-do-eun-jo-rong 65 / 534  
 Na-do-eun-jo-rong-sok 65 / 534  
 Na-do-gae-gam-chae 61 / 524  
 Na-do-gae-gwan-jung 61 / 584  
 Na-do-gae-mi-ja-ri 61 / 540  
 Na-do-gae-mi-ja-ri-sok 62 / 540  
 Na-do-gae-pi 62 / 461  
 Na-do-gae-pi-sok 62 / 460  
 Na-do-gang-a-ji-pul 61 / 564  
 Na-do-geu-neul-sa-cho 62 / 398  
 Na-do-gi-reum-sae 62 / 386  
 Na-do-gi-reum-sae-sok 62 / 386  
 Na-do-go-sa-ri-sam 62 / 552  
 Na-do-go-sa-ri-sam-sok 62 / 552  
 Na-do-guk-su-na-mu 62 / 547  
 Na-do-gulk-su-na-mu-sok 62 / 547  
 Na-do-gyeo-i-sak 62 / 540  
 Na-do-gyeo-i-sak-sok 62 / 540  
 Na-do-gyeo-pul 62 / 512  
 Na-do-ha-su-o 65 / 467  
 Na-do-hi-cho-mi 66 / 584  
 Na-do-hi-cho-mi-sok 66 / 583  
 Na-do-hwang-gi 66 / 486  
 Na-do-jam-ja-ri-ran 65 / 577  
 Na-do-jan-di 65 / 645  
 Na-do-je-bi-ran 65 / 473  
 Na-do-je-bi-ran-sok 65 / 473  
 Na-do-jin-peo-ri-go-sa-ri 65 / 427  
 Na-do-jin-peo-ri-go-sa-ri-sok 65 / 427  
 Na-do-jom-jin-go-sa-ri 65 / 438  
 Na-do-ma-reum-a-jae-bi 63 / 602  
 Na-do-mi-kku-ri-nak-si 63 / 566  
 Na-do-mul-tong-i 63 / 547  
 Na-do-mul-tong-i-sok 63 / 547  
 Na-do-naeng-i 62 / 371  
 Na-do-naeng-i-sok 62 / 371  
 Na-do-ok-jam-hwa 65 / 416

Na-do-ok-jam-hwa-sok 65 / 416  
 Na-do-pung-ran 65 / 632  
 Na-do-pung-ran-sok 65 / 632  
 Na-do-saeng-gang 64 / 581  
 Na-do-saeng-gang-sok 64 / 581  
 Na-do-sae-yang-beo-deul 64 / 408  
 Na-do-seung-ma 64 / 506  
 Na-do-seung-ma-sok 64 / 506  
 Na-do-song-i-pul 64 / 571  
 Na-do-song-i-pul-sok 64 / 571  
 Na-do-ssi-nun-ran 64 / 489  
 Na-do-su-jeong-cho 64 / 543  
 Na-do-su-jeong-cho-sok 64 / 543  
 Na-do-su-yeong 64 / 557  
 Na-do-su-yeong-sok 64 / 557  
 Na-do-ttal-ji-gwang-i 63 / 410  
 Na-do-ttal-ji-gwang-i-sok 63 / 410  
 Na-do-yang-ji-kkot 64 / 680  
 Na-do-yang-ji-kkot-sok 64 / 680  
 Na-do-yeo-ro 65 / 685  
 Na-do-yeo-ro-sok 65 / 685  
 Nae-beo-deul 70 / 617  
 Nae-jang-geum-ran-cho 70 / 345  
 Nae-jang-go-sa-ri 70 / 444  
 Naeng-cho 71 / 672  
 Naeng-cho-sok 71 / 671  
 Naeng-i 70 / 386  
 Naeng-i-sok 70 / 386  
 Naet-sseum-ba-gwi 70 / 502  
 Na-ja-seu-mal 67 / 546  
 Na-ja-seu-mal-gwa 67 / 546  
 Na-ja-seu-mal-sok 67 / 546  
 Nak-dong-na-sa-mal 67 / 669  
 Nak-ji-da-ri 67 / 564  
 Nak-ji-ja-ri-sok 67 / 564  
 Nak-si-dol-pul 68 / 486  
 Nak-si-go-sa-ri 68 / 584  
 Nak-si-je-bi-kkot 68 / 676  
 Nak-si-sa-cho 68 / 391  
 Nal-gae-gol-pul 69 / 503  
 Nal-gae-ha-neul-na-ri 69 / 520  
 Nal-gae-hyeon-ho-saek 69 / 421  
 Nal-gae-jin-beom 69 / 337  
 Nam-bang-gae 69 / 453  
 Nam-bang-go-sa-ri 69 / 427  
 Nam-bang-go-sa-ri-sok 69 / 426  
 Nam-bok-song 69 / 575  
 Nam-do-hyeon-ho-saek 69 / 422  
 Nam-do-top-ji-ne-go-sa-ri 69 / 448  
 Nam-gae-yeon 69 / 549  
 Nam-ga-sae 69 / 661  
 Nam-ga-sae-gwa 69 / 685  
 Nam-ga-sae-sok 69 / 661  
 Nam-gu-jeol-cho 69 / 436  
 Nam-hae-bae-na-mu 70 / 598  
 Nam-hae-jo-pap-na-mu 70 / 643  
 Nam-ha-neul-ji-gi 70 / 470  
 Nam-heuk-sam-reung 70 / 642  
 Nam-o-mi-ja 70 / 505  
 Nam-o-mi-ja-sok 70 / 505  
 Nam-po-bun-chwi 70 / 622  
 Nam-san-je-bi-kkot 69 / 675  
 Nam-mun-jae 66 / 648  
 Nam-mun-jae-sok 67 / 648  
 Na-mu-ttal-gi 66 / 612  
 Na-na-beol-i-nan-cho 61 / 523  
 Nan-cho-gwa 68 / 553  
 Nang-a-cho 70 / 498  
 Nang-dok 70 / 465  
 Nang-rim-sae-pul 70 / 382  
 Nan-jaeng-i-ba-wi-sol 68 / 539  
 Nan-jaeng-i-ba-wi-sol-sok 68 / 538  
 Nan-jaeng-i-hyeon-ho-saek 68 / 422  
 Nan-jaeng-i-pae-raeng-i-kkot 68 / 440  
 Nan-jaeng-i-sa-cho 68 / 398  
 Nan-jang-i-beo-deul 68 / 617  
 Nan-jang-i-but-kkot 68 / 499  
 Nan-jang-i-go-sa-ri-sam 68 / 377  
 Nan-jang-i-kki 68 / 508  
 Nan-sa-cho 68 / 392  
 Nan-ti-na-mu 68 / 666  
 Na-rae-bak-jwi-na-mul 66 / 559  
 Na-rae-hoe-na-mu 66 / 463  
 Na-rae-mi-yeok-chwi 66 / 640  
 Na-rae-sae 66 / 647  
 Na-rae-sae-sok 66 / 647  
 Na-rae-su-song-na-mul 66 / 619  
 Na-rae-wan-du 66 / 673  
 Na-ri-jan-dae 66 / 340  
 Na-ri-nan-cho 66 / 523  
 Na-ri-nan-cho-sok 66 / 522  
 Na-sa-jul-mal 67 / 614  
 Na-sa-mal 67 / 669  
 Na-sa-mal-sok 67 / 669  
 Na-sa-mi-yeok-go-sa-ri 67 / 583  
 Ne-ga-rae 74 / 534  
 Ne-ga-rae-gwa 74 / 534  
 Ne-ga-rae-sok 74 / 534  
 Ne-gwi-sseun-pul 74 / 649  
 Ne-ip-gal-kwi 74 / 475  
 Ne-ip-gal-kwi-na-mul 74 / 674  
 Ne-ip-sat-gat-na-mul 74 / 561  
 Ne-ma-reum 74 / 660  
 Ne-mo-gol 74 / 453  
 Neo-do-bam-na-mu 71 / 467  
 Neo-do-bam-na-mu-sok 71 / 467  
 Neo-do-bang-dong-sa-ni 71 / 431  
 Neo-do-ba-ram-kkot 71 / 459  
 Neo-do-ba-ram-kkot-sok 71 / 459  
 Neo-do-gae-mi-ja-ri 71 / 540

Neo-do-go-raeng-i 71 / 629	Neu-reup-na-mu 80 / 666	No-rin-jae-na-mu-gwa 77 / 649
Neo-do-go-raeng-i-sok 71 / 629	Neu-reup-na-mu-gwa 80 / 665	No-rin-jae-na-mu-sok 77 / 650
Neo-do-je-bi-ran 71 / 585	Neu-reup-na-mu-sok 81 / 665	No-ru-bal 76 / 597
Neo-do-kkok-du-seo-ni 71 / 611	Neu-ri-mi-go-sa-ri 81 / 448	No-ru-bal-gwa 76 / 597
Neo-do-su-jeong-cho 71 / 543	Neut-dung-gul-re 81 / 582	No-ru-bal-sol 76 / 596
Neo-do-yang-ji-kkot 71 / 636	Neut-go-sa-ri-sam 81 / 377	No-ru-cham-na-mul 77 / 574
Neo-do-yang-ji-kkot-sok 71 / 636	Neut-go-sa-ri-sam-sok 81 / 377	No-ru-gwi 76 / 488
Neok-jul-go-sa-ri 72 / 435	Neu-ti-na-mu 81 / 684	No-ru-gwi-sok 76 / 488
Neok-jul-go-sa-ri-gwa 72 / 435	Neu-ti-na-mu-sok 81 / 684	No-ru-gwi-sok 76 / 501
Neok-jul-go-sa-ri-sok 72 / 435	Neut-ssa-ri 81 / 515	No-ru-o-jum 77 / 367
Neol-beun-gin-ip-gal-kwi 72 / 474	No-bak-deong-gul 77 / 402	No-ru-o-jum-sok 77 / 367
Neol-beun-go-ro-sil-na-mu 72 / 334	No-bak-deong-gul-gwa 77 / 402	No-ru-sam 77 / 338
Neol-beun-ip-ba-neul-kkot 73 / 456	No-bak-deong-gul-sok 77 / 402	No-ru-sam-sok 77 / 338
Neol-beun-ip-cham-ga-si-na-mu 74 / 600	No-bong-baek-san-cha 77 / 511	Not-jeot-ga-rak-na-mul 78 / 336
Neol-beun-ip-cho-o 74 / 337	Noe-seong-mok 78 / 521	Nul-maeck-i-cheon-nam-seong 80 / 358
Neol-beun-ip-daeng-daeng-i 73 / 525	No-gak-na-mu 74 / 647	Nun-beom-kko-ri 79 / 374
Neol-beun-ip-dang-ma-ga-mok 73 / 641	No-gak-na-mu-sok 75 / 647	Nun-bi-nyeo-gol-pul 79 / 504
Neol-beun-ip-gae-gal-kwi 72 / 364	No-gan-ju-na-mu 75 / 505	Nun-bi-reum 79 / 349
Neol-beun-ip-gae-go-sa-ri 72 / 370	Nok-bit-sa-cho 78 / 397	Nun-bit-seung-ma 80 / 409
Neol-beun-ip-gae-su-yeom 72 / 459	Nok-bit-sil-sa-cho 78 / 398	Nun-cheuk-baek 80 / 656
Neol-beun-ip-gak-si-but-kkot 72 / 499	Nok-bo-ri-ttong-na-mu 78 / 451	Nun-cheuk-baek-sok 80 / 656
Neol-beun-ip-gal-kwi 72 / 674	Nok-da-rae 77 / 338	Nun-gae-bi-ja-na-mu 79 / 404
Neol-beun-ip-geu-neul-sa-cho 73 / 396	Nok-hwa-juk-baek-ran 78 / 428	Nun-gae-seung-ma 79 / 362
Neol-beun-ip-jam-ja-ri-ran 73 / 577	No-kkeun-sa-cho 75 / 390	Nun-gae-ssuk-bu-jaeng-i 79 / 366
Neol-beun-ip-je-bi-kkot 73 / 677	Nok-ma-ga-mok 78 / 641	Nun-gaet-beo-deul 79 / 617
Neol-beun-ip-jo-rok-na-mu 74 / 444	Nok-na-mu 77 / 410	Nun-ga-mak-sa-ri 79 / 374
Neol-beun-ip-kka-chi-bap-na-mu 73 / 608	Nok-na-mu-gwa 77 / 511	Nun-goe-bul-ju-meo-ni 79 / 422
Neol-beun-ip-kko-ri-pul 73 / 670	Nok-na-mu-sok 77 / 410	Nun-hae-byeon-ssa-ri 80 / 515
Neol-beun-ip-mal 73 / 587	Non-du-reong-sa-cho 78 / 389	Nun-hyang-na-mi 80 / 505
Neol-beun-ip-mi-kku-ri-nak-si 73 / 566	Non-naeng-i 78 / 387	Nun-jat-na-mu 80 / 575
Neol-beun-ip-mul-eok-sae 73 / 541	Non-pi 78 / 450	Nun-kka-chi-bap-na-mu 79 / 608
Neol-beun-ip-oe-ip-ssulk 73 / 361	Non-ttuk-oe-pul 78 / 522	Nun-po-a-pul 80 / 579
Neol-beun-ip-pi-sa-cho 74 / 399	No-rang-bok-ju-meo-ni-ran 75 / 432	Nun-sa-cho 80 / 397
Neol-beun-ip-san-goe-bul 73 / 525	No-rang-bu-chu 75 / 347	Nun-san-beo-deul 80 / 617
Neol-beun-ip-san-sa 73 / 424	No-rang-but-kkot 76 / 498	Nun-sseop-go-sa-ri 80 / 365
Neol-beun-ip-ssulk 73 / 361	No-rang-eo-ri-yeon-kkot 76 / 550	Nun-yang-ji-kkot 80 / 588
Neol-beun-ip-ttak-chong-na-mu 73 / 620	No-rang-gal-kwi 75 / 673	Nun-yeo-kkwi-ba-neul 80 / 527
Neol-beun-jan-dae 74 / 339	No-rang-hal-mi-kkot 76 / 596	Nu-reun-gwaeng-i-nun 78 / 408
Neol-beun-kkot-ip-gae-su-yeom 72 / 460	No-rang-ha-neul-ta-ri 76 / 662	Nu-ri-jang-na-mu 78 / 415
Neol-beun-moet-hwang-gi 72 / 486	No-rang-je-bi-kkot 76 / 677	Nu-ri-jang-na-mu-sok 78 / 415
Neol-beun-ok-jam-hwa 72 / 490	No-rang-mae-bal-top 75 / 355	Nu-rin-nae-pul 78 / 663
Neol-beun-san-kko-ri-pul 72 / 671	No-rang-man-byeong-cho 75 / 604	Nu-rin-nae-pul-sok 79 / 663
Neol-eun-ip-jwi-o-jum-pul 74 / 668	No-rang-mi-chi-gwang-i-pul 75 / 630	Nu-ruk-chi-sok 78 / 578
Neon-chul-bi-su-ri 72 / 515	No-rang-mul-bong-seon 75 / 497	Nu-un-gi-jang-dae-pul 79 / 500
Neon-chul-wol-gyul 72 / 668	No-rang-mu-nui-but-kkot 75 / 499	Nu-un-goe-bul-i-kki 79 / 508
Neol-chwi 71 / 624	No-rang-paeng-na-mu 76 / 403	Nu-un-goe-bul-i-kki-sok 79 / 508
Neung-su-soe-tee-gi 81 / 458	No-rang-seon-sseum-ba-gwi 76 / 502	Nu-un-je-bi-kkot 79 / 676
Neun-jaeng-i-naeng-i 81 / 387	No-rang-teol-jung-na-ri 76 / 519	Nu-un-ju-reum-ip 79 / 535
Neup-sa-cho 81 / 389	No-rang-ttang-na-ri 75 / 519	O
Neu-reo-jin-jang-dae 80 / 356	No-rang-tu-gu-kkot 76 / 336	O-dae-san-gwaeng-i-nun 215 / 408
	No-rang-won-chu-ri 76 / 488	O-dae-san-sae-bap 215 / 528
	No-ran-jang-dae 75 / 638	O-dong-na-mu 215 / 562
	No-ran-jang-dae-sok 75 / 638	O-dong-na-mu-sok 216 / 562
	No-ran-jang-ttal-gi 75 / 612	Oe-dae-ba-ram-kkot 222 / 352
	No-rin-jae-na-mu 77 / 650	

Oe-dae-eu-a-ri 222 / 413  
 Oe-dae-jan-dae 223 / 340  
 Oe-ip-jin-go-sa-ri 223 / 548  
 Oe-ip-jin-go-sa-ri-sok 223 / 548  
 Oe-ip-mul-ssuk 223 / 361  
 Oe-ip-seung-ma 223 / 367  
 Oe-ip-ssuk 223 / 362  
 Oe-pul 223 / 522  
 O-gal(pi)-na-mu 215 / 454  
 O-gal(pi)-na-mu-sok 215 / 454  
 O-i-pul 216 / 620  
 O-i-pul-sok 216 / 620  
 Ok-jam-nan-cho 217 / 523  
 Ok-nyeo-kkot-dae 216 / 408  
 Ol-bang-gae 217 / 453  
 Ol-bang-gae-a-jae-bi 217 / 453  
 Ol-beot-na-mu 217 / 592  
 Ol-bo-ri-su-na-mu 217 / 452  
 Ol-chaeng(i)-go-raeng-i 217 / 628  
 Ol-chaeng(i)-ja-ri 217 / 375  
 Ol-chaeng(i)-ja-ri-sok 217 / 375  
 Ol-chaeng(i)-pul 217 / 375  
 Ol-chaeng(i)-sol 217 / 375  
 Ol-goe-bul-na-mu 217 / 526  
 Ol-mi 217 / 615  
 O-mi-ja 216 / 627  
 O-mi-ja-gwa 216 / 627  
 O-mi-ja-sol 216 / 626  
 Ong-gut-na-mul 217 / 366  
 O-rang-kae-jang-gu-chae 216 / 637  
 O-ri-bang-pul 216 / 500  
 O-ri-na-mu 216 / 348  
 O-ri-na-mu-deo-bu-sal-i 216 / 376  
 O-ri-na-mu-deo-bu-sal-i-sok 216 / 376  
 O-ri-na-mu-sok 216 / 348  
 O-seong-bung-eo-ma-reum 216 / 405  
 Ot-na-mu-gwa 217 / 351  
 Ot-na-mu-sok 217 / 659  
 O-yeop-meong-seok-ttal-gi 216 / 613  
 O-yeop-ttal-gi 216 / 612

## P

Pa-cho-il-yeop 300 / 364  
 Pa-dae-ga-ri 300 / 507  
 Pa-dae-ga-ri-sok 300 / 507  
 Pa-deu-deuk-na-mul 300 / 426  
 Pa-deu-deuk-na-mul-sok 300 / 426  
 Pae-mo 301 / 473  
 Pae-mo-sok 301 / 473  
 Paeng-na-mu 301 / 403  
 Paeng-na-mu-sok 301 / 402  
 Pae-raeng-i-kkot 301 / 439  
 Pae-raeng-i-kkot-sok 301 / 439  
 Pal-son-i 300 / 468  
 Pal-son-i-sok 300 / 468

Pa-ran-yeo-ro 300 / 669  
 Pa-ri-pul 300 / 570  
 Pa-ri-pul-gwa 300 / 571  
 Pa-ri-pul-sok 300 / 570  
 Pat-bae-na-mu 300 / 641  
 Pat-kkot-na-mu 300 / 434  
 Pat-kkot-na-mu-gwa 300 / 656  
 Pat-kkot-na-mu-sok 300 / 434  
 Pel-ri-on-na-mu 301 / 563  
 Pel-ri-on-na-mu-sok 301 / 563  
 Peo-jin-go-sa-ri 301 / 447  
 Pi 305 / 450  
 Pi-mak-i 305 / 493  
 Pi-mak-i-sok 305 / 493  
 Pi-na-mu 305 / 657  
 Pi-na-mu-gwa 305 / 658  
 Pi-na-mul 305 / 493  
 Pi-na-mul-sok 305 / 493  
 Pi-na-mu-sok 305 / 657  
 Pi-ppu-ri-pul 305 / 646  
 Pi-ppu-ri-pul-sok 305 / 646  
 Pi-sa-cho 305 / 394  
 Pi-sok 305 / 450  
 Po-a-pul 302 / 579  
 Po-a-pul-sok 302 / 578  
 Po-cheon-ba-wi-sol 302 / 554  
 Po-cheon-gu-jeol-cho 302 / 436  
 Po-do-gwa 301 / 679  
 Po-do-sok 301 / 679  
 Po-gi-geo-meo-ri-mal 301 / 685  
 Po-gi-sa-cho 301 / 389  
 Pok-i-sa-cho 302 / 398  
 Pok-na-mu 302 / 402  
 Po-pyeong-ma-reum 302 / 661  
 Po-tae-hyang-gi-pul 302 / 354  
 Po-tae-je-bi-nan 302 / 434  
 Po-tae-sa-cho 302 / 398  
 Paeng-ssuk 154 / 360  
 Ppeo-kkuk-chae 154 / 604  
 Ppeo-kkuk-chae-sok 154 / 604  
 Ppeo-kkuk-na-ri 154 / 662  
 Ppeo-kkuk-na-ri-sok 154 / 662  
 Ppong-ip-pi-na-mu 155 / 658  
 Ppong-mo-si-pul 155 / 468  
 Ppong-mo-si-pul-sok 155 / 468  
 Ppong-na-mu-gwa 155 / 543  
 Ppong-na-mu-sok 155 / 543  
 Ppo-ri-baeng-i 154 / 683  
 Ppo-ri-baeng-i-sok 154 / 683  
 Ppul-go-sa-ri 155 / 420  
 Ppul-go-sa-ri-sok 155 / 420  
 Ppul-mal 155 / 683  
 Ppul-mal-sok 155 / 683  
 Ppyo-jok-ip-sa-cheol-na-mu 155 / 463  
 Pu-jo-na-mu 303 / 355

Pu-jo-na-mu-sok 303 / 354  
 Pul-geo-buk-kko-ri 303 / 376  
 Pul-go-sa-ri 304 / 481  
 Pul-go-sa-ri-gwa 304 / 481  
 Pul-go-sa-ri-sok 304 / 481  
 Pul-myong-ja 304 / 405  
 Pul-san-ttal-na-mu 304 / 420  
 Pul-som-dae 304 / 533  
 Pul-som-na-mul 304 / 462  
 Pul-som-na-mul-sok 304 / 462  
 Pul-ssa-ri 304 / 516  
 Pul-tto-gi 304 / 592  
 Pung-do-ba-ram-kkot 304 / 459  
 Pung-do-dae-geuk 304 / 464  
 Pung-do-dung-gul-re 304 / 582  
 Pung-ge-na-mu 304 / 403  
 Pung-ran 304 / 547  
 Pung-ran-sok 304 / 547  
 Pung-san-ga-mun-bi 305 / 573  
 Pung-seon-nan-cho 305 / 384  
 Pung-seon-nan-cho-sok 305 / 384  
 Pun-ji-na-mu 303 / 402  
 Pu-reun-baek-mi-kkot 303 / 429  
 Pu-reun-bak-sae 303 / 669  
 Pu-reun-bang-dong-sa-ni 303 / 431  
 Pu-reun-cheon-ma 303 / 476  
 Pu-reun-deo-deok 303 / 417  
 Pu-reun-gae-go-sa-ri 302 / 438  
 Pu-reun-gaet-gol-pul 302 / 504  
 Pu-reun-gak-si-go-sa-ri 302 / 532  
 Pu-reun-ga-mak-sal 302 / 672  
 Pu-reun-gu-sang 302 / 333  
 Pu-reun-ha-neul-ji-ji 303 / 470  
 Pu-reun-jan-di 303 / 685  
 Pu-reun-mal-teor-i-seul 303 / 411  
 Pu-reun-mi-seon-na-mu 303 / 333  
 Pu-reun-san-cheung-cheung-i 303 / 415  
 Pu-reun-san-deul-kkot 303 / 544  
 Pu-reun-yeo-ro 303 / 670  
 Pyeong-an-pi-na-mu 301 / 657  
 Pyeong-gang-no-gan-ju 301 / 505  
 Pyeong-yang-dae-geuk 301 / 464

## R

Ra-peu-raen-deu-sae-pul 105 / 381  
 Re-bun-bok-ju-meo-ni-ran 105 / 432  
 Re-man-sa-cho 105 / 393  
 Rin-ne-pul 105 / 522  
 Rin-ne-pul-sok 105 / 522

## S

Sa-chang-bun-chwi 156 / 622  
 Sa-cheol-geom-eun-jae-na-mu

Sa-cheol-go-sa-ri 157 / 364	Sae-u-nan-cho 171 / 382	San-deul-jjuk-na-mu 160 / 668
Sa-cheol-jan-go-sa-ri 157 / 437	Sae-u-nan-cho-sok 171 / 382	San-deul-kkae 160 / 544
Sa-cheol-na-mu 157 / 463	Sae-wan-du 171 / 673	San-dol-bae 160 / 598
Sa-cheol-ran 157 / 482	Sae-yang-beo-deul 171 / 408	San-dong-jwi-ttong-na-mu 160 / 518
Sa-cheol-ran-sok 157 / 482	Sae-yang-beo-deul-sok 171 / 408	San-dung-gul-re 160 / 582
Sa-cheol-ssuk 157 / 360	Sa-guk-i-jil-pul 155 / 479	San-gae-beot-ji-na-mu 158 / 591
Sa-cho-gwa 157 / 430	Sa-gwa-na-mu-sok 155 / 533	San-gae-byeol-kkot 158 / 594
Sa-cho-sok 157 / 388	Sa-hal-rin-sae-pul 157 / 382	San-gae-gal-kwi 157 / 364
Sa-da-ri-go-sa-ri 155 / 560	Sa-hyang-je-bi-kkot 157 / 677	San-gae-go-sa-ri 157 / 369
Sa-da-ri-go-sa-ri-sok 155 / 560	Sal-gal-kwi 167 / 673	San-gae-na-ri 157 / 472
Sa-de-pul 155 / 640	Sa-ma-gwi-pul 156 / 545	San-gae-ssuk 158 / 361
Sa-dong-mi-na-ri 156 / 416	Sa-ma-gwi-pul-sok 156 / 545	San-gaet-bo-ri 158 / 455
Sae 169 / 362	Sam-baek-cho 167 / 622	San-gak-si-chwi 157 / 625
Sae-bak 170 / 537	Sam-baek-cho-gwa 167 / 622	San-gal-kwi 157 / 475
Sae-bak-sok 170 / 537	Sam-baek-cho-sok 167 / 622	San-ga-mak-sal-na-mu 157 / 672
Sae-bal-no-rang-mae-mi-kkot 170 / 493	Sam-do-ha-su-o 167 / 467	Sang-a-mi-seon-na-mu 169 / 332
Sae-bang-ul-sa-cho 170 / 399	Sam-gwa 167 / 386	Sang-dong-ip-jwi-ttong-na-mu 169 / 519
Sae-bap 170 / 528	Sam-ip-bang-mang-i 168 / 635	Sang-dong-na-mu 168 / 615
Sae-bi-na-mu 170 / 383	Sam-ip-gu-wa-ga-mak-sa-ri 168 / 374	Sang-dong-na-mu-sok 168 / 615
Sae-deok-i 169 / 548	Sam-ji-gu-yeop-cho 168 / 457	San-geom-yang-ot-na-mu 158 / 660
Sae-dung-ji-ran 170 / 548	Sam-ji-gu-yeop-cho-sok 168 / 457	San-gi-jang 159 / 568
Sae-dung-ji-ran-sok 170 / 548	Sam-jwi-son-i 168 / 479	San-gi-reum-na-mul 159 / 568
Sae-git-a-jae-bi 169 / 682	Sam-saek-ssa-ri 167 / 516	San-goe-bul-ju-meo-ni 158 / 423
Sae-git-a-jae-bi-gwa 169 / 375	Sam-su-gae-mi-ja-ri 168 / 540	San-goe-bul-na-mu 158 / 525
Sae-git-a-jae-bi-sok 169 / 682	Sam-su-gu-rit-dae 168 / 354	San-gol-chwi 158 / 623
Sae-git-go-sa-ri 169 / 522	Sam-su-yeo-ro 168 / 669	San-gol-mu-kkot 158 / 632
Sae-i-sak-yeo-kkwi 171 / 566	San-aeng-do-na-mu 163 / 667	San-go-sa-ri 158 / 368
Sae-kki-kkwong-ui-bi-reum 169 / 494	San-aeng-do-na-mu-sok 163 / 667	San-go-sa-ri-sam 158 / 626
Sae-kki-no-ru-bal 169 / 597	San-baem-go-sa-ri 161 / 369	Sang-sa-hwa-sok 169 / 529
Sae-kki-no-ru-gwi 169 / 488	San-bak-ha 161 / 500	Sang-san 169 / 553
Sae-kong 171 / 351	San-bak-ha-sok 161 / 500	Sang-san-sok 169 / 553
Sae-kong-sok 171 / 350	San-bam-na-mu 161 / 401	Sang-su-ri-na-mu 169 / 599
Saek-san-aeng-do-na-mu 172 / 667	San-ba-neul-sa-cho 161 / 396	San-gu-jeol-cho 158 / 436
Sae-meo-ru 170 / 679	San-ba-wi-sing-a 161 / 337	San-guk 159 / 436
Sae-mo-rae-deong-gul 170 / 537	San-beot-na-mu 161 / 591	San-guk-sok 159 / 436
Sae-mo-rae-deong-gul-gwa 170 / 537	San-bi-jang-i 162 / 635	San-guk-su-na-mu 159 / 572
Sae-mo-rae-deong-gul-sok 170 / 537	San-bi-jang-i-sok 162 / 635	San-guk-su-na-mu-sok 159 / 572
Sae-myeo-neu-ri-bap-pul 170 / 536	San-bi-neul-go-sa-ri 162 / 448	San-gwaeng-i-nun 158 / 409
Saeng-dal-na-mu 172 / 410	San-bi-neul-sa-cho 162 / 392	San-gwaeng-i-sa-cho 158 / 393
Saeng-gang-na-mu 172 / 521	San-bok-sa-na-mu 161 / 590	San-gyeo-i-sak 158 / 344
Saeng-gang-na-mu-sok 172 / 521	San-bu-chae 162 / 382	San-gyeo-reup-na-mu 158 / 334
Saeng-i-ga-rae 172 / 619	San-bu-chae-sok 162 / 382	San-hae-bak 166 / 429
Saeng-i-ga-rae-gwa 172 / 619	San-bu-chu 162 / 348	San-hal-mi-kkot 166 / 596
Saeng-i-ga-rae-sok 172 / 619	San-bun-kkot-na-mu 162 / 672	San-ho-ran 167 / 419
Saeng-yeol-gwi-na-mu 172 / 609	San-bun-kkot-na-mu-sok 162 / 672	San-ho-ran-sok 167 / 419
Sae-pat 171 / 675	San-bu-sit-git-go-sa-ri 161 / 406	San-ho-su 167 / 358
Sae-poa-pul 171 / 579	San-cheol-jjuk 166 / 606	San-huin-ssub 167 / 361
Sae-sam 170 / 427	San-cheon-gung 166 / 418	San-hwang-na-mu 167 / 603
Sae-sam-sok 170 / 427	San-cheon-gung-sok 166 / 418	San-hyang-mo 167 / 489
Sae-su-yeom-ga-rae-kkot 170 / 524	San-cheung-cheung-i 166 / 415	San-hyeong-gwa 167 / 355
Sae-u-ga-rae 171 / 586	San-cho-na-mu 166 / 684	San-hyeong-soe-bang-dong-sa-ni 167 / 431
Sae-u-mal 171 / 571	San-dak-na-mu 159 / 681	San-i-jil-pul 164 / 479
Sae-u-mal-sok 171 / 571	San-dal-rae 160 / 347	San-il-yeop-cho 164 / 514
Sae-u-na-mu 171 / 556	San-dan-pung-na-mu 159 / 334	
Sae-u-na-mu-sok 171 / 556		

- San-i-sak-sa-cho 164 / 394  
 San-i-seu-ra-ji 164 / 590  
 San-ja-go 164 / 665  
 San-ja-go-sok 164 / 665  
 San-jak-yah 164 / 558  
 San-jam-ja-ri-pi 165 / 664  
 San-jang-dae 165 / 356  
 San-je-bi-ran 165 / 577  
 San-ji-chi 165 / 461  
 San-ji-chi-sok 165 / 461  
 San-jin-dal-rae 165 / 605  
 San-jip-sin-na-mul 165 / 343  
 San-jjok-pul 165 / 538  
 San-jjok-pul-sok 165 / 538  
 San-jo-a-jae-bi 165 / 570  
 San-jo-a-jae-bi-sok 165 / 570  
 San-jok-je-bi-go-sa-ri 165 / 446  
 San-jo-pap-na-mu 165 / 643  
 San-jo-pul 165 / 381  
 San-jung-gae-go-sa-ri 165 / 369  
 San-jwi-son-i 165 / 478  
 San-kko-ri-pul 159 / 671  
 San-kko-ri-sa-cho 159 / 398  
 San-kkot-da-ji 159 / 445  
 San-kkot-go-sa-ri-sam 159 / 626  
 San-kkwong-ui-bap 159 / 527  
 San-kkwong-ui-da-ri 159 / 655  
 San-mae-ja-na-mu 160 / 667  
 San-ma-ga-mok 160 / 641  
 San-ma-neul 160 / 348  
 San-mi-na-ri 161 / 343  
 San-mi-na-ri-a-jae-bi 161 / 601  
 San-mi-na-ri-sok 161 / 343  
 San-min-deul-re 161 / 653  
 San-min-mang-cho 161 / 459  
 San-mi-yeok-chwi 161 / 640  
 San-muk-sae 160 / 468  
 San-mul-bong-seon 160 / 497  
 San-mul-tong-i 161 / 573  
 San-naeng-i 159 / 388  
 San-oe 164 / 627  
 San-oe-sok 164 / 627  
 San-o-i-pul 164 / 620  
 San-ok-jam-hwa 164 / 490  
 San-pa 166 / 347  
 San-paeng-na-mu 166 / 402  
 San-ppong-na-mu 162 / 544  
 San-sa-cho 162 / 389  
 San-sae-bap 162 / 528  
 San-sae-kong 162 / 511  
 San-sae-pul 162 / 381  
 San-sae-pul-sok 163 / 381  
 San-sa-na-mu 162 / 424  
 San-sa-na-mu-sok 162 / 424  
 San-seok-song 163 / 529  
 San-soe-go-bi 163 / 433  
 San-sok-dan 163 / 570  
 San-som-bang-mang-i 163 / 653  
 San-som-da-ri 163 / 513  
 San-so-yeong-do-ri-na-mu 163 / 681  
 San-sseum-ba-gwi 163 / 508  
 San-ssuk 163 / 361  
 San-ssuk-bu-jaeng-i 163 / 366  
 San-sswae-gi-pul 163 / 509  
 San-su-guk 163 / 492  
 San-ta-rae-sa-cho 166 / 393  
 San-to-kki-go-sa-ri 166 / 483  
 San-to-kki-kkot 166 / 444  
 San-to-kki-kkot-gwa 166 / 444  
 San-to-kki-kkot-sok 166 / 444  
 San-top-pul 166 / 335  
 San-ttal-gi 160 / 612  
 San-ttal-gi-sok 160 / 611  
 San-ttal-na-mu 160 / 420  
 San-tteok-ssuk 160 / 351  
 San-ttuk-sa-cho 160 / 391  
 San-u-deu-pul 164 / 682  
 San-yang-ji-sa-cho 163 / 399  
 San-yeo-kkwi 163 / 566  
 San-yong-dam 164 / 476  
 San-yu-ja-na-mu 164 / 683  
 San-yu-ja-na-mu-gwa 164 / 471  
 San-yu-ja-na-mu-sok 164 / 683  
 Sap-ju 168 / 370  
 Sap-ju-sok 168 / 370  
 Sa-ram-ju-na-mu 156 / 548  
 Sa-ram-ju-na-mu-sok 156 / 548  
 Sa-sang-ja 156 / 659  
 Sa-sang-ja-sok 156 / 659  
 Sa-seun-ttal-gi 156 / 612  
 Sa-seu-rae-na-mu 156 / 373  
 Sa-seu-re-pi-na-mu 156 / 466  
 Sa-seu-re-pi-na-mu-sok 156 / 466  
 Sa-si-na-mu 156 / 585  
 Sa-si-na-mu-sok 156 / 585  
 Sat-gat-na-mul 168 / 561  
 Sat-gat-na-mul-sok 168 / 561  
 Sat-gat-sa-cho 168 / 390  
 Sa-wi-jil-ppang 156 / 413  
 Se-ba-ram-kkot 182 / 353  
 Se-bok-su-chu 182 / 342  
 Se-dae-ga-ri 181 / 523  
 Se-dae-ga-ri-sok 182 / 523  
 Se-ip-cham-kkot 183 / 605  
 Se-ip-dol-jjeo-gwi 182 / 337  
 Se-ip-gae-bal-na-mul 182 / 638  
 Se-ip-jong-deong-gul 183 / 414  
 Se-ip-jwi-o-jum-pul 183 / 668  
 Se-ip-jwi-son-i 183 / 479  
 Se-ip-kkwong-ui-bi-reum 182 / 494  
 Se-ip-pul 183 / 335  
 Se-ip-pul-sok 183 / 335  
 Se-ip-seung-ma 182 / 410  
 Se-ip-som-dae 182 / 533  
 Se-ip-yang-ji-kkot 182 / 588  
 Se-mo-bu-chu 182 / 347  
 Se-mo-go-raeng-i 182 / 628  
 Se-mo-san-bu-chu 182 / 348  
 Sen-dal-na-mu 183 / 532  
 Seo-deol-chwi 172 / 623  
 Seo-eo-na-mu 172 / 400  
 Seo-eo-na-mu-sok 172 / 400  
 Seok-chang-po 174 / 338  
 Seok-gok 173 / 437  
 Seok-gok-sok 173 / 436  
 Seok-jam-pul 174 / 645  
 Seok-jam-pul-sok 174 / 645  
 Seok-jang-po-sok 174 / 658  
 Seok-julk-gwa 174 / 401  
 Seok-ryu-pul 173 / 542  
 Seok-ryu-pul-gwa 173 / 542  
 Seok-ryu-pul-sok 173 / 542  
 Seok-song 173 / 529  
 Seok-song-gwa 173 / 528  
 Seok-song-sok 173 / 529  
 Seok-wi 173 / 597  
 Seok-wi-sok 173 / 597  
 Seol-aeng-cho 176 / 589  
 Seol-ak-dae-geuk 176 / 464  
 Seol-ak-jo-pap-na-mu 176 / 644  
 Seol-ak-nun-ju-mok 176 / 653  
 Seol-ryeong-gae-hyeon-sam 176 / 630  
 Seol-ryeong-gol-pul 176 / 503  
 Seol-ryeong-hwang-gi 176 / 368  
 Seol-ryeong-hwang-sae-pul 176 / 461  
 Seol-ryeong-jwi-o-jum-pul 176 / 668  
 Seol-seol-go-sa-ri 176 / 569  
 Seol-seol-go-sa-ri-sok 176 / 568  
 Seom-ba-di 179 / 450  
 Seom-ba-di-sok 179 / 449  
 Seom-baek-ri-hyang 179 / 657  
 Seom-beo-deul 179 / 617  
 Seom-beot-na-mu 179 / 592  
 Seom-cham-i-jil-pul 181 / 478  
 Seom-cheon-nam-seong 181 / 358  
 Seom-cho-rong-kkot 181 / 385  
 Seom-dae 178 / 621  
 Seom-daeng-gang-na-mu 178 / 332  
 Seom-dan-pung-na-mu 178 / 334  
 Seom-da-rae 178 / 339  
 Seom-gae-beot-na-mu 177 / 590  
 Seom-gae-hoe-na-mu 177 / 651  
 Seom-gaet-ssuk-bu-jaeng-i 177 / 365  
 Seom-gae-ya-gwang-na-mu 177 / 424  
 Seom-gae-ya-gwang-na-mu-sok 177 / 424

Seom-geo-buk-kko-ri 177 / 376	Seom-sswae-gi-pul 179 / 666	Seung-ma-sok 195 / 409
Seom-gi-rin-cho 177 / 633	Seom-ttal-gi 178 / 613	Si-be-ri-a-da-dak-naeng-i 195 / 513
Seom-git-ban-jjok-go-sa-ri 177 / 595	Seom-yang-ji-kkot 180 / 587	Si-be-ri-a-jam-ja-ri-pi 195 / 664
Seom-goe-bul-na-mu 177 / 525	Seon-baek-mi-kkot 175 / 429	Si-be-ri-a-po-a-pul 195 / 579
Seom-go-gwang-na-mu 177 / 569	Seon-ba-wi-go-sa-ri 175 / 551	Si-be-ri-a-sal-gu 195 / 592
Seom-gong-jak-go-sa-ri 177 / 342	Seon-ba-wi-go-sa-ri-sok 175 / 551	Si-be-ri-a-yeo-kkwi 195 / 506
Seom-go-sa-ri 177 / 368	Seon-beo-deul 175 / 618	Si-dak-na-mu 195 / 334
Seom-guk-su-na-mu 177 / 572	Seon-bi-neul-i-kki 175 / 634	Si-ho-sok 196 / 379
Seom-gwak-hyang 177 / 654	Seon-bu-chu 175 / 347	Sik-na-mu 196 / 370
Seom-gwang-dae-su-yeom 177 / 509	Seon-deung-gal-kwi 174 / 673	Sik-na-mu-sok 196 / 370
Seom-hoe-na-mu 181 / 463	Seon-dung-gul-re 174 / 582	Sil-bi-nyeo-gol-pul 197 / 504
Seom-hoe-yang-mok 181 / 380	Seon-gal-kwi 174 / 364	Sil-bu-chu 197 / 347
Seom-hyang-na-mu 181 / 505	Seon-ga-rae 174 / 586	Sil-byeol-kkot 197 / 646
Seom-hyeon-ho-saek 181 / 421	Seong-ju-pul 181 / 403	Sil-cheong-sa-cho 198 / 397
Seom-hyeon-sam 181 / 631	Seong-ju-pul-sok 181 / 403	Sil-gae-su-yeom 196 / 460
Seom-il-yeop-a-jae-bi 180 / 485	Seong-neol-su-guk 181 / 492	Sil-gal-kwi 196 / 475
Seom-jan-dae 180 / 341	Seon-goe-bul-ju-meo-ni 174 / 422	Sil-geo-ri-na-mu 196 / 381
Seom-jang-dae 180 / 356	Seon-gwaeng-i-bap 174 / 557	Sil-geo-ri-na-mu-sok 197 / 381
Seom-jan-go-sa-ri 180 / 443	Seon-gwaeng-i-nun 174 / 409	Sil-go-sa-ri 197 / 530
Seom-ja-ri-gong 180 / 572	Seon-hyeon-ho-saek 176 / 422	Sil-go-sa-ri-gwa 197 / 627
Seom-jat-na-mu 180 / 575	Seon-i-jil-pul 175 / 478	Sil-go-sa-ri-sok 197 / 530
Seom-je-bi-kkot 180 / 678	Seon-je-bi-kkot 175 / 677	Sil-i-sak-sa-cho 198 / 393
Seom-jil-gyeong-i 181 / 576	Seon-jul-ba-kkot 175 / 337	Sil-je-bi-ssuk 198 / 360
Seom-jo-rit-dae 180 / 622	Seon-ju-reum-ip 175 / 535	Sil-kkot-pul 197 / 408
Seom-jwi-kkae-pul 180 / 544	Seon-jwi-kko-ri-sae 176 / 545	Sil-kkot-pul-sok 197 / 408
Seom-jwi-son-i 180 / 479	Seon-me-kkot 174 / 384	Sil-maek-mun-dong 197 / 552
Seom-jwi-ttong-na-mu 180 / 518	Seon-mil-na-mul 175 / 639	Sil-mal 197 / 587
Seom-kka-chi-su-yeom 177 / 530	Seon-mo-si-dae 174 / 339	Sil-mi-kku-ri-nak-si 197 / 566
Seom-kko-ri-pul 178 / 671	Seon-mul-su-se-mi 175 / 546	Sil-na-ja-seu-mal 197 / 546
Seom-kkot-ma-ri 178 / 430	Seon-nyeo-go-sa-ri 174 / 365	Sil-pi-sa-cho 198 / 394
Seom-kkot-ma-ri-sok 178 / 430	Seon-nyeo-ssa-ri 174 / 515	Sil-po-a-pul 198 / 578
Seom-kkwong-go-sa-ri 178 / 576	Seon-pi-mak-i 176 / 493	Sil-sa-cho 197 / 396
Seom-kkwong-ui-bi-reum 178 / 494	Seon-po-a-pul 176 / 579	Sil-sae-pul 198 / 381
Seom-mae-bal-top-na-mu 179 / 372	Seon-sa-chu 175 / 398	Sil-sae-sam 197 / 427
Seom-mal-na-ri 179 / 520	Seon-sseum-ba-gwi 175 / 502	Sil-sa-ri 197 / 634
Seom-meo-ru 179 / 679	Seon-sseum-ba-gwi-sok 175 / 502	Sil-ssuk 198 / 469
Seom-mo-si-pul 179 / 375	Seon-tu-gu-kkot 176 / 337	Sil-ssuk-sol 198 / 469
Seom-na-do-hi-cho-mi 178 / 584	Seon-yeon-ri-cho 175 / 511	Sil-tong-bal 198 / 667
Seom-nam-seong 178 / 359	Seo-su-ra-sa-cho 172 / 393	Si-mu-na-mu 195 / 488
Seom-na-mu-ttal-gi 178 / 613	Seo-ul-gae-bal-na-mul 172 / 595	Si-mu-na-mu-sok 195 / 488
Seom-no-rin-jae-na-mu 178 / 650	Seo-ul-gae-bal-na-mul-sok 172 / 595	Sin-an-sae-u-nan-cho 196 / 382
Seom-no-ru-gwi 178 / 488	Seo-ul-gim-ui-teol 173 / 469	Sin-bu-chae-but-kkot 196 / 499
Seom-o-gal-pi-na-mu 180 / 454	Seo-ul-go-gwang-na-mu 173 / 569	Sin-chang-gu-jeol-cho 196 / 436
Seom-o-ri-na-mu 180 / 349	Seo-ul-gwi-rung-na-mu 173 / 591	Sing-a 198 / 337
Seom-pae-raeng-i-kkot 181 / 440	Seo-ul-je-bi-kkot 173 / 678	Sin-gal-jol-cham-na-mu 196 / 600
Seom-pi-na-mu 181 / 657	Seo-ul-jok-do-ri-pul 173 / 363	Sin-gal-mae-na-mu 196 / 603
Seom-poa-a-pul 181 / 580	Seo-ul-min-ba-raeng-i 173 / 442	Sin-gal-na-mu 196 / 600
Seom-ppong-na-mu 179 / 544	Seo-yang-gaet-naeng-i 172 / 381	Sin-gam-chae 196 / 556
Seom-sa-cheol-ran 179 / 482	Seo-yang-gaet-naeng-i-sok 172 / 381	Sing-a-sok 198 / 337
Seom-sae-u-nan-cho 179 / 382	Se-po-keun-jo-rong 183 / 429	Sin-i-dae 196 / 622
Seom-sa-seu-re-pi-na-mu 179 / 466	Se-pplul-seok-wi 182 / 597	Sin-na-mu 196 / 334
Seom-si-ho 179 / 380	Se-pplul-tu-gu-kkot 182 / 336	Sin-ui-ju-byeol-kkot 196 / 646
Seom-ssa-ri-naeng-i 179 / 387	Se-pplul-yeo-kkwi 182 / 565	Sip-ja-go-sa-ri 198 / 584
Seom-ssuk 180 / 360	Se-su-yeom-ma-reum 182 / 661	Sip-ja-hwa-gwa 198 / 378
Seom-ssuk-bu-jaeng-i 180 / 366	Seung-ma 195 / 410	

Si-ro-mi 195 / 456  
 Si-ro-mi-gwa 195 / 455  
 Si-ro-mi-sok 195 / 456  
 Si-ru-san-dom-bu 195 / 557  
 Soe-bang-dong-sa-ni 189 / 431  
 Soe-bi-reum 189 / 586  
 Soe-bi-reum-gwa 189 / 586  
 Soe-bi-reum-sok 189 / 586  
 Soe-bo-ri 189 / 500  
 Soe-bo-ri-sok 189 / 500  
 Soe-byeol-kkot 189 / 646  
 Soe-chae 189 / 630  
 Soe-chae-sok 189 / 630  
 Soe-chi-gi-pul 189 / 487  
 Soe-chi-gi-pul-sok 189 / 487  
 Soe-dol-pi 188 / 583  
 Soe-dol-pi-sok 188 / 583  
 Soe-go-bi 188 / 433  
 Soe-go-bi-sok 188 / 433  
 Soe-go-sa-ri 188 / 357  
 Soe-go-sa-ri-sok 188 / 356  
 Soe-ha-neul-ji-gi 190 / 471  
 Soe-mul-pu-re-na-mu 189 / 472  
 Soe-mu-reup 188 / 335  
 Soe-mu-reup-sok 189 / 335  
 Soe-nak-si-sa-cho 188 / 391  
 Soe-na-mu 188 / 473  
 Soe-ppul-hyeon-ho-saek 189 / 421  
 Soe-pul 190 / 627  
 Soe-pul-sok 190 / 627  
 Soe-seo-na-mul 189 / 573  
 Soe-seo-na-mul-sok 189 / 573  
 Soe-teol-gol 190 / 453  
 Soe-teol-i-seul 190 / 410  
 Soe-tteu-gi 188 / 458  
 Soe-tteu-gi-mal-pul 188 / 489  
 Soe-tteu-gi-mal-pul-gwa 188 / 489  
 Soe-tteu-gi-mal-pul-sok 188 / 489  
 So-gwi-na-mu 183 / 546  
 So-gwi-na-mu-gwa 183 / 546  
 So-gwi-na-mu-sok 183 / 545  
 So-gyeong-bul-al 183 / 417  
 Sok-dan 184 / 570  
 Sok-dan-sok 184 / 570  
 Sok-ri-cham-na-mul 184 / 658  
 Sok-ri-gi-rin-cho 184 / 633  
 Sok-ri-ssa-ri 184 / 516  
 Sok-sae 184 / 458  
 Sok-sae-gwa 185 / 457  
 Sok-sae-sok 185 / 458  
 Sok-sok-i-pul 185 / 608  
 Sok-teol-gae-mil 185 / 455  
 Sol-bang-ul-gol 185 / 629  
 Sol-bang-ul-go-raeng-i 185 / 629  
 Sol-bi-na-mu 185 / 531

Sol-bi-nyeo-gol-pul 185 / 504  
 Sol-but-kkot 185 / 499  
 Sol-che-kkot 186 / 626  
 Sol-in-jin 186 / 345  
 Sol-in-jin-sok 186 / 344  
 Sol-ip-ga-rae 186 / 587  
 Sol-ip-jan-dae 186 / 339  
 Sol-ip-ran 186 / 594  
 Sol-ip-ran-gwa 186 / 594  
 Sol-ip-ran-sok 186 / 594  
 Sol-ip-sa-cho 186 / 389  
 Sol-jang-da-ri 186 / 619  
 Sol-na-mul 185 / 475  
 Sol-na-ri 185 / 519  
 Sol-sae 186 / 656  
 Sol-sae-sok 186 / 656  
 Sol-song-na-mu 186 / 664  
 Sol-song-na-mu-sok 186 / 664  
 Som-a-ma-jon 187 / 429  
 Som-bang-mang-i 187 / 653  
 Som-bang-mang-i-sok 187 / 653  
 Som-bun-chwi 187 / 622  
 Som-dae-sok 187 / 638  
 Som-da-ri 187 / 513  
 Som-da-ri-sol 187 / 512  
 Som-huin-yeo-kkwi 187 / 565  
 Som-na-mul 186 / 512  
 Som-na-mul-sok 186 / 512  
 Som-ssuk-bang-mang-i 187 / 635  
 Som-yang-ji-kkot 187 / 587  
 So-na-mu 183 / 575  
 So-na-mu-gwa 183 / 574  
 So-na-mu-sok 183 / 574  
 Son-ba-dak-na-bi-nan-cho 185 / 434  
 Son-ba-dak-nan-cho 185 / 483  
 Son-ba-dak-nan-cho-sok 185 / 483  
 Song-ak 187 / 486  
 Song-ak-sok 187 / 486  
 Song-geum-na-mu 187 / 383  
 Song-i-go-raeng-i 187 / 628  
 Song-i-pul 188 / 563  
 Song-i-pul-sok 188 / 562  
 Song-jang-pul 188 / 513  
 Son-go-bi 185 / 417  
 Son-go-bi-sok 185 / 417  
 Song-yang-na-mu 187 / 451  
 Song-yang-na-mu-sok 187 / 451  
 So-rae-pul 184 / 555  
 So-rae-pul-sok 184 / 555  
 So-ran 183 / 428  
 So-ri-jaeng-i-sok 184 / 613  
 So-sa-na-mu 184 / 400  
 So-tae-na-mu 184 / 573  
 So-tae-na-mu-gwa 184 / 637  
 So-tae-na-mu-sok 184 / 573

So-yeong-do-ri-na-mu 184 / 681  
 So-yeop-maek-mun-dong 184 / 552  
 So-yeop-pul 184 / 520  
 Ssal-pa-do-pul 199 / 551  
 Ssal-pa-do-pul-sok 199 / 551  
 Ssal-sa-cho 199 / 391  
 Ssal-sae 199 / 536  
 Ssal-sae-sok 199 / 536  
 Ssang-dong-ba-ram-kkot 199 / 353  
 Ssang-ip-nan-cho 199 / 549  
 Ssang-sil-beo-deul 199 / 616  
 Ssa-ra-gi-sa-cho 198 / 399  
 Ssa-ri 198 / 514  
 Ssa-ri-naeng-i 199 / 387  
 Ssa-ri-sok 199 / 514  
 Sseum-ba-gwi 200 / 502  
 Sseum-ba-gwi-sok 200 / 502  
 Sseun-pul 200 / 649  
 Sseun-pul-sok 200 / 649  
 Ssi-beom-kko-ri 200 / 374  
 Ssi-nun-ba-wi-chwi 200 / 625  
 Ssi-nun-nan-cho 200 / 489  
 Ssi-nun-nan-cho-sok 200 / 488  
 Ssuk 199 / 361  
 Ssuk-bang-mang-i 200 / 634  
 Ssuk-bu-jaeng-i 200 / 367  
 Ssuk-bu-ji-kkaeng-i 200 / 462  
 Ssuk-bu-ji-kkaeng-i-sok 200 / 461  
 Ssuk-guk-hwa 199 / 652  
 Ssuk-guk-hwa-sok 199 / 652  
 Ssuk-sok 200 / 359  
 Sswae-gi-pul 199 / 666  
 Sswae-gi-pul-gwa 199 / 666  
 Sswae-gi-pul-sok 199 / 666  
 Su-gae-mi-ja-ri 190 / 615  
 Su-gang-a-ji-pul 190 / 635  
 Su-geo-meo-ri-mal 190 / 685  
 Su-gol-mu-kkot 190 / 631  
 Su-guk-sok 190 / 492  
 Su-gung-cho 190 / 355  
 Su-gung-cho-sok 190 / 355  
 Su-jeong-mok 193 / 434  
 Su-jeong-nan-pul 193 / 543  
 Su-jeong-nan-pul-gwa 193 / 543  
 Su-jeong-nan-pul-sok 193 / 543  
 Suk-eun-cheo-nyeo-chi-ma 193 / 487  
 Suk-eun-kkot-jang-po 193 / 658  
 Suk-eun-no-ru-o-jum 193 / 367  
 Su-keu-ryeong 193 / 564  
 Su-keu-ryeong-sok 193 / 563  
 Su-kka-chi-kkae 190 / 419  
 Sul-pae-raeng-i-kkot 194 / 440  
 Sun-an-eok-sae 193 / 541  
 Sun-bi-gi-na-mu 193 / 679  
 Sun-bi-gi-na-mu-sok 193 / 679

Sun-chae 193 / 378  
 Sun-chae-sok 194 / 378  
 Sup-ba-ram-kkot 194 / 353  
 Sup-gae-byeol-kkot 194 / 594  
 Sup-gae-mil 194 / 378  
 Sup-gae-mil-sok 194 / 378  
 Sup-gal-kwi-na-mul 194 / 673  
 Sup-i-sak-sa-cho 194 / 390  
 Su-ri-chwi 191 / 651  
 Su-ri-chwi-sok 191 / 650  
 Su-ri-ttal-gi 191 / 611  
 Su-ryeon 190 / 550  
 Su-ryeon-gwa 190 / 550  
 Su-ryeon-sok 191 / 550  
 Su-seon-hwa-gwa 191 / 349  
 Su-song-na-mul 191 / 619  
 Su-song-na-mul-sok 191 / 619  
 Su-su-go-sa-ri 191 / 365  
 Su-su-kkot-da-ri 191 / 651  
 Su-su-kkot-da-ri-sok 191 / 651  
 Su-su-sae 191 / 642  
 Su-su-sae-sok 191 / 642  
 Sut-dol-dam-go-sa-ri 194 / 364  
 Sut-gal-il-yeop 194 / 527  
 Sut-jan-dae 194 / 524  
 Sut-jan-dae-sok 194 / 524  
 Sut-myeong-da-rae-na-mu 194 / 525  
 Su-won-go-raeng-i 192 / 629  
 Su-won-jan-dae 193 / 340  
 Su-won-sa-cho 193 / 396  
 Su-won-sa-si-na-mu 193 / 585  
 Su-yeom-chi-ja-pul 192 / 486  
 Su-yeom-chi-ja-pul-sok 192 / 486  
 Su-yeom-dae-sae-pul 192 / 413  
 Su-yeom-gae-mil 191 / 496  
 Su-yeom-gae-mil-sok 191 / 495  
 Su-yeom-ga-rae-kkot 191 / 524  
 Su-yeom-gim-ui-teol 191 / 468  
 Su-yeom-hyeon-ho-saek 192 / 421  
 Su-yeom-i-kki 192 / 494  
 Su-yeom-i-kki-sok 192 / 494  
 Su-yeom-ma-reum 192 / 661  
 Su-yeom-ma-reum-sok 192 / 661  
 Su-yeom-myeo-neu-ri-bap-pul  
     192 / 536  
 Su-yeom-pae-raeng-i-kkot 192 / 439  
 Su-yeom-pul 192 / 595  
 Su-yeom-pul-sok 192 / 595  
 Su-yeom-yong-dam 192 / 478  
 Su-yeom-yong-dam-sok 192 / 478  
 Su-yeong 192 / 613  
 Swip-ssa-ri 194 / 529  
 Swip-ssa-ri-sok 195 / 529  
 Swi-ttang-na-mu 194 / 640  
 Swi-ttang-na-mu-sok 194 / 640

**T**  
 Tae-an-won-chu-ri 288 / 487  
 Tae-baek-chwi 288 / 623  
 Tae-baek-gi-rin-cho 288 / 633  
 Tae-baek-i-jil-pul 288 / 479  
 Tae-baek-je-bi-kkot 288 / 675  
 Taek-sa 288 / 346  
 Taek-sa-gwa 288 / 346  
 Taek-sa-sol 288 / 346  
 Tam-na-san-su-guk 287 / 492  
 Tam-ra-ban-ijok-go-sa-ri 287 / 595  
 Tam-ra-byeol-go-sa-ri 288 / 428  
 Tam-ra-hyeon-ho-saek 288 / 422  
 Tam-ra-jin-go-sa-ri 287 / 438  
 Tam-ra-min-ba-raeng-i 287 / 442  
 Tam-ra-nan 288 / 476  
 Tam-ra-pul 287 / 486  
 Tam-ra-sa-da-ri-go-sa-ri 288 / 560  
 Tap-kkot 288 / 416  
 Ta-rae-but-kkot 287 / 498  
 Ta-rae-nan-cho 287 / 644  
 Ta-rae-nan-cho-sok 287 / 644  
 Ta-rae-sa-cho 287 / 394  
 Teol-baek-dang-na-mu 292 / 672  
 Teol-baek-jak-yak 292 / 558  
 Teol-baek-seon 292 / 442  
 Teol-bak-hi 292 / 537  
 Teol-bak-jwi-na-mul 292 / 560  
 Teol-ba-wi-tteok-pul 292 / 625  
 Teol-bi-neul-go-sa-ri 293 / 357  
 Teol-bi-ssuk 293 / 361  
 Teol-bok-ju-meo-ni-ran 293 / 432  
 Teol-bu-cheo-kkot 293 / 531  
 Teol-bun-chwi 293 / 624  
 Teol-byeol-go-sa-ri 293 / 428  
 Teol-cham-beom-kko-ri 297 / 374  
 Teol-cho-pi-na-mu 297 / 684  
 Teol-daeng-gang-na-mu 291 / 332  
 Teol-dae-sa-cho 291 / 390  
 Teol-da-rae 291 / 338  
 Teol-do-kkae-bi-ba-neul 291 / 373  
 Teol-dong-ja-kkot 291 / 528  
 Teol-du-me-ja-un 291 / 557  
 Teol-dung-geun-gal-kwi 291 / 474  
 Teol-dung-geun-i-jil-pul 291 / 478  
 Teol-eum-na-mu 295 / 506  
 Teol-ga-chim-bak-dal 289 / 467  
 Teol-gae-beot-na-mu 289 / 591  
 Teol-gae-eok-sae 289 / 462  
 Teol-gae-gu-ri-mi-na-ri 289 / 601  
 Teol-gae-gwan-jung 289 / 584  
 Teol-gae-hoe-na-mu 289 / 651  
 Teol-gae-meo-ru 289 / 350  
 Teol-gae-mil 289 / 455  
 Teol-gae-sal-gu 289 / 591  
 Teol-gaet-wan-du 289 / 511  
 Teol-gal-mae-na-mu 289 / 603  
 Teol-ga-mun-bi-na-mu 288 / 573  
 Teol-gin-ip-gal-kwi 290 / 474  
 Teol-gin-ip-je-bi-kkot 290 / 677  
 Teol-gin-ip-jo-pap-na-mu 290 / 643  
 Teol-gin-ip-mo-si-pul 290 / 375  
 Teol-gi-reum-na-mul 290 / 517  
 Teol-gi-reum-na-mul-sok 290 / 517  
 Teol-gi-rin-cho 290 / 633  
 Teol-goe-bul-na-mu 290 / 526  
 Teol-go-gwang-na-mu 289 / 569  
 Teol-go-ro-soe-na-mu 289 / 334  
 Teol-go-sa-ri 289 / 438  
 Teol-gul-pi-na-mu 290 / 577  
 Teol-gwaeng-i-nun 289 / 409  
 Teol-gye-yo-deung 289 / 558  
 Teol-ha-neul-ji-gi 298 / 470  
 Teol-hwang-byeok 298 / 569  
 Teol-hwang-cheol-na-mu 298 / 585  
 Teol-hwa-sal-na-mu 298 / 463  
 Teol-hyang-yu 298 / 474  
 Teol-hyang-yu-sok 298 / 474  
 Teol-hyeon-ho-saek 298 / 422  
 Teol-in-dong 295 / 525  
 Teol-in-ga-mok-jo-pap-na-mu  
     295 / 643  
 Teol-ip-ha-neul-ji-gi 296 / 471  
 Teol-ip-sa-cho 295 / 393  
 Teol-ip-sol-na-mul 296 / 476  
 Teol-i-seul 295 / 411  
 Teol-i-seul-sok 295 / 410  
 Teol-i-seu-ra-ji 295 / 591  
 Teol-jan-dae 296 / 341  
 Teol-jang-dae 296 / 356  
 Teol-jang-gu-chae 296 / 636  
 Teol-jap-i-je-bi-kkot 296 / 574  
 Teol-je-bi-go-kkal 296 / 435  
 Teol-je-bi-kkot 296 / 677  
 Teol-jeom-na-do-na-mul 296 / 404  
 Teol-jeon-ho 296 / 354  
 Teol-jil-gyeong-i 297 / 576  
 Teol-jin-dal-rae 297 / 605  
 Teol-jin-deuk-chal 297 / 636  
 Teol-jin-go-sa-ri 297 / 437  
 Teol-ji-reong-ku-na-mu 297 / 620  
 Teol-jjil-re 297 / 609  
 Teol-jo-jang-na-mu 296 / 521  
 Teol-jong-bi-na-mu 296 / 572  
 Teol-jop-ssal-pul 296 / 466  
 Teol-jo-rit-dae-pul 296 / 526  
 Teol-jo-rok-ssa-ri 296 / 516  
 Teol-jung-na-ri 296 / 519  
 Teol-jwi-kkae 297 / 544  
 Teol-jwi-ttong-na-mu 297 / 519

Teol-keun-aeng-cho 297 / 589  
 Teol-keun-san-beo-deul 297 / 618  
 Teol-kko-ri-pul 290 / 671  
 Teol-kkot-da-ji 290 / 445  
 Teol-kkot-gae-hoe-na-mu 290 / 652  
 Teol-mae-ja 292 / 667  
 Teol-mal-bal-do-ri 292 / 439  
 Teol-man-ju-go-ro-soe 292 / 335  
 Teol-man-ju-o-ri-na-mu 292 / 349  
 Teol-man-ju-song-i-pul 292 / 563  
 Teol-ma-sak-jul 291 / 660  
 Teol-meo-wi 292 / 468  
 Teol-meo-wi-sok 292 / 468  
 Teol-mi-kku-ri-nak-si 292 / 566  
 Teol-min-deul-re 292 / 652  
 Teol-myeo-neu-ri-bap-pul 292 / 536  
 Teol-na-do-daep-ssa-ri 290 / 370  
 Teol-na-do-hwang-gi 290 / 486  
 Teol-nak-si-je-bi-kkot 290 / 676  
 Teol-ne-ip-gal-kwi 291 / 475  
 Teol-neol-beun-ip-kko-ri-pul 291 / 670  
 Teol-no-bak-deong-gul 291 / 402  
 Teol-no-rang-je-bi-kkot 291 / 676  
 Teol-nu-ri-jang-na-mu 291 / 415  
 Teol-o-gal-pi-na-mu 295 / 454  
 Teol-o-ri-na-mu 295 / 348  
 Teol-pa-ri-chae 297 / 515  
 Teol-pat-bae-na-mu 297 / 641  
 Teol-pi-na-mu 297 / 658  
 Teol-sa-cheol-ran 293 / 482  
 Teol-sa-cho 293 / 396  
 Teol-sae 294 / 362  
 Teol-sae-mo-rae-deong-gul 294 / 537  
 Teol-sae-sol 294 / 362  
 Teol-san-bak-ha 293 / 501  
 Teol-san-dol-bae 293 / 598  
 Teol-san-gae-na-ri 293 / 472  
 Teol-sang-dong-na-mu 294 / 615  
 Teol-san-goe-bul-na-mu 293 / 525  
 Teol-san-go-sa-ri 293 / 561  
 Teol-san-sa 293 / 424  
 Teol-san-ssuk 293 / 360  
 Teol-sa-si-na-mu 293 / 585  
 Teol-seok-jam-pul 294 / 645  
 Teol-seon-i-jil-pul 294 / 478  
 Teol-si-be-ri-a-sal-gu 294 / 592  
 Teol-sil-bu-chu 294 / 347  
 Teol-sing-a 294 / 337  
 Teol-soe-mu-reup 294 / 335  
 Teol-sol-na-mul 294 / 475  
 Teol-ssang-ip-nan-cho 295 / 548  
 Teol-ssa-ri 294 / 514  
 Teol-ssa-ri-naeng-i 294 / 387  
 Teol-ssi-beom-kko-ri 295 / 375  
 Teol-sup-go-sa-ri 294 / 420

Teol-swip-ssa-ri 294 / 529  
 Teol-top-pul 297 / 335  
 Teol-ttak-chong-na-mu 291 / 620  
 Teol-ttak-ji-kkot 291 / 587  
 Teol-wang-beo-deul 295 / 616  
 Teol-ya-gwang-na-mu 295 / 533  
 Teol-yeon-ri-cho 295 / 511  
 Teol-yong-ga-si 295 / 609  
 Teol-yun-no-ri-na-mu 295 / 589  
 Teo-ri-pul 288 / 470  
 Teo-ri-pul-sol 288 / 469  
 To-dae-hwang 298 / 613  
 To-hyeon-sam 298 / 631  
 To-kki-go-sa-ri 298 / 483  
 To-kki-go-sa-ri-sok 298 / 483  
 To-kki-pul-sok 298 / 662  
 Tong-bal 299 / 667  
 Tong-bal-gwa 299 / 512  
 Tong-bal-sok 299 / 666  
 Tong-bo-ri-sa-cho 299 / 393  
 Tong-yeong-mi-na-ri-naeng-i 299 / 387  
 Top-ba-wi-chwi 298 / 625  
 Top-jan-dae 298 / 339  
 Top-ji-ne-go-sa-ri 299 / 447  
 Top-ni-na-ja-seu-mal 298 / 547  
 Top-pul 299 / 335  
 Top-pul-sol 299 / 335  
 Ttae-juk-na-mu 103 / 648  
 Ttae-juk-na-mu-gwa 103 / 648  
 Ttae-juk-na-mu-sok 103 / 648  
 Ttak-chong-na-mu 102 / 620  
 Ttak-chong-na-mu-sok 102 / 620  
 Ttak-ji-kkot 102 / 587  
 Ttal-gi-sok 102 / 472  
 Ttang-bin-dae 103 / 465  
 Ttang-bi-ssa-ri 103 / 497  
 Ttang-bi-ssa-ri-sok 103 / 497  
 Ttang-bi-su-ri 102 / 515  
 Ttang-chae-song-hwa 103 / 633  
 Ttang-gwaeng-i-ssa-ri 102 / 516  
 Ttang-gwi-ga 102 / 667  
 Ttang-na-ri 102 / 519  
 Ttat-du-reup-na-mu 102 / 553  
 Ttat-du-reup-na-mu-sok 102 / 553  
 Ttat-ttal-gi 102 / 472  
 Teok-beo-deul 103 / 617  
 Teok-gal-cham-na-mu 103 / 600  
 Teok-gal-jol-cham-na-mu 103 / 600  
 Teok-gal-na-mu 103 / 599  
 Teok-ip-gol-mu-kkot 104 / 631  
 Teok-ip-san-su-guk 104 / 492  
 Teok-jo-pap-na-mu 104 / 643  
 Teok-o-ri-na-mu 104 / 348  
 Teok-sa-seu-re-pi-na-mu 103 / 466  
 Teok-sin-gal-cham-na-mu 103 / 600

Tteok-sin-gal-na-mu 103 / 600  
 Tteok-sin-jol-cham-na-mu 103 / 600  
 Tteok-sok-so-ri-na-mu 103 / 599  
 Teok-ssuk 104 / 593  
 Teok-ssuk-sok 104 / 593  
 Tteok-yun-no-ri-na-mu 104 / 589  
 Tti 105 / 497  
 Tti-sok 105 / 497  
 Ttuk-gal 104 / 562  
 Ttuk-hyang-na-mu 105 / 505  
 Ttuk-ji-chi 104 / 484  
 Ttuk-ji-chi-sok 105 / 484  
 Ttu-kkeong-byeol-kkot 104 / 351  
 Ttu-kkeong-byeol-kkot-sok 104 / 351  
 Ttu-kkeong-deong-gul 104 / 339  
 Ttu-kkeong-deong-gul-sok 104 / 339  
 Ttuk-sa-cho 104 / 399  
 Ttuk-sae-pul 104 / 349  
 Ttuk-sae-pul-sok 104 / 349  
 Tu-gu-kkot 299 / 336  
 Tu-gu-kkot-sok 299 / 336  
 Tung-dung-gul-re 299 / 582  
 Tung-tung-ma-di 299 / 616  
 Tung-tung-ma-di-sok 299 / 616

**U**

U-dan-il-yeop 224 / 597  
 U-dan-jwi-son-i 224 / 479  
 U-dan-kkok-du-seo-ni 224 / 611  
 U-dan-seok-jam-pul 224 / 645  
 U-deu-pul 224 / 682  
 U-deu-pul-sok 224 / 682  
 Ul-reung-guk-hwa 225 / 436  
 Ul-reung-jang-gu-chae 225 / 637  
 Ul-reung-mi-yeok-chwi 225 / 640  
 Ul-reung-po-a-pul 225 / 580  
 Ul-reung-san-ma-neul 225 / 347  
 Ul-reung-yeon-hwa-ba-wi-sol  
225 / 554  
 U-muk-sa-seu-re-pi 224 / 466  
 Ung-gi-o-ri-na-mu 225 / 348  
 Ung-gi-pi-na-mu 225 / 658  
 Ung-gi-som-na-mul 225 / 635  
 Un-hyang-gwa 225 / 614  
 U-san-bang-dong-sa-ni 224 / 432  
 U-san-jan-di 224 / 430  
 U-san-jan-di-sok 224 / 430  
 U-san-je-bi-kkot 224 / 678  
 U-san-mul-tong-i 224 / 452  
 U-san-na-mul 224 / 650  
 U-san-na-mul-sok 224 / 650  
 U-san-soe-bang-dong-sa-ni 224 / 431

**W**

Wae-bak-ju-ga-ri 222 / 665  
 Wae-bak-ju-ga-ri-sok 222 / 665  
 Wae-bang-pung 222 / 343  
 Wae-cheon-gung 222 / 353  
 Wae-gae-sing-a 221 / 337  
 Wae-gae-yeon-kkot 221 / 549  
 Wae-gat-naeng-i 221 / 388  
 Wae-gol-mu-kkot 221 / 632  
 Wae-gu-sil-sa-ri 221 / 634  
 Wae-gwang-dae-su-yeom 221 / 509  
 Wae-hyeon-ho-saek 222 / 421  
 Wae-je-bi-kkot 222 / 676  
 Wae-jeot-ga-rak-na-mul 222 / 602  
 Wae-ji-chi 222 / 545  
 Wae-jol-bang-je-bi-kkot 222 / 677  
 Wae-mi-na-ri-a-jae-bi 222 / 601  
 Wae-mo-si-pul 222 / 375  
 Wae-seung-ma 222 / 410  
 Wae-som-da-ri 222 / 513  
 Wae-tteok-ssuk 221 / 482  
 Wae-tteok-ssuk-sok 221 / 482  
 Wae-u-san-pul 222 / 578  
 Wak-sal-go-sa-ri 218 / 514  
 Wak-sal-go-sa-ri-sok 218 / 514  
 Wan-do-hyeon-ho-saek 218 / 423  
 Wang-baek-san-chu 219 / 511  
 Wang-bae-pung-deung 219 / 640  
 Wang-ba-raeng-i 219 / 454  
 Wang-ba-raeng-i-sok 219 / 454  
 Wang-beo-deul 219 / 616  
 Wang-beot-na-mu 220 / 592  
 Wang-bi-neul-sa-cho 220 / 394  
 Wang-bok-ju-meo-ni-ran 220 / 432  
 Wang-bo-ri-su-na-mu 220 / 451  
 Wang-byeol-kkot 220 / 646  
 Wang-cho-pi-na-mu 221 / 683  
 Wang-dae-sok 219 / 572  
 Wang-da-ram-jwi-kko-ri 219 / 491  
 Wang-dung-gul-re 219 / 582  
 Wang-gaet-ssuk-bu-jaeng-i 218 / 366  
 Wang-ga-rae-na-mu 218 / 503  
 Wang-geo-meo-ri-mal 218 / 684  
 Wang-geu-neul-sa-cho 218 / 396  
 Wang-gim-ui-teol 218 / 469  
 Wang-gim-ui-teol-a-jae-bi 218 / 468  
 Wang-go-deul-ppae-gi 218 / 508  
 Wang-go-deul-ppae-gi-sok 218 / 508  
 Wang-goe-bul-na-mu 218 / 526  
 Wang-go-gwang-na-mu 218 / 569  
 Wang-gol 218 / 431  
 Wang-go-ro-soe-na-mu 218 / 334  
 Wang-go-sa-ri 218 / 438  
 Wang-ho-jang-geun 221 / 468  
 Wang-ja-gwi-na-mu 220 / 346

**Wang**

Wang-jak-sal-na-mu 220 / 383  
 Wang-jan-dae 220 / 341  
 Wang-jan-di 220 / 685  
 Wang-je-bi-kkot 220 / 678  
 Wang-jil-gyeong-i 221 / 576  
 Wang-ji-ne-go-sa-ri 221 / 448  
 Wang-juk-dae-a-jae-bi 221 / 648  
 Wang-jwi-ttong-na-mu 221 / 519  
 Wang-kkot-ma-ri 219 / 430  
 Wang-mae-bal-top-na-mu 219 / 371  
 Wang-meo-ru 219 / 679  
 Wang-mi-kku-ri-gwang-i 219 / 481  
 Wang-mil-sa-cho 219 / 394  
 Wang-mo-ram 219 / 469  
 Wang-mo-si-pul 219 / 376  
 Wang-neu-reup-na-mu 219 / 666  
 Wang-paeng-na-mu 221 / 403  
 Wang-sat-gat-sa-cho 220 / 397  
 Wang-som-dae 220 / 639  
 Wang-ssal-sae 220 / 536  
 Wang-sseum-bae 220 / 589  
 Wang-sseum-bae-sok 220 / 589  
 Wang-teol-ma-ga-mok 221 / 641  
 Wang-yong-ga-si 220 / 609  
 Wi-bong-bae 226 / 598  
 Wi-do-sang-sa-hwa 226 / 530  
 Wol-gyul 226 / 668  
 Won-chu-ri-sok 226 / 487  
 Won-ji 225 / 581  
 Won-ji-gwa 225 / 581  
 Won-ji-sok 143 / 581  
 Won-ji-sok 225 / 581  
 Won-san-ba-neul-gol 225 / 453  
 Won-san-soe-teol-gol 225 / 452  
 Won-san-ttak-ji-kkot 225 / 588

**Y**

Ya-go 209 / 343  
 Ya-go-sok 209 / 343  
 Ya-gwang-na-mu 209 / 533  
 Ya-ji-pi 210 / 382  
 Yak-bam-na-mu 210 / 401  
 Yak-nan-cho 210 / 424  
 Yak-nan-cho-sok 210 / 424  
 Yal-beun-gae-sing-a 210 / 338  
 Yal-beun-ip-go-gwang-na-mu 210 / 570  
 Yang-ban-pul 210 / 429  
 Yang-deok-go-gwang-na-mu 210 / 569  
 Yang-deok-sa-cho 210 / 398  
 Yang-gwi-bi-gwa 210 / 559  
 Yang-gwi-bi-sok 210 / 559  
 Yang-ji-kkot 210 / 588  
 Yang-ji-kkot-sok 210 / 587  
 Yang-ji-sa-cho 210 / 395  
 Yang-ppul-sa-cho 210 / 390

Ya-san-go-bi 209 / 551  
 Ya-san-go-bi-sok 209 / 551  
 Ye-deok-na-mu 215 / 533  
 Ye-deok-na-mu-sok 215 / 533  
 Yeo-bok-song 212 / 575  
 Yeo-deol-ip-eu-reum 212 / 345  
 Yeo-kkwi 212 / 565  
 Yeo-kkwi-ba-neul 212 / 527  
 Yeo-kkwi-ba-neul-sok 212 / 527  
 Yeo-kkwi-ip-je-bi-kkot 212 / 678  
 Yeo-kkwi-sok 212 / 564  
 Yeol-beun-gal-mi-sa-cho 214 / 391  
 Yeol-beun-ip-je-bi-kkot 214 / 675  
 Yeol-dang-gwa 214 / 553  
 Yeol-eun-ip-ji-ne-go-sa-ri 214 / 448  
 Yeom-ju-goe-bul-ju-meo-ni 214 / 422  
 Yeom-ju-naeng-i 214 / 659  
 Yeom-ju-naeng-i-sok 214 / 659  
 Yeom-ju-na-mu 214 / 657  
 Yeom-ju-sa-cho 215 / 392  
 Yeom-nang-sa-cho 214 / 395  
 Yeon-bap-gal-mae-na-mu 213 / 603  
 Yeon-bap-mae-ja-na-mu 213 / 372  
 Yeon-bap-pi-na-mu 213 / 657  
 Yeon-bok-cho 213 / 342  
 Yeon-bok-cho-gwa 214 / 342  
 Yeon-bok-cho-sok 214 / 342  
 Yeon-bo-ra-gwa-nam-pul 213 / 477  
 Yeon-du-som-dae 213 / 639  
 Yeong-a-ja 215 / 368  
 Yeong-a-ja-sok 215 / 368  
 Yeong-a-ri-nan-cho 215 / 549  
 Yeong-a-ri-nan-cho-sok 215 / 549  
 Yeong-do-min-deul-re 215 / 652  
 Yeong-do-san-bak-ha 215 / 501  
 Yeong-ju-chi-ja 215 / 476  
 Yeong-ju-chi-ja-sok 215 / 476  
 Yeon-hwa-ba-wi-sol 214 / 554  
 Yeon-ip-kkwong-ui-da-ri 214 / 655  
 Yeon-ji-gol-mu-kkot 214 / 631  
 Yeon-ri-cho 213 / 511  
 Yeon-ri-cho-sok 213 / 510  
 Yeon-ri-gal-kwi 213 / 675  
 Yeon-yeong-cho 214 / 663  
 Yeon-yeong-cho-sok 214 / 663  
 Yeo-reum-sae-u-nan-cho 212 / 382  
 Yeo-ro 212 / 669  
 Yeo-ro-sok 212 / 669  
 Yeo-u-beo-deul 212 / 618  
 Yeo-u-gu-seul 212 / 571  
 Yeo-u-ju-meo-ni 213 / 571  
 Yeo-u-ju-meo-ni-sok 213 / 571  
 Yeo-u-kko-ri-pul 212 / 346  
 Yeo-u-kko-ri-sa-cho 212 / 389  
 Yeo-u-kong 213 / 606

Yeo-u-kong-sok 213 / 606  
Yeo-u-o-jum 213 / 400  
Yeo-u-pat 213 / 449  
Yeo-u-pat-sok 213 / 449  
Yo-gang-na-mul 223 / 414  
Yong-dam 223 / 477  
Yong-dam-gwa 223 / 477  
Yong-dam-sok 223 / 476  
Yong-dung-gul-re 223 / 582  
Yong-ga-si-na-mu 223 / 609

Yong-meo-ri 223 / 445  
Yong-meo-ri-sok 223 / 445  
Yong-su-yeom 223 / 440  
Yong-su-yeom-sok 224 / 440  
Yu-ga-rae-na-mu 226 / 619  
Yu-jeon-ma-reum 226 / 660  
Yuk-bak-na-mu 226 / 524  
Yuk-jeol-bo-ri-pul 226 / 481  
Yuk-ji-kkot-beo-deul 226 / 618  
Yul-mu-ssuk 227 / 360

Yun-gae-gwan-jung 226 / 584  
Yun-no-ri-na-mu 226 / 589  
Yun-no-ri-na-mu-sok 226 / 589  
Yun-pan-na-mul 226 / 444  
Yun-pan-na-mul-a-jae-bi 227 / 444  
Yu-ryeong-ran 226 / 457  
Yu-ryeong-ran-sok 226 / 457  
Yu-seong-sa-cho 226 / 393

## 참고문헌 Reference

- Brickell, C. and H.M. Cathey. 2004. *The American Horticultural Society A-Z Encyclopedia of Garden Plants*. DK Publishing, Inc., New York.
- Encyclopedia of Life. 2014. EOL. <http://www.eol.org/> (Assecced in 2015.07.03.)
- Gardner, Z. and M. McGuffin. 2013. *American Herbal Products Association's Botanical Safety Handbook*, Second Edition. CRC Press, New York.
- Hu, S.-Y. 2005. *Food Plants of China*. Chinese University Press, Hong Kong.
- Huxley, A. 1992. *The New Royal Horticultural Society Dictionary of Gardening*. MacMillan Press, London.
- IUCN. 2015. *The IUCN Red List of Threatened Species*. Version 2015.1. <http://www.iucnredlist.org/> (Assecced in 2015.07.03.)
- Lee, C.S. and G.H. Lee. 2015. *Pteridophytes of Korea: Lycophytes & Ferns*. GeoBook Publishing Co., Seoul.
- Lee, Y.N. 2006. *New Flora of Korea*. Gyohaksa Publishing Co., Seoul. (in Korean)
- New England Wild Flower Society. 2011. Go Botany. <https://gobotany.newenglandwild.org/> (Assecced in 2015.07.03.)
- Ng, P.K., R. Corlett and H.T. Tan. 2011. *Singapore Biodiversity: An Encyclopedia of the Natural Environment and Sustainable Development*. Tien Wah Press, Singapore.
- Nowick, E. 2015. *Historical Common Names of Great Plains Plants, with Scientific Names Index*. Volume II: *Scientific Names Index*. Zea Books, Nebraska.
- Park, C.W. 2007. *The Genera of Vascular Plants of Korea*. Park, C.W.(eds.), Academy Publishing Co., Seoul.
- She, K.C. 1989. *Dictionary of Seed Plants Names: Latin-Chinese-English*. French & European Publications, Inc., New York.
- The Hardy Fern Foundation. 2014. *The Hardy Fern Foundation*. <http://www.hardyferns.org/> (Assecced in 2015.07.03)
- The Global Biodiversity Information Facility. 2015. GBIF. [www.gbif.org/](http://www.gbif.org/) (Assecced in 2015.07.03)

- United States Department of Agriculture. 2014. USDA. <http://www.usda.gov/> (Assecced in 2015.07.03.)
- Wiersema, J.H. and B. Leon. 2013. World Economic Plants: A Standard Reference, Second Edition. CRC Press, New York.
- Wikimedia Foundation. 2004. Wikipedia: The free encyclopedia. <http://www.wikipedia.org/> (Assecced in 2015.07.03)
- 강병화. 2014. 한국자원식물총람. 리치바닐라.
- 국립수목원. 2008. 한국식물도해도감 2 양치식물. 국립수목원, 포천.
- 국립수목원. 2009. 국가생물종지식정보시스템. <http://www.nature.go.kr> (Assecced in 2015.07.03.)
- 국립수목원. 2011. 한국식물도해도감 1 벼과. 국립수목원, 포천.
- 이남숙. 2011. 한국의 난과 식물 도감. 이화여자대학교출판부, 서울시.

Copyright © 2015 Korea National Arboretum

**Published by**

**Korea National Arboretum**

415 Gwangneungsumokwon-ro, Soheul-eup, Pocheon-si, Gyeonggi-do 11186,  
Republic of Korea

**Editors**

Sangtae Lee (Sungkyunkwan University), Kae Sun Chang (Korea National Arboretum)

**Editorial Committee**

Kyung Choi, Seong-Jin Ji, Su-Young Jung, Dong-Hyuk Lee, Changho Shin, Jong Cheol Yang (Korea National Arboretum)

Hyeok-Jae Choi (Changwon National University), Kyong-Sook Chung (Jungwon University), Gyu Young Chung (Andong National University), Sangtae Kim (Sungshin Women's University), Seung-Chul Kim (Sungkyunkwan University), Chang Shook Lee (Ewha Womans University), Byoung-Un Oh (Chungbuk National University), Weon-Ki Paik (Daejin University), Chong-Wook Park (Seoul National University)

**Supervised by**

Korea National Plant List Committee

All rights reserved. No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the copyright owners.

**Suggested citation:**

Korea National Arboretum. 2015. English Names for Korean Native Plants. Korea National Arboretum. 778pp.

Designed and printed by Samsungadcom (T. +82-2-2266-8368)

Government Publications 11-1400119-000237-01

ISBN 978-89-97450-98-5-93480

Printed in Korea

Nor for sale

