

# BRYOPHYTA SELECTA EXSICCATA

published by

National Science Museum, Tokyo

edited by

Hiroshi INOUE

Fasc. V (no. 201-250)

March 1, 1974

## HEPATICAЕ

201. **Asterella monospiris** HORIK.  
Journ. Sci. Hiroshima Univ. ser. B, div. 2, 2:113 (1934).  
JAPAN: Shirahama, Iriomote Isl., The Ryukyu Isls.  
On moist rock along small stream, in dense forest; elevation about 10 m.  
Coll. H. INOUE, Jan. 11, 1973. Det. H. INOUE
202. **Bazzania mayebarae** HATT.  
Journ. Hattori Bot. Lab. 19:91 (1958).  
JAPAN: Kitagawa-mura, Aki-gun, Kochi Pref., Shikoku.  
On trunk-base of large tree, along stream.  
Coll. T. KODAMA, March 29, 1973. Det. H. INOUE
203. **Bazzania tridens** (REINW., BL. et NEES) TREV.  
Mem. R. Ist. Lombardo ser. 3. Cl. Sci. 4:415 (1877).  
JAPAN: Mt. Chichi-dake, Fukue Isl., The Goto Isls., Nagasaki Pref.  
On soil-covered rock along trail.  
Coll. K. SAITO, March 5, 1971. Det. H. INOUE
204. **Cephalozia otaruensis** STEPH.  
Spec. Hepat. 6:434 (1924).  
JAPAN: Near summit of Mt. Nasu, Tochigi Pref.  
On wet soil; elevation about 1900 m.  
Coll. H. INOUE, June 18, 1969. Det. H. INOUE  
Note: This plant is a form close to *C. bicuspidata* (L.) DUM.
205. **Dendroceros japonicus** STEPH.  
Sitzungsber. Naturf. Ges. Leipzig 36:15 (1909).  
JAPAN: Hinai-sawara Fall, Iriomote Isl., The Ryukyu Isls.  
On moist rock along stream.  
Coll. H. INOUE, Jan. 14, 1973. Det. H. INOUE
206. **Frullania gaudichaudii** (NEES et MONT.) NEES et MONT.  
In GOTTE, LINDENBERG. et NEES, Syn. Hepat. 435 (1845).  
JAPAN: Kuiragawa, Iriomote Isl., The Ryukyu Isls.  
On moist rock along stream, in dense forest of *Castanopsis*.  
Coll. H. INOUE, Jan. 13, 1973. Det. H. INOUE

207. **Frullania pedicellata** STEPH.  
Bull. Herb. Boiss. 5:90 (1897).  
JAPAN: Between Oki-ko and Mt. Chibusa, Hahajima Isl., The Bonin Isls.  
On tree-trunk, in lowland secondary forest composed mainly of *Schima mertensiana*;  
elevation about 100 m.  
Coll. H. INOUE, July 13, 1969. Det. H. INOUE
208. **Herberta adunca** (DICKS.) GRAY  
Nat. Arrang. British Pl. 1:705 (1821).  
TAIWAN: Tai-yuen Shan, Ilan Hsien.  
On bark in mossy forest; elevation about 2000 m.  
Coll. H. INOUE, March 7, 1967. Det. H. INOUE
209. **Jungermannia infusca** (MITT.) STEPH. var. **ovicalyx** (STEPH.) AMAK.  
Journ. Hattori Bot. Lab. 22:33 (1960).  
JAPAN: Nakatsugawa, Chichibu Mts., Saitama Pref.  
On moist rock along trail; elevation about 600 m.  
Coll. H. INOUE, June 10, 1971. Det. H. INOUE
210. **Lopholejeunea nipponica** HORIK.  
Journ. Sci. Hiroshima Univ. ser. B, div. 2, 1:200 (1933).  
JAPAN: Kaira-gawa, Iriomote Isl., The Ryukyu Isls.  
On bark along stream, in dense forest of *Castanopsis*; elevation 50 m.  
Coll. H. INOUE, Jan. 13, 1973. Det. H. INOUE
211. **Mastigolejeunea humilis** (GOTT.) SCHIFFN.  
In ENGLER & PRANTL, Nat. Pfl.-fam. 1, 3:129 (1895).  
JAPAN: Hinaisawara Fall, Iriomote Isl., The Ryukyu Isls.  
On bark along stream, in open forest of *Shiia*; elevation 50 m.  
Coll. H. INOUE, Jan. 14, 1973. Det. H. INOUE
212. **Plagiochila blepharophora** (NEES) NEES  
In LINDENBG., Spec. Hepat. 102 (1842).  
JAPAN: Hinaisawara Fall, Iriomote Isl., The Ryukyu Isls.  
On trunk of *Castanopsis* sp. along stream; elevation 50 m.  
Coll. H. INOUE, Jan. 14, 1973. Det. H. INOUE
213. **Plagiochila chinensis** STEPH.  
Mem. Soc. nat. Sc. Nat. Math. Cherbourg. 29:223 (1894).  
TAIWAN: Mt. Ali, Chia-yi Hsien.  
On moist rock in mossy forest; elevation about 2300 m.  
Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
214. **Plagiochila deltoidea** LINDENBG.  
Spec. Hepat. 132 (1844).  
NEW ZEALAND: Doubtful Sd. track, Fiordland National Park, S. Island.  
On rock in dense, wet *Nothofagus* forest; elevation 620-750 ft.  
Coll. R. M. SCHUSTER, April 14, 1962. Det. R. M. SCHUSTER & H. INOUE
215. **Plagiochila flexuosa** MITT.  
Journ. Proc. Linn. Soc. London 5:94 (1861).  
TAIWAN: Between Tuli Shan and Hoping, Taiping Shan, Ilan Hsien.  
On moist rock along trail; elevation about 2100 m.  
Coll. H. INOUE, March 6, 1967. Det. H. INOUE

216. **Plagiochila pulcherrima** HORIK.  
 Journ. Sci. Hiroshima Univ. ser. B, div. 2, 1:63 (1931).  
 TAIWAN: Mt. Ali, Chia-yi Hsien.  
 On moist rock along trail; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. H. INOUE
217. **Plagiochila yokogurensis** STEPH.  
 Bull. Herb. Boiss. 5:104 (1897).  
 JAPAN: Obi, Nichinan, Miyazaki Pref., Kyushu.  
 On rock; elevation about 50 m.  
 Coll. K. YAMADA, June 5, 1972. Det. K. YAMADA; Ver. H. INOUE
218. **Porella acutifolia** (LEHM. et LINDENBG.) TREV. subsp. **latior** HATT.  
 Journ. Hattori Bot. Lab. 32:325 (1969).  
 CEYLON: Horton Planes, Nuwara Eliya.  
 On moist rock in mossy forest; elevation 7700 ft.  
 Coll. H. INOUE, March 9, 1966. Det. S. HATTORI
219. **Perella campylophylla** (LEHM. et LINDENBG.) TREV. subsp. **tosana** (STEPH.) HATT.  
 Journ. Hattori Bot. Lab. 33:47 (1970).  
 JAPAN: Isunoki, Ise City, Mie Pref.  
 On moist cliff along trail; elevation about 100 m.  
 Coll. K. YAMADA, Oct. 13, 1971. Det. K. YAMADA; Ver. H. INOUE
220. **Ptilidium ciliare** (L.) HAMPE  
 Prodr. Fl. Hercyn. 76 (1836).  
 U.S.A.: Around Umiat, 69°4'N and 152°E, North Slope, Alaska.  
 On humus under shrubby *Salix* forest, in tundra; elevation 700 ft.  
 Coll. H. INOUE, June 21, 1973. Det. H. INOUE
221. **Ptychanthus striatus** (LEHM. et LINDENBG.) NEES  
 Naturg. Eur. Leberm. 3:212 (1838).  
 TAIWAN: Between Tuli Shan and Hoping, Tai-ping Shan, Ilan Hsien.  
 On bark in mossy forest; elevation 2100 m.  
 Coll. H. INOUE, March 6, 1967. Det. H. INOUE
222. **Schistochila lehmanniana** (LINDENBG.) STEPH.  
 Spec. Hepat. 4:86 (1909).  
 AUSTRALIA: Torton's Track, Otways, Victoria.  
 On rotting log in humid, tree-fern gully.  
 Coll. G. A. M. SCOTT, Mach 23, 1973. Det. G. M. A. SCOTT
223. **Trichocolea tomentella** (EHRH.) DUM.  
 Comm. Bot. 113 (1822).  
 JAPAN: Mt. Imano, Hata-gun, Kochi Pref., Shikoku.  
 On moist rock along trail; elevation about 700 m.  
 Coll. K. SAITO, June 8, 1972. Det. H. INOUE
224. **Trichocoleopsis sacculata** (MITT.) OKAM.  
 Bot. Mag. Tokyo 25:159 (1891).  
 JAPAN: Mt. Gyosen, Shimo-kitayama, Yoshino-gun, Nara Pref.  
 On moist rock; elevation about 1000 m.  
 Coll. T. KODAMA, Aug. 12, 1971. Det. T. KODAMA; Ver. H. INOUE

225. *Trocholejeunea sandvicensis* (GOTT.) MIZUTANI  
 Journ. Hattori Bot. Lab. **27**:31 (1964).  
 JAPAN: Isunoki, Ise City, Mie Pref.  
 On fallen log; elevation about 100 m.  
 Coll. K. YAMADA, Oct. 13, 1971. Det. K. YAMADA; Ver. H. INOUE

## MUSCI

226. *Callicladium haldanianum* (GREV.) CRUM  
 Bryologist **74**:167 (1971).  
 JAPAN: Beppirigai-sawa, south of Mt. Petegari, Hidaka Mts., Hokkaido.  
 On moist rock along stream, in temperate broad-leaved forest; elevation about 600 m.  
 Coll. H. INOUE, July 30, 1971. Det. A. NOGUCHI
227. *Calyptothecium hookeri* (MITT.) BROTH.  
 In ENGLER & PRANTL, Nat. Pfl.-fam. **1**:839 (1906).  
 TAIWAN: Mt. Ali, Chia-yi Hsien.  
 On bark in mossy forest; elevation about 2300 m.  
 Coll. H. INOUE, Oct. 28, 1966. Det. A. NOGUCHI
228. *Calymperopsis semiliber* (MITT.) FLEISCH.  
 Biblioth. Bot. **80**:5 (1913).  
 HAWAIIAN ISLS.: Ditch trail between Waikane Campsite and Kahana Saddle,  
 Koolaupoko Distr., Central Koolau Mts., Oahu Isl.  
 Epiphytic on trunk; elevation about 1100 ft.  
 Coll. W. J. HOE, Oct. 14, 1972. Det. W. J. HOE
229. *Chrysocladium phaenum* (MITT.) FLEISCH.  
 Musci Fl. Buitenzorg **3**:830 (1908).  
 NEPAL: Between Topke Gola and Shewaden, East Nepal.  
 On branch of tree; elevation about 3000 m.  
 Coll. Z. IWATSUKI, June 28, 1972. Det. Z. IWATSUKI
230. *Cratoneuron filicinum* (HEDW.) SPRUCE  
 Cat. Musc. Amaz. And. **21** (1867).  
 JAPAN: Mt. Apoi, Shizunai-gun, Hidaka Mts., Hokkaido.  
 On moist rock along stream, associating with *Brachythecium*.  
 Coll. H. INOUE, July 27, 1970. Det. A. NOGUCHI
231. *Cyathorella tonkinensis* (BROTH. et PARIS) BROTH.  
 In ENGLER & PRANTL, Nat. Pfl.-fam. **11**:278 (1925).  
 JAPAN: Mt. Imano, Hata-gun, Kochi Pref.  
 On moist rock along stream; elevation about 200 m.  
 Coll. K. SAITO, June 8, 1972. Det. A. NOGUCHI
232. *Daltonia splachnoides* (SM.) HOOK. et TAYL.  
 Musc. Brit. **80** (1818).  
 AUSTRALIA: Paradise Fall, Apollo Bay, Victoria.  
 On leaves and twigs of tree-ferns.  
 Coll. G. A. M. SCOTT, March 23, 1973. Det. G. A. M. SCOTT
233. *Distichophyllum collenchymatosum* CARD.  
 Bull. Soc. Bot. Gen. ser. 2, **3**:278 (1911).  
 JAPAN: Mt. Myojo-dake, Yakushima Isl., Kyushu.  
 On moist rock along stream; elevation about 270 m.  
 Coll. K. SAITO, Feb. 19, 1971. Det. A. NOGUCHI

234. **Homalothecium laevisetum** LAC.  
Ann. Mus. Bot. Lugd. Bat. 2:298 (1866).  
JAPAN: Magarisawa, Ohtaki-mura, Chichibu, Saitama Pref.  
On moist limestone cliff; elevation about 1500 m.  
Coll. I. NAGANO, Oct. 27, 1971. Det. A. NOGUCHI
235. **Hylocomium himalayanum** (MITT.) JAEG.  
Ber. S. Gall. Naturw. Ges. 1877-78:348 (1880).  
JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.  
On humus in *Tsuga-Abies* forest; elevation about 1000 m.  
Coll. H. INOUE, June 18, 1971. Det. A. NOGUCHI
236. **Hypnodendron spininervium** (HOOK.) REICHTD.  
Reise Oesterr. Freg. Novara Bot. 1:189 (1880).  
AUSTRALIA: Torton's Track, Otways, Victoria.  
On rotting log in humid tree-fern gully.  
Coll. G. A. M. SCOTT, March 23, 1973. Det. G. A. M. SCOTT
237. **Leucodon sapporoensis** BESCH.  
Ann. Sc. Nat. Bot. ser. 7, 17:360 (1893).  
JAPAN: Beppirigai-sawa, Mt. Petegari, Hidaka Mts., Hokkaido.  
On bark, in temperate, broad-leaved forest; elevation about 600 m.  
Coll. H. INOUE, July 30, 1970. Det. A. NOGUCHI
238. **Meteoriopsis squarrosa** (HOOK.) FLEISCH.  
In BROTH., in ENGLER & PRANTL, Nat. Pfl.-fam. 1:826 (1906).  
NEPAL: Near Chitre, East Nepal.  
On branch; elevation about 2350 m.  
Coll. Z. IWATSUKI, July 7, 1972. Det. Z. IWATSUKI
239. **Meteorium buchanani** (BRID.) BROTH.  
In ENGLER & PRANTL, Nat. Pfl.-fam. 1:818 (1906).  
NEPAL: Between Dor and Chitre, East Nepal.  
On trunk; elevation about 2250 m.  
Coll. Z. IWATSUKI, July 7, 1972. Det. Z. IWATSUKI
240. **Meteorium helminthocladulum** (MUELL.) FLEISCH. var. **cuspidatum** (OKAM.) NOGUCHI  
Journ. Hattori Bot. Lab. 3:58 (1948).  
JAPAN: Mt. Ishidate, Kochi Pref., Shikoku.  
On moist limestone cliff; elevation about 100 m.  
Coll. K. SAITO, June 4, 1972. Det. A. NOGUCHI
241. **Papillaria semitorta** (MUELL.) JAEG.  
Ber. S. Gall. Naturw. ser. 2, 2:993 (1902).  
NEPAL: Between Chaule and Dor, East Nepal.  
On branch; elevation about 2600 m.  
Coll. Z. IWATSUKI, July 6, 1972. Det. Z. IWATSUKI
242. **Pleuroziopsis ruthenica** (WEINM.) KINDB.  
Canad. Rec. Sc. 6:19 (1894).  
JAPAN: Beppirigai-sawa, Mt. Petegari, Hidaka Mts., Hokkaido.  
On humus along stream, sometimes with *Callicladium haldanianum*; elevation about 600 m.  
Coll. H. INOUE, July 30, 1970. Det. A. NOGUCHI

243. **Pseudobarbella kiushiuensis** (BROTH.) NOGUCHI  
 Journ. Hattori Bot. Lab. 2:81 (1974).  
 JAPAN: Yanase, Maji-mura, Aki-gun, Kochi Pref., Shikoku.  
 On bark; elevation about 600 m.  
 Coll. T. KODAMA, March 28, 1973. Det. K. KODAMA
244. **Pseudosymblepharis maiuensis** (MUELL.) BROTH.  
 Bishop Mus. Publ. 40:12 (1927).  
 HAWAIIAN ISLS.: Kahana Saddle-Summit trail toward Puu Kaaumakua, Koolauloa  
 Distr., Central Koolau Mts., Oahu Isl.  
 On wet, semi-exposed, east facing, rocky banks; elevation 1700 ft.  
 Coll. W. J. HOE, Oct. 14, 1972. Det. W. J. HOE
245. **Rhizomnium nudum** (BRITT. et WILL.) KOP.  
 Ann. Bot. Fenn. 5:143 (1968).  
 JAPAN: Mt. Petegari, Hidaka Mts., Hokkaido.  
 On moist soil in *Betula ermanii*-*Pinus pumila* forest; elevation 1300-1700 m.  
 Coll. H. INOUE, July 27, 1970. Det. A. NOGUCHI
246. **Rhizomnium tuomikoskii** KOP.  
 Journ. Hattori Bot. Lab. 34:375 (1971).  
 JAPAN: Mt. Iwaya, Mimido, Ehime Pref., Shikoku.  
 On decaying log along stream in the forest of *Cryptomeria japonica*; elevation about  
 400 m.  
 Coll. H. INOUE, Oct. 21, 1970. Det. A. NOGUCHI
247. **Sematophyllum demissum** (WILS.) MITT.  
 Journ. Linn. Soc. Bot. 8:5 (1864).  
 JAPAN: Tagawa, Kozagawa-cho, Wakayama Pref.  
 On twigs of *Rhododendron* sp.; elevation about 120 m.  
 Coll. H. AISU, April 3, 1972. Det. A. NOGUCHI
248. **Thuidium hawaiiense** REICHD. T.  
 Sitzungsab. Ak. Wiss. Wein Math. Kl. Abt. 1, 75:579 (1877).  
 HAWAIIAN ISLS.: Kahana Saddle-Summit trail toward Puu Kaaumakua, Koolauloa  
 Distr., Central Koolau Mts., Oahu Isl.  
 On banks and rocks, semi-shaded; elevation 1500 ft.  
 Coll. W. J. HOE, Oct. 14, 1972. Det. W. J. HOE
249. **Thuidium kanedae** SAKURAI  
 Bot. Mag. Tokyo 57:345 (1943).  
 JAPAN: Aokigahara National Forest, northern slope of Mt. Fuji, Yamanashi Pref.  
 On humus in the forest of *Tsuga-Abies*; elevation about 1000 m.  
 Coll. H. INOUE, June 18, 1971. Det. A. NOGUCHI
250. **Trachycystis immarginata** (BROTH.) LAZ.  
 Bot. Zurn. Akad. Nauk. Ukraina 11:63 (1941).  
 JAPAN: Beppirigai-sawa, Mt. Petegari, Hidaka Mts., Hokkaido.  
 On fallen log along stream; elevation about 600 m.  
 Coll. H. INOUE, July 30, 1970. Det. A. NOGUCHI