



TaylorCreek
RESTORATION NURSERIES

2022 Wholesale Catalog

Production Facilities: Brodhead, WI | Baldwin City, KS





*The highest-quality native,
regional genetic plants and seed.*

With three decades of experience in growing native plants, Taylor Creek Restoration Nurseries is a leader in native plant propagation. Our staff members have degrees in horticulture, reclamation, conservation, and land-use planning. Just as important as the diplomas, our people are passionately dedicated to the promotion and use of native species.

17921 W Smith Rd, PO Box 256
Brodhead, WI 53520
P (608) 897-8641
F (608) 897-2044
E taylorcreek@res.us

224 E 1260 Rd
Baldwin City, KS 66006
P (785) 594-2245
F (785) 594-2250
E taylorcreek@res.us

Philosophy and Mission

Taylor Creek Restoration Nurseries is dedicated to the genetic preservation and production of the highest-quality, native plants.

What are Native, Regional Genetic Species?

“Native” merely means the species was natural to the area before European settlement. Regional genotype means the strain is adapted to the area in which it is found. This is a very important detail. Just because *Panicum virgatum* (Switch grass) is native to your area doesn't mean it is native to that region. We can probably agree that a genotype from Texas isn't the same as one from Minnesota – even if the species is the same – and you probably don't want to plant it in your Minnesota prairie. When a Texas switch grass is out of place, it's not going to do well in the temperatures and rainfall typical of the Upper Midwest ... if it survives at all.

Our Philosophy: Work with Nature, Not Against It

Why are we so enthusiastic about native plants?

- Natives thrive year after year because they are naturally adapted to local soils and climates.
- They're vigorous, deep-rooted plants that produce a beautiful progression of blooms and textures throughout the year and attract a variety of pollinators (bees and butterflies), wildlife and birds.
- Native plant communities infiltrate rainwater, and filter runoff naturally - better than any other systems known to or made by man.
- Established native plantings are very easy to maintain. They will thrive and bloom without fertilizers, pesticides, or watering, even in dry seasons when conventional turf lawns turn brown. Mowing is virtually eliminated and you save money through the reduced need for gas-powered lawn-care equipment, fertilizers, and chemicals.

Our Mission: Share the Science

We are passionate about native plants and the ecosystems to which they contribute great value. For thirty years, our nursery has developed a unique expertise in the propagation, use and care of native species. Education – sharing of what we have learned – is a big part of our mission, and our professional staff is eager to educate and support our customers (and the public at large) in their species selections and land-use decisions.

Taylor Creek Restoration Nurseries, the nursery division of Resource Environmental Solutions (RES), is recognized nationally as a leader in ecological consulting, design and ecological restoration contracting. Through RES, Taylor Creek nursery managers have direct access to the latest scientific insights and practical application successes with native plants in ecological restoration and native landscaping. In turn, Taylor Creek propagation expertise helps inform RES consultants, designers, and contracting professionals to enhance installation survival and long-term success.

We encourage our customers to ask questions and learn more about the best ways to enjoy native species in your projects. Our commitment to customer service, quality products, and ecological science has helped us become one of the largest, most diverse native plant and seed nurseries in the country. We're dedicated to offering you the best plants – and growing advice – to help make your landscape a source of pride and joy!



2022 Species List

Note: Pricing and availability are subject to change.

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Achillea millefolium</i>		Yarrow	18.00	18.00	1.40	
<i>Acorus americanus</i>	<i>Acorus calamus</i>	Sweet flag	12.50	10.00	1.40	1.15
<i>Actaea pachypoda</i>		White baneberry		45.00		
<i>Actaea rubra</i>		Red baneberry		45.00		
<i>Adiantum pedatum</i>		Maidenhair fern				
<i>Agalinis purpurea</i>	<i>Gerardia purpurea</i>	Purple false foxglove	100.00	100.00		
<i>Agalinis tenuifolia</i>		Slenderleaf false foxglove	60.00	60.00		
<i>Agastache foeniculum</i>		Fragrant lavender hyssop	17.00	16.00	1.50	
<i>Agastache nepetoides</i>		Yellow giant hyssop	34.00	34.00		
<i>Agastache scrophulariifolia</i>		Purple giant hyssop	28.00	28.00		
<i>Ageratina altissima</i>	<i>Eupatorium rugosum</i>	White snakeroot	40.00	40.00	1.35	
<i>Alisma subcordatum</i>	<i>Alisma plantago-aquatica</i> L. var. <i>parviflorum</i>	American water plantain	5.00	4.75	1.70	
<i>Alisma triviale</i>		Large-flowered water plantain		15.00		
<i>Allium canadense</i>		Wild garlic	16.00	12.00		
<i>Allium cernuum</i>		Nodding wild onion	24.00	20.00	1.35	1.15
<i>Allium stellatum</i>		Prairie onion	26.00	21.00	2.25	
<i>Allium tricoccum</i>	<i>Allium burdickii</i>	Wild leek	55.00	50.00		
<i>Ammannia robusta</i>		Grand redstem	6.50	6.50		
<i>Ammophila breviligulata</i> *		American beachgrass				
<i>Amorpha canescens</i>		Leadplant	22.00	20.00	1.70	
<i>Amorpha fruticosa</i>		False Indigo bush	22.00	20.00		
<i>Amphicarpaea bracteata</i>		Upland hog peanut				
<i>Amsonia hubrichtii</i>		Arkansas blue star			1.70	1.25
<i>Amsonia illustris</i>		Shining blue star			1.35	1.25
<i>Amsonia tabernaemontana</i>		Eastern blue star			1.70	1.25
<i>Andropogon gerardii</i>		Big bluestem	1.00	0.85	1.40	1.10
<i>Andropogon glomeratus</i>		Bushy bluestem			1.25	
<i>Andropogon ternarius</i>		Splitbeard bluestem			1.50	
<i>Andropogon virginicus</i>		Broom sedge bluestem			1.40	
<i>Anemone canadensis</i>		Meadow/Canada anemone	45.00	40.00	1.70	
<i>Anemone cylindrica</i>		Thimbleweed	80.00	70.00	1.25	
<i>Anemone quinquefolia</i> *		Wood anemone			5.00	
<i>Anemone virginiana</i>		Tall anemone	66.00	60.00	1.40	
<i>Angelica atropurpurea</i>		Great angelica	8.00	6.00	2.25	
<i>Antennaria neglecta</i>		Field pussy toes		200.00	2.25	
<i>Antennaria parlinii</i>		Pussy toes			2.25	
<i>Antennaria plantaginifolia</i>		Pussy toes	325.00	200.00	2.25	
<i>Apocynum acanadensis</i>		Dog bane				
<i>Apocynum androsaemifolium</i>		Spreading dogbane				
<i>Apocynum cannabinum</i>		Indian hemp				
<i>Aquilegia canadensis</i>		Wild columbine	55.00	45.00	1.50	
<i>Aralia nudicaulis</i>		Wild sarsaparilla	100.00	90.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Aralia racemosa</i>		American spikenard	200.00	163.00	2.25	
<i>Argentina anserina</i>	<i>Potentilla anserina</i>	Silverweed cinquefoil	45.00	38.00		
<i>Arisaema dracontium</i>		Green dragon	69.00	69.00		
<i>Arisaema triphyllum</i>	<i>Arisaema atrorubens</i>	Jack-in-the-pulpit	50.00	37.00	4.00	
<i>Aristolochia tomentosa</i>		Dutchman's pipevine			2.25	
<i>Arnoglossum atriplicifolium</i>	<i>Cacalia atriplicifolia</i>	Pale Indian plantain	27.00	18.00	2.25	
<i>Arnoglossum plantagineum</i>	<i>Cacalia tuberosa / plantaginea</i>	Prairie Indian plantain	94.00	75.00	1.90	
<i>Artemisia campestris</i>		Field sagewort	20.00	15.00		
<i>Artemisia ludoviciana</i>		White sage		41.00		
<i>Asarum canadense</i>		Wild ginger		100.00	2.25	
<i>Asclepias exaltata</i>		Poke milkweed			2.25	
<i>Asclepias hirtella</i>		Tall green milkweed			2.25	
<i>Asclepias incarnata</i>		Swamp milkweed	30.00	25.00	1.35	1.15
<i>Asclepias purpurascens</i>		Purple milkweed		600.00	2.25	
<i>Asclepias speciosa</i>		Showy milkweed			1.90	
<i>Asclepias sullivanti</i>		Prairie milkweed	68.00	53.00	1.90	
<i>Asclepias syriaca</i>		Common milkweed	29.00	16.00	1.70	
<i>Asclepias tuberosa</i>		Butterfly weed	45.00	25.00	1.50	
<i>Asclepias verticillata</i>		Whorled milkweed	75.00	60.00	1.70	1.35
<i>Asclepias viridiflora</i>		Short green milkweed	113.00	94.00	2.25	
<i>Asclepias viridis</i>		Spider milkweed			1.70	
<i>Astragalus canadensis</i>		Canadian milk vetch	12.00	10.00	1.70	
<i>Astragalus crassicaulus</i>		Prairie Plum		90.00	2.25	
<i>Athyrium filix-femina</i>		Lady fern			5.00	
<i>Avena sativa (cover crop)</i>		Seed oats	0.06	0.06		
<i>Baptisia alba</i>	<i>Baptisia leucantha</i>	White wild indigo	40.00	18.00	1.70	
<i>Baptisia australis v minor</i>		Blue indigo	29.00	26.00	1.70	
<i>Baptisia bracteata var. leucophaea</i>	<i>Baptisia leucophaea</i>	Cream wild indigo	90.00	80.00	1.70	
<i>Baptisia sphaerocarpa</i>		Yellow wild indigo			1.70	
<i>Beckmannia syzigachne</i>		American Slough Grass	3.00	3.00		
<i>Besseyia bullii</i>		Kitten tails				
<i>Bidens aristosa</i>	<i>Bidens polyepis</i>	Bearded beggar's ticks	15.00	9.00		
<i>Bidens cernua</i>		Nodding bur marigold	18.00	18.00		
<i>Bidens connata</i>		Purplestem beggarticks	23.00	15.00		
<i>Bidens coronata</i>		Tall swamp marigold	25.00	18.00		
<i>Bidens frondosa</i>		Common beggar's ticks	24.00	20.00		
<i>Blephilia ciliata</i>		Ohio horsemint	98.00	98.00	1.35	
<i>Blephilia hirsuta</i>		Hairy pagoda plant	77.00	77.00	1.40	
<i>Boehmeria cylindrica</i>		Smallspike false nettle	30.00	25.00		
<i>Bolboschoenus maritimus</i>	<i>Scirpus maritimus</i>	Alkali bulrush			2.00	
<i>Boltonia asteroides</i>	<i>Boltonia latisquama recognita</i>	False aster	14.00	12.00	1.40	
<i>Bouteloua curtipendula</i>		Side oats grama	1.10	0.95	1.35	1.10
<i>Bouteloua dactyloides</i>	<i>Buchloe dactyloides</i>	Buffalograss	1.90	1.60	1.40	
<i>Bouteloua gracilis</i>		Blue grama grass			1.35	1.10
<i>Bouteloua hirsuta</i>		Hairy grama	11.00	9.00		
<i>Brachyelytrum erectum</i>		Long awned wood grass			1.70	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Brickellia eupatorioides</i>	<i>Kuhnia eupatorioides</i>	False boneset	35.00	35.00	1.50	
<i>Bromus ciliatus</i>		Fringed brome	11.00	8.00	1.50	
<i>Bromus kalmii</i>		Arctic brome	11.00	8.00	1.70	
<i>Bromus latiglumis</i>		Tall brome	18.00	15.00		
<i>Bromus pubescens</i>	<i>Bromus purgans</i>	Woodland brome	22.00	18.00	1.40	
<i>Calamagrostis canadensis</i>		Blue joint grass	80.00	79.00	1.35	1.10
<i>Calamovilfa longifolia</i>		Sand reed grass			1.50	
<i>Calla palustris</i>		Calla lily/Water arum				
<i>Callicarpa americana</i>		American beautyberry			2.25	
<i>Callirhoe bushii</i>		Bush's poppy mallow			1.40	
<i>Callirhoe involucrata</i>		Purple poppy mallow	50.00	45.00	1.40	
<i>Callirhoe triangulata</i>		Poppy mallow				
<i>Caltha palustris</i>		Marsh marigold	85.00	75.00	1.75	
<i>Camassia scilloides</i>		Wild hyacinth	65.00	55.00	3.00	
<i>Campanula rotundifolia</i>		Harebell			1.70	
<i>Campanulastrum americanum</i>	<i>Campanula americana</i>	Tall bellflower	50.00	45.00	1.90	
<i>Cardamine bulbosa</i>		Bulbous bittercress		88.00		
<i>Cardamine concatenata*</i>	<i>Dentaria lacinata*</i>	Toothwort	94.00	88.00	5.00	
<i>Carex albicans</i>		Whiteninge/Cedar Sedge			1.70	
<i>Carex annectens</i>		Yellow-fruited sedge	20.00	14.00	1.35	1.10
<i>Carex aquatilis aquatilis</i>	<i>Carex aquatilis altior</i>	Water sedge			1.70	1.50
<i>Carex aurea</i>		Golden sedge			1.70	
<i>Carex bebbii</i>		Bebb's sedge	20.00	15.00	1.40	1.15
<i>Carex bicknellii</i>		Bicknell's sedge	35.00	25.00	1.35	1.15
<i>Carex blanda</i>		Eastern woodland sedge			1.50	
<i>Carex brevior</i>		Short beak sedge	11.00	9.75	1.35	1.10
<i>Carex bromoides</i>		Brome hummox sedge			1.75	
<i>Carex bushii</i>		Long-scaled green sedge			1.70	
<i>Carex buxbaumii</i>		Buxbaum's sedge	44.00	40.00	1.50	
<i>Carex cephalophora</i>		Rough clustered sedge			1.90	
<i>Carex cephaloidea</i>		Thinleaf sedge			1.90	
<i>Carex cherokeensis</i>		Cherokee sedge			1.70	
<i>Carex comosa</i>		Longhair sedge	15.00	11.25	1.35	1.25
<i>Carex crinita</i>		Fringed sedge	14.50	13.00	1.35	
<i>Carex cristatella</i>		Crested sedge	45.00	38.00	1.35	
<i>Carex crus-corvi</i>		Crow foot fox sedge			1.50	
<i>Carex davisii</i>		Awned graceful sedge	75.00	43.00		
<i>Carex eburnea</i>		Cedar sedge			2.25	
<i>Carex emoryi</i>		Riverbank sedge			1.90	
<i>Carex emoryi</i>		Riverbank sedge			1.90	
<i>Carex frankii</i>		Frank's sedge		15.00	1.70	1.15
<i>Carex gracillima</i>		Purple-sheathed graceful sedge	75.00	75.00	1.90	
<i>Carex granularis</i>		Pale sedge	35.00	32.00	1.70	
<i>Carex gravida</i>		Long-awned bracted sedge	85.00	75.00	1.70	
<i>Carex grayi</i>		Common bur sedge	40.00	28.00	1.70	1.30
<i>Carex grisea</i>		Inflated narrow-leaf sedge	75.00	60.00	1.70	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Carex haydenii</i>		Hayden's sedge	100.00	95.00		
<i>Carex hirsutella</i>	<i>Carex complanata</i> var. <i>hirsuta</i>	Hairy green sedge	45.00	40.00	1.70	
<i>Carex hyalinolepis</i>	<i>Carex lacustris</i> var. <i>laxiflora</i>	Common lake sedge	75.00	60.00		
<i>Carex hystericina</i>		Bottlebrush sedge	12.50	10.00	1.35	1.10
<i>Carex interior</i>		Inland sedge		33.00		
<i>Carex jamesii</i>		Grass sedge			2.25	
<i>Carex lacustris</i>		Hairy sedge	118.00	107.00	2.50	
<i>Carex lasiocarpa</i>		Woolyfruit sedge	60.00	50.00	1.70	
<i>Carex lupulina</i>		Common hop sedge	24.00	22.00	1.70	1.30
<i>Carex lurida</i>		Shallow sedge		19.00	1.70	
<i>Carex meadii</i>	<i>Carex tetanica</i>	Mead's stiff sedge	32.00	32.00	1.70	
<i>Carex molesta</i>		Field oval sedge	18.00	14.00	1.70	1.25
<i>Carex muehlenbergii</i>		Sand bracted sedge	43.00	38.00	1.70	
<i>Carex muskingumensis</i>		Broad-leaved wooly sedge	43.00	38.00	1.35	1.10
<i>Carex normalis</i>		Spreading oval sedge	20.00	19.00	1.50	
<i>Carex oligocarpa</i>		Sparse-fruited sedge			2.25	
<i>Carex pellita</i>	<i>Carex languinosa</i>	Broad leaved woolly sedge	118.00	75.00	1.60	
<i>Carex pensylvanica</i>		Common oak sedge	155.00	155.00	1.90	1.50
<i>Carex praegracilis</i>		Tollway sedge			1.70	1.25
<i>Carex prairea</i>		Fen paniced sedge	90.00	75.00	1.70	
<i>Carex projecta</i>		Loose-headed oval sedge			1.50	
<i>Carex radiata</i>	<i>Carex rosea</i> var. <i>radiata</i>	Curly wood sedge	140.00	45.00	1.70	
<i>Carex retrorsa</i>		Retrorsa sedge	20.00	11.00	1.70	
<i>Carex richardsonii</i>		Richardson's sedge			2.25	
<i>Carex rosea</i>		Curly-styled wood sedge	175.00	150.00	1.70	
<i>Carex sartwelli</i>		Sartwell's sedge	120.00	90.00	1.70	
<i>Carex scoparia</i>		Broom sedge	12.00	10.00	1.35	1.15
<i>Carex shortiana</i>		Short's sedge		50.00	1.50	
<i>Carex sparganioides</i>		Loose-headed bracted sedge	45.00	38.00	1.70	
<i>Carex sprengelii</i>		Long-beaked sedge	38.00	33.00	1.50	
<i>Carex squarrosa</i>		Squarrose sedge			1.90	
<i>Carex sterilis</i>		Fen star sedge		65.00	1.70	
<i>Carex stipata</i>		Owl-fruited sedge	38.00	33.00	1.35	
<i>Carex stricta</i>		Common tussock sedge	113.00	85.00	1.50	1.25
<i>Carex swanii</i>		Downy green sedge	87.50	70.00		
<i>Carex tenera</i>		Narrow-leaved oval sedge	52.00	52.00	1.70	
<i>Carex texensis</i>		Texas sedge			1.50	1.25
<i>Carex tribuloides</i>		Blunt broom sedge	40.00	34.00	1.50	
<i>Carex trichocarpa</i>		Hairyfruit sedge	50.00	50.00		
<i>Carex typhina</i>		Cattail sedge	35.00	30.00	1.70	
<i>Carex utriculata</i>		Common yellow lake sedge			1.50	
<i>Carex vulpinoidea</i>		Fox sedge, Brown fox sedge	17.00	13.00	1.30	1.19
<i>Castilleja coccinea</i>		Scarlet Indian paintbrush				
<i>Caulophyllum thalictroides</i>		Blue cohosh	20.00	18.00		
<i>Ceanothus americanus</i>		New Jersey tea	100.00	90.00	1.50	
<i>Ceanothus herbaceus</i>	<i>Ceanthus ovatus</i>	Inland New Jersey tea			3.00	
<i>Celastrus scandens</i>		American bittersweet			2.25	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Cephalanthus occidentalis</i>		Buttonbush	16.00	12.00	1.70	
<i>Ceratophyllum demersum</i> (BR only)		Coon's tail			2.10	
<i>Chamaecrista fasciculata</i>	<i>Cassia fasciculata</i>	Partridge pea	3.00	3.00	1.70	
<i>Chamerion angustifolium</i>	<i>Epilobium angustifolium</i>	Fireweed	188.00	168.00		
<i>Chasmanthium (Uniola)</i> <i>latifolium</i>		River oats			1.40	1.10
<i>Chelone glabra</i>		Turtlehead	81.00	69.00	1.70	
<i>Chelone obliqua</i>		Rose turtlehead			1.70	
<i>Cicuta maculata</i>		Water hemlock	18.00	16.00	2.25	
<i>Cinna arundinacea</i>		Common wood reed	40.00	35.00	1.70	
<i>Cirsium discolor</i>		Pasture thistle	70.00	60.00		
<i>Claytonia virginica*</i>		Spring beauty	160.00	140.00		
<i>Clematis virginiana</i>		Virgin's bower	29.00	18.00	2.25	
<i>Clinopodium arkansanum</i>	<i>Calamintha arkansas</i>	Limestone calamint			2.25	
<i>Comandra umbellata</i>		Bastard toad flax				
<i>Conoclinium coelestinum</i>	<i>Eupatorium coelestinum</i>	Blue mistflower	31.25	31.25	1.50	
<i>Coreopsis lanceolata</i>		Sand coreopsis	8.00	6.00	1.25	
<i>Coreopsis palmata</i>		Prairie coreopsis	55.00	50.00	1.50	
<i>Coreopsis pubescens</i>		Star tickseed			1.70	
<i>Coreopsis tripteris</i>		Tall coreopsis	27.00	25.00	1.35	
<i>Dalea candida</i>	<i>Petalostemum candidum</i>	White prairie clover	26.00	17.00	1.40	
<i>Dalea purpurea</i>	<i>Petalostemum purpureum</i>	Purple prairie clover	9.00	6.50	1.35	
<i>Danthonia spicata</i>		Poverty oat grass	45.00	45.00	1.40	
<i>Decodon verticullatus</i>		Swamp loosestrife			2.25	
<i>Delphinium carolinianum</i>	<i>Delphinium virescens</i>	Prairie larkspur	128.00	128.00		
<i>Delphinium tricome</i>		Dwarf larkspur			2.25	
<i>Deschampsia cespitosa</i>		Tufted hairgrass	25.00	23.00	1.35	
<i>Desmanthus illinoensis</i>		Illinois sensitive plant	2.50	2.50	1.70	
<i>Desmodium canadense</i>		Showy tick trefoil	15.00	13.00	1.50	
<i>Desmodium canescens</i>		Hoary tick trefoil	68.75	68.75	1.70	
<i>Desmodium cuspidatum</i>		Largebracted tick trefoil	60.00	50.00		
<i>Desmodium glutinosum</i>		Pointed leaf tick trefoil	60.00		1.70	
<i>Desmodium illinoense</i>		Illinois tick trefoil	20.00	12.00	1.50	
<i>Diarrhena americana</i>		American beak grass	10.00	6.00	1.40	
<i>Diarrhena obovata</i>		Obvate beakgrass			1.70	
<i>Dicentra cucullaria</i>		Dutchman's britches	95.00	75.00	4.00	
<i>Dichanthelium acuminatum</i>	<i>Panicum implicatum</i>	Old-field panic grass			2.25	
<i>Dichanthelium oligosanthes</i> var. <i>scribnerianum</i>	<i>Panicum oligosanthes</i> var <i>scribnerianum</i>	Scribner's rosette grass			1.70	
<i>Dichanthelium leibergii</i>	<i>Panicum leibergii</i>	Prairie panic-grass	200.00	175.00	2.25	
<i>Diervilla lonicera</i>		Dwarf honeysuckle			3.00	
<i>Dioscorea villosa</i>		Wild yam				
<i>Dryopteris intermedia</i>		Wood fern			5.00	
<i>Dodecatheon meadia*</i>		Shooting star	145.00	98.00	1.90	
<i>Doellingeria umbellata</i>	<i>Aster umbellatus</i>	Flat-topped aster	50.00	45.00	1.50	
<i>Echinacea angustifolia</i>		Narrow purple coneflower			1.50	
<i>Echinacea atrorubens</i>		Topeka coneflower			1.90	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Echinacea pallida</i>		Pale purple coneflower	9.00	7.50	1.30	1.25
<i>Echinacea paradoxa</i>		Yellow coneflower			1.50	
<i>Echinacea purpurea</i>		Broad-lvd. purple coneflower	12.00	8.00	1.25	1.25
<i>Echinacea simulata</i>		Glade coneflower			1.50	
<i>Echinocystis lobata</i>		Wild cucumber	45.00	43.00		
<i>Echinodorus berteroi</i>		Burhead				
<i>Eleocharis acicularis</i>		Needle spike rush	68.00	59.00	1.50	
<i>Eleocharis compressa</i>		Flat-stemmed spike rush	68.00	59.00	1.70	
<i>Eleocharis elliptica</i>		Golden-seed spike rush	82.00	55.00		
<i>Eleocharis erythropoda</i>		Red-rooted spike rush	55.00	45.00	1.70	
<i>Eleocharis obtusa</i>	<i>Eleocharis ovata</i>	Blunt spikerush	82.00	75.00	1.70	
<i>Eleocharis palustris</i>	<i>Eleocharis smallii</i>	Common spike rush	55.00	50.00	1.70	
<i>Elymus canadensis</i>		Canada wild rye	0.90	0.90	1.35	1.10
<i>Elymus hystrix</i>	<i>Hystrix patula</i>	Bottlebrush grass	15.00	8.00	1.50	1.15
<i>Elymus riparius</i>		River bank rye	2.00	1.50		
<i>Elymus trachycaulus</i>		Slender wheatgrass	0.70	0.70	1.50	
<i>Elymus villosus</i>		Silky wild rye	8.00	5.00	1.50	1.15
<i>Elymus virginicus</i>		Virginia wild rye	1.00	0.90	1.35	1.10
<i>Enemion biternatum</i>	<i>Isopyrum biternatum</i>	False rue anemone				
<i>Epilobium coloratum</i>		Cinnamon willow herb	60.00	60.00		
<i>Equisetum hyemale</i>		Horse tail			1.70	
<i>Eragrostis spectabilis</i>		Purple love grass	55.00	45.00	1.70	
<i>Eragrostis trichodes</i>		Sand lovegrass		35.00	1.50	
<i>Erigeron annuus</i>		Annual fleabane	8.00	6.00		
<i>Erigeron philadelphicus</i>		Marsh fleabane				
<i>Erigeron pulchellus</i>		Robin's plantain	140.00		2.25	
<i>Eryngium yuccifolium</i>		Rattlesnake master	35.00	30.00	1.35	1.25
<i>Erythronium albidum*</i>		Trout lily	157.00	137.00		
<i>Eupatorium altissimum</i>		Tall boneset	48.00	40.00	1.50	
<i>Eupatorium fistulosum</i>		Hollow Joe Pye weed				
<i>Eupatorium perfoliatum</i>		Common boneset	35.00	32.00	1.35	
<i>Eupatorium serotinum</i>		Late boneset	29.00	24.00	1.40	
<i>Euphorbia corollata</i>		Flowering spurge	60.00	60.00	1.70	
<i>Eurybia macrophylla</i>	<i>Aster macrophyllus</i>	Big-leaved aster	82.00	63.00	1.70	
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	Common grass-leaved goldenrod	79.00	47.00	1.35	
<i>Eutrochium maculatus</i>	<i>Eupatorium maculatum,</i> <i>Eupatoriadelphus maculatus</i>	Spotted Joe Pye weed	28.00	24.00	1.35	
<i>Eutrochium purpureum</i>	<i>Eutrochium purpureum</i>	Purple Joe Pye weed	24.00	21.00	1.35	
<i>Festuca rubra</i>		Red fescue	0.50	0.50		
<i>Festuca subverticillata</i>	<i>Festuca obtusa</i>	Nodding fescue	60.00	49.00	3.00	
<i>Filipendula rubra</i>		Queen of the prairie		69.00	1.90	
<i>Florekea prsperpinacoides</i>		Mermaid weed	90.00	90.00		
<i>Fragaria virginiana</i>		Wild strawberry		335.00	1.50	
<i>Galium boreale</i>		Northern bedstraw	150.00	45.00	1.70	
<i>Galium circaezans</i>		Smooth wild licorice				
<i>Galium concinnum</i>		Shining bedstraw				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Gentiana alba</i> *	<i>Gentiana flavida</i>	Yellowish gentian	54.00	47.00	3.00	
<i>Gentiana andrewsii</i> *		Bottle gentian	100.00	85.00	3.00	
<i>Gentiana puberulenta</i> *		Downy gentain	160.00	138.00	4.00	
<i>Gentianella quinquefolia</i> *	<i>Gentiana quinquefolia</i>	Stiff gentian		110.00	3.00	
<i>Gentianopsis crinita</i> *	<i>Gentiana crinita</i>	Fringed gentian		75.00	3.00	
<i>Geranium maculatum</i>		Wild geranium	150.00	95.00	1.70	
<i>Geum aleppicum strictum</i>		Yellow avens	12.00	10.00		
<i>Geum laciniatum</i>		Northern rough avens				
<i>Geum rivale</i>		Purple avens				
<i>Geum triflorum</i>		Prairie smoke	200.00	200.00	1.70	
<i>Glandularia canadensis</i>		Rose verbena			1.70	
<i>Glyceria canadensis</i>		Rattlesnake manna grass	32.00	28.00	1.50	
<i>Glyceria grandis</i>		Reed manna grass	10.00	9.00	1.50	
<i>Glyceria septentrionalis</i>		Floating manna grass	35.00	35.00	1.50	
<i>Glyceria striata</i>		Fowl manna grass	27.00	19.00	1.35	
<i>Hasteola suaveolens</i>	<i>Cacalia suaveolens</i>	Sweet Indian plantain	26.00	22.00	1.90	
<i>Helenium autumnale</i>		Sneezeweed	25.00	22.00	1.35	
<i>Helianthus divaricatus</i>		Woodland sunflower	60.00	53.00	1.70	
<i>Helianthus grosseserratus</i>		Sawtooth sunflower	46.00	42.00	1.40	
<i>Helianthus maximiliani</i>		Maximilian sunflower				
<i>Helianthus mollis</i>		Downy sunflower			1.50	
<i>Helianthus occidentalis</i>		Western sunflower	50.00	35.00	1.70	
<i>Helianthus pauciflorus</i>	<i>Helianthus rigidus/laetiflorus</i>	Prairie sunflower	50.00	33.00	1.70	
<i>Helianthus salicifolius</i>		Willow leaved sunflower			1.70	
<i>Helianthus strumosus</i>		Pale-leaved sunflower	45.00	31.00	1.50	
<i>Helianthus tuberosus</i>		Jerusalem artichoke				
<i>Heliopsis helianthoides</i>		False sunflower	6.00	4.00	1.35	1.25
<i>Hepatica nobilis</i> *	<i>Hepatica acutiloba</i>	Sharp-lobed hepatica		150.00	4.00	
<i>Heracleum maximum</i>		Cow parsnip	7.50	7.50	1.50	
<i>Hesperostipa spartea</i> *	<i>Stipa spartea</i>	Porcupine grass	25.00	20.00	1.90	
<i>Heuchera americana</i>		American alumroot			1.70	
<i>Heuchera parviflora</i>		Little flower alumroot			1.70	
<i>Heuchera richardsonii</i>		Prairie alumroot	160.00	145.00	1.35	
<i>Hibiscus laevis</i>	<i>Hibiscus militaris</i>	Swamp mallow	16.00	12.00	1.70	
<i>Hibiscus lasiocarpus</i>		Rose mallow			1.70	
<i>Hibiscus moscheutos</i>	<i>Hibiscus palustris</i>	Swamp rose mallow	38.00	15.00	1.70	
<i>Hierochloa odorata</i>		Vanilla grass	82.00	75.00	1.50	
<i>Hordeum jubatum</i>		Squirrel-tail barley				1.10
<i>Hydrangea arborescens</i>		Wild hydrangea			2.25	
<i>Hydrophyllum virginianum</i> *		Virginia waterleaf	75.00	50.00	1.90	
<i>Hypericum ascyron</i>	<i>Hypericum pyramidatum</i>	Great St. John's wort	13.00	10.00	1.90	
<i>Hypericum prolificum</i>	<i>Hypericum spathulatum</i>	Shrubby St. John's wort	15.00	12.00		
<i>Hypericum punctatum</i>		Spotted St. John's wort				
<i>Hypoxis hirsuta</i> *	<i>Hypoxis decumbens</i>	Yellow star grass	175.00	150.00		
<i>Iliamna rivularis</i>	<i>Iliamna remota</i>	Kankakee mallow				
<i>Impatiens capensis</i>		Orange jewelweed		75.00		
<i>Impatiens pallida</i>		Yellow jewelweed				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Ionactis linariifolius</i>	<i>Aster linariifolius</i>	Flax-leaved aster	53.00	48.00	1.90	
<i>Iris cristata</i>		Dwarf crested iris			2.25	
<i>Iris fulva</i>		Copper iris			2.25	
<i>Iris versicolor</i>		Northern blue flag iris	26.00	20.00	1.50	
<i>Iris virginica</i>		Blue flag iris	20.00	15.00	1.70	1.15
<i>Juncus acuminatus</i>		Tapertip rush	20.00	13.00	1.50	
<i>Juncus arcticus littoralis</i>	<i>Juncus balticus</i>	Arctic rush			1.50	
<i>Juncus canadensis</i>		Canada rush	35.00	30.00	1.50	
<i>Juncus dudleyi</i>		Dudley's rush	44.00	35.00	1.35	
<i>Juncus effusus</i>		Common rush	31.00	25.00	1.40	1.15
<i>Juncus interior</i>		Inland rush	41.00	33.00		
<i>Juncus marginatus</i>		Grass-leaved rush	41.00	40.00	1.90	
<i>Juncus nodosus</i>		Joint rush	65.00	65.00	1.50	
<i>Juncus tenuis</i>		Path rush	40.00	40.00	1.35	
<i>Juncus torreyi</i>		Torrey's rush	65.00	52.00	1.50	
<i>Justicia americana</i>		American water-willow			1.90	
<i>Koeleria cristatella</i>	<i>Koeleria macrantha</i>	June grass	20.00	17.00	1.35	1.15
<i>Krigia biflora</i>		False dandelion			2.25	
<i>Lathyrus palustris</i>		Marsh vetchling	38.00	34.00		
<i>Leersia oryzoides</i>		Rice cut grass	25.00	20.00	1.50	
<i>Leersia virginica</i>		White grass			1.70	
<i>Lespedeza capitata</i>		Round-headed bush clover	17.00	13.00	1.50	
<i>Lespedeza violacea</i>		Violet lespedeza		90.00		
<i>Liatris aspera</i>		Rough blazing star	55.00	44.00	1.40	
<i>Liatris cylindracea</i>		Cylindrical blazing star	48.00	43.00	1.50	
<i>Liatris ligulistylis</i>		Meadow blazing star	55.00	55.00	1.50	
<i>Liatris punctata</i>		Dotted blazing star	45.00	42.00	1.50	
<i>Liatris pycnostachya</i>		Prairie blazing star	17.00	15.00	1.35	1.25
<i>Liatris scariosa nieuwlandii</i>		Eastern blazing star			1.50	
<i>Liatris spicata</i>		Marsh blazing star	15.00	12.00	1.35	1.25
<i>Lilium michiganense*</i>		Turk's cap lily	280.00	218.00	1.90	
<i>Lilium philadelphicum*</i>		Prairie lily	335.00	200.00	7.00	
<i>Lithospermum carolinense</i>	<i>Lithospermum croceum</i>	Hairy puccoon		165.00		
<i>Lithospermum incisum</i>		Fringed puccoon		165.00		
<i>Lobelia cardinalis</i>		Cardinal flower	100.00	80.00	1.25	1.10
<i>Lobelia inflata</i>		Indian tobacco		95.00		
<i>Lobelia siphilitica</i>		Great blue lobelia	85.00	68.00	1.25	1.10
<i>Lobelia spicata</i>		Pale spiked lobelia	140.00	140.00	1.70	
<i>Lolium multiflorum</i>		Annual rye	0.08	0.08		
Low Maintenance Lawn Blend		Fescue blend	0.30	0.30		
<i>Ludwigia alternifolia</i>		Seedbox	45.00	45.00		
<i>Ludwigia palustris</i>		Marsh seedbox	52.00	43.00		
<i>Ludwigia polycarpa</i>		Manyfruit primrose-willow	53.00	45.00		
<i>Lupinus perennis</i>		Wild lupine	35.00	22.00	1.50	
<i>Luzula multiflora</i>		Common wood rush	87.50	75.00	1.50	
<i>Lycopus americanus</i>		American water horehound	27.00	26.00	1.50	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Lycopus uniflorus</i>		Northern bugleweed		37.00		
<i>Lysimachia ciliata</i>		Fringed loosestrife	82.00	69.00	1.40	
<i>Lysimachia quadriflora</i>		Fourflower yellow loosestrife	200.00	112.00		
<i>Lysimachia terrestris</i>		Swamp candles				
<i>Lysimachia thyrsoflora</i>		Tufted loosestrife				
<i>Lythrum alatum</i>		Winged loosestrife	110.00	90.00	1.50	
<i>Maianthemum canadense</i>	<i>Smilacina canadense</i>	Canada mayflower			3.00	
<i>Maianthemum racemosum*</i>	<i>Smilacina racemosa</i>	Feathery false solomon's seal	28.00	26.00	4.00	
<i>Maianthemum stellatum</i>	<i>Smilacina stellata</i>	Starry false solomon's seal	134.00	115.00	5.00	
<i>Manfreda virginica</i>		False aloe/American agave			1.90	
<i>Mentha arvensis</i>		Wild mint	78.00	69.00	1.40	
<i>Mertensia virginica</i>		Virginia bluebells			1.90	
<i>Mimulus ringens</i>		Monkey flower	30.00	27.00	1.35	1.25
<i>Minuartia michauxii</i>	<i>Arenaria stricta</i>	Stiff sandwort	243.00	200.00		
<i>Mitella diphylla</i>		Bishop's cap		280.00	1.90	
<i>Moehringia lateriflora</i>		Blunt leaf stitchwort				
<i>Monarda bradburiana</i>		Eastern beebalm			1.50	
<i>Monarda didyma</i>		Scarlet beebalm			1.35	
<i>Monarda fistulosa</i>		Wild bergamot	26.00	20.00	1.35	1.25
<i>Monarda punctata</i>		Horse mint	40.00	35.00	1.35	
<i>Muhlenbergia glomerata</i>		Marsh wild timothy	45.00	30.00		
<i>Muhlenbergia mexicana</i>		Leafy satin grass		15.00	1.50	
<i>Napaea dioica</i>		Glade Mallow	11.00	7.50	1.50	
<i>Nelumbo lutea</i>		American lotus			10.00	
<i>Nuphar advena</i>	<i>Nuphar lutea</i>	Yellow waterlily			10.00	
<i>Nymphaea tuberosa</i>	<i>Nymphaea odorata</i>	American white waterlily			10.00	
<i>Oenothera biennis</i>		Common evening primrose	3.50	3.00	1.50	
<i>Oenothera guara</i>	<i>Guara biennis</i>	Biennel gaure	22.00	20.00		
<i>Oenothera macrocarpa</i>		Large flowered primrose			1.50	
<i>Oenothera pilosella</i>		Prairie sundrops	95.00	80.00	1.50	
<i>Oenothera speciosa</i>		Pink petticoats primrose			1.50	
<i>Oligoneuron album</i>	<i>Solidago/Aster ptarmicoides</i>	Stiff aster (goldenrod)	28.00	20.00	1.35	
<i>Oligoneuron ohioense</i>	<i>Solidago ohioensis</i>	Ohio goldenrod		22.00	1.70	
<i>Oligoneuron riddellii</i>	<i>Solidago riddellii</i>	Riddell's goldenrod	32.00	25.00	1.35	
<i>Oligoneuron rigidum</i>	<i>Solidago rigida</i>	Stiff goldenrod	26.00	22.00	1.35	1.10
<i>Onoclea sensibilis</i>		Sensitive fern	14.00	12.00		
<i>Onosmodium bejariense</i>	<i>Onosmodium molle</i>	Marbleseed		150.00		
<i>Opuntia humifusa</i>		Prickly pear cactus	31.00	31.00	1.25 - pads	
<i>Opuntia macrorhiza</i>		Plains prickly pear			1.25 - pads	
<i>Osmorhiza claytonii</i>		Hairy sweet cicely	33.00	24.00	1.50	
<i>Osmorhiza longistylis</i>		Smooth sweet cicely	33.00	24.00		
<i>Osmunda cinnamomea</i>		Cinnamon fern			5.00	
<i>Osmunda claytoniana</i>		Interrupted fern	72.00	60.00	5.00	
<i>Osmunda regalis spectabilis</i>		Royal fern			5.00	
<i>Oxalis violacea*</i>		Wood sorel			2.25	
<i>Oxypolis rigidior</i>		Cowbane	72.00	60.00	5.00	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Packera aurea</i>	<i>Senecio aurea</i>	Golden ragwort			1.90	
<i>Packera obovata</i>	<i>Senecio obovatus</i>	Squaw weed			1.90	
<i>Packera paupercula</i>	<i>Senecio pauperculus</i>	Balsam ragwort	87.00	80.00	1.70	
<i>Packera plattensis</i>	<i>Senecio plattensis</i>	Prairie groundsel	87.00	80.00	1.70	
<i>Panicum oligosanthes</i>		Few-flowered panic grass				
<i>Panicum virgatum</i>		Switch grass	0.75	0.60	1.35	1.10
<i>Parthenium integrifolium</i>		Wild quinine	11.00	9.00	1.35	
<i>Pascopyrum smithii</i>	<i>Agropyron smithii</i>	Western wheatgrass	12.00	9.00		
<i>Pedicularis canadensis*</i>		Wood betony	131.00	93.00		
<i>Pedicularis lanceolata*</i>		Swamp lousewort	31.10	10.00		
<i>Peltandra virginica</i>		Green arrow arum			2.25	
<i>Penstemon calycosus</i>		Small beardtongue	14.00	13.00	1.40	
<i>Penstemon cobaea</i>		Large flowered penstemon			1.70	1.25
<i>Penstemon digitalis</i>		Beardtongue	24.00	18.00	1.25	1.25
<i>Penstemon grandiflorus</i>		Large-flowered beard tongue	80.00	24.00	1.70	
<i>Penstemon hirsutus</i>		Hairy beardtongue	24.00	18.00	1.30	
<i>Penstemon pallidus</i>		Pale beard tongue	120.00	100.00		
<i>Penstemon tubaeflorus</i>		Western beard tongue				
<i>Penthorum sedoides</i>		Ditch stoncrop	14.00	8.00	1.70	
<i>Phemeranthus calycinus</i>	<i>Talinum calycinum</i>	Rock pink			1.70	
<i>Phleum pretense</i>		Timothy	0.22	0.22		
<i>Phlox divaricata</i>		Blue/Woodland phlox	180.00	160.00	1.50	
<i>Phlox glaberrima</i>		Marsh phlox		155.00	1.50	
<i>Phlox maculata</i>		Wild sweetwilliam		40.00		
<i>Phlox paniculata</i>		Garden phlox			1.70	
<i>Phlox pilosa</i>		Sand prairie phlox	155.00	110.00	1.70	
<i>Phryma leptostachya</i>		Lopseed	45.00	40.00		
<i>Physostegia virginiana</i>		Prairie obedient plant	25.00	20.00	1.35	
<i>Phytolacca americana</i>		Pokeweed	7.50	7.50		
<i>Poa palustris</i>		Fowl bluegrass	3.50	3.50		
<i>Podophyllum peltatum*</i>		Mayapple		150.00	3.00	
<i>Polemonium reptans</i>		Jacob's ladder	115.00	105.00	2.25	
<i>Polygonatum biflorum</i>	<i>Polygonatum canaliculatum</i>	Smooth Solomon's seal	24.00	23.00	4.00	
<i>Polygonum amphibium</i>	<i>Polygonum coccineum</i>	Longroot smartweed	26.00	22.00		
<i>Polygonum amphibium stipulaceum</i>		Water smartweed	26.00	22.00		
<i>Polygonum hydropiperoides</i>		Mild water pepper	9.50	7.50		
<i>Polygonum lapathifolium</i>		Curly-topped knotweed	4.00	3.00		
<i>Polygonum pensylvanicum</i>		Pinkweed	4.00	3.00		
<i>Polygonum sagittatum</i>		Lady's tearthumb	55.00	47.00		
<i>Polygonum virginianum</i>	<i>Tovara virginiana</i>	Woodland knotweed		25.00		
<i>Polystichum acrostichoides</i>		Christmas fern			5.00	
<i>Pontederia cordata</i>		Pickereel weed	40.00	39.00	2.50	
<i>Potamogeton natans</i>		Floating pondweed				
<i>Potamogeton nodosus*</i>		Pondweed (BR only)				
<i>Potentilla anserina</i>		Silverweed cinquefoil				
<i>Potentilla arguta</i>	<i>Drymocallis arguta</i>	Prairie cinquefoil	35.00	30.00	1.50	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Potentilla simplex</i>		Common cinquefoil				
<i>Prenanthes alba</i>		Lion's foot	175.00	118.00	2.25	
<i>Prenanthes racemosa</i>		Glaucous white lettuce		118.00		
<i>Pseudognaphalium obtusifolium</i>	<i>Gnaphalium obtusifolium</i>	Rabbit tobacco		25.00		
<i>Pulsatilla patens</i>	<i>Anemone patens wolfgangiana</i>	Pasque flower	55.00	42.00	2.50	
<i>Pycnanthemum muticum</i>		Blunt mountain mint			1.40	
<i>Pycnanthemum tenuifolium</i>		Slender mountain mint	55.00	42.00	1.40	1.15
<i>Pycnanthemum virginianum</i>		Virginia mountain mint	65.00	60.00	1.40	1.15
<i>Quercus marcrocarpa</i>		Bur oak	6.25	5.00		
<i>Ranunculus abortivus</i>		Little leaf buttercup				
<i>Ranunculus fascicularis</i>		Early buttercup	45.00	45.00		
<i>Ranunculus hispidus</i>	<i>Ranunculus septentrionalis</i>	Rough buttercup	45.00	45.00		
<i>Ranunculus sceleratus</i>		Cursed buttercup	55.00	52.00		
<i>Ratibida columnifera</i>		Upright coneflower		7.00	1.50	
<i>Ratibida pinnata</i>		Yellow coneflower	20.00	16.00	1.35	1.15
<i>Regreen Triticum aestivum x Elymus trachycaulus</i>	<i>Regreen (Winter wheat x slender wheatgrass)</i>	Regreen	0.35	0.35		
<i>Rorippa palustris</i>	<i>Rorippa islandica</i>	Yellow cress	18.00	14.50		
<i>Rosa arkansana</i>		Prairie rose	42.00	25.00	2.25	
<i>Rosa blanda</i>		Early wild rose	44.00	40.00	2.25	
<i>Rosa carolina</i>		Carolina rose	44.00	40.00	2.25	
<i>Rosa palustris</i>		Swamp rose	42.00	37.00	2.25	
<i>Rosa setigera</i>		Savanna rose	42.00	37.00	2.75	
<i>Rhexia virginica</i>		Meadow beauty			2.25	
<i>Rubus hispidus</i>		Bristly dewberry			2.25	
<i>Rudbeckia fulgida speciosa</i>	<i>Rudbeckia speciosa</i>	Orange coneflower		52.00	1.35	
<i>Rudbeckia fulgida umbrosa</i>		Orange coneflower			1.35	
<i>Rudbeckia fulgida sullivantii</i>	<i>Rudbeckia fulgida</i>	Showy black-eyed Susan		52.00	1.70	
<i>Rudbeckia hirta</i>		Black-eyed Susan	5.00	3.00	1.50	
<i>Rudbeckia laciniata</i>		Wild golden glow	23.00	17.00	1.35	
<i>Rudbeckia missouriensis</i>		Missouri black-eyed Susan			1.70	
<i>Rudbeckia subtomentosa</i>		Sweet black-eyed Susan	20.00	16.00	1.35	
<i>Rudbeckia triloba</i>		Brown-eyed Susan	15.00	11.00	1.40	
<i>Ruellia humilis*</i>		Wild petunia, Hairy ruella	50.00	40.00	1.50	
<i>Rumex altissimus</i>		Pale dock	19.00	15.00	1.70	
<i>Rumex orbiculatus</i>		Great water dock	19.00	15.00	1.70	
<i>Rumex verticillatus</i>		Swamp dock	19.00	15.00	1.70	
<i>Sabatia angularis</i>		Rosepink			1.90	
<i>Sagittaria graminea</i>		Grass leaved-duck potato				
<i>Sagittaria latifolia</i>		Broad-leaved duck potato	20.00	20.00	1.70	
<i>Sagittaria rigida</i>		Stiff arrowhead				
<i>Salvia azurea</i>		Blue sage			1.50	
<i>Sanguinaria canadensis</i>		Bloodroot	53.00	45.00		
<i>Sanicula marilandica</i>		Snakeroot	53.00	45.00	1.70	
<i>Saururus cernuus</i>		Lizard's tail			2.25	
<i>Saxifraga pensylvanica</i>		Eastern swamp saxifrage	81.00	75.00		

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Schizachyrium scoparium</i>	<i>Andropogon scoparius</i>	Little bluestem	1.50	1.50	1.35	1.10
<i>Schoenoplectus acutus</i>	<i>Scirpus acutus</i>	Hard-stemmed bulrush	30.00	25.00	1.35	
<i>Schoenoplectus fluviatilis</i>	<i>Scirpus fluviatilis</i>	River bulrush	16.00	12.00	1.50	1.05
<i>Schoenoplectus pungens</i>	<i>Scirpus pungens/americanus</i>	Chairmaker's rush	45.00	40.00	1.50	
<i>Schoenoplectus tabernaemontani</i>	<i>Scirpus validus creber</i>	Soft-stem bulrush	16.00	12.00	1.40	1.25
<i>Scirpus atrovirens</i>		Green bulrush	6.00	5.00	1.35	1.10
<i>Scirpus cyperinus</i>		Wool grass	10.00	9.00	1.35	1.10
<i>Scirpus lineatus</i>		Drooping bulrush				
<i>Scirpus pendulus</i>		Red bulrush	43.00	17.00	1.40	1.15
<i>Scrophularia lanceolata</i>		Early figwort	45.00	32.00	1.70	
<i>Scrophularia marilandica</i>		Late figwort	26.00	22.00	1.70	
<i>Scutellaria galericulata</i>	<i>Scutellaria epilobiifolia</i>	Marsh skullcap	90.00	84.00		
<i>Scutellaria incarna</i>		Hoary skullcap			1.70	
<i>Scutellaria lateriflora</i>		Mad dog skullcap	43.00	43.00	3.00	
<i>Scutellaria ovata</i>		Heart leaf skullcap				
<i>Scutellaria parvula</i>		Small skullcap			1.70	
<i>Secale cereale</i>		Winter rye	0.08	0.08		
<i>Sedum ternatum</i>		Wild stonecrop			1.60	
<i>Senna hebecarpa</i>	<i>Cassia hebecarpa</i>	Wild senna	9.00	6.00	1.70	
<i>Silene regia</i>		Royal catchfly	90.00	84.00	1.70	
<i>Silene stellata</i>		Starry campion	145.00	95.00	1.70	
<i>Silphium integrifolium</i>		Rosin weed	19.00	16.00	1.50	
<i>Silphium laciniatum</i>		Compass plant	47.00	35.00	1.40	
<i>Silphium perfoliatum</i>		Cup plant	13.00	9.00	1.40	
<i>Silphium terebinthinaceum</i>		Prairie dock	24.00	19.00	1.40	
<i>Sisyrinchium albidum*</i>		Common blue-eyed grass	118.00	85.00	2.25	
<i>Sisyrinchium angustifolium*</i>		Narrow-leaved blue-eyed grass	118.00	85.00		
<i>Sisyrinchium campestre</i>		Prairie blue-eyed grass	118.00	85.00		
<i>Sium suave*</i>		Hemlock waterparsnip	50.00	46.00	2.25	
<i>Smilax herbacea</i>		Carrion flower	23.00	16.00		
<i>Smilax lasioneura</i>		Smooth carrion flower	11.25	11.25		
<i>Solidago caesia</i>		Blue stemmed goldenrod	150.00	130.00	1.70	
<i>Solidago canadensis</i>		Canada goldenrod	34.00	29.00		
<i>Solidago drummondii</i>		Cliff goldenrod			1.70	
<i>Solidago flexicaulis</i>		Broad-leaved goldenrod	95.00	95.00	1.50	
<i>Solidago gigantea</i>		Late goldenrod	113.00	88.00	1.35	
<i>Solidago juncea</i>		Early goldenrod	35.00	30.00	1.70	
<i>Solidago missouriensis</i>		Missouri goldenrod	42.00	35.00	1.70	
<i>Solidago nemoralis</i>		Old-field goldenrod	35.00	30.00	1.40	
<i>Solidago odora</i>		Sweet goldenrod			1.70	
<i>Solidago patula</i>		Swamp goldenrod			1.70	
<i>Solidago rugosa</i>		Wrinkle leaf goldenrod			1.50	
<i>Solidago speciosa</i>		Showy goldenrod	50.00	30.00	1.35	
<i>Solidago ulmifolia</i>		Elm-leaved goldenrod	46.00	42.00	1.50	
<i>Sorghastrum nutans</i>		Indian grass	0.65	0.50	1.35	1.10
<i>Sparganium americanum</i>		American bur reed				

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	Narrow-leaved bur reed	25.00	16.00		
<i>Sparganium eurycarpum</i>		Common bur reed	10.00	8.00	1.70	
<i>Spartina pectinata</i>		Prairie cord grass	13.00	12.00	1.35	1.10
<i>Sphenopholis intermedia</i>		Slender wedge grass	120.00	100.00	1.90	
<i>Sphenopholis obtusata</i>		Prairie wedge grass	14.00	12.00	1.90	
<i>Spigelia marilandica</i>		Indian pink			2.25	
<i>Spiraea alba</i>		Meadow sweet	63.00	56.00	1.70	
<i>Spiraea tomentosa</i>		Steeple bush			1.90	
<i>Spiranthes cernua</i>		Nodding ladies tresses	280.00	250.00		
<i>Spiranthes magnicamporum</i>		Great plains ladies tresses				
<i>Sporobolus compositus</i>	<i>Sporobolus asper</i>	Composite dropseed	4.00	3.75		
<i>Sporobolus cryptandrus</i>		Sand dropseed	4.00	3.75		
<i>Sporobolus heterolepis</i>		Prairie dropseed	22.00	16.00	1.35	1.25
<i>Stachys aspera</i>	<i>Stachys hyssopifolia ambigua</i>	Rough hedge nettle	45.00	45.00		
<i>Stachys pilosa</i>	<i>Stachys palustris homotricha</i>	Marsh hedge nettle	40.00			
<i>Stachys tenuifolia</i>		Smooth nettle hedge	45.00	45.00		
<i>Stuckenia pectinata</i>	<i>Potamogeton pectinatus</i>	Sago pondweed				
<i>Stylophorum diphyllum</i>		Celandine poppy			2.25	
<i>Symphotrichum cordifolium</i>	<i>Aster sagittifolius, Aster cordifolius</i>	Arrow-leaved aster	120.00	95.00	1.70	
<i>Symphotrichum drummondii</i>	<i>Aster drummondii</i>	Drummond's aster	30.00	21.00	1.70	
<i>Symphotrichum dumosum</i>	<i>Aster dumosus</i>	Rice-button aster				
<i>Symphotrichum ericoides</i>	<i>Aster ericoides</i>	Heath aster	128.00	128.00	1.50	
<i>Symphotrichum laeve</i>	<i>Aster laevis</i>	Smooth blue aster	42.00	36.00	1.40	
<i>Symphotrichum lanceolatum</i>	<i>Aster simplex</i>	Panicked aster	48.00	44.00	1.90	
<i>Symphotrichum lateriflorum</i>	<i>Aster lateriflorus</i>	Side-flowering aster	70.00	70.00	1.70	
<i>Symphotrichum novae-angliae</i>	<i>Aster n-a</i>	New England aster	50.00	45.00	1.35	1.25
<i>Symphotrichum oblongifolium</i>	<i>Aster oblongifolius</i>	Aromatic aster	41.00	25.00	1.35	1.25
<i>Symphotrichum oolentangiense</i>	<i>Aster azureus</i>	Sky-blue aster	55.00	50.00	1.40	
<i>Symphotrichum patens</i>	<i>Aster patens</i>	Late purple aster			1.70	
<i>Symphotrichum pilosum</i>	<i>Aster pilosus</i>	Hairy aster	35.00	25.00	1.40	
<i>Symphotrichum praealtum</i>	<i>Aster praealtus</i>	Willow aster		85.00	1.70	
<i>Symphotrichum prenanthoides</i>	<i>Aster prenanthoides</i>	Crooked-stemmed aster		85.00		
<i>Symphotrichum puniceum</i>	<i>Aster puniceus</i>	Marsh aster	55.00	55.00	1.50	
<i>Symphotrichum sericeum</i>	<i>Aster sericeus</i>	Silky aster	54.00	40.00	1.60	
<i>Symphotrichum shortii</i>	<i>Aster shortii</i>	Short's aster	90.00	85.00	1.70	
<i>Symphotrichum urophyllum</i>	<i>Aster sagittifolius</i>	Arrow-leaved aster	120.00	95.00	1.70	
<i>Taenidia integerrima</i>		Yellow pimpernel	85.00	65.00		
<i>Tephrosia virginiana</i>		Goats rue	65.00	40.00	1.70	
<i>Teucrium canadense</i>		Wood germander	35.00	32.00	1.50	
<i>Thalictrum dasycarpum</i>		Purple meadow rue	25.00	22.00	1.70	
<i>Thalictrum dioicum</i>		Early meadow rue	77.00	75.00	2.50	
<i>Thalictrum revolutum</i>		Waxy meadow rue	77.00	75.00		
<i>Thalictrum thalictroides</i>	<i>Anemonella thalictroides</i>	Rue anemone	93.00	78.00	4.50	

Botanical Name	Alias	Common Name	Specified \$/oz	Unspecified \$/oz	32/38 Cell Plug	50 Cell Plug
<i>Thaspium trifoliatum</i>		Purple meadowparsnip	45.00	35.00		
<i>Thelypteris palustris</i>	<i>Dryopteris thelypteris</i>	Marsh shield fern			3.00	
<i>Tiarella cordifolia</i>		Heartleaf foamflower			1.90	
<i>Tradescantia bracteata</i>		Long-bracted spiderwort	60.00	55.00	1.70	
<i>Tradescantia occidentalis</i>		Prairie Spiderwort	40.00	35.00	1.70	
<i>Tradescantia ohiensis</i>		Spiderwort	28.00	25.00	1.35	
<i>Tradescantia subaspera</i>		Zigzag spiderwort			1.70	
<i>Trillium erectum</i>		Red trillium			4.00	
<i>Trillium grandiflorum</i>		White trillium			4.00	
<i>Trillium recurvatum</i>		Prairie trillium			4.00	
<i>Triodanis perfoliata</i>	<i>Specularia perfoliata</i>	Venus's looking glass	50.00	43.00		
<i>Triosteum aurantiacum</i>		Early horse gentian				
<i>Triosteum perfoliatum</i>		Late horse gentian		29.00		
<i>Tripsacum dactyloides</i>		Eastern gamma grass		2.50		
<i>Typha latifolia</i>		Common cat-tail				
<i>Uvularia grandiflora</i>		Bellwort	94.00	75.00	4.00	
<i>Vallisneria americana</i>		American eelgrass			2.40	
<i>Verbena hastata</i>		Blue vervain	10.00	7.00	1.35	
<i>Verbena stricta</i>		Hoary vervain	15.00	12.00	1.35	
<i>Verbena urticifolia</i>		White vervain	15.00	11.25		
<i>Verbesina alternifolia</i>	<i>Actinomeris alternifolia</i>	Wingstem	19.00	18.00	1.70	
<i>Vernonia arkansana</i>		Curly-topped ironweed			1.70	
<i>Vernonia baldwinii</i>		Western ironweed			1.60	
<i>Vernonia fasciculata</i>		Common ironweed	30.00	20.25	1.35	
<i>Veronicastrum virginicum</i>		Culver's root	90.00	80.00	1.40	
<i>Viola lanceolata</i>		Lanceleaved violet			2.25	
<i>Viola pedata*</i>		Bird's foot violet	260.00	220.00		
<i>Viola pedatifida*</i>	<i>Viola palmata</i>	Prairie violet	130.00	115.00	3.00	
<i>Viola pubescens</i>		Yellow violet		140.00		
<i>Viola sororia</i>		Common violet	130.00	115.00	1.50	
<i>Waldsteinia fragarioides</i>		Barren strawberry			2.70	
<i>Zizia aptera</i>		Heart leaved Golden Alexander	55.00	50.00	1.60	
<i>Zizia aurea</i>		Golden Alexanders	18.00	12.00	1.50	1.15

Pricing and Product Information

Pricing and availability are subject to change; prices are for in-stock items only. We are pleased to broker items from other native nurseries for your convenience. Please contact us for this service.

Contract Growing Qualifications

Custom Grow 50: Requires an 800-plant minimum and 12 weeks advance notice.

Wholesale 32/38 Cell Contract Grow: Requires a minimum 12 weeks advance for most species.

All contract growing orders and early orders require a 15% down payment.

Quantity Discounts are also offered. Please call for pricing.





Contract Growing & Custom Propagation

We offer contract growing and custom propagation for large projects/quantities with unique species or specific sizes. Our experience propagating plants for projects gives us the knowledge to grow almost any species to meet your project's specification.

We can custom-grow to meet most any genotype requirements for restoration projects.

Please note that contract growing requires a minimum of 120 days lead time, a non-refundable security deposit, and an agreed upon ship date. We encourage you to speak with your representative or member of our staff to see if a contract-grow is a good fit for your needs.

2022 Wholesale Seed Mix Pricing

Please see individual mix descriptions for more specific information (pages numbers below). To add further diversity see our full species availability. All mixes may vary slightly in % composition and species.

Pollinator Seed Mixes

Seed Mix	estimated seeds per square foot	typical \$ per acre	page number
Diversity Meadow	40	\$450	24
Pollinator Friendly	40	\$625	36

Upland Seed Mixes

Seed Mix	estimated seeds per square foot	typical \$ per acre	page number
Clay Soils - Mesic Prairie	40	\$280	24
Dry Mesic Prairie	40	\$330	25
Herbicide Tolerant Shortgrass and Wildflower Prairie	40	\$290	26
Mesic Prairie	40	\$360	31
Mesic Prairie - Habitat	40	\$360	32
Shortgrass Dry Prairie	40	\$375	38

Wet Seed Mixes

Seed Mix	estimated seeds per square foot	typical \$ per acre	page number
Emergent Shoreline	45	\$475	26
Herbicide Tolerant Tall Grass Wet-Mesic Prairie	23	\$275	27
Native Waterway	75	\$140	34
Sedge Meadow	50	\$520	38
Stormwater	90	\$575	40
Swale and Basin	50	\$390	40

Special Use Seed Mixes

Seed Mix	estimated seeds per square foot	typical \$ per acre	page number
Landfill - Basic Native Cover	45	\$220	31
Savanna and Open Woodland	45	\$785	37
Solar Field Basics - Native and Naturalized - Well Drained Ground	55	\$270	39
Solar Field Pollinator Enhancement	20	\$240	439

Conservation Seed Mixes

Seed Mix	estimated seeds per square foot	typical \$ per acre	page number
Eastern Kansas CP42 Upland Pollinator	20	\$180	25
Eastern Kansas Safe Mix	20	\$99	26
IA CP2 Dry to Mesic	40	\$95	27
IA CP2 Wet to Mesic	40	\$110	27
IA CP25 Dry to Mesic Prairie	40	\$110	27
IA CP42 Dry to Mesic Prairie	40	call for quote	28
IA CP43 Wet to Mesic Prairie Strips	40	\$163	28
IL CP2 Native Seed Mixture 4	20	\$163	28
IL CP42 Dry to Mesic Prairie	20	call for quote	28
IL CP42 Wet Prairie	20	call for quote	29
IL CP43 Dry to Mesic Prairie Strips	20	\$91	29
IL CP43 Wet to Mesic Prairie Strips	20	\$87	29
IN CP2 General Purpose Poorly Drained	14	\$98	29
IN CP2 General Purpose Well Drained	15	\$87	30
IN CP42 Pollinator Habitat Well Drained	20	call for quote	30
IN CP42 Pollinator Habitat Poorly Drained	20	call for quote	30
KS CP43 Dry to Mesic Prairie Strips	40	\$220	30
KS CP43 Wet to Mesic Prairie Strips	40	\$185	31
MN BWSR MNDOT 32-241 Native Construction	65	\$390	32
MN BWSR Pollinator Plot Southeast	140	call for quote	32
MN BWSR U8; 35-641 Mesic Prairie Southeast	38	\$275	33
MN BWSR W3; MNDOT 325; 34-262 Wet Prairie 80/4	84	\$950	33
MO CP2 CRP	35	\$285	33
MO Upland CP42 Pollinator	45	call for quote	33
MO Wet CP42 Pollinator	40	call for quote	34
NY Pollinator Meadow	40	\$310	34
NY Upland Meadow Restoration	40	\$280	34
NY Wet to Mesic Meadow Restoration	40	\$235	35
OH Seed Mixture for Birds, Bees, and Butterflies	40	\$250	35
OH Wet Prairie Seeding Mixture	40	\$250	35
PA Restoration Mixture for Birds, Bees, and Butterflies	40	\$250	35
PA Restoration Wetland / Wet Meadow Seeding Mixture	40	\$250	36
WI CP2_3 Dry to Mesic	23	\$82	41
WI CP2_7 Wet to Mesic	23	\$110	41
WI CP25-DM Dry to Mesic Prairie	40	call for quote	41
WI CP25-WM Wet to Mesic Prairie	33	\$152	41
WI CP43 Prairie Strips - Dry	18	\$105	42
WI CP43 Prairie Strips - Mesic	18	\$115	42
WI CP43 Prairie Strips - Wet	18	\$115	42
WI Dry Mesic CP42 Pollinator	40	call for quote	42
WI Mesic CP42 Pollinator	40	call for quote	43

2022 Wholesale Seed Mixes (A-Z)

Clay Soils · Mesic Prairie Mix

Total \$1,045/ac / Grass/sq ft 55 / Forbs/sq ft 8

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem), *Sorghastrum nutans* (Indian grass), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Asclepias syriaca* (Common milkweed), *Coreopsis tripteris* (Tall coreopsis), *Dalea purpurea* (Purple prairie clover), *Desmanthus illinoensis* (Illinois sensitive plant), *Desmodium illinoense* (Illinois tick trefoil), *Eryngium yuccifolium* (Rattlesnake master), *Eupatorium altissimum* (Tall boneset), *Eutrochium maculatus* (Spotted Joe-Pye weed), *Heliopsis helianthoides* (False sunflower), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oligoneuron rigidum* (Stiff goldenrod), *Parthenium integrifolium* (Wild quinine), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Silphium perfoliatum* (Cup plant), *Symphotrichum lateriflorum* (Side-flowering aster), *Symphotrichum pilosum* (Hairy aster), *Verbena hastata* (Blue vervain)

NOTES:

- Includes a minimum of 3 grasses/sedges and 8 forbs
- Grasses and forbs at an approximate 60/40 ratio
- Major grasses are provided PLS
- Mix may vary slightly based on availability
- Legumes are listed in bold

Diversity Meadow · Low Growing
Pollinator Meadow: Diverse Option

Total \$930/ac / Grass/sq ft 45 / Forbs/sq ft 9

GRASSES/GRASS-LIKE: *Elymus virginicus* (Virginia wild rye), *Bouteloua curtipendula* (Side oats grama), *Carex bicknellii* (Bicknell's sedge), *Schizachyrium scoparium* (Little bluestem), *Sporobolus heterolepis* (Prairie dropseed)

FORBS: *Allium cernuum* (Nodding wild onion), *Asclepias tuberosa* (Butterfly weed), *Blephilia ciliata* (Ohio horsemint), *Brickellia eupatorioides* (False boneset), *Chamaecrista fasciculata* (Partridge pea), *Coreopsis lanceolata* (Sand coreopsis), *Dalea candida* (White prairie clover), *Dalea purpurea* (Purple prairie clover), *Echinacea purpurea* (Broad-leaved purple coneflower), *Heuchera richardsonii* (Prairie alum root), *Liatris aspera* (Rough blazing star), *Liatris cylindracea* (Cylindrical blazing star), *Lupinus perennis* (Wild lupine), *Monarda punctata* (Horse mint), *Oligoneuron album* (Stiff aster, goldenrod), *Penstemon digitalis* (Beardtongue), *Penstemon hirsutus* (Hairy beardtongue), *Pycnanthemum tenuifolium* (Slender mountain mint), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Tradescantia ohiensis* (Spiderwort), *Solidago nemoralis* (Old-field goldenrod), *Symphotrichum oolentangiense* (Sky-blue aster), *Verbena stricta* (Hoary vervain)

NOTES:

- Usually about 3 feet
- Mix may vary slightly based on availability
- Legumes are listed in bold

Total \$330/ac / Grass/sq ft 20 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Schizachyrium scoparium (Little bluestem), Koeleria macrantha (June grass), Sporobolus heterolepis (Prairie dropseed) (Silky aster)

FORBS: Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Coreopsis lanceolata (Sand coreopsis), Dalea purpurea (Purple prairie clover), Echinacea purpurea (Broad-leaved purple coneflower), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum laeve (Smooth blue aster), Verbena stricta (Hoary vervain), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$180/ac / Grass/sq ft 5 / Forbs/sq ft 15

GRASSES/GRASS-LIKE: Elymus virginicus (Virginia wild rye), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Bouteloua curtipendula (Side oats grama), Sorghastrum nutans (Indian grass), Andropogon gerardii (Big bluestem), Schizachyrium scoparium (Little bluestem)

FORBS: Achillea millefolium (Common yarrow), Asclepias syriaca (Common milkweed), Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Coreopsis tinctoria (Plains coreopsis), Dalea candida (White prairie clover), Dalea purpurea (Purple prairie clover), Desmanthus illinoensis (Illinois sensitive plant), Echinacea purpurea (Broad-leaved purple coneflower), Helianthus grosseserratus (Sawtooth sunflower), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Ratibida pinnata (Yellow coneflower), Rudbeckia fulgida (Showy black-eyed susan), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum oolentangiense (Sky-blue aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Eastern KS Safe Mix

Total \$99/ac / Grass/sq ft 30 / Forbs/sq ft 15

GRASSES/GRASS-LIKE: Panicum virgatum (Switch grass), Bouteloua curtipendula (Side oats grama), Sorghastrum nutans (Indian grass), Schizachyrium scoparium (Little bluestem), Andropogon gerardii (Big bluestem)

FORBS: Acorus americanus (Sweet flag iris), Alisma subcordatum (Mud/water plantain), Bidens cernua (Nodding bur marigold), Eutrochium maculatus (Spotted Joe Pye weed), Helenium autumnale (Sneezeweed), Iris virginica (Blue flag iris), Lobelia siphilitica (Great blue lobelia), Lythrum alatum (Winged loosestrife), Sagittaria latifolia (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Emergent Shoreline Mix

Total \$475/ac / Grass/sq ft 30 / Forbs/sq ft 15

GRASSES/GRASS-LIKE: Carex typhina (Cattail sedge), Carex stipata (Owl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Panicum virgatum (Switch grass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass), Schoenoplectus fluviatilis (River bulrush), Schoenoplectus tabernaemontani (Soft-stem bulrush), Spartina pectinata (Prairie cord grass)

FORBS: Acorus americanus (Sweet flag iris), Alisma subcordatum (Mud/water plantain), Bidens cernua (Nodding bur marigold), Eutrochium maculatus (Spotted Joe Pye weed), Helenium autumnale (Sneezeweed), Iris virginica (Blue flag iris), Lobelia siphilitica (Great blue lobelia), Lythrum alatum (Winged loosestrife), Sagittaria latifolia (Broad-leaved duck potato)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Shortgrass and Wildflower Prairie

Total \$290/ac / Grass/sq ft 20 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Bouteloua curtipendula (Side oats grama), Elymus virginicus (Virginia wild rye), Schizachyrium scoparium (Little bluestem), Sporobolus heterolepis (Prairie dropseed)

FORBS: Amorpha canescens (Leadplant), Asclepias tuberosa (Butterfly weed), Symphyotrichum oolentangiense (Sky-blue aster), Coreopsis lanceolata (Sand coreopsis), Dalea purpurea (Purple prairie clover), Desmanthus illinoensis (Illinois sensitive plant), Echinacea purpurea (Broad-leaved purple coneflower), Lespedeza capitata (Round-headed bush clover), Lupinus perennis (Wild lupine), Rudbeckia hirta (Black-eyed Susan)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Herbicide Tolerant Tall
Grass Wet-Mesic Prairie

Total \$275/ac / Grass/sq ft 20 / Forbs/sq ft 3

GRASSES/GRASS-LIKE: Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), Elymus virginicus (Virginia wild rye), Andropogon gerardii (Big bluestem), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass)

FORBS: Symphyotrichum novae-angliae (New England aster), Symphyotrichum lanceolatum (Panicked aster), Bidens frondosa (Common beggar's ticks), Senna hebecarpa (Wild senna), Coreopsis tripteris (Tall coreopsis), Desmodium canadense (Showy tick trefoil)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Dry to Mesic

Total \$95/ac / Grass/sq ft 30 / Forbs/sq ft 10

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP2 Wet to Mesic

Total \$110/ac / Grass/sq ft 30 / Forbs/sq ft 10

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP25 Dry to
Mesic Prairie

Total \$110/ac / Grass/sq ft 30 / Forbs/sq ft 10

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP42 Dry to
Mesic Prairie

Total Call for quote / **Grass/sq ft** 20 / **Forbs/sq ft** 20

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IA CP43 Wet to
Mesic Prairie Strips

Total \$163/ac / **Grass/sq ft** 20 / **Forbs/sq ft** 20

STATE: Iowa

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP2 Native Seed
Mixture 4

Total \$163/ac / **Grass/sq ft** 10 / **Forbs/sq ft** 10

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Dry to
Mesic Prairie

Total Call for quote / **Grass/sq ft** 10 / **Forbs/sq ft** 10

STATE: Illinois

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IL CP42 Wet Prairie

Total Call for quote / Grass/sq ft 10 / Forbs/sq ft 10

STATE: Illinois
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Wet Prairie

NOTES:
• Mixes may vary slightly based on availability
• Price may vary based on genotypic requirements
• Call for projects greater than 5 acres

IL CP43 Dry Mesic Prairie Strips

Total \$91/ac / Grass/sq ft 10 / Forbs/sq ft 10

STATE: Illinois
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:
• Mixes may vary slightly based on availability
• Price may vary based on genotypic requirements
• Call for projects greater than 5 acres

IL CP43 Wet to Mesic Prairie Strips

Total \$87/ac / Grass/sq ft 10 / Forbs/sq ft 10

STATE: Illinois
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:
• Mixes may vary slightly based on availability
• Price may vary based on genotypic requirements
• Call for projects greater than 5 acres

IN CP2 General Purpose Poorly Drained

Total \$98/ac / Grass/sq ft 12 / Forbs/sq ft 10

STATE: Indiana
HEIGHT: 3' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:
• Mixes may vary slightly based on availability
• Price may vary based on genotypic requirements
• Call for projects greater than 5 acres

IN CP2 General
Purpose Well Drained

Total \$87/ac / Grass/sq ft 12 / Forbs/sq ft 3

STATE: Indiana
HEIGHT: 3' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator
Habitat Well Drained

Total Call for quote / Grass/sq ft 5 / Forbs/sq ft 15

STATE: Indiana
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

IN CP42 Pollinator
Habitat Poorly Drained

Total Call for quote / Grass/sq ft 5 / Forbs/sq ft 15

STATE: Indiana
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Dry to Mesic
Prairie Strips

Total \$220/ac / Grass/sq ft 20 / Forbs/sq ft 20

STATE: Kansas
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

KS CP43 Wet to Mesic
Prairie Strips

Total \$185/ac / Grass/sq ft 20 / Forbs/sq ft 20

STATE: Kansas

HEIGHT: 3' - 5'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Landfill - Basic
Native Cover

Total \$220/ac / Grass/sq ft 25 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Elymus canadensis (Canada wild rye), Sorghastrum nutans (Indian grass), Panicum virgatum (Switch grass), Carex normalis (Spreading oval sedge)

FORBS: Monarda fistulosa (Wild bergamot), Dalea purpurea (Purple prairie clover), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Symphyotrichum novae-angliae (New England aster), Penstemon digitalis (Beardtongue), Verbena stricta (Hoary vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Mesic Prairie

Total \$360/ac / Grass/sq ft 20 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS: Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), Asclepias tuberosa (Butterfly weed), Chamaecrista fasciculata (Partridge pea), Coreopsis palmata (Prairie coreopsis), Dalea purpurea (Purple prairie clover), Echinacea purpurea (Broad-leaved purple coneflower), Hypericum ascyron (Great St. Johns wort), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Pycnanthemum tenuifolium (Slender mountain mint), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Solidago juncea (Early goldenrod), Solidago speciosa (Showy goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Mesic Prairie – Habitat

Total \$360/ac / Grass/sq ft 20 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Carex normalis (Spreading oval sedge), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Panicum virgatum (Switch grass), Schizachyrium scoparium (Little bluestem), Sorghastrum nutans (Indian grass)

FORBS: Agastache nepetoides (Yellow giant hyssop), Allium cernuum (Nodding wild onion), Asclepias syriaca (Common milkweed), sclepias tuberosa (Butterfly weed), Dalea purpurea (Purple prairie clover), Desmodium illinoense (Illinois tick trefoil), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eutrochium purpureum (Purple joe pye weed), Heliopsis helianthoides (False sunflower), Hypericum ascyron (Great St. Johns wort), Liatris pycnostachya (Prairie blazing star), Monarda fistulosa (Wild bergamot), Oenothera gaura (Biennial gaure), Oligoneuron rigidum (Stiff goldenrod), Parthenium integrifolium (Wild quinine), Penstemon digitalis (Beardtongue), Potentilla arguta (Prairie cinquefoil), Pycnanthemum tenuifolium (Slender mountain mint), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Silphium integrifolium (Rosin weed), Solidago juncea (Early goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum pilosum (Hairy aster), Tradescantia ohiensis (Spiderwort), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR MNDOT
32-241 Native
Construction

Total \$390/ac / Grass/sq ft 60 / Forbs/sq ft 5

STATE: Minnesota

HEIGHT: 3' - 5'

BLOOM PERIOD: Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR Pollinator
Plot Southeast

Total Call for quote / Grass/sq ft 20 / Forbs/sq ft 120

STATE: Minnesota

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR U8; 35-
641 Mesic Prairie
Southeast

Total \$275/ac / Grass/sq ft 3 / Forbs/sq ft 35

STATE: Minnesota
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MN BWSR W3; MNDOT
325; 34-262 Wet Prairie
80/4

Total \$950/ac / Grass/sq ft 80 / Forbs/sq ft 4

STATE: Minnesota
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO CP2 CRP

Total \$285/ac / Grass/sq ft 15 / Forbs/sq ft 20

STATE: Missouri
HEIGHT: 4' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Upland CP42
Pollinator

Total Call for quote / Grass/sq ft 25 / Forbs/sq ft 20

STATE: Missouri
HEIGHT: 4' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

MO Wet CP42
Pollinator

Total Call for quote / **Grass/sq ft** 10 / **Forbs/sq ft** 30

STATE: Missouri

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Native Waterway

Total \$140/ac / **Grass/sq ft** 75 / **Forbs/sq ft** 0

GRASSES/GRASS-LIKE: Lolium multiflorum (Annual rye), Carex annectens (Yellow-fruited sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Elymus canadensis (Canada wild rye), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Panicum virgatum (Switch grass), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass), Spartina pectinata (Prairie cord grass)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Pollinator
Meadow

Total \$310/ac / **Grass/sq ft** 5 / **Forbs/sq ft** 30

STATE: New York

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Upland Meadow
Restoration

Total \$280/ac / **Grass/sq ft** 20 / **Forbs/sq ft** 20

STATE: New York

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

NY Wet to Mesic
Meadow Restoration

Total \$235/ac / Grass/sq ft 20 / Forbs/sq ft 20

STATE: New York
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Seed Mixture
for Birds, Bees, and
Butterflies

Total \$250/ac / Grass/sq ft 15 / Forbs/sq ft 25

STATE: Ohio
HEIGHT: 3' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

OH Wet Prairie
Seeding Mixture

Total \$250/ac / Grass/sq ft 20 / Forbs/sq ft 20

STATE: Ohio
HEIGHT: 3' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

PA Restoration Seed
Mixture for Birds, Bees,
and Butterflies

Total \$250/ac / Grass/sq ft 15 / Forbs/sq ft 25

STATE: Pennsylvania
HEIGHT: 3' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$250/ac / Grass/sq ft 30 / Forbs/sq ft 10

STATE: Pennsylvania

HEIGHT: 3' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$625/ac / Grass/sq ft 30 / Forbs/sq ft 10

GRASSES/GRASS-LIKE: Schizachyrium scoparium (Little bluestem), Elymus canadensis (Canada wild rye)

FORBS: Agastache nepetoides (Yellow giant hyssop), Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Coreopsis lanceolata (Sand coreopsis), Coreopsis palmata (Prairie coreopsis), Dalea purpurea (Purple prairie clover), Chamaecrista fasciculata (Partridge pea), Echinacea pallida (Pale purple coneflower), Echinacea purpurea (Broad-leaved purple coneflower), Eryngium yuccifolium (Rattlesnake master), Eutrochium purpureum (Purple joe pye weed), Lupinus perennis (Wild lupine), Monarda fistulosa (Wild bergamot), Oligoneuron rigidum (Stiff goldenrod), Penstemon digitalis (Beardtongue), Penstemon hirsutus (Hairy beardtongue), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Solidago juncea (Early goldenrod), Solidago nemoralis (Old-field goldenrod), Symphyotrichum laeve (Smooth blue aster), Symphyotrichum novae-angliae (New England aster), Verbena stricta (Hoary vervain), Veronicastrum virginicum (Culver's root)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres



Total \$785/ac / Grass/sq ft 20 / Forbs/sq ft 25

GRASSES/GRASS-LIKE: *Andropogon gerardii* (Big bluestem), *Bouteloua curtipendula* (Side oats grama), *Bromus pubescens* (Woodland brome), *Carex normalis* (Spreading oval sedge), *Carex radiata* (Curly wood sedge), *Carex shortiana* (Short's sedge), *Carex sprengei* (Long-beaked sedge), *Elymus canadensis* (Canada wild rye), *Elymus hystrix* (Bottlebrush grass), *Luzula multiflora* (Common wood rush), *Muhlenbergia mexicana* (Leafy satin grass), *Panicum virgatum* (Switch grass), *Schizachyrium scoparium* (Little bluestem)

FORBS: *Allium cernuum* (Nodding wild onion), *Anemone canadensis* (Meadow anemone), *Anemone virginiana* (Tall/Virginia anemone), *Aquilegia canadensis* (Wild columbine), *Baptisia alba* (White wild indigo), *Chamaecrista fasciculata* (Partridge pea), *Coreopsis palmata* (Prairie coreopsis), *Claytonia virginica* (Spring beauty), *Thalictrum dasycarpum* (Purple meadow rue), *Arnoglossum atriplicifolium* (Pale Indian plantain), *Dalea purpurea* (Purple prairie clover), *Desmodium canadense* (Showy tick trefoil), *Dicentra cucullaria* (Dutchman's britches), *Dodecatheon meadia* (Shooting star), *Eupatorium altissimum* (Tall boneset), *Eutrochium purpureum* (Purple joe pye weed), *Geranium maculatum* (Wild geranium), *Helianthus pauciflorus* (Prairie sunflower), *Heuchera richardsonii* (Prairie alum root), *Hypericum ascyron* (Great St. Johns wort), *Lupinus perennis* (Wild lupine), *Monarda fistulosa* (Wild bergamot), *Oenothera biennis* (Common evening primrose), *Oenothera gaura* (Biennial gaure), *Solidago juncea* (Early goldenrod), *Parthenium integrifolium* (Wild quinine), *Penstemon calycosus* (Small beardtongue), *Penstemon digitalis* (Beardtongue), *Polygonatum biflorum* (Smooth Solomon's seal), *Potentilla arguta* (Prairie cinquefoil), *Ratibida pinnata* (Yellow coneflower), *Rudbeckia hirta* (Black-eyed Susan), *Rudbeckia triloba* (Brown-eyed susan), *Sanguinaria canadensis* (Bloodroot), *Solidago juncea* (Early goldenrod), *Solidago ulmifolia* (Elm-leaved goldenrod), *Symphyotrichum laeve* (Smooth blue aster), *Verbena stricta* (Hoary vervain), *Veronicastrum virginicum* (Culver's root), *Zizia aurea* (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres



Total \$520/ac / Grass/sq ft 30 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Carex annectens (Yellow-fruited sedge), Carex comosa (Longhair sedge), Carex bebbii (Bebb's sedge), Carex cristatella (Crested sedge), Carex hystericina (Bottlebrush sedge), Carex muskingumensis (Muskingum sedge), Carex scoparia (Broom sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Eleocharis obtusa (Blunt spike bush), Elymus virginicus (Virginia wild rye), Juncus dudleyi (Dudley's rush), Spartina pectinata (Prairie cord grass), Scirpus atrovirens (Green bulrush)

FORBS: Angelica atropurpurea (Great angelica), Anemone canadensis (Meadow anemone), Thalictrum dasycarpum (Purple meadow rue), Napaea dioica (Glade mallow), Asclepias incarnata (Swamp milkweed), Symphyotrichum anceolatum (Panicked aster), Symphyotrichum novae-angliae (New England aster), Rorippa palustris (Bog yellowcress), Bidens cernua (Nodding bur marigold), Senna hebecarpa (Wild senna), Astragalus canadensis (Canadian milk vetch), Hasteola suaveolens (Sweet Indian plantain), Eutrochium maculatus (Spotted Joe Pye weed), Eupatorium perfoliatum (Common boneset), Gentiana andrewsii (Bottle gentian), Helenium autumnale (Sneezeweed), Heracleum maximum (Cow parsnip), Hypericum ascyron (Great St. Johns wort), Lobelia siphilitica (Great blue lobelia), Lycopodium americanum (American water horehound), Lythrum alatum (Winged loosestrife), Penthorum sedoides (Ditch stonecrop), Polygonum pensylvanicum (Pinkweed), Rudbeckia subtomentosa (Sweet black-eyed susan), Rumex orbiculatus (Great water dock), Euthamia graminifolia (Common grass-leaved goldenrod), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$375/ac / Grass/sq ft 20 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Bouteloua curtipendula (Side oats grama), Carex bicknellii (Bicknell's sedge), Elymus canadensis (Canada wild rye), Schizachyrium scoparium (Little bluestem), Koeleria macrantha (June grass), Sporobolus heterolepis (Prairie dropseed)

FORBS: Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Brickellia eupatorioides (False boneset), Coreopsis lanceolata (Sand coreopsis), Dalea purpurea (Purple prairie clover), Echinacea pallida (Pale purple coneflower), Lupinus perennis (Wild lupine), Penstemon digitalis (Beardtongue), Penstemon hirsutus (Hairy beardtongue), Potentilla arguta (Prairie cinquefoil), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod), Symphyotrichum sericeum (Silky aster), Verbena stricta (Hoary vervain), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$270/ac / Grass/sq ft 50 / Forbs/sq ft 5

GRASSES/GRASS-LIKE: Lolium multiflorum (Annual rye), Bouteloua curtipendula (Side oats grama), Bouteloua hirsuta (Hairy grama), Carex brevior (Short beak sedge), Carex normalis (Spreading oval sedge), Elymus villosus (Silky wild rye), Festuca rubra (Canada, Red Juncus tenuis (Path rush), Festuca subverticillata (Nodding fescue), Schizachyrium scoparium (Little bluestem), Sporobolus cryptandrus (Sand dropseed)

FORBS: Coreopsis lanceolata (Sand coreopsis), Penstemon calycosus (Small beardtongue), Trifolium pratense (Red clover), Solidago ulmifolia (Elm-leaved goldenrod), Allium cernuum (Nodding wild onion), Asclepias tuberosa (Butterfly weed), Dalea purpurea (Purple prairie clover), Annuals for sun (Annual flower), Chamaecrista fasciculata (Partridge pea), Monarda punctata (Horse mint), Rudbeckia hirta (Black-eyed Susan), Solidago nemoralis (Old-field goldenrod)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$240/ac / Grass/sq ft 0 / Forbs/sq ft 20

FORBS: Coreopsis lanceolata (Sand coreopsis), Anemone canadensis (Meadow anemone), Tradescantia ohiensis (Spiderwort), Conoclinium coelestinum (Blue mistflower), Symphyotrichum ericoides (Heath aster), Allium cernuum (Nodding wild onion), Rudbeckia hirta (Black-eyed Susan), Asclepias tuberosa (Butterfly weed), Dalea purpurea (Purple prairie clover), Coreopsis palmata (Prairie coreopsis), Monarda punctata (Horse mint), Liatris aspera (Rough blazing star), Triodanis perfoliata (Venus's looking glass), Agalinis tenuifolia (Slenderleaf false foxglove), Penstemon hirsutus (Hairy beardtongue), Penstemon digitalis (Beardtongue), Chamaecrista fasciculata (Partridge pea), Solidago nemoralis (Old-field goldenrod), Oligoneuron album (Stiff aster, goldenrod)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$575/ac / Grass/sq ft 70 / Forbs/sq ft 20

GRASSES/GRASS-LIKE: Andropogon gerardii (Big bluestem), Calamagrostis canadensis (Blue joint grass), Elymus virginicus (Virginia wild rye), Elymus canadensis (Canada wild rye), Juncus dudleyi (Dudley's rush), Panicum virgatum (Switch grass), Poa palustris (Fowl bluegrass), Sorghastrum nutans (Indian grass), Spartina pectinata (Prairie cord grass), Carex vulpinoidea (Fox sedge, Brown fox sedge), Scirpus atrovirens (Green bulrush), Scirpus cyperinus (Wool grass)

FORBS: Anemone canadensis (Meadow anemone), Asclepias incarnata (Swamp milkweed), Bidens frondosa (Common beggar's ticks), Lythrum alatum (Winged loosestrife), Doellingeria umbellata (Flat-topped aster), Eutrochium maculatus (Spotted Joe Pye weed), Helenium autumnale (Sneezeweed), Physostegia virginiana (Prairie obedient plant), Rudbeckia laciniata (Wild golden glow), Symphyotrichum novae-angliae (New England aster), Verbena hastata (Blue vervain), Zizia aurea (Golden alexanders)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total \$390/ac / Grass/sq ft 25 / Forbs/sq ft 25

GRASSES/GRASS-LIKE: Carex scoparia (Broom sedge), Carex hystericina (Bottlebrush sedge), Carex normalis (Spreading oval sedge), Carex cristatella (Crested sedge), Carex stipata (Owl-fruited sedge), Carex vulpinoidea (Fox sedge, Brown fox sedge), Panicum virgatum (Switch grass), Spartina pectinata (Prairie cord grass), Juncus dudleyi (Dudley's rush), Elymus virginicus (Virginia wild rye)

FORBS: Asclepias incarnata (Swamp milkweed), Senna hebecarpa (Wild senna), Heliopsis helianthoides (False sunflower), Monarda fistulosa (Wild bergamot), Lythrum alatum (Winged loosestrife), Penthorum sedoides (Ditch stonecrop), Lycopus americanus (American water horehound), Oenothera biennis (Common evening primrose), Penstemon digitalis (Beardtongue), Polygonum pensylvanicum (Pinkweed), Ratibida pinnata (Yellow coneflower), Rudbeckia hirta (Black-eyed Susan), Rudbeckia subtomentosa (Sweet black-eyed susan), Verbena hastata (Blue vervain)

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP2_3 Dry to Mesic

Total \$82/ac / Grass/sq ft 20 / Forbs/sq ft 3

STATE: Wisconsin
HEIGHT: 4' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP2_7 Wet to Mesic

Total \$110/ac / Grass/sq ft 20 / Forbs/sq ft 3

STATE: Wisconsin
HEIGHT: 4' - 7'
BLOOM PERIOD: Early - Middle - Late
HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-DM Dry to Mesic Prairie

Total Call for quote / Grass/sq ft 20 / Forbs/sq ft 20

STATE: Wisconsin
HEIGHT: 4' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP25-WM Wet to Mesic Prairie

Total \$152/ac / Grass/sq ft 25 / Forbs/sq ft 8

STATE: Wisconsin
HEIGHT: 4' - 7'
BLOOM PERIOD: Middle - Late
HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie
Strips - Dry

Total \$105/ac / Grass/sq ft 10 / Forbs/sq ft 8

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie
Strips - Mesic

Total \$115/ac / Grass/sq ft 10 / Forbs/sq ft 8

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI CP43 Prairie
Strips - Wet

Total \$115/ac / Grass/sq ft 10 / Forbs/sq ft 8

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Wet Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

WI Dry Mesic CP42
Pollinator

Total Call for quote / Grass/sq ft 10 / Forbs/sq ft 30

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres

Total Call for quote / **Grass/sq ft** 10 / **Forbs/sq ft** 30

STATE: Wisconsin

HEIGHT: 4' - 7'

BLOOM PERIOD: Early - Middle - Late

HABITAT TYPE: Dry Prairie / Mesic Prairie

NOTES:

- Mixes may vary slightly based on availability
- Price may vary based on genotypic requirements
- Call for projects greater than 5 acres



Order Form



Scientific Name	Common Name	Quantity	Unit Price	Total Price

***Tax**

Residents of the United States, please add state and county sales tax.

Subtotal

Unit Price

Shipping

Tax*

Total

Shipping and Handling

\$10 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Name

Phone

Email

Delivery Address

City

State

Zip

Preferred delivery date

If out of stock, would you prefer:

- Credit toward another order Substitution of similar material Refund

Payment Details

CC#

Exp.

Sec. Code

Billing Zip

Signature

Discover

Mastercard

Visa

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: 608-897-8641

Order Form



Scientific Name	Common Name	Quantity	Unit Price	Total Price

***Tax**

Residents of the United States, please add state and county sales tax.

Subtotal

Unit Price

Shipping

Tax*

Total

Shipping and Handling

\$10 minimum

Add 10% of subtotal for shipping and handling cost of seed.

Shipping of plant material is generally 20% of total plant cost.

Add 5% of subtotal for orders over \$2,000.

To save on shipping costs, you can pick up your order; please write "pickup" in the shipping cost section of the form on the right.

Note: We recommend you pick up plants (plant plugs, trees, and shrubs) unless arrangements for special delivery are made in advance.

Name

Phone

Email

Delivery Address

City

State

Zip

Preferred delivery date

If out of stock, would you prefer:

- Credit toward another order Substitution of similar material Refund

Payment Details

CC#

Exp.

Sec. Code

Billing Zip

Signature

Discover

Mastercard

Visa

Please send your order back by email, fax, or mail:

Email: taylorcreek@res.us | Fax: (608) 897-2044 | Mail to: PO Box 256, Brodhead, WI 53520

Or, call to place your order and speak to our representative: 608-897-8641

17921 W Smith Rd, PO Box 256
Brodhead, WI | 53520
P (608) 897-8641
F (608) 897-2044
E taylorcreek@res.us

224 E 1260 Rd
Baldwin City, KS | 66006
P (785) 594-2245
F (785) 594-2250
E taylorcreek@res.us



The highest-quality native, regional genetic plants and seed.

www.taylorcreeknurseries.com